

SN	SRM CODE	ITEM SPECIFICATION	UOM	QUANTITY	NO. OF DEVICES TO BE INSTALLED IN MOBILE DIAGNOSTIC LABORATORY BIOSAFETY LEVEL 3	REMARKS FOR THE DIAGNOSTIC LABORATORY BIOSAFETY LEVEL 3
1	4115000000100	AGITATOR PLATELETS	EACH	20	-	-
2	4115000000200	ALARM SYSTEM BLOOD BANK	EACH	10	-	-
3	4115000000400	ANALYZER AUTOMATED AMINO ACID	EACH	10	-	-
4	4115000000500	ANALYZER AUTOMATED ANTIBIOTIC IDENTIFICATION & SUSCEPTIBILITY	EACH	1	-	-
5	4115000000600	ANALYZER AUTOMATED BLOOD CULTURE	EACH	1	-	-
6	4115000000700	ANALYZER AUTOMATED BLOOD GAS PH	EACH	2	-	-
7	4115000000900	ANALYZER AUTOMATED CHEMISTRY MEDIUM SIZE	EACH	1	-	-
8	4115000001200	ANALYZER AUTOMATED ELISA	EACH	31	3	The Vendor must consider the installation of some devices in Mobile Diagnostic Laboratory Biosafety Level 3 (Item no. 4219240200000) يجب على المورد مراعاة تركيب وتثبيت بعض الأجهزة بالمختبر المتنقل ذو الأمان الحيوي من المستوى الثالث (بند رقم 4219240200000) 3
9	4115000001400	ANALYZER AUTOMATED ESR	EACH	1	-	-

SN	SRM CODE	ITEM SPECIFICATION	UOM	QUANTITY	NO. OF DEVICES TO BE INSTALLED IN MOBILE DIAGNOSTIC LABORATORY BIOSAFETY LEVEL 3	REMARKS FOR THE DIAGNOSTIC LABORATORY BIOSAFETY LEVEL 3
10	4115000001800	ANALYZER AUTOMATED URINE	EACH	1	-	-
11	4115000002600	ANALYZER GENETIC STANDARD	EACH	3	-	-
12	4115000003000	ANALYZER PLATELET AGGREGATION	EACH	19	-	-
13	4115000003300	ANALYZER AUTOMATED GLYCATED HEMOGLOBIN	EACH	1	-	-
14	4115000003500	APHERESIS UNIT	EACH	4	-	-
15	4115000003600	ASPIRATOR BOTTLE	EACH	18	-	-
16	4228150800400	AUTOCLAVE 100 LITERS	EACH	31	-	-
17	4228150800500	AUTOCLAVE 200 LITERS	EACH	1	-	-
18	4228150800600	AUTOCLAVE 500 LITERS	EACH	22	-	-

SN	SRM CODE	ITEM SPECIFICATION	UOM	QUANTITY	NO. OF DEVICES TO BE INSTALLED IN MOBILE DIAGNOSTIC LABORATORY BIOSAFETY LEVEL 3	REMARKS FOR THE DIAGNOSTIC LABORATORY BIOSAFETY LEVEL 3
19	4115000003800	AUTOMATED BLOOD FILM (SMEARING) PREPARATION UNIT	EACH	18	-	-
20	4115000003900	BAG HOLDER BIOHAZARD	EACH	10	-	-
21	4115000004000	BALANCE ANALYTICAL	EACH	126	-	-
22	4115000004100	BALANCE ELECTRONIC TOP LOADING	EACH	41	-	-
23	4115000004300	BALANCE PAN	EACH	9	-	-
24	4115000004400	BASKET STERILIZATION LAB	EACH	91	-	-
25	4115000004500	BATH DRY BLOCKS	EACH	25	-	-
26	4115000004600	BATH DRY TWO BLOCKS	EACH	19	-	-
27	4115000004700	BATH PLASMA THAWING	EACH	37	-	-
28	4110370600100	BATH WATER 03-05 L	EACH	29	-	-
29	4110370600200	BATH WATER 10-15 L	EACH	72	-	-
30	4110370600300	BATH WATER SEROLOGICAL	EACH	27	-	-
31	4110370600400	BATH WATER TISSUE FLOAT	EACH	32	-	-
32	4110370600500	BATH WATER WITH SHAKER	EACH	20	3	The Vendor must consider the installation of some devices in Mobile

SN	SRM CODE	ITEM SPECIFICATION	UOM	QUANTITY	NO. OF DEVICES TO BE INSTALLED IN MOBILE DIAGNOSTIC LABORATORY BIOSAFETY LEVEL 3	REMARKS FOR THE DIAGNOSTIC LABORATORY BIOSAFETY LEVEL 3
						Diagnostic Laboratory Biosafety Level 3 (Item no. 4219240200000) يجب على المورد مراعاة تركيب وتثبيت بعض الأجهزة بالمختبر المتنقل ذو الأمان الحيوي من المستوى الثالث (بند رقم 4219240200000) 3
33	4115000004900	BINOCULAR MICROSCOPE	EACH	309	-	-
34	4115000005000	BINOCULAR MICROSCOPE EPI FLUORESCENCE	EACH	31	-	-
35	4115000005100	BINOCULAR MICROSCOPE WITH DIGITAL CAMERA	EACH	37	-	-
36	4115000005200	BINOCULAR MICROSCOPE WITH POLARIZATION	EACH	10	-	-
37	4115000005300	BINOCULAR MICROSCOPE DUAL OBSERVATION	EACH	23	-	-
38	4115000005400	BOX RH TYPING	EACH	56	-	-
39	4115000005500	BOX SLIDE POLYSTYRENE	EACH	236	-	-
40	4115000005600	BOX STERILIZING	EACH	90	-	-
41	4115000005700	BRUSHES	EACH	23	-	-

SN	SRM CODE	ITEM SPECIFICATION	UOM	QUANTITY	NO. OF DEVICES TO BE INSTALLED IN MOBILE DIAGNOSTIC LABORATORY BIOSAFETY LEVEL 3	REMARKS FOR THE DIAGNOSTIC LABORATORY BIOSAFETY LEVEL 3
42	4115000005800	BURNER BUNSEN	EACH	90	-	-
43	4115000006100	CABINET CHEMICAL STORAGE	EACH	67	-	-
44	4115000006200	CABINET FLAMMABLE STORAGE	EACH	66	-	-
45	4115000006300	CABINET MICROSCOPE SLIDE STORAGE	EACH	114	-	-
46	4115000006400	CABINET PARAFFIN STORAGE	EACH	31	-	-
47	4110351700300	CABINET SAFETY CLASS II B2	EACH	62	-	-

SN	SRM CODE	ITEM SPECIFICATION	UOM	QUANTITY	NO. OF DEVICES TO BE INSTALLED IN MOBILE DIAGNOSTIC LABORATORY BIOSAFETY LEVEL 3	REMARKS FOR THE DIAGNOSTIC LABORATORY BIOSAFETY LEVEL 3
48	4115000006600	CABINET TISSUE STORAGE	EACH	5	-	-
49	4110351700400	CABINET SAFETY CLASS I	EACH	7	-	-
50	4110351700500	CABINET SAFETY CLASS II	EACH	15	-	-
51	4115000007100	CENTRIFUGE 12 TUBES TABLE TOP	EACH	163	3	The Vendor must consider the installation of some devices in Mobile Diagnostic Laboratory Biosafety Level 3 (Item no. 4219240200000) يجب على المورد مراعاة تركيب وتثبيت بعض الأجهزة بالمختبر المتنقل ذو الأمان الحيوي من المستوى الثالث (بند رقم 4219240200000) 3
52	4115000007200	CENTRIFUGE 24 TUBES TABLE TOP	EACH	138	-	-
53	4115000007300	CENTRIFUGE 48 TUBES TABLE TOP	EACH	101	-	-

SN	SRM CODE	ITEM SPECIFICATION	UOM	QUANTITY	NO. OF DEVICES TO BE INSTALLED IN MOBILE DIAGNOSTIC LABORATORY BIOSAFETY LEVEL 3	REMARKS FOR THE DIAGNOSTIC LABORATORY BIOSAFETY LEVEL 3
54	4115000007400	CENTRIFUGE CELL WASH	EACH	1	-	-
55	4115000007500	CENTRIFUGE CYTO	EACH	38	-	-
56	4115000007600	CENTRIFUGE FLOOR	EACH	9	-	-
57	4115000007700	CENTRIFUGE MICRO 1.5ML TO 2ML	EACH	43	-	-
58	4115000007800	CENTRIFUGE MICROPLATES	EACH	13	-	-
59	4115000007900	CENTRIFUGE REFRIGERATED BLOOD BANK	EACH	38	-	-
60	4115000008100	CENTRIFUGE REFRIGERATED MICRO 1.5ML TO 2ML TUBES	EACH	31	-	-
61	4115000008200	CENTRIFUGE REFRIGERATED TABLE TOP	EACH	104	-	-
62	4219210100400	CHAIR BLOOD DONATION	EACH	107	-	-
63	4219210100300	CHAIR BLOOD DONATION PORTABLE	EACH	7	-	-
64	4219210100200	CHAIR BLOOD DRAWING	EACH	81	-	-

SN	SRM CODE	ITEM SPECIFICATION	UOM	QUANTITY	NO. OF DEVICES TO BE INSTALLED IN MOBILE DIAGNOSTIC LABORATORY BIOSAFETY LEVEL 3	REMARKS FOR THE DIAGNOSTIC LABORATORY BIOSAFETY LEVEL 3
65	4115000008300	CHAIR LAB	EACH	1919	-	-
66	4115000008400	CHAMBER DRYING CYTOGENETIC	EACH	4	-	-
67	4115000009000	CHROMATOGRAPHY HIGH PERFORMANCE THIN LAYER	EACH	9	-	-
68	4115000009100	CHROMATOGRAPHY ION	EACH	5	-	-
69	4115000009500	CHROMATOGRAPHY LIQUID ULTRA HIGH PERFORMANCE WITH AUTOSAMPLER	EACH	11	-	-
70	4115000009600	COLD ROOM LAB REAGENTS & DIAGNOSTIC TEST KITS	EACH	26	-	-
71	4115000009700	CONTAINER CYLINDER PIPETTE	EACH	60	-	-
72	4115000009800	CONTAINER SPECIMEN TRANSPORT	EACH	18	-	-
73	4115000009900	COPLIN JAR	EACH	81	-	-
74	4115000010200	COUNTER CELL DIFFERENTIAL ELECTRONIC	EACH	76	-	-
75	4115000010300	COUNTER COLONY BACTERIA SEMI AUTOMATED	EACH	20	-	-

SN	SRM CODE	ITEM SPECIFICATION	UOM	QUANTITY	NO. OF DEVICES TO BE INSTALLED IN MOBILE DIAGNOSTIC LABORATORY BIOSAFETY LEVEL 3	REMARKS FOR THE DIAGNOSTIC LABORATORY BIOSAFETY LEVEL 3
76	4115000010400	COVER SLIPPING AUTOMATED	EACH	20	-	-
77	4115000010700	DECREASING SYSTEM PATHOGENS	EACH	1	-	-
78	4115000010800	DESTROYER NEEDLE SYRINGE	EACH	2	-	-
79	4115000011100	DILUTER DISPENSER	EACH	86	-	-
80	4115000011200	DISSECTING SET PATHOLOGY	EACH	2	-	-
81	4115000011300	DOCUMENTATION GEL	EACH	4	-	-
82	4115000011400	DRYER 50 SLIDE	EACH	37	-	-
83	4115000011900	ELISA MICROWELL PLATE WASHER AUTOMATED	EACH	2	-	-
84	4115000012200	EMBEDDING CENTER HISTOLOGY	EACH	3	-	-
85	4115000012300	EVAPORATOR NITROGEN	EACH	10	-	-
86	4115000012500	EXTRACTOR PLASMA MANUAL	EACH	54	-	-

SN	SRM CODE	ITEM SPECIFICATION	UOM	QUANTITY	NO. OF DEVICES TO BE INSTALLED IN MOBILE DIAGNOSTIC LABORATORY BIOSAFETY LEVEL 3	REMARKS FOR THE DIAGNOSTIC LABORATORY BIOSAFETY LEVEL 3
87	4115000012700	FLOW CYTOMETRY AUTOMATED	EACH	1	-	-
88	4115000012900	FOOD SAMPLE BLENDER & MIXER	EACH	9	-	-
89	4115000013000	FOURIER TRANSFORM INFRARED	EACH	18	-	-
90	4115000013100	FREEZER 500 LITER	EACH	77	-	-
91	4115000013300	FREEZER PLASMA	EACH	1	-	-
92	4115000013400	FREEZER ULTRA LOW TEMPERATURE -20 TO -86C	EACH	107	-	-
93	4115000013500	GASPACK ANAEROBIC	EACH	2	-	-
94	4115000013800	GENERATOR HYDROGEN STANDARD	EACH	9	-	-
95	4115000014000	GENERATOR NITROGEN STANDARD	EACH	17	-	-

SN	SRM CODE	ITEM SPECIFICATION	UOM	QUANTITY	NO. OF DEVICES TO BE INSTALLED IN MOBILE DIAGNOSTIC LABORATORY BIOSAFETY LEVEL 3	REMARKS FOR THE DIAGNOSTIC LABORATORY BIOSAFETY LEVEL 3
96	4115000014100	GENERATOR ZERO AIR	EACH	9	-	-
97	4115000014200	GROSSING TOOLS	EACH	110	-	-
98	4115000014300	GROUPING SYSTEM BLOOD AUTOMATED	EACH	3	-	-
99	4115000014500	HANDLE KNIFE AUTOPSY 170MM	EACH	6	-	-
100	4115000014600	HANDLE KNIFE AUTOPSY 325MM	EACH	6	-	-
101	4115000014800	HEMOCYTOMETER	EACH	114	-	-
102	4115000014900	HOLDER CROSS MATCH BLOOD BANK	EACH	2	-	-
103	4115000015000	HOLDER SLIDE CAPACITY 20 SLIDES	EACH	21	-	-
104	4115000015200	HOOD FUME LAB	EACH	39	-	-

SN	SRM CODE	ITEM SPECIFICATION	UOM	QUANTITY	NO. OF DEVICES TO BE INSTALLED IN MOBILE DIAGNOSTIC LABORATORY BIOSAFETY LEVEL 3	REMARKS FOR THE DIAGNOSTIC LABORATORY BIOSAFETY LEVEL 3
105	4115000015300	HOTPLATE	EACH	94	-	-
106	4115000015600	ICE MAKER DISPENSER CUBE	EACH	2	-	-
107	4115000015900	IMAGING SYSTEM GROSSING ROOM DIGITAL	EACH	10	-	-
108	4115000016000	IMAGING SYSTEM CYTOGENETICS	EACH	5	-	-
109	4115000016200	INCUBATOR AEROBIC	EACH	32	-	-
110	4115000016300	INCUBATOR ANAEROBIC	EACH	6	-	-
111	4115000016500	INCUBATOR CO2 WITH CYLINDER & REGULATOR	EACH	31	-	-
112	4115000016800	INCUBATOR PLATELETS	EACH	10	-	-
113	4115000016900	INCUBATOR SHAKER AUTOMATED	EACH	19	-	-
114	4115000017000	IRRADIATOR BLOOD BANK	EACH	10	-	-
115	4115000017200	KIT SPILL CHEMICAL	EACH	52	-	-

SN	SRM CODE	ITEM SPECIFICATION	UOM	QUANTITY	NO. OF DEVICES TO BE INSTALLED IN MOBILE DIAGNOSTIC LABORATORY BIOSAFETY LEVEL 3	REMARKS FOR THE DIAGNOSTIC LABORATORY BIOSAFETY LEVEL 3
116	4115000017300	LABEL RADIOACTIVE MATERIAL	EACH	1	-	-
117	4115000017400	LABEL TAPE SET	EACH	24	-	-
118	4115000017700	LAMP FLUORESCENT G6PD SCREENING	EACH	1	-	-
119	4115000017800	LAMP ULTRAVIOLET GERMICIDAL	EACH	55	-	-
120	4115000018000	LCM MS MS	EACH	19	-	-
121	4115000018100	LENS & TISSUES CLEANING	EACH	1810	-	-
122	4115000018400	LOGGER DATA TEMPERATURE	EACH	6	-	-
123	4115000018900	MAGNIFIER WITH LAMP	EACH	21	-	-
124	4115000019300	METER FORMALDEHYDE	EACH	11	-	-
125	4115000019500	METER HEMOGLOBIN	EACH	6	-	-

SN	SRM CODE	ITEM SPECIFICATION	UOM	QUANTITY	NO. OF DEVICES TO BE INSTALLED IN MOBILE DIAGNOSTIC LABORATORY BIOSAFETY LEVEL 3	REMARKS FOR THE DIAGNOSTIC LABORATORY BIOSAFETY LEVEL 3
126	4115000019700	METER PH	EACH	100	-	-
127	4115000019800	METER T.S	EACH	246	-	-
128	4115000019900	METER TEMPERATURE & HUMIDITY	EACH	9	-	-
129	4115000020200	MICROBIOLOGICAL AUTOMATED	EACH	1	-	-
130	4115000020500	MICROSCOPE FLUORESCENT INVERTED	EACH	27	-	-
131	4115000020600	MICROSCOPE INVERTED	EACH	4	-	-
132	4115000020800	MICROSCOPE PHASE CONTRAST	EACH	19	-	-
133	4115000020900	MICROSCOPE SLIDE HOLDER PATHOLOGY	EACH	91	-	-
134	4115000021000	MICROSCOPE SLIDE PRINTER	EACH	3	-	-
135	4115000021400	MICROTOME CRYO CUT	EACH	3	-	-

SN	SRM CODE	ITEM SPECIFICATION	UOM	QUANTITY	NO. OF DEVICES TO BE INSTALLED IN MOBILE DIAGNOSTIC LABORATORY BIOSAFETY LEVEL 3	REMARKS FOR THE DIAGNOSTIC LABORATORY BIOSAFETY LEVEL 3
136	4115000021500	MICROTOME ROTARY	EACH	25	-	-
137	4115000021600	MICROWAVE DIGESTER LABSTATION	EACH	17	-	-
138	4115000021700	MICROWAVE DIGESTION WITH SCRUBBER	EACH	17	-	-
139	4115000021900	MIXER BLOOD ROLLER TYPE	EACH	84	-	-
140	4115000022000	MIXER VORTEX	EACH	149	6	The Vendor must consider the installation of some devices in Mobile Diagnostic Laboratory Biosafety Level 3 (Item no. 4219240200000) يجب على المورد مراعاة تركيب وتثبيت بعض الأجهزة بالمختبر المتنقل (ذو الأمان الحيوي من المستوى الثالث) بند رقم 4219240200000) 3
141	4115000022100	MIXER VORTEX MULTI	EACH	1	-	-
142	4115000022300	MOULD EMBEDDING	EACH	119	-	-
143	4115000022500	OSMOMETER	EACH	10	-	-

SN	SRM CODE	ITEM SPECIFICATION	UOM	QUANTITY	NO. OF DEVICES TO BE INSTALLED IN MOBILE DIAGNOSTIC LABORATORY BIOSAFETY LEVEL 3	REMARKS FOR THE DIAGNOSTIC LABORATORY BIOSAFETY LEVEL 3
144	4115000022600	OVEN HEATING DRYING	EACH	39	-	-
145	4115000022700	OVEN UNIVERSAL 100 LITERS	EACH	35	-	-
146	4115000022800	OVEN UNIVERSAL 200 LITERS	EACH	7	-	-
147	4115000023000	OXIMETER CO	EACH	16	-	-
148	4115000023200	PCR REAL TIME	EACH	19	-	-
149	4115000023300	PENCIL DIAMOND	EACH	272	-	-
150	4115000023400	PENCILS WAX	EACH	270	-	-
151	4115000023500	PIPETTOR 10 MICRO	EACH	99	-	-
152	4115000023600	PIPETTOR 100 MICRO	EACH	101	-	-
153	4115000023700	PIPETTOR 1000 MICRO	EACH	84	-	-
154	4115000023900	PIPETTOR 20 MICRO	EACH	30	-	-

SN	SRM CODE	ITEM SPECIFICATION	UOM	QUANTITY	NO. OF DEVICES TO BE INSTALLED IN MOBILE DIAGNOSTIC LABORATORY BIOSAFETY LEVEL 3	REMARKS FOR THE DIAGNOSTIC LABORATORY BIOSAFETY LEVEL 3
155	4115000024000	PIPETTOR 200 MICRO	EACH	32	-	-
156	4115000024100	PIPETTOR 2-10 MICRO ADJUSTABLE	EACH	29	-	-
157	4115000024200	PIPETTOR 50 MICRO	EACH	12	-	-
158	4115000024400	PIPETTOR ADJUSTABLE 0.5-10 MICROLITERS	EACH	51	-	-
159	4115000024500	PIPETTOR AUTOMATIC	EACH	25	-	-
160	4115000024600	PIPETTOR SYRINGE MULTI 12 CHANNEL	EACH	154	-	-
161	4115000024700	PIPETTOR SYRINGE MULTI 6 CHANNEL	EACH	154	-	-
162	4115000024800	PIPETTOR SYRINGE MULTI 8 CHANNEL	EACH	162	-	-
163	4115000024900	PITCHER PARAFFIN	EACH	54	-	-
164	4115000025300	PREPARATION MEDIA FILLING & DISPENSING	EACH	10	-	-

SN	SRM CODE	ITEM SPECIFICATION	UOM	QUANTITY	NO. OF DEVICES TO BE INSTALLED IN MOBILE DIAGNOSTIC LABORATORY BIOSAFETY LEVEL 3	REMARKS FOR THE DIAGNOSTIC LABORATORY BIOSAFETY LEVEL 3
165	4115000025700	PROCESSOR TISSUE AUTOMATIC	EACH	11	-	-
166	4115000025900	PUMP HAND	EACH	67	-	-
167	4115000026000	PUMP VACUUM	EACH	10	-	-
168	4115000026400	PURIFICATION SYSTEM WATER	EACH	45	-	-
169	4112280400200	RACK 12 BOTTLES	EACH	41	-	-
170	4115000026600	RACK PIPETTOR	EACH	22	-	-
171	4112280400300	RACK TEST TUBE 10 -13 mm 36-48 HOLES	EACH	5	-	-
172	4112280400400	RACK TEST TUBE 12 mm DIAMETER 12 HOLE	EACH	347	-	-

SN	SRM CODE	ITEM SPECIFICATION	UOM	QUANTITY	NO. OF DEVICES TO BE INSTALLED IN MOBILE DIAGNOSTIC LABORATORY BIOSAFETY LEVEL 3	REMARKS FOR THE DIAGNOSTIC LABORATORY BIOSAFETY LEVEL 3
173	4112280400500	RACK TEST TUBE 12 mm DIAMETER 24 HOLE	EACH	347	-	-
174	4112280400600	RACK TEST TUBE 12 mm DIAMETER 36 HOLE	EACH	347	-	-
175	4112280400800	RACK TEST TUBE 16 mm DIAMETER 12 HOLE	EACH	347	-	-
176	4112280400900	RACK TEST TUBE 16 mm DIAMETER 24 HOLE	EACH	347	-	-
177	4112280401000	RACK TEST TUBE 20 mm DIAMETER 24 HOLE	EACH	347	-	-
178	4115000026700	READER ELISA VARIABLE FILTERS	EACH	1	-	-
179	4110301000300	REFRIGERATOR BLOOD BANK 500 BAGS	EACH	39	-	-
180	4110301000400	REFRIGERATOR BLOOD BANK 360 BAGS	EACH	39	-	-
181	4110301000500	REFRIGERATOR LAB - 710 L	EACH	164	-	-
182	4110301000600	REFRIGERATOR LAB - 1400 liters	EACH	34	-	-

SN	SRM CODE	ITEM SPECIFICATION	UOM	QUANTITY	NO. OF DEVICES TO BE INSTALLED IN MOBILE DIAGNOSTIC LABORATORY BIOSAFETY LEVEL 3	REMARKS FOR THE DIAGNOSTIC LABORATORY BIOSAFETY LEVEL 3
183	4110301000700	REFRIGERATOR WITH FREEZER LAB - 340 liters	EACH	16	-	-
184	4115000027000	REPEATER PIPETTE AUTOMATIC	EACH	352	-	-
185	4115000027100	ROTATOR CLINICAL	EACH	4	-	-
186	4115000027200	ROTATOR PLATELETS	EACH	20	-	-
187	4115000027300	ROTATOR TISSUE CULTURE	EACH	1	-	-
188	4115000027400	SCALE BLOOD DONATION COLLECTION ELECTRONIC	EACH	102	-	-
189	4115000027500	SCALE PRECISION	EACH	2	-	-
190	4115000027600	SEALER TUBE BLOOD BAG 1 HEAD	EACH	60	-	-
191	4115000027700	SEALER TUBE BLOOD BAG 4 HEADS MULTI	EACH	5	-	-
192	4115000027800	SEALER TUBE BLOOD BAG 6 HEADS MULTI	EACH	2	-	-
193	4115000027900	SEALER TUBE STERILE	EACH	63	-	-
194	4115000028000	SEPARATOR PLASMA ELECTRICAL	EACH	56	-	-
195	4115000028100	SHAKER	EACH	4	-	-

SN	SRM CODE	ITEM SPECIFICATION	UOM	QUANTITY	NO. OF DEVICES TO BE INSTALLED IN MOBILE DIAGNOSTIC LABORATORY BIOSAFETY LEVEL 3	REMARKS FOR THE DIAGNOSTIC LABORATORY BIOSAFETY LEVEL 3
196	4115000028200	SHAKER HOTPLATE	EACH	92	-	-
197	4115000028400	SHAKER VDRL	EACH	28	-	-
198	4115000028500	SLIDE WARMER	EACH	40	-	-
199	4115000028600	SPATULA 150 MM	EACH	55	-	-
200	4115000028700	SPATULA 210 MM	EACH	55	-	-
201	4115000028900	SPECTROMETER PLASMA MASS INDUCTIVELY COUPLED ICP MS	EACH	24	-	-
202	4115000029000	SPECTROPHOTOMETER ATOMIC ABSORPTION	EACH	16	-	-
203	4115000029100	SPECTROPHOTOMETER UV DOUBLE BEAM	EACH	27	-	-
204	4115000029400	STAINER SLIDE AUTOMATED HEMATOLOGY/MICROBIOLOGY	EACH	1	-	-
205	4115000029500	STAINER SLIDE AUTOMATED HEMATOLOGY/MICROBIOLOGY COMPACT	EACH	18	-	-
206	4115000029600	STAINER SLIDE AUTOMATED HISTO/CYTO	EACH	19	-	-

SN	SRM CODE	ITEM SPECIFICATION	UOM	QUANTITY	NO. OF DEVICES TO BE INSTALLED IN MOBILE DIAGNOSTIC LABORATORY BIOSAFETY LEVEL 3	REMARKS FOR THE DIAGNOSTIC LABORATORY BIOSAFETY LEVEL 3
207	4115000030200	STAND TRIPOD	EACH	90	-	-
208	4618181000300	STATION EYEWASH & EMERGENCY SHOWER	EACH	138	-	-
209	4115000030400	STILL WATER AUTOMATED 10 - 12 L	EACH	37	-	-
210	4115000030500	STIRRER HOTPLATE	EACH	73	-	-
211	4112180200300	STIRRER MAGNETIC	EACH	30	3	The Vendor must consider the installation of some devices in Mobile Diagnostic Laboratory Biosafety Level 3 (Item no. 4219240200000) يجب على المورد مراعاة تركيب وتثبيت بعض الأجهزة بالمختبر المتنقل ذو الأمان الحيوي من المستوى الثالث (بند رقم 4219240200000) 3
212	4115000030600	STOP WATCH	EACH	355	-	-
213	4112242200400	STRIPPER TUBE BLOOD BAG AUTOMATED	EACH	55	-	-
214	4115000031000	TESTING INSECTICIDE	EACH	2	-	-
215	4115000031100	TESTING PROFICIENCY	EACH	12	-	-

SN	SRM CODE	ITEM SPECIFICATION	UOM	QUANTITY	NO. OF DEVICES TO BE INSTALLED IN MOBILE DIAGNOSTIC LABORATORY BIOSAFETY LEVEL 3	REMARKS FOR THE DIAGNOSTIC LABORATORY BIOSAFETY LEVEL 3
216	4115000031200	THERMAL CYCLER	EACH	14	-	-
217	4115000031300	THERMO MIXER	EACH	14	-	-
218	4115000031500	THERMOMETER BLOOD BANK -100 TO +50	EACH	33	-	-
219	4115000031600	THERMOMETER CERTIFIED LAB	EACH	32	-	-
220	4115000031700	THERMOMETER DIGITAL FOR REFRIGERATOR & FREEZER WITH ALARMS	EACH	4	-	-
221	4115000031900	THERMOMETER LABORATORY -10 TO +100	EACH	123	-	-
222	4115000032000	THERMOMETER LABORATORY -20 TO +15	EACH	60	-	-
223	4115000032100	THERMOMETER REFERENCE	EACH	14	-	-
224	4115000032400	TIMER ALARM THREE CHANNEL TRACABLE	EACH	12	-	-
225	4115000032500	TIMER INTERVAL	EACH	324	-	-
226	4115000032600	TIMER MULTI FUNCTION	EACH	324	-	-

SN	SRM CODE	ITEM SPECIFICATION	UOM	QUANTITY	NO. OF DEVICES TO BE INSTALLED IN MOBILE DIAGNOSTIC LABORATORY BIOSAFETY LEVEL 3	REMARKS FOR THE DIAGNOSTIC LABORATORY BIOSAFETY LEVEL 3
227	4115000032700	TISSUE EMBEDDING	EACH	12	-	-
228	4115000032800	TOURNIQUET LARGE	EACH	60	-	-
229	4115000032900	TOURNIQUET MEDIUM	EACH	100	-	-
230	4115000033000	TOURNIQUET SMALL	EACH	70	-	-
231	4115000033400	TUBE TEST HOLDER	EACH	211	-	-
232	4115000033500	UPS	EACH	5	-	-
233	4115000033700	WASHER & DRYER PIPETTOR	EACH	19	-	-
234	4115000033900	WASHING UNIT GLASSWARE AUTOMATIC	EACH	18	-	-
235	4115000034000	WIRE GAUGE	EACH	198	-	-
236	4115000034400	WORKSTATION GROSSING PATHOLOGY	EACH	11	-	-
237	4115000034500	WORKSTATION INTEGRATED SOLID PHASE EXTRACTION AUTOMATED	EACH	27	-	-
238	4115000034800	WRITER TISSUE CASSETTE	EACH	10	-	-

SN	SRM CODE	ITEM SPECIFICATION	UOM	QUANTITY	NO. OF DEVICES TO BE INSTALLED IN MOBILE DIAGNOSTIC LABORATORY BIOSAFETY LEVEL 3	REMARKS FOR THE DIAGNOSTIC LABORATORY BIOSAFETY LEVEL 3
239	4228150800700	AUTOCLAVE: STEAMING WITH DRYER MEDIUM SIZE (25 - 50 L)	EACH	7	-	-
240	4111586300000	TOTAL NUCLEIC ACID EXTRACTION 96 SAMPLES MINIMUM	EACH	1	-	-
241	4110351700100	CABINET: CLASS II BIOLOGICAL SAFETY CABINET A2	EACH	8	-	-
242	4118150000000	SYNDROMIC TESTING FOR INFECTIOUS DISEASES	EACH	2	-	-
243	4110390700000	CENTRIFUGE: PREPARATIVE ULTRACENTRIFUGE	EACH	2	-	-
244	4227170103900	CYLINDER CONTENT WITH CO2 REGULATOR INDICATION	EACH	9	-	-
245	4118160300000	ELECTROPHORESIS: HORIZONTAL SUBMERGED CELL UNIT - LARGE SIZE	EACH	12	-	-
246	4118160300100	ELECTROPHORESIS: HORIZONTAL SUBMERGED CELL UNIT - SMALL SIZE (NORMAL)	EACH	9	-	-

SN	SRM CODE	ITEM SPECIFICATION	UOM	QUANTITY	NO. OF DEVICES TO BE INSTALLED IN MOBILE DIAGNOSTIC LABORATORY BIOSAFETY LEVEL 3	REMARKS FOR THE DIAGNOSTIC LABORATORY BIOSAFETY LEVEL 3
247	4118160300200	ELECTROPHORESIS: HORIZONTAL SUBMERGED CELL UNIT - SMALL SIZE (WIDE)	EACH	4	-	-
248	4118160300300	ELECTROPHORESIS: POWER SUPPLY FOR SUBMERGED GEL	EACH	14	-	-
249	4118160300400	ELECTROPHORESIS: PULSED FIELD GEL ELECTROPHORESIS SYSTEM (VERTICAL)	EACH	7	-	-
250	4117160000000	ELECTROPORATOR	EACH	1	-	-
251	4113150100000	AUTOMATED CELL COUNTER	EACH	6	-	-
252	4111170300200	TEN HEADED TEACHING MICROSCOPE	EACH	1	-	-
253	4111601514000	FLOW CYTOMETRY SYSTEMS	EACH	2	-	-

SN	SRM CODE	ITEM SPECIFICATION	UOM	QUANTITY	NO. OF DEVICES TO BE INSTALLED IN MOBILE DIAGNOSTIC LABORATORY BIOSAFETY LEVEL 3	REMARKS FOR THE DIAGNOSTIC LABORATORY BIOSAFETY LEVEL 3
254	4218150200100	GEL UV TRANSILLUMINATOR	EACH	4	-	-
255	4111582100000	INSTRUMENT: MICROBIAL IDENTIFICATION SYSTEM	EACH	1	-	-
256	4110630000000	REAL-TIME PCR SYSTEM (OPEN ACCESS)	EACH	17	3	The Vendor must consider the installation of some devices in Mobile Diagnostic Laboratory Biosafety Level 3 (Item no. 4219240200000) يجب على المورد مراعاة تركيب وتثبيت بعض الأجهزة بالمختبر المتنقل ذو الأمان الحيوي من المستوى الثالث (بند رقم 4219240200000) 3
257	4110450700000	MICROWAVE	EACH	5	-	-
258	4010190300000	AIR HUMIDIFIER L	EACH	1	-	-
259	4112151100900	PIPETTES ACCESSORY: MOTORIZED CONTROLLERS	EACH	24	-	-
260	4110351700600	CLASS III BIOLOGICAL SAFETY CABINET	EACH	1	-	-
261	4112150000000	PIPETTES: MULTICHANNEL, VARIABLE VOLUME 0.1 - 10 ML	EACH	41	-	-

SN	SRM CODE	ITEM SPECIFICATION	UOM	QUANTITY	NO. OF DEVICES TO BE INSTALLED IN MOBILE DIAGNOSTIC LABORATORY BIOSAFETY LEVEL 3	REMARKS FOR THE DIAGNOSTIC LABORATORY BIOSAFETY LEVEL 3
262	4112150000100	PIPETTES: MULTICHANNEL, VARIABLE VOLUME 0.1 - 20 ML	EACH	41	-	-
263	4112150000200	PIPETTES: MULTICHANNEL, VARIABLE VOLUME 10 - 100 ML	EACH	62	-	-
264	4112150000300	PIPETTES: MULTICHANNEL, VARIABLE VOLUME 100 - 1000 ML	EACH	53	-	-
265	4112150000400	PIPETTES: SINGLE-CHANNEL, VARIABLE VOLUME 0.1 - 10 MICROLITERS	EACH	75	-	-
266	4112150000500	PIPETTES: SINGLE-CHANNEL, VARIABLE VOLUME 0.2 - 2.0 MICROLITERS	EACH	75	-	-
267	4112150000800	PIPETTES: SINGLE-CHANNEL, VARIABLE VOLUME 10 - 50 MICROLITERS	EACH	80	-	-
268	4112150000600	PIPETTES: SINGLE-CHANNEL, VARIABLE VOLUME 100 -1000 MICROLITERS	EACH	75	-	-
269	4112150000700	PIPETTES: SINGLE-CHANNEL, VARIABLE VOLUME 10 -100 MICROLITERS	EACH	75	-	-
270	4110381100000	BENCH-TOP ORBITAL SHAKERS	EACH	4	-	-

SN	SRM CODE	ITEM SPECIFICATION	UOM	QUANTITY	NO. OF DEVICES TO BE INSTALLED IN MOBILE DIAGNOSTIC LABORATORY BIOSAFETY LEVEL 3	REMARKS FOR THE DIAGNOSTIC LABORATORY BIOSAFETY LEVEL 3
271	4110440500000	TRIPLE STACKED SHAKING INCUBATOR	EACH	1	-	-
272	4218220000000	LABORATORY THERMOMETER (-80 C TO -20 C)	EACH	80	-	-
273	4111540600100	SPECTROPHOTOMETER: 96 WELL PLATE READERS	EACH	7	3	The Vendor must consider the installation of some devices in Mobile Diagnostic Laboratory Biosafety Level 3 (Item no. 4219240200000) يجب على المورد مراعاة تركيب وتثبيت بعض الأجهزة بالمختبر المتنقل ذو الأمان الحيوي من المستوى الثالث (بند رقم 4219240200000) 3
274	4111540600000	MICROVOLUME SPECTROPHOTOMETERS AND FLUOROMETER (NANO DROP)	EACH	7	-	-
275	4110302100000	ULTRA LOW FREEZER -180 C	EACH	5	-	-
276	4110302100100	FREEZING CONTAINER "MR. FROSTY"	EACH	15	-	-
277	4110500100000	DNA SEPARATION, SIZING AND QUANTIFICATION	EACH	4	-	-
278	4111620300700	TEMPERATURE MONITORS AND RH METER	EACH	1	-	-

SN	SRM CODE	ITEM SPECIFICATION	UOM	QUANTITY	NO. OF DEVICES TO BE INSTALLED IN MOBILE DIAGNOSTIC LABORATORY BIOSAFETY LEVEL 3	REMARKS FOR THE DIAGNOSTIC LABORATORY BIOSAFETY LEVEL 3
279	4112000000000	ICE BUCKET	EACH	35	-	-
280	4110000000000	ICE FLAKE MAKER/DISPENSER	EACH	5	-	-
281	4110321000000	INFRARED MICRO STERILIZER FOR METAL INOCULATION LOOPS	EACH	6	3	The Vendor must consider the installation of some devices in Mobile Diagnostic Laboratory Biosafety Level 3 (Item no. 4219240200000) يجب على المورد مراعاة تركيب وتثبيت بعض الأجهزة بالمختبر المتنقل ذو الأمان الحيوي من المستوى الثالث (بند رقم 4219240200000) 3
282	4110470000000	LABORATORY FREEZE DRYER /LYOPHILIZER	EACH	3	-	-
283	4117150100100	ID AND ANTIMICROBIAL SUSCEPTIBILITY TESTING	EACH	1	-	-
284	4110510100000	VACUUM MANIFOLD FOR SOLID PHASE EXTRACTION COLUMNS	EACH	1	-	-
285	4110370600600	ULTRASONIC WATER BATHS	EACH	3	-	-
286	4111582100200	GENETICS ANALYZER 4 CAPILLARIES	EACH	1	-	-

SN	SRM CODE	ITEM SPECIFICATION	UOM	QUANTITY	NO. OF DEVICES TO BE INSTALLED IN MOBILE DIAGNOSTIC LABORATORY BIOSAFETY LEVEL 3	REMARKS FOR THE DIAGNOSTIC LABORATORY BIOSAFETY LEVEL 3
287	4217000003400	MOBILE HEALTH AND NUTRITION CLINIC	EACH	5	-	-
288	4111586300100	TOTAL NUCLEIC ACID EXTRACTION	EACH	3	3	The Vendor must consider the installation of some devices in Mobile Diagnostic Laboratory Biosafety Level 3 (Item no. 4219240200000) يجب على المورد مراعاة تركيب وتثبيت بعض الأجهزة بالمختبر المتنقل ذو الأمان الحيوي من المستوى الثالث (بند رقم 4219240200000) 3
289	4111172200000	FLUORESCENT MICROSCOPE	EACH	4	-	-
290	4112000000100	BALANCE PRECISION	EACH	1	-	-
291	4110152000000	BEAD MILL HOMOGENIZER	EACH	3	3	The Vendor must consider the installation of some devices in Mobile Diagnostic Laboratory Biosafety Level 3 (Item no. 4219240200000) يجب على المورد مراعاة تركيب وتثبيت بعض الأجهزة بالمختبر المتنقل ذو الأمان الحيوي من المستوى الثالث (بند رقم 4219240200000) 3
292	4113161200000	HEMATOCRIT CENTRIFUGE	EACH	3	3	The Vendor must consider the installation of some devices in Mobile Diagnostic Laboratory Biosafety Level 3

SN	SRM CODE	ITEM SPECIFICATION	UOM	QUANTITY	NO. OF DEVICES TO BE INSTALLED IN MOBILE DIAGNOSTIC LABORATORY BIOSAFETY LEVEL 3	REMARKS FOR THE DIAGNOSTIC LABORATORY BIOSAFETY LEVEL 3
						يجب على المورد (Item no. 4219240200000) مراعاة تركيب وتثبيت بعض الأجهزة بالمختبر المتنقل ذو الأمان الحيوي من المستوى الثالث (بند رقم 4219240200000) 3
293	4112150001500	PIPETTE FILLER AID	EACH	6	-	-
294	4219240200000	MOBILE DIAGNOSTIC LABORATORY BIOSAFETY LEVEL 3	EACH	3	-	-
295	4112150000900	PIPETTES: MULTICHANNEL, VARIABLE VOLUME 2.0 - 10 ML	EACH	12	-	-
296	4112150001000	PIPETTES: MULTICHANNEL, VARIABLE VOLUME 20 - 200 ML	EACH	12	-	-
297	4321220000000	AUTOMATED STORAGE SYSTEM FOR BIOLOGICAL SAMPLES	EACH	1	-	-
298	4110351500000	SMOKE GENERATOR	EACH	3	-	-
299	4112150001100	PIPETTES: SINGLE CHANNEL, VARIABLE VOLUME (0.5-10 UL)	EACH	3	-	-
300	4112150001200	PIPETTES: SINGLE CHANNEL, VARIABLE VOLUME (20-200 UL)	EACH	5	-	-

SN	SRM CODE	ITEM SPECIFICATION	UOM	QUANTITY	NO. OF DEVICES TO BE INSTALLED IN MOBILE DIAGNOSTIC LABORATORY BIOSAFETY LEVEL 3	REMARKS FOR THE DIAGNOSTIC LABORATORY BIOSAFETY LEVEL 3
301	4112150001300	PIPETTES: SINGLE CHANNEL, VARIABLE VOLUME (500-5000 UL)	EACH	7	-	-
302	4112270000800	TAPE STATION SYSTEM	EACH	1	-	-
303	4111440800000	DIGITAL TEMPERATURE AND HUMIDITY ANALYZER	EACH	4	-	-
304	4111280200000	DIGITAL TACHOMETER ANALYZER	EACH	4	-	-
305	4111311900000	CO2 ANALYZER	EACH	4	-	-
306	4111180800200	AIRFLOW METER ANALYZER	EACH	4	-	-
307	4111601800000	PARTICLE COUNTER ANALYZER	EACH	4	-	-
308	4112000000200	BALANCE WEIGHT SET	EACH	4	-	-
309	4111370800000	DC POWER SUPPLY	EACH	4	-	-
310	4111370800100	ELECTRICAL SAFETY ANALYZER	EACH	5	-	-
311	4112241100100	TIMER CALIBRATION	EACH	4	-	-

SN	SRM CODE	ITEM SPECIFICATION	UOM	QUANTITY	NO. OF DEVICES TO BE INSTALLED IN MOBILE DIAGNOSTIC LABORATORY BIOSAFETY LEVEL 3	REMARKS FOR THE DIAGNOSTIC LABORATORY BIOSAFETY LEVEL 3
312	4111303700000	MICROPLATE READER FILTER SET	EACH	4	-	-
313	4111541800200	SPECTROPHOTOMETER FILTER SET	EACH	4	-	-
314	4111640000000	VIBRATION METER	EACH	4	-	-
315	4111531100000	PHOTOMETER	EACH	4	-	-
316	4112150001400	PIPETTES MULTICHANNEL, VARIABLE VOLUME 0.1 - 2.5 ML	EACH	12	-	-
317	4115000030100	STAND PIPETTE	EACH	3	-	-
318	4111332800000	DIRECT COMPOSITION MERCURY ANALYZER	EACH	7	-	-
319	4111150100100	ELETRONIC BALANCE 4-6 DIGIT TOP LOADING	EACH	11	-	-
320	4111571000600	GAS CHROMATOGRAPHY WITH FLAME IONIZATION DETECTOR AND HEAD SPACE (GC/FID-HS)	EACH	13	-	-

SN	SRM CODE	ITEM SPECIFICATION	UOM	QUANTITY	NO. OF DEVICES TO BE INSTALLED IN MOBILE DIAGNOSTIC LABORATORY BIOSAFETY LEVEL 3	REMARKS FOR THE DIAGNOSTIC LABORATORY BIOSAFETY LEVEL 3
321	4111571000700	GAS CHROMATOGRAPHY - MASS MASS SPECTROMETER-TRIPLE QUAD (GC-MS/MS)	EACH	16	-	-
322	4111571000800	GAS CHROMATOGRAPHY - MASS MASS SPECTROMETER WITH QUADRUPLE AND TIME OF FLIGHT (GC-MS/MS/QUAD-TOF)	EACH	8	-	-
323	4111571000900	GAS CHROMATOGRAPHY - MASS SPECTROMETER-SINGLE QUAD (GC-MS)	EACH	9	-	-
324	4111571001000	LIQUID CHROMATOGRAPHY MASS SPECTROMETER-TRIPLE QUAD (LC-MS-MS)	EACH	8	-	-
325	4111571001100	LIQUID CHROMATOGRAPHY WITH MULTI MASS SPECTROMETER HIGH RESOLUTION (LC-MS/MS)	EACH	4	-	-
326	4110400300000	FULLY AUTOMATED SAMPLE PREPARATION INSTRUMENT	EACH	9	-	-
327	4110150200000	STOMACHERS	EACH	6	-	-
328	4219161000000	CASEWORK LABORATORY COMPLETE - TOXICOLOGY	EACH	1200	-	-

SN	SRM CODE	ITEM SPECIFICATION	UOM	QUANTITY	NO. OF DEVICES TO BE INSTALLED IN MOBILE DIAGNOSTIC LABORATORY BIOSAFETY LEVEL 3	REMARKS FOR THE DIAGNOSTIC LABORATORY BIOSAFETY LEVEL 3
329	4111582100100	KARYOTYPING SPECTRAL ANALYZER	EACH	3	-	-
330	4115000004200	BALANCE MICRO PIPETTE CALIBRATION	EACH	2	-	-
331	4115000006500	CABINET PCR	EACH	1	-	-
332	4115000006800	CALIBRATION REFERENCE WEIGHT	EACH	10	-	-
333	4115000008000	CENTRIFUGE REFRIGERATED FLOOR	EACH	2	-	-
334	4115000016700	INCUBATOR ELISA PLATES	EACH	1	-	-
335	4115000021800	MIRROR PLATE IHA	EACH	1	-	-
336	4115000028300	SHAKER PLATES & SLIDES	EACH	2	-	-
337	4115000029800	STAINING SET HEMATOLOGY	EACH	12	-	-
338	4115000034700	WORKSTATION PCR	EACH	1	-	-

SN	SRM CODE	ITEM SPECIFICATION	UOM	QUANTITY	NO. OF DEVICES TO BE INSTALLED IN MOBILE DIAGNOSTIC LABORATORY BIOSAFETY LEVEL 3	REMARKS FOR THE DIAGNOSTIC LABORATORY BIOSAFETY LEVEL 3
339	4110291600200	MICROTOME MANUAL	EACH	2	-	-
340	4214000014100	BINOCULAR DISSECTING MICROSCOPE DUAL	EACH	2	-	-
341	4219210900000	PEDIATRIC BLOOD DRAWING STATION	EACH	1	-	-
342	4110152000100	TISSUE HOMOGENIZER WITH COOLING UNIT	EACH	8	-	-
343	4110370600800	ULTRASONIC WATER BATH FOR LABORATORY WITH LID	EACH	9	-	-
344	4110480400000	ROTARY VACUUM EVAPORATOR	EACH	8	-	-
345	4110570000000	MICROARRAY SYSTEM	EACH	9	-	-
346	4111170300300	FOURIER TRANSFORM INFRARED (FTIR) MICROSCOPES	EACH	7	-	-
347	4111540300000	GAS CHROMATOGRAPHY WITH MASS SPECTROMETER (GC-MS) SYSTEM WITH HEAD SPACE	EACH	6	-	-

SN	SRM CODE	ITEM SPECIFICATION	UOM	QUANTITY	NO. OF DEVICES TO BE INSTALLED IN MOBILE DIAGNOSTIC LABORATORY BIOSAFETY LEVEL 3	REMARKS FOR THE DIAGNOSTIC LABORATORY BIOSAFETY LEVEL 3
348	4111570900300	ULTRA HIGH PERFORMANCE LIQUID CHROMATOGRAPHY (UHPLC) SYSTEM WITH AUTOSAMPLER	EACH	11	-	-
349	4111613120800	IDENTIFICATION AND SENSITIVITY TESTING FOR MICROBIAL ORGANISM	EACH	9	-	-
350	4112150700200	PIPETTE SINGLE-CHANNEL ADJUSTABLE ULTRALIGHT AND HIGHLY RESISTANT PISTON SYSTEM TOXIC FROM 100 TO 1000UL	EACH	27	-	-
351	4112150700300	PIPETTE SINGLE-CHANNEL ADJUSTABLE ULTRALIGHT AND HIGHLY RESISTANT PISTON SYSTEM TOXIC FROM 20 TO 200UL	EACH	27	-	-
352	4112150700400	PIPETTE SINGLE-CHANNEL ADJUSTABLE ULTRALIGHT AND HIGHLY RESISTANT PISTON SYSTEM TOXIC FROM 0.5 TO 10UL	EACH	27	-	-
353	4112150700500	PIPETTE SINGLE-CHANNEL ADJUSTABLE ULTRALIGHT AND HIGHLY RESISTANT PISTON SYSTEM TOXIC FROM 10 TO 100UL	EACH	27	-	-
354	4219161000100	CASEWORK LABORATORY	EACH	4200	-	-

SN	SRM CODE	ITEM SPECIFICATION	UOM	QUANTITY	NO. OF DEVICES TO BE INSTALLED IN MOBILE DIAGNOSTIC LABORATORY BIOSAFETY LEVEL 3	REMARKS FOR THE DIAGNOSTIC LABORATORY BIOSAFETY LEVEL 3
355	4219161000200	CASEWORK NORMAL	EACH	72	-	-
356	4219161000300	CASEWORK WITH SINK AND UPPER CABINET TO INHIBIT BACTERIAL GROWTH WITH DOUBLE PAD CASEWORK SPECIFICALLY FOR LABORATORY USE	EACH	84	-	-
357	4219161000400	CASEWORK WITH SINK TO INHIBIT BACTERIAL GROWTH WITH DOUBLE PAD CASEWORK SPECIFICALLY FOR LABORATORY USE	EACH	48	-	-
358	4321211200100	MICROBIOLOGY TOTAL LABORATORY AUTOMATION	EACH	4	-	-
359	4322160000000	DIGITAL DRUG INFORMATION DATABASE LIBRARY MICROMEDEX	EACH	15	-	-
360	4810171100100	VOLUMETRIC DISPENSER	EACH	108	-	-