NPT 0039/21 PARENTERAL NUTRITION PRODUCT FOR PREMATURE, INFANT, PEDIATRIC AND ADULT TENDER NAME:

SN	NUPCO CODE	ITEM SPECIFICATION	UNIT	QUANTITY
1	5119160303200	TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 100 ML - 150 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL L INE BASED ON FORM (NCP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACT IONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الجوف	Pack	3650
2	5119160303300	TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 100 ML - 150 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL L INE BASED ON FORM (NCP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACT IONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الحدود الشمالية	Pack	3650
3	5119160303400	TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 100 ML - 150 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL L INE BASED ON FORM (NCP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACT IONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: حفر الباطن	Pack	3650
4	5119160303500	TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 100 ML - 150 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL L INE BASED ON FORM (NCP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACT IONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القريات	Pack	3650
5	5119160303600	TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 100 ML - 150 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL L INE BASED ON FORM (NCP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACT IONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: لوك	Pack	3650
6	5119160303700	TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 100 ML - 150 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL L INE BASED ON FORM (NCP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACT IONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: حائل	Pack	3650

NUPCO TENDER: NPT 0039/21 TENDER NAME: PARENTERAL NUTRITION PRODUCT FOR PREMATURE, INFANT, PEDIATRIC AND ADULT

SN	NUPCO CODE	ITEM SPECIFICATION	UNIT	QUANTITY
7	5119160303800	TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 100 ML - 150 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL L INE BASED ON FORM (NCP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACT IONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القصيم	Pack	3650
8	5119160303900	TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 100 ML - 150 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL L INE BASED ON FORM (NCP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACT IONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: LOCATION:	Pack	3650
9	5119160304000	TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 100 ML - 150 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL L INE BASED ON FORM (NCP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACT IONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: مكة المكرمة MAKKAH	Pack	3650
10	5119160304100	TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 100 ML - 150 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL L INE BASED ON FORM (NCP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACT IONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القنفذةUNFUDHAH	Pack	3650
11	5119160304200	TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 100 ML - 150 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL L INE BASED ON FORM (NCP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACT IONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الباحة	Pack	3650
12	5119160304300	TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 100 ML - 150 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL L INE BASED ON FORM (NCP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACT IONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: لا لا كانتر المحالية	Pack	3650

SN	NUPCO CODE	ITEM SPECIFICATION	UNIT	QUANTITY
13	5119160304400	TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 100 ML - 150 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL L INE BASED ON FORM (NCP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACT IONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION:	Pack	3650
14	5119160304500	TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 100 ML - 150 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL L INE BASED ON FORM (NCP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACT IONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الأول الشرقية	Pack	3650
15	5119160304600	TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 100 ML - 150 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL L INE BASED ON FORM (NCP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACT IONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHAFJI	Pack	3650
16	5119160304700	TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 100 ML - 150 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL L INE BASED ON FORM (NCP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACT IONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: المدينة المنورة	Pack	3650
17	5119160304800	TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 100 ML - 150 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL L INE BASED ON FORM (NCP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACT IONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: لجازان	Pack	3650
18	5119160304900	TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 100 ML - 150 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL L INE BASED ON FORM (NCP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACT IONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الثاني بالرياض	Pack	3650

SN	NUPCO CODE	ITEM SPECIFICATION	UNIT	QUANTITY
19	5119160305000	TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 100 ML - 150 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL L INE BASED ON FORM (NCP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACT IONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحى الثالث بالرياض	Pack	3650
20	5119160305100	TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 100 ML - 150 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL L INE BASED ON FORM (NCP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACT IONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحى الأول بالرياض	Pack	3650
21	5119160305200	TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 100 ML - 150 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL L INE BASED ON FORM (NCP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACT IONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHARJ	Pack	3650
22	5119160305300	TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 150 ML - 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL L INE BASED ON FORM (NCP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACT IONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الجوف AL JOUF	Pack	3650
23	5119160305400	TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 150 ML - 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL L INE BASED ON FORM (NCP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACT IONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الحدود الشمالية NORTHERN BORDERS	Pack	3650
24	5119160305500	TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 150 ML - 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL L INE BASED ON FORM (NCP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACT IONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: حفر الباطن HAFR AL-BATN	Pack	3650

SN	NUPCO CODE	ITEM SPECIFICATION	UNIT	QUANTITY
25	5119160305600	TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 150 ML - 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL L INE BASED ON FORM (NCP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACT IONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القريات	Pack	3650
26	5119160305700	TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 150 ML - 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL L INE BASED ON FORM (NCP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACT IONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: لا للمحالية	Pack	3650
27	5119160305800	TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 150 ML - 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL L INE BASED ON FORM (NCP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACT IONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الحائل HAIL	Pack	3650
28	5119160305900	TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 150 ML - 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL L INE BASED ON FORM (NCP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACT IONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القصيم ALQASSIM	Pack	3650
29	5119160306000	TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 150 ML - 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL L INE BASED ON FORM (NCP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACT IONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: LOCATION:	Pack	3650
30	5119160306100	TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 150 ML - 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL L INE BASED ON FORM (NCP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACT IONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: مكة المكرمة MAKKAH	Pack	3650

SN	NUPCO CODE	ITEM SPECIFICATION	UNIT	QUANTITY
31	5119160306200	TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 150 ML - 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL L INE BASED ON FORM (NCP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACT IONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القنفذة QUNFUDHAH	Pack	3650
32	5119160306300	TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 150 ML - 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL L INE BASED ON FORM (NCP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACT IONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: لياحة	Pack	3650
33	5119160306400	TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 150 ML - 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL L INE BASED ON FORM (NCP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACT IONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الحران	Pack	3650
34	5119160306500	TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 150 ML - 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL L INE BASED ON FORM (NCP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACT IONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الاحساء	Pack	3650
35	5119160306600	TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 150 ML - 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL L INE BASED ON FORM (NCP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACT IONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الأول الشرقية	Pack	3650
36	5119160306700	TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 150 ML - 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL L INE BASED ON FORM (NCP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACT IONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHAFJI	Pack	3650

NUPCO TENDER: NPT 0039/21 TENDER NAME: PARENTERAL NUTRITION PRODUCT FOR PREMATURE, INFANT, PEDIATRIC AND ADULT

SN	NUPCO CODE	ITEM SPECIFICATION	UNIT	QUANTITY
37	5119160306800	TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 150 ML - 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL L INE BASED ON FORM (NCP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACT IONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: المدينة المنورة	Pack	3650
38	5119160306900	TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 150 ML - 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL L INE BASED ON FORM (NCP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACT IONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: المحالية	Pack	3650
39	5119160307000	TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 150 ML - 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL L INE BASED ON FORM (NCP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACT IONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: بالرياض HEALTH CLUSTER(2) RIYADH	Pack	3650
40	5119160307100	TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 150 ML - 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL L INE BASED ON FORM (NCP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACT IONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الثالث بالرياض	Pack	3650
41	5119160307200	TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 150 ML - 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL L INE BASED ON FORM (NCP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACT IONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الأول بالرياض	Pack	3650
42	5119160307300	TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 150 ML - 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL L INE BASED ON FORM (NCP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACT IONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHARJ	Pack	3650

NPT 0039/21

SN	NUPCO CODE	ITEM SPECIFICATION	UNIT	QUANTITY
43	5119160307400	TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME MORE THAN 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRA CTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FI SH OIL) LOCATION:	Pack	3650
44	5119160307500	TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME MORE THAN 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRA CTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FI SH OIL) LOCATION: الحدود الشمالية	Pack	3650
45	5119160307600	TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME MORE THAN 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRA CTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FI SH OIL) LOCATION: حفر الباطن	Pack	3650
46	5119160307700	TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME MORE THAN 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRA CTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FI SH OIL) LOCATION: القريات QURAYYAT	Pack	3650
47	5119160307800	TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME MORE THAN 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRA CTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FI SH OIL) LOCATION: تبوك TABUK	Pack	3650
48	5119160307900	TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME MORE THAN 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRA CTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FI SH OIL) LOCATION: حائل HAIL	Pack	3650
	December 16, 2021		8 of 4	17

R: NPT 0039/21

SN	NUPCO CODE	ITEM SPECIFICATION	UNIT	QUANTITY
49	5119160308000	TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME MORE THAN 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRA CTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FI SH OIL) LOCATION: القصيم ALQASSIM	Pack	3650
50	5119160308100	TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME MORE THAN 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRA CTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FI SH OIL) LOCATION: جاة	Pack	3650
51	5119160308200	TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME MORE THAN 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRA CTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FI SH OIL) LOCATION: مكة المكرمة	Pack	3650
52	5119160308300	TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME MORE THAN 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRA CTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FI SH OIL) LOCATION: القنفذة QUNFUDHAH	Pack	3650
53	5119160308400	TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME MORE THAN 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRA CTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FI SH OIL) LOCATION: الباحة ALBAHA	Pack	3650
54	5119160308500	TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME MORE THAN 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRA CTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FI SH OIL) LOCATION: نجران NAJRAN	Pack	3650

NPT 0039/21 PARENTERAL NUTRITION PRODUCT FOR PREMATURE, INFANT, PEDIATRIC AND ADULT TENDER NAME:

SN	NUPCO CODE	ITEM SPECIFICATION	UNIT	QUANTITY
55	5119160308600	TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME MORE THAN 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRA CTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FI SH OIL) LOCATION: الاحساء ALAHSA	Pack	3650
56	5119160308700	TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME MORE THAN 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRA CTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FI SH OIL) LOCATION: التجمع الصحي الأول الشرقية.	Pack	3650
57	5119160308800	TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME MORE THAN 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRA CTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FI SH OIL) LOCATION: ALKHAFJI	Pack	3650
58	5119160308900	TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME MORE THAN 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRA CTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FI SH OIL) LOCATION: المدينة المنورة	Pack	3650
59	5119160309000	TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME MORE THAN 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRA CTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FI SH OIL) LOCATION: جازان	Pack	3650
60	5119160309100	TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME MORE THAN 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRA CTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FI SH OIL) LOCATION: التجمع الصحي الثاني بالرياض	Pack	3650

SN	NUPCO CODE	ITEM SPECIFICATION	UNIT	QUANTITY
61	5119160309200	TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME MORE THAN 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRA CTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FI SH OIL) LOCATION: التجمع الصحي الثالث بالرياض	Pack	3650
62	5119160309300	TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME MORE THAN 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRA CTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FI SH OIL) LOCATION: التجمع الصحى الأول بالرياض	Pack	3650
63	5119160309400	TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME MORE THAN 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRA CTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FI SH OIL) LOCATION: ALKHARJ	Pack	3650
64	5119160309500	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC1). TPN SO LUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN A N APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الجوف AL JOUF	Pack	730
65	5119160309600	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC1). TPN SO LUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN A N APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الحدود الشمالية NORTHERN BORDERS	Pack	730
66	5119160309700	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC1). TPN SO LUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN A N APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: حفر الباطن HAFR AL- BATN	Pack	730
	December 16, 2021		11 of 4	47

SN	NUPCO CODE	ITEM SPECIFICATION	UNIT	QUANTITY
67	5119160309800	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC1). TPN SO LUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN A N APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION:	Pack	730
68	5119160309900	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC1). TPN SO LUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN A N APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: تبوك TABUK	Pack	730
69	5119160310000	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC1). TPN SO LUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN A N APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: حائل HAIL	Pack	730
70	5119160310100	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC1). TPN SO LUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN A N APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION:	Pack	730
71	5119160310200	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC1). TPN SO LUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN A N APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: جدة	Pack	730
72	5119160310300	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC1). TPN SO LUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN A N APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: مكة المكرمة MAKK AH	Pack	730
73	5119160310400	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC1). TPN SO LUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN A N APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القنفذة QUNFUDHA H	Pack	730

SN	NUPCO CODE	ITEM SPECIFICATION	UNIT	QUANTITY
74	5119160310500	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC1). TPN SO LUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN A N APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الباحة ALBAHA	Pack	730
75	5119160310600	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC1). TPN SO LUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN A N APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: نجران NAJRAN	Pack	730
76	5119160310700	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC1). TPN SO LUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN A N APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الاحساء ALAHSA	Pack	730
77	5119160310800	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC1). TPN SO LUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN A N APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الأول الشرقية HEALTH CLUSTER(1) EASTERN	Pack	730
78	5119160310900	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC1). TPN SO LUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN A N APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHAFJI	Pack	730
79	5119160311000	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC1). TPN SO LUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN A N APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: المدينة المنورة	Pack	730
80	5119160311100	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC1). TPN SO LUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN A N APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: جازان	Pack	730

SN	NUPCO CODE	ITEM SPECIFICATION	UNIT	QUANTITY
81	5119160311200	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC1). TPN SO LUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN A N APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الث اني بالرياض HEALTH CLUSTER(2) RIYADH	Pack	730
82	5119160311300	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC1). TPN SO LUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN A N APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الث الث	Pack	730
83	5119160311400	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC1). TPN SO LUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN A N APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الأ ول بالرياض HEALTH CLUSTER(1) RIYADH	Pack	730
84	5119160311500	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC1). TPN SO LUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN A N APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHARJ	Pack	730
85	5119160311600	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC 2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN N EEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الجوف AL JOUF	Pack	730
86	5119160311700	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC 2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN N EEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الشمالية الحدود NORTHERN BORDERS	Pack	730

NPT 0039/21

SN	NUPCO CODE	ITEM SPECIFICATION	UNIT	QUANTITY
87	5119160311800	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC 2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN N EEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: حفر ال باطن HAFR AL- BATN	Pack	730
88	5119160311900	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC 2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN N EEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القريات	Pack	730
89	5119160312000	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC 2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN N EEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: تبوك T ABUK	Pack	730
90	5119160312100	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC 2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN N EEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: حائل H AIL	Pack	730
91	5119160312200	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC 2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN N EEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القصيم ALQASSIM	Pack	730
92	5119160312300	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC 2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN N EEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: جدة JE DDAH	Pack	730
93	5119160312400	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC 2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN N EEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: مكة ال مكرمة MAKKAH	Pack	730

SN	NUPCO CODE	ITEM SPECIFICATION	UNIT	QUANTITY
94	5119160312500	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC 2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN N EEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION:	Pack	730
95	5119160312600	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC 2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN N EEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الباحة ALBAHA	Pack	730
96	51191603 <mark>12</mark> 700	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC 2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN N EEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: نجران NAJRAN	Pack	730
97	5119160312800	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC 2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN N EEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الاحساء ALAHSA	Pack	730
98	5119160312900	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC 2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN N EEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الصحي الأول الشرقية التجمع HEALTH CLUSTER(1) EASTERN	Pack	730
99	5119160313000	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC 2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN N EEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHAF JI	Pack	730
100	5119160313100	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC 2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN N EEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: المدين ة المنورة	Pack	730

NPT 0039/21

SN	NUPCO CODE	ITEM SPECIFICATION	UNIT	QUANTITY
101	5119160313200	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC 2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN N EEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: جازان JAZAN	Pack	730
102	5119160313300	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC 2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN N EEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الصحي الثاني بالرياض التجمع HEALTH CLUSTER(2) RIYADH	Pack	730
103	5119160313400	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC 2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN N EEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الصحي الثالث التجمع HEALTH CLUSTER(3) RIYADH	Pack	730
104	5119160313500	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC 2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN N EEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الصحي الأول بالرياض التجمع HEALTH CLUSTER(1) RIYADH	Pack	730
105	5119160313600	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC 2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN N EEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHAR J	Pack	730
106	5119160313700	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED I N AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الجوف AL JOUF	Pack	730

SN	NUPCO CODE	ITEM SPECIFICATION	UNIT	QUANTITY
107	5119160313800	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED I N AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الحدود الشمال ية NORTHERN BORDERS	Pack	730
108	5119160313900	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED I N AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: حفر الباطن HA FR AL- BATN	Pack	730
109	5119160314000	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED I N AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القريات QURAY YAT	Pack	730
110	5119160314100	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED I N AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: تبوك TABUK	Pack	730
111	5119160314200	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED I N AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: حائل HAIL	Pack	730
112	5119160314300	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED I N AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القصيم ALQASS IM	Pack	730
113	5119160314400	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED I N AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: جدة JEDDAH	Pack	730

NPT 0039/21

SN	NUPCO CODE	ITEM SPECIFICATION	UNIT	QUANTITY
114	5119160314500	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED I N AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: مكة المكرمة M AKKAH	Pack	730
115	5119160314600	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED I N AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION:	Pack	730
116	5119160314700	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED I N AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الباحة ALBAHA	Pack	730
117	5119160314800	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED I N AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: نجران NAJRAN	Pack	730
118	5119160314900	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED I N AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الاحساء	Pack	730
119	5119160315000	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED I N AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الأول الشرقية التجمع الصحي HEALTH CLUSTER(1) EASTERN	Pack	730
120	5119160315100	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED I N AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHAFJI	Pack	730

SN	NUPCO CODE	ITEM SPECIFICATION	UNIT	QUANTITY
121	5119160315200	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED I N AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: المدينة المنورة	Pack	730
122	5119160315300	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED I N AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: جازان	Pack	730
123	5119160315400	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED I N AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الثاني بالرياض التجمع الصحي HEALTH CLUSTER(2) RIYADH	Pack	730
124	5119160315500	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED I N AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الثالث بالرياض التجمع الصحي HEALTH CLUSTER(3) RIYADH	Pack	730
125	5119160315600	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED I N AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الأول بالرياض التجمع الصحي HEALTH CLUSTER(1) RIYADH	Pack	730
126	5119160315700	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED I N AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHARJ	Pack	730
127	5119160315800	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED I N AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الجوف AL JOUF	Pack	730
	December 16, 2021	L	20 of 4	47

SN	NUPCO CODE	ITEM SPECIFICATION	UNIT	QUANTITY
128	5119160315900	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED I N AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الحدود الشمال ية NORTHERN BORDERS	Pack	730
129	5119160316000	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED I N AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: حفر الباطن HA FR AL- BATN	Pack	730
130	5119160316100	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED I N AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION:	Pack	730
131	5119160316200	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED I N AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: تبوك	Pack	730
132	5119160316300	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED I N AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: حائل HAIL	Pack	730
133	5119160316400	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED I N AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القصيم ALQASS IM	Pack	730
134	5119160316500	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED I N AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: جدة	Pack	730

NPT 0039/21

SN	NUPCO CODE	ITEM SPECIFICATION	UNIT	QUANTITY
135	5119160316600	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED I N AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: مكة المكرمة M AKKAH	Pack	730
136	5119160316700	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED I N AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION:	Pack	730
137	5119160316800	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED I N AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الباحة ALBAHA	Pack	730
138	5119160316900	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED I N AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: نجران NAJRAN	Pack	730
139	5119160317000	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED I N AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الاحساء	Pack	730
140	5119160317100	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED I N AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الأول الشرقية التجمع الصحي HEALTH CLUSTER(1) EASTERN	Pack	730
141	5119160317200	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED I N AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHAFJI	Pack	730

SN	NUPCO CODE	ITEM SPECIFICATION	UNIT	QUANTITY
142	5119160317300	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED I N AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: المدينة المنورة	Pack	730
143	5119160317400	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED I N AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: جازان JAZAN	Pack	730
144	5119160317500	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED I N AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الثاني بالرياض التجمع الصحي HEALTH CLUSTER(2) RIYADH	Pack	730
145	5119160317600	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED I N AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الثالث بالرياض التجمع الصحي HEALTH CLUSTER(3) RIYADH	Pack	730
146	5119160317700	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED I N AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الأول بالرياض التجمع الصحي HEALTH CLUSTER(1) RIYADH	Pack	730
147	5119160317800	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED I N AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHARJ	Pack	730
148	5119160317900 December 16, 2021	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WH EN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ال جوف AL JOUF	Pack	730

SN	NUPCO CODE	ITEM SPECIFICATION	UNIT	QUANTITY
149	5119160318000	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WH EN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ال حدود الشمالية NORTHERN BORDERS	Pack	730
150	5119160318100	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WH EN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: حف ر الباطن HAFR AL- BATN	Pack	730
151	5119160318200	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WH EN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ال قريات	Pack	730
152	5119160318300	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WH EN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: قب وك	Pack	730
153	5119160318400	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WH EN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: حائل HAIL	Pack	730
154	5119160318500	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WH EN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ال قصيم ALQASSIM	Pack	730
155	5119160318600	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WH EN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: جد ة JEDDAH	Pack	730

SN	NUPCO CODE	ITEM SPECIFICATION	UNIT	QUANTITY
156	5119160318700	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WH EN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: مك ة المكرمة	Pack	730
157	5119160318800	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WH EN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION:	Pack	730
158	5119160318900	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WH EN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: أل بإحة ALBAHA	Pack	730
159	5119160319000	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WH EN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: نج ران NAJRAN	Pack	730
160	5119160319100	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WH EN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ال احساء ALAHSA	Pack	730
161	5119160319200	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WH EN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ال تجمع الصحي الأول الشرقية HEALTH CLUSTER(1) EASTERN	Pack	730
162	5119160319300	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WH EN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: AL KHAFJI	Pack	730

163 TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 T0 1000 ML ADMINISTERED TRADUCIP REPIREMENT. PLUS UNRACCIONATES, ELECTROLVTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNRACCIONATED HEPARIN WH EN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FLITER - INTRAVENOUS FATTY PLASTIC BAG WITH ADMINISTRATION FLITER - INTRAVENOUS FATTY ACID OR LIPPI (CIT-MICT-FISH OLI) LOCATION: July FLITER BASED ON FORM (PP2). TPN SOLUTION CONTAINS AMINO ACIDS, PLUS UNFRACTIONATED HEPARIN WH EN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FLITER - INTRAVENOUS FATTY ACID OR LIPPI (CIT-MICT-FISH OLI) LOCATION: July FLITA HANT HOMONY PLASTIC ELECTROLVTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WH EN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FLITER - INTRAVENOUS FATTY ACID OR LIPPI (LIT-MICT-FISH OLI) LOCATION: JULY ADMINISTRATION FLITER - INTRAVENOUS FATTY ACID OR LIPPI (LIT-MICT-FISH OLI) LOCATION: JULY ADMINISTRATION FLITER - INTRAVENOUS FATTY ACID OR LIPPI (LIT-MICT-FISH OLI) LOCATION: JULY ADMINISTRATION FLITER - INTRAVENOUS FATTY ACID OR LIPPI (LIT-MICT-FISH OLI) LOCATION: JULY ADMINISTRATION FLITER - INTRAVENOUS FATTY ACID OR UPID (LIT-MICT-FISH OLI) LOCATION: JULY ADMINISTRATION FLITER - INTRAVENOUS FATTY ACID OR UPID (LIT-MICT-FISH OLI) LOCATION: JULY ADMINISTRATION FLITER - INTRAVENOUS FATTY ACID OR UPID (LIT-MICT-FISH OLI) LOCATION: JULY ADMINISTRATION FLITER - INTRAVENOUS FATTY ACID OR UPID (LIT-MICT-FISH OLI) LOCATION: JULY ADMINISTRATION FLITER - INTRAVENOUS FATTY ACID OR UPID (LIT-MICT-FISH OLI) LOCATION: JULY ADMINISTRATION FLITER - INTRAVENOUS FATTY ACID OR UPID (LIT-MICT-FISH OLI) LO	SN	NUPCO CODE	ITEM SPECIFICATION	UNIT	QUANTITY
164ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP2), TRN SOLUTION CONTAINS AMINO ACIDS, PLUS UNFRACTIONATED HEPARIN WH EN NEEDED IN AN APPROPRIATE PLUS UNFRACTIONATED HEPARIN WH EN NEEDED IN AN APPROPRIATE PLUS UNFRACTIONATED HEPARIN WH EN NEEDED IN AN APPROPRIATE PLUS UNFRACTIONATED HEPARIN WH EN NEEDED IN AN APPROPRIATE BASED ON FORM (PP2), TRN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, UTAMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP2), TRN SOLUTION CONTAINS AMINO ACIDS, PLUS UNFRACTIONATED HEPARIN WH EN NEEDED IN AN APPROPRIATE PLUS UNFRACTIONATED HEPARIN WH EN NEEDED IN AN APPROPRIATE BASED ON FORM (PP2), TRN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, UTAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WH EN NEEDED IN AN APPROPRIATE BASED ON FORM (PP2), TRN SOLUTION CONTAINS AMINO ACIDS, ACID OR LIPID (LCT+MCT+FSH OIL) LOCATION: JULY (JULWE ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP2), TRN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, UTAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WH EN NEEDED IN AN APPROPRIATE PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLUS UNFRACTIONATED	163	5119160319400	ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WH EN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY	Pack	730
165S11916031960ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP2), TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WH EN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (CT+MCT+FISH OIL) LOCATION: في المحمد العن المحمد العن المحمد الحمد المحمد	164	5119160319500	ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WH EN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY	Pack	730
166ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WH EN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENT. PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WH EN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: CONTAINS AMINO ACIDS, 	165	5119160319600	ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WH EN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ال تجمع الصحي الثاني بالرياض	Pack	730
167ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WH EN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: مال المالي المحمد	166	5119160319700	ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WH EN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ال تجمع الصحي الثالث	Pack	730
168ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WH EN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: AL KHARJPackPack7301695119160320000TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP3). T PN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTYPack730	167	5119160319800	ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WH EN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ال تجمع الصحي الأول بالرياض	Pack	730
ABOVE 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP3). T PN SOLUTION CONTAINS AMINO ACIDS,Pack7301695119160320000CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTYPack730	168	5119160319900	ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WH EN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: AL KHARJ	Pack	730
December 16, 2021 26 of 47	169		ABOVE 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP3). T PN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الجوف AL JO UF		

NPT 0039/21

SN	NUPCO CODE	ITEM SPECIFICATION	UNIT	QUANTITY
170	5119160320100	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP3). T PN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الحدود الشم الية NORTHERN BORDERS	Pack	730
171	5119160320200	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP3). T PN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: حفر الباطن HAFR AL- BATN	Pack	730
172	5119160320300	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP3). T PN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القريات QUR AYYAT	Pack	730
173	5119160320400	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP3). T PN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: تبوك TABUK	Pack	730
174	5119160320500	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP3). T PN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: حائل HAIL	Pack	730
175	5119160320600	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP3). T PN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القصيم ALQA SSIM	Pack	730
176	5119160320700	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP3). T PN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: جدة	Pack	730

NPT 0039/21

SN	NUPCO CODE	ITEM SPECIFICATION	UNIT	QUANTITY
177	5119160320800	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP3). T PN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: مكة المكرمة MAKKAH	Pack	730
178	5119160320900	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP3). T PN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION:	Pack	730
179	5119160321000	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP3). T PN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الباحة ALBA HA	Pack	730
180	5119160321100	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP3). T PN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: نجران NAJRA N	Pack	730
181	5119160321200	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP3). T PN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الاحساء ALA HSA	Pack	730
182	5119160321300	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP3). T PN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصح ي الأول الشرقية HEALTH CLUSTER(1) EASTERN	Pack	730
183	5119160321400	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP3). T PN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHAFJI	Pack	730

SN	NUPCO CODE	ITEM SPECIFICATION	UNIT	QUANTITY
184	5119160321500	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP3). T PN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: المدينة الم نورة	Pack	730
185	5119160321600	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP3). T PN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: خازان JAZAN	Pack	730
186	5119160321700	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP3). T PN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصح ي الثاني بالرياض HEALTH CLUSTER(2) RIYADH	Pack	730
187	5119160321800	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP3). T PN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصح ي الثالث HEALTH CLUSTER(3) RIYADH	Pack	730
188	5119160321900	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP3). T PN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصح ي الأول بالرياض HEALTH CLUSTER(1) RIYADH	Pack	730
189	5119160322000	TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP3). T PN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHARJ	Pack	730
190	5119160322100	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1000- 1400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC1). TPN SOLUT ION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN A PPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الجوف AL JOUF	Pack	1460
	December 16, 2021		29 of 4	47

SN	NUPCO CODE	ITEM SPECIFICATION	UNIT	QUANTITY
191	5119160322200	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1000- 1400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC1). TPN SOLUT ION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN A PPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الحدود الشمالية NOR	Pack	1460
192	5119160322300	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1000- 1400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC1). TPN SOLUT ION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN A PPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: حفر الباطن HAFR AL- BATN	Pack	1460
193	5119160322400	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1000- 1400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC1). TPN SOLUT ION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN A PPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القريات QURAYYAT	Pack	1460
194	5119160322500	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1000- 1400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC1). TPN SOLUT ION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN A PPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: تبوك TABUK	Pack	1460
195	5119160322600	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1000- 1400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC1). TPN SOLUT ION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN A PPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: حائل HAIL	Pack	1460
196	5119160322700	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1000- 1400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC1). TPN SOLUT ION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN A PPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القصيم ALQASSIM	Pack	1460
197	5119160322800	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1000- 1400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC1). TPN SOLUT ION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN A PPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: جدة JEDDAH	Pack	1460

SN	NUPCO CODE	ITEM SPECIFICATION	UNIT	QUANTITY
198	5119160322900	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1000- 1400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC1). TPN SOLUT ION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN A PPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: مكة المكرمة MAKKAH	Pack	1460
199	5119160323000	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1000- 1400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC1). TPN SOLUT ION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN A PPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القنفذة UNFUDHAH	Pack	1460
200	5119160323100	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1000- 1400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC1). TPN SOLUT ION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN A PPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الباحة ALBAHA	Pack	1460
201	5119160323200	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1000- 1400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC1). TPN SOLUT ION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN A PPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: نجران NAJRAN	Pack	1460
202	5119160323300	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1000- 1400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC1). TPN SOLUT ION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN A PPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الاحساء ALAHSA	Pack	1460
203	5119160323400	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1000- 1400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC1). TPN SOLUT ION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN A PPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الشرقية التجمع الصحي الأول HEALTH CLUSTER(1) EASTERN	Pack	1460
204	5119160323500	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1000- 1400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC1). TPN SOLUT ION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN A PPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHAFJI	Pack	1460

SN	NUPCO CODE	ITEM SPECIFICATION	UNIT	QUANTITY
205	5119160323600	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1000- 1400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC1). TPN SOLUT ION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN A PPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: المدينة المنورة MAD INAH	Pack	1460
206	5119160323700	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1000- 1400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC1). TPN SOLUT ION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN A PPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: جازاט JAZAN	Pack	1460
207	5119160323800	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1000- 1400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC1). TPN SOLUT ION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN A PPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: بالرياض التجمع الصحي الثاني HEALTH CLUSTER(2) RIYADH	Pack	1460
208	5119160323900	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1000- 1400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC1). TPN SOLUT ION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN A PPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الثالث HEALTH CLUSTER(3) RIYADH	Pack	1460
209	5119160324000	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1000- 1400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC1). TPN SOLUT ION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN A PPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: بالرياض التجمع الصحي الأول HEALTH CLUSTER(1) RIYADH	Pack	1460
210	5119160324100	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1000- 1400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC1). TPN SOLUT ION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN A PPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHARJ	Pack	1460
211	5119160324200	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500- 2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC2). TPN SOLUT ION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN A PPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الجوف	Pack	1460
	December 16, 2021	L	32 of 4	47

NPT 0039/21

SN	NUPCO CODE	ITEM SPECIFICATION	UNIT	QUANTITY
212	5119160324300	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500- 2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC2). TPN SOLUT ION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN A PPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الحدود الشمالية THERN BORDERS	Pack	1460
213	5119160324400	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500- 2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC2). TPN SOLUT ION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN A PPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: حفر الباطن HAFR AL- BATN	Pack	1460
214	5119160324500	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500- 2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC2). TPN SOLUT ION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN A PPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION:	Pack	1460
215	5119160324600	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500- 2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC2). TPN SOLUT ION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN A PPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: تبوك TABUK	Pack	1460
216	5119160324700	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500- 2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC2). TPN SOLUT ION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN A PPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: حائل HAIL	Pack	1460
217	5119160324800	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500- 2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC2). TPN SOLUT ION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN A PPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القصيم ALQASSIM	Pack	1460
218	5119160324900	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500- 2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC2). TPN SOLUT ION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN A PPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: جدة JEDDAH	Pack	1460

SN	NUPCO CODE	ITEM SPECIFICATION	UNIT	QUANTITY
219	5119160325000	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500- 2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC2). TPN SOLUT ION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN A PPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: مكة المكرمة MAKKAH	Pack	1460
220	5119160325100	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500- 2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC2). TPN SOLUT ION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN A PPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القنفنة QUNFUDHAH	Pack	1460
221	5119160325200	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500- 2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC2). TPN SOLUT ION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN A PPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الباحة ALBAHA	Pack	1460
222	5119160325300	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500- 2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC2). TPN SOLUT ION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN A PPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: نجران NAJRAN	Pack	1460
223	5119160325400	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500- 2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC2). TPN SOLUT ION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN A PPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الاحساء ALAHSA	Pack	1460
224	5119160325500	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500- 2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC2). TPN SOLUT ION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN A PPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الشرقية التجمع الصحي الأول HEALTH CLUSTER(1) EASTERN	Pack	1460
225	5119160325600	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500- 2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC2). TPN SOLUT ION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN A PPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHAFJI	Pack	1460

PARENTERAL NUTRITION PRODUCT FOR PREMATURE, INFANT, PEDIATRIC AND ADULT TENDER NAME:

226 5119160325700 TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH YOLUME 1500- 2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC), TPN SOLUTI ON CONTAINS AMINO ACIDS, CARBOHYDRATE, PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LUPP (LCT+MCT+FSH OIL) LOCATION: 394 34,201 MAO INAH Pack 1460 227 5119160325700 TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH YOLUME 1500- 2400 ML ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LUPP (LCT+MCT+FSH OIL) LOCATION: 394 34,201 MAO INAH Pack 1460 228 5119160325800 TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH YOLUME 1500- 2400 ML ADMINISTRED THROUGH CENTRAL LINE BASED ON FORM (AC2), TPN SOLUTI ON CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLIVES, VITAMINS, AND TRACE ELEMENTS. PLUS Pack 1460 228 5119160325900 TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH YOLUME 1500- 2400 ML ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR INPID (LCT+MCT+FSH OIL) LOCATION: 395 JA2AN Pack 1460 229 5119160325900 TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH YOLUME 1500- 2400 ML ADMINISTRED THROUGH CENTRAL LINE BASED ON FORM (AC2), TPN SOLUTI ON CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLIVES, VITAMINS, AND TRACE ELEMENTS. PLUS Pack 1460 2300 5119160325000 TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH YOLUME 1500- 2400 ML ADMINISTRED THROUGH CENTRAL LINE BASED ON FORM (AC2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLIVES, VITAMINS, AND TRACE ELEMENTS. PLUS Pack 1460 231 5119160326100 TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WIT	SN	NUPCO CODE	ITEM SPECIFICATION	UNIT	QUANTITY
227S1191603258002400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC2), TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS, PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN A PPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OLI) LIOCATION: SJ& JAZAN TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500- 2400 ML ADMINISTREAT INTRAVIENDUS FATTY ACID OR UIPID (LCT+MCT+FISH OLI) LIOCATION: SJ& JAZANPack14602285119160325900TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500- UNRRACTIONATED HEPARIN WHEN NEEDED IN AN A PPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR UIPID (LCT+MCT+FISH OLI) LOCATION: SJ& JAZANPack14602295119160325900TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500- VACID OR UIPID (LCT+MCT+FISH OLI) LOCATION: SJ& JAZANPack14602205119160326000TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500- VACID OR UIPID (LCT+MCT+FISH OLI) LOCATION: SUBJ VADHPack14602305119160326000TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500- VACID OR UIPID (LCT+MCT+FISH OLI) LOCATION: SUBJ VADHPack14602400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC2). TPN SOLUT ION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN A PROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OLI) LOCATION: SUBJ VOLUME HEALTH CLUSTER(I) RIVADH HEALTH CLUSTER(I) RIVADH HEALTH CLUSTER(I) RIVADH HEALTH CLUSTER(I) RIVADH HEALTH CLUSTER(I) RIVADH HEALTH CLUSTER(I) RIVADH HEALTH CL	226	5119160325700	2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC2). TPN SOLUT ION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN A PPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY	Pack	1460
2282400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC2), TPN SOLUT ION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN A PPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION; WITH VOLUME 1500- 2400 ML ADMINISTRED THROUGH CENTRAL LINE BASED ON FORM (AC2), TPN SOLUT ION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN A PPROPRIATE PLASTIC BAG WITH ADMINISTRETO THROUGH CENTRAL LINE BASED ON FORM (AC2), TPN SOLUT ION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS 	227	5119160325800	2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC2). TPN SOLUT ION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN A PPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY	Pack	1460
22951191603260002400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC2). TPN SOLUT ION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN A PPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: مالالكوناخ (AC2). TPN SOLUT ION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500- 2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC2). TPN SOLUT ION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN A PPROPRIATE 	228	5119160325900	2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC2). TPN SOLUT ION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN A PPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: بالرياض التجمع الصحي الثاني	Pack	1460
230TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500- 2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC2). TPN SOLUT ION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN A PPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: JUNEASED ON FORM (AC2). TPN SOLUT ION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN A PPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: JUNEASED ON FORM (AC2). TPN SOLUT ION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN A PPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY 	229	5119160326000	2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC2). TPN SOLUT ION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN A PPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الثالث	Pack	1460
2312400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC2). TPN SOLUT ION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN A PPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHARJPack14602325119160326300TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2400 ML ADMINISTRED THROUGH CENTRAL LINE BASED ON FORM (AC3). TPN SOLU TION CONTAINS AMINO ACIDS,Pack14602325119160326300CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS.Pack1460	230	5119160326100	2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC2). TPN SOLUT ION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN A PPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: بالرياض التجمع الصحي الأول	Pack	1460
ABOVE 2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC3). TPN SOLU TION CONTAINS AMINO ACIDS,Here2325119160326300CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS.Pack1460	231	5119160326200	2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC2). TPN SOLUT ION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN A PPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHARJ	Pack	1460
PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الجوف AL JOUF December 16, 2021 35 of 47	232		ABOVE 2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC3). TPN SOLU TION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الجوف AL JOUF		

NPT 0039/21

SN	NUPCO CODE	ITEM SPECIFICATION	UNIT	QUANTITY
233	5119160326400	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC3). TPN SOLU TION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الحدود الشمالية N ORTHERN BORDERS	Pack	1460
234	5119160326500	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC3). TPN SOLU TION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: حفر الباطن HAFR A L- BATN	Pack	1460
235	5119160326600	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC3). TPN SOLU TION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION:	Pack	1460
236	5119160326700	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC3). TPN SOLU TION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: تبوك	Pack	1460
237	5119160326800	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC3). TPN SOLU TION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: حائل HAIL	Pack	1460
238	5119160326900	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC3). TPN SOLU TION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القصيم	Pack	1460
239	5119160327000	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC3). TPN SOLU TION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: جدة JEDDAH	Pack	1460

NPT 0039/21

SN	NUPCO CODE	ITEM SPECIFICATION	UNIT	QUANTITY
240	5119160327100	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC3). TPN SOLU TION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: مكة المكرمة MAKKA H	Pack	1460
241	5119160327200	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC3). TPN SOLU TION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القنفذة QUNFUDHAH	Pack	1460
242	5119160327300	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC3). TPN SOLU TION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الباحة ALBAHA	Pack	1460
243	5119160327400	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC3). TPN SOLU TION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: نجران NAJRAN	Pack	1460
244	5119160327500	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC3). TPN SOLU TION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الاحساء	Pack	1460
245	5119160327600	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC3). TPN SOLU TION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الأو ل الشرقية HEALTH CLUSTER(1) EASTERN	Pack	1460
246	5119160327700	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC3). TPN SOLU TION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHAFJI	Pack	1460

NPT 0039/21

PARENTERAL NUTRITION PRODUCT FOR PREMATURE, INFANT, PEDIATRIC AND ADULT TENDER NAME:

SN	NUPCO CODE	ITEM SPECIFICATION	UNIT	QUANTITY
247	5119160327800	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC3). TPN SOLU TION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: المدينة المنورة M ADINAH	Pack	1460
248	5119160327900	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC3). TPN SOLU TION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: جازاט JAZAN	Pack	1460
249	5119160328000	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC3). TPN SOLU TION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الثاني بالرياض HEALTH CLUSTER(2) RIYADH	Pack	1460
250	5119160328100	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC3). TPN SOLU TION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الثا لث	Pack	1460
251	5119160328200	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC3). TPN SOLU TION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الأو ل بالرياض HEALTH CLUSTER(1) RIYADH	Pack	1460
252	5119160328300	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC3). TPN SOLU TION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHARJ	Pack	1460
253	5119160328400	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500- 2300 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP1). TPN SO LUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN A N APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الجوف	Pack	1460
	December 16, 2021	L	38 of 4	47

NPT 0039/21

SN	NUPCO CODE	ITEM SPECIFICATION	UNIT	QUANTITY
254	5119160328500	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500- 2300 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP1). TPN SO LUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN A N APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الحدود الشمالية NORTHERN BORDERS	Pack	1460
255	5119160328600	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500- 2300 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP1). TPN SO LUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN A N APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: حفر الباطن HAFR AL- BATN	Pack	1460
256	5119160328700	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500- 2300 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP1). TPN SO LUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN A N APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION:	Pack	1460
257	5119160328800	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500- 2300 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP1). TPN SO LUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN A N APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: تبوك TABUK	Pack	1460
258	5119160328900	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500- 2300 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP1). TPN SO LUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN A N APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: حائل HAIL	Pack	1460
259	5119160329000	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500- 2300 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP1). TPN SO LUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN A N APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القصيم ALQASSIM	Pack	1460
260	5119160329100	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500- 2300 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP1). TPN SO LUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN A N APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: جدة JEDDAH	Pack	1460

SN	NUPCO CODE	ITEM SPECIFICATION	UNIT	QUANTITY
261	5119160329200	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500- 2300 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP1). TPN SO LUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN A N APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: مكة المكرمة MAKK AH	Pack	1460
262	5119160329300	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500- 2300 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP1). TPN SO LUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN A N APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION:	Pack	1460
263	5119160329400	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500- 2300 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP1). TPN SO LUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN A N APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الباحة ALBAHA	Pack	1460
264	5119160329500	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500- 2300 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP1). TPN SO LUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN A N APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: نجران NAJRAN	Pack	1460
265	5119160329600	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500- 2300 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP1). TPN SO LUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN A N APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الاحساء	Pack	1460
266	5119160329700	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500- 2300 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP1). TPN SO LUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN A N APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الأول الشرقية HEALTH CLUSTER(1) EASTERN	Pack	1460
267	5119160329800	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500- 2300 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP1). TPN SO LUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN A N APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHAFJI	Pack	1460

SN	NUPCO CODE	ITEM SPECIFICATION	UNIT	QUANTITY
268	5119160329900	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500- 2300 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP1). TPN SO LUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN A N APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: المدينة المنورة	Pack	1460
269	5119160330000	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500- 2300 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP1). TPN SO LUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN A N APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: جازان JAZAN	Pack	1460
270	5119160330100	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500- 2300 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP1). TPN SO LUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN A N APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الث اني بالرياض HEALTH CLUSTER(2) RIYADH	Pack	1460
271	5119160330200	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500- 2300 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP1). TPN SO LUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN A N APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الث الث	Pack	1460
272	5119160330300	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500- 2300 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP1). TPN SO LUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN A N APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الأول بالرياض HEALTH CLUSTER(1) RIYADH	Pack	1460
273	5119160330400	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500- 2300 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP1). TPN SO LUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN A N APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHARJ	Pack	1460
274	5119160330500	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 2300- 2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP2). TPN SO LUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN A N APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الجوف AL JOUF	Pack	1460
	December 16, 2022	L	41 of 4	47

NPT 0039/21

SN	NUPCO CODE	ITEM SPECIFICATION	UNIT	QUANTITY
275	5119160330600	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 2300- 2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP2). TPN SO LUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN A N APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الحدود الشمالية NORTHERN BORDERS	Pack	1460
276	5119160330700	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 2300- 2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP2). TPN SO LUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN A N APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: حفر الباطن HAFR AL- BATN	Pack	1460
277	5119160330800	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 2300- 2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP2). TPN SO LUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN A N APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القريات QURAYYAT	Pack	1460
278	5119160330900	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 2300- 2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP2). TPN SO LUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN A N APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: تبوك TABUK	Pack	1460
279	5119160331000	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 2300- 2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP2). TPN SO LUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN A N APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: حائل HAIL	Pack	1460
280	5119160331100	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 2300- 2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP2). TPN SO LUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN A N APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القصيم ALQASSIM	Pack	1460
281	5119160331200	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 2300- 2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP2). TPN SO LUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN A N APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: جدة JEDDAH	Pack	1460

SN	NUPCO CODE	ITEM SPECIFICATION	UNIT	QUANTITY
282	5119160331300	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 2300- 2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP2). TPN SO LUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN A N APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: مكة المكرمة MAKK AH	Pack	1460
283	5119160331400	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 2300- 2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP2). TPN SO LUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN A N APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION:	Pack	1460
284	5119160331500	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 2300- 2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP2). TPN SO LUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN A N APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الباحة ALBAHA	Pack	1460
285	5119160331600	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 2300- 2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP2). TPN SO LUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN A N APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: نجران NAJRAN	Pack	1460
286	5119160331700	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 2300- 2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP2). TPN SO LUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN A N APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الاحساء	Pack	1460
287	5119160331800	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 2300- 2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP2). TPN SO LUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN A N APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الأول الشرقية HEALTH CLUSTER(1) EASTERN	Pack	1460
288	5119160331900	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 2300- 2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP2). TPN SO LUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN A N APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHAFJI	Pack	1460

NPT 0039/21

290 5119160332100 UNFRACTIONATED HEPARIN WHEN NEEDED IN A N APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: أي المدينة السنون MADINAH Pack 1074L PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 2300- 2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP2). TPN S0 LUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS Pack 1460 290 5119160332100 ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN A N APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: أي إلى المحكم 2800 ML ADMINISTRETED THROUGH PERIPHERAL LINE BASED ON FORM (AP2). TPN S0 LUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN A N APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: A NIPO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN A N APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ANIPO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS Pack 1460 292 5119160332200 TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 2300- 2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP2). TPN S0 LUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS Pack 1460 292 5119160332200 TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 2300- 2800 ML ADMINISTER	SN	NUPCO CODE	ITEM SPECIFICATION	UNIT	QUANTITY
290S1191603321002800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP2), TPN SO LUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: 'U) UNFRACTIONATED HEPARIN WHEN NEEDED IN A N APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: 'U) U/U LUME 2300- 2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP2), TPN SO LUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: 'U) U/URACTIONATED HEPARIN WHEN NEEDED IN A N APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: 'U) U/URACTIONATED HEPARIN WHEN NEEDED IN A N APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: 'U) U/URACTIONATED HEPARIN WHEN NEEDED IN A N APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: 'U) U/URACTIONATED HEPARIN WHEN NEEDED IN A N APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: 'U) U/URACTIONATED HEPARIN WHEN NEEDED IN A N APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: 'U) U/URACTIONATED HEPARIN WHEN NEEDED IN A N APPROPRIATE UNFRACTIONATED HEPARIN WHEN NEEDED IN A N APPROPRIATE UNFRACTIONATED HEPARIN WHEN NEEDED IN A N APPROPRIATE UNFRACTIONATED HEPARIN WHEN NEEDED IN A N APPROPRIATE U/UNFRACTIONATED HEPARIN WHEN NEEDED IN A N APPROPRIATE U/UNFRACTIONATED HEPARIN WHEN NEEDED IN A N APPROPRIATE U/UNFRACTIONATED HEPARIN WHEN NEEDED IN	289	5119160332000	2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP2). TPN SO LUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN A N APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY	Pack	1460
29151191603322002800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP2). TPN SO LUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN A N APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: من المرابع ال	290	5119160332100	2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP2). TPN SO LUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN A N APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY	Pack	1460
2922800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP2). TPN SO LUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN A N APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: مالتجمع الصحي الث الث الث الثاني المطلح المالي الملح المالي الملح المالي المطلح المالي المطلح المالي المطلح المالي المحلح المالي المحلح المالي المطلح المالي	291	5119160332200	2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP2). TPN SO LUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN A N APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الث اني بالرياض	Pack	1460
2935119160332400TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 2300- 2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP2). TPN SO LUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN A N APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: HEALTH CLUSTER(1) RIYADHPack14601460TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 2300- 2800 ML ADMINISTRED THROUGH PERIPHERAL LINE BASED ON FORMPack1460	292	5119160332300	2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP2). TPN SO LUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN A N APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الث الث	Pack	1460
2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM	293	5119160332400	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 2300- 2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP2). TPN SO LUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN A N APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الأ ول بالرياض	Pack	1460
294 5119160332500 ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS Pack 1460 UNFRACTIONATED HEPARIN WHEN NEEDED IN A N APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHARJ Pack 1460	294	5119160332500	2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP2). TPN SO LUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN A N APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY	Pack	1460
295 مال المحتوي المحت			ABOVE 2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP3). TPN S OLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الجوف AL JOUF		1460

NPT 0039/21

SN	NUPCO CODE	ITEM SPECIFICATION	UNIT	QUANTITY
296	5119160332700	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP3). TPN S OLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الحدود الشمالي ة NORTHERN BORDERS	Pack	1460
297	5119160332800	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP3). TPN S OLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: حفر الباطن HAF R AL- BATN	Pack	1460
298	5119160332900	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP3). TPN S OLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القريات QURAYY AT	Pack	1460
299	5119160333000	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP3). TPN S OLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: تبوك TABUK	Pack	1460
300	5119160333100	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP3). TPN S OLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: حائل HAIL	Pack	1460
301	5119160333200	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP3). TPN S OLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القصيم ALQASSI M	Pack	1460
302	5119160333300	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP3). TPN S OLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: جدة	Pack	1460

NPT 0039/21

SN	NUPCO CODE	ITEM SPECIFICATION	UNIT	QUANTITY
303	5119160333400	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP3). TPN S OLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: مكة المكرمة MA KKAH	Pack	1460
304	5119160333500	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP3). TPN S OLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION:	Pack	1460
305	5119160333600	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP3). TPN S OLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الباحة ALBAHA	Pack	1460
306	5119160333700	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP3). TPN S OLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: نجران NAJRAN	Pack	1460
307	5119160333800	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP3). TPN S OLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الاحساء	Pack	1460
308	5119160333900	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP3). TPN S OLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الأول الشرقية HEALTH CLUSTER(1) EASTERN	Pack	1460
309	5119160334000	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP3). TPN S OLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHAFJI	Pack	1460

NPT 0039/21

SN	NUPCO CODE	ITEM SPECIFICATION	UNIT	QUANTITY
310	5119160334100	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP3). TPN S OLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: المدينة المنورة	Pack	1460
311	5119160334200	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP3). TPN S OLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: جازان	Pack	1460
312	51191603 <mark>34</mark> 300	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP3). TPN S OLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الثاني بالرياض HEALTH CLUSTER(2) RIYADH	Pack	1460
313	5119160334400	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP3). TPN S OLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الضحي الثالث HEALTH CLUSTER(3) RIYADH	Pack	1460
314	5119160334500	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP3). TPN S OLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الأول بالرياض HEALTH CLUSTER(1) RIYADH	Pack	1460
315	5119160334600	TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP3). TPN S OLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHARJ	Pack	1460