

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
1	5119160303200	"TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 100 ML - 150 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الجوف AL JOUF"	Modawa Medical Company -Orig-		Modawa Medical Company	NCP1
2	5119160303300	"TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 100 ML - 150 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الحدود الشمالية: NORTHERN BORDERS "	Modawa Medical Company -Orig-		Modawa Medical Company	NCP1
3	5119160303400	"TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 100 ML - 150 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: حفر الباطن HAFR AL-BATN"	Cancelled	No longer needed		

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
4	5119160303500	"TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 100 ML - 150 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القرىات QURAYYAT"	Cancelled	No longer needed		
5	5119160303600	"TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 100 ML - 150 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: تبوك TABUK"	Saudi center of parenteral nutritio - Orig-		SCTPN	SCTPN-NCP1
6	5119160303700	"TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 100 ML - 150 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: حائل HAIL"	Saudi center of parenteral nutritio - Orig-		SCTPN	SCTPN-NCP1

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
6	5119160303700	"TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 100 ML - 150 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: حائل HAIL"	Modawa Medical Company -Orig-		Modawa Medical Company	SCTPN-NCP1
7	5119160303800	"TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 100 ML - 150 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القصيم ALQASSIM"	Cancelled	No longer needed		
8	5119160303900	"TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 100 ML - 150 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: جدة JEDDAH"	Cancelled	No longer needed		

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
9	5119160304000	"TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 100 ML - 150 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: مكة المكرمة MAKKAH"	Saudi center of parenteral nutritio - Orig-		SCTPN	SCTPN-NCP1
9	5119160304000	"TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 100 ML - 150 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: مكة المكرمة MAKKAH"	Modawa Medical Company -Orig-		Modawa Medical Company	SCTPN-NCP1
10	5119160304100	"TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 100 ML - 150 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القنفذة QUNFUDHAH"	Cancelled	No longer needed		

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
11	5119160304200	"TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 100 ML - 150 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الباحة ALBAHA"	Cancelled	No longer needed		
12	5119160304300	"TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 100 ML - 150 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: نجران NAJRAN"	Cancelled	No longer needed		
13	5119160304400	"TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 100 ML - 150 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الاحساء ALAHSa"	Cancelled	No longer needed		

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
14	5119160304500	"TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 100 ML - 150 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الأول الشرقية HEALTH CLUSTER(1) EASTERN"	Modawa Medical Company -Orig-		Modawa Medical Company	NCP1
15	5119160304600	"TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 100 ML - 150 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHAFJI"	Cancelled	No longer needed		
16	5119160304700	"TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 100 ML - 150 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: المدينة المنورة MADINAH"	Saudi center of parenteral nutritio - Orig-		SCTPN	SCTPN-NCP1

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
16	5119160304700	"TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 100 ML - 150 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: المدينة المنورة MADINAH"	Modawa Medical Company -Orig-		Modawa Medical Company	SCTPN-NCP1
17	5119160304800	"TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 100 ML - 150 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: جازان JAZAN"	Saudi center of parenteral nutritio - Orig-		SCTPN	SCTPN-NCP1
18	5119160304900	"TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 100 ML - 150 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الثاني بالرياض HEALTH CLUSTER(2) RIYADH"	Saudi center of parenteral nutritio - Orig-		SCTPN	NCP1



## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
18	5119160304900	"TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 100 ML - 150 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الثاني بالرياض HEALTH CLUSTER(2) RIYADH"	Modawa Medical Company -Orig-		Modawa Medical Company	NCP1
19	5119160305000	"TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 100 ML - 150 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الثالث بالرياض HEALTH CLUSTER(3) RIYADH"	Cancelled	No longer needed		
20	5119160305100	"TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 100 ML - 150 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL)	Saudi center of parenteral nutritio - Orig-		SCTPN	SCTPN-NCP1



## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		LOCATION: التجمع الصحي الأول بالرياض HEALTH CLUSTER(1) RIYADH"				
21	5119160305200	"TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 100 ML - 150 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHARJ"	Cancelled	No longer needed		
22	5119160305300	"TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 150 ML - 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الجوف AL JOUF"	Modawa Medical Company -Orig-		Modawa Medical Company	NCP2
23	5119160305400	"TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 150 ML - 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH	Modawa Medical Company -Orig-		Modawa Medical Company	NCP2

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الحدود الشمالية NORTHERN BORDERS "				
24	5119160305500	"TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 150 ML - 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: حفر الباطن HAFR AL- BATN"	Cancelled	No longer needed		
25	5119160305600	"TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 150 ML - 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القرية QURAYYAT"	Cancelled	No longer needed		
26	5119160305700	"TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 150 ML - 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN	Saudi center of parenter al nutritio - Orig-		SCTPN	SCTPN-NCP2

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: تبوك TABUK"				
27	5119160305800	"TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 150 ML - 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: حائل HAIL"	Saudi center of parenteral nutritio - Orig-		SCTPN	SCTPN-NCP2
28	5119160305900	"TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 150 ML - 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القصيم ALQASSIM"	Cancelled	No longer needed		
29	5119160306000	"TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 150 ML - 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH	Cancelled	No longer needed		

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: جدة JEDDAH"				
30	5119160306100	"TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 150 ML - 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: مكة المكرمة MAKKAH"	Saudi center of parenter al nutritio - Orig-		SCTPN	SCTPN-NCP2
31	5119160306200	"TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 150 ML - 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القنفذة QUNFUDHAH"	Cancelled	No longer needed		
32	5119160306300	"TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 150 ML - 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH	Cancelled	No longer needed		

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الباحة ALBAHA"				
33	5119160306400	"TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 150 ML - 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: نجران NAJRAN"	Cancelled	No longer needed		
34	5119160306500	"TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 150 ML - 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الاحساء ALAHSa"	Cancelled	No longer needed		
35	5119160306600	"TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 150 ML - 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH	Modawa Medical Company -Orig-		Modawa Medical Company	NCP2

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الأول الشرقية HEALTH CLUSTER(1) EASTERN"				
36	5119160306700	"TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 150 ML - 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHAFJI"	Cancelled	No longer needed		
37	5119160306800	"TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 150 ML - 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: المدينة المنورة MADINAH"	Saudi center of parenter al nutritio - Orig-		SCTPN	SCTPN-NCP2
38	5119160306900	"TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 150 ML - 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN	Saudi center of parenter al nutritio - Orig-		SCTPN	SCTPN-NCP2

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: جازان JAZAN"				
39	5119160307000	"TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 150 ML - 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الثاني بالرياض HEALTH CLUSTER(2) RIYADH"	Saudi center of parenteral nutritio - Orig-		SCTPN	SCTPN-NCP2
40	5119160307100	"TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 150 ML - 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الثالث بالرياض HEALTH CLUSTER(3) RIYADH"	Cancelled	No longer needed		
41	5119160307200	"TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 150 ML - 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS.	Saudi center of parenteral nutritio - Orig-		SCTPN	SCTPN-NCP2



## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الأول بالرياض HEALTH CLUSTER(1) RIYADH"				
42	5119160307300	"TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 150 ML - 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHARJ"	Cancelled	No longer needed		
43	5119160307400	"TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME MORE THAN 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الجوف AL JOUF"	Modawa Medical Company -Orig-		Modawa Medical Company	NCP3
44	5119160307500	"TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME MORE THAN 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND	Modawa Medical Company -Orig-		Modawa Medical Company	NCP3

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الحدود الشمالية NORTHERN BORDERS "				
45	5119160307600	"TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME MORE THAN 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: حفر الباطن HAFR AL-BATN"	Cancelled	No longer needed		
46	5119160307700	"TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME MORE THAN 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القريات QURAYYAT"	Cancelled	No longer needed		
47	5119160307800	"TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME MORE THAN 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP3).	Saudi center of parenteral nutritio - Orig-		SCTPN	SCTPN-NCP3

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: تَبُوك TABUK"				
48	5119160307900	"TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME MORE THAN 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: حائل HAIL"	Saudi center of parenteral nutritio - Orig-		SCTPN	SCTPN-NCP3
49	5119160308000	"TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME MORE THAN 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القصيم ALQASSIM"	Cancelled	No longer needed		

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
50	5119160308100	"TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME MORE THAN 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: جدة JEDDAH"	Cancelled	No longer needed		
51	5119160308200	"TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME MORE THAN 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: مكة المكرمة MAKKAH"	Saudi center of parenteral nutritio - Orig-		SCTPN	SCTPN-NCP3
52	5119160308300	"TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME MORE THAN 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR	Cancelled	No longer needed		

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		LIPID (LCT+MCT+FISH OIL) LOCATION: القنفذة QUNFUDHAH"				
53	5119160308400	"TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME MORE THAN 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الباحة ALBAHA"	Cancelled	No longer needed		
54	5119160308500	"TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME MORE THAN 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: نجران NAJRAN"	Cancelled	No longer needed		
55	5119160308600	"TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME MORE THAN 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS	Cancelled	No longer needed		

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الاحساء ALAHSA"				
56	5119160308700	"TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME MORE THAN 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الأول الشرقية HEALTH CLUSTER(1) EASTERN"	Modawa Medical Company -Orig-		Modawa Medical Company	NCP3
57	5119160308800	"TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME MORE THAN 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHAFJI"	Cancelled	No longer needed		
58	5119160308900	"TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME MORE THAN 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES,	Saudi center of parenter al nutritio - Orig-		SCTPN	SCTPN-NCP3

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: المدينة المنورة: MADINAH"				
59	5119160309000	"TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME MORE THAN 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: جازان JAZAN"	Saudi center of parenteral nutritio - Orig-		SCTPN	SCTPN-NCP3
60	5119160309100	"TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME MORE THAN 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الثاني بالرياض HEALTH CLUSTER(2) RIYADH"	Saudi center of parenteral nutritio - Orig-		SCTPN	SCTPN-NCP3



## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
61	5119160309200	"TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME MORE THAN 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الثالث بالرياض HEALTH CLUSTER(3) RIYADH"	Cancelled	No longer needed		
62	5119160309300	"TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME MORE THAN 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الأول بالرياض HEALTH CLUSTER(1) RIYADH"	Saudi center of parenteral nutritio - Orig-		SCTPN	SCTPN-NCP3
63	5119160309400	"TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME MORE THAN 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH	Cancelled	No longer needed		

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHARJ"				
64	5119160309500	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الجوف AL JOUF"	Cancelled	No longer needed		
65	5119160309600	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الحدود الشمالية NORTHERN BORDERS "	Cancelled	No longer needed		
66	5119160309700	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN	Cancelled	No longer needed		

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: حفر الباطن HAFR AL-BATN"				
67	5119160309800	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القرية QURAYYAT"	Cancelled	No longer needed		
68	5119160309900	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: تبوك TABUK"	Cancelled	No longer needed		
69	5119160310000	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH	Cancelled	No longer needed		

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: حائل HAIL"				
70	5119160310100	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القصيم ALQASSIM"	Cancelled	No longer needed		
71	5119160310200	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: جدة JEDDAH"	Cancelled	No longer needed		
72	5119160310300	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH	Cancelled	No longer needed		

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: مكة المكرمة MAKKAH"				
73	5119160310400	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القنفذة QUNFUDHAH"	Cancelled	No longer needed		
74	5119160310500	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الباحة ALBAHA"	Cancelled	No longer needed		
75	5119160310600	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH	Cancelled	No longer needed		

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: نجران NAJRAN"				
76	5119160310700	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الاحساء ALAHSAN"	Cancelled	No longer needed		
77	5119160310800	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الأول الشرقية HEALTH CLUSTER(1) EASTERN"	Cancelled	No longer needed		
78	5119160310900	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN	Cancelled	No longer needed		

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHAFJI"				
79	5119160311000	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: المدينة المنورة MADINAH"	Cancelled	No longer needed		
80	5119160311100	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: جازان JAZAN"	Cancelled	No longer needed		
81	5119160311200	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN	Cancelled	No longer needed		



## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الثاني بالرياض HEALTH CLUSTER(2) RIYADH"				
82	5119160311300	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الثالث بالرياض HEALTH CLUSTER(3) RIYADH"	Cancelled	No longer needed		
83	5119160311400	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الأول بالرياض HEALTH CLUSTER(1) RIYADH"	Cancelled	No longer needed		
84	5119160311500	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS	Cancelled	No longer needed		

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHARJ"				
85	5119160311600	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الجوف AL JOUF"	Cancelled	No longer needed		
86	5119160311700	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الحدود الشمالية NORTHERN BORDERS "	Cancelled	No longer needed		
87	5119160311800	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN	Cancelled	No longer needed		

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: حفر الباطن HAFR AL-BATN"				
88	5119160311900	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القريات QURAYYAT"	Cancelled	No longer needed		
89	5119160312000	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: تبوك TABUK"	Cancelled	No longer needed		
90	5119160312100	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN	Cancelled	No longer needed		

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: حائل HAIL"				
91	5119160312200	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القصيم ALQASSIM"	Cancelled	No longer needed		
92	5119160312300	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: جدة JEDDAH"	Cancelled	No longer needed		
93	5119160312400	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH	Cancelled	No longer needed		

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: مكة المكرمة MAKKAH"				
94	5119160312500	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القنفذة QUNFUDHAH"	Cancelled	No longer needed		
95	5119160312600	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الباحة ALBAHA"	Cancelled	No longer needed		
96	5119160312700	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH	Cancelled	No longer needed		

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: نجران NAJRAN"				
97	5119160312800	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الاحساء ALAHSAA"	Cancelled	No longer needed		
98	5119160312900	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الأول الشرقية HEALTH CLUSTER(1) EASTERN"	Cancelled	No longer needed		
99	5119160313000	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN	Cancelled	No longer needed		

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHAFJI"				
100	5119160313100	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: المدينة المنورة MADINAH"	Cancelled	No longer needed		
101	5119160313200	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: جازان JAZAN"	Cancelled	No longer needed		
102	5119160313300	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN	Cancelled	No longer needed		



## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الثاني بالرياض HEALTH CLUSTER(2) RIYADH"				
103	5119160313400	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الثالث بالرياض HEALTH CLUSTER(3) RIYADH"	Cancelled	No longer needed		
104	5119160313500	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الأول بالرياض HEALTH CLUSTER(1) RIYADH"	Cancelled	No longer needed		
105	5119160313600	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS	Cancelled	No longer needed		

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHARJ"				
106	5119160313700	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الجوف AL JOUF"	Cancelled	No longer needed		
107	5119160313800	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الحدود الشمالية NORTHERN BORDERS "	Cancelled	No longer needed		
108	5119160313900	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN	Cancelled	No longer needed		

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: حفر الباطن HAFR AL-BATN"				
109	5119160314000	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القريات QURAYYAT"	Cancelled	No longer needed		
110	5119160314100	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: تبوك TABUK"	Cancelled	No longer needed		
111	5119160314200	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN	Cancelled	No longer needed		

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: حائل HAIL"				
112	5119160314300	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القصيم ALQASSIM"	Cancelled	No longer needed		
113	5119160314400	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: جدة JEDDAH"	Cancelled	No longer needed		
114	5119160314500	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH	Cancelled	No longer needed		

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: مكة المكرمة MAKKAH"				
115	5119160314600	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القنفذة QUNFUDHAH"	Cancelled	No longer needed		
116	5119160314700	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الباحة ALBAHA"	Cancelled	No longer needed		
117	5119160314800	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH	Cancelled	No longer needed		

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: نجران NAJRAN"				
118	5119160314900	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الاحساء ALAHSAN"	Cancelled	No longer needed		
119	5119160315000	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الأول الشرقية HEALTH CLUSTER(1) EASTERN"	Cancelled	No longer needed		
120	5119160315100	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN	Cancelled	No longer needed		

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHAFJI"				
121	5119160315200	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: المدينة المنورة MADINAH"	Cancelled	No longer needed		
122	5119160315300	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: جازان JAZAN"	Cancelled	No longer needed		
123	5119160315400	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN	Cancelled	No longer needed		



## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الثاني بالرياض HEALTH CLUSTER(2) RIYADH"				
124	5119160315500	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الثالث بالرياض HEALTH CLUSTER(3) RIYADH"	Cancelled	No longer needed		
125	5119160315600	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الأول بالرياض HEALTH CLUSTER(1) RIYADH"	Cancelled	No longer needed		
126	5119160315700	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS	Cancelled	No longer needed		

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHARJ"				
127	5119160315800	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الجوف AL JOUF"	Cancelled	No longer needed		
128	5119160315900	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الحدود الشمالية NORTHERN BORDERS "	Cancelled	No longer needed		
129	5119160316000	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN	Cancelled	No longer needed		

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: حفر الباطن HAFR AL-BATN"				
130	5119160316100	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القريات QURAYYAT"	Cancelled	No longer needed		
131	5119160316200	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: تبوك TABUK"	Cancelled	No longer needed		
132	5119160316300	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN	Cancelled	No longer needed		

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: حائل HAIL"				
133	5119160316400	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القصيم ALQASSIM"	Cancelled	No longer needed		
134	5119160316500	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: جدة JEDDAH"	Cancelled	No longer needed		
135	5119160316600	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH	Cancelled	No longer needed		

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: مكة المكرمة MAKKAH"				
136	5119160316700	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القنفذة QUNFUDHAH"	Cancelled	No longer needed		
137	5119160316800	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الباحة ALBAHA"	Cancelled	No longer needed		
138	5119160316900	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH	Cancelled	No longer needed		

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: نجران NAJRAN"				
139	5119160317000	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الاحساء ALAHSAA"	Cancelled	No longer needed		
140	5119160317100	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الأول الشرقية HEALTH CLUSTER(1) EASTERN"	Cancelled	No longer needed		
141	5119160317200	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN	Cancelled	No longer needed		

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHAFJI"				
142	5119160317300	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: المدينة المنورة MADINAH"	Cancelled	No longer needed		
143	5119160317400	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: جازان JAZAN"	Cancelled	No longer needed		
144	5119160317500	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN	Cancelled	No longer needed		



## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الثاني بالرياض HEALTH CLUSTER(2) RIYADH"				
145	5119160317600	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الثالث بالرياض HEALTH CLUSTER(3) RIYADH"	Cancelled	No longer needed		
146	5119160317700	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الأول بالرياض HEALTH CLUSTER(1) RIYADH"	Cancelled	No longer needed		
147	5119160317800	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS.	Cancelled	No longer needed		

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHARJ"				
148	5119160317900	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الجوف AL JOUF"	Cancelled	No longer needed		
149	5119160318000	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الحدود الشمالية NORTHERN BORDERS "	Cancelled	No longer needed		
150	5119160318100	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN	Cancelled	No longer needed		

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: حفر الباطن HAFR AL-BATN"				
151	5119160318200	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القريات QURAYYAT"	Cancelled	No longer needed		
152	5119160318300	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: تبوك TABUK"	Cancelled	No longer needed		
153	5119160318400	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN	Cancelled	No longer needed		

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: حائل HAIL"				
154	5119160318500	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القصيم ALQASSIM"	Cancelled	No longer needed		
155	5119160318600	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: جدة JEDDAH"	Cancelled	No longer needed		
156	5119160318700	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH	Cancelled	No longer needed		

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: مكة المكرمة MAKKAH"				
157	5119160318800	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القنفذة QUNFUDHAH"	Cancelled	No longer needed		
158	5119160318900	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الباحة ALBAHA"	Cancelled	No longer needed		
159	5119160319000	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH	Cancelled	No longer needed		

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: نجران NAJRAN"				
160	5119160319100	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الاحساء ALAHSA"	Cancelled	No longer needed		
161	5119160319200	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الأول الشرقية HEALTH CLUSTER(1) EASTERN"	Cancelled	No longer needed		
162	5119160319300	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN	Cancelled	No longer needed		

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHAFJI"				
163	5119160319400	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: المدينة المنورة MADINAH"	Cancelled	No longer needed		
164	5119160319500	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: جازان JAZAN"	Cancelled	No longer needed		
165	5119160319600	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN	Cancelled	No longer needed		



## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الثاني بالرياض HEALTH CLUSTER(2) RIYADH"				
166	5119160319700	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الثالث بالرياض HEALTH CLUSTER(3) RIYADH"	Cancelled	No longer needed		
167	5119160319800	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الأول بالرياض HEALTH CLUSTER(1) RIYADH"	Cancelled	No longer needed		
168	5119160319900	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS.	Cancelled	No longer needed		

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHARJ"				
169	5119160320000	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الجوف AL JOUF"	Cancelled	No longer needed		
170	5119160320100	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الحدود الشمالية NORTHERN BORDERS "	Cancelled	No longer needed		
171	5119160320200	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN	Cancelled	No longer needed		

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: حفر الباطن HAFR AL-BATN"				
172	5119160320300	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القريات QURAYYAT"	Cancelled	No longer needed		
173	5119160320400	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: تبوك TABUK"	Cancelled	No longer needed		
174	5119160320500	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN	Cancelled	No longer needed		

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: حائل HAIL"				
175	5119160320600	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القصيم ALQASSIM"	Cancelled	No longer needed		
176	5119160320700	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: جدة JEDDAH"	Cancelled	No longer needed		
177	5119160320800	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH	Cancelled	No longer needed		

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: مكة المكرمة MAKKAH"				
178	5119160320900	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القنفذة QUNFUDHAH"	Cancelled	No longer needed		
179	5119160321000	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الباحة ALBAHA"	Cancelled	No longer needed		
180	5119160321100	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH	Cancelled	No longer needed		

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: نجران NAJRAN"				
181	5119160321200	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الاحساء ALAHSAN"	Cancelled	No longer needed		
182	5119160321300	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الأول الشرقية HEALTH CLUSTER(1) EASTERN"	Cancelled	No longer needed		
183	5119160321400	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN	Cancelled	No longer needed		

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHAFJI"				
184	5119160321500	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: المدينة المنورة MADINAH"	Cancelled	No longer needed		
185	5119160321600	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: جازان JAZAN"	Cancelled	No longer needed		
186	5119160321700	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN	Cancelled	No longer needed		



## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الثاني بالرياض HEALTH CLUSTER(2) RIYADH"				
187	5119160321800	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الثالث بالرياض HEALTH CLUSTER(3) RIYADH"	Cancelled	No longer needed		
188	5119160321900	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الأول بالرياض HEALTH CLUSTER(1) RIYADH"	Cancelled	No longer needed		
189	5119160322000	"TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS.	Cancelled	No longer needed		

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHARJ"				
190	5119160322100	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1000-1400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الجوف AL JOUF"	Cancelled	No longer needed		
191	5119160322200	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1000-1400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الحدود الشمالية NORTHERN BORDERS "	Cancelled	No longer needed		
192	5119160322300	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1000-1400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER +	Cancelled	No longer needed		

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: حفر الباطن HAFR AL-BATN"				
193	5119160322400	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1000-1400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القرية QURAYYAT"	Cancelled	No longer needed		
194	5119160322500	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1000-1400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: تبوك TABUK"	Cancelled	No longer needed		
195	5119160322600	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1000-1400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR	Cancelled	No longer needed		

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		LIPID (LCT+MCT+FISH OIL) LOCATION: حائل HAIL"				
196	5119160322700	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1000-1400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القصيم ALQASSIM"	Cancelled	No longer needed		
197	5119160322800	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1000-1400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: جدة JEDDAH"	Cancelled	No longer needed		
198	5119160322900	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1000-1400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR	Cancelled	No longer needed		

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		LIPID (LCT+MCT+FISH OIL) LOCATION: مكة المكرمة MAKKAH"				
199	5119160323000	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1000-1400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القنفذة QUNFUDHAH"	Cancelled	No longer needed		
200	5119160323100	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1000-1400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الباحة ALBAHA"	Cancelled	No longer needed		
201	5119160323200	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1000-1400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR	Cancelled	No longer needed		

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		LIPID (LCT+MCT+FISH OIL) LOCATION: نجران NAJRAN"				
202	5119160323300	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1000-1400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الاحساء ALAHSAA"	Cancelled	No longer needed		
203	5119160323400	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1000-1400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الأول الشرقية HEALTH CLUSTER(1) EASTERN"	Cancelled	No longer needed		
204	5119160323500	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1000-1400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR	Cancelled	No longer needed		

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHAFJI"				
205	5119160323600	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1000-1400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: المدينة المنورة MADINAH"	Cancelled	No longer needed		
206	5119160323700	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1000-1400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: جازان JAZAN"	Cancelled	No longer needed		
207	5119160323800	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1000-1400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR	Cancelled	No longer needed		

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الثاني بالرياض HEALTH CLUSTER(2) RIYADH"				
208	5119160323900	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1000-1400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الثالث بالرياض HEALTH CLUSTER(3) RIYADH"	Cancelled	No longer needed		
209	5119160324000	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1000-1400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الأول بالرياض HEALTH CLUSTER(1) RIYADH"	Cancelled	No longer needed		
210	5119160324100	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1000-1400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH	Cancelled	No longer needed		



## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHARJ"				
211	5119160324200	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500-2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الجوف AL JOUF"	Cancelled	No longer needed		
212	5119160324300	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500-2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الحدود الشمالية NORTHERN BORDERS "	Cancelled	No longer needed		
213	5119160324400	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500-2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR	Cancelled	No longer needed		

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		LIPID (LCT+MCT+FISH OIL) LOCATION: حفر الباطن HAFR AL-BATN"				
214	5119160324500	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500-2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القريات QURAYYAT"	Cancelled	No longer needed		
215	5119160324600	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500-2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: تبوك TABUK"	Cancelled	No longer needed		
216	5119160324700	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500-2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR	Cancelled	No longer needed		

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		LIPID (LCT+MCT+FISH OIL) LOCATION: حائل HAIL"				
217	5119160324800	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500-2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القصيم ALQASSIM"	Cancelled	No longer needed		
218	5119160324900	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500-2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: جدة JEDDAH"	Cancelled	No longer needed		
219	5119160325000	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500-2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR	Cancelled	No longer needed		

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		LIPID (LCT+MCT+FISH OIL) LOCATION: مكة المكرمة MAKKAH"				
220	5119160325100	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500-2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القنفذة QUNFUDHAH"	Cancelled	No longer needed		
221	5119160325200	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500-2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الباحة ALBAHA"	Cancelled	No longer needed		
222	5119160325300	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500-2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR	Cancelled	No longer needed		

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		LIPID (LCT+MCT+FISH OIL) LOCATION: نجران NAJRAN"				
223	5119160325400	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500-2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الاحساء ALAHSAA"	Cancelled	No longer needed		
224	5119160325500	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500-2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الأول الشرقية HEALTH CLUSTER(1) EASTERN"	Cancelled	No longer needed		
225	5119160325600	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500-2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR	Cancelled	No longer needed		

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHAFJI"				
226	5119160325700	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500-2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: المدينة المنورة MADINAH"	Cancelled	No longer needed		
227	5119160325800	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500-2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: جازان JAZAN"	Cancelled	No longer needed		
228	5119160325900	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500-2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR	Cancelled	No longer needed		

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الثاني بالرياض HEALTH CLUSTER(2) RIYADH"				
229	5119160326000	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500-2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الثالث بالرياض HEALTH CLUSTER(3) RIYADH"	Cancelled	No longer needed		
230	5119160326100	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500-2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الأول بالرياض HEALTH CLUSTER(1) RIYADH"	Cancelled	No longer needed		
231	5119160326200	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500-2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH	Cancelled	No longer needed		

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHARJ"				
232	5119160326300	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الجوف AL JOUF"	Cancelled	No longer needed		
233	5119160326400	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الحدود الشمالية NORTHERN BORDERS "	Cancelled	No longer needed		
234	5119160326500	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR	Cancelled	No longer needed		



## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		LIPID (LCT+MCT+FISH OIL) LOCATION: حفر الباطن HAFR AL-BATN"				
235	5119160326600	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القرية QURAYYAT"	Cancelled	No longer needed		
236	5119160326700	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: تبوك TABUK"	Cancelled	No longer needed		
237	5119160326800	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR	Cancelled	No longer needed		

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		LIPID (LCT+MCT+FISH OIL) LOCATION: حائل HAIL"				
238	5119160326900	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القصيم ALQASSIM"	Cancelled	No longer needed		
239	5119160327000	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: جدة JEDDAH"	Cancelled	No longer needed		
240	5119160327100	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR	Cancelled	No longer needed		

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		LIPID (LCT+MCT+FISH OIL) LOCATION: مكة المكرمة MAKKAH"				
241	5119160327200	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القنفذة QUNFUDHAH"	Cancelled	No longer needed		
242	5119160327300	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الباحة ALBAHA"	Cancelled	No longer needed		
243	5119160327400	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR	Cancelled	No longer needed		

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		LIPID (LCT+MCT+FISH OIL) LOCATION: نجران NAJRAN"				
244	5119160327500	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الاحساء ALAHSa"	Cancelled	No longer needed		
245	5119160327600	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الأول الشرقية HEALTH CLUSTER(1) EASTERN"	Cancelled	No longer needed		
246	5119160327700	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR	Cancelled	No longer needed		

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHAFJI"				
247	5119160327800	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: المدينة المنورة MADINAH"	Cancelled	No longer needed		
248	5119160327900	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: جازان JAZAN"	Cancelled	No longer needed		
249	5119160328000	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR	Cancelled	No longer needed		

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الثاني بالرياض HEALTH CLUSTER(2) RIYADH"				
250	5119160328100	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الثالث بالرياض HEALTH CLUSTER(3) RIYADH"	Cancelled	No longer needed		
251	5119160328200	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الأول بالرياض HEALTH CLUSTER(1) RIYADH"	Cancelled	No longer needed		
252	5119160328300	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH	Cancelled	No longer needed		

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHARJ"				
253	5119160328400	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500-2300 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الجوف AL JOUF"	Cancelled	No longer needed		
254	5119160328500	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500-2300 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الحدود الشمالية NORTHERN BORDERS "	Cancelled	No longer needed		
255	5119160328600	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500-2300 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN	Cancelled	No longer needed		

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: حفر الباطن HAFR AL-BATN"				
256	5119160328700	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500-2300 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القرية QURAYYAT"	Cancelled	No longer needed		
257	5119160328800	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500-2300 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: تبوك TABUK"	Cancelled	No longer needed		
258	5119160328900	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500-2300 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH	Cancelled	No longer needed		



## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: حائل HAIL"				
259	5119160329000	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500-2300 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القصيم ALQASSIM"	Cancelled	No longer needed		
260	5119160329100	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500-2300 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: جدة JEDDAH"	Cancelled	No longer needed		
261	5119160329200	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500-2300 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH	Cancelled	No longer needed		

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: مكة المكرمة MAKKAH"				
262	5119160329300	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500-2300 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القنفذة QUNFUDHAH"	Cancelled	No longer needed		
263	5119160329400	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500-2300 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الباحة ALBAHA"	Cancelled	No longer needed		
264	5119160329500	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500-2300 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH	Cancelled	No longer needed		

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: نجران NAJRAN"				
265	5119160329600	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500-2300 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الاحساء ALAHSAA"	Cancelled	No longer needed		
266	5119160329700	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500-2300 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الأول الشرقية HEALTH CLUSTER(1) EASTERN"	Cancelled	No longer needed		
267	5119160329800	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500-2300 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN	Cancelled	No longer needed		

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHAFJI"				
268	5119160329900	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500-2300 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: المدينة المنورة MADINAH"	Cancelled	No longer needed		
269	5119160330000	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500-2300 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: جازان JAZAN"	Cancelled	No longer needed		
270	5119160330100	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500-2300 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN	Cancelled	No longer needed		

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الثاني بالرياض HEALTH CLUSTER(2) RIYADH"				
271	5119160330200	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500-2300 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الثالث بالرياض HEALTH CLUSTER(3) RIYADH"	Cancelled	No longer needed		
272	5119160330300	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500-2300 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الأول بالرياض HEALTH CLUSTER(1) RIYADH"	Cancelled	No longer needed		
273	5119160330400	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500-2300 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS	Cancelled	No longer needed		

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHARJ"				
274	5119160330500	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 2300-2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الجوف AL JOUF"	Cancelled	No longer needed		
275	5119160330600	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 2300-2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الحدود الشمالية NORTHERN BORDERS "	Cancelled	No longer needed		
276	5119160330700	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 2300-2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN	Cancelled	No longer needed		

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: حفر الباطن HAFR AL-BATN"				
277	5119160330800	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 2300-2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القريات QURAYYAT"	Cancelled	No longer needed		
278	5119160330900	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 2300-2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: تبوك TABUK"	Cancelled	No longer needed		
279	5119160331000	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 2300-2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN	Cancelled	No longer needed		

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: حائل HAIL"				
280	5119160331100	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 2300-2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القصيم ALQASSIM"	Cancelled	No longer needed		
281	5119160331200	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 2300-2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: جدة JEDDAH"	Cancelled	No longer needed		
282	5119160331300	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 2300-2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH	Cancelled	No longer needed		



## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: مكة المكرمة MAKKAH"				
283	5119160331400	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 2300-2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القنفذة QUNFUDHAH"	Cancelled	No longer needed		
284	5119160331500	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 2300-2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الباحة ALBAHA"	Cancelled	No longer needed		
285	5119160331600	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 2300-2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH	Cancelled	No longer needed		

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: نجران NAJRAN"				
286	5119160331700	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 2300-2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الاحساء ALAHSAA"	Cancelled	No longer needed		
287	5119160331800	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 2300-2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الأول الشرقية HEALTH CLUSTER(1) EASTERN"	Cancelled	No longer needed		
288	5119160331900	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 2300-2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN	Cancelled	No longer needed		

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHAFJI"				
289	5119160332000	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 2300-2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: المدينة المنورة MADINAH"	Cancelled	No longer needed		
290	5119160332100	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 2300-2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: جازان JAZAN"	Cancelled	No longer needed		
291	5119160332200	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 2300-2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN	Cancelled	No longer needed		

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الثاني بالرياض HEALTH CLUSTER(2) RIYADH"				
292	5119160332300	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 2300-2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الثالث بالرياض HEALTH CLUSTER(3) RIYADH"	Cancelled	No longer needed		
293	5119160332400	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 2300-2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الأول بالرياض HEALTH CLUSTER(1) RIYADH"	Cancelled	No longer needed		
294	5119160332500	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 2300-2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS	Cancelled	No longer needed		

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHARJ"				
295	5119160332600	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الجوف AL JOUF"	Cancelled	No longer needed		
296	5119160332700	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الحدود الشمالية NORTHERN BORDERS "	Cancelled	No longer needed		
297	5119160332800	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN	Cancelled	No longer needed		

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: حفر الباطن HAFR AL-BATN"				
298	5119160332900	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القريات QURAYYAT"	Cancelled	No longer needed		
299	5119160333000	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: تبوك TABUK"	Cancelled	No longer needed		
300	5119160333100	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN	Cancelled	No longer needed		

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: حائل HAIL"				
301	5119160333200	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القصيم ALQASSIM"	Cancelled	No longer needed		
302	5119160333300	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: جدة JEDDAH"	Cancelled	No longer needed		
303	5119160333400	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH	Cancelled	No longer needed		

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: مكة المكرمة MAKKAH"				
304	5119160333500	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القنفذة QUNFUDHAH"	Cancelled	No longer needed		
305	5119160333600	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الباحة ALBAHA"	Cancelled	No longer needed		
306	5119160333700	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH	Cancelled	No longer needed		



## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: نجران NAJRAN"				
307	5119160333800	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الاحساء ALAHSAA"	Cancelled	No longer needed		
308	5119160333900	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الأول الشرقية HEALTH CLUSTER(1) EASTERN"	Cancelled	No longer needed		
309	5119160334000	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN	Cancelled	No longer needed		

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHAFJI"				
310	5119160334100	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: المدينة المنورة MADINAH"	Cancelled	No longer needed		
311	5119160334200	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: جازان JAZAN"	Cancelled	No longer needed		
312	5119160334300	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN	Cancelled	No longer needed		

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
		APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الثاني بالرياض HEALTH CLUSTER(2) RIYADH"				
313	5119160334400	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الثالث بالرياض HEALTH CLUSTER(3) RIYADH"	Cancelled	No longer needed		
314	5119160334500	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الأول بالرياض HEALTH CLUSTER(1) RIYADH"	Cancelled	No longer needed		
315	5119160334600	"TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS	Cancelled	No longer needed		

[illegible]

[illegible]

FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION



**NUPCO TENDER: NPT 0039/21**

**TENDER NAME: PARENTERAL NUTRITION PRODUCT**

## FINAL RESULT

[illegible]

[illegible]



FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION



## FINAL RESULT

[illegible]

[illegible]

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION
nupco						

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION

## FINAL RESULT

[illegible]



## FINAL RESULT

[illegible]

## FINAL RESULT

[illegible]

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION

## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION

[illegible]

[illegible]

FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION



## FINAL RESULT

[illegible]



**NUPCO TENDER: NPT 0039/21**

**TENDER NAME: PARENTERAL NUTRITION PRODUCT**

## FINAL RESULT

[illegible]

FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION



[illegible]

FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION



## FINAL RESULT

[illegible]

FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION



[illegible]

## FINAL RESULT

[illegible]



[illegible]

FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION



[illegible]

## FINAL RESULT

[illegible]

FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION



## FINAL RESULT

[illegible]

FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION



## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION



## FINAL RESULT

[illegible]

FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION

[illegible]

**NUPCO TENDER: NPT 0039/21**

**TENDER NAME: PARENTERAL NUTRITION PRODUCT**

## FINAL RESULT

[illegible]

FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION



[illegible]

FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION



## FINAL RESULT

[illegible]



FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION




## FINAL RESULT

[illegible]

FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION




## FINAL RESULT

[illegible]

FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION



[illegible]

FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION



FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION





## FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION


## FINAL RESULT

[illegible]

[illegible]

FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION



[illegible]

## FINAL RESULT

[illegible]

FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION



FINAL RESULT

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION





SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION

SN	NUPCO CODE	ITEM SPECIFICATION	VENDOR NAME	Remarks	MANUFACTURER	TRADE DESCRIPTION