

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|----|---------------|--|--------------------------------|------------------------|-------------------|
| 1 | 5119160303200 | "TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 100 ML - 150 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الجوف AL JOUF" | Modawa Medical Company - Orig- | Modawa Medical Company | NCP1 |
| 2 | 5119160303300 | "TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 100 ML - 150 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الحدود الشمالية NORTHERN BORDERS " | Modawa Medical Company - Orig- | Modawa Medical Company | NCP1 |
| 3 | 5119160303400 | "TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 100 ML - 150 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: حفر الباطن HAFR AL-BATN" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|----|---------------|---|---|--------------|-------------------|
| 4 | 5119160303500 | "TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 100 ML - 150 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القرىات QURAYYAT" | Cancelled | | |
| 5 | 5119160303600 | "TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 100 ML - 150 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: تبوك TABUK" | Saudi center of parenteral nutritio - Orig- | SCTPN | SCTPN-NCP1 |
| 6 | 5119160303700 | "TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 100 ML - 150 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: حائل HAIL" | Saudi center of parenteral nutritio - Orig- | SCTPN | SCTPN-NCP1 |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|----|---------------|--|--------------------------------|------------------------|-------------------|
| 6 | 5119160303700 | "TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 100 ML - 150 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: حائل HAIL" | Modawa Medical Company - Orig- | Modawa Medical Company | SCTPN-NCP1 |
| 7 | 5119160303800 | "TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 100 ML - 150 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القصيم ALQASSIM" | Cancelled | | |
| 8 | 5119160303900 | "TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 100 ML - 150 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: جدة JEDDAH" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|----|---------------|---|---|------------------------|-------------------|
| 9 | 5119160304000 | "TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 100 ML - 150 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: مكة المكرمة MAKKAH" | Saudi center of parenteral nutritio - Orig- | SCTPN | SCTPN-NCP1 |
| 9 | 5119160304000 | "TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 100 ML - 150 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: مكة المكرمة MAKKAH" | Modawa Medical Company - Orig- | Modawa Medical Company | SCTPN-NCP1 |
| 10 | 5119160304100 | "TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 100 ML - 150 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القنفذة QUNFUDHAH" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|----|---------------|--|-------------|--------------|-------------------|
| 11 | 5119160304200 | "TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 100 ML - 150 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الباحة ALBAHA" | Cancelled | | |
| 12 | 5119160304300 | "TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 100 ML - 150 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: نجران NAJRAN" | Cancelled | | |
| 13 | 5119160304400 | "TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 100 ML - 150 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الاحساء ALAHSAA" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|----|---------------|--|---|------------------------|-------------------|
| 14 | 5119160304500 | "TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 100 ML - 150 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الأول الشرقية HEALTH CLUSTER(1) EASTERN" | Modawa Medical Company - Orig- | Modawa Medical Company | NCP1 |
| 15 | 5119160304600 | "TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 100 ML - 150 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHAFJI" | Cancelled | | |
| 16 | 5119160304700 | "TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 100 ML - 150 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: المدينة المنورة MADINAH" | Saudi center of parenteral nutritio - Orig- | SCTPN | SCTPN-NCP1 |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|----|---------------|---|---|------------------------|-------------------|
| 16 | 5119160304700 | "TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 100 ML - 150 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: المدينة المنورة MADINAH" | Modawa Medical Company - Orig- | Modawa Medical Company | SCTPN-NCP1 |
| 17 | 5119160304800 | "TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 100 ML - 150 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: جازان JAZAN" | Saudi center of parenteral nutritio - Orig- | SCTPN | SCTPN-NCP1 |
| 18 | 5119160304900 | "TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 100 ML - 150 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الثاني بالرياض HEALTH CLUSTER(2) RIYADH" | Saudi center of parenteral nutritio - Orig- | SCTPN | NCP1 |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|----|---------------|--|--------------------------------|------------------------|-------------------|
| 18 | 5119160304900 | "TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 100 ML - 150 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الثاني بالرياض HEALTH CLUSTER(2) RIYADH" | Modawa Medical Company - Orig- | Modawa Medical Company | NCP1 |
| 19 | 5119160305000 | "TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 100 ML - 150 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الثالث بالرياض HEALTH CLUSTER(3) RIYADH" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|----|---------------|--|---|------------------------|-------------------|
| 20 | 5119160305100 | "TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 100 ML - 150 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الأول بالرياض HEALTH CLUSTER(1) RIYADH" | Saudi center of parenteral nutritio - Orig- | SCTPN | SCTPN-NCP1 |
| 21 | 5119160305200 | "TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 100 ML - 150 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHARJ" | Cancelled | | |
| 22 | 5119160305300 | "TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 150 ML - 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الجوف AL JOUF" | Modawa Medical Company - Orig- | Modawa Medical Company | NCP2 |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|----|---------------|--|--------------------------------|------------------------|-------------------|
| 23 | 5119160305400 | "TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 150 ML - 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الحدود الشمالية NORTHERN BORDERS " | Modawa Medical Company - Orig- | Modawa Medical Company | NCP2 |
| 24 | 5119160305500 | "TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 150 ML - 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: حفر الباطن HAFR AL-BATN" | Cancelled | | |
| 25 | 5119160305600 | "TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 150 ML - 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القرىات QURAYYAT" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|----|---------------|--|---|--------------|-------------------|
| 26 | 5119160305700 | "TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 150 ML - 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: تبوك TABUK" | Saudi center of parenteral nutritio - Orig- | SCTPN | SCTPN-NCP2 |
| 27 | 5119160305800 | "TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 150 ML - 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: حائل HAIL" | Saudi center of parenteral nutritio - Orig- | SCTPN | SCTPN-NCP2 |
| 28 | 5119160305900 | "TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 150 ML - 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القصيم ALQASSIM" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|----|---------------|---|---|--------------|-------------------|
| 29 | 5119160306000 | "TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 150 ML - 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: جدة JEDDAH" | Cancelled | | |
| 30 | 5119160306100 | "TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 150 ML - 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: مكة المكرمة MAKKAH" | Saudi center of parenteral nutritio - Orig- | SCTPN | SCTPN-NCP2 |
| 31 | 5119160306200 | "TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 150 ML - 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القنفذة QUNFUDHAH" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|----|---------------|--|-------------|--------------|-------------------|
| 32 | 5119160306300 | "TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 150 ML - 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الباحة ALBAHA" | Cancelled | | |
| 33 | 5119160306400 | "TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 150 ML - 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: نجران NAJRAN" | Cancelled | | |
| 34 | 5119160306500 | "TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 150 ML - 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الاحساء ALAHSAA" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|----|---------------|---|---|------------------------|-------------------|
| 35 | 5119160306600 | "TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 150 ML - 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الأول الشرقية: HEALTH CLUSTER(1) EASTERN" | Modawa Medical Company - Orig- | Modawa Medical Company | NCP2 |
| 36 | 5119160306700 | "TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 150 ML - 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHAFJI" | Cancelled | | |
| 37 | 5119160306800 | "TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 150 ML - 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: المدينة المنورة: MADINAH" | Saudi center of parenteral nutritio - Orig- | SCTPN | SCTPN-NCP2 |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|----|---------------|---|---|--------------|-------------------|
| 38 | 5119160306900 | "TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 150 ML - 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: جازان JAZAN" | Saudi center of parenteral nutritio - Orig- | SCTPN | SCTPN-NCP2 |
| 39 | 5119160307000 | "TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 150 ML - 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الثاني بالرياض HEALTH CLUSTER(2) RIYADH" | Saudi center of parenteral nutritio - Orig- | SCTPN | SCTPN-NCP2 |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|----|---------------|--|---|--------------|-------------------|
| 40 | 5119160307100 | "TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 150 ML - 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الثالث بالرياض HEALTH CLUSTER(3) RIYADH" | Cancelled | | |
| 41 | 5119160307200 | "TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 150 ML - 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الأول بالرياض HEALTH CLUSTER(1) RIYADH" | Saudi center of parenteral nutritio - Orig- | SCTPN | SCTPN-NCP2 |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|----|---------------|---|--------------------------------|------------------------|-------------------|
| 42 | 5119160307300 | "TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME 150 ML - 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHARJ" | Cancelled | | |
| 43 | 5119160307400 | "TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME MORE THAN 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الجوف AL JOUF" | Modawa Medical Company - Orig- | Modawa Medical Company | NCP3 |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|----|---------------|--|--------------------------------|------------------------|-------------------|
| 44 | 5119160307500 | "TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME MORE THAN 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الحدود الشمالية: NORTHERN BORDERS " | Modawa Medical Company - Orig- | Modawa Medical Company | NCP3 |
| 45 | 5119160307600 | "TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME MORE THAN 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: حفر الباطن: HAFR AL-BATN" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|----|---------------|--|---|--------------|-------------------|
| 46 | 5119160307700 | "TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME MORE THAN 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القريات QURAYYAT" | Cancelled | | |
| 47 | 5119160307800 | "TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME MORE THAN 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: تبوك TABUK" | Saudi center of parenteral nutritio - Orig- | SCTPN | SCTPN-NCP3 |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|----|---------------|---|---|--------------|-------------------|
| 48 | 5119160307900 | "TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME MORE THAN 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: حائل HAIL" | Saudi center of parenteral nutritio - Orig- | SCTPN | SCTPN-NCP3 |
| 49 | 5119160308000 | "TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME MORE THAN 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القصيم ALQASSIM" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|----|---------------|--|---|--------------|-------------------|
| 50 | 5119160308100 | "TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME MORE THAN 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: جدة JEDDAH" | Cancelled | | |
| 51 | 5119160308200 | "TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME MORE THAN 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: مكة المكرمة MAKKAH" | Saudi center of parenteral nutritio - Orig- | SCTPN | SCTPN-NCP3 |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|----|---------------|---|-------------|--------------|-------------------|
| 52 | 5119160308300 | "TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME MORE THAN 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القنفذة QUNFUDHAH" | Cancelled | | |
| 53 | 5119160308400 | "TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME MORE THAN 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الباحة ALBAHA" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|----|---------------|---|-------------|--------------|-------------------|
| 54 | 5119160308500 | "TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME MORE THAN 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: نجران NAJRAN" | Cancelled | | |
| 55 | 5119160308600 | "TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME MORE THAN 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الاحساء ALAHSAA" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|----|---------------|--|--------------------------------|------------------------|-------------------|
| 56 | 5119160308700 | "TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME MORE THAN 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الأول الشرقية HEALTH CLUSTER(1) EASTERN" | Modawa Medical Company - Orig- | Modawa Medical Company | NCP3 |
| 57 | 5119160308800 | "TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME MORE THAN 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHAFJI" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|----|---------------|---|---|--------------|-------------------|
| 58 | 5119160308900 | "TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME MORE THAN 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: المدينة المنورة MADINAH" | Saudi center of parenteral nutritio - Orig- | SCTPN | SCTPN-NCP3 |
| 59 | 5119160309000 | "TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME MORE THAN 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: جازان JAZAN" | Saudi center of parenteral nutritio - Orig- | SCTPN | SCTPN-NCP3 |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|----|---------------|--|---|--------------|-------------------|
| 60 | 5119160309100 | "TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME MORE THAN 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الثاني بالرياض HEALTH CLUSTER(2) RIYADH" | Saudi center of parenteral nutritio - Orig- | SCTPN | SCTPN-NCP3 |
| 61 | 5119160309200 | "TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME MORE THAN 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الثالث بالرياض HEALTH CLUSTER(3) RIYADH" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|----|---------------|---|---|--------------|-------------------|
| 62 | 5119160309300 | "TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME MORE THAN 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الأول بالرياض HEALTH CLUSTER(1) RIYADH" | Saudi center of parenteral nutritio - Orig- | SCTPN | SCTPN-NCP3 |
| 63 | 5119160309400 | "TOTAL PARENTERAL NUTRITION BAG FOR PREMATURE OR INFANT BABIES WITH VOLUME MORE THAN 200 ML ADMINISTERED THROUGH PERIPHERAL-CENTRAL LINE BASED ON FORM (NCP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHARJ" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|----|---------------|--|-------------|--------------|-------------------|
| 64 | 5119160309500 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الجوف AL JOUF" | Cancelled | | |
| 65 | 5119160309600 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الحدود الشمالية NORTHERN BORDERS " | Cancelled | | |
| 66 | 5119160309700 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: حفر الباطن HAFR AL-BATN" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|----|---------------|---|-------------|--------------|-------------------|
| 67 | 5119160309800 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القرىات QURAYYAT" | Cancelled | | |
| 68 | 5119160309900 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: تبوك TABUK" | Cancelled | | |
| 69 | 5119160310000 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: حائل HAIL" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|----|---------------|---|-------------|--------------|-------------------|
| 70 | 5119160310100 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القصيم ALQASSIM" | Cancelled | | |
| 71 | 5119160310200 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: جدة JEDDAH" | Cancelled | | |
| 72 | 5119160310300 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: مكة المكرمة MAKKAH" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|----|---------------|--|-------------|--------------|-------------------|
| 73 | 5119160310400 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القنفذة QUNFUDHAH" | Cancelled | | |
| 74 | 5119160310500 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الباحة ALBAHA" | Cancelled | | |
| 75 | 5119160310600 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: نجران NAJRAN" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|----|---------------|---|-------------|--------------|-------------------|
| 76 | 5119160310700 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الاحساء ALAHSA" | Cancelled | | |
| 77 | 5119160310800 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الأول الشرقية HEALTH CLUSTER(1) EASTERN" | Cancelled | | |
| 78 | 5119160310900 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHAFJI" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|----|---------------|--|-------------|--------------|-------------------|
| 79 | 5119160311000 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: المدينة المنورة: MADINAH" | Cancelled | | |
| 80 | 5119160311100 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: جازان JAZAN" | Cancelled | | |
| 81 | 5119160311200 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الثاني بالرياض HEALTH CLUSTER(2) RIYADH" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|----|---------------|--|-------------|--------------|-------------------|
| 82 | 5119160311300 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الثالث بالرياض HEALTH CLUSTER(3) RIYADH" | Cancelled | | |
| 83 | 5119160311400 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الأول بالرياض HEALTH CLUSTER(1) RIYADH" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|----|---------------|--|-------------|--------------|-------------------|
| 84 | 5119160311500 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHARJ" | Cancelled | | |
| 85 | 5119160311600 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الجوف AL JOUF" | Cancelled | | |
| 86 | 5119160311700 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الحدود الشمالية NORTHERN BORDERS " | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|----|---------------|--|-------------|--------------|-------------------|
| 87 | 5119160311800 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: حفر الباطن HAFR AL-BATN" | Cancelled | | |
| 88 | 5119160311900 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القرية QURAYYAT" | Cancelled | | |
| 89 | 5119160312000 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: تبوك TABUK" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|----|---------------|--|-------------|--------------|-------------------|
| 90 | 5119160312100 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: حائل HAIL" | Cancelled | | |
| 91 | 5119160312200 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القصيم ALQASSIM" | Cancelled | | |
| 92 | 5119160312300 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: جدة JEDDAH" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|----|---------------|---|-------------|--------------|-------------------|
| 93 | 5119160312400 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: مكة المكرمة MAKKAH" | Cancelled | | |
| 94 | 5119160312500 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الفنفةة QUNFUDHAH" | Cancelled | | |
| 95 | 5119160312600 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الباحة ALBAHA" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|----|---------------|--|-------------|--------------|-------------------|
| 96 | 5119160312700 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: نجران NAJRAN" | Cancelled | | |
| 97 | 5119160312800 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الاحساء ALAHSA" | Cancelled | | |
| 98 | 5119160312900 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الأول الشرقية: HEALTH CLUSTER(1) EASTERN" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|-----|---------------|--|-------------|--------------|-------------------|
| 99 | 5119160313000 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHAFJI" | Cancelled | | |
| 100 | 5119160313100 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: المدينة المنورة MADINAH" | Cancelled | | |
| 101 | 5119160313200 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: جازان JAZAN" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|-----|---------------|--|-------------|--------------|-------------------|
| 102 | 5119160313300 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الثاني بالرياض HEALTH CLUSTER(2) RIYADH" | Cancelled | | |
| 103 | 5119160313400 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الثالث بالرياض HEALTH CLUSTER(3) RIYADH" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|-----|---------------|---|-------------|--------------|-------------------|
| 104 | 5119160313500 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الأول بالرياض HEALTH CLUSTER(1) RIYADH" | Cancelled | | |
| 105 | 5119160313600 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHARJ" | Cancelled | | |
| 106 | 5119160313700 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الجوف AL JOUF" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|-----|---------------|--|-------------|--------------|-------------------|
| 107 | 5119160313800 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الحدود الشمالية NORTHERN BORDERS " | Cancelled | | |
| 108 | 5119160313900 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: حفر الباطن HAFR AL-BATN" | Cancelled | | |
| 109 | 5119160314000 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القرىات QURAYYAT" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|-----|---------------|--|-------------|--------------|-------------------|
| 110 | 5119160314100 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: تبوك TABUK" | Cancelled | | |
| 111 | 5119160314200 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: حائل HAIL" | Cancelled | | |
| 112 | 5119160314300 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القصيم ALQASSIM" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|-----|---------------|---|-------------|--------------|-------------------|
| 113 | 5119160314400 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: جدة JEDDAH" | Cancelled | | |
| 114 | 5119160314500 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: مكة المكرمة MAKKAH" | Cancelled | | |
| 115 | 5119160314600 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القنفذة QUNFUDHAH" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|-----|---------------|--|-------------|--------------|-------------------|
| 116 | 5119160314700 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الباحة ALBAHA" | Cancelled | | |
| 117 | 5119160314800 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: نجران NAJRAN" | Cancelled | | |
| 118 | 5119160314900 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الاحساء ALAHSAA" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|-----|---------------|---|-------------|--------------|-------------------|
| 119 | 5119160315000 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الأول الشرقية: HEALTH CLUSTER(1) EASTERN" | Cancelled | | |
| 120 | 5119160315100 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHAFJI" | Cancelled | | |
| 121 | 5119160315200 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: المدينة المنورة: MADINAH" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|-----|---------------|---|-------------|--------------|-------------------|
| 122 | 5119160315300 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: جازان JAZAN" | Cancelled | | |
| 123 | 5119160315400 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الثاني بالرياض HEALTH CLUSTER(2) RIYADH" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|-----|---------------|---|-------------|--------------|-------------------|
| 124 | 5119160315500 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الثالث بالرياض HEALTH CLUSTER(3) RIYADH" | Cancelled | | |
| 125 | 5119160315600 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الأول بالرياض HEALTH CLUSTER(1) RIYADH" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|-----|---------------|---|-------------|--------------|-------------------|
| 126 | 5119160315700 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (PC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHARJ" | Cancelled | | |
| 127 | 5119160315800 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الجوف AL JOUF" | Cancelled | | |
| 128 | 5119160315900 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الحدود الشمالية NORTHERN BORDERS " | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|-----|---------------|---|-------------|--------------|-------------------|
| 129 | 5119160316000 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: حفر الباطن HAFR AL-BATN" | Cancelled | | |
| 130 | 5119160316100 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القرية QURAYYAT" | Cancelled | | |
| 131 | 5119160316200 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: تبوك TABUK" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|-----|---------------|---|-------------|--------------|-------------------|
| 132 | 5119160316300 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: حائل HAIL" | Cancelled | | |
| 133 | 5119160316400 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القصيم ALQASSIM" | Cancelled | | |
| 134 | 5119160316500 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: جدة JEDDAH" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|-----|---------------|--|-------------|--------------|-------------------|
| 135 | 5119160316600 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: مكة المكرمة MAKKAH" | Cancelled | | |
| 136 | 5119160316700 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الفنفةة QUNFUDHAH" | Cancelled | | |
| 137 | 5119160316800 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الباحة ALBAHA" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|-----|---------------|---|-------------|--------------|-------------------|
| 138 | 5119160316900 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: نجران NAJRAN" | Cancelled | | |
| 139 | 5119160317000 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الاحساء ALAHSA" | Cancelled | | |
| 140 | 5119160317100 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الأول الشرقية: HEALTH CLUSTER(1) EASTERN" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|-----|---------------|---|-------------|--------------|-------------------|
| 141 | 5119160317200 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHAFJI" | Cancelled | | |
| 142 | 5119160317300 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: المدينة المنورة MADINAH" | Cancelled | | |
| 143 | 5119160317400 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: جازان JAZAN" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|-----|---------------|--|-------------|--------------|-------------------|
| 144 | 5119160317500 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الثاني بالرياض HEALTH CLUSTER(2) RIYADH" | Cancelled | | |
| 145 | 5119160317600 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الثالث بالرياض HEALTH CLUSTER(3) RIYADH" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|-----|---------------|--|-------------|--------------|-------------------|
| 146 | 5119160317700 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الأول بالرياض HEALTH CLUSTER(1) RIYADH" | Cancelled | | |
| 147 | 5119160317800 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME 900-1500 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHARJ" | Cancelled | | |
| 148 | 5119160317900 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الجوف AL JOUF" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|-----|---------------|---|-------------|--------------|-------------------|
| 149 | 5119160318000 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الحدود الشمالية NORTHERN BORDERS " | Cancelled | | |
| 150 | 5119160318100 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: حفر الباطن HAFR AL-BATN" | Cancelled | | |
| 151 | 5119160318200 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القرىات QURAYYAT" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|-----|---------------|---|-------------|--------------|-------------------|
| 152 | 5119160318300 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: تبوك TABUK" | Cancelled | | |
| 153 | 5119160318400 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: حائل HAIL" | Cancelled | | |
| 154 | 5119160318500 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القصيم ALQASSIM" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|-----|---------------|--|-------------|--------------|-------------------|
| 155 | 5119160318600 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: جدة JEDDAH" | Cancelled | | |
| 156 | 5119160318700 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: مكة المكرمة MAKKAH" | Cancelled | | |
| 157 | 5119160318800 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القنفذة QUNFUDHAH" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|-----|---------------|--|-------------|--------------|-------------------|
| 158 | 5119160318900 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الباحة ALBAHA" | Cancelled | | |
| 159 | 5119160319000 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: نجران NAJRAN" | Cancelled | | |
| 160 | 5119160319100 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الاحساء ALAHSA" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|-----|---------------|---|-------------|--------------|-------------------|
| 161 | 5119160319200 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الأول الشرقية HEALTH CLUSTER(1) EASTERN" | Cancelled | | |
| 162 | 5119160319300 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHAFJI" | Cancelled | | |
| 163 | 5119160319400 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: المدينة المنورة MADINAH" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|-----|---------------|--|-------------|--------------|-------------------|
| 164 | 5119160319500 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: جازان JAZAN" | Cancelled | | |
| 165 | 5119160319600 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الثاني بالرياض HEALTH CLUSTER(2) RIYADH" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|-----|---------------|---|-------------|--------------|-------------------|
| 166 | 5119160319700 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الثالث بالرياض HEALTH CLUSTER(3) RIYADH" | Cancelled | | |
| 167 | 5119160319800 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الأول بالرياض HEALTH CLUSTER(1) RIYADH" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|-----|---------------|---|-------------|--------------|-------------------|
| 168 | 5119160319900 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1500 TO 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHARJ" | Cancelled | | |
| 169 | 5119160320000 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الجوف AL JOUF" | Cancelled | | |
| 170 | 5119160320100 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الحدود الشمالية NORTHERN BORDERS " | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|-----|---------------|---|-------------|--------------|-------------------|
| 171 | 5119160320200 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: حفر الباطن HAFR AL-BATN" | Cancelled | | |
| 172 | 5119160320300 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القرية QURAYYAT" | Cancelled | | |
| 173 | 5119160320400 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: تبوك TABUK" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|-----|---------------|---|-------------|--------------|-------------------|
| 174 | 5119160320500 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: حائل HAIL" | Cancelled | | |
| 175 | 5119160320600 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القصيم ALQASSIM" | Cancelled | | |
| 176 | 5119160320700 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: جدة JEDDAH" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|-----|---------------|--|-------------|--------------|-------------------|
| 177 | 5119160320800 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: مكة المكرمة MAKKAH" | Cancelled | | |
| 178 | 5119160320900 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الفنفةة QUNFUDHAH" | Cancelled | | |
| 179 | 5119160321000 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الباحة ALBAHA" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|-----|---------------|---|-------------|--------------|-------------------|
| 180 | 5119160321100 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: نجران NAJRAN" | Cancelled | | |
| 181 | 5119160321200 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الاحساء ALAHSA" | Cancelled | | |
| 182 | 5119160321300 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الأول الشرقية: HEALTH CLUSTER(1) EASTERN" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|-----|---------------|---|-------------|--------------|-------------------|
| 183 | 5119160321400 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHAFJI" | Cancelled | | |
| 184 | 5119160321500 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: المدينة المنورة MADINAH" | Cancelled | | |
| 185 | 5119160321600 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: جازان JAZAN" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|-----|---------------|---|-------------|--------------|-------------------|
| 186 | 5119160321700 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الثاني بالرياض HEALTH CLUSTER(2) RIYADH" | Cancelled | | |
| 187 | 5119160321800 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الثالث بالرياض HEALTH CLUSTER(3) RIYADH" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|-----|---------------|--|-------------|--------------|-------------------|
| 188 | 5119160321900 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الأول بالرياض HEALTH CLUSTER(1) RIYADH" | Cancelled | | |
| 189 | 5119160322000 | "TOTAL PARENTERAL NUTRITION BAG FOR PEDIATRICS WITH VOLUME ABOVE 1800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (PP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHARJ" | Cancelled | | |
| 190 | 5119160322100 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1000-1400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الجوف AL JOUF" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|-----|---------------|---|-------------|--------------|-------------------|
| 191 | 5119160322200 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1000-1400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الحدود الشمالية NORTHERN BORDERS " | Cancelled | | |
| 192 | 5119160322300 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1000-1400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: حفر الباطن HAFR AL-BATN" | Cancelled | | |
| 193 | 5119160322400 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1000-1400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القرية QURAYYAT" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|-----|---------------|---|-------------|--------------|-------------------|
| 194 | 5119160322500 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1000-1400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: تبوك TABUK" | Cancelled | | |
| 195 | 5119160322600 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1000-1400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: حائل HAIL" | Cancelled | | |
| 196 | 5119160322700 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1000-1400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القصيم ALQASSIM" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|-----|---------------|--|-------------|--------------|-------------------|
| 197 | 5119160322800 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1000-1400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: جدة JEDDAH" | Cancelled | | |
| 198 | 5119160322900 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1000-1400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: مكة المكرمة MAKKAH" | Cancelled | | |
| 199 | 5119160323000 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1000-1400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القنفذة QUNFUDHAH" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|-----|---------------|--|-------------|--------------|-------------------|
| 200 | 5119160323100 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1000-1400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الباحة ALBAHA" | Cancelled | | |
| 201 | 5119160323200 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1000-1400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: نجران NAJLAN" | Cancelled | | |
| 202 | 5119160323300 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1000-1400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الاحساء ALAHSA" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|-----|---------------|---|-------------|--------------|-------------------|
| 203 | 5119160323400 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1000-1400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الأول الشرقية HEALTH CLUSTER(1) EASTERN" | Cancelled | | |
| 204 | 5119160323500 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1000-1400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHAFJI" | Cancelled | | |
| 205 | 5119160323600 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1000-1400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: المدينة المنورة MADINAH" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|-----|---------------|--|-------------|--------------|-------------------|
| 206 | 5119160323700 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1000-1400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: جازان JAZAN" | Cancelled | | |
| 207 | 5119160323800 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1000-1400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الثاني بالرياض HEALTH CLUSTER(2) RIYADH" | Cancelled | | |
| 208 | 5119160323900 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1000-1400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الثالث بالرياض HEALTH CLUSTER(3) RIYADH" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|-----|---------------|--|-------------|--------------|-------------------|
| 209 | 5119160324000 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1000-1400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الأول بالرياض HEALTH CLUSTER(1) RIYADH" | Cancelled | | |
| 210 | 5119160324100 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1000-1400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHARJ" | Cancelled | | |
| 211 | 5119160324200 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500-2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الجوف AL JOUF" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|-----|---------------|---|-------------|--------------|-------------------|
| 212 | 5119160324300 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500-2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الحدود الشمالية NORTHERN BORDERS " | Cancelled | | |
| 213 | 5119160324400 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500-2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: حفر الباطن HAFR AL-BATN" | Cancelled | | |
| 214 | 5119160324500 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500-2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القرية QURAYYAT" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|-----|---------------|---|-------------|--------------|-------------------|
| 215 | 5119160324600 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500-2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: تبوك TABUK" | Cancelled | | |
| 216 | 5119160324700 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500-2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: حائل HAIL" | Cancelled | | |
| 217 | 5119160324800 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500-2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القصيم ALQASSIM" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|-----|---------------|--|-------------|--------------|-------------------|
| 218 | 5119160324900 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500-2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: جدة JEDDAH" | Cancelled | | |
| 219 | 5119160325000 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500-2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: مكة المكرمة MAKKAH" | Cancelled | | |
| 220 | 5119160325100 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500-2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القنفذة QUNFUDHAH" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|-----|---------------|--|-------------|--------------|-------------------|
| 221 | 5119160325200 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500-2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الباحة ALBAHA" | Cancelled | | |
| 222 | 5119160325300 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500-2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: نجران NAJLAN" | Cancelled | | |
| 223 | 5119160325400 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500-2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الاحساء ALAHSA" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|-----|---------------|--|-------------|--------------|-------------------|
| 224 | 5119160325500 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500-2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الأول الشرقية: HEALTH CLUSTER(1) EASTERN" | Cancelled | | |
| 225 | 5119160325600 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500-2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHAFJI" | Cancelled | | |
| 226 | 5119160325700 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500-2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: المدينة المنورة: MADINAH" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|-----|---------------|--|-------------|--------------|-------------------|
| 227 | 5119160325800 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500-2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: جازان JAZAN" | Cancelled | | |
| 228 | 5119160325900 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500-2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الثاني بالرياض HEALTH CLUSTER(2) RIYADH" | Cancelled | | |
| 229 | 5119160326000 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500-2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الثالث بالرياض HEALTH CLUSTER(3) RIYADH" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|-----|---------------|--|-------------|--------------|-------------------|
| 230 | 5119160326100 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500-2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الأول بالرياض HEALTH CLUSTER(1) RIYADH" | Cancelled | | |
| 231 | 5119160326200 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500-2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHARJ" | Cancelled | | |
| 232 | 5119160326300 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الجوف AL JOUF" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|-----|---------------|--|-------------|--------------|-------------------|
| 233 | 5119160326400 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الحدود الشمالية NORTHERN BORDERS " | Cancelled | | |
| 234 | 5119160326500 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: حفر الباطن HAFR AL-BATN" | Cancelled | | |
| 235 | 5119160326600 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القرية QURAYYAT" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|-----|---------------|--|-------------|--------------|-------------------|
| 236 | 5119160326700 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: تبوك TABUK" | Cancelled | | |
| 237 | 5119160326800 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: حائل HAIL" | Cancelled | | |
| 238 | 5119160326900 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القصيم ALQASSIM" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|-----|---------------|---|-------------|--------------|-------------------|
| 239 | 5119160327000 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: جدة JEDDAH" | Cancelled | | |
| 240 | 5119160327100 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: مكة المكرمة MAKKAH" | Cancelled | | |
| 241 | 5119160327200 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القنفذة QUNFUDHAH" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|-----|---------------|--|-------------|--------------|-------------------|
| 242 | 5119160327300 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الباحة ALBAHA" | Cancelled | | |
| 243 | 5119160327400 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: نجران NAJLAN" | Cancelled | | |
| 244 | 5119160327500 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الاحساء ALAHSAN" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|-----|---------------|--|-------------|--------------|-------------------|
| 245 | 5119160327600 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الأول الشرقية HEALTH CLUSTER(1) EASTERN" | Cancelled | | |
| 246 | 5119160327700 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHAFJI" | Cancelled | | |
| 247 | 5119160327800 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: المدينة المنورة MADINAH" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|-----|---------------|---|-------------|--------------|-------------------|
| 248 | 5119160327900 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: جازان JAZAN" | Cancelled | | |
| 249 | 5119160328000 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الثاني بالرياض HEALTH CLUSTER(2) RIYADH" | Cancelled | | |
| 250 | 5119160328100 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الثالث بالرياض HEALTH CLUSTER(3) RIYADH" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|-----|---------------|---|-------------|--------------|-------------------|
| 251 | 5119160328200 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الأول بالرياض HEALTH CLUSTER(1) RIYADH" | Cancelled | | |
| 252 | 5119160328300 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2400 ML ADMINISTERED THROUGH CENTRAL LINE BASED ON FORM (AC3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHARJ" | Cancelled | | |
| 253 | 5119160328400 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500-2300 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الجوف AL JOUF" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|-----|---------------|--|-------------|--------------|-------------------|
| 254 | 5119160328500 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500-2300 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الحدود الشمالية NORTHERN BORDERS " | Cancelled | | |
| 255 | 5119160328600 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500-2300 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: حفر الباطن HAFR AL-BATN" | Cancelled | | |
| 256 | 5119160328700 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500-2300 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القرية QURAYYAT" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|-----|---------------|--|-------------|--------------|-------------------|
| 257 | 5119160328800 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500-2300 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: تبوك TABUK" | Cancelled | | |
| 258 | 5119160328900 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500-2300 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: حائل HAIL" | Cancelled | | |
| 259 | 5119160329000 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500-2300 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القصيم ALQASSIM" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|-----|---------------|---|-------------|--------------|-------------------|
| 260 | 5119160329100 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500-2300 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: جدة JEDDAH" | Cancelled | | |
| 261 | 5119160329200 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500-2300 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: مكة المكرمة MAKKAH" | Cancelled | | |
| 262 | 5119160329300 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500-2300 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القنفذة QUNFUDHAH" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|-----|---------------|--|-------------|--------------|-------------------|
| 263 | 5119160329400 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500-2300 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الباحة ALBAHA" | Cancelled | | |
| 264 | 5119160329500 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500-2300 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: نجران NAJRAN" | Cancelled | | |
| 265 | 5119160329600 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500-2300 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الاحساء ALAHSAA" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|-----|---------------|---|-------------|--------------|-------------------|
| 266 | 5119160329700 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500-2300 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الأول الشرقية HEALTH CLUSTER(1) EASTERN" | Cancelled | | |
| 267 | 5119160329800 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500-2300 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHAFJI" | Cancelled | | |
| 268 | 5119160329900 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500-2300 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: المدينة المنورة MADINAH" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|-----|---------------|---|-------------|--------------|-------------------|
| 269 | 5119160330000 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500-2300 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: جازان JAZAN" | Cancelled | | |
| 270 | 5119160330100 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500-2300 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الثاني بالرياض HEALTH CLUSTER(2) RIYADH" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|-----|---------------|--|-------------|--------------|-------------------|
| 271 | 5119160330200 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500-2300 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الثالث بالرياض HEALTH CLUSTER(3) RIYADH" | Cancelled | | |
| 272 | 5119160330300 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500-2300 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الأول بالرياض HEALTH CLUSTER(1) RIYADH" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|-----|---------------|--|-------------|--------------|-------------------|
| 273 | 5119160330400 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 1500-2300 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP1). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHARJ" | Cancelled | | |
| 274 | 5119160330500 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 2300-2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الجوف AL JOUF" | Cancelled | | |
| 275 | 5119160330600 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 2300-2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الحدود الشمالية NORTHERN BORDERS " | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|-----|---------------|--|-------------|--------------|-------------------|
| 276 | 5119160330700 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 2300-2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: حفر الباطن HAFR AL-BATN" | Cancelled | | |
| 277 | 5119160330800 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 2300-2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القرىات QURAYYAT" | Cancelled | | |
| 278 | 5119160330900 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 2300-2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: تبوك TABUK" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|-----|---------------|--|-------------|--------------|-------------------|
| 279 | 5119160331000 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 2300-2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: حائل HAIL" | Cancelled | | |
| 280 | 5119160331100 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 2300-2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القصيم ALQASSIM" | Cancelled | | |
| 281 | 5119160331200 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 2300-2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: جدة JEDDAH" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|-----|---------------|---|-------------|--------------|-------------------|
| 282 | 5119160331300 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 2300-2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: مكة المكرمة MAKKAH" | Cancelled | | |
| 283 | 5119160331400 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 2300-2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الفنفةة QUNFUDHAH" | Cancelled | | |
| 284 | 5119160331500 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 2300-2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الباحة ALBAHA" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|-----|---------------|--|-------------|--------------|-------------------|
| 285 | 5119160331600 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 2300-2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: نجران NAJRAN" | Cancelled | | |
| 286 | 5119160331700 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 2300-2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الاحساء ALAHSA" | Cancelled | | |
| 287 | 5119160331800 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 2300-2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الأول الشرقية: HEALTH CLUSTER(1) EASTERN" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|-----|---------------|--|-------------|--------------|-------------------|
| 288 | 5119160331900 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 2300-2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHAFJI" | Cancelled | | |
| 289 | 5119160332000 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 2300-2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: المدينة المنورة MADINAH" | Cancelled | | |
| 290 | 5119160332100 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 2300-2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: جازان JAZAN" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|-----|---------------|--|-------------|--------------|-------------------|
| 291 | 5119160332200 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 2300-2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الثاني بالرياض HEALTH CLUSTER(2) RIYADH" | Cancelled | | |
| 292 | 5119160332300 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 2300-2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الثالث بالرياض HEALTH CLUSTER(3) RIYADH" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|-----|---------------|---|-------------|--------------|-------------------|
| 293 | 5119160332400 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 2300-2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الأول بالرياض HEALTH CLUSTER(1) RIYADH" | Cancelled | | |
| 294 | 5119160332500 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME 2300-2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP2). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHARJ" | Cancelled | | |
| 295 | 5119160332600 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الجوف AL JOUF" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|-----|---------------|---|-------------|--------------|-------------------|
| 296 | 5119160332700 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الحدود الشمالية NORTHERN BORDERS " | Cancelled | | |
| 297 | 5119160332800 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: حفر الباطن HAFR AL-BATN" | Cancelled | | |
| 298 | 5119160332900 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القرىات QURAYYAT" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|-----|---------------|---|-------------|--------------|-------------------|
| 299 | 5119160333000 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: تبوك TABUK" | Cancelled | | |
| 300 | 5119160333100 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: حائل HAIL" | Cancelled | | |
| 301 | 5119160333200 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القصيم ALQASSIM" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|-----|---------------|--|-------------|--------------|-------------------|
| 302 | 5119160333300 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: جدة JEDDAH" | Cancelled | | |
| 303 | 5119160333400 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: مكة المكرمة MAKKAH" | Cancelled | | |
| 304 | 5119160333500 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: القنفذة QUNFUDHAH" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|-----|---------------|---|-------------|--------------|-------------------|
| 305 | 5119160333600 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الباحة ALBAHA" | Cancelled | | |
| 306 | 5119160333700 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: نجران NAJRAN" | Cancelled | | |
| 307 | 5119160333800 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: الاحساء ALAHSAA" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|-----|---------------|--|-------------|--------------|-------------------|
| 308 | 5119160333900 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الأول الشرقية HEALTH CLUSTER(1) EASTERN" | Cancelled | | |
| 309 | 5119160334000 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHAFJI" | Cancelled | | |
| 310 | 5119160334100 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: المدينة المنورة MADINAH" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|-----|---------------|--|-------------|--------------|-------------------|
| 311 | 5119160334200 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: جازان JAZAN" | Cancelled | | |
| 312 | 5119160334300 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الثاني بالرياض HEALTH CLUSTER(2) RIYADH" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|-----|---------------|---|-------------|--------------|-------------------|
| 313 | 5119160334400 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الثالث بالرياض HEALTH CLUSTER(3) RIYADH" | Cancelled | | |
| 314 | 5119160334500 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: التجمع الصحي الأول بالرياض HEALTH CLUSTER(1) RIYADH" | Cancelled | | |

PRELIMINARY RESULT

| SN | NUPCO CODE | ITEM SPECIFICATION | VENDOR NAME | MANUFACTURER | TRADE DESCRIPTION |
|-----|---------------|---|-------------|--------------|-------------------|
| 315 | 5119160334600 | "TOTAL PARENTERAL NUTRITION BAG FOR ADULTS WITH VOLUME ABOVE 2800 ML ADMINISTERED THROUGH PERIPHERAL LINE BASED ON FORM (AP3). TPN SOLUTION CONTAINS AMINO ACIDS, CARBOHYDRATES, ELECTROLYTES, VITAMINS, AND TRACE ELEMENTS. PLUS UNFRACTIONATED HEPARIN WHEN NEEDED IN AN APPROPRIATE PLASTIC BAG WITH ADMINISTRATION FILTER + INTRAVENOUS FATTY ACID OR LIPID (LCT+MCT+FISH OIL) LOCATION: ALKHARJ" | Cancelled | | |

