

NUPCO TENDER: NPT0034/22
TENDER NAME: RADIOISOTOPES AND CONTRAST MEDIUMS

SN	NUPCO Code	UOM	ITEM DESCRIPTION	TOTAL QTY
1	5144150001100	EA	CONTRAST MEDIUM IODINE-BASED LOW OSMOLALITY WATER SOLUBLE NON-IONIC CONTRAST MEDIUM FOR IV AND IA INJECTION CONCENTRATION 350MG IODIN E/ML, 50ML	201,500
2	5144150001200	EA	CONTRAST MEDIUM IODINE-BASED LOW OSMOLALITY WATER SOLUBLE NON-IONIC CONTRAST MEDIUM FOR IV AND IA INJECTION CONCENTRATION 350MG IODIN E/ML, 100ML	110,500
3	5144150001300	EA	CONTRAST MEDIUM IODINE-BASED LOW OSMOLALITY WATER SOLUBLE NON-IONIC CONTRAST MEDIUM FOR IV AND IA INJECTION CONCENTRATION 350MG IODIN E/ML, 500ML	20,000
4	5144150001400	EA	CONTRAST MEDIUM IODINE-BASED LOW OSMOLALITY WATER SOLUBLE NON-IONIC CONTRAST MEDIUM FOR IV AND IA INJECTION CONCENTRATION 300MG IODIN E/ML, 100ML	61,600
5	5144150001500	EA	CONTRAST MEDIUM IODINE-BASED LOW OSMOLALITY WATER SOLUBLE NON-IONIC CONTRAST MEDIUM FOR IV AND IA INJECTION CONCENTRATION 300MG IODIN E/ML, 500ML	21,260
6	5144150001600	EA	CONTRAST MEDIUM IODINE-BASED ISOOSMOLAR WATER SOLUBLE NON-IONIC CONTRAST MEDIUM FOR IV AND IA INJECTION CONCENTRATION 270MG IODINE/ML , 50ML	600
7	5144150001700	EA	CONTRAST MEDIUM BARIUM -BASED HIGH DENSITY BARIUM SULFATE POWDER FOR SUSPENSION FOR DOUBLE CONTRAST ESOPHAGUS STOMACH AND DUODENUM UNDER FLUOROSCOPIC EXAMINATION .320-340 G HIGH DENSITY 98%W/W WITHOUT FLAVORED ANTI-FOAMING AND SUSPENDING AGENT	34,332
8	5144150001800	EA	CONTRAST MEDIUM BARIUM -BASED HIGH DENSITY BARIUM SULFATE POWDER FOR SUSPENSION FOR DOUBLE CONTRAST ESOPHAGUS STOMACH AND DUODENUM UNDER FLUOROSCOPIC EXAMINATION .320-340 G HIGH DENSITY 98%W/W WITH FLAVORED ANTI-FOAMING AND SUSPENDING AGENT	530
9	5144150001900	EA	CONTRAST MEDIUM IODINE-BASED WATER SOLUBLE CONTRAST MEDIUM WITHOUT FLAVORING FOR G.I.T EXAMINATION 300MG I/ML AND CT SCAN (ORAL AND RECTAL) 100ML/BOTTLE	60,900

NUPCO TENDER: NPT0034/22
TENDER NAME: RADIOISOTOPES AND CONTRAST MEDIUMS

10	5144150002000	VIA	MRI CONTRAST MEDIUM MACROCYCLIC IONIC GADOLINIUM-BASED WATER SOLUBLE CONTRAST MEDIUM FOR INJECTION CONCENTRATION 0.5MMOL/ML, 10ML/VIALS	29,950
11	5144150002100	VIA	MRI CONTRAST MEDIUM MACROCYCLIC IONIC GADOLINIUM-BASED WATER SOLUBLE CONTRAST MEDIUM FOR INJECTION CONCENTRATION 0.5MMOL/ML, 20ML/VIALS	53,400
12	5144150002200	AMP	CONTRAST MEDIUM OIL BASED IODINATED (ETHYL ESTERS OF IODIZED FATTY ACIDS OF POPPY SEED OIL 10 ML 4.8G AMPOULE	850
13	4220400000300	EA	CART LEAD SHIELDED FOR PET FOR DOSE TRANSPORT	8
14	5144150002300	EA	ULTRA SOUND CONTRAST MEDIUM INJECTABLE SUSPENSION FOR INTRAVENOUS USE AND INTRAVESICAL USE (ULTRASONOGRAPHY OF THE LIVER AND URINARY TRACT FOR ADULT AND PEDIATRIC)	600
15	4220260209400	EA	177 LU-DOTATATE 200 MCI (FOR NEUROENDOCRINE TUMOR THERAPY) (CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY) AT LEAST 1 DAY LATER	150
16	4220260209500	EA	177 LU-200 MCI CARRIER FREE (FOR TUMOR THERAPY) (CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY) AT LEAST 1 DAY LATER	190
17	4220260209600	EA	177 LU-400 MCI CARRIER FREE (FOR TUMOR THERAPY) (CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY) AT LEAST 1 DAY LATER	32
18	4220260209700	EA	177 LU-200 MCI CARRIER ADDED (FOR TUMOR THERAPY) (CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY) AT LEAST 1 DAY LATE R	100
19	4220260209800	EA	177 LU-400 MCI CARRIER ADDED (FOR TUMOR THERAPY) (CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY) AT LEAST 1 DAY LATE R	22
20	4220260209900	VIA	DOTATOC PEPTIDE (FOR LABELING) 100 MICRO GRAM/VIAL	450
21	4220260210000	VIA	DOTATATE PEPTIDE (FOR LABELING) 100 MICRO GRAM/VIAL	594
22	4220260210100	VIA	DOTATOC PEPTIDE WITH ASCORBIC ACID (FOR LABELING) 100 MICRO GRAM/VIAL	450
23	4220260210200	VIA	DOTATATE PEPTIDE ASCORBIC ACID (FOR LABELING) 100 MICRO GRAM/VIAL	450
24	4220260210300	EA	PSMA11 PEPTIDE (FOR LABELING) 20-50 MICRO GRAM	750

NUPCO TENDER: NPT0034/22
TENDER NAME: RADIOISOTOPES AND CONTRAST MEDIUMS

25	4220260210400	EA	PSMA617 PEPTIDE (FOR LABELING) 100-600 MICRO GRAM	80
26	4220260400000	EA	177 LU-PSMA 617 200 MCI (FOR TUMOR THERAPY) (CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY) AT LEAST 1 DAY LATER	150
27	4220260400100	EA	90 Y CHLORIDE 100 MCI (FOR THERAPY) (CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY) AT LEAST 1 DAY LATER	100
28	4220260210500	VIA	JR 11 PEPTIDE (FOR LABELING) 100 MICRO GRAM/VIAL	150
29	4220260210600	VIA	FAPI KIT (FOR LABELING) 100 MICRO GRAM/VIAL	225
30	4220260210700	EA	57 CO FLOOD SOURCES (FOR GAMMA CAMERA CALIBRATION) 20 MCI (CALIBRATION SHOULD BE SPECIFIED AT LEAST FOR THE DELIVERY DAY) DIMENSIONS ACCORDING TO THE END USER WITH SHIELDING TROLLY	10
31	4220260204800	EA	68 GA-GENERATOR 50 MCI RESIN COLUMN (FOR PET/CT) (CALIBRATION SHOULD BE SPECIFIED AT LEAST FOR THE DELIVERY DAY)	15
32	4220260210800	EA	68 GA-GENERATOR 100 MCI METALLIC COLUMN (FOR PET/CT) (CALIBRATION SHOULD BE SPECIFIED AT LEAST FOR THE DELIVERY DAY)	10
33	4220260210900	EA	68 GA-GENERATOR 100 MCI RESIN COLUMN (FOR PET/CT) (CALIBRATION SHOULD BE SPECIFIED AT LEAST FOR THE DELIVERY DAY)	8
34	4220260211100	EA	90 YTTRIUM MICROSPHERE BOUNDED IN RESIN 3 GBQ (FOR LIVER TUMOR THERAPY) (CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY) AT LEAST 2 DAYS LATER	177
35	4220260211200	EA	99MTC-TECHNETIUM 99M STERILE GENERATOR (30 GBQ) WITH MINIMUM 10 ELUTION VIALS (CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY) AT LEAST 3 DAYS LATER	948
36	4220260211300	EA	99MTC-TECHNETIUM 99M STERILE GENERATOR (25 GBQ) WITH MINIMUM 10 ELUTION VIALS (CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY) AT LEAST 3 DAYS	468
37	4220260215100	KIT	HMPAO KIT STABILIZED (FOR LABELLING WITH 99 MTC FOR CEREBRAL BLOOD FLOW STUDY) VIAL	405
38	4220260215200	VIA	HMPAO KIT (FOR LABELLING WITH 99 MTC FOR CEREBRAL BLOOD FLOW STUDY) VIAL LONG EXPIRATION DATE NOT LESS THAN 12 MONTH	511
39	4220260211400	VIA	HMPAO KIT (FOR LABELING WITH 99 MTC FOR WBC LABELING STUDY) VIAL	410

NUPCO TENDER: NPT0034/22
TENDER NAME: RADIOISOTOPES AND CONTRAST MEDIUMS

40	4220260200600	KIT	DISPOSABLE KITS (FOR LUNG VENTILATION SCAN) SHORT TUBE	455
41	4220260211500	KIT	SESTAMIBI KITS (FOR LABELING WITH 99MTC FOR CARDIAC BREAST AND PARATHYROID IMAGING) VIAL MAXIMUM ACTIVITY NOT LESS THAN 150 MCI	1,232
42	4111621000100	EA	FLUID, BREATH COLLECTION, UREA BREATH TEST, PYTEST	2,000
43	4220260207600	KIT	MEDRONATE II (MDP) BONE (FOR LABELLING WITH 99 MTC FOR BONE IMAGING) VIAL (SHELF LIFE MINIMUM 8 HOURS)	1,427
44	4111621000200	KIT	UREA BREATH TEST KIT FOR DETECTION OF HELICOBACTER PYLORI BY USING CARBON 13 NON-RADIOACTIVE ISOTOPE. THE PACKAGE INCLUDES ONE CAPSULE OR POWDER AND BREATHING BAGS	6,300
45	4220260211600	EA	PATIENT LINE AND CARBON KITS COMPATIBLE WITH TECHNIQUES WITH TECHNEGAS MACHINE (INCLUDING PATIENT HOSE)	2,580
46	4229511902200	EA	KRYPTON 81 GENERATOR (GEN-10) EXPIRATION 8 HOURS POST CALIBRATION	510
47	4220260211700	EA	123 I-SODIUM IODIDE SOLUTION (FOR THYROID GLAND IMAGING) DIAGNOSTIC DOSE 25 MCI (CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY) SAME DAY	3,594
48	4220260211800	EA	F18-NON HUMAN USE 25 MCI EXPIRATION 12 HOURS POST CALIBRATION	110
49	4220260211900	EA	F18 FL-DOPA 8 MCI EXPIRATION 4 HOURS POST CALIBRATION	1,060
50	4220260212000	EA	F18 FL-CHOLINE 8 MCI EXPIRATION 10 HOURS POST CALIBRATION	800
51	4220260212100	EA	F18 NAF SODIUM FLUORIDE	820
52	4220260212200	EA	SODIUM IODIDE (I-124) ORAL SOLUTION 2.5 MCI	500
53	4220260301800	CAP	SODIUM IODIDE (I-124) CAPSULE 100 MCI	22
54	4220260212400	EA	GA-68 PSMA 11 FOR PROSTATE CANCER 5 MCI EXPIRATION 4 HOURS POST CALIBRATION	850
55	4220260212500	EA	GA-68 PSMA 617 FOR PROSTATE CANCER 5 MCI EXPIRATION 4 HOURS POST CALIBRATION	500
56	4220260212600	EA	GA-68 DOTA PEPTIDE FOR ENDOCRINE TUMOR 5 MCI EXPIRATION 4 HOURS POST CALIBRATION	750
57	4220260212700	EA	CASSETTE FOR GA-68 PSMA SYNTHESSES AND ALL REAGENTS	710
58	4220260000100	EA	PATIENT ADMINISTRATION SET (PAS) COMPATIBLE WITH KARL 100 TEMA PET INFUSION SYSTEM	31,500
59	4220260000200	EA	SOURCE ADMINISTRATION SET (PAS) COMPATIBLE WITH KARL 100 TEMA INFUSION SYSTEM	2,800

NUPCO TENDER: NPT0034/22
TENDER NAME: RADIOISOTOPES AND CONTRAST MEDIUMS

60	4220260205700	EA	DROP SENSITIVE PH INDICATORS 1 – 14 (COLD)	660
61	4220260207000	PC	ISOLATOR GLOVES LEMAR PAX	41
62	4220260212800	EA	CR-51-CHLORIDE FOR RED CELL MASS 1 MCI (CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY) AT LEAST 1 DAY LATER	30
63	4220180005100	EA	GLOVES RADIATION ATTENUATION POWDER FREE	95
64	4220410100000	EA	PET SYRINGE SHIELD 5CC	35
65	4220410100100	EA	PET SYRINGE SHIELD 10CC	25
66	4220410100200	EA	TECHNETIUM SYRINGE SHIELD 1CC	59
67	4220410100300	EA	TECHNETIUM SYRINGE SHIELD 3 CC	59
68	4220410100400	EA	TECHNETIUM SYRINGE SHIELD 5CC	41
69	4220410100500	EA	TECHNETIUM SYRINGE SHIELD 10CC	32
70	4220410100600	EA	TUNGSTEN VIAL SHIELD WITH MAGNETIC CAP	80
71	4229180000300	EA	SURGICAL FORCEPS	27
72	4214230102400	EA	COLOR-CODED LABELS	2,515
73	4220401700000	EA	VIAL/SYRINGE DIPPER COMPATIBLE WITH DOSE CALIBRATOR	44
74	4017530500000	EA	WELL INSERT COMPATIBLE WITH DOSE CALIBRATOR	23
75	4220400300000	EA	99 MO BREAK THROUGH CANISTER	30
76	4220260212900	VIA	TILMANOCEPT 50 MICRO GRAM (FOR LABELING WITH 99 TC) VIAL	80
77	4220260213000	VIA	PSMA-11 (FOR LABELING WITH 99 TC) VIAL	120
78	4220260213100	VIA	DPD (FOR LABELING WITH 99 TC) VIAL	5
79	4220260213200	EA	CASSETTE FOR 177-LU DOTATATE SYNTHESSES AND ALL REAGENTS	190
80	4220260213300	EA	CASSETTE FOR 177-LU PSMA SYNTHESSES AND ALL REAGENTS	190
81	4220260213400	EA	18-F FLT 12 MCI	30
82	4220260213500	EA	18-F FLORBETAPIR 12 MCI	30
83	4220260213600	EA	18-F RACLOPRIDE 12 MCI	30
84	4220260213700	EA	131 I MIBG THERAPY DOSE 150 MCI (CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY) AT LEAST 3 DAYS LATER	10
85	4220260213800	EA	57CO POINT SOURCE USED FOR AUTOMATED QC AND CALIBRATION OF SPECT-CT 0.05 MCI (CALIBRATION SHOULD BE SPECIFIED AT LEAST FOR THE DELIVERY DAY)	15
86	4220260213900	EA	68GE CYLINDRICAL PHANTOM USED FOR QC AND CALIBRATION OF PET-CT 2.4 MCI	7
87	4220260214000	EA	68GE ROD SOURCE USED FOR QC AND CALIBRATION OF PET-CT 1.2 MCI EACH 1 ITEM=2 RODS	7
88	4220260214100	EA	HCL FOR 68GA SYNTHESSES	390

NUPCO TENDER: NPT0034/22
TENDER NAME: RADIOISOTOPES AND CONTRAST MEDIUMS

89	5121250301000	VIA	CONTRAST MEDIUM IODINE-BASED LOW OSMOLALITY WATER SOLUBLE NON-IONIC CONTRAST MEDIUM FOR IV AND IA INJECTION CONCENTRATION 300MG IODINE/ML, 50ML	78,400
90	5121250302100	VIA	CONTRAST MEDIUM IODINE-BASED ISOOSMOLAR WATER SOLUBLE NON-IONIC CONTRAST MEDIUM FOR IV AND IA INJECTION CONCENTRATION 320MG IODINE/ML 50ML	74,700
91	5121250302000	VIA	CONTRAST MEDIUM IODINE-BASED ISOOSMOLAR WATER SOLUBLE NON-IONIC CONTRAST MEDIUM FOR IV AND IA INJECTION CONCENTRATION 320MG IODINE/ML 100ML	16,400
92	5144000000000	PAC	CONTRAST MEDIUM BARIUM-BASED, BARIUM SULFATE SUSPENSION FOR CT AND MRI OF GASTROINTESTINAL TRACT 450 ML BARIUM SULFATE SUSPENSION 0.1% W/V, 0.1%W/W	49,400
93	5121250300800	BT	CONTRAST MEDIUM IODINE- BASED WATER SOLUBLE CONTRAST MEDIUM WITH FLAVORING FOR G.I.T EXAMINATION 300MG I/ML AND CT SCAN (ORAL) 100ML /BOTTLE.	104,300
94	5121250302600	VIA	MRI CONTRAST MEDIUM MACROCYCLIC NON IONIC GADOLINIUM-BASED WATER SOLUBLE CONTRAST MEDIUM FOR INJECTION, CONCENTRATION (0.5-1 MMOL/ML) 20ML VIAL	500
95	5144000000100	VIA	MRI CONTRAST MEDIUM MACROCYCLIC NON IONIC GADOLINIUM-BASED WATER SOLUBLE CONTRAST MEDIUM FOR INJECTION CONCENTRATION 1MMOL/ML 15ML/VIAL	15,320
96	5121250301600	VIA	MRI CONTRAST MEDIUM GADOLINIUM-BASED WATER SOLUBLE CONTAIN GADOXETIC ACID DISODIUM FOR HEPATOBILIARY IMAGING FOR IV INJECTION 0.25 M ML/ML 10ML SYRINGE	3,750
97	5121250300700	VIA	CONTRAST MEDIUM (CM) GADOLINIUM-BASED WATER SOLUBLE CONTRAST MEDIUM FOR IV INJECTION CONCENTRATION 0.5M MOL/ML 20ML/VIAL	800
98	4220260203300	KIT	(N-(3-BROMO-246-TRIMETHYLPHENYLCARBAMOYL) METHYL IMINODIACETIC ACID (MEBROFENIN)) FOR LABELLING WITH 99MTC TO EVALUATE HEPATOBILIARY IMAGING 5VIAL/KIT	370
99	4220260203500	VIA	111IN- OCTREOTIDE (FOR NEUROENDOCRINE TUMORS IMAGING) 5-6 MCI (CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY) AT LEAST ONE DAY LATER	46

NUPCO TENDER: NPT0034/22
TENDER NAME: RADIOISOTOPES AND CONTRAST MEDIUMS

100	4220260200100	VIA	111IN-CAPROMAB PENDETIDE (FOR PROSTATE CANCER IMAGING) 5-6 MCI	85
101	4220260203600	VIA	123 I- MIBG (FOR ADRENAL GLAND IMAGING) 5 MCI (CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY) SAME DAY	4,212
102	4220260201800	VIA	123 I- IMOAZENIL (FOR BRAIN SCHIZOPHRENIA SCANNING) 6MCI DIAGNOSTIC DOSE (CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY) AT LEAST ONE DAY LATER	10
103	4220260201700	VIA	123 I OR 131 I NORCHOLESTEROL (FOR ADRENAL SCANNING) 1 MCI DIAGNOSTIC DOSE (CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY) AT LEAST ONE DAY LATER	6
104	4220260202600	CAP	123 I -SODIUM IODIDE (FOR THYROID GLAND IMAGING) CAPSULE/VIAL 400 UCI (CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY) SAME DAY	1,871
105	4220260201900	VIA	123I -DAT SCANS (FOR PARKINSON'S DISEASE IMAGING) 5 MCI (CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY) SAME DAY	290
106	4220260202900	VIA	131 I- SODIUM IODIDE (FOR THYROID THERAPY) SOLUTION 50MCI (CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY) AT LEAST 3 DAYS LATER	2,164
107	4220260203900	CAP	131 I -SODIUM IODIDE (FOR THYROID SCAN) CAPSULES 2.5 MCI (CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY) AT LEAST 3 DAYS LATER	2,927
108	4220260204000	VIA	131 I-MIBG (FOR ADRENAL IMAGING) DIAGNOSTIC DOSE 2.5 MCI (CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY) AT LEAST 3 DAYS LATER	1,088
109	4220260204100	VIA	131 I-MIBG (FOR ADRENAL IMAGING) DIAGNOSTIC DOSE 5 MCI (CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY) AT LEAST 3 DAYS LATER	60
110	4220260203000	VIA	131 I-MIBG THERAPY DOSE (FOR NEUROENDOCRINE TUMOR THERAPY) 50 MCI (CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY) AT LEAST 3 DAYS LATER	1,110
111	4220260204200	CAP	131 I-SODIUM IODIDE (FOR THYROID SCAN) CAPSULES 5.0 MCI (CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY) AT LEAST 3 DAYS LATER	6,390

NUPCO TENDER: NPT0034/22
TENDER NAME: RADIOISOTOPES AND CONTRAST MEDIUMS

112	4220260204400	CAP	131 I-SODIUM IODIDE (FOR THYROID GLAND THERAPY) CAPSULE 30MCI (CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY) AT LEAST 3 DAYS LATER	1,992
113	4220260204500	CAP	131 I-SODIUM IODIDE (FOR THYROID GLAND THERAPY) CAPSULE 12 MCI (CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY) AT LEAST 3 DAYS LATER	2,025
114	4220260201100	SOU	133 BARIUM REFERENCE SOURCE (FOR DOSE CALIBRATOR QC) 250 UCI (CALIBRATION SHOULD BE SPECIFIED AT LEAST FOR THE DELIVERY DAY)	10
115	4220260201300	SOU	137 CAESIUM REFERENCE SOURCE 250 UCI (FOR DOSE CALIBRATION QC) (CALIBRATION SHOULD BE SPECIFIED AT LEAST FOR THE DELIVERY DAY)	12
116	4220260200300	VIA	153SM- SAMARIUM (FOR BONE PAIN PALLIATION THERAPY IN SKELETAL METASTASES), 1 MCI/KG TOTAL 40-70 MCI (CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY) AT LEAST 2 DAYS LATER	24
117	4220260201000	VIA	177 LU-DOTATOC 200 MCI (FOR NEUROENDOCRINE TUMOR THERAPY) CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY AT LEAST ONE DAY LATER	60
118	4220260201600	VIA	186 -RHENIUM (FOR BONE PALLIATION THERAPY) 5 MCI DOSE (CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY) AT LEAST ONE DAY LATER	70
119	4220260204600	VIA	201TL-THALLIUM FOR CARDIAC IMAGING 5 MCI (SOLUTION) (CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY) AT LEAST 1 DAY LATER	4,147
120	4220260202300	VIA	32P- PHOSPHORUS (FOR TREATMENT) 5 MCI (SOLUTION) (CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY) AT LEAST 2 DAYS LATER	20
121	4220260202200	PC	57 CO- COBALT POINT MARKER (FOR ANATOMICAL LOCALIZATION) 100 UCI (CALIBRATION SHOULD BE SPECIFIED AT LEAST FOR THE DELIVERY DAY)	32
122	4220260201200	SOU	57 CO FLOOD SOURCES (FOR GAMMA CAMERA CALIBRATION) 10-15 MCI (CALIBRATION SHOULD BE SPECIFIED AT LEAST FOR THE DELIVERY DAY) DIMENSIONS ACCORDING TO THE END USER WITH SHIELDING TROLLEY	28

NUPCO TENDER: NPT0034/22
TENDER NAME: RADIOISOTOPES AND CONTRAST MEDIUMS

123	4220260201400	SOU	57 CO REFERENCE SOURCES (FOR DOSE CALIBRATION QC) 5 MCI (CALIBRATION SHOULD BE SPECIFIED AT LEAST FOR THE DELIVERY DAY)	20
124	4220260201500	SOU	60 CO REFERENCE SOURCES (FOR DOSE CALIBRATION QC) 50 UCI (CALIBRATION SHOULD BE SPECIFIED AT LEAST FOR THE DELIVERY DAY)	13
125	4220260204700	VIA	67 GA-GALLIUM 5MCI (SOLUTION) (CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY) AT LEAST 3 DAYS LATER	1,392
126	4220260214900	EA	68 GA-GENERATOR 50 MCI METALLIC COLUMN (FOR PET/CT) (CALIBRATION SHOULD BE SPECIFIED AT LEAST FOR THE DELIVERY DAY)	15
127	4220260204900	EA	82 RB-GENERATOR 100 MCI (FOR PET/CT) INFUSION SYSTEM COMPATIBLE (CALIBRATION SHOULD BE SPECIFIED AT LEAST FOR THE DELIVERY DAY)	74
128	4220260203200	AMP	89 SR-STRONTIUM 4MCI (THERAPEUTIC) FOR BONE PALLIATION (CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY) AT LEAST 2 DAYS LATER	40
129	4220260200900	VIA	90 YTTRIUM CHLORIDE (FOR SYNOVECTOMY) 6 MCI (CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY) AT LEAST 3 DAYS LATER	40
130	4220260202000	VIA	90 YTTRIUM -IBRITUMAB TIUXETAN 30 MCI (FOR NHL TREATMENT) DOSE ACCORDING TO ORDER (CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY) AT LEAST 3 DAYS LATER	20
131	4220260200800	VIA	90 YTTRIUM MICROSPHERE EMBEDDED IN GLASS MATRIX 5-20 GBQ (FOR LIVER TUMOR THERAPY)	153
132	4220260205000	PC	99M TC-TECHNETIUM 99M STERILE GENERATOR (400MCI) CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY	2
133	4220260205100	PC	99M TC- TECHNETIUM 99M STERILE GENERATOR (600 MCI) WITH MINIMUM 10 ELUTION VIALS (CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY) AT LEAST 3 DAYS LATER	205
134	4220260205200	PC	99MTC-TECHNETIUM 99M STERILE GENERATOR (270MCI) CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY	109
135	4220260205300	PC	99MTC-TECHNETIUM 99M STERILE GENERATOR 20 GBQ (540 MCI) $\pm$ 5% CALIBRATION SHOULD BE SPECIFIED AT LEAST AFTER THREE DAYS FROM THE DELIVERY DAY	50
136	4220260205600	KIT	CHROMATOGRAPHY MOBILE PHASES (SOLVENTS) (COLD)	52
137	4220260214800	KIT	DISPOSABLE KITS (FOR LUNG VENTILATION AEROSOL SCAN) LONG TUBE	349

NUPCO TENDER: NPT0034/22
TENDER NAME: RADIOISOTOPES AND CONTRAST MEDIUMS

138	4220260100300	KIT	DMSA KITS (FOR LABELLING WITH 99MTC FOR RENAL CORTICAL IMAGING) 5 VIAL/KIT SHELF LIFE AT LEAST 6 HOURS	607
139	4220260205800	KIT	DTPA KITS (FOR LABELLING WITH 99M TC FOR RENAL FUNCTION IMAGING) 5VIAL/KIT SHELF LIFE AT LEAST 8 HOURS	470
140	4220260206000	KIT	HDP KITS (FOR LABELLING WITH 99 MTC FOR BONE SCAN IMAGING) 5 VIAL/KIT	795
141	4220260206100	KIT	HIDA KIT (FOR LABELLING WITH 99MTCTO EVALUATE HEPATO-BILIARY KINETICS) 5VIAL/KIT	465
142	4220260206200	KIT	HMPAO KIT (FOR LABELLING WITH 99 MTC FOR CEREBRAL BLOOD FLOW STUDY (5VIAL/KIT).	75
143	4220260206300	KIT	HSA KITS (FOR LABELLING WITH 99MTC FOR PROTEIN LOSING ENTEROPATHY IMAGING) 5 VIAL/KIT	77
144	4220260206400	CAP	I-131 SODIUM IODIDE (FOR THYROID GLAND THERAPY) CAPSULES 50 MCI (CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY) AT L EAST 3 DAYS LATER	3,250
145	4220260202800	CAP	I 131- SODIUM IODIDE (FOR THYROID GLAND IMAGING) CAPSULE 100 UCI (CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY) AT LEAST 3 DAYS LATER	700
146	4220260206700	CAP	I-131-SODIUM IODIDE (FOR THYROID GLAND THERAPY) CAPSULES 10 MCI (CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY) AT L EAST 3 DAYS LATER	6,858
147	4220260206800	CAP	I -131 SODIUM IODIDE (FOR THYROID GLAND THERAPY) CAPSULE 100 MCI (CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY) AT LEAST 3 DAYS LATER	2,640
148	4220260206900	EA	IODINE 125 (I-125) SEED LOCALIZATION FOR NONPALPABLE BREAST LESIONS 4.6 MBQ (AROUND 125 MCI)	30
149	4220260207100	PC	LEUKOKIT FOR AUTOLOGOUS WBC LABELLING (INCLUDING SET OF DISPOSABLE ITEMS AND REAGENT)	440
150	4220260207300	KIT	MAA KITS (FOR LABELLING WITH 99MTC TO EVALUATE LUNG PERFUSION) 5VIAL/KIT SHELF LIFE AT LEAST 6 HOURS	763
151	4220260207400	KIT	MAG3 KITS (FOR LABELLING WITH 99MTC TO EVALUATE RENAL EXECRATORY FUNCTION) NON BOIL-5 VIAL/KIT	432
152	4220260207500	KIT	MAG3 KITS (FOR LABELLING WITH 99MTC TO EVALUATE RENAL EXECRATORY FUNCTION) 5VIAL/KIT SHELF LIFE AT LEAST 5 HOURS	374

NUPCO TENDER: NPT0034/22
TENDER NAME: RADIOISOTOPES AND CONTRAST MEDIUMS

153	4220260215300	KIT	MEDRONATE II (MDP) BONE KIK (FOR LABELLING WITH 99 MTC FOR BONE IMAGING) VIAL MAXIMUM ACTIVITY NOT LESS THAN 300 MCI 5VIAL/KIT	514
154	4220260200500	KIT	ANTI-GRANULOCYTE MONOCLONAL ANTIBODIES (ANTI-G-MABS) FOR WBC SCAN	4
155	4220260202400	KIT	NANOCOLLOID KITS (FOR LABELLING WITH 99 MTC FOR LYMPHOSCINTIGRAPHY IMAGING) (5 VIAL/KIT)	612
156	4220260200400	KIT	OCTREOTIDE KITS (FOR LABELING WITH 99 MTC FOR NEUROENDOCRINE TUMOR IMAGING) 20 MICROGRAM/VIAL	271
157	4220260207900	KIT	PYP KITS (FOR LABELLING WITH 99 MTC FOR CARDIAC IMAGING) 5VIAL/KIT	968
158	4220260208000	PC	RADIONUCLIDE GD153 LINE SOURCE FOR CARDIO GAMMA CAMERA CALIBRATION 10 MCI (CALIBRATION SHOULD BE SPECIFIED AT LEAST FOR THE DELIVER Y DAY)	10
159	4220260208300	KIT	SESTAMIBI KITS (FOR LABELLING WITH 99MTC FOR CARDIAC BREAST AND PARATHYROID IMAGING) 5VIAL/KIT MAXIMUM ACTIVITY NOT LESS THAN 300 MC I	461
160	4220260208500	PC	SODIUM IODIDE I-131 CAPSULE 25 MCI CALIBRATION (CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY) AT LEAST 3 DAYS LATER	3,630
161	4220260208600	KIT	STANNOUS GLUCEPTATE FOR 99MTC LABELING OF RED BLOOD CELLS (5 VIAL/KIT)	132
162	4220260203100	KIT	SULFUR COLLOID KITS (FOR LABELLING WITH 99MTC FOR HEPATIC AND SPLEEN IMAGING) 5VIAL/KIT	347
163	4220260209000	KIT	TETROFOSMIN KIT (FOR LABELLING WITH 99MTC FOR MYOCARDIAL PERFUSION IMAGING) 5VIAL/KIT	820
164	4220260100200	KIT	THYROTROPIN ALPHA (FOR 131-I SCAN WITH OUT STOPPING THE THYROXIN TREATMENT) 2 VIAL/KIT	1,924
165	4220260200700	KIT	TIN COLLOID KITS (FOR LABELLING WITH 99 MTC FOR LIVER AND SPLEEN IMAGING) 5 VIAL/KIT	227
166	4220260209200	KIT	ULTRATAG RBC KITS (FOR 99MTC LABELLING OF RED BLOOD CELLS) 5 VIAL/KIT	98
167	4220260209300	PC	UREA C-14 CAPSULE (INCLUDING BREATH KIT)	6,020
168	4220260214200	EA	PSMA-617 REFERENCE STANDARD FOR (177LU) PSMA-617	7
169	4220260214300	EA	DOTATOC REFERENCE STANDARD FOR (177LU) DOTATOC	2
170	4220260214400	EA	DOTATATE REFERENCE STANDARD FOR (177LU) DOTATATE	2
171	4220260214500	EA	PSMA-11 REFERENCE STANDARD FOR (68GA) DOTATATE	2
172	4220260214600	EA	DOTATOC REFERENCE STANDARD FOR (68GA) DOTATATE	2

NUPCO TENDER: NPT0034/22
TENDER NAME: RADIOISOTOPES AND CONTRAST MEDIUMS

173	4220260214700	EA	DOTATATE REFERENCE STANDARD FOR (68GA) DOTATATE	2
174	5121223990000	AMP	EFFERVESCENT GRANULES CO2 PRODUCING GRANULES FOR DOUBLE CONTRAST EXAMINATIONS OF THE STOMACH SODIUM BICARBONATE WITH CITRIC ACID/AND/OR TARTARIC ACID UNIT DOSE PLASTIC AMPOULE OR PACKET WITH ANTI-FOAMING AGENT PRODUCING APPROXIMATELY 400 ML"	200
175	5121250300200	PAC	CONTRAST MEDIUM: BARIUM-BASED CONTRAST MEDIA KIT FOR ENTEROCLYSIS 50% W/V	1,510
176	4220260203400	KIT	CHROMATOGRAPHY STRIPS FOR ALL RADIOPHARMACEUTICAL QUALITY CONTROL.	4,100
177	4220260205400	KIT	ALUMINUM BREAKTHROUGH KIT (STRIPS AND SOLVENT)	952
178	4220260202100	PC	RADIC WASH SPRAY MIST	85
179	4220260208100	VIA	RADIUM - (RA 223) DICHLORIDE INJECTION, FOR CASTRATION-RESISTANT PROSTATE CANCER, SYMPTOMATIC BONE METASTASES.	20
180	4220260215400	EA	F-18-FDG INJ I.V. 12 MCI EXPIRATION 12 HOURS POST CALIBRATION CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE AGREED DELIVERY TIME AT LEAST 2 HOURS LATER)	22,060
181	4219280500000	KIT	DECONTAMINATION KIT	91
182	5144150002400	EA	CONTRAST MEDIUM IODINE-BASED WATER SOLUBLE CONTRAST MEDIUM WITH FLAVORING FOR G.I.T EXAMINATION 370MG I/ML AND CT SCAN (ORAL) 100ML/ BOTTLE.	7,900
183	5121250302500	KIT	ENEMA KIT BAG 1000ML FOR CT PROCEDURE	4,650
184	4220260100100	KIT	DMSA (V) (PENTAVALENT DMSA),(FOR LABELLING WITH 99 MTC FOR MEDULLARY THYROID CARCINOMA IMAGING) 5VIAL/ KIT.	50
185	4220260202500	KIT	SAMARIUM - CHLORIDE PRECURSOR FOR LABELING MULTIBONE IN VIVO ONE KIT.	25
186	5121250301300	VIA	CONTRAST MEDIUM (CM),GADOLINIUM-BASED WATER SOLUBLE CONTRAST MEDIUM FOR INJECTION, CONCENTRATION 1.0 M MOL/ML, 7.5-15ML VIALS OR PFS (PRE FILLED SYRINGE)	3,800
187	4220260211000	EA	90 YTTRIUM CHLORIDE(FOR SYNOVECTOMY) 5-12 MCI (CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY) AT LEAST 3 DAYS LATER	20
188	4220260212300	CAP	SODIUM IODIDE (I-124) CAPSULE 100 MCI	22
189	5121250300100	KIT	CONTRAST MEDIUM (CM)BARIUM-BASED ENEMA KIT W/ BARIUM SULFATE FOR SUSPENSION FOR DOUBLE CONTRAST COLON EXAMINATIONS.650 ML OF LOW VIS	600

NUPCO TENDER: NPT0034/22
TENDER NAME: RADIOISOTOPES AND CONTRAST MEDIUMS

190	5121250300400	KIT	CONTRAST MEDIUM (CM) BARIUM-BASED. BARIUM SULFATE SUSPENSION FOR DOUBLE CONTRAST COLON EXAMINATIONS. 1900 ML BARIUM SULFATE SUSPENSION	650
191	4220186202700	EA	ELUTION TEST VIAL RB-82 GENERATOR 50/BOX	70
192	4220400300400	EA	CARDIOGENE WASTE BOTTLE USED FOR RB-82	430
193	4220260300100	PAC	ACCESSORY PACK FOR RB-82 GENERATOR	44
194	4220260300200	EA	SPECIAL LINES USED WITH RB-82 GENERATOR	6,030
195	4220401200000	VIA	GE-68 VIAL SOURCE FOR INJECTOR CALIBRATION	34
196	4220186201300	KIT	MOTHER KIT COMPATIBLE WITH IRIS FDG INJ	250
197	4220186201400	KIT	PATIENT KIT COMPATIBLE WITH IRIS FDG INJ	3,000
198	5144270000000	EA	BESILESOMAB 1MG FOR BONE INFECTION	20
199	4220186202000	KIT	CT SYRINGE 200ML DUAL KIT COMPATIBLE WITH THE INJECTOR OF CLIENT	38,140
200	4220186202100	EA	CT SYRINGE SET 200ML SINGLE COMPATIBLE WITH THE INJECTOR OF CLIENT	19,300
201	4220186200300	EA	SET, SYRINGE, 100 ML CT SINGLE FOR CT PUMP NEMOTO INJECTOR	2,500
202	4220186202200	EA	INTERVENTIONAL SYRINGE SET 150-200ML COMPATIBLE WITH THE INJECTOR OF CLIENT	104,000
203	4220186202300	EA	SECUFILL RACCORD PATIENT (218684) OR EQUIVALENT, FOR FLOWSENS INJECTOR	2,500
204	4220186202400	EA	MANYFLOW D 2 VIAL OR EQUIVALENT, COMPATIBLE WITH THE INJECTOR OF CLIENT	80,000
205	4220186202500	EA	MANYFLOW D CM SCANBAG/NACI VIAL OR EQUIVALENT, COMPATIBLE WITH THE INJECTOR OF CLIENT	41,000
206	4220186202600	EA	LINKFILL 160 PROLONGATEUR 160CM OR EQUIVALENT, COMPATIBLE WITH THE INJECTOR OF CLIENT	60,250
207	4220186202800	EA	MRI SYRINGE DUAL AUTOMATIC MR PUMP INJECTOR COMPATIBLE WITH THE INJECTOR OF CLIENT	29,050
208	4220260215600	EA	177 LU + DOTATATE 400 MCI	102
209	4220260300700	EA	LEAD SHIELD FOR GENERATOR ELUTION VIAL COMPATIBLE WITH AVAILABLE GENERATOR	10
210	4220260300400	EA	SODIUM 22 (NA-22) 3.7 MBQ 0.1MCI LINE SOURCE	3
211	4220260300500	EA	SODIUM 22 (NA-22) 0.37 MBQ 0.01MCI SPOT MARKER	8
212	4220270000300	EA	IRIDIUM 192 (IR-192) BRACHYTHERAPY HIGH DOSE RATE (HDR)	4
213	4220260301400	CAP	NA-22 (26.28UCI) FOR PET/CT CAM CALIBRATION EVAPORATED METALLIC SALT ON RESIN BEAD CAPSULE TYPE 10MMX10MM ACRYLIC BACKING & COVER	7
214	4220260301500	VIA	I-131-SODIUM IODIDE (RADIOCHEMICAL BULK) 250 MCI (CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY) AT LEAST 3 DAYS LATER	100

NUPCO TENDER: NPT0034/22
TENDER NAME: RADIOISOTOPES AND CONTRAST MEDIUMS

215	4220260301200	VIA	LU-177 LUTETIUM CHLORIDE (RADIOCHEMICAL BULK) 250 MCI (CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY)	100
216	4220260301100	CAP	ER-152 6.5UCI STANDARD GAMMA REFERENCE SOURCE FOR CALIBRATION OF GAMMA SPECTROSCOPY CAPSULE TYPE	1
217	4220260301300	EA	MIXED NUCLIDE EU-154, EU-155 SB-125 GAMMA REFERENCE CALIBRATION SOURCE FOR CALIBRATION OF GAMMA SPECTROSCOPY 129.5 MBQ	1
218	4220260301600	EA	RADIOACTIVE CHECK SOURCE FOR AIR DENSITY CORRECTION. AND CONSTANCY CHECKS FOR THERAPY DOSEMETERS (SR-90) ENCAPSULATED LOW ACTIVITY OF 33 MBQ AND 20 MBQ .	2
219	4220260300600	EA	RADIOACTIVE STABILITY CHECK SOURCE (SR-90) 30 MBQ.	2
220	4220260207200	KIT	LEUKOSCAN SULESOMAB COLD KITS (FOR LABELLING WITH 99MTC FOR IN VIVO LABELING FOR INFECTION IMAGING)	130
221	4220260300300	EA	F-18 FLURO ESTRADIOL INJECTION	230
222	4220260301700	EA	F-18 PSMA INJECTION	230
223	4220260300900	KIT	OCTREOTIDE KITS (FOR LABELING WITH 99 MTC FOR NEUROENDOCRINE TUMOR IMAGING) 16 MICROGRAM/VIAL	156
224	4220260300800	KIT	MRI SYRINGE SINGLE AUTOMATIC MR PUMP INJECTOR COMPATIBLE WITH THE INJECTOR OF CLIENT	6,500
225	4220260301000	KIT	ADMINISTRATION SET FOR VIRTUAL COLONOGRAPHY WITH 3 WAY CATHETER SYSTEM OR INSUFFLATOR INJECTOR	2,840
226	4220260215900	CAP	131 I-SODIUM IODIDE (FOR THYROID GLAND THERAPY) CAPSULE 20 MCI (CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY) AT LEAST 3 DAYS LATER	20
227	4220260216000	CAP	131 I-SODIUM IODIDE (FOR THYROID GLAND THERAPY) CAPSULE 15 MCI (CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY) AT LEA ST3 DAYS LATER	20
228	4220180902700	KIT	INTERVENTIONAL RADIOLOGY INJECTOR SYRINGE, 150ML WITH HANDI-FIL	1,200
229	4220180902800	KIT	DUAL MR SYRINGE WITH SINGLE CHECK VALVE Y TUBING AND FILLING SPIKES, 60 ML	45,000
230	5144157700900	EA	ORAL BARIUM SULFATE AGENT SUPPLIED AS 40% W/V VANILLA AROMA	23,000
231	5144157701000	EA	ORAL BARIUM SULFATE AGENT SUPPLIED AS FINE WHITE POWDER SUSPENSION 98% W/W	30,000

NUPCO TENDER: NPT0034/22

TENDER NAME: RADIOISOTOPES AND CONTRAST MEDIUMS

232	5144157701100	EA	ORAL BARIUM SULFATE AGENT SUPPLIED AS OFF-WHITE TO LIGHTLY COLORED SUSPENSION 40% W/V APPLE AROMA	3,000
233	5144157701200	EA	ORAL BARIUM SULFATE AGENT SUPPLIED AS OFF-WHITE TO LIGHTLY COLORED FREE-FLOWING SUSPENSION 40% W/V APPLE AROMA	24,000