| SN | NUPCO CODE    | SHORT TEXT                               | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | иом | GROUP CATEGORY | QUANTITY |
|----|---------------|------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------------|----------|
| 1  | 4224200016300 | 2 COMPONENT ADHESIVE SETTING TIME 60 SEC | 2 - COMPONENT ADHESIVE SETTING TIME, 60 SECOND, IDEAL<br>TO SECURE ADAPTER TO SOCKET DURING TRIAL FITTING                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | EA  | ITEMIZED       | 10       |
| 2  | 4224200152700 | 3D SILICONE LINER TRANSFEM AMPUTEE 280MM | 3 D SILICONE LINER FOR TRANS - FEMORAL AMPUTEES, WITH DISTAL CONNECTION, WITH THE ANTIBACTERIAL ADDITIVE IN THE LINER MATERIAL PROTECTS THE LINER FROM BACTERIA AND THUS PREVENTS UNPLEASANT ODORS FROM DEVELOPING, COMFORT TO THE AMPUTEES WHO HAVE A LARGE AMOUNT OF SOFT TISSUE, THE ADAPTS BY INITIALLY TAPERING IN THE DISTAL AREA SO THAT SENSITIVE SOFT TISSUE, IS GENTY CUSHIONED AND NOT CONSTRICTED OR PUSHED UPWARDS. THE UPPER SECTION OF THE LINER IS CYLINDRICAL CATS AS A POSTIONINIC AD FOR ATTACHING THE LINER'S FABRICA CATS AS A POSTIONINIS AD FOR ATTACHING THE LANYARD SYSTEM, SIZE 280 MM, APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | EA  | ITEMIZED       | 100      |
| 3  | 4224200112900 | 3D SILICONE LINER TRANSFEM AMPUTEE 320MM | 3 D SILICONE LINER FOR TRANS - FEMORAL AMPUTEES, WITH DISTAL CONNECTION, WITH THE ANTIBACTERIAL ADDITIVE IN THE LINER MATERIAL PROTECTS THE LINER FROM BACTERIA AND THUS PREVENTS UNPILEASANT DODGS FROM DEVELOPING, COMFORT TO THE AMPUTEES WHO HAVE A LARGE AMOUNT OF SOFT TISSUE, THE ADAPTS BY INITIALLY TAPERING IN THE DISTAL AREA SO THAT SENSITIVE SOFT TISSUE IS GENTLY CUSHIONED AND NOT CONSTRICTED OR PUSHED UPWARDS. THE UPPER SECTION OF THE LINER IS CYLINDRICAL IN SHAPE, DROP. SHAPED TEXTILE INLAY IN THE LINER'S FABRIC ACTS AS A POSITIONING AID FOR ATTACHING THE LANYARD SYSTEM, SIZE 320 MM, APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | EA  | ITEMIZED       | 100      |
| 4  | 4224200152800 | 3D SILICONE LINER TRANSFEM AMPUTEE 340MM | 3 D SILICONE LINER FOR TRANS - FEMORAL AMPUTEES, WITH DISTAL CONNECTION, WITH THE ANTIBACTERIAL ADDITIVE IN THE LINER MATERIAL PROTECTS THE LINER FROM BACTERIA AND THUS PREVENTS UNPILEASANT ODORS FROM DEVELOPING, COMFORT TO THE AMPUTEES WHO HAVE A LARGE AMOUNT OF SOFT TISSUE, THE ADAPTS BY INITIALLY TAPERING IN THE DISTAL AREA SO THAT SENSITIVE SOFT TISSUE IS GENTLY CUSHIONED AND NOT CONSTRICTED OR PUSHED UPWARDS. THE UPPER SECTION OF THE LINER IS CYLINDRICAL IN SHAPE, ROPP. SHAPEOT EXPLIE INLAY IN THE LINER'S FABRIC ACTS AS A POSITIONING AID FOR ATTACHING THE LANYARD SYSTEM, SIZE 340 MM, APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | EA  | ITEMIZED       | 100      |
| 5  | 4224200107200 | 3D SILICONE LINER TRANSFEM AMPUTEE 360MM | 3 D SILICONE LINER FOR TRANS - FEMORAL AMPUTEES, WITH DISTAL CONNECTION, WITH THE ANTIBACTERIAL ADDITIVE IN THE LINER MATERIAL PROTECTS THE LINER FROM BACTERIA AND THUS PREVENTS UNPILEASANT ODORS FROM DEVELOPING, COMFORTTO THE AMPUTEES WHO HAVE A LARGE AMOUNT OF SOFT TISSUE, THE ADAPTS BY INITIALLY TAPERINI GIN THE DISTAL AREA SO THAT SENSITIVE SOFT ISSUE IS GENTLY CUSHIONED AND NOT CONSTRICTED OR PUSHED UPWARDS. THE UPPER SECTION OF THE LINER IS CYLINDRICAL IN SHAPE, DROP. SHAPED TEXTILE INLAY IN THE LINEA'S THE LIN | EA  | ITEMIZED       | 100      |
| 6  | 4224200115200 | 3D SILICONE LINER TRANSFEM AMPUTEE 380MM | 3 D SILICONE LINER FOR TRANS - FEMORAL AMPUTEES, WITH DISTAL CONNECTION, WITH THE ANTIBACTERIAL ADDITIVE IN THE LINER MATERIAL PROTECTS THE LINER FROM BACTERIA AND THUS PREVENTS UNPLEASANT ODORS FROM DEVELOPING, COMFORT TO THE AMPUTEES WHO HAVE A LARGE AMOUNT OF SOFT TISSUE, THE ADAPTS BY INITIALLY TAPERING IN THE DISTAL AREA SO THAT SENSITIVE SOFT ISSUE IS GENTLY CUSHIOWED AND NOT CONSTRICTED OR PUSHED UPWARDS. THE UPPER SECTION OF THE LINER IS CYLINDRICAL IN SHAPE, DROP. SHAPED TEXTILE INLAY IN THE LINER'S FABRIC ACTS AS A POSITIONING AID FOR ATTACHING THE LANYARD SYSTEM, SIZE 380 MM, APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | EA  | ITEMIZED       | 100      |
| 7  | 4224200115400 | 3D SILICONE LINER TRANSFEM AMPUTEE 400MM | 3 D SILICONE LINER FOR TRANS - FEMORAL AMPUTEES, WITH DISTAL CONNECTION, WITH THE ANTIBACTERIAL ADDITIVE IN THE LINER MATERIAL PROTECTS THE LINER FROM BACTERIA AND THUS PREVENTS UNPLEASANT ODORS FROM DEVELOPING, COMFORTTO THE AMPUTEES WHO HAVE A LARGE AMOUNT OF SOFT TISSUE, THE ADAPTS BY INITIALLY TAPRINIS IN THE DISTAL AREA SO THAT SENSITIVE SOFT TISSUE IS GENTLY CUSHIONED AND NOT CONSTRICTED OR PUSHED UPWARDS. THE UPPER SECTION OF THE LINER IS CYLINDRICAL IN SHAPE, ROPP. SHAPED TEXTILE INLAY IN THE LINEAP THE  | EA  | ITEMIZED       | 100      |
| 8  | 4224200115600 | 3D SILICONE LINER FOR TRANSFEMORAL 450MM | 3 D SILICONE LINER FOR TRANS - FEMORAL AMPUTEES, WITH DISTAL CONNECTION, WITH THE ANTIBACTERIAL ADDITIVE IN THE LINER MATERIAL PROTECTS THE LINER FROM BACTERIA AND THUS PREVENTS UNPLEASANT ODORS FROM DEVELOPING, COMFORT TO THE AMPUTEES WHO HAVE A LARGE AMOUNT OF SOFT TISSUE, THE ADAPTS BY INITIALLY TAPERINIS IN THE DISTAL ABEA SO THAT SENSITIVE SOFT TISSUE IS GENTLY CUSHIONED AND NOT CONSTRICTED OR PUSHED UPWARDS, THE UPPER SECTION OF THE LINER IS CYLINDRICAL IN SHAPE, ROPP. SHAPED TEXTILE INLAY IN THE LINER'S FABRIC ACTS AS A POSITIONING AID FOR ATTACHING THE LANYARD SYSTEM, SIZE 450 MM, APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | EA  | ITEMIZED       | 100      |

6/21/2022 Page 1 of 160

| ITEMIZED  ITEMIZED  ITEMIZED  ITEMIZED | 100                                |
|----------------------------------------|------------------------------------|
| ITEMIZED                               | 100                                |
| ITEMIZED                               |                                    |
|                                        | 50                                 |
| GROUP 1                                |                                    |
|                                        | 30                                 |
| GROUP 1                                | 30                                 |
|                                        | GROUP 1  GROUP 1  GROUP 1  GROUP 1 |

6/21/2022 Page 2 of 160

| 23 | 4224200601800 | CUSTOM MADE HD SILICONE FINGERS 3 DIGITS | CUSTOM MADE FROM A MORE FLEXIBLE SILICONE TO STRETCH TO ALLOW GROWTH, HIGH DEFINITION SILICONE FINGERS FOR CHILDREN, (WHERE PATIENT REQUIRES MORE THAN 3 DIGITS ON ONE HAND), MULTI-COLORED SKIN TONE AND ATTENTION TO DETAIL INCLUDING HARIS, MOLES, AND FRECKLES, SILICONE NAILS WHICH CAN BE PAINTED WITH NAIL VARNISH BY THE USER TO INCLUDE SILICONE TEST PIECE IF REQUIRED                                                                                                                                                                                                 | EA | GROUP 1  | 30 |
|----|---------------|------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|----------|----|
| 24 | 4224200214900 | CUSTOM-MADE HD SILICONE FINGER ADULT     | CUSTOM MADE HIGH DEFINITION SILICONE FINGER, MULTI-<br>COLORED SKIN TONE AND ATTENTION TO DETAIL INCLUDING<br>HAIRS, MOLES, AND FRECKLES, SILICONE NAILS WHICH CAN BE<br>PAINTED WITH NAIL VARNISH BY THE USER TO INCLUDE<br>SILICONE TEST PIECE IF REQUIRED, FOR ADULT                                                                                                                                                                                                                                                                                                          | EA | GROUP 1  | 30 |
| 25 | 4224200215000 | CUSTOM HD SILICONE FINGER 2 DIGITS ADULT | CUSTOM MADE HIGH DEFINITION SILICONE FINGERS (WHERE PATIENT REQUIRES 2 DIGITS), MULTI-COLORED SKIN TONE AND ATTENTION TO DETAIL INCLUDING HARIS, MOLES, AND FRECKLES, SILICONE NAILS WHICH CAN BE PAINTED WITH NAIL VARNISH BY THE USER TO INCLUDE SILICONE TEST PIECE IF REQUIRED, FOR ADULT                                                                                                                                                                                                                                                                                    | EA | GROUP 1  | 30 |
| 26 | 4224200215100 | CUSTOM HD SILICONE FINGER 3 DIGITS ADULT | CUSTOM MADE HIGH DEFINITION SILICONE FINGERS (WHERE PATIENT REQUIRES MORE THAN 3 DIGITS ON ONE HAND), MULTI-COLORED SKIN TONE AND ATTENTION TO DETAIL INCLUDING HAIRS, MOLES, AND FRECKLES, SILICONE NAILS WHICH CAN BE PAINTED WITH NAIL VARNISH BY THE USER TO INCLUDE SILICONE TEST PIECE IF REQUIRED, FOR ADULT                                                                                                                                                                                                                                                              | EA | GROUP 1  | 30 |
| 27 | 4224200111900 | CUSTOM-MADE HIGH-DEF SILICONE TOE ADULT  | CUSTOM MADE HIGH DEFINITION SILICONE TOE, MULTI-<br>COLORED SKIN TONE AND ATTENTION TO DETAIL INCLUDING<br>HAIRS, MOLES, AND FRECKLES, SILICONE TOES NAILS WHICH<br>CAN BE PAINTED WITH NAIL VARNISH BY THE USER, TO<br>INCLUDE SILICONE FOOT BAND IF REQUIRED, TO INCLUDE<br>SILICONE TEST PIECE IF REQUIRED, FOR ADULT                                                                                                                                                                                                                                                         | EA | GROUP 1  | 30 |
| 28 | 4224200111200 | BELOW KNEE SILICONE COSMETIC COVER ADULT | CUSTOM MADE, BELOW KNEE, SILICONE, COSMETIC COVER FOR TRANS-TIBIAL PROSTHESIS. HIGH DEFINITION SILICONE WITH MULTI-COLORED SKIN TONE AND ATTENTION TO DETAIL INCLUDING HAIRS, MOLES AND FRECKLES, SILICONE TOE NAILS WHICH CAN BE PAINTED WITH NAIL VARNISH BY PATIENT TO INCLUDE SILICONE TEST EACH IF REQUIRED, FOR ADULT                                                                                                                                                                                                                                                      | EA | GROUP 1  | 30 |
| 29 | 4224200114000 | FULL-LENGTH SILICONE COSMETIC COVER ADLT | CUSTOM MADE, FULL LENGTH, SILICONE, COSMETIC COVER FOR TRANS-FEMORAL PROSTHESIS, HIGH DEFINITION SILICONE WITH MULTI-COLORED SKIN TONE AND ATTENTION TO DETAIL INCLUDING HAIRS, MOLES AND FRECKLES, SILICONE TOE NAILS WHICH CAN BE PAINTED WITH NAIL VARNISH BY PAINTED TO INCLUDE SILICONE TEST EACH IF REQUIRED, FOR ADULT                                                                                                                                                                                                                                                    | EA | GROUP 1  | 30 |
| 30 | 4224200111300 | HALF-LENGTH SILICONE COSMETIC COVER ADLT | CUSTOM MADE, HALF LENGTH, SILICONE, COSMETIC COVER FOR TRANS-FEMORAL PROSTHESIS, HIGH DEFINITION SILICONE WITH MULTI-COLORED SKIN TONE AND ATTENTION TO DETAIL INCLUDING HAIRS, MOLES AND FRECKLES, SILICONE TOE NAILS WHICH CAN BE PAINTED WITH NAIL VARNISH BY PATIENT TO INCLUDE SILICONE TEST EACH IF REQUIRED, FOR ADULT                                                                                                                                                                                                                                                    | EA | GROUP 1  | 30 |
| 31 | 4224200111500 | SILICONE PARTIAL FOOT PROSTHES CARBON PL | SILICONE PARTIAL FOOT PROSTHESIS, CUSTOM MADE, HIGH DEFINITION WITH CARBON FOOT PLATE, MULTI-COLORED SKIN TONE, AND ATTENTION TO DETAIL INCLUDING HAIRS, MOLES, AND FRECKLES, SILICONE TOES NAILS WHICH CAN BE PAINTED WITH NAIL VARNISH BY THE USER TO INCLUDE SILICONE TEST PIECE IF REQUIRED, FOR ADULT                                                                                                                                                                                                                                                                       | EA | GROUP 1  | 30 |
| 32 | 4224200111600 | SILICONE PARTIAL FOOT PROSTHSS CUSTOM    | SILICONE PARTIAL FOOT PROSTHESIS, CUSTOM MADE, HIGH DEFINITION WITH MULTI-CLORED SKIN TONE AND ATTENTION TO DETAIL INCLUDING HAIRS, MOLES, AND FRECKLES, SILICONE TOES NAILS WHICH CAN BE PAINTED WITH NAIL VARNISH BY THE USER TO INCLUDE SILICONE TEST PIECE IF REQUIRED, FOR ADULT                                                                                                                                                                                                                                                                                            | EA | GROUP 1  | 30 |
| 33 | 4224200601900 | SILICONE PARTIAL HAND FOR CHILDREN       | SILICONE PARTIAL HAND PROSTHESIS FOR CHILDREN, CUSTOM MADE FROM A MORE FLEXIBLE SILICONE TO STRETCH TO ALLOW GROWTH, HIGH DEFINITION WITH MULTI- COLORED SKIN TONE, AND ATTENTION TO DETAIL INCLUDING HAIRS, MOLES, AND FRECKLES, SILICONE NAILS WHICH CAN BE PAINTED WITH NAIL VARNISH BY THE USER TO INCLUDE SILICONE TEST PIECE IF REQUIRED                                                                                                                                                                                                                                   | EA | GROUP 1  | 30 |
| 34 | 4224200111800 | SILICONE PARTIAL HAND PROSTHSIS CUSTOM   | SILICONE PARTIAL HAND PROSTHESIS, CUSTOM MADE, HIGH DEFINITION WITH MULTI-COLORED SKIN TONE, AND ATTENTION TO DETAIL INCLUDING HAIRS, MOLES, AND FRECKLES, SILICONE NAILS WHICH CAN BE PAINTED WITH NAIL VARNISH BY THE USER TO INCLUDE SILICONE TEST PIECE IF REQUIRED, FOR ADULT                                                                                                                                                                                                                                                                                               | EA | GROUP 1  | 30 |
| 35 | 4224171325300 | ABOVE KNEE SEALING 250 MM                | ABOVE KNEE SEALING LINER WITH FIVE SEALING RING HEIGHTS, WITHOUT DISTAL CONNECTION, SKIN-FRIENDLY OILS THAT HELP MINIMIZE ODOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING WHILE PROTECTING THE SILICONE, WITH A TEXTURE ON THE INSIDE ENSURES THAT THE LINER CONNECTS WELL TO THE RESIDUAL LIMB WITHOUT STICKING, SLICK OUTER SURFACE WITHOUT TEXTILE FOR EASY DONNING AND DOFFING, NO-STRETCH MATRIX THE ENTIRE LENGTH OF LINER FOR REDUCED ELONGATION AND GOOD TISSUE MANAGEMENT, EASY TO BE CLEANED AND DRIED QUICKLY, STANDARD, SIZE 250 MM | EA | ITEMIZED | 10 |
| 36 | 4224171325400 | ABOVE KNEE SEALING 265 MM                | ABOVE KNEE SEALING LINER WITH FIVE SEALING RING HEIGHTS, WITHOUT DISTAL CONNECTION, SKIN-FRIENDLY OILS THAT HELP MINIMIZE ODOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING WHILE PROTECTING THE SILICONE, WITH A TEXTURE ON THE INSIDE ENSURES THAT THE LINER CONNECTS WELL TO THE RESIDUAL LIMB WITHOUT STICKING, SUCK OUTER SUPFACE WITHOUT TEXTLE FOR EASY DONNING AND DOFFING, NO-STRETCH MATRIX THE ENTIRE LENGTH OF LINER FOR REDUCED ELONGATION AND GOOD TISSUE MANAGEMENT, EASY TO BE CLEANED AND DRIED QUICKLY, STANDARD, SIZE 265 MM   | EA | ITEMIZED | 10 |

6/21/2022 Page 3 of 160

|    |               |                           | ABOVE KNEE SEALING LINER WITH FIVE SEALING RING                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |    |          |    |
|----|---------------|---------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|----------|----|
| 37 | 4224171325500 | ABOVE KNEE SEALING 280 MM | ABOVE NICE SZALING HINEY MIT FIVE S ZALING HINEY MIT FIVE STALING HINEY MIT FIVE STALING HINEY MIT FIVE STALING HINEY SKIN-FRIENDLY OILS THAT HELP MINIMIZE ODOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA PROM MULTIPIXING WHILE PROTECTING THE SILICONE, WITH A TEXTURE ON THE INSIDE ENSURES THAT THE LINER CONNECTS WELL TO THE RESIDUAL LIMB WITHOUT STICKING, SLICK OUTER SURFACE WITHOUT TEXTILE FOR EASY DONNING AND DOFFING, NO-STRETCH MATRIX THE ENTRIEL LENGTH OF LINER FOR REDUCED ELONGATION AND GOOD TISSUE MANAGEMENT, EASY TO BE CLEANED AND DRIED QUICKLY, STANDARD, SIZE 280 MM         | EA | ITEMIZED | 10 |
| 38 | 4224171325600 | ABOVE KNEE SEALING 300 MM | ABOVE KNEE SEALING LINER WITH FIVE SEALING RING HIGHTS, WITHOUT DISTAL CONNECTION, SKIN-FRIENDLY OILS THAT HELP MINIMIZE ODOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING WHILE PROTECTING THE SILICONE, WITH A TEXTURE ON THE INSIDE ENSURES THAT THE LINER CONNECTS WELL TO THE RESIDUAL LIMB WITHOUT STICKING, SLICK OUTER SURFACE WITHOUT TEXTILE FOR EASY DONNING AND DOFFING, NO-STRETCH MATRIX THE ENTIRE LENGTH OF LINER FOR REDUCED ELONGATION AND GOOD TISSUE MANAGEMENT, EASY TO BE CLEANED AND DRIED QUICKLY, STANDARD, SIZE 300 MM                                             | EA | ITEMIZED | 10 |
| 39 | 4224171325700 | ABOVE KNEE SEALING 320 MM | ABOVE KNEE SEALING LINER WITH FIVE SEALING RING HEIGHTS, WITHOUT DISTAL CONNECTION, SKIN-FRIENDLY OILS THAT HELP MINIMIZE ODOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING WHILE PROTECTING THE SILICONE, WITH A TEXTURE ON THE INSIDE ENSURES THAT THE LINER CONNECTS WELL TO THE RESIDUAL LIMB WITHOUT STICKING, SLICK OUTER SURFACE WITHOUT TEXTILE FOR EASY DONNING AND DOFFING, NO-STRETCH MATRIX THE ENTIRE LENGTH OF LINER FOR REDUCED ELONGATION AND GOOD TISSUE MANAGEMENT, EASY TO BE CLEANED AND DRIED QUICKLY, STANDARD, SIZE 320 MM                                            | EA | ITEMIZED | 10 |
| 40 | 4224171325800 | ABOVE KNEE SEALING 340 MM | ABOVE KNEE SEALING LINER WITH FIVE SEALING RING HEIGHTS, WITHOUT DISTAL CONNECTION, SKIN-FRIENDLY OILS THAT HELP MINIMIZE ODOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING WHILE PROTECTING THE SILICONE, WITH A TEXTURE ON THE INSIDE ENSURES THAT THE LINER CONNECTS WELL TO THE RESIDUAL LIMB WITHOUT STICKING, SLICK OUTER SURFACE WITHOUT TEXTILE FOR EASY DONNING AND DOFFING, NO-STRETCH MATRIX THE ENTIRE LENGTH OF LINER FOR REDUCED ELONGATION AND GOOD TISSUE MANAGEMENT, EASY TO BE CLEANED AND DORIED QUICKLY, STANDARD, SIZE 340 MM                                           | EA | ITEMIZED | 10 |
| 41 | 4224171325900 | ABOVE KNEE SEALING 360 MM | ABOVE KNEE SEALING LINER WITH FIVE SEALING RING HEIGHTS, WITHOUT DISTAL CONNECTION, SKIN-FRIENDLY OILS THAT HELP MINIMIZE ODOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING WHILE PROTECTING THE SILICONE, WITH A TEXTURE ON THE INSIDE ENSURES THAT THE LINER CONNECTS WELL TO THE RESIDUAL LIMB WITHOUT STICKING, SLICK OUTER SURFACE WITHOUT TEXTILE FOR EASY DONNING AND DOFFING, NO-STRETCH MATRIX THE ENTIRE LENGTH OF LINER FOR REDUCED ELONGATION AND GOOD TISSUE MANAGEMENT, EASY TO BE CLEANED AND DRIED QUICKLY, STANDARD, SIZE 360 MM                                            | EA | ITEMIZED | 10 |
| 42 | 4224171326000 | ABOVE KNEE SEALING 380 MM | ABOVE KNEE SEALING LINER WITH FIVE SEALING RING HEIGHTS, WITHOUT DISTAL CONNECTION, SKIN-FRIENDLY OILS THAT HELP MINIMIZE ODOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING WHILE PROTECTING THE SILICONE, WITH A TEXTURE ON THE INSIDE ENSURES THAT THE LINER CONNECTS WELL TO THE RESIDUAL LIMB WITHOUT STICKING, SLICK OUTER SURFACE WITHOUT TEXTILE FOR EASY DONNING AND DOFFINO, NO-STRETCH MATRIX THE ENTIRE LENGTH OF LINER FOR REDUCED ELONGATION AND GOOD TISSUE MANAGEMENT, EASY TO BE CLARED AND DRIED QUICKLY, STANDARD, SIZE 380 MID OR PIED QUICKLY, STANDARD, SIZE 380 MID OR | EA | ITEMIZED | 10 |
| 43 | 4224171326100 | ABOVE KNEE SEALING 400 MM | ABOVE KNEE SEALING LINER WITH FIVE SEALING RING HEIGHTS, WITHOUT DISTAL CONNECTION, SKIN-FRIENDLY OILS THAT HELP MINIMIZE ODOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING WHILE PROTECTING THE SILICONE, WITH A TEXTURE ON THE INSIDE ENSURES THAT THE LINER CONNECTS WELL TO THE RESIDUAL LIMB WITHOUT STICKING, SLICK OUTER SURFACE WITHOUT TEXTILE FOR EASY DONNING AND DOFFING, NO-STRETCH MATRIX THE ENTIRE LENGTH OF LINER FOR REDUCED ELONGATION AND GOOD TISSUE MANAGEMENT, EASY TO BE CLEANED AND DRIED QUICKLY, STANDARD, SIZE 400 MM                                            | EA | ITEMIZED | 10 |
| 44 | 4224171326200 | ABOVE KNEE SEALING 450 MM | ABOVE KNEE SEALING LINER WITH FIVE SEALING RING HEIGHTS, WITHOUT DISTAL CONNECTION, SKIN-FRIENDLY OILS THAT HELP MINIMIZE DOOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING WHILE PROTECTING THE SILICONE, WITH A TEXTURE ON THE INSIDE ENSURES THAT THE LINER CONNECTS WELL TO THE RESIDUAL LIMB WITHOUT STICKING SUCK OUTER SUFFACE WITHOUT TEXTILE FOR EASY DONNING AND DOFFING, NO-STRETCH MATRIX THE ENTIRE LENGTH OF LINER FOR REDUCED ELONGATION AND GOOD TISSUE MANAGEMENT, EASY TO BE CLEANED AND DRIED QUICKLY, STANDARD, SIZE 450 MM                                              | EA | ITEMIZED | 10 |

6/21/2022 Page 4 of 160

| 45 | 4224171326300 | ABOVE KNEE SEALING 500 MM         | ABOVE KNEE SEALING LINER WITH FIVE SEALING RING HEIGHTS, WITHOUT DISTAL CONNECTION, SKIN-FRIENDLY OILS THAT HELP MINIMIZE ODOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING WHILE PROTECTING THE SILICONE, WITH A TEXTURE ON THE INSIDE ENSURES THAT THE LINER CONNECTS WELL TO THE RESIDUAL LIMB WITHOUT STICKING, SLICK OUTER SURFACE WITHOUT TEXTILE FOR EASY DONNING AND DOFFING, NO-STRETCH MATRIX THE ENTIRE LENGTH OF LINER FOR REDUCED ELONGATION AND GOOD TISSUE MANAGEMENT, EASY TO BE CLEANED AND DRIED QUICKLY, STANDARD, SIZE 500 MM  | EA | ITEMIZED | 10 |
|----|---------------|-----------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|----------|----|
| 46 | 4224171326400 | ABOVE KNEE SEALING 550 MM         | ABOVE KNEE SEALING LINER WITH FIVE SEALING RING HIGHTS, WITHOUT DISTAL CONNECTION, SKIN-FRIENDLY OILS THAT HELP MINIMIZE ODOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING WHILE PROTECTING THE SILICONE, WITH A TEXTURE ON THE INSIDE ENSURES THAT THE LINER CONNECTS WELL TO THE RESIDUAL LIMB WITHOUT STICKING, SLICK OUTER SURFACE WITHOUT TEXTILE FOR EASY DONNING AND DOFFING, NO-STRETCH MATRIX THE ENTIRE LENGTH OF LINER FOR REDUCED ELONGATION AND GOOD TISSUE MANAGEMENT, EASY TO BE CLEANED AND DRIED QUICKLY, STANDARD, SIZE 550 MM   | EA | ITEMIZED | 10 |
| 47 | 4224171326500 | ABOVE KNEE SEALING CONICAL 250 MM | ABOVE KNEE SEALING LINER WITH FIVE SEALING RING HIGHTS, WITHOUT DISTAL CONNECTION, SKIN-FRIENDLY OILS THAT HELP MINIMIZE ODOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING WHILE PROTECTING THE SILICONE, WITH A TEXTURE ON THE INSIDE ENSURES THAT THE LINER CONNECTS WELL TO THE RESIDUAL LIMB WITHOUT STICKING, SLICK OUTER SURFACE WITHOUT TEXTILE FOR EASY DONNING AND DOFFING, NO-STRETCH MATRIX THE ENTIRE LENGTH OF LINER FOR REDUCED ELONGATION AND GOOD TISSUE MANAGEMENT, EASY TO BE CLEANED AND DRIED QUICKLY, CONICAL, SIZE 250 MM    | EA | ITEMIZED | 10 |
| 48 | 4224171326600 | ABOVE KNEE SEALING CONICAL 265 MM | ABOVE KNEE SEALING LINER WITH FIVE SEALING RING HEIGHTS, WITHOUT DISTAL CONNECTION, SKIN-FRIENDLY OILS THAT HELP MINIMIZE ODOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING WHILE PROTECTING THE SILICONE, WITH A TEXTURE ON THE INSIDE ENSURES THAT THE LINER CONNECTS WELL TO THE RESIDUAL LIMB WITHOUT STICKING, SLICK OUTER SURFACE WITHOUT TEXTILE FOR REXT DONNING AND DOFFING, NO-STRETCH MATRIX THE ENTIRE LENGTH OF LINER FOR REDUCED ELONGATION AND GOOD TISSUE MANAGEMENT, EASY TO BE CLEANED AND DORIED QUICKLY, CONICAL, SIZE 255 MM  | EA | ITEMIZED | 10 |
| 49 | 4224171326700 | ABOVE KNEE SEALING CONICAL 280 MM | ABOVE KNEE SEALING LINER WITH FIVE SEALING RING HEIGHTS, WITHOUT DISTAL CONNECTION, SKIN-FRIENDLY OILS THAT HELP MINIMIZE ODOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING WHILE PROTECTING THE SILICONE, WITH A TEXTURE ON THE INSIDE ENSURES THAT THE LINER CONNECTS WELL TO THE RESIDUAL LIMB WITHOUT STICKING, SLICK OUTER SURFACE WITHOUT TEXTILE FOR EASY DONNING AND DOFFINO, NO-STRETCH MATRIX THE ENTIRE LENGTH OF LINER FOR REDUCED ELONGATION AND GOOD TISSUE MANAGEMENT, EASY TO BE CLEANED AND DORIED QUICKLY, CONICAL, SIZE 280 MM. | EA | ITEMIZED | 10 |
| 50 | 4224171326800 | ABOVE KNEE SEALING CONICAL 300 MM | ABOVE KNEE SEALING LINER WITH FIVE SEALING RING HEIGHTS, WITHOUT DISTAL CONNECTION, SKIN-FRIENDLY OILS THAT HELP MINIMIZE ODOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING WHILE PROTECTING THE SILICONE, WITH A TEXTURE ON THE INSIDE ENSURES THAT THE LINER CONNECTS WELL TO THE RESIDUAL LIMB WITHOUT STICKING, SLICK OUTER SURFACE WITHOUT TEXTILE FOR EASY DONNING AND DOFFINO, NO-STRECTH MATRIX THE ENTIRE LENGTH OF LINER FOR REDUCED ELONGATION AND GOOD TISSUE MANAGEMENT, EASY TO BE CLEANED AND DRIED QUICKLY, CONICAL, SIZE 300 MM.  | EA | ITEMIZED | 10 |
| 51 | 4224171326900 | ABOVE KNEE SEALING CONICAL 320 MM | ABOVE KNEE SEALING LINER WITH FIVE SEALING RING HIGHTS, WITHOUT DISTAL CONNECTION, SKIN-FRIENDLY OILS THAT HELP MINIMIZE ODOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING WHILE PROTECTING THE SILICONE, WITH A TEXTURE ON THE INSIDE ENSURES THAT THE LINER CONNECTS WELL TO THE RESIDUAL LIMB WITHOUT STICKING, SLICK OUTER SURFACE WITHOUT TEXTILE FOR EASY DONNING AND DOFFING, NO-STRETCH MATRIX THE ENTRIE LENGTH OF LINER FOR REDUCED ELONGATION AND GOOD TISSUE MANAGEMENT, EASY TO BE CLEANED AND DORIED QUICKLY, CONICAL, SIZE 320 MM.  | EA | ITEMIZED | 10 |
| 52 | 4224171327000 | ABOVE KNEE SEALING CONICAL 340 MM | ABOVE KNEE SEALING LINER WITH FIVE SEALING RING HIGHTS, WITHOUT DISTAL CONNECTION, SKIN-FRIENDLY OILS THAT HELP MINIMIZE ODOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING WHILE PROTECTING THE SILICONE, WITH A TEXTURE ON THE INSIDE ENSURES THAT THE LINER CONNECTS WELL TO THE RESIDUAL LIMB WITHOUT STICKING, SLICK OUTER SURFACE WITHOUT TEXTILE FOR EASY DONNING AND DOFFING, NO-STRETCH MATRIX THE ENTIRE LENGTH OF LINER FOR REDUCED ELONGATION AND GOOD TISSUE MANAGEMENT, EASY TO BE CLEANED AND DRIED QUICKLY, CONICAL, SIZE 340 MM    | EA | ITEMIZED | 10 |

6/21/2022 Page 5 of 160

| 53 | 4224171327100 | ABOVE KNEE SEALING CONICAL 360 MM | ABOVE KNEE SEALING LINER WITH FIVE SEALING RING HEIGHTS, WITHOUT DISTAL CONNECTION, SKIN-FRIENDLY OILS THAT HELP MINIMIZE ODOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING WHILE PROTECTING THE SILICONE, WITH A TEXTURE ON THE INSIDE ENSURES THAT THE LINER CONNECTS WELL TO THE RESIDUAL LIMB WITHOUT STICKING, SLICK OUTER SURFACE WITHOUT TEXTILE FOR EASY DONNING AND DOFFING, NO-STRETCH MATRIX THE ENTIRE LENGTH OF LINER FOR REDUCED ELONGATION AND GOOD TISSUE MANAGEMENT, EASY TO BE CLEANED AND DRIED QUICKLY, CONICAL, SIZE 350 MM                                    | EA | ITEMIZED | 10  |
|----|---------------|-----------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|----------|-----|
| 54 | 4224171327200 | ABOVE KNEE SEALING CONICAL 380 MM | ABOVE KNEE SEALING LINER WITH FIVE SEALING RING HEIGHTS, WITHOUT DISTAL CONNECTION, SKIN-FRIENDLY OILS THAT HELP MINIMIZE DOOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING WHILE PROTECTING THE SILICONE, WITH A TEXTURE ON THE INSIDE ENSURES THAT THE LINER CONNECTS WELL TO THE RESIDUAL LIMB WITHOUT STICKING, SLICK OUTER SURFACE WITHOUT TEXTILE FOR EASY DONNING AND DOFFING, NO-STRETCH MATRIX THE ENTIRE LENGTH OF LINER FOR REDUCED ELONGATION AND GOOD TISSUE MANAGEMENT, EASY TO BE CLEANED AND DRIED QUICKLY, CONICAL, SIZE 380 MM                                    | EA | ITEMIZED | 10  |
| 55 | 4224171311500 | ABOVE KNEE SEALING LINER SZ 420MM | ABOVE KNEE SEALING LINER WITH TWO SEALING RING HEIGHTS, WITHOUT DISTAL CONNECTION, WITH THE ANTI- BACTERIAL PROPERTIES AND SKIN - FRIENDLY OILS THAT HELP MINIMIZE ODOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING WHILE PROTECTING THE SILICONE, WITH A TEXTURE ON THE INSIDE ENSURES THAT THE LINER CONNECTS WELL TO THE RESIDUAL LIMB WITHOUT STICKING, SLICK OUTER SURFACE WITHOUT TEXTILE FOR EASY DONNING AND DOFFING, NO - STRETCH MATRIX THE ENTIRE LENGTH OF LINER FOR REDUCED ELONGATION AND GOOD TISSUE MANAGEMENT, EASY TO BE CLEANED AND DRIED QUICKLY, SIZE 420 MM  | EA | ITEMIZED | 100 |
| 56 | 4224171311600 | ABOVE KNEE SEALING LINER SZ 450MM | ABOVE KNEE SEALING LINER WITH TWO SEALING RING HEIGHTS, WITHOUT DISTAL CONNECTION, WITH THE ANTI- BACTERIAL PROPERTIES AND SKIN - FRIENDLY OILS THAT HELP MINIMIZE ODOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING WHILE PROTECTING THE SILICONE, WITH A TEXTURE ON THE INSIDE ENSURES THAT THE LINER CONNECTS WELL TO THE RESIDUAL LIMB WITHOUT STICKING, SLICK OUTER SURFACE WITHOUT TEXTILE FOR EASY DONNING AND DOPFING, NO - STRETCH MATRIX THE ENTIRE LENGTH OF LINER FOR REDUCED ELONGATION AND GOOD TISSUE MANAGEMENT, EASY TO BE CLEANED AND DORIED QUICKLY, SIZE 450 MM | EA | iTEMIZED | 100 |
| 57 | 4224171311700 | ABOVE KNEE SEALING LINER SZ 500MM | ABOVE KNEE SEALING LINER WITH TWO SEALING RING HEIGHTS, WITHOUT DISTAL CONNECTION, WITH THE ANTI-BACTERIAL PROPERTIES AND SKIN - FRIENDLY OILS THAT HELP MINIMIZE ODOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING WHILE PROTECTING THE SILLOONE, WITH A TEXTURE ON THE INSIDE ENSURES THAT THE LINER CONNECTS WELL TO THE RESIDUAL LIMB WITHOUT STICKING, SLICK OUTER SURFACE WITHOUT TEXTILE FOR EASY DONNING AND DOPFING, NO - STRETCH MATRIX THE ENTIRE LENGTH OF LINER FOR REDUCED ELONGATION AND GOOD TISSUE MANAGEMENT, EASY TO BE CLEANED AND DRIED QUICKLY, SIZE 500 MM   | EA | ITEMIZED | 100 |
| 58 | 4224171311800 | ABOVE KNEE SEALING LINER SZ 550MM | ABOVE KNEE SEALING LINER WITH TWO SEALING RING HEIGHTS, WITHOUT DISTAL CONNECTION, WITH THE ANTI-BACTERIAL PROPERTIES AND SKIN - FRIENDLY OILS THAT HELP MINIMIZE ODOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING WHILE PROTECTING THE SILLOONE, WITH A TEXTURE ON THE INSIDE ENSURES THAT THE LINER CONNECTS WELL TO THE RESIDUAL LIMB WITHOUT STICKING, SLICK OUTER SURFACE WITHOUT TEXTILE FOR EASY DONNING AND DOPFING, NO - STRETCH MATRIX THE ENTIRE LENGTH OF LINER FOR REDUCED ELONGATION AND GOOD TISSUE MANAGEMENT, EASY TO BE CLEANED AND DRIED QUICKLY, SIZE 550 MM   | EA | ITEMIZED | 100 |
| 59 | 4224171311900 | ABOVE KNEE SEALING LINER SZ 360MM | ABOVE KNEE SEALING LINER WITH TWO SEALING RING HEIGHTS, WITHOUT DISTAL CONNECTION, WITH THE ANTI-BACTERIAL PROPERTIES AND SKIN - FRIENDLY OILS THAT HELP MINIMIZE ODOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING WHILE PROTECTING THE SILLOONE, WITH A TEXTURE ON THE INSIDE ENSURES THAT THE LINER CONNECTS WELL TO THE RESIDUAL LIMB WITHOUT STICKING, SLICK OUTER SUFFACE WITHOUT TEXTILE FOR EASY DONNING AND DOPFING, NO - STRETCH MATRIX THE ENTIRE LENGTH OF LINER FOR REDUCED ELONGATION AND GOOD TISSUE MANAGEMENT, EASY TO BE CLEANED AND DRIED QUICKLY, SIZE 360 MM   | EA | ITEMIZED | 100 |
| 60 | 4224171312100 | ABOVE KNEE SEALING LINER SZ 340MM | ABOVE KNEE SEALING LINER WITH TWO SEALING RING HEIGHTS, WITHOUT DISTAL CONNECTION, WITH THE ANTI-BACTERIAL PROPERTIES AND SKIN - FRIENDLY OILS THAT HELP MINIMIZE ODOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING WHILE PROTECTING THE SILICONE, WITH A TEXTURE ON THE INSIDE ENSURES THAT THE LINER CONNECTS WELL TO THE RESIDUAL LIMB WITHOUT STICKING, SLICK OUTER SURFACE WITHOUT TEXTILE FOR EASY DONNING AND DOFFING, NO - STRETCH MATRIX THE ENTIRE LENGTH OF LINER FOR REDUCED ELONGATION AND GOOD TISSUE MANAGEMENT, EASY TO BE CLEANED AND DRIED QUICKLY, SIZE 340 MM   | EA | ITEMIZED | 100 |

6/21/2022 Page 6 of 160

| 61 | 4224171312200                  | ABOVE KNEE SEALING LINER SZ 320MM                               | ABOVE KNEE SEALING LINER WITH TWO SEALING RING HEIGHTS, WITHOUT DISTAL CONNECTION, WITH THE ANTI-BACTERIAL PROPERTIES AND SKIN - FRIENDLY OILS THAT HELP MINIMIZE ODOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING WHILE PROTECTING THE SILICONE, WITH A TEXTURE ON THE INSIDE ENSURES THAT THE LINER CONNECTS WELL TO THE RESIDUAL LIMB WITHOUT STICKING, SLICK OUTER SURFACE WITHOUT TEXTILE FOR EASY DONNING AND DOPFING, NO - STRETCH MATRIX THE ENTIRE LENGTH OF LINER FOR REDUCED ELONGATION AND GOOD TISSUE MANAGEMENT, EASY TO BE CLEANED AND DRIED QUICKLY, SIZE 320 MM  | EA       | ITEMIZED | 100       |
|----|--------------------------------|-----------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----------|-----------|
| 62 | 4224171315800                  | ABOVE KNEE SEALING LINER SZ 300MM                               | ABOVE KNEE SEALING LINER WITH TWO SEALING RING HEIGHTS, WITHOUT DISTAL CONNECTION, WITH THE ANTI-BACTERIAL PROPERTIES AND SKIN - FRIENDLY OILS THAT HELP MINIMIZE ODOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING WHILE PROTECTING THE SILICONE, WITH A TEXTURE ON THE INSIDE ENSURES THAT THE LINER CONNECTS WELL TO THE RESIDUAL LIMB WITHOUT STICKING, SLICK OUTER SURFACE WITHOUT TEXTILE FOR EASY DONNING AND DOPFING, NO - STRETCH MATRIX THE ENTIRE LENGTH OF LINER FOR REDUCED ELONGATION AND GOOD TISSUE MANAGEMENT, EASY TO BE CLEANED AND DRIED QUICKLY, SIZE 300 MM  | EA       | ITEMIZED | 100       |
| 63 | 4224171315900                  | ABOVE KNEE SEALING LINER SZ 280MM                               | ABOVE KNEE SEALING LINER WITH TWO SEALING RING HEIGHTS, WITHOUT DISTAL CONNECTION, WITH THE ANTI-BACTERIAL PROPERTIES AND SKIN - FRIENDLY OILS THAT HELP MINIMIZE ODOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING WHILE PROTECTING THE SILICONE, WITH A TEXTURE ON THE INSIDE ENSURES THAT THE LINER CONNECTS WELL TO THE RESIDUAL LIMB WITHOUT STICKING, SLICK OUTER SURFACE WITHOUT TEXTILE FOR EASY DONNING AND DOPFING, NO - STRETCH MATRIX THE ENTIRE LENGTH OF LINER FOR REDUCED ELONGATION AND GOOD TISSUE MANAGEMENT, EASY TO BE CLEANED AND DRIED QUICKLY, SIZE 280 MM  | EA       | ITEMIZED | 100       |
| 64 | 4224171316000                  | ABOVE KNEE SEALING LINER SZ 380MM                               | ABOVE KNEE SEALING LINER WITH TWO SEALING RING HEIGHTS, WITHOUT DISTAL CONNECTION, WITH THE ANTI- BACTERIAL PROPERTIES AND SKIN - FRIENDLY OILS THAT HELP MINIMIZE ODDR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING WHILE PROTECTING THE SILICONE, WITH A TEXTURE ON THE INSIDE ENSURES THAT THE LINER CONNECTS WELL TO THE RESIDUAL LIMB WITHOUT STICKING, SLICK OUTER SURFACE WITHOUT TEXTILE FOR EASY DONNING AND DOPFING, NO - STRETCH MATRIX THE ENTIRE LENGTH OF LINER FOR REDUCED ELONGATION AND GOOD TISSUE MANAGEMENT, EASY TO BE CLEANED AND DRIED QUICKLY, SIZE 380 MM | EA       | ITEMIZED | 100       |
| 65 | 4224200006700                  | ADAPTER ADJUST SCREW TI 60MM WT225G                             | ADAPTER (SLIDING) WITH ADJUSTABLE SCREW S "TITANIUM" CONNECTS 2 PROSTHETIC COMPONENTS WITH PYRAMID ADAPTER AND ALSO ALLOWS A TRANSLATION A DUISTMENT MEDIALTY OR LATERALLY IN THE FRONTAL PLANE OR DORSALLY OR VENTRALLY IN THE SAGITTAL PLANE HEIGHT 60 MM APPROXIMATELY TITANIUM SYSTEM HEIGHT: 112 MM WEIGHT: 225 GRAMS APPROXIMATELY FOR BODY WEIGHT UP TO 100 KG                                                                                                                                                                                                                                             | EA       | ITEMIZED | 50        |
| 66 | 4224200503900                  | ADAPTER DOUBLE TI HT 112MM WT 125G                              | ADAPTER DOUBLE TITANIUM ABOVE AND BELOW WITH FOUR<br>EACH ADJUSTMENT SCREWS FOR CONNECTION BETWEEN<br>TWO PYRAMID ADAPTERS SYSTEM HEIGHT: 112 MM WEIGHT:<br>125 GRAMS FOR BODY WEIGHT UP TO 150 KG                                                                                                                                                                                                                                                                                                                                                                                                                | EA       | ITEMIZED | 42        |
| 67 | 4224200504000                  | ADAPTER DOUBLE TI HT 82MM WT 95G                                | ADAPTER DOUBLE TITANIUM ABOVE AND BELOW WITH FOUR<br>EACH ADJUSTMENT SCREW 5 FOR CONNECTION BETWEEN<br>TWO PYRAMID ADAPTERS SYSTEM HEIGHT: 82 MM WEIGHT:<br>95 GRAMS FOR BODY WEIGHT UP TO 150 KG                                                                                                                                                                                                                                                                                                                                                                                                                 | EA       | ITEMIZED | 31        |
| 68 | 4224200503800                  | ADAPTER DOUBLE TI HT 97MM WT 110G                               | ADAPTER DOUBLE TITANIUM ABOVE AND BELOW WITH FOUR<br>EACH ADJUSTMENT SCREW S FOR CONNECTION BETWEEN<br>TWO PYRAMID ADAPTERS SYSTEM HEIGHT: 97 MM WEIGHT:<br>110 GRAMS FOR BODY WEIGHT UP TO 150 KG                                                                                                                                                                                                                                                                                                                                                                                                                | EA       | ITEMIZED | 52        |
| 69 | 4224200021900                  | ADAPTER 4HOLE THREADED ALUMNUM 22MM 118G                        | ADAPTER, 4 - HOLE, THREADED TOP, WITH 20/20 OFFSET,<br>ALUMINUM, HEIGHT 22 MM, BUILD HEIGHT 22 MM, WEIGHT<br>118 GRAMS, WEIGHT CAPACITY IS UP TO 100 KG<br>ADAPTER, DOUBLE WITH PYRAMID, TITANIUM, FUNCTIONAL                                                                                                                                                                                                                                                                                                                                                                                                     | EA       | ITEMIZED | 90        |
| 70 | 4224200508500<br>4224200510300 | ADAPTER DOUBLE TI 30MM  DOUBLE ADAPTER FEMALE 45MM ALUMINUM 76G | HEIGHT, 3 O MM APPROXIMATELY  ADAPTER, DOUBLE, FEMALE, 45 MM, ALUMINUM, HEIGHT 45  MM, BUILD HEIGHT 45 MM, WEIGHT 76 GRAMS, WEIGHT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | EA<br>EA | ITEMIZED | 100<br>50 |
| 72 | 4224200510400                  | DOUBLE ADAPTER FEMALE 60MM ALUMINUM 88G                         | CAPACITY IS UP TO 100 KG  ADAPTER, DOUBLE, FEMALE, 60 MM, ALUMINUM, HEIGHT 60  MM, BUILD HEIGHT 60 MM, WEIGHT 88 GRAMS, WEIGHT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | EA       | ITEMIZED | 50        |
| 73 | 4224200510500                  | DOUBLE ADAPTER FEMALE 75MM ALUMINUM 100G                        | CAPACITY IS UP TO 100 KG  ADAPTER, DOUBLE, FEMALE, 75 MM, ALUMINUM, HEIGHT 75  MM, BUILD HEIGHT 75 MM, WEIGHT 100 GRAMS, WEIGHT  CAPACITY IS UP TO 100 KG                                                                                                                                                                                                                                                                                                                                                                                                                                                         | EA       | ITEMIZED | 50        |
| 74 | 4224200300000                  | ADAPTER CLAMP TITANIUM DOUBLE                                   | ADAPTER, DOUBLE, TITANIUM, ABOVE AND BELOW WITH FOUR EACH ADJUSTMENT SCREWS FOR CONNECTION BETWEEN TWO PYRAMID ADAPTERS, SYSTEM HEIGHT: 69 MM, WEIGHT: 85 GRAMS, FOR BODY WEIGHT UP TO 150 KG                                                                                                                                                                                                                                                                                                                                                                                                                     | PC       | ITEMIZED | 61        |
| 75 | 4224200509700                  | ADAPTER EURO 4 HOLE ALUMINUM 11MM                               | ADAPTER, EURO 4 - HOLE, ALUMINUM, HEIGHT 11 MM,<br>BUILD HEIGHT 11 MM, WEIGHT 70 GRAMS, WEIGHT<br>CAPACITY IS UP TO 100 KG                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | EA       | ITEMIZED | 50        |
| 76 | 4224200510200                  | ADAPTER FEMALE DOUBLE ALUMINUM 32MM 66G                         | ADAPTER, FEMALE, DOUBLE, 32 MM, ALUMINUM, HEIGHT 32<br>MM, BUILD HEIGHT 32 MM, WEIGHT 66 GRAMS, WEIGHT<br>CAPACITY IS UP TO 100 KG                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | EA       | ITEMIZED | 50        |
|    |                                |                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |          |          |           |

6/21/2022 Page 7 of 160

|     |               |                                          | T                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |    |          |      |
|-----|---------------|------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|----------|------|
| 78  | 4224200510100 | ADAPTER FEMALE SINGL ALUMINUM 200MM 153G | ADAPTER, FEMALE, SINGLE, SHORT, ALUMINUM, HEIGHT 200<br>MM, AND CAN BE CUT TO LENGTH 60 MM, BUILD HEIGHT 200<br>MM, WEIGHT 153 GRAMS, WEIGHT CAPACITY IS UP TO 100 KG                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | EA | ITEMIZED | 50   |
| 79  | 4224200510900 | ADAPTER MALE FEMALE DOUBLE 40MM 153G     | ADAPTER, MALE - FEMALE, DOUBLE, WITH 8 MM OFFSET,<br>AND 10 DEGREES ANGLE, STAINLESS STEEL, HEIGHT 40 MM,<br>BUILD HEIGHT 24 MM, WEIGHT 153 GRAMS, WEIGHT<br>CAPACITY IS UP TO 125 KG                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | EA | ITEMIZED | 170  |
| 80  | 4224200510600 | ADAPTER SACH FOOT ALU W/S STEEL 41MM 84G | ADAPTER, MALE, DOUBLE, ALUMINUM, WITH STAINLESS<br>STEEL, PYRAMID INSERT, HEIGHT 41 MM, BUILD HEIGHT 12<br>MM, WEIGHT 84 GRAMS, WEIGHT CAPACITY IS UP TO 100 KG                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | EA | ITEMIZED | 50   |
| 81  | 4224200509900 | ADAPTER MALE SINGLE LONG 77MM 86G        | ADAPTER, MALE, SINGLE, LONG, ALUMINUM, WITH<br>STAINLESS STEEL, PYRAMID INSERT, HEIGHT 77 MM, AND CAN<br>BE CUT TO 70 MM, BUILD HEIGHT 63 MM, WEIGHT 86<br>GRAMS, WEIGHT CAPACITY IS UP TO 100 KG                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | EA | ITEMIZED | 50   |
| 82  | 4224200510700 | ADAPTER SACH FOOT ALU W/SSTEEL 25MM 105G | ADAPTER, SACH FOOT, ALUMINUM, WITH STAINLESS STEEL,<br>PYRAMID INSERT, HEIGHT 25 MM, BUILD HEIGHT 9.5 MM,<br>WEIGHT 105 GRAMS, WEIGHT CAPACITY IS UP TO 100 KG                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | EA | ITEMIZED | 50   |
| 83  | 4224200510800 | ADAPTER SHIFT TI H60MM W100KG            | ADAPTER, SHIFT, WITH TITANIUM, HEIGHT 60 MM, BUILD<br>HEIGHT 60 MM, WEIGHT 208 GRAMS, WEIGHT CAPACITY IS<br>UP TO 100 KG                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | EA | ITEMIZED | 50   |
| 84  | 4224200509800 | SINGLE ADAPTER MALE SHORT 50MM ALU 60G   | ADAPTER, SINGLE, MALE, SHORT, ALUMINUM WITH<br>STAINLESS STEEL PYRAMID INSERT, HEIGHT 50 MM, BUILD<br>HEIGHT 35.5 MM, WEIGHT 60 GRAMS, WEIGHT CAPACITY IS<br>UP TO 100 KG                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | EA | ITEMIZED | 50   |
| 85  | 4224200508000 | ADAPTER SOCKET FOUR ADJUSTMENT TI        | ADAPTER, SOCKET WITH FOUR ADJUSTMENT SET SCREW S, TITANIUM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | EA | ITEMIZED | 100  |
| 86  | 4219180300600 | SOCKET ADAPTER FOR CHILDREN 4 SCREW S    | ADAPTER, SOCKET, FOR CHILDREN, WITH FOUR ADJUSTMENT SET SCREW S                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | EA | ITEMIZED | 100  |
| 87  | 4224200508100 | ADAPTER SOCKET PED TRANSTIBIAL           | ADAPTER, SOCKET, PEDIATRIC, FOR TRANSTIBIAL AND<br>TRANSFEMORAL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | EA | ITEMIZED | 100  |
| 88  | 4224200507900 | ADAPTER SOCKET ROTATABLE TI              | ADAPTER, SOCKET, ROTATABLE, TITANIUM, APPLICATION AS FOR SOCKET ADAPTER, WITH ADJUSTMENT SET SCREW S                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | EA | ITEMIZED | 100  |
| 89  | 4224200507700 | ADAPTER TUBE CLAMP FEMALE TI 30MM        | ADAPTER, TUBE CLAMP, FEMALE, TITANIUM, MOVABLE, 30 MM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | EA | ITEMIZED | 100  |
| 90  | 4224200508600 | ADAPTER TUBE CLAMP FEMALE TI 34MM        | ADAPTER, TUBE CLAMP, FEMALE, TITANIUM, MOVABLE, 34 MM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | EA | ITEMIZED | 100  |
| 91  | 4224200508400 | ADAPTER TUBE CLAMP CHILDREN UPPER PYRAMD | ADAPTER, TUBE CLAMP, FOR CHILDREN WITH UPPER PYRAMID AND LOWER TUBE CLAMP WITH CLAMP SCREW FOR TRANS - TIBIAL PROSTHESIS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | EA | ITEMIZED | 100  |
| 92  | 4224200508300 | ADAPTER TUBE CLAMP PEDIATRIC             | ADAPTER, TUBE CLAMP, PEDIATRIC  AIR WALKER WITH PATENTED PNEUMATIC SYSTEM PADDED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | EA | ITEMIZED | 100  |
| 93  | 4224170706700 | AIR WALKER EXTRA-LARGE LOW PROFILE       | WITH SOFT LINERS AND EASY TO FIT EXTRA-LARGE LOW PROFILE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | EA | ITEMIZED | 1000 |
| 94  | 4224170706800 | AIR WALKER EXTRA-LARGE STANDARD          | AIR WALKER WITH PATENTED PNEUMATIC SYSTEM PADDED WITH SOFT LINERS AND EASY TO FIT EXTRA-LARGE STANDARD                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | EA | ITEMIZED | 1000 |
| 95  | 4224170706000 | AIR WALKER MEDIUM LOW PROFILE            | AIR WALKER WITH PATENTED PNEUMATIC SYSTEM, PADDED WITH SOFT LINERS AND EASY TO FIT MEDIUM LOW PROFILE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | EA | ITEMIZED | 1000 |
| 96  | 4224170706400 | AIR WALKER SMALL STANDARD                | AIR WALKER WITH PATENTED PNEUMATIC SYSTEM, PADDED WITH SOFT LINERS AND EASY TO FIT SMALL, STANDARD                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | EA | ITEMIZED | 1000 |
| 97  | 4224170706500 | AIR WALKER EXTRA SMALL LOW PROFILE       | AIR WALKER WITH PATENTED PNEUMATIC SYSTEM, PADDED WITH SOFT LINERS AND EASY TO FIT, EXTRA SMALL, LOW PROFILE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | EA | ITEMIZED | 1000 |
| 98  | 4224170705900 | AIR WALKER EXTRA SMALL STANDARD          | AIR WALKER WITH PATENTED PNEUMATIC SYSTEM, PADDED WITH SOFT LINERS AND EASY TO FIT, EXTRA SMALL, STANDARD                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | EA | ITEMIZED | 1000 |
| 99  | 4224170706200 | AIR WALKER LARGE LOW PROFILE             | AIR WALKER WITH PATENTED PNEUMATIC SYSTEM, PADDED WITH SOFT LINERS AND EASY TO FIT, LARGE, LOW PROFILE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | EA | ITEMIZED | 1000 |
| 100 | 4224170706600 | AIR WALKER LARGE STANDARD                | AIR WALKER WITH PATENTED PNEUMATIC SYSTEM, PADDED WITH SOFT LINERS AND EASY TO FIT, LARGE, STANDARD                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | EA | ITEMIZED | 1000 |
| 101 | 4224170706300 | AIR WALKER MEDIUM STANDARD               | AIR WALKER WITH PATENTED PNEUMATIC SYSTEM, PADDED WITH SOFT LINERS AND EASY TO FIT, MEDIUM, STANDARD                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | EA | ITEMIZED | 1000 |
| 102 | 4224170706100 | AIR WALKER SMALL LOW PROFILE             | AIR WALKER WITH PATENTED PNEUMATIC SYSTEM, PADDED WITH SOFT LINERS AND EASY TO FIT, SMALL, LOW PROFILE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | EA | ITEMIZED | 1000 |
| 103 | 4224170119400 | TOE CUSHION PAD THERMOPLASTIC LARGE/LEFT | ANATOMICAL CONFORMATION IT INCORPORATES CUSHION PAD FOR 1ST TOE METATARSAL STRAP RULED ON THE 5 TH METATARSAL FOR THE CONTROL OF THE CORRECTIVE PRESSURE METATARSAL STRAP ON THE 1ST METATARSAL ANATOMY AND RETROCAPITAL IT INCORPORATES COMFORT PAD ON THE 5 TH METATARSAL MADE OF THERMOPLASTIC AND WITH SOFT VELOUR MICRO VELCRO CLOSURE THE APPLICATION OF LOW INTENSITY FORCES EXERTED BY THE BIG TOE ACCORDING TO ITS AXIS CORRECTING ITS DEVIATION IN VALGUS (BUNION) AND ACHIEVING THE METATARSOPHALANGEAL ALIGNMENT GENERATES A SIGNIFICANT ELONGATION EFFECT ON THE FLEXOR AND EXTENSOR MUSCLES OF THE FIRST TOE THIS EFFECT BASED ON A CONSTANT AND CONTROLLED LOW INTENSITY PRESSURE FAVORS THE GRADUAL ALIGNMENT OF THE DEVIATION OF THE TOE DECREASING THE BUNION AND ACHIEVING MAXIMUM TISSUE AND JOINT NORMALIZATION CONSERVATIVE TREATMENT OF HALLUX VALGUS NIGHT BUNION ALIGNER POST - OPPERATIVE HALLUX VALGUS SIZE S ACCORDING TO SHOE SIZE LARGE/LEFT | EA | ITEMIZED | 250  |

6/21/2022 Page 8 of 160

| 104 | 4224170119500 | TOE CUSHION PAD THERMOPLASTIC MED/LEFTT  | ANATOMICAL CONFORMATION IT INCORPORATES CUSHION PAD FOR 1ST TOE METATARSAL STRAP RULED ON THE 5 TH METATARSAL FOR THE CONTROL OF THE CORRECTIVE PRESSURE METATARSAL STRAP ON THE 1ST METATARSAL ANATOMY AND RETROCAPITAL IT INCORPORATES COMFORT PAD ON THE 5 TH METATARSAL MADE OF THERMOPLASTIC AND WITH 50FT VELOUR MICRO VELCRO CLOSURE THE APPLICATION OF LOW INTENSITY FORCES EXERTED BY THE ORTHOSIS THROUGH THREE POINTS OF SUPPORT PLACES THE BIG TOE ACCORDING TO ITS AXIS CORRECTING ITS DEVIATION IN VALGUS (BUNION) AND ACHIEVING THE METATARSOPHALANGEAL ALIGNMENT GENERATES A SIGNIFICANT ELONGATION EFFECT ON THE FLEXOR AND EXTENSOR MUSCLES OF THE FIRST TOE THIS EFFECT BASED ON A CONSTANT AND CONTROLLED LOW INTENSITY PRESSURE FAVORS THE GRADUAL ALIGNMENT OF THE DEVIATION OF THE TOE DECREASING THE BUNION AND ACHIEVING MAXIMUM TISSUE AND JOINT NORMALIZATION CONSERVATIVE TREATMENT OF HALLUX VALGUS NIGHT BUNION ALIGNER POST - OPERATIVE HALLUX VALGUS SIZE S ACCORDING TO SHOE SIZE MEDIUM/LEFT | EA | ITEMIZED | 250 |
|-----|---------------|------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|----------|-----|
| 105 | 4224170119600 | TOE CUSHION PAD THERMOPLASTIC SM/RIGHT   | ANATOMICAL CONFORMATION IT INCORPORATES CUSHION PAD FOR 1ST TOE METATARSAL STRAP RULED ON THE 5 TH METATARSAL FOR THE CONTROL OF THE CORRECTIVE PRESSURE METATARSAL STRAP ON THE 1ST METATARSAL ANATOMY AND RETROCAPITAL IT INCORPORATES COMFORT PAD ON THE 5 TH METATARSAL MADE OF THERMOPLASTIC AND WITH 50FT VELOUR MICRO VELCRO CLOSURE THE APPLICATION OF LOW INTENSITY FORCES EXERTED BY THE ORTHOSIS THROUGH THREE POINTS OF SUPPORT PLACES THE BIG TOE ACCORDING TO ITS AXIS CORRECTING ITS DEVIATION IN VALIGUS (BUINION) AND ACHIEVING THE METATARSOPHALANGEAL ALIGNMENT GENERATES A SIGNIFICANT ELONGATION FEFECT ON THE FLEXOR AND EXTENSOR MUSCLES OF THE FIRST TOE THIS EFFECT BASED ON A CONSTANT AND CONTROLLED LOW INTENSITY PRESSURE FAVORS THE GRADUAL ALIGNMENT OF THE DEVIATION OF THE TOE GRADUAL ALIGNMENT TO THE DEVIATION OF THE TOE DECREASING THE BUNION AND ACHIEVING MAXIMUM TISSUE AND JOINT NORMALIZATION CONSERVATIVE TREATMENT OF HALLUX VALIGUS SIZE S ACCORDING TO SHOE SIZE SMALL/RIGHT    | EA | iTEMIZED | 250 |
| 106 | 4224170119700 | TOE CUSHION PAD THERMOPLASTC LARGE/RIGHT | ANATOMICAL CONFORMATION IT INCORPORATES CUSHION PAD FOR 15T TOE METATARSAL STRAP RULED ON THE 5 TH METATARSAL FOR THE CONTROL OF THE CORRECTIVE PRESSURE METATARSAL STRAP ON THE 15T METATARSAL ANATOMY AND RETROCAPITAL IT INCORPORATES COMFORT PAD ON THE 5 TH METATARSAL MADE OF THERMOPLASTIC AND WITH 50FT VELOUR MICRO VELCRO CLOSURE THE APPLICATION OF LOW INTENSITY FORCES EXERTED BY THE ORTHOSY STRANGE POINTS OF SUPPORT PLACES THE BIG TOE ACCORDING TO ITS AXIS CORRECTING ITS DEVIATION IN VALGUS (BUNION) AND ACHIEVING THE METATARSOPHALANGEAL ALIGNMENT GENERATES A SIGNIFICANT ELONGATION EFFECT ON THE FLEXOR AND EXTENSOR MUSCLES OF THE FIRST TOE THIS EFFECT BASED ON A CONSTANT AND CONTROLLED LOW INTENSITY PRESSURE FAVORS THE GRADUAL ALIGNMENT OF THE DEVIATION OF THE TOE DECREASING THE BUNION AND ACHIEVING MAXIMUM TISSUE AND JOINT NORMALIZATION CONSERVATIVE TREATMENT OF HALLUX VALGUS SIZE S ACCORDING TO SHOE SIZE LARGE/RIGHT                                                            | EA | ITEMIZED | 250 |
| 107 | 4224170119800 | TOE CUSHION PAD THERMOPLASTIC MED/RIGHT  | ANATOMICAL CONFORMATION IT INCORPORATES CUSHION PAD FOR 1ST TOE METATARSAL STRAP RULED ON THE 5 TH METATARSAL FOR THE CONTROL OF THE CORRECTIVE PRESSURE METATARSAL STRAP ON THE 1ST METATARSAL ANATOMY AND RETROCAPITAL IT INCORPORATES COMFORT PAD ON THE 5 TH METATARSAL MADE OF THERMOPLASTIC AND WITH 5 OFF VELOUR MICRO VELCRO CLOSURE THE APPLICATION OF LOW INTENSITY FORCES EXERTED BY THE ORTHOSIS THROUGH THREE POINTS OF SUPPORT PLACES THE BIG TOE ACCORDING TO ITS AXIS CORRECTING ITS DEVIATION IN VALIGUS (BUINION) AND ACHIEVING THE METATARSOPHALANGEAL ALIGNMENT GENERATES A SIGNIFICANT ELONGATION FEFECT ON THE FLEXOR AND EXTENSOR MUSCLES OF THE FIRST TOE THIS EFFECT BASED ON A CONSTANT AND CONTROLLED LOW INTENSITY PRESSURE FAVORS THE GRADUAL ALIGNMENT OF THE DEVIATION OF THE TOE GRADUAL ALIGNMENT TO THE DEVIATION OF THE TOE CREASING THE BUNION AND ACHIEVING MAXIMUM TISSUE AND JOINT NORMALIZATION CONSERVATIVE TREATMENT OF HALLUX VALGUS SIZE S ACCORDING TO SHOE SIZE MEDIUM/RIGHT     | EA | iTEMIZED | 250 |

6/21/2022 Page 9 of 160

| 108 | 4224170119900 | TOE CUSHION PAD THERMOPLASTIC SMALL/LEFT | ANATOMICAL CONFORMATION IT INCORPORATES CUSHION PAD FOR 1ST TOE METATARSAL STRAP RULED ON THE 5 TH METATARSAL FOR THE CONTROL OF THE CORRECTIVE PRESSURE METATARSAL STRAP ON THE 1ST METATARSAL ANATOMY AND RETROCAPITAL IT INCORPORATES COMFORT PAD ON THE 5TH METATARSAL MADE OF THERMOPLASTIC AND WITH SOFT VELOUN MICRO VELCRO CLOSURE THE APPLICATION OF LOW INTENSITY FORCES EXERTED BY THE ORTHOSIS THROUGH THREE POINTS OF SUPPORT PLACES THE BIG TOE ACCORDING TO ITS AXIS CORRECTION ITS DEVIATION IN VALICUS (BUNION) AND ACHIEVING THE METATARSOPHALANGEAL ALIGNMENT GENERATES A SIGNIFICANT ELONGATION EFFECT ON THE FLEXOR AND EXTENSOR MUSCLES OF THE FIRST TOE THIS EFFECT BASED ON A CONSTANT AND CONTROLLED LOW INTENSITY PRESSURE FAVORS THE GRADUAL ALIGNMENT OF THE DEVIATION OF THE TOE DECREASING THE BUNION AND ACHIEVING MAXIMUM TISSUE AND JOINT NORMALIZATION CONSERVATIVE TREATMENT OF HALLUX VALIGUS NIGHT BUNION ALIGNER POST - OPERATIVE HALLUX VALIGUS SIZES ACCORDING TO SHOE SIZE SMALL/LEFT                                                                                                                                                                                                                                                                                                                                                                                                        | EA  | ITEMIZED | 250 |
|-----|---------------|------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|-----|
| 109 | 4224200005600 | ANGLE TUBE ADAPTER TITANIUM 10 DEGREES   | ANGLE TUBE ADAPTER TITANIUM WITH APPROXIMATELY 10 DEGREES INNER DIAMETER 30 MM SYSTEM HEIGHT: 34 MM WEIGHT: 85 GRAMS FOR BODY WEIGHT UP TO 100 KG                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | EA  | ITEMIZED | 50  |
| 110 | 4224200004200 | ANGLE TUBE ADAPTER TITANIUM 20 DEGREES   | ANGLE TUBE ADAPTER TITANIUM WITH APPROXIMATELY 20 DEGREES INNER DIAMETER 30 MM SYSTEM HEIGHT: 34 MM WEIGHT: 85 GRAMS FOR BODY WEIGHT UP TO 100 KG                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | EA  | ITEMIZED | 47  |
| 111 | 4224200136800 | ANKL ALIGNMNT SWING DOORSIFLEXION PT ASS | ANKLE ALIGNMENT, SWINIG DORSHEEXION - ROUGHLY 70%. GREATER MINIMUM TOE CLEARANCE INCREASED RANGE OF MOTION HIGHER GROUND COMPLIANCE ANKLE ADJUSTS TO THE HEEL HEIGHT OR BAREFOOT SITUATION OF USER, STAIR ADAPTATION, INCREASED KNEE FLEXION AND INCREASED KNEE MOMENT, RAMP ADAPTATION, RELAY/CHAIR EXIT, FASTER TERRAIN ADAPTATION, AUTOMATIC CYCLING RECOGNITION, STANDBY, WEATHERPROOF, MORE DYNAMIC AND MORE ENERGY RETURN, APP TO ADJUST SETTINGS SUCH AS ANKLE ALIGNMENT, RELAX MODE, CHAIR EXIT MODE AND STANDBY, MORE COMPATIBLE WITH FUNCTIONS OF THE FEET AND MORE ANATOMICAL DESIGN INCREASED, SAFETY BY DECREASED LIKELYHOOD OF TRIPPING AND FALLING MORE NATURAL GAIT AND LESS SOUND SIDE LOADING INCREASE SAFETY BY STRONGER CONNECTION TO THE SURFACE, FREEDOM IN CHOICE OF FOOTWEAR, MORE NATURAL STAIR ASCENT AND DESCENT, MORE NATURAL MOVEMENTS, LESS THINKING BEFORE WALKING, FASTER ADAPTATION TO CHANGES, MORE NATURAL WALKING AND LESS THINKING, FOOT CAN WITHSTAND CONDENSATION, HUMIDITY AND FOO, SPILLING WATER, SPLASHING WATER AND HEAVY RAIN, REDUCED ENERGY CONSUMPTION - PATIENT IS LESS TIRED AND CAN WALK LONGER DISTANCES, EXCELLENT STANCE DYNAMICS, USER HAS MORE CONTROL OVER THE DEVICES OPTIONS AND SETTINGS, IMPROVES NATURAL LOOK AND MOVEMENT TRANSTIBIAL AND TRANSFEMORAL LOW TO MODERATE IMPACT LEVEL MAX. WEIGHT 125 KGUNILATERAL TRANSTIBIAL AMPUTEES BILATERAL, TRANSTEMORAL AMPUTEES | кіт | ITEMIZED | 50  |
| 112 | 4224150901100 | ANKLE FOOT ORTHOSIS SZ 35 37 LEFT        | ANKLE FOOT ORTHOSIS, RIGID, POLYPROPYLENE, A MM, FULL INSOLE NERVES OF THE POSTERIOR AREA PROVIDE THE NECESSARY SUPPORT AND AT THE SAME TIME IS WEIGHTLESS, PLANTAR ZONE CHARACTERIZED BY ARCH CONFORMATION, EASY ADAPTATION DUE TO ITS ANATOMICAL DESIGN, VERY RESISTANT PADDING IN CALF AREA, ASSISTS DORSIRLEXION IN THE EQUINE FOOT, SIZE 35-37, LEFT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | EA  | ITEMIZED | 700 |
| 113 | 4224150901200 | ANKLE FOOT ORTHOSIS SZ 37 39 LEFT        | ANKLE FOOT ORTHOSIS, RIGID, POLYPROPYLENE, 4 MM, FULL INSOLE NERVES OF THE POSTERIOR AREA PROVIDE THE NECESSARY SUPPORT AND AT THE SAME TIME IS WEIGHTLESS, PLANTAR ZONE CHARACTERIZED BY ARCH CONFORMATION, EASY ADAPTATION DUE TO ITS ANATOMICAL DESIGN, VERY RESISTANT PADDING IN CALF AREA, ASSISTS DORSILEXION IN THE EQUINE FOOT, SIZE 37-39, LEFT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | EA  | ITEMIZED | 400 |
| 114 | 4224150901300 | ANKLE FOOT ORTHOSIS SZ 37 39 RIGHT       | ANKLE FOOT ORTHOSIS, RIGID, POLYPROPYLENE, A MM, FULL INSOLE NERVES OF THE POSTERIOR AREA PROVIDE THE NECESSARY SUPPORT AND AT THE SAME TIME IS WEIGHTLESS, PLANTAR ZONE CHARACTERIZED BY ARCH CONFORMATION, EASY ADAPTATION DUE TO ITS ANATOMICAL DESIGN, VERY RESISTANT PADDING IN CALF AREA, ASSISTS DORSILEXION IN THE EQUINE FOOT, SIZE 37-39, RIGHT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | EA  | ITEMIZED | 400 |
| 115 | 4224170644700 | ANKLE FOOT ORTHOSIS RIGID SZ 41 44 RIGHT | ANKLE FOOT ORTHOSIS, RIGID, POLYPROPYLENE, A MM, FULL INSOLE NERVES OF THE POSTERIOR AREA PROVIDE THE NECESSARY SUPPORT AND AT THE SAME TIME IS WEIGHTLESS, PLANTAR ZONE CHARACTERIZED BY ARCH CONFORMATION, EASY ADAPTATION DUE TO ITS ANATOMICAL DESIGN, VERY RESISTANT PADDING IN CALF AREA, ASSISTS DORSILEXION IN THE EQUINE FOOT, SIZE 41-44, RIGHT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | EA  | ITEMIZED | 400 |
| 116 | 4224170644800 | ANKLE FOOT ORTHOSIS RIGID SZ 39 41 LEFT  | ANKLE FOOT ORTHOSIS, RIGID, POLYPROPYLENE, 4 MM, FULL INSOLE NERVES OF THE POSTERIOR AREA PROVIDE THE NECESSARY SUPPORT AND AT THE SAME TIME IS WEIGHTLESS, PLANTAR ZONE CHARACTERIZED BY ARCH CONFORMATION, EASY ADAPTATION DUE TO ITS ANATOMICAL DESIGN, VERY RESISTANT PADDING IN CALF AREA, ASSISTS DORSILEXION IN THE EQUINE FOOT, SIZE 39-41, LEFT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | EA  | ITEMIZED | 400 |

6/21/2022 Page 10 of 160

| 117 | 4224170644900 | ANKLE FOOT ORTHOSIS RIGID SZ 39 41 RIGHT | ANKLE FOOT ORTHOSIS, RIGID, POLYPROPYLENE, A MM, FULL  INSOLE NERVES OF THE POSTERIOR AREA PROVIDE THE  NECESSARY SUPPORT AND AT THE SAME TIME IS  WEIGHTLESS, PLANTAR ZONE CHARACTERIZED BY ARCH  CONFORMATION, EASY ADAPTATION DUE TO ITS  ANATOMICAL DESIGN, VERY RESISTANT PADDING IN CALF  AREA, ASSISTS DORSIFILEXION IN THE EQUINE FOOT, SIZE 39  41, RIGHT                                                                                                                                          | EA | ITEMIZED | 400  |
|-----|---------------|------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|----------|------|
| 118 | 4224170645000 | ANKLE FOOT ORTHOSIS RIGID SZ 41 44 LEFT  | ANKLE FOOT ORTHOSIS, RIGID, POLYPROPYLENE, 4 MM, FULL INSOLE NERVES OF THE POSTERIOR AREA PROVIDE THE NECESSARY SUPPORT AND AT THE SAME TIME IS WEIGHTLESS, PLANTAR ZONE CHARACTERIZED BY ARCH CONFORMATION, EASY ADAPTATION DUE TO ITS ANATOMICAL DESIGN, VERY RESISTANT PADDING IN CALF AREA, ASSISTS DORSHEAVION IN THE EQUINE FOOT, SIZE 41-44, LEFT                                                                                                                                                    | EA | ITEMIZED | 400  |
| 119 | 4618220703000 | ANKLE IMMOBILIZER WITH STEEL SPLINTS     | ANKLE IMMOBILIZER WITH STEEL SPLINTS, CONTAINS SHAPED STEEL SPLINTS, RELEASING MALLEOLUS, EXCELLENT COMFORT, FOAM MATERIAL, ADJUSTMENT ON FOREFOOT AND SUPRAMALLEOLAR, CLOSURE AND ADJUSTMENT MADE OF VELCRO, IMMOBILIZATION, ANTIALGIC THERAPEUTIC HEAT, INJURIES TO JOINTS WITHOUT FRACTURE, ANTERIOR FIBULAR LIGAMENT SPRAINS AND PERONEUS - CALCANEUS, POSTOPERATIVE, POTECTION REGARDING TENDINOUS PLASTIES                                                                                            | EA | ITEMIZED | 50   |
| 120 | 4618220700100 | ANKLE STABILIZER W/LATERAL SPLINTS XL    | ANKLE STABILIZER WITH LATERAL SPLINTS, MADE OF INELASTIC TECHNICAL FABRIC OF 3 D TECHNOLLOGY, ADJUSTMENT BY LACES, LATERAL ELASTIC STRAP FOR "8 INCHES BANDAGE THAT ALLOWS THE CONTROL OF THE VARUS/VALGUS, SPRAIN OF LIGAMENTS CHRONIC LIGAMENT LAXITY, JOINT CAPSULE INJURY, CHRONIC JOINT INSTABILITY, RECURRENCE PREVENTION, TRAUMA, STABILIZING TREATMENT AFTER PROLONGED IMMOBILIZATION, POSTSURGICAL SZIE: EXTRA LARGE                                                                               | EA | ITEMIZED | 2000 |
| 121 | 4618220700200 | ANKLE STABILIZER W/LATERAL SPLINTS MED   | ANKLE STABILIZER WITH LATERAL SPLINTS, MADE OF INELASTIC TECHNICAL FABRIC OF 3 D TECHNOLLOGY, ADJUSTMENT BY LACES, LATERAL ELASTIC STRAP FOR "8 INCHES BANDAGE THAT ALLOWS THE CONTROL OF THE VARUS/VALGUS, SPRAIN OF LIGAMENTS CHRONIC LIGAMENT LAXITY, JOINT CAPSULE INJURY, CHRONIC JOINT INSTABILITY, RECURRENCE PREVENTION, TRAUMA, STABILIZING TREATMENT AFTER PROLONGED IMMOBILIZATION, POSTSURGICAL, SIZE MEDIUM                                                                                    | EA | ITEMIZED | 2000 |
| 122 | 4618220703600 | ANKLE STABILIZER W/LAT SPLINT SMALL      | ANKLE STABILIZER WITH LATERAL SPLINTS, MADE OF INELASTIC TECHNICAL FABRIC OF 3 D TECHNOLOGY, ADJUSTMENT BY LACES, LATERAL ELASTIC STRAP FOR "8 INCHES BANDAGE THAT ALLOWS THE CONTROL OF THE VARUS/VALGUS, SPRAIN OF LIGAMENTS CHRONIC LIGAMENT LAXITY, JOINT CAPSULE INJURY, CHRONIC JOINT INSTABILITY, RECURRENCE PREVENTION, TRAUMA, STABILIZING TREATMENT AFTER PROLONGED IMMOBILIZATION, POSTSURICAL, SIZE SMALL                                                                                       | EA | ITEMIZED | 2000 |
| 123 | 4618220700000 | ANKLE STABILIZER W/LATERAL SPLINTS LARGE | ANKLE STABILIZER WITH LATERAL SPLINTS, MADE OF INELASTIC TECHNICAL FABRIC OF 3 D TECHNOLLOGY, ADJUSTMENT BY LACES, LATERAL ELASTIC STAP FOR "8 INCHES BANDAGE THAT ALLOWS THE CONTROL OF THE VARUS/VALGUS, SPRAIN OF LIGAMENTS, CHRONIC LIGAMENT LAXITY, JOINT CAPSULE INJURY, CHRONIC JOINT INSTABILITY, RECURRENCE PREVENTION TRAUMA STABILIZING TREATMENT AFTER PROLONGED IMMOBILIZATION, POSTSURGICAL, SIZE: LARGE                                                                                      | EA | ITEMIZED | 2000 |
| 124 | 4224200021100 | JOINT ANKLE ADJUSTABLE RANGE OF MOTION   | ANKLE, JOINT, ADJUSTABLE RANGE - OF - MOTION, WITH ANATOMICAL AXIS ALIGNMENT, AVAILABLE IN BLACK OR UNFINISHED STAINLESS STEEL, LEAY TO FABRICATE, MATCHES CONTOURS, AND CO - AXIAL ALIGNMENT, OF THE ANATOMICAL ANKLE JOINT, PLANTAR FLEXION RANGE OF MOTION, IS LIMITED DORSIFLEXION RANGE OF MOTION, IS LIMITED, CAN BE CONFIGURED, TO PROVIDE FREE MOTION, OR NO MOTION, DESIGN TO BE STROOK AND STABLE, MEDIAL/LATERAL, CONTROL MOTION, LIMITING DORSIFLEXION AND/OR PLANTAR FLEXION MOTION ADJUSTMENT | EA | ITEMIZED | 110  |
| 125 | 4224200148700 | AFO PEDIA CARBON MEDIUM LEFT 26X18CM     | ANKLE-FOOT ORTHOSIS, PEDIATRIC, LIGHT CARBON FIBER,<br>ADJUSTABLE SHELL, MEDIUM, LEFT, HEIGHT 26 CM, FOOT<br>LENGTH 18 CM                                                                                                                                                                                                                                                                                                                                                                                   | EA | ITEMIZED | 50   |
| 126 | 4224200148800 | AFO PEDIA CARBON MEDIUM RIGHT 26X18CM    | ANKLE-FOOT ORTHOSIS, PEDIATRIC, LIGHT CARBON FIBER,<br>ADJUSTABLE SHELL, MEDIUM, RIGHT, HEIGHT 26 CM, FOOT<br>LENGTH 18 CM                                                                                                                                                                                                                                                                                                                                                                                  | EA | ITEMIZED | 50   |
| 127 | 4224151016000 | ANTIBACT THERMOLYN DAFO 2000X1000X6MM    | ANTIBACTERIAL THERMOLYN PP - H OR EQUIVALENT<br>DYNAMIC ANKLE FOOT ORTHOSIS (DAFO) AND ANKLE SEVEN<br>LENGTH 2000 MM WIDTH 1000 MM THICKNESS 6 MM                                                                                                                                                                                                                                                                                                                                                           | EA | ITEMIZED | 53   |
| 128 | 4224151015400 | ANTIBACTERIAL THERMOLYN 2000X1000X3MM    | ANTIBACTERIAL THERMOLYN, PE 200 OR EQUIVALENT, FOR TLSO, LENGTH 2000 MM, WIDTH 1000 MM, THICKNESS 3 MM                                                                                                                                                                                                                                                                                                                                                                                                      | EA | ITEMIZED | 38   |
| 129 | 4224151015500 | ANTIBACT THERMOLYN TLSO 2000X1000X6MM    | ANTIBACTERIAL THERMOLYN, PE 200 OR EQUIVALENT, FOR TLSO, LENGTH 2000 MM, WIDTH 1000 MM, THICKNESS 6 MM                                                                                                                                                                                                                                                                                                                                                                                                      | EA | ITEMIZED | 48   |
| 130 | 4224151015600 | ANTIBACTERIAL THERMOLYN CLEAR BREAK RES  | ANTIBACTERIAL THERMOLYN, PETG OR EQUIVALENT, CLEAR,<br>FOR TRANSFEMORAL FITTINGS WITH/WITHOUT LINERS,<br>HIGHLY TRANSPARENT, BREAK RESISTANT SIZE WILL BE ON<br>DEMAND                                                                                                                                                                                                                                                                                                                                      | EA | ITEMIZED | 47   |
| 131 | 4224151015700 | ANTIBACTERIAL THERMOLYN CLEAR 400MMX5MM  | ANTIBACTERIAL THERMOLYN, PETG OR EQUIVALENT, CLEAR,<br>FOR TRANSFEMORAL FITTINGS WITH/WITHOUT LINERS,<br>HIGHLY TRANSPARENT, BREAK RESISTANT, LENGTH 400 MM,<br>THICKNESS 5 MM                                                                                                                                                                                                                                                                                                                              | EA | ITEMIZED | 73   |
| 132 | 4224151015800 | ANTIBACTERIAL THERMOLYN 2000X1000X4MM    | ANTIBACTERIAL THERMOLYN, PP - H OR EQUIVALENT,<br>DYNAMIC ANKLE FOOT ORTHOSIS AND ANKLE SEVEN, LENGTH<br>2000 MM, WIDTH 1000 MM, THICKNESS 4 MM                                                                                                                                                                                                                                                                                                                                                             | EA | ITEMIZED | 53   |
| 133 | 4224151015900 | ANTIBACTERIAL THERMOLYN 2000X1000X5MM    | ANTIBACTERIAL THERMOLYN, PP - H OR EQUIVALENT,<br>DYNAMIC ANKLE FOOT ORTHOSIS AND ANKLE SEVEN, LENGTH<br>2000 MM, WIDTH 1000 MM, THICKNESS 5 MM                                                                                                                                                                                                                                                                                                                                                             | EA | ITEMIZED | 53   |

6/21/2022 Page 11 of 160

|     |               |                                          |                                                                                                                                                                                                                      |     | T        | T   |
|-----|---------------|------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|-----|
| 134 | 4224200030700 | ANVILS AN ORTHOTICS WORKSHOP TOOL        | ANVILS, AN ORTHOTICS WORKSHOP TOOL, HIGH-GRADE<br>STEEL WHICH FEATURES HIGH HABDNESS AND DURABILITY,<br>DIMENSIONS WXH 500 X 190 MM, ITS EXCELLENT FOR<br>RIVETING, FLATTENING AND FORMING METAL, WEIGHT 40-80<br>KG | EA  | ITEMIZED | 10  |
| 135 | 4618160900000 | ARCH SUPPORT FULL-LENGTH LARGE 39 41     | ARCH SUPPORT FULL-LENGTH SIZE LARGE 39 - 41                                                                                                                                                                          | EA  | ITEMIZED | 750 |
| 136 | 4618160900100 | ARCH SUPPORT HIGH DENSITY LRG 3941 PAIR  | ARCH SUPPORT, HIGH DENSITY, FULL LENGTH, SIZE: LARGE (39-41), PAIR                                                                                                                                                   | PAA | ITEMIZED | 338 |
| 137 | 4618160900200 | ARCH SUPPORT HIGH DENSITY MED 3739 PAIR  | ARCH SUPPORT, HIGH DENSITY, FULL LENGTH, SIZE: MEDIUM (37-39), PAIR                                                                                                                                                  | PAA | ITEMIZED | 558 |
| 138 | 4618160900300 | ARCH SUPPORT HIGH DENSITY SML 3537 PAIR  | ARCH SUPPORT, HIGH DENSITY, FULL LENGTH, SIZE: SMALL (35-37), PAIR                                                                                                                                                   | PAA | ITEMIZED | 597 |
| 139 | 4618160900400 | ARCH SUPPORT HIGH DENSITY XXL 4446 PAIR  | ARCH SUPPORT, HIGH DENSITY, FULL LENGTH, SIZE: XX-LARGE<br>(44-46), PAIR                                                                                                                                             | PAA | ITEMIZED | 430 |
| 140 | 4618160900500 | ARCH SUPPORT HIGH DENSITY XL 41-44       | ARCH SUPPORT, HIGH DENSITY, FULL LENGTH, X-LARGE, (41-44)                                                                                                                                                            | PAA | ITEMIZED | 463 |
| 141 | 4618160900600 | ARCH SUPPORT MED DENSITY MED 3739 PAIR   | ARCH SUPPORT, MEDIUM DENSITY, FULL LENGTH, SIZE MEDIUM (37-39), PAIR                                                                                                                                                 | PAA | ITEMIZED | 600 |
| 142 | 4618160900700 | ARCH SUPPORT MED DENSITY SML 35-37 PAIR  | ARCH SUPPORT, MEDIUM DENSITY, FULL LENGTH, SIZE SMALL (35-37), PAIR                                                                                                                                                  | PAA | ITEMIZED | 471 |
| 143 | 4618160900800 | ARCH SUPPORT MED FULL LENGTH SZ XL 41-44 | ARCH SUPPORT, MEDIUM DENSITY, FULL LENGTH, SIZE:<br>EXTRA LARGE (41-44)                                                                                                                                              | PAA | ITEMIZED | 600 |
| 144 | 4618160901000 | ARCH SUPPORT MED DENSITY LRG 39-41 PAIR  | ARCH SUPPORT, MEDIUM DENSITY, FULL LENGTH, SIZE:<br>LARGE (39-41), PAIR                                                                                                                                              | PAA | ITEMIZED | 454 |
| 145 | 4618160900900 | ARCH SUPPORT MED DENSITY XXL 4446 PAIR   | ARCH SUPPORT, MEDIUM DENSITY, FULL LENGTH, SIZE: XX-<br>LARGE (44-46), PAIR                                                                                                                                          | PAA | ITEMIZED | 486 |
| 146 | 4618160901100 | ORTHOTIC SUPPORT ARCH SZ 18 PEDIA PAIR   | ARCH SUPPORT, PEDIATRIC, HIGH DENSITY, FULL LENGTH, SIZE: 18, PAIR                                                                                                                                                   | PAA | ITEMIZED | 298 |
| 147 | 4618160901300 | ORTHOTIC SUPPORT ARCH PEDIA SZ 20 PAIR   | ARCH SUPPORT, PEDIATRIC, HIGH DENSITY, FULL LENGTH, SIZE: 20, PAIR                                                                                                                                                   | PAA | ITEMIZED | 386 |
| 148 | 4618160908100 | ORTHOTIC SUPPORT ARCH PEDIA SIZE 22 PAIR | ARCH SUPPORT, PEDIATRIC, HIGH DENSITY, FULL LENGTH,                                                                                                                                                                  | PAA | ITEMIZED | 371 |
| 149 | 4224170606600 | ORTHOTIC SUPPORT ARCH PEDIATRIC SIZE 23  | SIZE: 22, PAIR  ARCH SUPPORT, PEDIATRIC, HIGH DENSITY, FULL LENGTH,                                                                                                                                                  | SET | ITEMIZED | 492 |
| 150 | 4618160901500 | ORTHOTIC SUPPORT ARCH PEDIA SZ 24 PAIR   | SIZE: 23  ARCH SUPPORT, PEDIATRIC, HIGH DENSITY, FULL LENGTH,                                                                                                                                                        | PAA | ITEMIZED | 285 |
| 151 | 4224170611100 | ORTHOTIC SUPPORT ARCH PEDIA SIZE 26 PAIR | SIZE: 24, PAIR  ARCH SUPPORT, PEDIATRIC, HIGH DENSITY, FULL LENGTH,                                                                                                                                                  | PAA | ITEMIZED | 304 |
| 152 | 4618160901700 | ORTHOTIC SUPPORT ARCH PEDIA SZ 27 PAIR   | SIZE: 26  ARCH SUPPORT, PEDIATRIC, HIGH DENSITY, FULL LENGTH,                                                                                                                                                        | PAA | ITEMIZED | 393 |
| 153 | 4224170610900 | ORTHOTIC SUPPORT ARCH PEDIA SIZE 28 PAIR | SIZE: 27, PAIR  ARCH SUPPORT, PEDIATRIC, HIGH DENSITY, FULL LENGTH,                                                                                                                                                  | PAA | ITEMIZED | 410 |
| 154 | 4224170606400 | ORTHOTIC SUPPORT ARCH PEDIATRIC SIZE 29  | SIZE: 28  ARCH SUPPORT, PEDIATRIC, HIGH DENSITY, FULL LENGTH,                                                                                                                                                        | SET | ITEMIZED | 308 |
| 155 | 4224170611000 | ORTHOTIC SUPPORT ARCH PEDIA SIZE 30 PAIR | SIZE: 29  ARCH SUPPORT, PEDIATRIC, HIGH DENSITY, FULL LENGTH,                                                                                                                                                        | PAA | ITEMIZED | 293 |
| 156 | 4618160901800 | ORTHOTIC SUPPORT ARCH PEDIA SZ 31 PAIR   | SIZE: 30  ARCH SUPPORT, PEDIATRIC, HIGH DENSITY, FULL LENGTH,                                                                                                                                                        | PAA | ITEMIZED | 420 |
| 157 | 4618160901900 | ARCH SUPPORT PED HIGH DENSITY SZ 32 PAIR | SIZE: 31, PAIR  ARCH SUPPORT, PEDIATRIC, HIGH DENSITY, FULL LENGTH,                                                                                                                                                  | PAA | ITEMIZED | 498 |
| 158 | 4224170606300 | ORTHOTIC SUPPORT ARCH PEDIATRIC SIZE 33  | SIZE: 32, PAIR  ARCH SUPPORT, PEDIATRIC, HIGH DENSITY, FULL LENGTH,                                                                                                                                                  | SET | ITEMIZED | 264 |
| 159 | 4224170611200 | ORTHOTIC SUPPORT ARCH PEDIA SIZE 34 PAIR | SIZE: 33  ARCH SUPPORT, PEDIATRIC, HIGH DENSITY, FULL LENGTH,                                                                                                                                                        | PAA | ITEMIZED | 275 |
| 160 | 4618160901200 | ORTHOTIC SUPPORT ARCH PEDIA SZ 19 PAIR   | SIZE: 34  ARCH SUPPORT, PEDIATRIC, HIGH DENSITY, FULL                                                                                                                                                                | PAA | ITEMIZED | 324 |
| 161 | 4618160901400 | ORTHOTIC SUPPORT ARCH PEDIA SZ 21 PAIR   | LENGTH, SIZE: 19, PAIR  ARCH SUPPORT, PEDIATRIC, HIGH DENSITY, FULL                                                                                                                                                  | PAA | ITEMIZED | 397 |
| 162 | 4618160901600 | ORTHOTIC SUPPORT ARCH PEDIA SZ 25 PAIR   | LENGTH, SIZE: 21, PAIR  ARCH SUPPORT, PEDIATRIC, HIGH DENSITY, FULL                                                                                                                                                  | PAA | ITEMIZED | 417 |
| 163 | 4618160902000 | ORTHOTIC SUPPORT ARCH PEDIA SZ 35 PAIR   | LENGTH, SIZE: 25, PAIR  ARCH SUPPORT, PEDIATRIC, HIGH DENSITY, FULL                                                                                                                                                  | PAA | ITEMIZED | 234 |
| 164 | 4224200213800 | AUTOMATIC ELBOW JOINT ADOLSCNT 64MM PINK | LENGTH, SIZE: 35, PAIR AUTOMATIC ELBOW JOINT, 8 LOCK POSITIONS, ADOLESCENT,                                                                                                                                          | EA  | ITEMIZED | 50  |
| 165 | 4224200213000 | AUTO.ELBOW JOINT ADOLESCENT 64MM SUNTAN  | ELBOW SIZE 64 MM, FLESH PINK AUTOMATIC ELBOW JOINT, 8 LOCK POSITIONS, ADOLESCENT,                                                                                                                                    | EA  | ITEMIZED | 50  |
| 166 | 4224200214000 | AUTOMATIC ELBOW JOINT ADULT 70MM PINK    | ELBOW SIZE 64 MM, SUN TAN AUTOMATIC ELBOW JOINT, 8 LOCK POSITIONS, ADULT,                                                                                                                                            | EA  | ITEMIZED | 50  |
| 167 | 4224200214000 | AUTOMATIC ELBOW JOINT ADULT 70MM SUNTAN  | ELBOW SIZE 70 MM, FLESH PINK AUTOMATIC ELBOW JOINT, 8 LOCK POSITIONS, ADULT,                                                                                                                                         | EA  | ITEMIZED | 50  |
|     | 4224200214100 | AUTOMATIC ELBOW JOINT CHILD 58MM PINK    | ELBOW SIZE 70 MM, SUN TAN AUTOMATIC ELBOW JOINT, 8 LOCK POSITIONS, CHILD, ELBOW                                                                                                                                      |     |          |     |
| 168 |               | AUTOMATIC ELBOW JOINT CHILD 58MM SUN TAN | SIZE 58 MM, FLESH PINK AUTOMATIC ELBOW JOINT, 8 LOCK POSITIONS, CHILD, ELBOW                                                                                                                                         | EA  | ITEMIZED | 50  |
| 169 | 4224200214300 |                                          | SIZE 58 MM, SUN TAN AUTOMATIC LOCK EXTERNAL ELBOW JOINTS, STAINLESS                                                                                                                                                  | EA  | ITEMIZED | 5   |
| 170 | 4224200214400 | AUTOMATIC LOCK EXT.ELBOW SS LT MEDIAL    | STEEL, LEFT MEDIAL  AUTOMATIC LOCK EXTERNAL ELBOW JOINTS, STAINLESS                                                                                                                                                  | EA  | ITEMIZED | 50  |
| 171 | 4224200214500 | AUTOMATIC LOCK EXTERNAL ELBOW JOINTS     | STEEL, LEFT/RIGHT LATERAL AUTOMATIC LOCK EXTERNAL ELBOW JOINTS, STAINLESS                                                                                                                                            | EA  | ITEMIZED | 50  |
| 172 | 4224200214600 | AUTOMATIC LOCK EXT.ELBOW SS RT MEDIAL    | STEEL, RIGHT MEDIAL AVIATION SNIPS SHEAR, STEEL, AN ORTHOTICS WORKSHOP                                                                                                                                               | EA  | ITEMIZED | 50  |
| 173 | 4224200033500 | AVIATION SNIPS SHEAR                     | TOOL  B.K. MODULAR KIT WITH INNER TUBE ADAPTOR AND TUBE                                                                                                                                                              | EA  | ITEMIZED | 5   |
| 174 | 4224200004800 | B.K. MODULAR KIT 34MM TI BW UP TO 150KG  | CLAMP ADAPTOR, DIAMETER: 34 MM (TITANIUM), FOR BODY WEIGHT UP TO 150 KG.                                                                                                                                             | KIT | ITEMIZED | 224 |
| 175 | 4224200032200 | BALL-PEEN HAMMER                         | BALL-PEEN HAMMER, AN ORTHOTICS WORKSHOP TOOL, DOUBLE CHANNEL, HEMISPHERIC/FLAT-ROUND, WITH SHAFT                                                                                                                     | EA  | ITEMIZED | 10  |
| 176 | 4224171307500 | BANDAGE THIGH SUPPORT SZ 60 74CM RIGHT   | BANDAGE THIGH SUPPORT WITH NEOPRENE ADHESIVE STRIP IS USED TO INSTALL THE TRANSFEMORAL PROSTHESIS AND REDUCTION OF ROTATION MOVEMENTS SIZE HIP CIRCUMFERENCE 60 - 74 CM RIGHT                                        | EA  | ITEMIZED | 100 |
| 177 | 4224171308100 | BANDAGE THIGH SUPPORT 86 100CM RIGHT     | BANDAGE THIGH SUPPORT WITH NEOPRENE ADHESIVE STRIP IS USED TO INSTALL THE TRANSFEMORAL PROSTHESIS AND REDUCTION OF ROTATION MOVEMENTS SIZE: HIP CIRCUMFERENCE 86 - 100 CM RIGHT                                      | EA  | ITEMIZED | 100 |
| 178 | 4224150601700 | BANDAGE P.O.P SLOW SETTING 10CMX2M       | BANDAGE, PLASTER OF PARIS (P.O.P), SLOW SETTING, 10 CM X 2 METER, APPROXIMATELY                                                                                                                                      | EA  | ITEMIZED | 100 |
| 179 | 4224150601800 | BANDAGE P.O.P SLOW SETTING 12CMX2M       | BANDAGE, PLASTER OF PARIS (P.O.P), SLOW SETTING, 12 CM X 2 METERS, APPROXIMATELY                                                                                                                                     | EA  | ITEMIZED | 100 |
| 180 | 4224150601900 | BANDAGE P.O.P SLOW SETTING 15CMX2M       | BANDAGE, PLASTER OF PARIS (P.O.P), SLOW SETTING, 15 CM X 2 METERS, APPROXIMATELY                                                                                                                                     | EA  | ITEMIZED | 100 |
| 181 | 4224150602000 | BANDAGE P.O.P SLOW SETTING 20CMX2M       | BANDAGE, PLASTER OF PARIS (P.O.P), SLOW SETTING, 20 CM X 2 METERS, APPROXIMATELY                                                                                                                                     | EA  | ITEMIZED | 100 |
|     |               |                                          |                                                                                                                                                                                                                      |     |          |     |

6/21/2022 Page 12 of 160

| 182 | 4224150606600 | BANDAGE P.O.P SLOW SETTING 6CMX2M       | BANDAGE, PLASTER OF PARIS (P.O.P), SLOW SETTING, 6 CM X                                                                                                                                                                                                                                                                                                                                                                                                                                      | EA | ITEMIZED | 100  |
|-----|---------------|-----------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|----------|------|
| 183 | 4224150602200 | BANDAGE P.O.P SLOW SETTING 8CMX2M       | 2 METERS, APPROXIMATELY BANDAGE, PLASTER OF PARIS (P.O.P), SLOW SETTING, 8 CM X                                                                                                                                                                                                                                                                                                                                                                                                              | EA | ITEMIZED | 100  |
| 184 | 4224171308000 | BANDAGE THIGH SUPPORT SZ 86 100CM LEFT  | 2 METERS, APPROXIMATELY  BANDAGE, THIGH, SUPPORT, WITH NEOPRENE ADHESIVE  STRIP, IS USED TO INSTALL THE TRANSFEMORAL PROSTHESIS  AND REDUCTION OF ROTATION MOVEMENTS, SIZE: HIP  CIRCUMFERENCE 86 - 100 CM, LEFT                                                                                                                                                                                                                                                                             | EA | ITEMIZED | 100  |
| 185 | 4224171307600 | BANDAGE THIGH SUPPORT SZ 66 80CM LEFT   | BANDAGE, THIGH, SUPPORT, WITH NEOPRENE, ADHESIVE<br>STRIP, IS USED TO INSTALL THE TRANSFEMORAL PROSTHESIS<br>AND REDUCTION OF ROTATION MOVEMENTS, SIZE: HIP<br>CIRCUMFERENCE 66 - 80 CM, LEFT                                                                                                                                                                                                                                                                                                | EA | ITEMIZED | 100  |
| 186 | 4224171307700 | BANDAGE THIGH SUPPORT SZ 66 80CM RIGHT  | BANDAGE, THIGH, SUPPORT, WITH NEOPRENE, ADHESIVE<br>STRIP, IS USED TO INSTALL THE TRANSFEMORAL PROSTHESIS<br>AND REDUCTION OF ROTATION MOVEMENTS, SIZE: HIP<br>CIRCUMFERENCE 66 - 80 CM, RIGHT                                                                                                                                                                                                                                                                                               | EA | ITEMIZED | 100  |
| 187 | 4224171307800 | BANDAGE THIGH SUPPORT SZ 76 90CM LEFT   | BANDAGE, THIGH, SUPPORT, WITH NEOPRENE, ADHESIVE STRIP, IS USED TO INSTALL THE TRANSFEMORAL PROSTHESIS AND REDUCTION OF ROTATION MOVEMENTS, SIZE: HIP CIRCUMFERENCE 76 - 90 CM, LEFT                                                                                                                                                                                                                                                                                                         | EA | ITEMIZED | 100  |
| 188 | 4224171307900 | BANDAGE THIGH SUPPORT SZ 76 90CM RIGHT  | BANDAGE, THIGH, SUPPORT, WITH NEOPRENE, ADHESIVE<br>STRIP, IS USED TO INSTALL THE TRANSFEMORAL PROSTHESIS<br>AND REDUCTION OF ROTATION MOVEMENTS, SIZE: HIP<br>CIRCUMFERENCE 76 - 90 CM, RIGHT                                                                                                                                                                                                                                                                                               | EA | ITEMIZED | 100  |
| 189 | 4224171307400 | BANDAGE THIGH SUPPORT SZ 60 74CM LEFT   | BANDAGE, THIGH, SUPPORT, WITH NEOPRENE, ADHESIVE<br>STRIP, IS USED TO INSTALL THE TRANSFEMORAL PROSTHESIS<br>AND REDUCTION OF ROTATION MOVEMENTS, SIZE: HIP<br>CIRCUMFERENCE, 60 - 74 CM, LEFT                                                                                                                                                                                                                                                                                               | EA | ITEMIZED | 100  |
| 190 | 4412161800000 | LEATHER SHEARS W/ SERRATED EDGE 8IN     | BARNSLEY OR EQUIVALENT, LEATHER SHEARS, WITH<br>SERRATED EDGE, 8 INCHES LONG                                                                                                                                                                                                                                                                                                                                                                                                                 | EA | ITEMIZED | 50   |
| 191 | 4224200009100 | BATTERY CONNECTION CABLE W/ DISTRIBUTER | BATTERY CONNECTION CABLE, FOR CONNECTION BATTERY, WITH THE DISTRIBUTER                                                                                                                                                                                                                                                                                                                                                                                                                       | EA | ITEMIZED | 10   |
| 192 | 4224200504400 | BELOW KNEE SILICONE LINER SOCKET 210MM  | BELOW KNEE SILICONE LINER SOCKET WITH DISTAL CONNECTION WITH HIGH SHOCK ABSORPTION WITH THE ANTI- BACTERIAL PROPERTIES AND SKIN - FRIENDLY OILS THAT HELP MINIMIZE ODOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING WHILE PROTECTING THE SILICONE WITH THE SPECIAL TEXTLE COVER MAKES THE LINER EASY TO PUT ON AND TAKE OFF INTERIOR TEXTURE GENTLE ON THE SKIN WHEN DONNING AND DOFFING THE LINER EASY TO PUT CHAN STERILIZATION SIZE 210 MM APPROXIMATELY  | EA | ITEMIZED | 86   |
| 193 | 4224200504500 | BELOW KNEE SILICONE LINER SOCKET 220MM  | BELOW KNEE SILICONE LINER SOCKET WITH DISTAL CONNECTION WITH HIGH SHOCK ABSORPTION WITH THE ANTI- BACTERIAL PROPERTIES AND SKIN - FRIENDLY OILS THAT HELP MINIMIZE ODOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING WHILE PROTECTING THE SILICONE WITH THE SPECIAL TEXTLE COVER MAKES THE LINER EASY TO PUT ON AND TAKE OFF INTERIOR TEXTURE GENTLE ON THE SKIN WHEN DONNING AND DOFFING THE LINER EASY TO CLEAN STERILIZATION SIZE 220 MM APPROXIMATED.     | EA | ITEMIZED | 86   |
| 194 | 4224200504600 | BELOW KNEE SILICONE LINER SOCKET 235MM  | BELOW KNEE SILICONE LINER SOCKET WITH DISTAL CONNECTION WITH HIGH SHOCK ABSORPTION WITH THE ANTI- BACTERIAL PROPERTIES AND SKIN - FRIENDLY OILS THAT HELP MINIMIZE ODOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING WHILE PROTECTING THE SILICONE WITH THE SPECIAL TEXTILE COVER MAKES THE LINER EASY TO PUT ON AND TAKE OFF INTERIOR TEXTURE GENTLE ON THE SKIN WHEN DONNING AND DOFFING THE LINER EASY TO PUT CHAN STERILIZATION SIZE 235 MM APPROXIMATELY | EA | ITEMIZED | 100  |
| 195 | 4224200504700 | BELOW KNEE SILICONE LINER SOCKET 250MM  | BELOW KNEE SILICONE LINER SOCKET WITH DISTAL CONNECTION WITH HIGH SHOCK ABSORPTION WITH THE ANTI - BACTERIAL PROPERTIES AND SKIN - FRIENDLY OILS THAT HELP MINIMIZE DOOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING WHILE PROTECTING THE SILICONE WITH THE SPECIAL TEXTLE COVER MAKES THE LINER EASY TO PUT ON AND TAKE OFF INTERIOR TEXTURE GENTLE ON THE SKIN WHEN DONNING AND DOFFING THE LINER EASY TO PUT CHAN STERILIZATION SIZE 250 MM APPROXIMATELY | EA | ITEMIZED | 122  |
| 196 | 4224200504800 | BELOW KNEE SILICONE LINER SOCKET 265MM  | BELOW KNEE SILICONE LINER SOCKET WITH DISTAL CONNECTION WITH HIGH SHOCK ABSORPTION WITH THE ANTI- BACTERIAL PROPERTIES AND SKIN - FRIENDLY OILS THAT HELP MINIMIZE ODOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING WHILE PROTECTING THE SILICONE WITH THE SPECIAL TEXTILE COVER MAKES THE LINER EASY TO PUT ON AND TAKE OFF INTERIOR TEXTURE GENTLE ON THE SKIN WHEN DONNING AND DOFFING THE LINER EASY TO CLEAN STERILIZATION SIZE 265 MM APPROXIMATELY    | EA | ITEMIZED | 2500 |
| 197 | 4224200505100 | BELOW KNEE SILICONE LINER SOCKET 320MM  | BELOW KNEE SILICONE LINER SOCKET WITH DISTAL CONNECTION, WITH HIGH SHOCK ABSORPTION WITH THE ANTI-BACTERIAL PROPERTIES AND SKIN - FRIENDLY OILS THAT HELP MINIMIZE ODOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING WHILE PROTECTING THE SILICONE WITH THE SPECIAL TEXTILE COVER MAKES THE LINER EASY TO PUT ON AND TAKE OFF, INTERIOR TEXTURE GENTLE ON THE SKIN WHEN DONNING AND DOFFING THE LINER, EASY TO CLEAN STERILIZATION, SIZE 320 MM APPROXIMATELY | EA | ITEMIZED | 169  |

6/21/2022 Page 13 of 160

| 198 | 4224200504300 | BELOW KNEE SILICONE LINER SOCKET 200MM | BELOW KNEE SILICONE LINER SOCKET, WITH DISTAL CONNECTION, WITH HIGH SHOCK ABSORPTION, WITH THE ANTI- BACTERIAL PROPERTIES AND SKIN - FRIENDLY OILS THAT HELP MINIMIZE ODOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING, WHILE PROTECTING THE SILICONE WITH THE SPECIAL TEXTILE COVER, MAKES THE LINER EASY TO PUT ON AND TAKE OFF, INTERIOR TEXTURE GENTLE ON THE SKIN WHEN DONNING AND DOFFING THE LINER, EASY TO CLEAN STERILIZATION, SIZE 200 MM APPROXIMATELY   | EA  | ITEMIZED | 79   |
|-----|---------------|----------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|------|
| 199 | 4224200504900 | BELOW KNEE SILICONE LINER SOCKET 280MM | BELOW KNEE SILICONE LINER SOCKET, WITH DISTAL CONNECTION, WITH HIGH SHOCK ABSORPTION, WITH THE ANTI- BACTERIAL PROPERTIES AND SKIN - FRIENDLY OILS THAT HELP MINIMIZE ODOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING, WHILE PROTECTING THE SILICONE WITH THE SPECIAL TEXTILE COVER, MAKES THE LINER EASY TO PUT ON AND TAKE OFF, INTERIOR TEXTURE GENTLE ON THE SKIN WHEN DONNING AND DOFFING THE LINER, EASY TO CLEAN STERILIZATION, SIZE 280 MM APPROXIMATELY   | EA  | ITEMIZED | 229  |
| 200 | 4224200505000 | BELOW KNEE SILICONE LINER SOCKET 300MM | BELOW KNEE SILICONE LINER SOCKET, WITH DISTAL CONNECTION, WITH HIGH SHOCK ABSORPTION, WITH THE ANTI - BACTERIAL PROPERTIES AND SKIN - FRIENDLY OILS THAT HELP MINIMIZE ODOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING, WHILE PROTECTING THE SILICONE WITH THE SPECIAL TEXTILE COVER, MAKES THE LINER EASY TO PUT ON AND TAKE OFF, INTERIOR TEXTURE GENTLE ON THE SKIN WHEN DONNING AND DOFFING THE LINER, EASY TO CLEAN STERILIZATION, SIZE 300 MM, APPROXIMATELY | EA  | ITEMIZED | 181  |
| 201 | 4224200505200 | BELOW KNEE SILICONE LINER SOCKET 340MM | BELOW KNEE SILICONE LINER SOCKET, WITH DISTAL CONNECTION, WITH HIGH SHOCK ABSORPTION, WITH THE ANTI-BACTERIAL PROPERTIES AND SKIN - FRIENDLY OILS THAT HELP MINIMIZE ODOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING, WHILE PROTECTING THE SILICONE WITH THE SPECIAL TEXTILE COVER, MAKES THE LINER EASY TO PUT ON AND TAKE OFF, INTERIOR TEXTURE GENTLE ON THE SKIN WHEN DONNING AND DOFFING THE LINER, EASY TO CLEAN STERILIZATION, SIZE 340 MM APPROXIMATELY    | EA  | ITEMIZED | 144  |
| 202 | 4224200505300 | BELOW KNEE SILICONE LINER SOCKET 360MM | BELOW KNEE SILICONE LINER SOCKET, WITH DISTAL CONNECTION, WITH HIGH SHOCK ABSORPTION, WITH THE ANTI - BACTERIAL PROPERTIES AND SKIN - FRIENDLY OILS THAT HELP MINIMIZE ODOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING, WHILE PROTECTING THE SILICONE WITH THE SPECIAL TEXTILE COVER, MAKES THE LINER EASY TO PUT ON AND TAKE OFF, INTERIOR TEXTURE GENTLE ON THE SKIN WHEN DONNING AND DOFFING THE LINER, EASY TO CLEAN STERILIZATION, SIZE 360 MM APPROXIMATELY  | EA  | ITEMIZED | 124  |
| 203 | 4224200505400 | BELOW KNEE SILICONE LINER SOCKET 380MM | BELOW KNEE SILICONE LINER SOCKET, WITH DISTAL CONNECTION, WITH HIGH SHOCK ABSORPTION, WITH THE ANTI-BACTERIAL PROPERTIES AND SKIN - FRIENDLY OILS THAT HELP MINIMIZE ODOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING, WHILE PROTECTING THE SILICONE WITH THE SPECIAL TEXTLE COVER, MAKES THE LINER EASY TO PUT ON AND TAKE OFF, INTERIOR TEXTURE GENTLE ON THE SKIN WHEN DONNING AND DOFFING THE LINER, EASY TO CLEAN STERILIZATION, SIZE 380 MM APPROXIMATELY     | EA  | ITEMIZED | 124  |
| 204 | 4224200505500 | BELOW KNEE SILICONE LINER SOCKET 400MM | BELOW KNEE SILICONE LINER SOCKET, WITH DISTAL CONNECTION, WITH HIGH SHOCK ABSORPTION, WITH THE ANTI - BACTERIAL PROPERTIES AND SKIN - FRIENDLY OILS THAT HELP MINIMIZE ODOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING, WHILE PROTECTING THE SILICONE WITH THE SPECIAL TEXTILE COVER, MAKES THE LINER EASY TO PUT ON AND TAKE OFF, INTERIOR TEXTURE GENTLE ON THE SKIN WHEN DONNING AND DOFFING THE LINER, EASY TO CLEAN STERILIZATION, SIZE 400 MM APPROXIMATELY  | EA  | ITEMIZED | 124  |
| 205 | 4224171327300 | BELOW KNEE SOCKET KIT                  | BELOW KNEE SOCKET KIT OFF-THE-SHELF PRODUCT, MOLDABLE PROSTHETIC SOCKET, MAXIMUM COMFORT BY ACCOMMODATING VOLUME, MOLDABLE PROSTHETIC SOCKET THAT ALLOWS PROSTHETICS TO RESHAPE MULTIPLE TIMES TO FIT A WEARER'S RESIDUAL LIMB CHANGES CUSTOM FIT (NOT CUSTOM MADE)                                                                                                                                                                                                                                 | EA  | ITEMIZED | 50   |
| 206 | 4224200030800 | BENCH VISES WITH SURFACE-HARDENED      | BENCH VISES WITH SURFACE-HARDENED CLAMPING JAWS, AN ORTHOTICS WORKSHOP TOOL, ADJUSTABLE, HARDENED GUIDE RAIL, HARDENED ANVIL, MOUNTING DEVICE FOR FAW PROTECTORS, MEASURING SCALE FOR QUICK PRE-ADJUSTMENT OF THE CLAMPING WIDTH, ROUND, STABLE, FORGED VICE BASE, WITHOUT MOUNTING MATERIALS, JAW WIDTH 140-160 MM, HOLE SPACING 140-160 MM, WEIGHT 15-20 KG                                                                                                                                       | EA  | ITEMIZED | 10   |
| 207 | 4224200035100 | BENDING FORK                           | BENDING FORK, AN ORTHOTICS WORKSHOP TOOL, FOR SHAPING OF STEELS, METALS PLATE AND ORTHOTICS BRACES                                                                                                                                                                                                                                                                                                                                                                                                  | EA  | ITEMIZED | 10   |
| 208 | 4224200034900 | BENDING IRONS KIT                      | BENDING IRONS KIT, AN ORTHOTICS WORKSHOP TOOL, FOR SHAPING OF STEELS, METAL PLATE AND ORTHOTICS BRACES                                                                                                                                                                                                                                                                                                                                                                                              | KIT | ITEMIZED | 5    |
| 209 | 4218260000400 | LAMP EXAMINATION CHROME 0.8 1MM THICK  | BEST BLUE CHROME LAMP LINING, THICKNESS: 0.81.0 MM                                                                                                                                                                                                                                                                                                                                                                                                                                                  | EA  | ITEMIZED | 1425 |

6/21/2022 Page 14 of 160

| 210 | 4224150708000 | BILATERAL FOOT ORTHOSIS DENIS BROWN SZ11 | BILATERAL FOOT ORTHOSIS, WITH ADJUSTABLE CONNECTING BAR, DENIS BROWNE SPLINT, WITH STRAIGHT LAST BOOT, SIZE 11, WITH ADJUSTABLE AND MOBILE FOOT PLATES TO CONTROL FOOT ROTATION, SET ADDITIONALLY; FULL GRAIN COW/CALF SOFT LEATHER UPPER; SOFT PADDING AROUND HELCUFFS; FULL GRAIN COW LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; REMOVABLE CORK INLAY; SOFT TONGUE TO ASSIST SHOE FIT                        | SET | ITEMIZED | 340 |
|-----|---------------|------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|-----|
| 211 | 4224150708100 | BILATERAL FOOT ORTHOSIS DENIS BROWN SZ12 | BILATERAL FOOT ORTHOSIS, WITH ADJUSTABLE CONNECTING BAR, DENIS BROWNE SPLINT , WITH STRAIGHT LAST BOOT, SIZE 12, WITH ADJUSTABLE AND MOBILE FOOT PLATES TO CONTROL FOOT ROTATION, SET ADDITIONALLY; FULL GRAIN COW/CALF SOFT LEATHER UPPER ; SOFT PADDING AROUND HEEL CUFFS ; FULL GRAIN COW LEATHER INSOLE ; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; REMOVABLE CORK INLAY ; SOFT TONGUE TO ASSIST SHOE FIT                 | SET | ITEMIZED | 340 |
| 212 | 4224150708200 | BILATERAL FOOT ORTHOSIS DENIS BROWN 13.5 | BILATERAL FOOT ORTHOSIS, WITH ADJUSTABLE CONNECTING BAR, DENIS BROWNE SPLINT, WITH STRAIGHT LAST BOOT, SIZE 13.5, WITH ADJUSTABLE AND MOBILE FOOT PLATES TO CONTROL FOOT ROTATION, SET ADDITIONALLY; FULL GRAIN COW/CALF SOFT LEATHER UPPER; SOFT PADDING AROUND HELL CUFFS; FULL GRAIN COW LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; REMOVABLE CORK INLAY; SOFT TONGUE TO ASSIST SHOE FIT                    | SET | ITEMIZED | 340 |
| 213 | 4224150708300 | BILATERAL FOOT ORTHOSIS DENIS BROWN 14.5 | BILATERAL FOOT ORTHOSIS, WITH ADJUSTABLE CONNECTING BAR, DENIS BROWNE SPLINT, WITH STRAIGHT LAST BOOT, SIZE 14.5, WITH ADJUSTABLE AND MOBILE FOOT PLATES TO CONTROL FOOT ROTATION, SET ADDITIONALLY; FULL GRAIN COW/CALF SOFT LEATHER UPPER; SOFT PADDING AROUND HEEL CUFFS; FULL GRAIN COW LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; REMOVABLE CORK INLAY; SOFT TONGUE TO ASSIST SHOE FIT                    | SET | ITEMIZED | 340 |
| 214 | 4224150708400 | BILATERAL FOOT ORTHOSIS DENIS BROWN 15.5 | BILATERAL FOOT ORTHOSIS, WITH ADJUSTABLE CONNECTING BAR, DENIS BROWNE SPLINT, WITH STRAIGHT LAST BOOT, SIZE 15.5, WITH ADJUSTABLE AND MOBILE FOOT PLATES TO CONTROL FOOT ROTATION, SET ADDITIONALLY; FULL GRAIN COW/CALF SOFT LEATHER UPPER; SOFT PADDING AROUND HELC CUFFS; FULL GRAIN COW LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; REMOVABLE CORK INLAY; SOFT TONGUE TO ASSIST SHOE FIT                    | SET | ITEMIZED | 340 |
| 215 | 4224150708500 | BILATERAL FOOT ORTHOSIS DENIS BROWN SZ16 | BILATERAL FOOT ORTHOSIS, WITH ADJUSTABLE CONNECTING<br>BAR, DENIS BROWNE SPLINT, WITH STRAIGHT LAST BOOT,<br>SIZE 16, WITH ADJUSTABLE AND MOBILE FOOT PLATES TO<br>CONTROL FOOT ROTATION, SET ADDITIONALLY; FULL GRAIN<br>COW/CALF SOFT LEATHER UPPER; SOFT PADDING AROUND<br>HELC CUFFS; FULL GRAIN COW LEATHER INSOLE; EASILY<br>REMOVABLE AND ADAPTABLE SOLE-UNIT; REMOVABLE CORK<br>INLAY; SOFT TONGUE TO ASSIST SHOE FIT | SET | ITEMIZED | 340 |
| 216 | 4224150708600 | BILATERAL FOOT ORTHOSIS DENIS BROWN SZ17 | BILATERAL FOOT ORTHOSIS, WITH ADJUSTABLE CONNECTING BAR, DENIS BROWNE SPLINT, WITH STRAIGHT LAST BOOT, SIZE 17, WITH ADJUSTABLE AND MOBILE FOOT PLATES TO CONTROL FOOT ROTATION, SET ADDITIONALLY; FULL GRAIN COW/CALF SOFT LEATHER UPPER; SOFT PADDING AROUND HELL CUFFS; FULL GRAIN COW LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; REMOVABLE CORK INLAY; SOFT TONGUE TO ASSIST SHOE FIT                      | SET | ITEMIZED | 340 |
| 217 | 4224150708700 | BILATERAL FOOT ORTHOSIS DENIS BROWN 17.5 | BILATERAL FOOT ORTHOSIS, WITH ADJUSTABLE CONNECTING BAR, DENIS BROWNE SPLINT, WITH STRAIGHT LAST BOOT, SIZE 17.5, WITH ADJUSTABLE AND MOBILE FOOT PLATES TO CONTROL FOOT ROTATION, SET ADDITIONALLY; FULL GRAIN COW/CALF SOFT LEATHER UPPER; SOFT PADDING AROUND HEL CUFFS; FULL GRAIN COW LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; REMOVABLE CORK INLAY; SOFT TONGUE TO ASSIST SHOE FIT                     | SET | ITEMIZED | 340 |
| 218 | 4224150708800 | BILATERAL FOOT ORTHOSIS DENIS BROWN SZ18 | BILATERAL FOOT ORTHOSIS, WITH ADJUSTABLE CONNECTING BAR, DENIS BROWNE SPLINT, WITH STRAIGHT LAST BOOT, SIZE 18, WITH ADJUSTABLE AND MOBILE FOOT PLATES TO CONTROL FOOT ROTATION, SET ADDITIONALLY; FULL GRAIN COW/CALF SOFT LEATHER UPPER; SOFT PADDING AROUND HEEL CUFFS; FULL GRAIN COW LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; REMOVABLE CORK INLAY; SOFT TONGUE TO ASSIST SHOE FIT                      | SET | ITEMIZED | 340 |
| 219 | 4224150709100 | BILATERAL FOOT ORTHOSIS DENIS BROWN 18.5 | BILATERAL FOOT ORTHOSIS, WITH ADJUSTABLE CONNECTING BAR, DENIS BROWNE SPLINT, WITH STRAIGHT LAST BOOT, SIZE 18.5, WITH ADJUSTABLE AND MOBILE FOOT PLATES TO CONTROL FOOT ROTATION, SET ADDITIONALLY; FULL GRAIN COW/CALF SOFT LEATHER UPPER; SOFT PADDING AROUND HELL CUFFS; FULL GRAIN COW LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; REMOVABLE CORK INLAY; SOFT TONGUE TO ASSIST SHOE FIT                    | SET | ITEMIZED | 340 |
| 220 | 4224150708900 | BILATERAL FOOT ORTHOSIS DENIS BROWN 19.5 | BILATERAL FOOT ORTHOSIS, WITH ADJUSTABLE CONNECTING BAR, DENIS BROWNE SPLINT, WITH STRAIGHT LAST BOOT, SIZE 19.5, WITH ADJUSTABLE AND MOBILE FOOT PLATES TO CONTROL FOOT ROTATION, SET ADDITIONALLY; FULL GRAIN COW/CALF SOFT LEATHER UPPER; SOFT PADDING AROUND HEEL CUFFS; FULL GRAIN COW LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; REMOVABLE CORK INLAY; SOFT TONGUE TO ASSIST SHOE FIT                    | SET | ITEMIZED | 340 |

6/21/2022 Page 15 of 160

| 221 | 4224150709000 | BILATERAL FOOT ORTHOSIS DENIS BROWN SZ20 | BILATERAL FOOT ORTHOSIS, WITH ADJUSTABLE CONNECTING BAR, DENIS BROWNE SPLINT, WITH STRAIGHT LAST BOOT, SIZE 20, WITH ADJUSTABLE AND MOBILE FOOT PLATES TO CONTROL FOOT ROTATION, SET ADDITIONALLY; FULL GRAIN COW/CALF SOFT LEATHER UPPER; SOFT PADDING AROUND HEEL CUFFS; FULL GRAIN COW LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; REMOVABLE CORK INLAY; SOFT TONGUE TO ASSIST SHOE FIT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | SET | ITEMIZED | 340 |
|-----|---------------|------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|-----|
| 222 | 4224200134000 | BIOMETRIC HYDRAULIC ANKLE W/ SLIT TOE FT | BIOMETRIC, HYDRAULIC, ANKLE, WITH SLIT TOE CARBON<br>FIBER FOOT MODULE, INDEPENDENT HYDRAULIC CONTROL<br>OF PLANTAR AND DORSIFLEXION, SIDE AND SIZE TO<br>PATIENT'S SPECIFICATION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | EA  | ITEMIZED | 90  |
| 223 | 4224200111000 | BIONIC PROSTHETIC LEG SYS MICROPROCESSOR | BIONIC PROSTHETIC LEG SYSTEM, MICROPROCESSOR, SENSOR AND CONTROL TECHNOLOGY KNEE, SAFETY WALKING BACKWARDS, TUBE ADAPTER ALUMINIUM WITH CONNECTION CABLE, CLIMBING WITH COMPLETE ACCESSORIES INCLUDING PROGRAM AND TRAINING, KNEE JOINT SHOULD ALSO INCLUDE, CLIMBING STAIRS, WALKING BACKWARDS AND OVERCOMING OBSTACLES, RELIEVES THE ENTIRE MUSCULOSKELETAL SYSTEM, THE STAIRS AND OBSTACLES FUNCTION PROVIDES MORE FREEDOM IN EVERYDAY LIFE, THE SENSOR DATA ARE UPDATED AND EVALUATED 100 TIMES PER SECOND, GYROSCOPE AND THE ACCELERATION SENSORS ALLOW THE ACCELERATION AND POSITION OF THE KNEE JOINT THE FLEXION AND EXTENDING RESISTANCES ARE CONTROLLE INDEPENDENTLY OF ONE ANOTHER BY TWO CONTROL VALVES. USERS CAN CHOOSE BETWEEN TWO STANCE FUNCTIONS AND THEREBY INFLUENCE THE STABILITY UP TO FIVE MODES CAN BE SET FOR INDIVIDUAL NEEDS AT WORK OR LEISURE FOR EXAMPLE TO CONTROL THE DESIRED KNEE FLEXION, THE WALK-TO-RUN FUNCTION MAKES IT POSSIBLE TO SWITCH QUICKLY BETWEEN A NORMAL WALKING PACE AND THE ATTENDED THE NORMAL STHE LEVEL OF BATTEMY TONNOW THE PETAILS OF THE KNEE AS WELL AS THE LEVEL OF BATTEMY CHARAGING, ONCE THE BATTERY IS DARINED THE AUTOMATICALLY SWITCHES TO SAFETY MODE, EMPTY BATTERY MODE PERMITS SAFE WALKING, STANCE FUNCTIONS, THE RECORDING THE RETERY IS DARINED THE AUTOMATICALLY SWITCHES TO SAFETY MODE, EMPTY BATTERY MODE PERMITS SAFE WALKING, STANCE FUNCTIONS, THE RECOGNIZES WHEN WEIGHT IS PLACED ON | SET | ITEMIZED | 50  |
| 224 | 4224200113900 | BIONIC PROSTHETC LEG SYS INC PT ASESSMNT | AND CONTROL TECHNOLOGY KNEE, SAFELY WALKING BACKWARDS, TUBE ADAPTER ALUMINUM WITH CONNECTION CABLE, CLIMBING WITH COMPLETE ACCESSORIES INCLUDING PROGRAM AND TRAINING, KNEE JOINT SHOULD ALSO INCLUDE, CLIMBING STAIRS, WALKING BACKWARDS AND OVERCOMING OBSTACLES, RELIEVES THE ENTIRE MUSULLOSKELETAL SYSTEM, THE STAIRS AND OBSTACLES FUNCTION PROVIDES MORE FREEDOM IN EVERYDAY LIFE, THE SENSOR DATA ARE UPDATED AND EVALUATED 100 TIMES PER SECOND, GYROSCOPE AND THE ACCELERATION SENSORS ALLOW THE ACCELERATION AND POSITION OF THE KNEE JOIN, WITH THE HYDRAULIC UNIT CONTROLS FOR THE KNEE JOIN, WITH THE HYDRAULIC UNIT CONTROLS FOR THE KNEE JOIN, THE FLEXION AND EXTENSION RESISTANCES ARE CONTROLLED INDEPENDENTLY OF ONE ANOTHER BY TWO CONTROL VALVES. USERS CAN CHOOSE BETWEEN TWO STANCE FUNCTIONS AND THEREBY INFLUENCE THE STABILITY, UP TO FIVE MODES CAN BE SET FOR INDIVIDUAL NEEDS AT WORK OR LISUAJE, FOR EXAMPLE TO CONTROL THE DESIRED KNEE FLEXION, THE WALK-TO-RUN FUNCTION MAKES IT POSSIBLE TO SWITCH QUICKLY BETWEEN A NORMAL WALKING, FACE AND THE ACCELERATE TRUNNING SPEED, WALKING SAFE BACKWARDS, WEATHERPROOP, MODIFICATION VIA THE APPLICATION AND KNOW THE DETAILS OF THE KNEE AS WELL AS THE LEVEL OF BATTERY CHARGING, ONCE THE BATTERY IS DRAINED THE AUTIONAL TICKLED ON THE PATTERY SODE PERMITS SAFE WALKING, STANCE FUNCTIONS, THE RECOGNIZES WHEN WEIGHT IS PLACED ON                                                 | кіт | ITEMIZED | 50  |
| 225 | 4218260000500 | BLACK SHADE CHROME SZ 1 3/4 MM           | BLACK SHADE, FULL CHROME, SIDE 13/4 MM APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | EA  | ITEMIZED | 215 |
| 226 | 4224160201300 | BLADE CAST CUTTER                        | BLADE, CAST, CUTTER, SEGMENT SAW BLADE, COMPATIBLE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | EA  | ITEMIZED | 50  |
| 227 | 4224160002000 | BLADE JIG SAW PLASTIC L50MM TEETH2.0MM   | WITH HOSPITAL DEVICE  BLADE, JIG SAW, FOR PLASTICS, LENGTH 50 MM, TEETH 2.0                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | EA  | ITEMIZED | 50  |
| 228 | 4224200013700 | BLADE JIG SAW PLASTIC L50MM TEETH 1.2MM  | MM, APPROXIMATELY  BLADE, JIG SAW, FOR STEEL SHEET, LENGTH 50 MM, TEETH  1.2 MM, APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | EA  | ITEMIZED | 50  |
| 229 | 4224160002100 | BLADE JIG SAW PLASTIC L75MM TEETH 3.0MM  | BLADE, JIG SAW, FOR WOOD, LENGTH 75 MM, TEETH 3.0 MM,  APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | EA  | ITEMIZED | 50  |
| 230 | 4323261400600 | BLOCK POLYURETH ANKLE FOOT ORTHOSIS      | BLOCK, POLYURETHANE, FOR CAD CAM, COMPATIBLE WITH CANFIT PLUS VISUAL CAM, 7.2 OR EQUIVALENT, FOR ANKLE FOOT ORTHOSIS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | EA  | ITEMIZED | 50  |
| 231 | 4323261400700 | BLOCK POLYURETH FOR KAFO                 | BLOCK, POLYURETHANE, FOR CAD CAM, COMPATIBLE WITH<br>CANFIT PLUS VISUAL CAM, 7.2 OR EQUIVALENT, FOR KNEE<br>ANKLE FOOT ORTHOSIS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | EA  | ITEMIZED | 50  |
| 232 | 4323261400400 | BLOCK POLYURETH FOR SPINAL ORTHO LONG    | BLOCK, POLYURETHANE, FOR CAD CAM, COMPATIBLE WITH<br>CANFIT –PLUS VISUAL CAM, 7.2 OR EQUIVALENT, FOR SPINAL<br>ORTHOSIS, LONG                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | EA  | ITEMIZED | 50  |
| 233 | 4323261400500 | BLOCK POLYURETH SPINAL ORTHOSIS SHORT    | BLOCK, POLYURETHANE, FOR CAD CAM, COMPATIBLE WITH<br>CANFIT –PLUS VISUAL CAM, 7.2 OR EQUIVALENT, FOR SPINAL<br>ORTHOSIS, SHORT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | EA  | ITEMIZED | 50  |
| 234 | 4323261400300 | BLOCK POLYURETH TRANSFEMORAL SOCKET      | BLOCK, POLYURETHANE, FOR CAD CAM, COMPATIBLE WITH CANFIT -PLUS VISUAL CAM, 7.2 OR EQUIVALENT, FOR TRANS - FEMORAL SOCKET                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | EA  | ITEMIZED | 50  |
| 235 | 4323261400200 | BLOCK POLYURETH TRANSFEMORL SOCKET SM    | BLOCK, POLYURETHANE, FOR CAD CAM, COMPATIBLE WITH CANFIT -PLUS VISUAL CAM, 7.2 OR EQUIVALENT, FOR TRANS- FEMORAL SOCKET, SMALL SIZE  BLOCK, POLYUBETHANE, FOR CAD, CAM, COMPATIBLE WITH                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | EA  | ITEMIZED | 50  |
| 236 | 4323261400100 | BLOCK POLYURETH TRANS TIBIAL SOCKET      | BLOCK, POLYURETHANE, FOR CAD CAM, COMPATIBLE WITH CANFIT -PLUS VISUAL CAM, 7.2 OR EQUIVALENT, FOR TRANS TIBIAL SOCKET  BLOCK, POLYUBETIAN, FOR CAD CAMACINE, WITH                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | EA  | ITEMIZED | 50  |
| 237 | 4323261400000 | BLOCK POLYURETH TRANSTIBIAL SOCKET SM    | BLOCK, POLYURETHANE, FOR CAD CAM, COMPATIBLE WITH<br>CANFIT –PLUS VISUAL CAM, 7.2 OR EQUIVALENT, FOR TRANS –<br>TIBIAL SOCKET, SMALL SIZE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | EA  | ITEMIZED | 50  |

6/21/2022 Page 16 of 160

| 238 | 4229300100600 | BODY CALIPERS FOR SIT CAST 600MM   | BODY CALIPER FOR SIT CAST, FOR MEASURING BODY<br>SEGMENT, SCALE RANGE 600 MM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | EA  | ITEMIZED | 50  |
|-----|---------------|------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|-----|
| 239 | 4229300100500 | CALIPER BODY SCALE RANGE 600MM     | BODY CALIPER, FOR MEASURING BODY SEGMENT, SCALE RANGE 600 MM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | EA  | ITEMIZED | 50  |
| 240 | 4224170113000 | BOOT ORTHO FEMALE BLACK SZ UK 10.5 | BOOT, ORTHOPEDIC, FULL GRAIN COW/CALF LEATHER, PLAIN FRONTED WITH SEAM FREE VAMPS PADDED COLLARS, BOOT HEIGHT APPROXIMATELY 125 MM, LACING, FEMALE, LAST SIZE UK 10.5, BLACK; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT S. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; FIRM HEEL COUNTER | РАА | ITEMIZED | 150 |
| 241 | 4224170113100 | BOOT ORTHO FEMALE BLACK SZ UK 11   | BOOT, ORTHOPEDIC, FULL GRAIN COW/CALF LEATHER, PLAIN FRONTED WITH SEAM FREE VAMPS PADDED COLLARS, BOOT HEIGHT APPROXIMATELY 125 MM, LACING, FEMALE, LAST SIZE UK 11, BLACK; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT S. SUFFICIENT TOS-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOS-BOX AND STRONG TOS-CAP FOR PROTECTION OF THE TOSE; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY, EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; FIRM HEEL COUNTER   | PAA | ITEMIZED | 150 |
| 242 | 4224170113200 | BOOT ORTHO FEMALE BLACK SZ UK 11.5 | BOOT, ORTHOPEDIC, FULL GRAIN COW/CALF LEATHER, PLAIN FRONTED WITH SEAM FREE VAMPS PADDED COLLARS, BOOT HEIGHT APPROXIMATELY 125 MM, LACING, FEMALE, LAST SIZE UK 11.5, BLACK; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT S. SUFFICIENT TOS-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; FIRM HEEL COUNTER | РАА | ITEMIZED | 150 |
| 243 | 4224170113300 | BOOT ORTHO FEMALE BLACK SZ UK 12   | BOOT, ORTHOPEDIC, FULL GRAIN COW/CALF LEATHER, PLAIN FRONTED WITH SEAM FREE VAMPS PADDED COLLARS, BOOT HEIGHT APPROXIMATELY 125 MM, LACING, FEMALE, LAST SIZE UX 12, BLACK; SOFT PADDING AROUND THE COLLAR FOR A BETTER HT; A HIGH AND EXTRAL DONS STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT S. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; FIRM HEEL COUNTER   | PAA | ITEMIZED | 150 |
| 244 | 4224170111700 | BOOT ORTHO FEMALE BLACK SZ UK 3.5  | BOOT, ORTHOPEDIC, FULL GRAIN COW/CALF LEATHER, PLAIN FRONTED WITH SEAM FREE VAMPS PADDED COLLARS, BOOT HEIGHT APPROXIMATELY 125 MM, LACING, FEMALE, LAST SIZE UK 3.5, BLACK; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT S. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; FIRM HEEL COUNTER  | PAA | ITEMIZED | 150 |
| 245 | 4224170111800 | BOOT ORTHO FEMALE BLACK SZ UK 4    | BOOT, ORTHOPEDIC, FULL GRAIN COW/CALF LEATHER, PLAIN FRONTED WITH SEAM FREE VAMPS PADDED COLLARS, BOOT HEIGHT APPROXIMATELY 125 MM, LACING, FEMALE, LAST SIZE UK 4, BLACK; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT S. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMPORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; FIRM HEEL COUNTER    | РАА | ITEMIZED | 150 |

6/21/2022 Page 17 of 160

| 246 | 4224170111900 | BOOT ORTHO FEMALE BLACK SZ UK 4.5 | BOOT, ORTHOPEDIC, FULL GRAIN COW/CALF LEATHER, PLAIN FRONTED WITH SEAM FREE VAMPS PADDED COLLARS, BOOT HEIGHT APPROXIMATELY 125 MM, LACING, FEMALE, LAST SIZE UK 4.5, BLACK; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT S. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; FIRM HEEL COUNTER | PAA | ITEMIZED | 150 |
|-----|---------------|-----------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|-----|
| 247 | 4224170112800 | BOOT ORTHO FEMALE BLACK SZ UK 5   | BOOT, ORTHOPEDIC, FULL GRAIN COW/CALF LEATHER, PLAIN FRONTED WITH SEAM FREE VAMPS PADDED COLLARS, BOOT HEIGHT APPROXIMATELY 125 MM, LACING, FEMALE, LAST SIZE UK 5, BLACK; 50FT PADDING AROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT S. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMPORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; FIRM HEEL COUNTER   | PAA | ITEMIZED | 150 |
| 248 | 4224170112000 | BOOT ORTHO FEMALE BLACK SZ UK S.5 | BOOT, ORTHOPEDIC, FULL GRAIN COW/CALF LEATHER, PLAIN FRONTED WITH SEAM FREE VAMPS PADDED COLLARS, BOOT HEIGHT APPROXIMATELY 125 MM, LACING, FEMALE, LAST SIZE UK 5.5, BLACK; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT S. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; FIRM HEEL COUNTER | PAA | ITEMIZED | 150 |
| 249 | 4224170112100 | BOOT ORTHO FEMALE BLACK SZ UK 6   | BOOT, ORTHOPEDIC, FULL GRAIN COW/CALF LEATHER, PLAIN FRONTED WITH SEAM FREE VAMPS PADDED COLLARS, BOOT HEIGHT APPROXIMATELY 125 MM, LACING, FEMALE, LAST SIZE UK 6, BLACK; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT S. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; FIRM HEEL COUNTER   | PAA | ITEMIZED | 150 |
| 250 | 4224170112200 | BOOT ORTHO FEMALE BLACK SZ UK 6.5 | BOOT, ORTHOPEDIC, FULL GRAIN COW/CALF LEATHER, PLAIN FRONTED WITH SEAM FREE VAMPS PADDED COLLARS, BOOT HEIGHT APPROXIMATELY 125 MM, LACING, FEMALE, LAST SIZE UK 6.5, BLACK; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT S. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-5) XAND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; FIRM HEEL COUNTER | PAA | ITEMIZED | 150 |
| 251 | 4224170112300 | BOOT ORTHO FEMALE BLACK SZ UK 7   | BOOT, ORTHOPEDIC, FULL GRAIN COW/CALF LEATHER, PLAIN FRONTED WITH SEAM FREE VAMPS PADDED COLLARS, BOOT HEIGHT APPROXIMATELY 125 MM, LACING, FEMALE, LAST SIZE UK 7, BLACK; SOFT PADDING AROUND THE COLLAR FOR A BETTER HT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT S. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; FIRM HEEL COUNTER    | PAA | ITEMIZED | 150 |
| 252 | 4224170112400 | BOOT ORTHO FEMALE BLACK SZ UK 7.5 | BOOT, ORTHOPEDIC, FULL GRAIN COW/CALF LEATHER, PLAIN FRONTED WITH SEAM FREE VAMPS PADDED COLLARS, BOOT HEIGHT APPROXIMATELY 125 MM, LACING, FEMALE, LAST SIZE UK 7.5, BLACK; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT S. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; FIRM HEEL COUNTER | PAA | ITEMIZED | 150 |

6/21/2022 Page 18 of 160

| 253 | 4224170112500 | BOOT ORTHO FEMALE BLACK SZ UK 8   | BOOT, ORTHOPEDIC, FULL GRAIN COW/CALF LEATHER, PLAIN FRONTED WITH SEAM FREE VAMPS PADDED COLLARS, BOOT HEIGHT APPROXIMATELY 125 MM, LACING, FEMALE, LAST SIZE UK 8, BLACK; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT S. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; FIRM HEEL COUNTER   | РАА | ITEMIZED | 150 |
|-----|---------------|-----------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|-----|
| 254 | 4224170112600 | BOOT ORTHO FEMALE BLACK SZ UK 8.5 | BOOT, ORTHOPEDIC, FULL GRAIN COW/CALF LEATHER, PLAIN FRONTED WITH SEAM FREE VAMPS PADDED COLLARS, BOOT HEIGHT APPROXIMATELY 125 MM, LACING, FEMALE, LAST SIZE UK 8.5, BLACK; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT S. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; FIRM HEEL COUNTER | PAA | ITEMIZED | 150 |
| 255 | 4224170112700 | BOOT ORTHO FEMALE BLACK SZ UK 9   | BOOT, ORTHOPEDIC, FULL GRAIN COW/CALF LEATHER, PLAIN FRONTED WITH SEAM FREE VAMPS PADDED COLLARS, BOOT HEIGHT APPROXIMATELY 125 MM, LACING, FEMALE, LAST SIZE UK 9, BLACK; 50FT PADDINIS AROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT S. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; FIRM HEEL COUNTER  | PAA | ITEMIZED | 150 |
| 256 | 4224170112900 | BOOT ORTHO GENTS BLACK SZ UK 10   | BOOT, ORTHOPEDIC, FULL GRAIN COW/CALF LEATHER, PLAIN FRONTED WITH SEAM FREE VAMPS PADDED COLLARS, BOOT HEIGHT APPROXIMATELY 125 MM, LACING, GENTS, LAST SIZE UK 10, BLACK; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT S. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; FIRM HEEL COUNTER   | PAA | ITEMIZED | 150 |
| 257 | 4224170113400 | BOOT ORTHO GENTS BLACK SZ UK 5    | BOOT, ORTHOPEDIC, FULL GRAIN COW/CALF LEATHER, PLAIN FRONTED WITH SEAM FREE VAMPS PADDED COLLARS, BOOT HEIGHT APPROXIMATELY 125 MM, LACING, GENTS, LAST SIZE UK 5, BLACK; SOFT PADDING AROUND THE COLLAR FOR A BETTER RIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT S. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; FIRM HEEL COUNTER    | PAA | ITEMIZED | 150 |
| 258 | 4224170113500 | BOOT ORTHO GENTS BLACK SZ UK 5.5  | BOOT, ORTHOPEDIC, FULL GRAIN COW/CALF LEATHER, PLAIN FRONTED WITH SEAM FREE VAMPS PADDED COLLARS, BOOT HEIGHT APPROXIMATELY 125 MM, LACING, GENTS, LAST SIZE UK 5.5, BLACK; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT S. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; FIRM HEEL COUNTER  | PAA | ITEMIZED | 150 |
| 259 | 4224170113600 | BOOT ORTHO GENTS BLACK SZ UK 6    | BOOT, ORTHOPEDIC, FULL GRAIN COW/CALF LEATHER, PLAIN FRONTED WITH SEAM FREE VAMPS PADDED COLLARS, BOOT HEIGHT APPROXIMATELY 125 MM, LACING, GENTS, LAST SIZE UK 6 BLACK; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT S. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; FIRM HEEL COUNTER     | PAA | ITEMIZED | 150 |

6/21/2022 Page 19 of 160

| 260 | 4224170113700 | BOOT ORTHO GENTS BLACK SZ UK 6.5 | BOOT, ORTHOPEDIC, FULL GRAIN COW/CALF LEATHER, PLAIN FRONTED WITH SEAM FREE VAMPS PADDED COLLARS, BOOT HEIGHT APPROXIMATELY 125 MM, LACING, GENTS, LAST SIZE UK 6.5, BLACK; SOFF PADDING AROUND THE COLLAR FOR BETTER FIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT 5. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMPORT; SOFT TOMGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; FIRM HEEL COUNTER                                     | РАА | ITEMIZED | 150 |
|-----|---------------|----------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|-----|
| 261 | 4224170113800 | BOOT ORTHO GENTS BLACK SZ UK 7   | BOOT, ORTHOPEDIC, FULL GRAIN COW/CALF LEATHER, PLAIN FRONTED WITH SEAM FREE VAMPS PADDED COLLARS, BOOT HEIGHT APPROXIMATELY 125 MM, LACING, GENTS, LAST SIZE UK 7, BLACK; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT 5. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROPILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMPORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; FIRM HEEL COUNTER; APPROXIMATELY 125MM IN HEIGHT      | РАА | ITEMIZED | 150 |
| 262 | 4224170113900 | BOOT ORTHO GENTS BLACK SZ UK 7.5 | BOOT, ORTHOPEDIC, FULL GRAIN COW/CALF LEATHER, PLAIN FRONTED WITH SEAM FREE VAMPS PADDED COLLARS, BOOT HEIGHT APPROXIMATELY 125 MM, LACING, GENTS, LAST SIZE LIX 7.5, BLACK; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT 5. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORN LIAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOR ROUND THE FOOT; FIRM HEEL COUNTER; APPROXIMATELY 125MM IN HEIGHT    | PAA | ITEMIZED | 150 |
| 263 | 4224170114000 | BOOT ORTHO GENTS BLACK SZ UK 8   | BOOT, ORTHOPEDIC, FULL GRAIN COW/CALF LEATHER, PLAIN FRONTED WITH SEAM FREE VAMPS PADDED COLLARS, BOOT HEIGHT APPROXIMATELY 125 MM, LACING, GENTS, LAST SIZE UK 8, BLACK; SOFT PADDIOS AGROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT 5. SUPFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; FIRM HEEL COUNTER; APPROXIMATELY 125MM IN HEIGHT     | PAA | ITEMIZED | 150 |
| 264 | 4224170114100 | BOOT ORTHO GENTS BLACK SZ UK 8.5 | BOOT, ORTHOPEDIC, FULL GRAIN COW/CALF LEATHER, PLAIN FRONTED WITH SEAM FREE VAMPS PADDED COLLARS, BOOT HEIGHT APPROXIMATELY 125 MM, LACING, GENTS, LAST SIZE UK 8.5, BLACK; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT 5. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLY; HIGH TOTE-OX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; FIRM HEEL COUNTER; APPROXIMATELY 125MM IN HEIGHT     | PAA | ITEMIZED | 150 |
| 265 | 4224170114200 | BOOT ORTHO GENTS BLACK SZ UK 9   | BOOT, ORTHOPEDIC, FULL GRAIN COW/CALF LEATHER, PLAIN FRONTED WITH SEAM FREE VAMPS PADDED COLLARS, BOOT HEIGHT APPROXIMATELY 125 MM, LACING, GENTS, LAST SIZE UK 9, BLACK; SOFT PADDIOS AGROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT 5. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; FIRM HEEL COUNTER; APPROXIMATELY 125MM IN HEIGHT     | PAA | ITEMIZED | 150 |
| 266 | 4224170114300 | ORTHO BOOT GENTS SZ UK 9.5 BLACK | BOOT, ORTHOPEDIC, FULL GRAIN COW/CALF LEATHER, PLAIN FRONTED WITH SEAM FREE VAMPS PADDED COLLARS, BOOT HEIGHT APPROXIMATELY 125 MM, LACING, GENTS, LAST SIZE UX 9.5, BLACK; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT 5. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-DEFORT FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMPORT; SOFT TOMGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; FIRM HEEL COUNTER; APPROXIMATELY 125MM IN HEIGHT | PAA | ITEMIZED | 150 |

6/21/2022 Page 20 of 160

| 267 | 4224170638800 | BOOT TARSO MEDIUS STRT BLACK ADULT 10.5 | BOOT, TARSO MEDIUS OR EQUIVALENT, SURGICAL, STRAIGHT, BLACK, PAIR, ADULT, SIZE 10.5; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRAL-10NG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; HIGH AND EXTENDED CORSET STIFFENERS   | EA | ITEMIZED | 150 |
|-----|---------------|-----------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|----------|-----|
| 268 | 4224170637000 | BOOT TARSO MEDIUS STRT BLACK ADULT 7.5  | BOOT, TARSO MEDIUS OR EQUIVALENT, SURGICAL, STRAIGHT, BLACK, PAIR, ADULT, SIZE 7.5; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA-LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; HIGH AND EXTENDED CORSET STIFFENERS     | EA | ITEMIZED | 150 |
| 269 | 4224170637100 | BOOT TARSO MEDIUS STRT BLACK ADULT 8.5  | BOOT, TARSO MEDIUS OR EQUIVALENT, SURGICAL, STRAIGHT, BLACK, PAIR, ADULT, SIZE 8.5; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA-LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; HIGH AND EXTENDED CORSET STIFFENERS     | EA | ITEMIZED | 150 |
| 270 | 4224170637200 | BOOT TARSO MEDIUS STRT BLACK ADULT 9.5  | BOOT, TARSO MEDIUS OR EQUIVALENT, SURGICAL, STRAIGHT, BLACK, PAIR, ADULT, SIZE 9.5; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRAL-ONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; HIGH AND EXTENDED CORSET STIFFENERS     | EA | ITEMIZED | 150 |
| 271 | 4224170638300 | BOOT TARSO MEDIUS STRT BLACK BOYS 5.5   | BOOT, TARSO MEDIUS OR EQUIVALENT, SURGICAL, STRAIGHT, BLACK, PAIR, BOYS, SIZE 5.5; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA-LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; HIGH AND EXTENDED CORSET STIFFENERS      | EA | ITEMIZED | 150 |
| 272 | 4224170638200 | BOOT TARSO MEDIUS STRT BLACK BOYS SZ 7  | BOOT, TARSO MEDIUS OR EQUIVALENT, SURGICAL, STRAIGHT, BLACK, PAIR, BOYS, SIZE 7; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA-LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; HIGH AND EXTENDED CORSET STIFFENERS        | EA | ITEMIZED | 150 |
| 273 | 4224170638600 | BOOT TARSO MEDIUS STRT BLACK BOYS 3.5   | BOOT, TARSO MEDIUS OR EQUIVALENT, SURGICAL, STRAIGHT, BLACK, PAIR, FOR BOYS, SIZE 3.5; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALE LEATHER; A HIGH AND EXTRA-LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; HIGH AND EXTENDED CORSET STIFFENERS  | EA | ITEMIZED | 150 |
| 274 | 4224170638900 | BOOT TARSO MEDIUS STRT BLACK BOYS 4.5   | BOOT, TARSO MEDIUS OR EQUIVALENT, SURGICAL, STRAIGHT, BLACK, PAIR, FOR BOYS, SIZE 4.5; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALE LEATHER; A HIGH AND EXTRA-LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; HIGH AND EXTENDED CORSET STIFFENERS  | EA | ITEMIZED | 150 |
| 275 | 4224170637300 | BOOT TARSO MEDIUS STRT BLACK BOYS 6.5   | BOOT, TARSO MEDIUS OR EQUIVALENT, SURGICAL, STRAIGHT, BLACK, PAIR, FOR BOYS, SIZE 6.5; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRAL-HORS STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; HIGH AND EXTENDED CORSET STIFFENERS | EA | ITEMIZED | 150 |
| 276 | 4224170638700 | BOOT TARSO MEDIUS STRT BLACK INFANT 3.5 | BOOT, TARSO MEDIUS OR EQUIVALENT, SURGICAL, STRAIGHT, BLACK, PAIR, INFANT, SIZE 3.5; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA-LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE AND ADAPTABLE SOLE-UNIT; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; HIGH AND EXTENDED CORSET STIFFENERS     | EA | ITEMIZED | 150 |
| 277 | 4224170638400 | BOOT TARSO MEDIUS STRT BLACK INFANT 4.5 | BOOT, TARSO MEDIUS OR EQUIVALENT, SURGICAL, STRAIGHT, BLACK, PAIR, INFANT, SIZE 4.5; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA-LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; HIGH AND EXTENDED CORSET STIFFENERS    | EA | ITEMIZED | 150 |

6/21/2022 Page 21 of 160

| 278 | 4224170639000 | BOOT TARSO MEDIUS STRT BLACK INFANT 5.5 | BOOT, TARSO MEDIUS OR EQUIVALENT, SURGICAL, STRAIGHT, BLACK, PAIR, INFANT, SIZE 5.5; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA-LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; HIGH AND EXTENDED CORSET STIFFENERS | EA | ITEMIZED | 150 |
|-----|---------------|-----------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|----------|-----|
| 279 | 4224170639200 | BOOT TARSO MEDIUS STRT BLACK INFANT 6.5 | BOOT, TARSO MEDIUS OR EQUIVALENT, SURGICAL, STRAIGHT, BLACK, PAIR, INFANT, SIZE 6.5; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CLAL LEATHER; A HIGH AND EXTRA-LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; HIGH AND EXTENDED CORSET STIFFENERS | EA | ITEMIZED | 150 |
| 280 | 4224170639100 | BOOT TARSO MEDIUS STRT BLACK INFANT 7.5 | BOOT, TARSO MEDIUS OR EQUIVALENT, SURGICAL, STRAIGHT, BLACK, PAIR, INFANT, SIZE 7.5; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA-LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSITS SHOE FIT; HIGH AND EXTENDED CORSET STIFFENERS | EA | ITEMIZED | 150 |
| 281 | 4224170637700 | BOOT TARSO MEDIUS STRT BROWN ADULT 10.5 | BOOT, TARSO MEDIUS OR EQUIVALENT, SURGICAL, STRAIGHT, BROWN, PAIR, ADULT, SIZE 10.5; SOFT PADDING AROUND HEEL CUFFS; MADE ROOM COW/CALF LEATHER; A HIGH AND EXTRA-LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; HIGH AND EXTENDED CORSET STIFFENERS | EA | ITEMIZED | 150 |
| 282 | 4224170637400 | BOOT TARSO MEDIUS STRT BROWN ADULT 7.5  | BOOT, TARSO MEDIUS OR EQUIVALENT, SURGICAL, STRAIGHT, BROWN, PAIR, ADULT, SIZE 7.5; SOFT PADDING AROUND HEEL CUFFS; MADE ROOM COW/CALF LEATHER; A HIGH AND EXTRA-LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; HIGH AND EXTENDED CORSET STIFFENERS  | EA | ITEMIZED | 150 |
| 283 | 4224170637500 | BOOT TARSO MEDIUS STRT BROWN ADULT 8.5  | BOOT, TARSO MEDIUS OR EQUIVALENT, SURGICAL, STRAIGHT, BROWN, PAIR, ADULT, SIZE 8.5; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA-LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; HIGH AND EXTENDED CORSET STIFFENERS  | EA | ITEMIZED | 150 |
| 284 | 4224170637600 | BOOT TARSO MEDIUS STRT BROWN ADULT 9.5  | BOOT, TARSO MEDIUS OR EQUIVALENT, SURGICAL, STRAIGHT, BROWN, PAIR, ADULT, SIZE 9.5; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA-LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; HIGH AND EXTENDED CORSET STIFFENERS  | EA | ITEMIZED | 150 |
| 285 | 4224170637800 | BOOT TARSO MEDIUS STRT BROWN BOYS 3.5   | BOOT, TARSO MEDIUS OR EQUIVALENT, SURGICAL, STRAIGHT, BROWN, PAIR, BOYS, SIZE 3.5; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA-LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; HIGH AND EXTENDED CORSET STIFFENERS   | EA | ITEMIZED | 150 |
| 286 | 4224170637900 | BOOT TARSO MEDIUS STRT BROWN BOYS 4.5   | BOOT, TARSO MEDIUS OR EQUIVALENT, SURGICAL, STRAIGHT, BROWN, PAIR, BOYS, SIZE 4.5; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CLAL LEATHER; A HIGH AND EXTRA-LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; HIGH AND EXTENDED CORSET STIFFENERS   | EA | ITEMIZED | 150 |
| 287 | 4224170638000 | BOOT TARSO MEDIUS STRT BROWN BOYS 6.5   | BOOT, TARSO MEDIUS OR EQUIVALENT, SURGICAL, STRAIGHT, BROWN, PAIR, BOYS, SIZE 6.5; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CLAF LEATHER; A HIGH AND EXTRA-LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; HIGH AND EXTENDED CORSET STIFFENERS   | EA | ITEMIZED | 150 |
| 288 | 4224170638100 | BOOT TARSO MEDIUS STRT BROWN BOYS SZ 7  | BOOT, TARSO MEDIUS OR EQUIVALENT, SURGICAL, STRAIGHT, BROWN, PAIR, BOYS, SIZE 7; SOFT PADDING AROUND HEEL CUPFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA-LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; HIGH AND EXTENDED CORSET STIFFENERS     | EA | ITEMIZED | 150 |

6/21/2022 Page 22 of 160

| 289 | 4224170638500 | BOOT TARSO MEDIUS STRT BROWN BOYS 5.5   | BOOT, TARSO MEDIUS OR EQUIVALENT, SURGICAL, STRAIGHT, BROWN, PAIR, FOR BOYS, SIZE 5.5; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA-LONG SIFFERER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; HIGH AND EXTENDED CORSET STIFFENERS | EA  | ITEMIZED | 150 |
|-----|---------------|-----------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|-----|
| 290 | 4224170639300 | BOOT TARSO MEDIUS STRT BROWN INFANT 3.5 | BOOT, TARSO MEDIUS OR EQUIVALENT, SURGICAL, STRAIGHT, BROWN, PAIR, INFANT, SIZE 3.5; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA-LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; HIGH AND EXTENDED CORSET STIFFENERS  | EA  | ITEMIZED | 150 |
| 291 | 4224170639400 | BOOT TARSO MEDIUS STRT BROWN INFANT 4.5 | BOOT, TARSO MEDIUS OR EQUIVALENT, SURGICAL, STRAIGHT, BROWN, PAIR, INFANT, SIZE 4.5; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA-LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSITS SHOE FIT; HIGH AND EXTENDED CORSET STIFFENERS  | PAA | ITEMIZED | 150 |
| 292 | 4224170639500 | BOOT TARSO MEDIUS STRT BROWN INFANT 5.5 | BOOT, TARSO MEDIUS OR EQUIVALENT, SURGICAL, STRAIGHT, BROWN, PAIR, INFANT, SIZE 5.5; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA-LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSITS SHOE FIT; HIGH AND EXTENDED CORSET STIFFENERS  | PAA | ITEMIZED | 150 |
| 293 | 4224170639600 | BOOT TARSO MEDIUS STRT BROWN INFANT 6.5 | BOOT, TARSO MEDIUS OR EQUIVALENT, SURGICAL, STRAIGHT, BROWN, PAIR, INFANT, SIZE 6.5; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA-LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; HIGH AND EXTENDED CORSET STIFFENERS  | EA  | ITEMIZED | 150 |
| 294 | 4224170639700 | BOOT TARSO MEDIUS STRT BROWN INFANT 7.5 | BOOT, TARSO MEDIUS OR EQUIVALENT, SURGICAL, STRAIGHT, BROWN, PAIR, INFANT, SIZE 7.5; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA-LONG STIFFERNER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; HIGH AND EXTENDED CORSET STIFFENERS | EA  | ITEMIZED | 150 |
| 295 | 4224170636400 | BOOT TARSO BLACK PAIR MEN SZ10 MEDIUM   | BOOT, TARSO OR EQUIVALENT, BLACK, PAIR, FOR MEN, SIZE:  10, MEDIUM; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA-LONG STIFFENER TO SUPPORT ANKLE; FULL EATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; HIGH AND EXTENDED CORSET STIFFENERS                    | EA  | ITEMIZED | 150 |
| 296 | 4224170636500 | BOOT TARSO BLACK PAIR MEN SZ11 MEDIUM   | BOOT, TARSO OR EQUIVALENT, BLACK, PAIR, FOR MEN, SIZE:  11, MEDIUM; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA-LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; HIGH AND EXTENDED CORSET STIFFENERS                   | EA  | ITEMIZED | 150 |
| 297 | 4224170636600 | BOOT TARSO BLACK PAIR MEN SZ12 MEDIUM   | BOOT, TARSO OR EQUIVALENT, BLACK, PAIR, FOR MEN, SIZE: 12, MEDIUM; SOFT PADDIOR AGNUND HEEL CLIFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA-LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; HIGH AND EXTENDED CORSET STIFFENERS                   | EA  | ITEMIZED | 150 |
| 298 | 4224170636800 | BOOT TARSO BLACK PAIR MEN SZ7 MEDIUM    | BOOT, TARSO OR EQUIVALENT, BLACK, PAIR, FOR MEN, SIZE: 7, MEDIUM; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA-LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; HIGH AND EXTENDED CORSET STIFFENERS                     | EA  | ITEMIZED | 150 |
| 299 | 4224170636700 | BOOT TARSO BLACK PAIR MEN SZ8 MEDIUM    | BOOT, TARSO OR EQUIVALENT, BLACK, PAIR, FOR MEN, SIZE: 8, MEDIUM; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CAIF LEATHER; A HIGH AND EXTRA-LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; HIGH AND EXTENDED CORSET STIFFENERS                     | EA  | ITEMIZED | 150 |
| 300 | 4224170636900 | BOOT TARSO BLACK PAIR MEN 529 MEDIUM    | BOOT, TARSO OR EQUIVALENT, BLACK, PAIR, FOR MEN, SIZE:  9, MEDIUM; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA-LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; HIGH AND EXTENDED CORSET STIFFENERS                    | EA  | ITEMIZED | 150 |

6/21/2022 Page 23 of 160

| 301 | 4224170529400 | BOOTS OPEN TOE FOR FT ABDUCT.SPLINT SZ 0 | BOOTS, OPEN TOE, FOR FOOT ABDUCTION SPLINT, STRAIGHT, LAST, SIZE 0; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; MADE FROM COW/CALF LEATHER; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; REMOVABLE PROFILED CORK INLAY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMPORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; NAVICULAR STRAP    | PAA | ITEMIZED | 100 |
|-----|---------------|------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|-----|
| 302 | 4224170629500 | BOOTS OPEN TOE FOOT ABDUCT.SPLINT SZ 00  | BOOTS, OPEN TOE, FOR FOOT ABDUCTION SPLINT, STRAIGHT, LAST, SIZE 00; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; MADE FROM COW/CALF LEATHER; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; REMOVABLE PROFILED CORK INLAY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMPORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; NAVICULAR STRAP   | PAA | ITEMIZED | 100 |
| 303 | 4224170629600 | BOOTS OPEN TOE FOOT ABDUCT.SPLINT SZ000  | BOOTS, OPEN TOE, FOR FOOT ABDUCTION SPLINT, STRAIGHT, LAST, SIZE 000; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; MADE FROM COW/CALF LEATHER; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; REMOVABLE PROFILED CORK INAY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMPORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; NAVICULAR STRAP   | PAA | ITEMIZED | 100 |
| 304 | 4224170629700 | BOOTS OPEN TOE FOOT ABDUCT.SPLINT SZ0000 | BOOTS, OPEN TOE, FOR FOOT ABDUCTION SPLINT, STRAIGHT, LAST, SIZE 0000; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; MADE FROM COW/CALF LEATHER; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; REMOVABLE PROFILED CORK INLAY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; NAVICULAR STRAP | PAA | ITEMIZED | 100 |
| 305 | 4224170629800 | BOOTS OPEN TOE FOR FT ABDUCT.SPLINT SZ 1 | BOOTS, OPEN TOE, FOR FOOT ABDUCTION SPLINT, STRAIGHT, LAST, SIZE 1; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; MADE FROM COW/CALF LEATHER; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; REMOVABLE PROFILED CORK INLAY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMPORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; NAVICULAR STRAP    | PAA | ITEMIZED | 100 |
| 306 | 4224170629900 | BOOTS OPEN TOE FOOT ABDUCT.SPLINT SZ1.5  | BOOTS, OPEN TOE, FOR FOOT ABDUCTION SPLINT, STRAIGHT, LAST, SUZE 1.5; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; MADE FROM COW/CALF LEATHER; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; REMOVABLE PROFILED CORK INLAY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMPORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; NAVICULAR STRAP  | PAA | ITEMIZED | 100 |
| 307 | 4224170630000 | BOOTS OPEN TOE FOR FT ABDUCT.SPLINT SZ 2 | BOOTS, OPEN TOE, FOR FOOT ABDUCTION SPLINT, STRAIGHT, LAST, SIZE 2; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; MADE FROM COW/CALF LEATHER; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; REMOVABLE PROFILED CORK INLAY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMPORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; NAVICULAR STRAP    | PAA | ITEMIZED | 100 |
| 308 | 4224170630100 | BOOTS OPEN TOE FOOT ABDUCT.SPLINT SZ2.5  | BOOTS, OPEN TOE, FOR FOOT ABDUCTION SPLINT, STRAIGHT, LAST, SUZE 2.5; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; MADE FROM COW/CALF LEATHER; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; REMOVABLE PROFILED CORK INLAY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMPORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; NAVICULAR STRAP  | PAA | ITEMIZED | 100 |
| 309 | 4224170530200 | BOOTS OPEN TOE FOR FT ABDUCT.SPLINT SZ 3 | BOOTS, OPEN TOE, FOR FOOT ABDUCTION SPLINT, STRAIGHT, LAST, SIZE 3; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; MADE FROM COW/CALF LEATHER; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; REMOVABLE PROFILED CORK INLAY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; NAVICULAR STRAP    | PAA | ITEMIZED | 100 |
| 310 | 4224170630300 | BOOTS OPEN TOE FOOT ABDUCT.SPLINT \$23.5 | BOOTS, OPEN TOE, FOR FOOT ABDUCTION SPLINT, STRAIGHT, LAST, SUZE 3.5; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; MADE FROM COW/CALF LEATHER; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; REMOVABLE PROFILED CORK INLAY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMPORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; NAVICULAR STRAP  | PAA | ITEMIZED | 100 |
| 311 | 4224170630400 | BOOTS OPEN TOE FOR FT ABDUCT.SPLINT SZ 4 | BOOTS, OPEN TOE, FOR FOOT ABDUCTION SPLINT, STRAIGHT, LAST, SIZE 4; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; MADE FROM COW/CALF LEATHER; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; REMOVABLE PROFILED CORK INLAY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; NAVICULAR STRAP    | PAA | ITEMIZED | 100 |

6/21/2022 Page 24 of 160

|     |               |                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |     |          | 1   |
|-----|---------------|------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|-----|
| 312 | 4224170630500 | BOOTS OPEN TOE FOOT ABDUCT.SPLINT 5Z4.5  | BOOTS, OPEN TOE, FOR FOOT ABDUCTION SPLINT, STRAIGHT, LAST, SIZE 4.5; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT MADE FROM COW/CAF LEATHER; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; REMOVABLE PROFILED CORK INLAY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; NAVICULAR STRAP                                                                                    | PAA | ITEMIZED | 100 |
| 313 | 4224170630600 | BOOTS OPEN TOE FOR FT ABDUCT.SPLINT SZ 5 | BOOTS, OPEN TOE, FOR FOOT ABDUCTION SPLINT, STRAIGHT, LAST, SIZE 5; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; MADE FROM COW/CALF LEATHER; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; REMOVABLE PROFILED CORK INLAY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; NAVICULAR STRAP                                                                                    | PAA | ITEMIZED | 100 |
| 314 | 4224170630700 | BOOTS OPEN TOE FOOT ABDUCT.SPLINT \$25.5 | BOOTS, OPEN TOE, FOR FOOT ABDUCTION SPLINT, STRAIGHT, LAST, SIZE 5.5; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; MADE FROM COW/CALF LEATHER; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; REMOVABLE PROFILED CORK INLAY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; NAVICULAR STRAP                                                                                  | PAA | ITEMIZED | 100 |
| 315 | 4224170630800 | BOOTS OPEN TOE FOR FT ABDUCT.SPLINT SZ 6 | BOOTS, OPEN TOE, FOR FOOT ABDUCTION SPLINT, STRAIGHT, LAST, SIZE 6; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; MADE FROM COW/CALF LEATHER; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; REMOVABLE PROFILED CORK INLAY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; NAVICULAR STRAP                                                                                    | PAA | ITEMIZED | 100 |
| 316 | 4224170630900 | BOOTS OPEN TOE FOR FT ABDUCT.SPLINT SZ 7 | BOOTS, OPEN TOE, FOR FOOT ABDUCTION SPLINT, STRAIGHT, LAST, SIZE 7; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; MADE FROM COW/CALF LEATHER; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; REMOVABLE PROFILED CORK INLAY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; NAVICULAR STRAP                                                                                    | PAA | ITEMIZED | 100 |
| 317 | 4224170631000 | BOOTS OPEN TOE FOR FT ABDUCT.SPLINT SZ 8 | BOOTS, OPEN TOE, FOR FOOT ABDUCTION SPLINT, STRAIGHT, LAST, SIZE 8; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; MADE FROM COW/CALF LEATHER; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; REMOVABLE PROFILED COME INLAY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; NAVICULAR STRAP                                                                                    | PAA | ITEMIZED | 100 |
| 318 | 4224170631100 | BOOTS OPEN TOE FOR FT ABDUCT.SPLINT SZ 9 | BOOTS, OPEN TOE, FOR FOOT ABDUCTION SPLINT, STRAIGHT, LAST, SIZE 9; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; MADE FROM COW/CALF LEATHER; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; REMOVABLE PROFILED CORK INLAY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; NAVICULAR STRAP                                                                                    | PAA | ITEMIZED | 100 |
| 319 | 4224170631500 | BOOTS STABILTY FOR CHILDREN SZ 18 BLUE   | BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO-PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRAL PALSY, SIZE 18, BLUE COLOR; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALE LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK   | PAA | ITEMIZED | 150 |
| 320 | 4224170631600 | BOOTS STABILTY FOR CHILDREN SZ 18 PURPLE | BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO-PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRAL PALSY, SIZE 18, PURPLE COLOR; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK | PAA | ITEMIZED | 150 |
| 321 | 4224170631700 | BOOTS STABILTY FOR CHILDREN SZ 19 BLUE   | BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO-PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRAL PALSY, SIZE 19, BLUE COLOR; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALE LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLUTIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK     | PAA | ITEMIZED | 150 |

6/21/2022 Page 25 of 160

| 322 | 4224170631800 | BOOTS STABILTY FOR CHILDREN SZ 19 PURPLE | BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO-PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRAL PALSY, SIZE 19, PURPLE COLOR; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALE LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASLIY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE ORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK       | PAA | ITEMIZED | 150 |
|-----|---------------|------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|-----|
| 323 | 4224170631900 | BOOTS STABILTY FOR CHILDREN SZ 20 BLUE   | BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO-PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRAL PALSY, SIZE 20, BLUE COLOR; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CAFE LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK        | РАА | ITEMIZED | 150 |
| 324 | 4224170632000 | BOOTS STABILTY FOR CHILDREN SZ 20 PURPLE | BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO-PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRAL PALSY, SIZE 20, PURPLE COLOR; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALE LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SULUNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK        | PAA | ITEMIZED | 150 |
| 325 | 4224170632100 | BOOTS STABILTY FOR CHILDREN SZ 21 BLUE   | BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO-PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRAL PALSY, SIZE 21, BLUE COLOR; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALE LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SULL UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK        | PAA | ITEMIZED | 150 |
| 326 | 4224170632300 | BOOTS STABILTY FOR CHILDREN SZ 21 MIX    | BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO-PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRAL PALSY, SIZE 21, MIX COLOR; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALE LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK         | PAA | ITEMIZED | 150 |
| 327 | 4224170632200 | BOOTS STABILTY FOR CHILDREN SZ 21 PURPLE | BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO-PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRAL PALSY, SIZE 21, PURPLE COLOR; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALE LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SULL UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK      | PAA | ITEMIZED | 150 |
| 328 | 4224170632400 | BOOTS STABILTY FOR CHILDREN SZ 22 BLUE   | BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO-PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRAL PALSY, SIZE 2.2, BLUE COLOR; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALE LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK       | PAA | ITEMIZED | 150 |
| 329 | 4224170632500 | BOOTS STABILTY FOR CHILDREN SZ 22 PURPLE | BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO-PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRAL PALSY, SIZE 22, PURPLE COLOR, SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALE LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK      | PAA | ITEMIZED | 150 |
| 330 | 4224170632600 | BOOTS STABILTY CHILDREN SZ 22 TWO COLOR  | BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO-PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRAL PALSY, SIZE 22, TWO COLOURS COLOR; SOFT PADDING AROUND HEEL CHYFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK | РАА | ITEMIZED | 150 |

6/21/2022 Page 26 of 160

| 331 | 4224170632700 | BOOTS STABILTY FOR CHILDREN SZ 23 BLACK  | BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO-PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRAL PALSY, SIZE 23, BLACK COLOR; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CAFE TEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK  | РАА | ITEMIZED | 150 |
|-----|---------------|------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|-----|
| 332 | 4224170632800 | BOOTS STABILTY FOR CHILDREN SZ 23 BLUE   | BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO-PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRAL PALSY, SIZE 23, BLUE COLOR; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK   | PAA | ITEMIZED | 150 |
| 333 | 4224170632900 | BOOTS STABILTY FOR CHILDREN SZ 23 PURPLE | BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO-PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRAL PALSY, SIZE 23, PURPLE COLOR; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALE LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK | PAA | ITEMIZED | 150 |
| 334 | 4224170633000 | BOOTS STABILTY FOR CHILDREN SZ 24 BLUE   | BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO-PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRAL PALSY, SIZE 24, BULE COLOR, SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK   | PAA | ITEMIZED | 150 |
| 335 | 4224170633200 | BOOTS STABILTY FOR CHILDREN SZ 24 MIX    | BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO-PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRAL PALSY, SIZE 24, MIX COLOR; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK    | PAA | ITEMIZED | 150 |
| 336 | 4224170633100 | BOOTS STABILTY FOR CHILDREN SZ 24 PURPLE | BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO-PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRAL PALSY, SIZE 24, PURPLE COLOR; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA LONG STIFEFURE TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLUTIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK   | PAA | ITEMIZED | 150 |
| 337 | 4224170633300 | BOOTS STABILTY FOR CHILDREN SZ 25 BLACK  | BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO-PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRAL PALSY, SIZE 25, BLACK COLOR; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALE LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK  | PAA | ITEMIZED | 150 |
| 338 | 4224170633400 | BOOTS STABILTY FOR CHILDREN SZ 25 BLUE   | BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO-PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRAL PALSY, SIZE 25, BLUE COLOR; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA LONG STIFEFNER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLUTIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK     | PAA | ITEMIZED | 150 |
| 339 | 4224170633500 | BOOTS STABILTY FOR CHILDREN SZ 25 PURPLE | BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO-PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRAL PALSY, SIZE 25, PURPLE COLOR; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOL; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK   | PAA | ITEMIZED | 150 |

6/21/2022 Page 27 of 160

| 340 | 4224170633600 | BOOTS STABILTY FOR CHILDREN SZ 26 BLACK  | BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO-PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRAL PALSY, SIZE 26, BLACK COLOR; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALE LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK  | PAA | ITEMIZED | 150 |
|-----|---------------|------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|-----|
| 341 | 4224170633700 | BOOTS STABILTY FOR CHILDREN SZ 26 BLUE   | BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO-PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRAL PALSY, SIZE 26, BLUE COLOR; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALE LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK   | PAA | ITEMIZED | 150 |
| 342 | 4224170633800 | BOOTS STABILTY FOR CHILDREN SZ 26 PRUPLE | BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO-PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRAL PALSY, SIZE 26, PURPLE COLOR; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SULL UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK | PAA | ITEMIZED | 150 |
| 343 | 4224170633900 | BOOTS STABILTY FOR CHILDREN SZ 27 BLACK  | BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO-PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRAL PALSY, SIZE 27, BLACK COLOR; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLUTIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK    | PAA | ITEMIZED | 150 |
| 344 | 4224170634000 | BOOTS STABILTY FOR CHILDREN SZ 27 PURPLE | BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO-PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRAL PALSY, SIZE 27, PURPLE COLOR; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK | PAA | ITEMIZED | 150 |
| 345 | 4224170634100 | BOOTS STABILTY FOR CHILDREN SZ 28 BLACK  | BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO-PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRAL PALSY, SIZE 28, BLACK COLOR; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALE LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK  | PAA | ITEMIZED | 150 |
| 346 | 4224170634200 | BOOTS STABILTY FOR CHILDREN SZ 28 BLUE   | BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO-PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRAL PALSY, SIZE 28, BLUE COLOR; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALE LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK   | PAA | ITEMIZED | 150 |
| 347 | 4224170634300 | BOOTS STABILTY FOR CHILDREN SZ 28 PURPLE | BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO-PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRAL PALSY, SIZE 28, PURPLE COLOR; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLUTIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK   | PAA | ITEMIZED | 150 |
| 348 | 4224170634400 | BOOTS STABILTY FOR CHILDREN SZ 29 BLACK  | BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO-PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRAL PALSY, SIZE 29, BLACK COLOR; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALE LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULLEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK    | PAA | ITEMIZED | 150 |

6/21/2022 Page 28 of 160

| 349 | 4224170634500 | BOOTS STABILTY FOR CHILDREN SZ 29 BLUE   | BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO-PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRAL PALSY, SIZE 29, BLUE COLOR; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK                                                       | PAA | ITEMIZED | 150 |
|-----|---------------|------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|-----|
| 350 | 4224170634600 | BOOTS STABILTY FOR CHILDREN SZ 29 PURPLE | BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO-PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRAL PALSY, SIZE 29, PURPLE COLOR; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA LONG STIFEFURE TO SUPPORT ANKLE; FULL LEATHER INSOL; EASILY REMOVABLE AND ADAPTABLE SOLUTIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK                                                       | PAA | ITEMIZED | 150 |
| 351 | 4224170634700 | BOOTS STABILTY FOR CHILDREN SZ 30 BLACK  | BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO-PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRAL PALSY, SIZE 30, BLACK COLOR; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALE LEATHER; A HIGH AND EXTRA LONG STIFEENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SULL UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK | PAA | ITEMIZED | 150 |
| 352 | 4224170634800 | BOOTS STABILTY FOR CHILDREN SZ 30 BLUE   | BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO-PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRAL PALSY, SIZE 30, BLUE COLOR; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA LONG STIFEFNER TO SUPPORT ANKLE; FULL LEATHER INSOL; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK                                                       | PAA | ITEMIZED | 150 |
| 353 | 4224170631200 | BOOTS STABILTY FOR CHILDREN SZ 30 PURPLE | BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO-PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRAL PALSY, SIZE 30, PURPLE COLOR; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA LONG STIFEFURE TO SUPPORT ANKLE; FULL LEATHER INSOL; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK                                                     | PAA | ITEMIZED | 150 |
| 354 | 4224170634900 | BOOTS STABILTY FOR CHILDREN SZ 31 BLACK  | BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO-PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRAL PALSY, SIZE 31, BLACK COLOR; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA LONG STIFEFURE TO SUPPORT ANKLE; FULL LEATHER INSOL; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK                                                      | PAA | ITEMIZED | 150 |
| 355 | 4224170635000 | BOOTS STABILTY FOR CHILDREN SZ 31 BLUE   | BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO-PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRAL PALSY, SIZE 31, BLUE COLOR; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALE LEATHER; A HIGH AND EXTRA LONG STIFEENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK                                                      | PAA | ITEMIZED | 150 |
| 356 | 4224170631300 | BOOTS STABILTY FOR CHILDREN SZ 31 PURPLE | BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO-PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRAL PALSY, SIZE 31, PURPLE COLOR; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA LONG STIFEENER TO SUPPORT ANKLE; FULL LEATHER INSOL; EASILY REMOVABLE AND ADAPTABLE SOLUTIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK                                                       | PAA | ITEMIZED | 150 |
| 357 | 4224170635200 | BOOTS STABILTY FOR CHILDREN SZ 32 BLUE   | BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO-PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRAL PALSY, SIZE 32, BLUE COLOR; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALE LEATHER; A HIGH AND EXTRA LONG STIFEENER TO SUPPORT ANKLE; FULLEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK                                                        | PAA | ITEMIZED | 150 |

6/21/2022 Page 29 of 160

| 358 | 4224170635100 | BOOTS STABILTY FOR CHILDREN SZ 32 BLACK  | BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO-PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRAL PALSY, SIZE 32, BLACK COLOR; SOFT PADDING AROUND HEEL CUPFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK  | PAA | ITEMIZED | 150 |
|-----|---------------|------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|-----|
| 359 | 4224170631400 | BOOTS STABILTY FOR CHILDREN SZ 32 PURPLE | BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO-PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRAL PALSY, SIZE 32, PUPINE COLOR; FOR FADDINING AROUND HEEL CUFF; MADE FROM COW/CAFE LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK | PAA | ITEMIZED | 150 |
| 360 | 4224170635300 | BOOTS STABILTY FOR CHILDREN SZ 33 BLACK  | BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO-PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRAL PALSY, SIZE 33, BLACK COLOR; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK  | PAA | ITEMIZED | 150 |
| 361 | 4224170635400 | BOOTS STABILTY FOR CHILDREN SZ 33 BLUE   | BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO-PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRAL PALSY, SIZE 33, BLUE COLOR; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK   | PAA | ITEMIZED | 150 |
| 362 | 4224170635500 | BOOTS STABILTY FOR CHILDREN SZ 33 PURPLE | BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO-PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRAL PALSY, SIZE 33, PURPLE COLOR; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK | PAA | ITEMIZED | 150 |
| 363 | 4224170635600 | BOOTS STABILTY FOR CHILDREN SZ 34 BLACK  | BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO-PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRAL PALSY, SIZE 34, BLACK COLOR; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK  | PAA | ITEMIZED | 150 |
| 364 | 4224170635700 | BOOTS STABILTY FOR CHILDREN SZ 34 BLUE   | BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO-PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRAL PALSY, SIZE 34, BLUE COLOR; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK   | РАА | ITEMIZED | 150 |
| 365 | 4224170635800 | BOOTS STABILTY FOR CHILDREN SZ 34 PURPLE | BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO-PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRAL PALSY, SIZE 34, PURPLE COLOR; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; ESAILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK | PAA | ITEMIZED | 150 |
| 366 | 4224170635900 | BOOTS STABILTY FOR CHILDREN SZ 35 BLACK  | BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO-PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRAL PALSY, SIZE 35, BLACK COLOR; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STICH DOWN CONSTRUCTION; HEEL AND RIGID SHANK   | PAA | ITEMIZED | 150 |

6/21/2022 Page 30 of 160

| 367 | 4224170636100 | BOOTS STABILTY FOR CHILDREN SZ 36 BLACK  | BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO-PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRAL PALSY, SIZE 36, BLACK COLOR; SOFT PADDING AROUND HEEL CUPFS; MADE FROM COW/CAIF LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKE; FULL LEATHER INSOLE; FASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK                                                                                                                                               | PAA | ITEMIZED | 150 |
|-----|---------------|------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|-----|
| 368 | 4224170636000 | BOOTS STABILTY FOR CHILDREN SZ 36 PURPLE | BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORTS, NEURO-PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRAL PALSY, SIZE 36, PURPLE COLOR; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKE; FULL LEATHER INSOLE; FASILY REMOVABLE AND ADAPTABLE SOLE-LUNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE, STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK                                                                                                                                             | PAA | ITEMIZED | 150 |
| 369 | 4224170636200 | BOOTS STABLITY CHILD BLACK BLUE RED SZ18 | BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO-PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRAL PALSY, VARUS, OR VALGUS INSTABILITY, PAINFUL OR PRESSURE, SENSITIVE FEET, ATTACHMENT OF EXTERNAL BRACING, SUCH AS USED IN THE SMART WALKER, ORTHO, BLACK, BLUE, RED, SIZE 18; SOFT PADDING ABOUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK                                                 | PAA | ITEMIZED | 150 |
| 370 | 4224170636300 | BOOTS STABILITY CHILD MIX COLORS SZ20    | BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO-PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRAL PALSY, VARD, OR VALGUS INSTABILITY, PAINFUL OR PRESSURE, SENSITIVE FEET, ATTACHMENT OF EXTERNAL BRACING, SUCH AS USED IN THE SMART WALKER, ORTHO, MIX COLORS, SIZE 20, SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK    | PAA | ITEMIZED | 150 |
| 371 | 4224170908100 | BOOTS STABILITY CHILD MIX COLORS SZ19    | BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO-PHYSICLOGICAL CONDITIONS SUCH AS CEREBRAL PALSY, VARUS, OR VALGUS INSTABILITY, PAINFUL OR PRESSURE, SENSITIVE FEET, ATTACHMENT OF EXTERNAL BRACING, SUCH AS USED IN THE SMART WALKER, ORTHO, MIX COLORS, SIZE 19; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; FLASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE; ; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK | PAA | ITEMIZED | 150 |
| 372 | 4618221102900 | BRACE IDIOPATHIC SCOLIOSIS ADOLESCENT A1 | BRACE FOR IDIOPATHIC SCOLIOSIS SIZE: ADOLESCENT A1 HIPS:<br>94 WAIST: 62 XIPHOID: 76 ASIS: 27                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | EA  | ITEMIZED | 300 |
| 373 | 4618221103100 | BRACE IDIOPATHIC SCOLIOSIS ADOLSCENT A2A | BRACE FOR IDIOPATHIC SCOLIOSIS SIZE: ADOLESCENT A2 A HIPS: 96 WAIST: 66 XIPHOID: 75 ASIS: 25                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | EA  | ITEMIZED | 300 |
| 374 | 4618221103000 | BRACE IDIOPATHIC SCOLIOSIS ADOLESCENT A2 | BRACE FOR IDIOPATHIC SCOLIOSIS SIZE: ADOLESCENT A2 HIPS:<br>94 WAIST: 70 XIPHOID: 84 ASIS: 26                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | EA  | ITEMIZED | 300 |
| 375 | 4618221103200 | BRACE LSO SZ 1 30 34IN                   | BRACE LSO (LUMBAR SACRAL ORTHOSIS) FOR POST - OPERATIVE SPINAL IMMOBILIZATION AND COMPRESSION FRACTURES BIVALVE FOR EASY DONNING ILIO - LOC PROVIDES ABDOMINAL COMPRESSION POSITIONING PREVENTS MIGRATION ADJUSTABLE A/P CONTROL REMOVABLE WASHABLE LINER 1/8 INCH HIGH-DENSITY POLYETHYLENE SIZE 1 HIP CIRCULATION 30 INCHES - 34 INCHES                                                                                                                                                                                                                                                                                               | EA  | ITEMIZED | 500 |
| 376 | 4618221103300 | BRACE LSO SZ 2 34 37IN                   | BRACE LSO (LUMBAR SACRAL ORTHOSIS) FOR POST - OPERATIVE SPINAL IMMOBILIZATION AND COMPRESSION FRACTURES BIVALVE FOR EASY DONNING ILIO - LOC PROVIDES ABDOMINAL COMPRESSION POSITIONING PREVENTS MIGRATION ADJUSTABLE A/P CONTROL REMOVABLE WASHABLE LINER 1/8 INCH HIGH-DENSITY POLYETHYLENE SIZE 2 HIP CIRCULATION 34 INCHES - 37 INCHES                                                                                                                                                                                                                                                                                               | EA  | ITEMIZED | 500 |
| 377 | 4618221103500 | BRACE LSO SZ 3S 37 41IN SHORT            | BRACE LSO (LUMBAR SACRAL ORTHOSIS) FOR POST- OPERATIVE SPINAL IMMOBILIZATION AND COMPRESSION FRACTURES BUXUEF FOR EASY DONNING ILIO - LOC PROVIDES ABDOMINAL COMPRESSION POSITIONING PREVENTS MIGRATION ADJUSTABLE A/P CONTROL REMOVABLE WASHABLE LINER 1/B RICH HIGH-DENSITY POLYTEHYLENE SIZE 3 S HIP CIRCULATION 37 INCHES -41 INCHES SHORT                                                                                                                                                                                                                                                                                          | EA  | ITEMIZED | 500 |
| 378 | 4618221103700 | BRACE LSO 4P 41 45IN PENDULOUS ABDOMEN   | BRACE LSO (LUMBAR SACRAL ORTHOSIS) FOR POST- OPERATIVE SPINAL IMMOBILIZATION AND COMPRESSION FRACTURES BINALVE FOR EASY DONNING ILIO- LOC PROVIDES ABDOMINAL COMPRESSION POSITIONING PREVENTS MIGRATION ADJUSTABLE AP CONTROL REMOVABLE WASHABLE LINER 1/8 INCH HIGH-DENSITY POLYETHYLENE SIZE 4 P HIP CIRCULATION 41 INCHES - 45 INCHES PENDULOUS ABDOMEN                                                                                                                                                                                                                                                                              | EA  | ITEMIZED | 500 |

6/21/2022 Page 31 of 160

| 379 | 4618221103800 | BRACE LSO SZ 4S 41 45IN SHORT            | BRACE LSO (LUMBAR SACRAL ORTHOSIS) FOR POST - OPERATIVE SPINAL IMMOBILIZATION AND COMPRESSION FRACTURES BIVALVE FOR EASY DONNING ILIO - LOC PROVIDES ABDOMINAL COMPRESSION POSITIONING PREVENTS MIGRATION ADJUSTABLE A/P CONTROL REMOVABLE WASHABLE LINER 1/8 INCH HIGH-DENSITY POLYETHYLENE SIZE 4 S HIP CIRCULATION 41 INCHES - 45 INCHES SHORT                                                                                                                                                | EA  | ITEMIZED | 500  |
|-----|---------------|------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|------|
| 380 | 4618221104000 | BRACE LSO SP 45 49IN PENDULOUS ABDOMEN   | BRACE LSO (LUMBAR SACRAL ORTHOSIS) FOR POST- OPERATIVE SPINAL IMMOBILIZATION AND COMPRESSION FRACTURES BIVALVE FOR EASY DONNING ILIO - LOC PROVIDES ABDOMINAL COMPRESSION POSITIONING PREVENTS MIGRATION ADJUSTABLE AP CONTROL REMOVABLE WASHABLE LINER 1/8 INCH HIGH-DENSITY POLYETHYLENE SIZE 5 P HIP CIRCULATION 45 INCHES - 49 INCHES PENDULOUS ABDOMEN                                                                                                                                      | EA  | ITEMIZED | 500  |
| 381 | 4618221104700 | BRACE OSTEOPOROSIS THERAPY BACK          | BRACE OSTEOPOROSIS THERAPY BACK INELASTIC LIGHTWEIGHT AND HIGHLY BREATHABLE FABRIC SCAPULOAXILLARY STRAPS THAT FACILITATE THE RETROPULSION OF THE SHOULDERS EASILY ADJUSTABLE WIDE LOOP SOR EASY PLACEMENT MICRO VELCRO CLOSURE OSTEOPOROSIS DEGENERATIVE PROCESSES DEGENERATIVE DISCOPATHIES MUSCLE HYPOTONIA OSTEOPOROTIC FRACTURE LOW BACK PAIN AND BACK PAIN POSTURAL REHABILITATION POST - OPERATIVE LIGHTWEIGHT CONFORMAL ALUMINUM SPLINT POSTERIOR FOR SPINE POSTURE CONTROL              | EA  | ITEMIZED | 50   |
| 382 | 4618221102300 | BRACE TLSO POST OP SZ 4 HIP CIRC 41 45IN | BRACE TLSO (THORACIC LUMBAR SACRAL ORTHOSIS) FOR POST - OPERATIVE SPINAL IMMOBILIZATION AND COMPRESSION FRACTURES BUXLUE FOR EASY DONNING ILIO-LOC PROVIDES ABDOMINAL COMPRESSION POSITIONING PREVENTS MIGRATION ADJUSTABLE A/P CONTROL REMOVABLE 3/8 INCH HIGH-DENSITY POYETHYLENE SIZE 4 HIP CIRCUMFERENCE 41 INCHES - 45 INCHES                                                                                                                                                               | EA  | ITEMIZED | 1000 |
| 383 | 4618221102500 | BRACE TLSO POST OP SZ 3                  | BRACE TISO (THORACIC LUMBAR SACRAL ORTHOSIS) FOR POST - OPERATIVE SPINAL IMMOBILIZATION AND COMPRESSION FRACTURES. BIVALVE FOR EASY DONNINIG LIO - LOC PROVIDES ABDOMINAL COMPRESSION POSITIONING PREVENTS MIGRATION ADJUSTABLE A/P CONTROL REMOVABLE WASHABLE 1/8 INCHES HIGH-DENSITY POLYETHYLENE SIZE 3 HIP CIRC 37 INCH - 41 INCH                                                                                                                                                            | EA  | ITEMIZED | 1000 |
| 384 | 4618221102700 | BRACE TLSO POST OP SZ 5                  | BRACE TISO (THORACIC LUMBAR SACRAL ORTHOSIS) FOR POST - OPERATIVE SPINAL IMMOBILIZATION AND COMPRESSION FRACTURES, BIVALVE FOR EASY DONNING ILIO - LOC PROVIDES ABDOMINAL COMPRESSION POSITIONING PREVENTS MIGRATION ADJUSTABLE A/P CONTROL REMOVABLE WASHABLE LINER 1/8 HIGH-DENSITY POLYETHYLENE. SIZE 5 HIP CIRC 45 ". 49 "                                                                                                                                                                   | EA  | ITEMIZED | 1000 |
| 385 | 4618221102800 | BRACE TLSO POST OP SZ 2                  | BRACE TLSO (THORACIC LUMBAR SACRAL ORTHOSIS) FOR POST - OPERATIVE SPINAL IMMOBILIZATION AND COMPRESSION FRACTURES. BIVALVE FOR EASY DONNING ILIO - LOC PROVIDES ABDOMINAL COMPRESSION POSITIONING PREVENTS MIGRATION SIZE 2                                                                                                                                                                                                                                                                      | EA  | ITEMIZED | 1000 |
| 386 | 4618221108100 | BRACE TLSO FOR POST-OP SPINAL SMALL      | BRACE TLSO FOR POST-OPERATIVE SPINAL IMMOBILIZATION AND COMPRESSION FRACTURES, BIVALVE FOR EASY DONNING WITH STERNAL PIECE (SPK) AND SHOULDER STRAPS, PROVIDES ABDOMINAL COMPRESSION POSITIONING PREVENTS MIGRATION ADJUSTABLE A/P CONTROL REMOVABLE 1/8 INCH HIGH DENSITY POLYETHYLENE, SIZE SMALL                                                                                                                                                                                              | EA  | ITEMIZED | 100  |
| 387 | 4618221108200 | BRACE TLSO FOR POST-OP SPINAL MEDIUM     | BRACE TLSO FOR POST-OPERATIVE SPINAL IMMOBILIZATION AND COMPRESSION FRACTURES, BIVALVE FOR EASY DONNING WITH STERNAL PIECE (SPR) AND SHOULDER STRAPS, PROVIDES ABDOMINAL COMPRESSION POSITIONING PREVENTS MIGRATION ADJUSTABLE A/P CONTROL REMOVABLE 1/8 INCH HIGH DENSITY POLYETHYLENE, SIZE MEDIUM                                                                                                                                                                                             | EA  | ITEMIZED | 100  |
| 388 | 4618221108300 | BRACE TLSO FOR POST-OP SPINAL LARGE      | BRACE TLSO FOR POST-OPERATIVE SPINAL IMMOBILIZATION AND COMPRESSION FRACTURES, BIVALIVE FOR EASY DONNING WITH STERNAL PIECE (SPK) AND SHOULDER STRAPS, PROVIDES ABDOMINAL COMPRESSION POSITIONING PREVENTS MIGRATION ADJUSTABLE A/P CONTROL REMOVABLE 1/8 INCH HIGH DENSITY POLYETHYLENE, SIZE LARGE                                                                                                                                                                                             | EA  | ITEMIZED | 100  |
| 389 | 4618221108400 | BRACE TLSO FOR POST-OP SPINAL X-LARGE    | BRACE TLSO FOR POST-OPERATIVE SPINAL IMMOBILIZATION AND COMPRESSION FRACTURES, BIVALVE FOR EASY DONNING WITH STERNAL PIECE (SPR) AND SHOULDER STRAPS, PROVIDES ABDOMINAL COMPRESSION POSITIONING PREVENTS MIGRATION ADJUSTABLE A/P CONTROL REMOVABLE 1/8 INCH HIGH DENSITY POLYETHYLENE, SIZE X-LARGE                                                                                                                                                                                            | EA  | ITEMIZED | 100  |
| 390 | 4618221108500 | BRACE TLSO FOR POST-OP SPINAL XX-LARGE   | BRACE TLSO FOR POST-OPERATIVE SPINAL IMMOBILIZATION AND COMPRESSION FRACTURES, BIVALVE FOR EASY DONNING WITH STERNAL PIECE (SPK) AND SHOULDER STRAPS, PROVIDES ABDOMINAL COMPRESSION POSITIONING PREVENTS MIGRATION ADJUSTABLE A/P CONTROL REMOVABLE 1/8 INCH HIGH DENSITY POLYETHYLENE, SIZE XX-LARGE                                                                                                                                                                                           | EA  | ITEMIZED | 40   |
| 391 | 4618221102200 | BRACE TLSO FOR POST-OPERATIVE SIZE 1     | BRACE TLSO FOR POST-OPERATIVE SPINAL IMMOBILIZATION AND COMPRESSION FRACTURES, BIVALVE FOR EASY                                                                                                                                                                                                                                                                                                                                                                                                  | PAA | ITEMIZED | 1000 |
| 392 | 4618220704600 | BRACE CALCANEUS                          | DONNING, SIZE 1  BRACE, CALCANEUS, UNLOADING INTERNAL LINING WITH  SILKY TOUCH THAT PREVENTS SLIPPING WHILE ACTS AS  CUSHIONING, ADJUSTABLE AND REMOVABLE FITTING TAPES,  CUSHIONS THE IMPACT DURING THE STANCE PHASE,  DESIGNED FOR THE FUNCTIONAL TREATMENT OF EACH  SECTION IN EASY ADAPTATION MATERIAL, TRIM AND FIT  FUNCTIONAL TREATMENT OF UNLOADING FOR FRACTURES  OF THE CALCANEUS AND TALUS, DESIGNED FOR THE  UNLOADING OF HEEL AREA, MAKES THE SUPPORT EFFECT IN  A GAITER, PTB TYPE | EA  | ITEMIZED | 50   |

6/21/2022 Page 32 of 160

| 393 | 4224170001300 | BRACE MERMAID TAIL PASSIV CORRCTV ORTHOS  | BRACE, MERMAID TAIL, PASSIVE CORRECTIVE ORTHOSIS, COMPOSED OF TWO MEDIAL LEAFLETS, JOINED TOGETHER AND THAT FIT ON THE PATIENT'S TWO LEGS, THREE ADJUSTABLE, FASTENING POINTS, USING VELCRO AT THE LEVEL OF THIGH, KNEE AND CAIF, MADE OF THERMOPLASTIC, LINED WITH BREATHABLE FOAM MATERIAL, NIGHT CORRECTION OF DEVIATIONS, IN VARUS OR VALGUS OF THE KNEE, CORRECTION OF ROTATIONAL ATTITUDES, OF THE TIBIA, COMPORTABLE BRACES AND LATEX FREE, GENU - VARUS, GENU - VALGO, TIBIA ROD, OR EQUIVALENT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | EA  | ITEMIZED | 50   |
|-----|---------------|-------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|------|
| 394 | 4618221106200 | BRACE SCOLIOSIS STANDARDIZED SYMMETRICAL  | BRACE, SCOLIOSIS, STANDARDIZED SYMMETRICAL MODULES, THAT ARE CUSTOMIZED FOR EACH INDIVIDUAL PATIENT, THE BOSTON BRACE SYSTEM, FOR THE TREATMENT OF ADOLESCENT DIOPATHE SCOLIOSIS, IS PERHAPS THE MOST WIDELY USED SYSTEM, IN THE WORD AND FOLLOWS A PROVEN AND DETAILED, SET OF CONSTRUCTION, PRINCIPLES, WHICH MAKE IT EASILY TRANSPORTABLE, (I.E. ALLOWS FOR CONSISTENCY OF DESIGN IN ALL LOCATIONS, BY FOLLOWING THESE WELL DOCUMENTED PRINCIPLES, LIGHTWEIGHT CONSTRUCTION, WITH WELL DOCUMENTED EVIDENCE OF RESULTS, BRACE FABRICATION, AND DESIGN CYCLE TIME IS SHORT, THEREFORE PATIENT WILL BE SUPPLIED VERY SOON AFTER INITIAL CLINICAL APPOINTMENT, NO CASTING OF PATIENT NECESSARY, ONLY A SMALL NUMBER OF MEASUREMENTS REQUIRED AND SO LESS DISCOMPORT TO THE PATIENT DURING THAT PHASE, ADOLESCENT IDIOPATHIC SCOLIOSIS (AIS), FOR CURVES BETWEEN 25 AND 45 DEGREES (MEASURED BY TE COBB METHOD) AND CURVE APEX UP TO T7, WITH DOCUMENTED PROGRESSION AND A DEGREE OF FLEXIBILITY, SCOLIOSIS BRACE FOR CHILDREN | EA  | ITEMIZED | 150  |
| 395 | 4224200014200 | BREAST SILICONE PROSTHESIS SZ 10 105MM    | BREAST SILICONE PROSTHESIS, WITH COVER PROTECTION,<br>SIZE - 10 (105 MM, APPROXIMATELY), TEARDROP SHAPE<br>WITH BRA, OPEN TWO SIDES<br>BREAST SILICONE PROSTHESIS, WITH COVER PROTECTION,                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | EA  | ITEMIZED | 10   |
| 396 | 4224200014300 | BREAST SILICONE PROSTHESIS SZ 11 110MM    | SIZE - 11, (110 MM, APPROXIMATELY), EARDROP SHAPE WITH<br>BRA, OPEN TWO SIDES                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | EA  | ITEMIZED | 10   |
| 397 | 4224200014000 | BREAST SILICONE PROSTHESIS SZ 13 120MM    | BREAST SILICONE PROSTHESIS, WITH COVER PROTECTION, SIZE - 13 (120 MM, APPROXIMATELY), TEARDROP SHAPE WITH BRA, OPEN TWO SIDES                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | EA  | ITEMIZED | 10   |
| 398 | 4224200014100 | BREAST SILICONE PROSTHESIS SZ 5 80MM      | BREAST SILICONE PROSTHESIS, WITH COVER PROTECTION, SIZE - 5, (80 MM, APPROXIMATELY), TEARDROP SHAPE WITH BRA, OPEN TWO SIDES                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | EA  | ITEMIZED | 10   |
| 399 | 4224200014400 | BREAST SILICONE PROSTHESIS SZ 7 90MM      | BREAST SILICONE PROSTHESIS, WITH COVER PROTECTION, SIZE - 7, (90 MM, APPROXIMATELY), TEARDROP SHAPE WITH BRA, OPEN TWO SIDES                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | EA  | ITEMIZED | 10   |
| 400 | 4224200014500 | BREAST SILICONE PROSTHESIS SZ 8 95MM      | BREAST SILICONE PROSTHESIS, WITH COVER PROTECTION, SIZE - 8, (95 MM, APPROXIMATELY), TEARDROP SHAPE WITH BRA, OPEN TWO SIDES                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | EA  | ITEMIZED | 10   |
| 401 | 4224200014600 | BREAST SILICONE PROSTHESIS SZ 9 100MM     | BREAST SILICONE PROSTHESIS, WITH COVER PROTECTION, SIZE - 9, (100 MM, APPROXIMATELY), TEARDROP SHAPE WITH BRA, OPEN TWO SIDES                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | EA  | ITEMIZED | 10   |
| 402 | 4224200016000 | BREATHE CSHION SILICONE BELOW KNEE LINER  | BREATHE, CUSHION, SILICONE, SILCARE OR EQUIVALENT, BELOW KNEE LINER LASER PERFORATED ALONG THE LENGTH AND DISTALEND TO PERMIT AIR AND MOISTURE TO ESCAPE, IMPROVE COMFORT AND REDUCES SWEATING, SIZE S WILL BE ON DEMAND                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | EA  | ITEMIZED | 170  |
| 403 | 4224200016100 | BREATHE LOCKING SILICONE BELOW KNEE LINER | BREATHE, LOCKING, SILICONE, SILCARE OR EQUIVALENT, BELOW KNEE LINER LASER PERFORATED ALONG THE LENGTH AND DISTAL END TO PERMIT AIR AND MOISTURE TO ESCAPE, IMPROVE COMFORT AND REDUCES SWEATING, SIZE S WILL BE ON DEMAND                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | EA  | ITEMIZED | 170  |
| 404 | 4224200031100 | C CLAMPS AN ORTHOTICS WORKSHOP TOOL       | C CLAMPS, AN ORTHOTICS WORKSHOP TOOL, CLAMPING ARM<br>MADE OF MALLEABLE IRON, PROFILED STEEL SLIDE RAIL,<br>WOODEN HANDLE, JAW OPENING 180-220 MM, WORKING<br>RADIUS 100 MM, WEIGHT 1-3 KG                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | EA  | ITEMIZED | 10   |
| 405 | 4224200004500 | CALF LEATHER BLACK FOR SHOE MAKING        | CALF LEATHER, BLACK, FOR SHOE MAKING, BEST QUALITY  CAP SCREW, STAINLESS STEEL, WITH SERRATED LOCK                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | EA  | ITEMIZED | 17   |
| 406 | 4224200505600 | CAP SCREW SSTEEL SERRATED LOCK SZ M10X60  | WASHER AND FLAT WASHER, SIZE: M 10 X 60, FOR FOOT<br>ADAPTER, COMPLETE SET                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | SET | ITEMIZED | 100  |
| 407 | 4224170001800 | CAP SILICONE TOE                          | CAP, SILICONE, TOE, SILICONES PROTECTION TUBE, LIGHT, AND FUNCTIONAL, MADE OF EXTRA - SOFT MEDICAL SILICONE, IF FITS TO BODY TEMPERATURE, WASHABLE, INTERDIGITAL SEPARATOR AND CUSHION, FACILITATES TOES ALIGNMENT, PREVENTS THE FORMATION OF INTERDIGITAL CALLOSITIES, FIRST TOE CALLOSITIES, INTERDIGITAL CALLOSITIES, LATERAL EXOSTOSIS IN THE FIRST TOE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | EA  | ITEMIZED | 100  |
| 408 | 4224200019600 | CARBON 3D FILAMENT 1.75MM 500-1000G       | CARBON 3D PRINTING FILAMENT 1.75MM, 500-1000 G                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | ROL | ITEMIZED | 500  |
| 409 | 4224170705400 | CARBON ANKLE SEVEN SPRINGS BW 80KG 30MM   | CARBON ANKLE SEVEN SPRINGS FOR ANKLE - FOOT - ORTHOSIS GENERATE ENERGY DURING HEEL STRIKE UP TO 80 KG BODY WEIGHT, NORMAL ACTIVITY LEVEL, 30 MM SPRING WIDTH                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | EA  | ITEMIZED | 1000 |
| 410 | 4224170705200 | CARBON ANKLE SEVEN SPRINGS BW 10KG 22MM   | CARBON ANKLE SEVEN, SPRINGS FOR ANKLE - FOOT -<br>ORTHOSIS GENERATE ENERGY DURING HEEL STRIKE UP TO 10<br>KG BODY WEIGHT, NORMAL ACTIVITY LEVEL, 22 MM SPRING<br>WIDTH                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | EA  | ITEMIZED | 1000 |
| 411 | 4224170705500 | CARBON ANKLE SEVEN SPRINGS BW 20KG 22MM   | CARBON ANKLE SEVEN, SPRINGS FOR ANKLE - FOOT -<br>ORTHOSIS GENERATE ENERGY DURING HEEL STRIKE, UP TO 20<br>KG BODY WEIGHT, NORMAL ACTIVITY LEVEL, 22 MM SPRING<br>WIDTH                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | EA  | ITEMIZED | 300  |
| 412 | 4224170705800 | CARBON ANKLE SEVEN SPRINGS BW 30KG 25MM   | CARBON ANKLE SEVEN, SPRINGS FOR ANKLE - FOOT -<br>ORTHOSIS GENERATE ENERGY DURING HEEL STRIKE, UP TO 30<br>KG BODY WEIGHT, NORMAL ACTIVITY LEVEL, 25 MM SPRING<br>WIDTH                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | EA  | ITEMIZED | 300  |
| 413 | 4224170705700 | CARBON ANKLE SEVEN SPRINGS BW 40KG 25MM   | CARBON ANKLE SEVEN, SPRINGS FOR ANKLE - FOOT -<br>ORTHOSIS GENERATE ENERGY DURING HEEL STRIKE, UP TO 40<br>KG BODY WEIGHT, NORMAL ACTIVITY LEVEL, 25 MM SPRING<br>WIDTH                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | EA  | ITEMIZED | 300  |
| 414 | 4224170705600 | CARBON ANKLE SEVEN SPRINGS BW 60KG 30MM   | CARBON ANKLE SEVEN, SPRINGS FOR ANKLE - FOOT - ORTHOSIS GENERATE ENERGY DURING HEEL STRIKE, UP TO 60 KG BODY WEIGHT, NORMAL ACTIVITY LEVEL, 30 MM SPRING WIDTH                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | EA  | ITEMIZED | 300  |

6/21/2022 Page 33 of 160

|            |                                |                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                    |          | 1                    | ı        |
|------------|--------------------------------|------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----------------------|----------|
| 415        | 4224170705300                  | CARBON ANKLE SEVEN SPRINGS BW 100KG 30MM             | CARBON ANKLE SEVEN, SPRINGS FOR ANKLE-FOOT-ORTHOSIS<br>GENERATE ENERGY DURING HEEL STRIKE UP TO 100 KG BODY<br>WEIGHT, NORMAL ACTIVITY LEVEL, 30 MM SPRING WIDTH                                                                                                                                                                                                                                                                                   | PAA      | ITEMIZED             | 1000     |
| 416        | 4224171310400                  | CARBON FIBER WEBBING                                 | CARBON FIBER WEBBING                                                                                                                                                                                                                                                                                                                                                                                                                               | EA       | ITEMIZED             | 300      |
| 417        | 4224171310000                  | CARBON FIBER WEBBING UNIDIRECT 100MM 50M             | CARBON FIBERGLASS WEBBING UNIDIRECTIONAL WIDTH 100  MM LENGTH /ROLL 50 METERS APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                        | EA       | ITEMIZED             | 300      |
| 418        | 4224171309600                  | CARBON FIBR WEBBNG UNIDIRECT 19MM L/R50M             | CARBON FIBERGLASS WEBBING UNIDIRECTIONAL WIDTH 19 MM LENGTH /ROLL 50 METERS APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                          | EA       | ITEMIZED             | 400      |
| 419        | 4224171309700                  | CARBON FIBR WEBBNG UNIDIRECT 25MM L/R50M             | CARBON FIBERGLASS WEBBING UNIDIRECTIONAL WIDTH 25<br>MM LENGTH /ROLL 50 METERS APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                       | EA       | ITEMIZED             | 400      |
| 420        | 4224171309800                  | CARBON FIBR WEBBNG UNIDIRECT 50MM L/R50M             | CARBON FIBERGLASS WEBBING UNIDIRECTIONAL WIDTH 50                                                                                                                                                                                                                                                                                                                                                                                                  | EA       | ITEMIZED             | 400      |
| 421        | 4224171309900                  | CARBON FIBR WEBBNG UNIDIRECT 75MM L/R50M             | MM LENGTH /ROLL 50 METERS APPROXIMATELY  CARBON FIBERGLASS WEBBING UNIDIRECTIONAL WIDTH 75                                                                                                                                                                                                                                                                                                                                                         | EA       | ITEMIZED             | 300      |
| 422        | 4224171310100                  | CARBON UD STOCKINETTE SIZE 100X5                     | MM LENGTH /ROLL 50 METERS APPROXIMATELY  CARBON UD STOCKINETTE FOR AXIAL REINFORCEMENT BENDING FORCES OF THIN - WALLED, HIGH - STRENGTH,  LAMINATES SIZE 100 X 5                                                                                                                                                                                                                                                                                   | EA       | ITEMIZED             | 300      |
| 423        | 4224171310200                  | CARBON UD STOCKINETTE SIZE 40X5                      | CARBON UD STOCKINETTE FOR AXIAL REINFORCEMENT BENDING FORCES OF THIM - WALLED, HIGH - STRENGTH, LAMINATES SIZE 40 X 5                                                                                                                                                                                                                                                                                                                              | EA       | ITEMIZED             | 300      |
| 424        | 4224171310300                  | CARBON UD STOCKINETTE SIZE 70X5                      | CARBON UD STOCKINETTE FOR AXIAL REINFORCEMENT<br>BENDING FORCES OF THIN - WALLED, HIGH - STRENGTH,<br>LAMINATES SIZE 70 X 5                                                                                                                                                                                                                                                                                                                        | EA       | ITEMIZED             | 300      |
| 425        | 4224171309400                  | CARBON FIBERGLASS WEBBING W25MM L50MT                | CARBON, FIBERGLASS, WEBBING, WIDTH 25 MM, LENGTH 50 METERS APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                           | EA       | ITEMIZED             | 400      |
| 426        | 4224171309500                  | CARBON FIBERGLASS WEBBING W50MM L50MT                | CARBON, FIBERGLASS, WEBBING, WIDTH 50 MM, LENGTH 50 METERS APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                           | EA       | ITEMIZED             | 400      |
| 427        | 4224150010500                  | CAST SIT                                             | CAST SIT, A PROSTHETIC SYSTEM WITH AIR PUMP, USING FOR ASSISTANCE DURING ABOVE KNEE CASTING, ALL BRIMS SIZE MUST BE INCLUDE                                                                                                                                                                                                                                                                                                                        | KIT      | ITEMIZED             | 15       |
| 428        | 4224150100600                  | CAST SHOE LARGE 11-12IN OPEN TOE                     | CAST, SHOE, LARGE, 11 INCHES - 12 INCHES, OPEN TOE                                                                                                                                                                                                                                                                                                                                                                                                 | PAA      | ITEMIZED             | 200      |
| 429        | 4224150100700                  | CAST SHOE MEDIUM 10-10 1/2IN OPEN TOE                | CAST, SHOE, MEDIUM, 10-10 1/2 INCHES, OPEN TOE  CAST, SHOE, MEDIUM/LARGE, 10 1/2 INCHES - 11 INCHES,                                                                                                                                                                                                                                                                                                                                               | PAA      | ITEMIZED             | 200      |
| 430        | 4224150100800                  | CAST SHOE MED/LARGE 10 1/2-11IN OPEN TOE             | OPEN TOE CENTER PUNCH KIT, AN ORTHOTICS WORKSHOP TOOL, STEEL,                                                                                                                                                                                                                                                                                                                                                                                      | PAA      | ITEMIZED             | 200      |
| 431        | 4224200034000                  | CENTER PUNCH KIT                                     | OCTAGONAL SHAFT, PAINTED  CERVICAL SPINE IMMOBILIZATION, PROVIDE CERVICAL SPINE                                                                                                                                                                                                                                                                                                                                                                    | KIT      | ITEMIZED             | 5        |
| 432        | 4224180309500                  | CERVICAL SPINE IMMOBILZATION PINLESS                 | CONTROL, CONTROLS ROTATION AND LATERAL BENDING OF CERVICAL SPINE, PINLESS NON-INVASIVE SYSTEM POSITIONING OF STRUCTURALLY STABLE SPINE FOLLOWING COMPLICATIONS OF STANDARD HALO IMMOBILIZATION, POSTOPERATIVE POSITIONING FOLLOWING STERNOCLEIDOMASTOID RELASE FOR CONGENITAL MUSCULAR TORTICOLLIS REDUCTION OF C1-C2 ROTARY INSTABILITY                                                                                                           | EA       | ITEMIZED             | 70       |
| 433        | 4224180309600                  | CERVICAL SUPPORT PED 23 28CM                         | CERVICAL SUPPORT, MINERVA OR EQUIVALENT, TO SUPPORT<br>AND STABILIZE CERVICAL SPINE AND UPPER THORACIC SPINE,<br>SIZE PEDIATRIC, 23 - 28 CM                                                                                                                                                                                                                                                                                                        | EA       | ITEMIZED             | 50       |
| 434        | 4224180309800                  | CERVICAL SUPPORT REG 330 410MM                       | CERVICAL SUPPORT, MINERVA OR EQUIVALENT, TO SUPPORT<br>AND STABILIZE CERVICAL SPINE AND UPPER THORACIC SPINE,<br>SIZE REGULAR, 330 - 410 MM                                                                                                                                                                                                                                                                                                        | EA       | ITEMIZED             | 50       |
| 435        | 4224180309700                  | CERVICAL SUPPORT SMALL 280 330MM                     | CERVICAL SUPPORT, MINERVA OR EQUIVALENT, TO SUPPORT<br>AND STABILIZE CERVICAL SPINE AND UPPER THORACIC SPINE,<br>SIZE SMALL, 280 - 330 MM                                                                                                                                                                                                                                                                                                          | EA       | ITEMIZED             | 50       |
| 436        | 4224200013000                  | CHAMOIS LEATHER ULTRA SOFT SIZE BY FEET              | CHAMOIS LEATHER, ULTRA SOFT, TRIMMED, SIZE BY FEET                                                                                                                                                                                                                                                                                                                                                                                                 | EA       | ITEMIZED             | 50<br>10 |
| 437<br>438 | 4224200012700<br>4224171400000 | CHARGER FOR MYOENERGY INTEGRAL BATTERY CHROME LINING | CHARGER, FOR MYOENERGY, INTEGRAL BATTERY SYSTEM CHROME LINING, CORDOVAN OR EQUIVALENT                                                                                                                                                                                                                                                                                                                                                              | EA<br>EA | ITEMIZED<br>ITEMIZED | 600      |
| 439        | 4224200300500                  | CLAMP 4 HOLE TUBE ALUMINUM 38MM 52G                  | CLAMP, 4 - HOLE TUBE, ALUMINUM, HEIGHT 38 MM, BUILD<br>HEIGHT 4 MM, WEIGHT 52 GRAMS, WEIGHT CAPACITY IS UP<br>TO 100 KG                                                                                                                                                                                                                                                                                                                            | EA       | ITEMIZED             | 50       |
| 440        | 4224200300400                  | CLAMP FEMALE PYRAMID TUBE ALU 50MM 64G               | CLAMP, FEMALE, PYRAMID TUBE, ALUMINUM, HEIGHT 50<br>MM, BUILD HEIGHT 16 MM, WEIGHT 64 GRAMS, WEIGHT<br>CAPACITY IS UPTO 100 KG                                                                                                                                                                                                                                                                                                                     | EA       | ITEMIZED             | 90       |
| 441        | 4224200300600                  | CLAMP FEMALE PYRAMID TUBE 14MM OFFSET                | CLAMP, FEMALE, PYRAMID, TUBE, WITH 14 MM OFFSET,<br>ALUMINUM, HEIGHT 69 MM, BUILD HEIGHT 35 MM, WEIGHT<br>135 GRAMS, WEIGHT CAPACITY IS UP TO 100 KG                                                                                                                                                                                                                                                                                               | EA       | ITEMIZED             | 90       |
| 442        | 4224200300300                  | CLAMP MALE PYRAMID TUBE ALUM 56MM 62G                | CLAMP, MALE, PYRAMID, TUBE, ALUMINUM, WITH STAINLESS<br>STEEL, INSERT, HEIGHT 56 MM, BUILD HEIGHT 41.5 MM,<br>WEIGHT 62 GRAMS, WEIGHT CAPACITY IS UPTO 100 KG                                                                                                                                                                                                                                                                                      | EA       | ITEMIZED             | 50       |
| 443        | 4224171318300                  | CLEANER TUBE FOR PROSTHETIC GLOVE CLEAN              | CLEANER TUBE, FOR PROSTHETIC GLOVE CLEANING                                                                                                                                                                                                                                                                                                                                                                                                        | EA       | ITEMIZED             | 100      |
| 444        | 4224200015900                  | CLICK VALVE WITH SAFETY SHACKLE                      | CLICK VALVE WITH SAFETY SHACKLE, FEATURES A MULTI - OPTION SAFETY LEASH TO AVOID LOSING THE UPPER VALVE PART, CONICAL SHAPE FOR EASY INSERTION IN THE LOWER VALVE PART, THE CLICK OFFERS AUDIBLE FEEDBACK FOR PROPER VALVE POSITIONING, RISK OF HEMATOMA IS ALLEVIATED, THANKS TO LATERAL AIR EXHAUST OPENINGS AND A FLUSH INSIDE SOCKET SURFACE, STRAIGHTFORWARD AND TIME - SAVING INSTALLATION, GOOD COSMETIC ASPECT FOR TRANSFEMORAL AMPUTATION | EA       | ITEMIZED             | 110      |
| 445        | 4224171310800                  | CLOTH PROSTHETIC W1200MM CARBON FIBRE                | CLOTH, PROSTHETIC DEVICE, W1200MM, CARBON FIBER, FOR LOCALIZED AND HIGH STRENGTH LAMINATE REINFORCEMENT                                                                                                                                                                                                                                                                                                                                            | PC       | ITEMIZED             | 153      |
| 446        | 4218260000600                  | COGNAC SHADE FULL CHROME SIDE 1 3/4MM                | COGNAC, SHADE FULL CHROME SIDE, 13/4 MM<br>APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                           | EA       | ITEMIZED             | 125      |
| 447        | 4224200035900                  | COMBINATION SQUARE                                   | COMBINATION SQUARE, AN ORTHOTICS WORKSHOP TOOL, WITH A SPIRIT LEVEL                                                                                                                                                                                                                                                                                                                                                                                | EA       | ITEMIZED             | 10       |
| 448        | 4224200032700                  | COMBINATION WRENCH                                   | COMBINATION WRENCH, STEEL, AN ORTHOTICS WORKSHOP<br>TOOL                                                                                                                                                                                                                                                                                                                                                                                           | KIT      | ITEMIZED             | 5        |
| 449        | 4224200031500                  | COMBINATION PLIERS                                   | COMBINATION PLIERS, AN ORTHOTICS WORKSHOP TOOL,<br>SIDE PIECE WITH PVC COATING, LENGTH 140-160 MM                                                                                                                                                                                                                                                                                                                                                  | EA       | ITEMIZED             | 10       |
|            |                                |                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                    |          |                      |          |

6/21/2022 Page 34 of 160

| 450        | 4224200124200                  | COMFORTABLE CARBON FOOT SZ 24 LEFT                                           | COMFORTABLE CARBON FOOT WITH BIOMECHANICS, WITH FOOTSHELL AND COSMESIS CONNECTION CAP, INCLUDES A SEPARATE BIG TOE AND CONNECTS THE FOREFOOT AND THE HEEL SPRING TO FORM A COMPLETE SYSTEM, TRIANGULAR TECHNOLOGY, SAFETY WALKING ON UNEVEN SURFACES, AN INTERCONNECTED, LINEAR SPRING DESIGN PROVIDES THE LEVEL OF MIDSTANCE SUPPORT NEEDED FOR ACTIVITIES WHERE RESPONSIVENESS IS ESSENTIAL, FOR PATIENTS WITH LIMITED CLEARANCE, ROBUST TITANIUM ADAPTER, CUSTOMIZABLE SHOCK ABSORPTION WITH TWO DIFFERENT HEEL WEDGE OPTIONS, SUITABLE FOR A BROAD RANGE OF APPLICATION, FROM EVERYDAY LIFE TO DEMANDING PROFESSIONS AND EVEN LEISURE SPORTS, WATER AND CORROSION - RESISTANT, SUZE 24, LEFT - | EA       | ITEMIZED | 50   |
|------------|--------------------------------|------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----------|------|
| 451        | 4224200124400                  | COMFORTABLE CARBON FOOT SZ 25 LEFT                                           | COMFORTABLE CARBON FOOT WITH BIOMECHANICS, WITH FOOTSHELL AND COSMESIS CONNECTION CAP, INCLUDES A SEPARATE BIG TOE AND CONNECTS THE FOREFOOT AND THE HEEL SPRING TO FORM A COMPLETE SYSTEM, TRIANGULAR TECHNOLOGY, SAFETY WALKING ON UNEVEN SURFACES, AN INTERCONNECTED, LINEAR SPRING DESIGN PROVIDES THE LEVEL OF MIDISTANCE SUPPORT NEEDED FOR ACTIVITIES WHERE RESPONSIVENESS IS ESSENTIAL, FOR PATIENTS WITH LIMITED CLEARANCE, ROBUST TITANIUM ADAPTER, CUSTOMIZABLE SHOCK ABOORPHION WITH TWO DIFFERENT HEEL WEDGE OPTIONS, SUITABLE FOR A BROAD RANGE OF APPLICATION, FROM EVERYDAY LIFE TO DEMANDING PROFESSIONS AND EVEN LEISURE SPORTS, WATER AND CORROSION - RESISTANT, SIZE 25, LEFT  | EA       | ITEMIZED | 50   |
| 452        | 4224200124600                  | COMFORTABLE CARBON FOOT SZ 26 LEFT                                           | COMFORTABLE CARBON FOOT WITH BIOMECHANICS, WITH FOOTSHELL AND COSMESIS CONNECTION CAP, INCLUDES A SEPARATE BIG TOE AND CONNECTS THE FOREFOOT AND THE HEEL SPRING TO FORM A COMPLETE SYSTEM, TRANGULAR TECHNOLOGY, SAFETY WALKING ON UNEVEN SURFACES, AN INTERCONNECTED, LINEAR SPRING DESIGN PROVIDES THE LEVEL OF MIDSTANCE SUPPORT NEEDED FOR ACTIVITIES WHERE RESPONSIVENESS IS ESSENTIAL, FOR PATIENTS WITH LIMITED CLEARANCE, ROBUST TITANIUM ADAPTER, CUSTOMIZABLE SHOCK ABSORPTION WITH TWO DIFFERENT HEEL WEDGE OPTIONS, SUITABLE FOR A BROAD RANGE OF APPLICATION, FROM EVERYDAY LIFE TO DEMANDING PROFESSIONS AND EVEN LEISURE SPORTS, WATER AND CORROSION - RESISTANT, SIZE 26, LEFT    | EA       | ITEMIZED | 50   |
| 453        | 4224200124800                  | COMFORTABLE CARBON FOOT SZ 27 LEFT                                           | COMFORTABLE CARBON FOOT WITH BIOMECHANICS, WITH FOOTSHELL AND COSMESIS CONNECTION CAP, INCLUDES A SEPARATE BIG TOE AND CONNECTS THE FOREFOOT AND THE HEEL SPRING TO FORM A COMPLETE SYSTEM, TRIANGULAR TECHNOLOGY, SAFETY WALKING ON UNEVEN SURFACES, AN INTERCONNECTED, LINEAR SPRING DESIGN PROVIDES THE LEVEL OF MIDSTANCE SUPPORT NEEDED FOR ACTIVITIES WHERE RESPONSIVENESS IS ESSENTIAL, FOR PATIENTS WITH LIMITED CLEARANCE, ROBUST HITANIUM ADAPTER, CUSTOMIZABLE SHOCK ABSORPTION WITH TWO DIFFERENT HEEL WEDGE OPTIONS, SUITABLE FOR A BROAD RANGE OF APPLICATION, FROM EVERYDAY LIFE TO DEMANDING PROFESSIONS AND EVEN LEISURE SPORTS, WATER AND CORROSION - RESISTANT, SIZE 27, LEFT   | EA       | ITEMIZED | 50   |
| 454        | 4224200125200                  | COMFORTABLE CARBON FOOT SZ 29 LEFT                                           | COMFORTABLE CARBON FOOT WITH BIOMECHANICS, WITH FOOTSHELL AND COSMESIS CONNECTION CAP, INCLUDES A SEPARATE BIG TOE AND CONNECTS THE FOREFOOT AND THE HEEL SPRING TO FORM A COMPLETE SYSTEM, TRIANGULAR TECHNOLOGY, SAFETY WALKING ON UNEVEN SURFACES, AN INTERCONNECTED, LINEAR SPRING DESIGN PROVIDES THE LEVEL OF MIDISTANCE SUPPORT NEEDED FOR ACTIVITIES WHERE RESPONSIVENESS IS ESSENTIAL, FOR PATIENTS WITH LIMITED CLEARANCE, ROBUST TITANIUM ADAPTER, CUSTOMIZABLE SHOCK ABSORPTION WITH TWO DIFFERENT HEEL WEDGE OPTIONS, SUITABLE FOR A BROAD RANGE OF APPLICATION, FROM EVERYDAY LIFE TO DEMANDING PROFESSIONS AND EVEN LEISURE SPORTS, WATER AND CORROSION - RESISTANT, SIZE 29, LEFT  | EA       | ITEMIZED | 50   |
| 455        | 4224160001700                  | CONICAL PLASTIC DRILL DIAMETER 14MM                                          | CONICAL, PLASTIC, DRILL, DIAMETER 14 MM CONICAL, SANDING, DRUM, THREAD, 5/8 INCHES, LENGTH 60                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | EA       | ITEMIZED | 50   |
| 456        | 4224160001800<br>4224160001900 | CONICAL SANDING DRUM THREAD 5/8IN 60MM  CONICAL SANDING DRUM THREAD M16 60MM | MM, DIAMETER 36/22 MM  CONICAL, SANDING, DRUM, THREAD, M16, LENGTH 60 MM,                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | EA       | ITEMIZED | 30   |
| 457<br>458 | 4224160001900                  | CONICAL SANDING DRUM THREAD M16 60MM  CONNECTION PIECE FOR COSMETIC FOAM 1   | DIAMETER 36/22 MM CONNECTION PIECE FOR COSMETIC FOAM, PERLON                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | EA<br>EA | ITEMIZED | 30   |
| 459        | 4224200406700                  | CONNECTION PIECE FOR COSMETIC FOAM 2                                         | CONNECTION, 1  CONNECTION PIECE FOR COSMETIC FOAM, PERLON                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | EA       | ITEMIZED | 30   |
| 460        | 4224200406800                  | CONNECTION PIECE FOR COSMETIC FOAM 3                                         | CONNECTION, 2  CONNECTION PIECE FOR COSMETIC FOAM, PERLON CONNECTION, 3                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | EA       | ITEMIZED | 30   |
| 461        | 4224200010300                  | CONNECTION PLATE                                                             | CONNECTION PLATE, GLUED TO THE COSMETIC FOAM COVER AND SNAPPED ONTO THE ADAPTER                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | EA       | ITEMIZED | 201  |
| 462        | 4224171300300                  | CONNECTOR EXTENSION DIA3/8IN TUBE CABLE                                      | CONNECTOR, TUBE EXTENSION FOR CABLE, DIAMETER 3/8 INCHES                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | PC       | ITEMIZED | 100  |
| 463        | 4224171300400                  | CONNECTOR EXTENSION DIA5/16IN TUBE CABLE                                     | CONNECTOR, TUBE EXTENSION FOR CABLE, DIAMETER 5/16 INCHES                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | PC       | ITEMIZED | 100  |
| 464        | 4224200012900                  | CONTROL ELEMENT FOR ASSEMBLY                                                 | CONTROL ELEMENT, FOR ASSEMBLY BETWEEN THE OUTER AND INNER PROSTHETIC SOCKET                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | EA       | ITEMIZED | 10   |
| 465        | 4618221101200                  | CONTROLS FLEXION OF THE SPINE SZ SM/MED                                      | CONTROLS FLEXION OF THE SPINE, MAKE ANGULAR ADJUSTMENTS OF THE THORACIC AND PELVIC MODULES MODULAR DESIGN STABILIZES SPINE, ENCOURAGES SAGITTAL POSTURAL REALIGNMENT REDUCE PAIN, HYPER EXTENSION BRACE, SIZE: SMALL, MEDIUM                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | EA       | ITEMIZED | 1000 |
| 466        | 4224200034400                  | CORDLESS HAND DRILL 18 VOLT                                                  | CORDLESS HAND DRILL 18 VOLT, AN ORTHOTICS WORKSHOP<br>TOOL, WORK ON RECHARGEABLE BATTERIES, ALLOWING THE<br>USER TO INSERT A BATTERY PACK AND INSTANTIY HAVE AN<br>OPERATING DRILL WITHOUT A POWER CABLE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | KIT      | ITEMIZED | 10   |

6/21/2022 Page 35 of 160

| 467        | 4224200033800                  | CORDLESS JIGSAW                                                                  | CORDLESS JIGSAW, AN ORTHOTICS WORKSHOP TOOL, 4- STAGE PENDULUM STROKE, KNOB HANDLE, ELECTRONICS INCLUDE CHOICE OF PROPER STROKE FOR RESPECTIVE MATERIAL, FIXTEC QUICK-CLAMPING SYSTEM FOR CHANGING SAW BLADES WITHOUT THE NEED FOR TOOLS, QUICK- ADJUSTMENT SYSTEM FOR AS' BEVEL CUTS, STABLE ALUMINUM CAST BASE PLATE FOR PRECISION WORK, METAL CHIP BLOWER, IDLE SPEED 450 - 3, 000 MIN-1, STROKE DEPTH 26 MM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | EA       | ITEMIZED             | 5        |
|------------|--------------------------------|----------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----------------------|----------|
| 468        | 4224170641200                  | CORRECTOR ORTHOSIS FOR HALLUX VALGUS                                             | CORRECTOR ORTHOSIS FOR HALLUX VALGUS ANATOMICAL CONFORMATION IT INCORPORATES CUSHION PAD FOR 1ST TOE METATARSAL STRAP RULED ON THE 5 TH METATARSAL FOR THE CONTROL OF THE CORRECTIVE PRESSURE METATARSAL STRAP ON THE 1ST METATARSAL ANATOMY AND RETROCAPITAL IT NOCOPPORTES COMPORT PAD ON THE 5TH METATARSAL ANATOMY AND RETROCAPITAL IT NOCOPPORTES COMPORT PAD ON THE 5TH METATARSAL MADE OF THERMOPLASTIC AND WITH SOFT VELOUR MICRO VELCRO LLOSINE OR EQUIVALENT THE APPLICATION OF LOW INTENSITY PORCES EXERTED BY THE ORTHOSIS THROUGH THREE POINTS OF SUPPORT PLACES THE BIG TOE ACCORDING TO ITS AXIS CORRECTING ITS DEVIATION IN VALGUS (BIUNION) AND ACHIEVING THE METATARSOPHALANGEAL ALIGNMENT GENERATES A SIGNIFICANT ELONGATION EFFECT ON THE FLEXOR AND EXTENSOR MUSCLES OF THE FIRST TOE THIS EFFECT BASED ON A CONSTANT AND CONTROLLED LOW INTENSITY PRESSURE FAVORS THE GRADUAL ALIGNMENT OF THE DEVIATION OF THE TOE DECREASING THE BUNION AND ACHIEVING MAXIMUM TISSUE AND JOINT NORMALIZATION CONSERVATIVE TREATMENT OF HALLUX VALGUS NIGHT BUNION ALIGNER POST - OPERATIVE HALLUX VALGUS | EA       | ITEMIZED             | 1200     |
| 469        | 4224180001300                  | CORSET LSO HOOK AND LOOP CLOSURE LARGE                                           | CORSET LSO (LUMBOSACRAL ORTHOSIS) HOOK AND LOOP CLOSURE ALLOWS ADJUSTMENTS FOR FLUCTUATIONS IN SOFT TISSUE MASS PADDING INCREASES COMFORT SIZE LARGE CORSET LSO (LUMBOSACRAL ORTHOSIS) HOOK AND LOOP                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | EA       | ITEMIZED             | 50       |
| 470        | 4224180001400                  | CORSET LSO HOOK AND LOOP CLOSURE SZ MED                                          | CLOSURE ALLOWS ADJUSTMENTS FOR FLUCTUATIONS IN SOFT TISSUE MASS PADDING INCREASES COMFORT SIZE MEDIUM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | EA       | ITEMIZED             | 50       |
| 471        | 4224180001500                  | CORSET LSO HOOK AND LOOP CLOSURE SZ SM                                           | CORSET LSO (LUMBOSACRAL ORTHOSIS) HOOK AND LOOP<br>CLOSURE ALLOWS ADJUSTMENTS FOR FLUCTUATIONS IN<br>SOFT TISSUE MASS PADDING INCREASES COMFORT SIZE SMALL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | EA       | ITEMIZED             | 50       |
| 472        | 4224200220700                  | COSMETIC FOAM HAND SIZE 5 1/2IN LEFT                                             | COSMETIC FOAM HAND SIZE 5 1/2 INCHES LEFT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | EA       | ITEMIZED             | 50       |
| 473        | 4224200220800                  | COSMETIC FOAM HAND SIZE 5 1/2IN RIGHT                                            | COSMETIC FOAM HAND SIZE 5 1/2 INCHES RIGHT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | EA       | ITEMIZED             | 50       |
| 474<br>475 | 4224200221700<br>4224200221500 | COSMETIC FOAM HAND SIZE 6 1/2IN LEFT COSMETIC FOAM HAND SIZE 6 1/4IN LEFT        | COSMETIC FOAM HAND SIZE 6 1/2 INCHES LEFT  COSMETIC FOAM HAND SIZE 6 1/4 INCHES LEFT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | EA<br>EA | ITEMIZED<br>ITEMIZED | 50<br>50 |
| 476        | 4224200221500                  | COSMETIC FOAM HAND SIZE 6 1/4IN RIGHT                                            | COSMETIC FOAM HAND SIZE 6 1/4 INCHES RIGHT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | EA       | ITEMIZED             | 50       |
| 477        | 4224200221300                  | COSMETIC FOAM HAND SIZE 6 1/8IN LEFT                                             | COSMETIC FOAM HAND SIZE 6 1/8 INCHES LEFT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | EA       | ITEMIZED             | 50       |
| 478        | 4224200221900                  | COSMETIC FOAM HAND SIZE 6 3/4IN LEFT                                             | COSMETIC FOAM HAND SIZE 6 3/4 INCHES LEFT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | EA       | ITEMIZED             | 50       |
| 479        | 4224200222000                  | COSMETIC FOAM HAND SIZE 6 3/4IN RIGHT                                            | COSMETIC FOAM HAND SIZE 6 3/4 INCHES RIGHT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | EA       | ITEMIZED             | 50       |
| 480<br>481 | 4224200222400<br>4224200223300 | COSMETIC FOAM HAND SIZE 6 7/8IN RIGHT COSMETIC FOAM HAND SIZE 7 1/2 IN LEFT      | COSMETIC FOAM HAND SIZE 6 7/8 INCHES RIGHT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | EA<br>EA | ITEMIZED<br>ITEMIZED | 50<br>50 |
| 482        | 4224200223400                  | COSMETIC FOAM HAND SIZE 7 1/2 IN EEFI                                            | COSMETIC FOAM HAND SIZE 7 1/2 INCHES LEFT COSMETIC FOAM HAND SIZE 7 1/2 INCHES RIGHT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | EA       | ITEMIZED             | 50       |
| 483        | 4224200222700                  | COSMETIC FOAM HAND SIZE 7 1/4IN LEFT                                             | COSMETIC FOAM HAND SIZE 7 1/4 INCHES LEFT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | EA       | ITEMIZED             | 50       |
| 484        | 4224200222800                  | COSMETIC FOAM HAND SIZE 7 1/4IN RIGHT                                            | COSMETIC FOAM HAND SIZE 7 1/4 INCHES RIGHT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | EA       | ITEMIZED             | 50       |
| 485        | 4224200223200                  | COSMETIC FOAM HAND SIZE 7 3/8IN RIGHT                                            | COSMETIC FOAM HAND SIZE 7 3/8 INCHES RIGHT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | EA       | ITEMIZED             | 50       |
| 486        | 4224200223500                  | COSMETIC FOAM HAND SIZE 7 7/8IN LEFT                                             | COSMETIC FOAM HAND SIZE 7 7/8 INCHES LEFT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | EA       | ITEMIZED             | 50       |
| 487<br>488 | 4224200223600<br>4224200224100 | COSMETIC FOAM HAND SIZE 7 7/8IN RIGHT COSMETIC FOAM HAND SIZE 8 1/4IN LEFT       | COSMETIC FOAM HAND SIZE 7 7/8 INCHES RIGHT  COSMETIC FOAM HAND SIZE 8 1/4 INCHES LEFT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | EA<br>EA | ITEMIZED<br>ITEMIZED | 50<br>50 |
| 489        | 4224200224200                  | COSMETIC FOAM HAND SIZE 8 1/4IN RIGHT                                            | COSMETIC FOAM HAND SIZE 8 1/4 INCHES EEFT  COSMETIC FOAM HAND SIZE 8 1/4 INCHES RIGHT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | EA       | ITEMIZED             | 50       |
| 490        | 4224200224500                  | COSMETIC FOAM HAND SIZE 8 5/8IN LEFT                                             | COSMETIC FOAM HAND SIZE 8 5/8 INCHES LEFT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | EA       | ITEMIZED             | 50       |
| 491        | 4224200224600                  | COSMETIC FOAM HAND SIZE 8 5/8IN RIGHT                                            | COSMETIC FOAM HAND SIZE 8 5/8 INCHES RIGHT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | EA       | ITEMIZED             | 50       |
| 492        | 4224200224400                  | COSMETIC FOAM HAND SZ 8 1/4IN RT W/WIRE                                          | COSMETIC FOAM HAND, SIZE 8 1/4 INCHES, RIGHT, WITH EXTENDED WIRE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | EA       | ITEMIZED             | 50       |
| 493        | 4224200220500                  | COSMETIC FOAM HAND SIZE 5 LEFT                                                   | COSMETIC, FOAM, HAND, SIZE 5, LEFT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | EA       | ITEMIZED             | 50       |
| 494        | 4224200220600                  | COSMETIC FOAM HAND SIZE 5 RIGHT                                                  | COSMETIC, FOAM, HAND, SIZE 5, RIGHT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | EA       | ITEMIZED             | 50       |
| 495        | 4224200222100                  | COSMETIC FOAM HAND SZ 6 3/4IN LFT W/WIRE                                         | COSMETIC, FOAM, HAND, SIZE 6 3/4 INCHES, LEFT, WITH<br>EXTENDED WIRE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | EA       | ITEMIZED             | 50       |
| 496        | 4224200222200                  | COSMETIC FOAM HAND SZ 6 3/4IN RT W/WIRE                                          | COSMETIC, FOAM, HAND, SIZE 6 3/4 INCHES, RIGHT, WITH EXTENDED WIRE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | EA       | ITEMIZED             | 50       |
| 497        | 4224200221200                  | COSMETIC FOAM HAND SIZE 6 RIGHT                                                  | COSMETIC, FOAM, HAND, SIZE 6, RIGHT COSMETIC, FOAM, HAND, SIZE 7 1/4 INCHES, LEFT, WITH                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | EA       | ITEMIZED             | 50       |
| 498        | 4224200222900                  | COSMETIC FOAM HAND SZ 7 1/4IN LFT W/WIRE                                         | EXTENDED WIRE  COSMETIC, FOAM, HAND, SIZE 7 1/4 INCHES, RIGHT, WITH                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | EA       | ITEMIZED             | 50       |
| 499        | 4224200223000                  | COSMETIC FOAM HAND SZ 7 1/4IN RT W/WIRE                                          | EXTENDED WIRE  COSMETIC, FOAM, HAND, SIZE 8 1/4 INCHES, RIGHT, WITH  EXTENDED WIRE  COSMETIC, FOAM, HAND, SIZE 8 1/4 INCHES, LEFT, WITH                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | EA       | ITEMIZED             | 50       |
| 500        | 4224200224300                  | COSMETIC FOAM HAND SZ 8 1/4IN LT W/WIRE                                          | EXTENDED WIRE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | EA       | ITEMIZED             | 50       |
| 501        | 4224200223900                  | COSMETIC FOAM HAND SIZE 8 LEFT                                                   | COSMETIC, FOAM, HAND, SIZE 8, LEFT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | EA       | ITEMIZED             | 50       |
| 502        | 4224200223700                  | COSMETIC FOAM HAND SIZE 8 LEFT W/ WIRE                                           | COSMETIC, FOAM, HAND, SIZE 8, LEFT, WITH EXTENDED WIRE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | EA       | ITEMIZED             | 50       |
| 503<br>504 | 4224200012800<br>4224171202500 | COUTALLAR FOR SYSTEM DESIGN CHILD LT/RT COVER FOAM PEDIATRIC ABOVE KNEE TRANSFEM | COUTALLAR, FOR SYSTEM DESIGN, FOR CHILDREN, 7 PROGRAMS, LEFT AND RIGHT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | EA<br>EA | ITEMIZED<br>ITEMIZED | 10<br>50 |
| 504        | 4224171202500                  | COVER FOAM PEDIATRIC ABOVE KNEE TRANSFEM  COVER FOAM BELOW KNEE PEDIATRIC        | COVER, FOAM, PEDIATRIC, ABOVE KNEE, TRANSFEMORAL COVER, FOAM, PEDIATRIC, BELOW KNEE, TRANSTIBIAL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | EA       | ITEMIZED             | 50       |
| 506        | 4224200013100                  | COW ORTHO LEATHER 0.8 1MM BLACK                                                  | COW, ORTHOPEDIC, SIDE LEATHER, 0.8 - 1 MM, BLACK, BY FEET                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | EA       | ITEMIZED             | 50       |
| 507        | 4224200013200                  | COW ORTHO LEATHER 0.8 1MM PEACH                                                  | COW, ORTHOPEDIC, SIDE LEATHER, 0.8 - 1 MM, PEACH, BY<br>FEET                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | EA       | ITEMIZED             | 50       |
| 508        | 4224200013300                  | COW ORTHO LEATHER 0.8 1MM YELLOW                                                 | COW, ORTHOPEDIC, SIDE LEATHER, 0.8 - 1 MM, YELLOW, BY FEET                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | EA       | ITEMIZED             | 50       |
| 509        | 4224200407000                  | SILICONE CUP USE ON CONICAL STUMPS 26CM                                          | CUP, SILICONE, FOR USE ON CONICAL STUMPS THAT REQUIRE  VOLUME BUILD - UP DISTAL CUP, SIZE: 26 CM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | EA       | ITEMIZED             | 10       |
| 510        | 4224200406900                  | SILICONE CUP USE ON CONICAL STUMPS 24CM                                          | CUP, SILICONE, FOR USE ON CONICAL STUMPS, THAT REQUIRE  VOLUME BUILD - UP DISTAL CUP, SIZE 24 CM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | EA       | ITEMIZED             | 10       |
| 511        | 4229680220600                  | MEASURING CUP GRADUATED 100 CCM                                                  | CUPS, CALIBRATED, MEASURING CUPS, 100 ML                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | EA       | ITEMIZED             | 100      |
| 512        | 4224171306000                  | CUP MEASURING 200ML                                                              | CUPS, CALIBRATED, MEASURING CUPS, 200 ML                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | PC       | ITEMIZED             | 100      |
| 513        | 4810180400000                  | CUPS CALIBRATED MEASURING CUPS 400ML                                             | CUPS, CALIBRATED, MEASURING CUPS, 400 ML                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | EA       | ITEMIZED             | 100      |

6/21/2022 Page 36 of 160

| 514 | 4224200136100 | RESIDUAL LIMB CUSTOM FITTED              | CUSTOM FITTED, DEPENDING ON RESIDUAL LIMB, COMBINATION OF CUICK GRIPS APP CONTROL AND GRIP CHIPS PROXIMITY COUTKOL, COMPACT SOLUTION, MUSCLE CONTROL USES SPECIFIC MUSCLE SIGNALS CALLED TRIGGERS TO INSTRUCT THE HAND TO ACTIVATE A SPECIFIC GRIP, VARI- GRIP OR EQUIVALENT FEATURE FOR ADDITIONAL GRIP STRENGTH, AUTO - GRAS OR EQUIVALENT - ANTI DROP SAFETY FEATURE TO PREVENT OBLECTS FROM SLIPPING, BOOST SPEED AND STRENGTH UP TO 30%, COMPORTABLE FIT FOR EACH USER, SOLUTION MATCHES USERS RESIDUAL LIMB, QUICK ACCESS TO MOST USED GRIPS AND ACTIVITIES, COMPACT AND LOW KEY, MATURAL MOVEMENT, STRENGTH AND GRIP ADJUSTED DEPENDING ON THE ACTIVITY, HOLDING GLASS OR OTHER SUPPERY SURFACES IS NOT AN ISSUE (COMBINED WITH COMPLIANT GRIPS), NATURAL MOVEMENT, PARTIAL HAND LOSS OR ABSENCE LOW TO MODERATE IMPACT LEVEL, FLUIT V CUSTOMIZED PROSTHESS, REPLACEMENT FOR 1 TO 5 DIGITS, UP TO 32 GRIPS AVAILABLE, SELF - CONTAINED WRISTBAND HOUSES BATTERIES AND MICROPROCESSOR, DIGITS MOVE INDEPENDENTLY AND WORK IN WITH REMAINING FINGERS, VARI - GRIP, AUTO - GRASP, BIOSIM MY I - LIMB APP OR | EA | ITEMIZED | 62 |
|-----|---------------|------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|----------|----|
| 515 | 4224200136200 | PROSTHETIC CUSTOM FITTED ON RSIDUAL LIMB | CUSTOM FITTED, DEPENDING ON RESIDUAL LIMB, QUICK GRIPS APP CONTROL, COMPACT SOLUTION, MUSCLE CONTROL USES SPECIFIC MUSCLE SIGNALS CALLEO TRIGGERS TO INSTRUCT THE HAND TO ACTIVATE A SPECIFIC GRIP, COMFORTABLE FIT FOR EACH USER, SOLUTION MATCHES USERS RESIDUAL LIMB, QUICK ACCESS TO MOST USED GRIPS AND ACTIVITIES, COMPACT AND LOW KEY, NATURAL MOVEMENT PARTIAL HAND LOSS OR ABSCENCE LOW TO MODERATE IMPACT LEVEL, FULLY CUSTOMACED PROSTHESIS, REPLACEMENT FOR 1 TO 5 DIGITS, UP TO 12 GRIPS AVAILABLE, SELF - CONTAINED WRISTBAND HOUSES BATTERIES AND MICROPROCESSOR, DIGITS MOVE INDEPENDENTLY AND WORK IN WITH REMAINING FINGERS                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | EA | ITEMIZED | 50 |
| 516 | 4224200262400 | CUSTOM FITTED FIVE DIGIT                 | CUSTOM FITTED, FIVE DIGIT, DEPENDING ON RESIDUAL LIMB, COMBINATION OF QUICK GRIPS APP CONTROL AND GRIP CHIPS PROXIMITY CONTROL, COMPACT SOLUTION, MUSCLE CONTROL USES SPECIFIC MUSCLE SIGNALS CALLED TRIGGERS TO INSTRUCT THE HAND TO ACTIVATE A SPECIFIC GRIP, VARIGRIP OR EQUIVALENT FEATURE FOR ADDITIONAL GRIP STRENGTH, AUTO-GRAS OR EQUIVALENT-ANTI DROP SAFETY FEATURE TO PREVENT OBJECTS FROM SLIPPING, BOOST SPEED AND STRENGTH UP TO 30%, COMPORTABLE FIT FOR EACH USER, SOLUTION MATCHES USERS RESIDUAL LIMB, QUICK ACCESS TO MOST USED GRIPS AND ACTIVITIES, COMPACT AND LOT WISC. AND AND ACTIVITY HAND GRIP ADJUSTED DEPENDING ON THE ACTIVITY, HOLDING GLASS OR OTHER SLIPPERY SURFACES IS NOT AN ISSUE (COMBINED WITH COMPLIANT GRIPS), NATURAL MOVEMENT, PARTIAL HAND LOSS OR ASSENCE LOW TO MODERATE IMPACT LEVEL, FULLY CUSTOMIZED PROSTHESIS, UP TO 32 GRIPS AVAILABLE, SELF-CONTAINED WRISTSAND HOUSES BATTERIES AND MICROPROCESSOR, DIGITS MOVE INDEPENDENTLY                                                                                                                             | EA | ITEMIZED | 10 |
| 517 | 4224200262300 | CUSTOM FITTED FOUR DIGIT                 | CUSTOM FITTED, FOUR DIGIT, DEPENDING ON RESIDUAL LIMB, COMBINATION OF QUICK GRIPS APP CONTROL AND GRIP CHIPS PROXIMITY CONTROL, COMPACT SOLUTION, MUSCLE CONTROL USES SPECIFIC MUSCLE SIGNALS CALLED TRIGGERS TO INSTRUCT THE HAND TO A CITIVATE A SPECIFIC GRIP, VARI-REIP OR EQUIVALENT FEATURE FOR ADDITIONAL GRIP STRENGTH, AUTO-GRAS OR EQUIVALENT- ANTI DROP SAFETY FEATURE TO PREVENT OBJECTS FROM SLIPPING, BOOST SPEED AND STRENGTH UP TO 30%, COMPORTRABLE FIT FOR EACH USER, SOLUTION MATCHES USERS RESIDUAL LIMB, QUICK ACCESS TO MOST USED GRIPS AND ACTIVITIES, COMPACT AND LOW KEY, NATURAL MOVEMENT, STRENGTH AND GRIP ADJUSTED DEPENDING ON THE ACTIVITY, HOLDING GLASS OR OTHER SLIPPERY SURFACES IS NOT AN ISSUE (COMBINED WITH COMPLIANT GRIPS), NATURAL MOVEMENT, PARTIAL HAND LOSS OR ABSENCE LOW TO MODERATE IMPACT LEVEL, FULLY CUSTOMIZED PROSTHESIS, UP TO 32 GRIPS AVAILABLE, SELF-CONTAINED WRISTBAND HOUSES BATTERIES AND MICROPROCESSOR, DIGITS MOVE INDEPENDENTLY                                                                                                                | EA | ITEMIZED | 10 |
| 518 | 4224200262000 | CUSTOM FITTED ONE DIGIT                  | CUSTOM FITTED, ONE DIGIT, DEPENDING ON RESIDUAL LIMB, COMBINATION OF QUICK GRIPS APP CONTROL AND GRIP CHIPS PROXIMITY CONTROL, COMPACT SOLUTION, MUSCLE CONTROL USES SPECIFIC MUSCLE SIGNALS CALLED TRIGGERS TO INSTRUCT THE HAND TO ACTIVATE A SPECIFIC GRIP, VARIGRIP OR EQUIVALENT FEATURE FOR ADDITIONAL GRIP STRENGTH, AUTIO-GRAS OR EQUIVALENT-ANTI DROP SAFETY FEATURE TO PREVENT OBJECTS FROM SLIPPING, BOOST SPEED AND STRENGTH UP TO 30%, COMFORTABLE FIT FOR EACH USER, SOLUTION MATCHES USERS RESIDUAL LIMB, QUICK ACCESS TO MOST USED GRIPS AND ACTIVITIES, COMPACT AND LOW KEY, NATURAL MOVEMENT, STRENGTH AND GRIP ADJUSTED DEPENDING ON THE ACTIVITY, HOLDING GLASS OR OTHER SLIPPERY SURFACES IS NOT AN ISSUE (COMBINED WITH COMPLIANT GRIPS), NATURAL MOVEMENT, PARTIAL HAND LOSS OR ASSENCE LOW TO MODERATE IMPACT LEVEL, FULLY CUSTOMIZED PROSTHESIS, UP TO 32 GRIPS AVAILABLE, SELF-CONTAINED WRISTBAND HOUSES BATTERIES AND MICROPROCESSOR, DIGITS MOVE INDEPENDENTLY                                                                                                                     | EA | ITEMIZED | 10 |

6/21/2022 Page 37 of 160

| 519 | 4224200262200 | CUSTOM FITTED THREE DIGIT                | CUSTOM FITTED, THREE DIGIT, DEPENDING ON RESIDUAL LIMB, COMBINATION OF QUICK GRIPS APP CONTROL AND GRIP CHIPS PROXIMITY CONTROL, COMPACT SOLUTION, MUSCLE CONTROL USES SPECIFIC MUSCLE SIGNALS CALLED TRIGGERS TO INSTRUCT THE HAND TO A CTIVATE A SPECIFIC GRIP, VARI-REIP OR EQUIVALENT FEATURE FOR ADDITIONAL GRIP, STRENGTH, AUTO-GRAS OR EQUIVALENT- ANTI DROP SAFETY FEATURE TO PREVENT OBJECTS FROM SLIPPING, BOOST SPEED AND STERENGTH UP TO 30%, COMPORTFABLE FIT FOR EACH USER, SOLUTION MATCHES USERS RESIDUAL LIMB, QUICK ACCESS TO MOST USED GRIPS AND ACTIVITIES, COMPACT AND LOW KEY, NATURAL MOVEMENT, STRENGTH AND GRIP ADJUSTED DEPENDING ON THE ACTIVITY, HOLDING GLASS OR OTHER SUPPER'S USPRACES IS NOT AN ISSUE (COMBINED WITH COMPLIANT GRIPS), NATURAL MOVEMENT, PARTIAL HAND LOS OR ABSENCE LOW TO MODERATE IMPACT LEVEL, FULLY CUSTOMIZED PROSTHESIS, UP TO 32 GRIPS AVAILABLE, SELF-CONTAINED WRISTSAND HOUSES BATTERIES AND MICORPORCESSOR, DIGITS MOVE INDEPENDENTLY                                                                                                                                                                               | EA  | ITEMIZED | 10  |
|-----|---------------|------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|-----|
| 520 | 4224200262100 | CUSTOM FITTED TWO DIGIT                  | CUSTOM FITTED, TWO DIGIT, DEPENDING ON RESIDUAL LIMB, COMBINATION OF QUICK GRIPS APP CONTROL AND GRIP CHIPS PROMIMITY CONTROL, COMPACT SOLUTION, MUSCLE CONTROL USES SPECIFIC MUSCLE SIGNALS CALLED TRIGGERS TO INSTRUCT THE HAND TO ACTIVATE A SPECIFIC GRIP, VARIGRIP OR EQUIVALENT FEATURE FOR ADDITIONAL GRIP STRENGTH, AUTO-GRAS OR EQUIVALENT-ANTI DROP SAFETY FEATURE TO PREVENT OBLECTS FROM SLIPPING, BOOST SPEED AND STRENGTH UP TO 30%, COMPORTABLE FIT FOR EACH USER, SOLUTION MATCHES USERS RESIDUAL LIMB, QUICK ACCESS TO MOST USED GRIPS AND ACTIVITIES, COMPACT AND LOW KEY, NATURAL MOVEMENT, STRENGTH AND GRIP ADJUSTED DEPENDING ON THE ACTIVITY, HOLDING GLASS OR OTHER SUSPEPRS VURRACES IS NOTA ANISSUE (COMBINED WITH COMPLIANT GRIPS), NATURAL MOVEMENT, STRENGTH AND GRIP ADJUSTED DEPENDING ON THE ACTIVITY AND SIZE OF A STRENGTH AND GRIP ADJUSTED DEPENDING ON THE ACTIVITY OF ANISSUE (COMBINED WITH COMPLIANT GRIPS), NATURAL MOVEMENT, PATTAL HAND LOSS OR ABSENCE LOW TO MODERATE IMPACT LEVEL, FULLY CUSTOMIZED PROSTHESIS, UP TO 32 GRIPS AVAILABLE, SELF-CONTAINED WRISTSAND HOUSES BATTERIES AND MICORPORCESSOR, DIGITS MOVE INDEPENDENTLY | EA  | ITEMIZED | 10  |
| 521 | 4224170656100 | CUSTOM MADE PATELLA TENDON BEARING BRACE | CUSTOM MADE PATELLA TENDON BEARING BRACE, CROW BOOT CHARCOT RESTRAINT ORTHOTIC WALKERS/TOTAL CONTACT BRACE, INNER DIABETIC PADDING                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | EA  | ITEMIZED | 20  |
| 522 | 4224150205400 | MATERIAL PADDING WHITE DACRON W1000MM    | DACRON FELT, WHITE COLOR, FILLING MATERIAL FOR LAMINATION, WIDTH 1000 MM, APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | EA  | ITEMIZED | 33  |
| 523 | 4224200019100 | DEEP FORMING LAMINATION KIT LOWER LIMBS  | DEEP FORMING LAMINATION KIT, AN ORTHOTICS AND PROSTHETICS METAL FRAME, FOR LAMINATING CASTING AND TEST SOCKETS BY VACUUM TECHNOLOGY, FOR LOWER LIMBS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | KIT | ITEMIZED | 15  |
| 524 | 4224200019200 | DEEP FORMING LAMINATION KIT UPPER LIMBS  | DEEP FORMING LAMINATION KIT, AN ORTHOTICS AND PROSTHETICS METAL FRAME, FOR LAMINATING CASTING AND TEST SOCKETS BY VACUUM TECHNOLOGY, FOR UPPER LIMBS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | КІТ | ITEMIZED | 15  |
| 525 | 4224170613700 | DIABETIC LADIES SANDAL BLACK/BEIGE SZ 35 | DIABETIC LADIES SANDAL, THERMO COMFORT WITH FLEXIBLE LINING REDUCE PRESSURE OPEN TOE, COLOR BLACK/BEIGE, SIZE 35, REMOVABLE INSOLES, WEIGHTLESS, BREATHABLE ANKLE BACK STAPE, BIG OPENING DIABETIC RHEUMATISM, SENSITIVE FEET, PAINFUL OF HALLUX VALGUS, BUNION, HAMMER, AND CLAW TOES SIZE 35; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; LIGHTWISCHINT, CUSHIONING SUES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | PAA | ITEMIZED | 500 |
| 526 | 4224170613800 | DIABETIC LADIES SANDAL BLACK/BEIGE SZ 36 | DIABETIC LADIES SANDAL, THERMO COMFORT WITH FLEXIBLE LINING REDUCE PRESSURE OPEN TOE, COLOR BLACK/BEIGE, SIZE 36, REMOVABLE INSOLES, WEIGHTLESS, BREATHABLE ANKLE BACK STAP, BIG OPENING DIABETIC HEHUMATISM, SENSITIVE FEET, PAINFUL OF HALLUX VALGUS, BUNION, HAMMER, AND CLAW TOES SIZE 36; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON- BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; LIGHTWISCHINT, CUSHIONING SUES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | РАА | ITEMIZED | 500 |
| 527 | 4224170613900 | DIABETIC LADIES SANDAL BLACK/BEIGE SZ 37 | DIABETIC LADIES SANDAL, THERMO COMFORT WITH FLEXIBLE LINING REDUCE PRESSURE OPEN TOE, COLOR BLACK/BEIGE, SIZE 37, REMOVABLE INSOLES, WEIGHTLESS, BREATHABLE ANKLE BACK STAP, BIG OPENING DIABETIC RHEUMATISM, SENSITIVE FEET, PAINFUL OF HALLUX VALGUS, BUNION, HAMMER, AND CLAW TOES SIZE 37; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT TOES WITH PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; LIGHTWIEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE SHOSC CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | PAA | ITEMIZED | 500 |

6/21/2022 Page 38 of 160

|     | 1             |                                          | T                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |     | I        | ı   |
|-----|---------------|------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|-----|
| 528 | 4224170614000 | DIABETIC LADIES SANDAL BLACK/BEIGE SZ 38 | DIABETIC LADIES SANDAL, THERMO COMFORT WITH FLEXIBLE LINING REDUCE PRESSURE OPEN TOE, COLOR BLACK/BEIGE, SIZE 38, REMOVABLE INSOLES, WEIGHTLESS, BREATHABLE ANKLE BACK STRAP, BIG OPENING DIABETIC RHEUMATISM, SENSITIVE FEET, PAINFUL OF HALLUX VALGUS, BUNION, HAMMER, AND CLAW TOES SIZE 38; PROTECTIVE INTERIOR THAT 15 MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS                                                                                                                                                                                                                                             | PAA | ITEMIZED | 500 |
| 529 | 4224170614100 | DIABETIC LADIES SANDAL BLACK/BEIGE SZ 39 | DIABETIC LADIES SANDAL, THERMO COMFORT WITH FLEXIBLE LINING REDUCE PRESSURE OPEN TOE, COLOR BLACK/BEIGE, SIZE 39, REMOVABLE INSOLES, WEIGHTLESS, BREATHABLE ANKLE BACK STRAP, BIG OPENING DIABETIC RHEUMATISM, SENSITIVE FEET, PAINFUL OF HALLUX VALGUS, BUNION, HAMMER, AND CLAW TOES SIZE 39; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS                                                                                                                                                                                                                                             | PAA | ITEMIZED | 500 |
| 530 | 4224170614200 | DIABETIC LADIES SANDAL BLACK/BEIGE SZ 40 | DIABETIC LADIES SANDAL, THERMO COMFORT WITH FLEXIBLE LINING REDUCE PRESSURE OPEN TOE, COLOR BLACK/BEIGE, SIZE 40, REMOVABLE INSOLES, WEIGHTLESS, BREATHABLE ANNLE BACK STRAP, BIG OPENING DIABETIC RHEUMATISM, SENSITIVE FEET, PAINFUL OF HALLUX VALGUS, BUNION, HAMMER, AND CLAW TOES SIZE 40; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS                                                                                                                                                                                                                                             | PAA | ITEMIZED | 500 |
| 531 | 4224170614300 | DIABETIC LADIES SANDAL BLACK/BEIGE SZ 41 | DIABETIC LADIES SANDAL, THERMO COMFORT WITH FLEXIBLE LINING REDUCE PRESSURE OPEN TOE, COLOR BLACK/BEIGE, SIZE 41, REMOVABLE INSOLES, WEIGHTLESS, BREATHABLE ANKLE BACK STRAP, BIG OPENING DIABETIC RHEUMATISM, SENSITIVE FEET, PAINFUL OF HALLUX VALGUS, BUNION, HAMMER, AND CLAW TOES SIZE 41; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS                                                                                                                                                                                                                                             | PAA | ITEMIZED | 500 |
| 532 | 4224170625300 | DIABETIC SHOES NEOPRENE FEMALE SZ UK 3.5 | DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEANLESS CHAMOIS LEATHER OR MCLESKIN LINING, NEOPRENE VAMP PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, VELCRO OR EQUIVALENT, FEMALE, LAST SIZE UK 3.5; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION OR NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS | PAA | itemized | 200 |
| 533 | 4224170622800 | DIABETIC SHOES NEOPRENE FEMALE SZ UK 4   | DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, NEOPRENE YAMP PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, VELCRO OR EQUIVALENT, FEMALE, LAST SIZE UK 4; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; OND—BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTICH INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS    | PAA | itemized | 200 |

6/21/2022 Page 39 of 160

|     |               |                                          | DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |     |          |     |
|-----|---------------|------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|-----|
| 534 | 4224170622900 | DIABETIC SHOES NEOPRENE FEMALE SZ UK 4.5 | WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, NEOPRENE VAMP PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, VELCRO OR EQUIVALENT, FEMALE, LAST SIZE UK 4.5; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS                                                      | PAA | ITEMIZED | 200 |
| 535 | 4224170623000 | DIABETIC SHOES BLACK FEMALE SZ UK S      | DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, NEOPRENE VAMP PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, VELCRO OR EQUIVALENT, FEMALE, LAST SIZE UK 5; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS   | PAA | ITEMIZED | 200 |
| 536 | 4224170623100 | DIABETIC SHOES BLACK FEMALE SZ UK 5.5    | DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, NEOPRENE VAMP PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, VELCRO OR EQUIVALENT, FEMALE, LAST SIZE UK 5.5; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES COMFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS | PAA | ITEMIZED | 200 |
| 537 | 4224170623200 | DIABETIC SHOES NEOPRENE FEMALE SZ UK 6   | DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, NEOPRENE VAMP PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, VELCRO OR EQUIVALENT, FEMALE, LAST SIZE UK 6; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DESN'T PROTREUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS   | PAA | ITEMIZED | 200 |
| 538 | 4224170623300 | DIABETIC SHOES NEOPRENE FEMALE SZ UK 6.5 | DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, NEOPRENE VAMP PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, VELCRO OR EQUIVALENT, FEMALE, LAST SIZE UK 6.5; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTREUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTICI INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE FOOT; CUSHINDING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS            | PAA | itemized | 200 |

6/21/2022 Page 40 of 160

| 539 | 4224170623400 | DIABETIC SHOES NEOPRENE FEMALE SZ UK 7   | DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, NEOPRENE VAMP PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, VELCRO OR EQUIVALENT, FEMALE, LAST SIZE UK 7; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRIDLE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE                   | PAA | ITEMIZED | 200 |
|-----|---------------|------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|-----|
| 540 | 4224170623500 | DIABETIC SHOES NEOPRENE FEMALE SZ UK 7.5 | DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, NEOPRENE VAMP PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, VELCRO OR EQUIVALENT, FEMALE, LAST SIZE UK 7.5; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRIDDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS | PAA | ITEMIZED | 200 |
| 541 | 4224170623600 | DIABETIC SHOES BLACK FEMALE SZ UK 8      | DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, NEOPRENE VAMP PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, VELCRO OR EQUIVALENT, FEMALE, LAST SIZE UK 8; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED, PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS     | PAA | ITEMIZED | 200 |
| 542 | 4224170623700 | DIABETIC SHOES NEOPRENE FEMALE SZ UK 8.5 | DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, NEORENE VAMP PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, VELCRO OR EQUIVALENT, FEMALE, LAST SIZE UK 8.5; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL, IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS  | РАА | ITEMIZED | 200 |
| 543 | 4224170623800 | DIABETIC SHOES NEOPRENE FEMALE SZ UK 9   | DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, NEORENE VAMP PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, VELCRO OR EQUIVALENT, FEMALE, LAST SIZE UK 9; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE FOOT; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS     | PAA | itemized | 200 |

6/21/2022 Page 41 of 160

| 544 | 4224170623900 | DIABETIC SHOES BLACK GENTS LAST SZ UK 10 | DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, NEOPRENE VAMP PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, VELCRO OR EQUIVALENT, GENTS, LAST SIZE UK 10; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS   | PAA | ITEMIZED | 200 |
|-----|---------------|------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|-----|
| 545 | 4224170624000 | DIABETIC SHOES BLACK GENTS SZ UK 10.5    | DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, NEOPRENE WAMP PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, VELCRO OR EQUIVALENT, GENTS, LAST SIZE UK 10.5; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAM ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLES HOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS | PAA | itemized | 200 |
| 546 | 4224170624100 | DIABETIC SHOES BLACK GENTS LAST SZ UK 11 | DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, NEOPRENE WAMP PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, VELCRO OR EQUIVALENT, GENTS, LAST SIZE UK 11; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS   | РАА | ITEMIZED | 200 |
| 547 | 4224170624200 | DIABETIC SHOES BLACK GENTS SZ UK 11.5    | DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, NEOPRENE VAMP PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, VELCRO OR EQUIVALENT, GENTS, LAST SIZE UK 11.5; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSUREFREE IT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS     | РАА | ITEMIZED | 200 |
| 548 | 4224170624300 | DIABETIC SHOES BLACK GENTS LAST SZ UK 12 | DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, NEOPRENE VAMP PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, WELGO OR EQUIVALENT, GENTS, LAST SIZE UK 12; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTREUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HEP ELIMINATE PRESSURE POINTS    | PAA | itemized | 200 |

6/21/2022 Page 42 of 160

| 549 | 4224170624400 | DIABETIC SHOES BLACK GENTS SZ UK 5.5    | DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, NEOPRENE VAMP PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, WELCRO OR EQUIVALENT, GENTS, LAST SIZE UK 5.5; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS                                                 | РАА | ITEMIZED | 200 |
|-----|---------------|-----------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|-----|
| 550 | 4224170624500 | DIABETIC SHOES BLACK GENTS LAST SZ UK 6 | DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, NEOPRENE VAMP PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, VELCRO OR EQUIVALENT, GENTS, LAST SIZE UK 6; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS                                                   | РАА | ITEMIZED | 200 |
| 551 | 4224170624600 | DIABETIC SHOES BLACK GENTS SZ UK 6.5    | DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, NEOPRENE VAMP PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, VELCRO OR EQUIVALENT, GENTS, LAST SIZE UK 6.5; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS  | PAA | ITEMIZED | 200 |
| 552 | 4224170624700 | DIABETIC SHOES BLACK GENTS LAST SZ UK 7 | DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, NEOPRENE VAMP PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, VELCRO OR EQUIVALENT, GENTS, LAST SIZE UK 7; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS                                                   | PAA | ITEMIZED | 200 |
| 553 | 4224170624800 | DIABETIC SHOES BLACK GENTS SZ UK 7.5    | DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, NEOPRENE VAMP PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, VELCRO OR EQUIVALENT, GENTS, LAST SIZE UK 7.5; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTREUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS | PAA | itemized | 200 |

6/21/2022 Page 43 of 160

| 554 | 4224170624900 | DIABETIC SHOES BLACK GENTS LAST SZ UK 8  | DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, NEOPRENE VAMP PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, VELCRO OR EQUIVALENT, GENTS, AST SIZE UK 8 (5) ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT, TO THE CONTOURS OF THE FOOT AND HER POLL PLIMINATE                                                                                                                           | PAA | ITEMIZED | 200 |
|-----|---------------|------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|-----|
| 555 | 4224170625000 | DIABETIC SHOES BLACK GENTS SZ UK 8.5     | PRESSURE POINTS  DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, NEOPRENE VAMP PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, VELCKO OR EQUIVALENT, GENTS, LAST SIZE UK 8.5; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOSSN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS | РАА | ITEMIZED | 200 |
| 556 | 4224170625100 | DIABETIC SHOES BLACK GENTS LAST SZ UK 9  | DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, NEOPRENE VAMP PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, VELCRO OR EQUIVALENT, GENTS, LAST SIZE UK 9 ; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS                                                                  | PAA | ITEMIZED | 200 |
| 557 | 4224170625200 | DIABETIC SHOES BLACK GENTS SZ UK 9.5     | DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEANLESS CHAMOIS LEATHER OR MOLESKIN LINING, NEOPRENE VAMP PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, VELCRO OR EQUIVALENT, GENTS, LAST SIZE UK 9.5; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL, IS USED, 1; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOUR SO FTHE FOOT AND HELP ELIMINATE PRESSURE POINTS                                                              | РАА | ITEMIZED | 200 |
| 558 | 4224170625400 | DIABETIC SHOES BLK LACE CLOSNG FEM UK3.5 | DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, LACE CLOSING, FEMALE, LAST SIZE UK 3.5; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS                                                                                      | PAA | ITEMIZED | 200 |

6/21/2022 Page 44 of 160

| 559 | 4224170625500 | DIABETIC SHOES BLK LACE CLOSNG FEM UK 4  | DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, LACE CLOSING, FEMALE, LAST SIZE UK 4; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED. PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEPT DE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS       | РАА | ITEMIZED | 200 |
|-----|---------------|------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|-----|
| 560 | 4224170625600 | DIABETIC SHOES BLK LACE CLOSNG FEM UK4.5 | DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, LACE CLOSING, FEMALE, LAST SIZE UK 4.5; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS   | PAA | ITEMIZED | 200 |
| 561 | 4224170625700 | DIABETIC SHOES BLK LACE CLOSNG FEM UK 5  | DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, LACE CLOSING, FEMALE, LAST SIZE UK 5; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHONIONS OS LEST THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS   | PAA | itemized | 200 |
| 562 | 4224170625800 | DIABETIC SHOES BLK LACE CLOSNG FEM UKS.5 | DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, LACE CLOSING, FEAMLE, LAST SIZE UK 5.5; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHONIONIOS GOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS | PAA | ITEMIZED | 200 |
| 563 | 4224170625900 | DIABETIC SHOES BLK LACE CLOSNG FEM UK 6  | DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, LACE CLOSING, FEMALE, LAST SIZE UK 6; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED. PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS      | РАА | ITEMIZED | 200 |

6/21/2022 Page 45 of 160

| 564 | 4224170626000 | DIABETIC SHOES BLK LACE CLOSNG FEM UK6.5 | DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, LACE CLOSING, FEMALE, LAST SIZE UK 6.5; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS                                  | PAA | ITEMIZED | 200 |
|-----|---------------|------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|-----|
| 565 | 4224170626100 | DIABETIC SHOES BLK LACE CLOSNG FEM UK 7  | DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, PADDED COLLARS THROUGH WEDDE SOLE UNIT, BLACK, LACE CLOSING, FEMALE, LAST SIZE UK 7; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENDURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONFORM TO THE CONFORM SOURCE POOT AND HELP ELIMINATE PRESSURE POINTS | РАА | ITEMIZED | 200 |
| 566 | 4224170626200 | DIABETIC SHOES BLK LACE CLOSNG FEM UK7.5 | DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, LACE CLOSING, FEAMLE, LAST SIZE UK 7.5; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENDUE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS                                  | РАА | ITEMIZED | 200 |
| 567 | 4224170626300 | DIABETIC SHOES BLK LACE CLOSNG FEM UK 8  | DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, PADDED COLLARS THROUGH WEDDE SOLE UNIT, BLACK, LACE CLOSING, FEMALE, LAST SIZE UR 8; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENDUE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHONIONIOS GOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS              | РАА | ITEMIZED | 200 |
| 568 | 4224170626400 | DIABETIC SHOES BLK LACE CLOSNG FEM UK8.5 | DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, LACE CLOSING, FEMALE, LAST SIZE UK 8.5; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED. PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONFORM TO THE CONFORM TO THE PRESSURE POINTS                                                                             | PAA | itemized | 200 |

6/21/2022 Page 46 of 160

| 569 | 4224170626500 | DIABETIC SHOES BLK LACE CLOSNG FEM UK 9  | DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, LACE CLOSING, FEMALE, LAST SIZE UK 9; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED. PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEPT DE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS         | PAA | ITEMIZED | 200 |
|-----|---------------|------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|-----|
| 570 | 4224170626600 | DIABETIC SHOES BLK LACE CLOSNG GENT UK10 | DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, LACE CLOSING, GENTS, LAST SIZE UK 10; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS       | PAA | iTEMIZED | 200 |
| 571 | 4224170626700 | DIABETIC SHOES BLK LACE CLOS GENT UK10.5 | DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, LACE CLOSING, GENTS, LAST SIZE UK 10.5; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS     | PAA | iTEMIZED | 200 |
| 572 | 4224170626800 | DIABETIC SHOES BLK LACE CLOSNG GENT UK11 | DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, LACE CLOSING, GENTS, LAST SIZE US 11; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENDUE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS        | РАА | ITEMIZED | 200 |
| 573 | 4224170626900 | DIABETIC SHOES BLK LACE CLOS GENT UK11.5 | DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, LACE CLOSING, GENTS, LAST SIZE UK 11.5; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES EXTRA PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS | PAA | itemized | 200 |

6/21/2022 Page 47 of 160

| 574 | 4224170627000 | DIABETIC SHOES BLK LACE CLOSNG GENT UK12 | DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, LACE CLOSING, GENTS, LAST SIZE UK 12; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS  | PAA | ITEMIZED | 200 |
|-----|---------------|------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|-----|
| 575 | 4224170627100 | DIABETIC SHOES BLK LACE CLOSNG GENT UK 7 | DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, LACE CLOSING, GENTS, LAST SIZE UK 7; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENDURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHONIONIS OSLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS  | PAA | ITEMIZED | 200 |
| 576 | 4224170627200 | DIABETC SHOES BLK LACE CLOSNG GENT UK7.5 | DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, LACE CLOSING, GENTS, LAST SIZE UT 7.5; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENDIRE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS                     | PAA | ITEMIZED | 200 |
| 577 | 4224170627400 | DIABETIC SHOES BLK LACE CLOS GENT UK8.5  | DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, LACE CLOSING, GENTS, LAST SIZE UR 8.5; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS | РАА | ITEMIZED | 200 |
| 578 | 4224170627500 | DIABETIC SHOES BLK LACE CLOSNG GENT UK 9 | DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, LACE CLOSING, GENTS, LAST SIZE UR 9; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-ININDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS  | РАА | ITEMIZED | 200 |

6/21/2022 Page 48 of 160

| 579 | 4224170627600 | DIABETIC SHOES BLK LACE CLOS GENT UK9.5  | DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, LACE CLOSING, GENTS, LAST SIZE UK 9.5; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS                                                                                                       | РАА | ITEMIZED | 200 |
|-----|---------------|------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|-----|
| 580 | 4224170627700 | DIABETIC SHOES BLACK VELCRO FEMALE UK3.5 | DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, VELCRO CLOSING, FEMALE, LAST SIZE UK. 3.5; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT IS MODESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE EIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS | PAA | ITEMIZED | 200 |
| 581 | 4224170627800 | DIABETIC SHOES BLACK VELCRO FEMALE UK 4  | DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, VELCOR CLOSING, FEMALE, LAST SIZE UK 4; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE EIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS                                                       | РАА | ITEMIZED | 200 |
| 582 | 4224170627900 | DIABETIC SHOES BLACK VELCRO FEMALE UK4.5 | DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, VELCRO CLOSING, FEMALE, LAST SIZE UK 4.5; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE HT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES COMFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS                                                      | PAA | ITEMIZED | 200 |
| 583 | 4224170628000 | DIABETIC SHOES BLACK VELCRO FEMALE UK 5  | DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, VELCRO CLOSING, FEMALE, LAST SIZE UK 5; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND SITICHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE HT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE FOOT; EIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS                                                                                                       | PAA | ITEMIZED | 200 |

6/21/2022 Page 49 of 160

| 584 | 4224170628100 | DIABETIC SHOES BLACK VELCRO FEMALE UKS.5 | DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, VELKOR CLOSING, FEMALE, LAST SIZE UK. 5.5; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND SITICHING THAT IS MADE FROM SOFT MATERIAL, AND SITICHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE HT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS                                                 | РАА | ITEMIZED | 200 |
|-----|---------------|------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|-----|
| 585 | 4224170628200 | DIABETIC SHOES BLACK VELCRO FEMALE UK 6  | DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, VELCRO CLOSING, FEMALE, LAST SIZE UK 6; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT IS OBESIVE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LICHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS | РАА | ITEMIZED | 200 |
| 586 | 4224170628300 | DIABETIC SHOES BLACK VELCRO FEMALE UKG.S | DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIR, LINING, PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, VELCRO CLOSING, FEMALE, LAST SIZE UK. 65; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND SITICHING THAT IODESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS                                                                                              | РАА | ITEMIZED | 200 |
| 587 | 4224170628400 | DIABETIC SHOES BLACK VELCRO FEMALE UK 7  | DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, VELCRO CLOSING, FEMALE, LAST SIZE UK 7; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND SITICHING THAT IODESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-RREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS                                                                                                 | PAA | ITEMIZED | 200 |
| 588 | 4224170628500 | DIABETIC SHOES BLACK VELCRO FEMALE UK7.5 | DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, VELKOR CLOSING, FEMALE, LAST SIZE UK 7.5; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND SITICHING THAT IS DESNIT PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS                                                                                              | PAA | ITEMIZED | 200 |

6/21/2022 Page 50 of 160

| 589 | 4224170628600 | DIABETIC SHOES BLACK VELCRO FEMALE UK8.5 | DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, VELKOR CLOSING, FEMALE, LAST SIZE UK. 8.5; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE HT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS                         | PAA | ITEMIZED | 200 |
|-----|---------------|------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|-----|
| 590 | 4224170628700 | DIABETIC SHOES BLACK VELCRO FEMALE UK 9  | DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, VELCRO CLOSING, FEMALE, LAST SIZE UK 9; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE HT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS | PAA | ITEMIZED | 200 |
| 591 | 4224170628800 | DIABETIC SHOES BLACK VELCRO GENTS UK 8   | DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, VELCRO CLOSING, GENTS, LAST SIZE UK 8; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE HT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS  | PAA | ITEMIZED | 200 |
| 592 | 4224170611300 | DIABETIC SHOES WIDE FIT ANTIBACTERL SZ37 | DIABETIC SHOES, WIDE FITTING, FULL GRAIN COW/CALF SOFT LEATHER UPPER, VELCRO CLOSURE, SOFT HIGH-QUALITY ANTIBACTERIAL BREATHABLE DIABETIC LINING WITHOUT SEAMS. SOFT HELE COUNTER, LIGHT WEIGHT REMOVABLE INSOLES WITH AN ERGONOMIC DESIGN, SIZE 37; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITICHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS                                                                                              | PAA | ITEMIZED | 200 |
| 593 | 4224170611400 | DIABETIC SHOES WIDE FIT ANTIBACTERL SZ38 | DIABETIC SHOES, WIDE FITTING, FULL GRAIN COW/CALF SOFT LEATHER UPPER, VELCRO CLOSURE, SOFT HIGH-QUALITY ANTIBACTERIAL BREATHABLE DIABETIC LINING WITHOUT SEAMS. SOFT HELE COUNTER, LIGHT WEIGHT REMOVABLE INSOLES WITH AN ERGONOMIC DESIGN, 5/2E 38; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITICHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTER AROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS                                                                                             | PAA | ITEMIZED | 200 |

6/21/2022 Page 51 of 160

| 594 | 4224170611500 | DIABETIC SHOES WIDE FIT ANTIBACTERL SZ39 | DIABETIC SHOES, WIDE FITTING, FULL GRAIN COW/CALF SOFT LEATHER UPPER, VELCRO CLOSURE, SOFT HIGH-QUALITY ANTIBACTERIAL BREATHABLE DIABETIC LINING WITHOUT SEAMS. SOFT HELE COUNTER, LIGHT WEIGHT REMOVABLE INSOLES WITH AN ERGONOMIC DESIGN, SIZE 39; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE FOOTS; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES COMFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS | РАА | iTEMIZED | 700 |
|-----|---------------|------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|-----|
| 595 | 4224170611600 | DIABETIC SHOES WIDE FIT ANTIBACTERL SZ40 | DIABETIC SHOES, WIDE FITTING, FULL GRAIN COW/CALF SOFT LEATHER UPPER, VELCRO CLOSURE, SOFT HIGH-QUALITY ANTIBACTERIAL BREATHABLE DIABETIC LINING WITHOUT SEAMS. SOFT HEEL COUNTER, LIGHT WEIGHT REMOVABLE INSOLES WITH AN ERGONOMIC DESIGN, SIZE 40; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS  | PAA | ITEMIZED | 700 |
| 596 | 4224170611700 | DIABETIC SHOES WIDE FIT ANTIBACTERL SZ41 | DIABETIC SHOES, WIDE FITTING, FULL GRAIN COW/CALF SOFT LEATHER UPPER, VELCRO CLOSURE, SOFT HIGH-QUALITY ANTIBACTERIAL BREATHABLE DIABETIC LINING WITHOUT SEAMS. SOFT HEEL COUNTER, LIGHT WEIGHT REMOVABLE INSOLES WITH AN ERGONOMIC DESIGN, SIZE 41; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS  | PAA | ITEMIZED | 700 |
| 597 | 4224170611800 | DIABETIC SHOES WIDE FIT ANTIBACTERL SZ42 | DIABETIC SHOES, WIDE FITTING, FULL GRAIN COW/CALF SOFT LEATHER UPPER, VELCRO CLOSURE, SOFT HIGH-QUALITY ANTIBACTERIAL BREATHABLE DIABETIC LINING WITHOUT SEAMS. SOFT HEEL COUNTER, LIGHT WEIGHT REMOVABLE INSOLES WITH AN ERGONOMIC DESIGN, SIZE 42; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS  | PAA | ITEMIZED | 700 |
| 598 | 4224170611900 | DIABETIC SHOES WIDE FIT ANTIBACTERL SZ43 | DIABETIC SHOES, WIDE FITTING, FULL GRAIN COW/CALF SOFT LEATHER UPPER, VELCRO CLOSURE, SOFT HIGH-QUALITY ANTIBACTERIAL BREATHABLE DIABETIC LINING WITHOUT SEAMS. SOFT HEEL COUNTER, LIGHT WEIGHT REMOVABLE INSOLES WITH AN ERGONOMIC DESIGN, SIZE 43; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES COMPORN TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS  | PAA | ITEMIZED | 700 |

6/21/2022 Page 52 of 160

| 599 | 4224170612000 | DIABETIC SHOES WIDE FIT ANTIBACTERL SZ44 | DIABETIC SHOES, WIDE FITTING, FULL GRAIN COW/CALF SOFT LEATHER UPPER, VELCRO CLOSURE, SOFT HIGH-QUALITY ANTIBACTERIAL BREATHABLE DIABETIC LINING WITHOUT SEAMS. SOFT HELE COUNTER, LIGHT WEIGHT REMOVABLE INSOLES WITH AN ERGONOMIC DESIGN, SIZE 44; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT,                                                                                                                                                                                                       | РАА | ITEMIZED | 200 |
|-----|---------------|------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|-----|
|     |               |                                          | CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |     |          |     |
| 600 | 4224170612100 | DIABETIC SHOES WIDE FIT ANTIBACTERL SZ45 | DIABETIC SHOES, WIDE FITTING, FULL GRAIN COW/CALF SOFT LEATHER UPPER, VELCRO CLOSURE, SOFT HIGH-QUALITY ANTIBACTERIAL BREATHABLE DIABETIC LINING WITHOUT SEAMS. SOFT HEEL COUNTER, LIGHT WEIGHT REMOVABLE INSOLES WITH AN ERGONOMIC DESIGN, SIZE 45; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS | PAA | ITEMIZED | 200 |
| 601 | 4224170612200 | DIABETIC SHOES WIDE FIT ANTIBACTERL SZ46 | DIABETIC SHOES, WIDE FITTING, FULL GRAIN COW/CALF SOFT LEATHER UPPER, VELCRO CLOSURE, SOFT HIGH-QUALITY ANTIBACTERIAL BREATHABLE DIABETIC LINING WITHOUT SEAMS. SOFT HEEL COUNTER, LIGHT WEIGHT REMOVABLE INSOLES WITH AN ERGONOMIC DESIGN, SIZE 46; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS | PAA | ITEMIZED | 200 |
| 602 | 4224170615000 | DIABETIC SPECIFICATION SANDAL WOMEN 5235 | DIABETIC SPECIFICATION SANDALS, FOR WOMEN, FULL GRAIN LEATHER UPPER, VELCRO FASTENINGS OR EQUIVALENT, STIFF BOAT-SHAPED OUTSOLE, EXTRA DEEP FIT FOR ACCOMMODATION OF MOULDED INSOLES, BLACK, SIZE EU 35 (PAIR), REMOVABLE INSOLES, WEIGHTLESS, BREATHABLE ANKLE BACK STRAP, BIG OPENING, DIABETIC RHEUMATISM, SENSITIVE FEET, PAINFUL OF HALLUX VALGUS, BUNION, HAMMER AND CLAW TOES; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS                                                                               | EA  | ITEMIZED | 500 |
| 603 | 4224170615100 | DIABETIC SPECIFICATION SANDAL WOMEN SZ36 | DIABETIC SPECIFICATION SANDALS, FOR WOMEN, FULL GRAIN LEATHER UPPER, VELCRO FASTENINGS OR EQUIVALENT, STIFF BOAT-SHAPED OUTSOLE, EXTRA DEEP FIT FOR ACCOMMODATION OF MOULDED INSOLES, BLACK, SIZE EU 36 (PAIR), REMOVABLE INSOLES, WEIGHTLESS, BREATHABLE ANKLE BACK STRAP, BIG OPENING, DIABETIC RHEUMATISM, SENSITIVE FEET, PAINFUL OF HALLUX VALGUS, BUNION, HAMMER AND CLAW TOES; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTITUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; LIGHTIWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS                                                                             | PAA | ITEMIZED | 500 |

6/21/2022 Page 53 of 160

| 604 | 4224170615200 | DIABETIC SPECIFICATION SANDAL WOMEN SZ37 | DIABETIC SPECIFICATION SANDALS, FOR WOMEN, FULL GRAIN LEATHER UPPER, VELCRO FASTENINGS OR EQUIVALENT, STIFF BOAT-SHAPED OUTSOLE, EXTRA DEEP FIT FOR ACCOMMODATION OF MOULDED INSOLES, BLACK, SIZE EU 37 (PAIR), REMOVABLE INSOLES, WEIGHTLESS, GREATHABLE ANKLE BACK STRAP, BIG OPENING, DIABETIC RHEUMATISM, SENSITIVE FEET, PAINFUL OF HALLUX VALGUS, BUNION, HAMMER AND CLAW TOES; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS  | PAA | itemized | 500  |
|-----|---------------|------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|------|
| 605 | 4224170615300 | DIABETIC SPECIFICATION SANDAL WOMEN SZ38 | DIABETIC SPECIFICATION SANDALS, FOR WOMEN, FULL GRAIN LEATHER UPPER, VELCRO FASTENINGS OR EQUIVALENT, STIFF BOAT-SHAPED OUTSOLE, EXTRA DEEP FIT FOR ACCOMMODATION OF MOULDED INSOLES, BLACK, SIZE EU 38 (PAIR), REMOVABLE INSOLES, WEIGHTLESS, RERATHABLE ANKLE BACK STRAP, BIG OPENING, DIABETIC RHEUMATISM, SENSITIVE FEET, PAINFUL OF HALLUX VALGUS, BUNION, HAMMER AND CLAW TOES; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS  | PAA | ITEMIZED | 500  |
| 606 | 4224170615400 | DIABETIC SPECIFICATION SANDAL WOMEN SZ39 | DIABETIC SPECIFICATION SANDALS, FOR WOMEN, FULL GRAIN LEATHER UPPER, VELCRO FASTENINGS OR EQUIVALENT, STIFE BOAT-SHAPED OUTSOLE, EXTRA DEEP HT FOR ACCOMMODATION OF MOULDED INSOLES, BLACK, SIZE EU 39 (PAIR), REMOVABLE INSOLES, WEIGHTLESS, BREATHABLE ANKLE BACK STAP, BIG OPENING, DIABETIC RHEUMATISM, SENSITIVE FEET, PAINFUL OF HALLLUX VALGUS, BUNION, HAMMER AND CLAW TOES; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS   | РАА | ITEMIZED | 500  |
| 607 | 4224170615500 | DIABETIC SPECIFICATION SANDAL WOMEN SZ40 | DIABETIC SPECIFICATION SANDALS, FOR WOMEN, FULL GRAIN LEATHER UPPER, VELCRO FASTENINGS OR EQUIVALENT, STIFF BOAT-SHAPED OUTSOLE, EXTRA DEEP FIT FOR ACCOMMODATION OF MOULDED INSOLES, BLACK, SIZE EU 40 (PAIR), REMOVABLE INSOLES, WEIGHTLESS, GREATHABLE ANKLE BACK STRAP, BIG OPENING, DIABETIC RHEUMATISM, SENSITIVE FEET, PAINFUL OF HALLLUX VALGUS, BUNION, HAMMER AND CLAW TOES; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS | PAA | ITEMIZED | 500  |
| 608 | 4224170615600 | DIABETIC SPECIFICATION SANDAL WOMEN SZ41 | DIABETIC SPECIFICATION SANDALS, FOR WOMEN, FULL GRAIN LEATHER UPPER, VELCRO FASTENINGS OR EQUIVALENT, STIFF BOAT-SHAPED OUTSOLE, EXTRA DEEP FIT FOR ACCOMMODATION OF MOULDED INSOLES, BLACK, SIZE EU 41 (PAIR), REMOVABLE INSOLES, WEIGHTLESS, RERATHABLE ANKLE BACK STRAP, BIG OPENING, DIABETIC RHEUMATISM, SENSITIVE FEET, PAINFUL OF HALLUX VALGUS, BUNION, HAMMER AND CLAW TOES; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS  | РАА | ITEMIZED | 500  |
| 609 | 4224170615700 | DIABETIC SPECIFICATION SANDAL WOMEN SZ42 | DIABETIC SPECIFICATION SANDALS, FOR WOMEN, FULL GRAIN LEATHER UPPER, VELCRO FASTENINGS OR EQUIVALENT, STIFF BOAT-SHAPED OUTSOLE, EXTRA DEEP FIT FOR ACCOMMODATION OF MOULDED INSOLES, BLACK, SIZE EU 42 (PAIR), REMOVABLE INSOLES, WEIGHTLESS, RERATHABLE ANKLE BACK STRAP, BIG OPENING, DIABETIC RHEUMATISM, SENSITIVE FEET, PAINFUL OF HALLUX VALGUS, BUNION, HAMMER AND CLAW TOES; POTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTEQUE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS   | РАА | ITEMIZED | 500  |
| 610 | 4221150601300 | DIABETIC WALKER SZ EXTRA LARGE           | DIABETIC WALKER, OFF LOADING WALKER OR ANY EQUIVALENT, LOW PROFILE ROCKER BOTTOM, WITH ACTIVE OFFLOADING INSOLE, SIZE EXTRA LARGE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | EA  | ITEMIZED | 1000 |
|     |               | 1                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |     |          |      |

6/21/2022 Page 54 of 160

| 611 | 4221150601400                  | DIABETIC WALKER SZ EXTRA SMALL                                                | DIABETIC WALKER, OFF LOADING WALKER OR ANY EQUIVALENT, LOW PROFILE ROCKER BOTTOM, WITH ACTIVE OFFLOADING INSOLE, SIZE EXTRA SMALL                                                                                                                                                                                                            | EA        | ITEMIZED | 1000 |
|-----|--------------------------------|-------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|----------|------|
| 612 | 4221150601000                  | DIABETIC WALKER SZ LARGE                                                      | DIABETIC WALKER, OFF LOADING WALKER OR ANY<br>EQUIVALENT, LOW PROFILE ROCKER BOTTOM, WITH ACTIVE<br>OFFLOADING INSOLE, SIZE LARGE                                                                                                                                                                                                            | EA        | ITEMIZED | 1000 |
| 613 | 4221150601100                  | DIABETIC WALKER SZ MEDIUM                                                     | DIABETIC WALKER, OFF LOADING WALKER OR ANY EQUIVALENT, LOW PROFILE ROCKER BOTTOM, WITH ACTIVE OFFLOADING INSOLE, SIZE MEDIUM                                                                                                                                                                                                                 | EA        | ITEMIZED | 1000 |
| 614 | 4221150601200                  | DIABETIC WALKER SZ SMALL                                                      | DIABETIC WALKER, OFF LOADING WALKER OR ANY EQUIVALENT, LOW PROFILE ROCKER BOTTOM, WITH ACTIVE OFFLOADING INSOLE, SIZE SMALL                                                                                                                                                                                                                  | EA        | ITEMIZED | 1000 |
| 615 | 4224200031800                  | DIAGONAL-CUTTING AND SIDE-CUTTING                                             | DIAGONAL-CUTTING AND SIDE-CUTTING PLIERS, AN ORTHOTICS WORKSHOP TOOL, SIDE PIECE WITH PVC COATING, FOR HARD WIRE, LENGTH 160-200 MM                                                                                                                                                                                                          | EA        | ITEMIZED | 10   |
| 616 | 4224200019700                  | DIAL LOCK STRAP NON ELASTIC                                                   | DIAL LOCK STRAP, NON ELASTIC, SELF LOCKING MAGNETIC BUCKLE FOR EASY OPERATION, 38 MM WIDTH, RATED TO 80KG, ADJUSTABLE HOOK AND LOOP CLOSURE                                                                                                                                                                                                  | EA        | ITEMIZED | 250  |
| 617 | 4224200019900                  | DIRECT SOCKET LAMINATION SYSTEM                                               | DIRECT SOCKET LAMINATION SYSTEM, TRANSFEMORAL AMPUTEES OF ALL PATIENT ACTIVITY LEVELS, WITH USE OF THE DIRECT SOCKET MATERIALS, TOOLS, BRIM, THE MATERIALA RE PROVIDED IN XIT WHERE EACH KIT PROVIDES ALL THE CONSUMABLES NEEDED TO FABRICATE ONE SOCKET                                                                                     | КІТ       | GROUP 2  | 5    |
| 618 | 4224200029900                  | DIRECT SOCKET MATERIAL LARGE 7 INCH                                           | DIRECT SOCKET MATERIAL, GLASS FIBER, LARGE DISTAL CONNECTOR, SIZE 7 INCH                                                                                                                                                                                                                                                                     | EA        | GROUP 2  | 20   |
| 619 | 4224200030000                  | DIRECT SOCKET MATERIAL GLASS FIBER 9IN                                        | DIRECT SOCKET MATERIAL, GLASS FIBER, LARGE DISTAL                                                                                                                                                                                                                                                                                            | EA        | GROUP 2  | 20   |
| 620 | 4224200029700                  | DIRECT SOCKET MATERIAL GLASS FIBER 5IN                                        | CONNECTOR, SIZE 9 INCH DIRECT SOCKET MATERIAL, GLASS FIBER, STANDARD DISTAL                                                                                                                                                                                                                                                                  | EA        | GROUP 2  | 20   |
| 621 | 4224200029800                  | DIRECT SOCKET MATERIAL GLASS FIBER 7 IN                                       | CONNECTOR, SIZE 5 INCH DIRECT SOCKET MATERIAL, GLASS FIBER, STANDARD DISTAL                                                                                                                                                                                                                                                                  | EA        | GROUP 2  | 20   |
| 622 | 4224150901400                  | DORSIFLEXION ASSIST FLEX.JOINT 75 DURO L                                      | CONNECTOR, SIZE 7 INCH  DORSIFLEXION ASSIST FLEXURE JOINT, TAMARACK OR EQUIVALENT, THE BIASED DESIGN PROVIDES MOTION, ASSIST POWER SIMILAR TO TRADITIONAL METAL DORSI-ASSIST ANKLE JOINTS, 75 DUROMETER, LARGE SIZE                                                                                                                          | PAA       | ITEMIZED | 100  |
| 623 | 4224150901500                  | DORSIFLEXION ASSIST FLEX.JOINT 75 DURO M                                      | ANNE JOINTS, 75 DUROMETER, LARGE SIZE DORSIFIEKUON ASSIST FLEXURE JOINT, TAMARACK OR EQUIVALENT, THE BIASED DESIGN PROVIDES MOTION, ASSIST POWER SIMILAR TO TRADITIONAL METAL DORSI-ASSIST ANKLE JOINTS, 75 DUROMETER, MEDIUM SIZE                                                                                                           | PAA       | ITEMIZED | 100  |
| 624 | 4224150901600                  | DORSIFLEXION ASSIST FLEX.JOINT 85 DURO L                                      | DORSIFLEXION ASSIST FLEXURE JOINT, TAMARACK OR<br>EQUIVALENT, THE BIASED DESIGN PROVIDES MOTION, ASSIST<br>POWER SIMILAR TO TRADITIONAL METAL DORSI-ASSIST<br>ANKLE JOINTS, 85 DUROMETER, LARGE SIZE                                                                                                                                         | PAA       | ITEMIZED | 100  |
| 625 | 4224150901700                  | DORSIFLEXION ASSIST FLEX.JOINT 85 DURO M                                      | DORSIFLEXION ASSIST FLEXURE JOINT, TAMARACK OR EQUIVALENT, THE BIASED DESIGN PROVIDES MOTION, ASSIST POWER SIMILAR TO TRADITIONAL METAL DORSI-ASSIST ANKLE JOINTS, 85 DUROMETER, MEDIUM SIZE                                                                                                                                                 | PAA       | ITEMIZED | 100  |
| 626 | 4224150901800                  | DORSIFLEXION ASSIST FLEX.JOINT 85 DURO S                                      | DORSIFLEXION ASSIST FLEXURE JOINT, TAMARACK OR<br>EQUIVALENT, THE BIASED DESIGN PROVIDES MOTION, ASSIST<br>POWER SIMILAR TO TRADITIONAL METAL DORSI-ASSIST<br>ANKLE JOINTS, 85 DUROMETER, SMALL SIZE                                                                                                                                         | PAA       | ITEMIZED | 100  |
| 627 | 4224171310500                  | DOUBLE SIDED ADHESIVE TAPE 50M 19MM                                           | DOUBLE - SIDED ADHESIVE TAPE FOR ADHERING INNER<br>SOCKET TO OUTER FRAME, TRANSPARENT, LENGTH 50<br>METERS, WIDTH 19 MM                                                                                                                                                                                                                      | EA        | ITEMIZED | 50   |
| 628 | 4224200006500                  | DOUBLE ADAPTER MALE/MALE SSTEEL 32MM 95G                                      | DOUBLE ADAPTER MALE/MALE 32 MM STAINLESS STEEL SYSTEM HEIGHT: 32 MM WEIGHT: 95 GRAMS FOR BODY WEIGHT UP TO 150 KG                                                                                                                                                                                                                            | EA        | ITEMIZED | 50   |
| 629 | 4224200007200                  | DOUBLE ADAPTER MALE/FEMALE TI 36MM 115G                                       | DOUBLE ADAPTER TITANIUM MALE/FEMALE SYSTEM HEIGHT:<br>36 MM WEIGHT: 115 GRAMS FOR BODY WEIGHT UP TO 150<br>KG                                                                                                                                                                                                                                | EA        | ITEMIZED | 50   |
| 630 | 4224171312300                  | TAPE W19MM L55M DOUBLE FACE PVC                                               | DOUBLE FACE P.V.C. TAPE, W=19 MM, LENGTH 55 METER APPROXIMATELY                                                                                                                                                                                                                                                                              | EA        | ITEMIZED | 500  |
| 631 | 4224152003100                  | RIVETS DOUBLE TUBULAR 11MMX9MM                                                | DOUBLE TUBULAR RIVET (SPEED RIVET), CAP AND LOWER PART CLOSED, IRON NICKEL PLATED, 11 MM X 9 MM                                                                                                                                                                                                                                              | EA        | ITEMIZED | 1000 |
| 632 | 4224152003000                  | RIVETS DOUBLE TUBULAR 13MMX12MM                                               | DOUBLE TUBULAR RIVET (SPEED RIVET), CAP AND LOWER                                                                                                                                                                                                                                                                                            | EA        | ITEMIZED | 1000 |
| 633 | 4224152003200                  | RIVETS DOUBLE TUBULAR 9MMX9MM                                                 | PART CLOSED, IRON NICKEL PLATED, 13 MM X 12 MM  DOUBLE TUBULAR RIVET (SPEED RIVET), CAP AND LOWER                                                                                                                                                                                                                                            | EA        | ITEMIZED | 1000 |
| 634 | 4224200033200                  | DRAW KNIFE FOR MODIFICATION PURPOSES                                          | PART CLOSED, IRON NICKEL PLATED, 9 MM X 9 MM  DRAW KNIFE FOR MODIFICATION PURPOSES, AN ORTHOTICS  WORKSHOP TOOL, STEEL BLADE, WITH WOODEN HANDLE                                                                                                                                                                                             | EA        | ITEMIZED | 10   |
| 635 | 4224200034600                  | DRILL BITS KIT METAL                                                          | DRILL BITS KIT, AN ORTHOTICS WORKSHOP TOOL, USING FOR CUT AND MAKE HOLE FOR METAL SURFACES                                                                                                                                                                                                                                                   | KIT       | ITEMIZED | 10   |
| 636 | 4224200034700                  | DRILL BITS KIT STEEL                                                          | DRILL BITS KIT, AN ORTHOTICS WORKSHOP TOOL, USING FOR CUT AND MAKE HOLE FOR STEEL SURFACES                                                                                                                                                                                                                                                   | KIT       | ITEMIZED | 10   |
| 637 | 4224200034500                  | DRILL BITS KIT WOOD                                                           | DRILL BITS KIT, AN ORTHOTICS WORKSHOP TOOL, USING FOR                                                                                                                                                                                                                                                                                        | KIT       | ITEMIZED | 10   |
| 638 | 4229170102700                  | DRILL CONICAL PLASTIC DIAMETER 20MM                                           | CUT AND MAKE HOLE FOR WOOD SURFACES DRILL, CONICAL, PLASTIC, DIAMETER 20 MM                                                                                                                                                                                                                                                                  | EA        | ITEMIZED | 10   |
| 639 | 4229170102800<br>4229170102600 | DRILL CONICAL PLASTIC DIAMETER 30MM  DRILL SET S-STEEL 1-10MM 19 EACH IN CASE | DRILL, CONICAL, PLASTIC, DIAMETER 30 MM  DRILL, SET, HSS DIN 338 OR EQUIVALENT, CLOCKWISE CUTTING WITH CYLINDRICAL, SHAFT DIAMETER, 1-1 MM, INCREASING BY 0.5 MM INCREMENTS, 19 EACH IN STEEL CASE                                                                                                                                           | EA<br>SET | ITEMIZED | 10   |
| 641 | 4224200013400                  | DUMMIES FOR FIXING OF ANKLE JOINT LARGE                                       | DUMMIES, FOR FIXING OF TAMARACK OR EQUIVALENT,                                                                                                                                                                                                                                                                                               | PAA       | ITEMIZED | 50   |
| 642 | 4224200013500                  | DUMMIES FOR FIXING OF ANKLE JOINT MEDIUM                                      | ANKLE JOINT, SIZE: LARGE  DUMMIES, FOR FIXING OF TAMARACK OR EQUIVALENT,                                                                                                                                                                                                                                                                     | PAA       | ITEMIZED | 50   |
| 643 | 4224200013600                  | DUMMIES FOR FIXING OF ANKLE JOINT PED                                         | ANKLE JOINT, SIZE: MEDIUM  DUMMIES, FOR FIXING OF TAMARACK OR EQUIVALENT,                                                                                                                                                                                                                                                                    | PAA       | ITEMIZED | 50   |
| 644 | 422420013600                   | DYNAMIC ANKLE FOOT ORTHOSIS LT 10 3/4IN                                       | ANKLE JOINT, SIZE: PEDIATRIC  DYNAMIC ANKLE FOOT ORTHOSIS, LEFT, FOOT SIZE 103/4 INCHES, FOOT PLATE 101/4 INCHES, HEIGHT AT THICKEST PART OF CALF 131/4 INCHES - 15 INCHES, PROXIMAL STRAP 141/4 INCHES, HEEL HEIGHT 3/5 INCHES APPROXIMATELY, CARBON FIBER INCOPPORTED LICHTWEIGHT ENERGY RETURN WITH TEXTILE COVER TO PREVENT SKIN CONTACT | EA        | ITEMIZED | 152  |
| 645 | 4224200107500                  | DYNAMIC ANKLE FOOT ORTHOSIS LT 11 1/2IN                                       | DYNAMIC ANKLE FOOT ORTHOSIS, LEFT, FOOT SIZE 11 1/2 INCHES, FOOT PLATE 11 INCHES, HEIGHT AT THICKEST PART OF CALF 14 1/4 INCHES-15 3/4 INCHES, PROXIMAL STRAP 15 INCHES, HELE HEIGHT 3/6 INCHES APPROXIMATELY, CARBON FIBER INCORPORATED LIGHTWEIGHT ENERGY RETURN WITH TEXTILE COVER TO PREVENT SKIN CONTACT                                | PC        | ITEMIZED | 290  |

6/21/2022 Page 55 of 160

| 646 | 4224170701400 | DYNAMIC ANKLE FT ORTHO.3 COLORS PED 4IN  | DYNAMIC ANKLE FOOT ORTHOSIS, PREFABRICATED DYNAMIC ANKLE FOOT ORTHOSIS FOR PEDIATRIC (TOE WALKING, PLANTER FLEXION STABILITY, CORRECT PRONATION/SUPINATION), EACH ONE IS 2 EACH AND THREE COLORS "BLUE, PINK, WHITE", SIZE S FROM 4 INCHES LEFT                      | EA | ITEMIZED | 100 |
|-----|---------------|------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|----------|-----|
| 647 | 4224170701500 | ORTHOSIS DYNAMIC ANKLE FOOT SZ 4 RIGHT   | DYNAMIC ANKLE FOOT ORTHOSIS, PREFABRICATED DYNAMIC<br>ANKLE FOOT ORTHOSIS FOR PEDIATRIC (TOE WALKING,<br>PLANTER FLEXION STABILITY, CORRECT<br>PRONATION, SUPINATION), EACH ONE IS 2 PIECE AND THREE<br>COLORS "BLUE, PINK, WHITE", SIZE S FROM 4 INCHES, RIGHT      | EA | ITEMIZED | 100 |
| 648 | 4224170701600 | ORTHOSIS DYNAMIC ANKLE FOOT SZ 4.25 LEFT | DYNAMIC ANKLE FOOT ORTHOSIS, PREFABRICATED DYNAMIC<br>ANKLE FOOT ORTHOSIS FOR PEDIATRIC (TOE WALKING,<br>PLANTER FLEXION STABILITY, CORRECT<br>PRONATION/SUPINATION), EACH ONE IS 2 PIECE AND THREE<br>COLORS "BLUE, PINK, WHITE", SIZE S FROM 4.25 INCHES, LEFT     | EA | ITEMIZED | 100 |
| 649 | 4224170701700 | ORTHOSIS DYNAMIC ANKLE FOOT 4.25 RIGHT   | DYNAMIC ANKLE FOOT ORTHOSIS, PREFABRICATED DYNAMIC<br>ANKLE FOOT ORTHOSIS FOR PEDIATRIC (TOE WALKING,<br>PLANTER FLEXION STABILITY, CORRECT<br>PRONATION/SUPINATION), EACH ONE IS 2 PIECE AND THREE<br>COLORS "BLUE, PINK, WHITE", SIZE 5 FROM 4.25 INCHES,<br>RIGHT | EA | ITEMIZED | 100 |
| 650 | 4224170701800 | ORTHOSIS DYNAMIC ANKLE FOOT SZ 4.5 LEFT  | DYNAMIC ANKLE FOOT ORTHOSIS, PREFABRICATED DYNAMIC<br>ANKLE FOOT ORTHOSIS FOR PEDIATRIC (TOE WALKING,<br>PLANTER FLEXION STABILITY, CORRECT<br>PRONATION, SUPINATION), EACH ONE IS 2 PIECE AND THREE<br>COLORS "BLUE, PINK, WHITE", SIZE S FROM 4.5 INCHES, LEFT     | EA | ITEMIZED | 100 |
| 651 | 4224170701900 | ORTHOSIS DYNAMIC ANKLE FOOT SZ 4.5 RIGHT | DYNAMIC ANKLE FOOT ORTHOSIS, PREFABRICATED DYNAMIC<br>ANKLE FOOT ORTHOSIS FOR PEDIATRIC (TOE WALKING,<br>PLANTER FLEXION STABILITY, CORRECT<br>PRONATION/SUPINATION), EACH ONE IS 2 PIECE AND THREE<br>COLORS "BLUE, PINK, WHITE", SIZE S FROM 4.5 INCHES, RIGHT     | EA | ITEMIZED | 100 |
| 652 | 4224170702000 | ORTHOSIS DYNAMIC ANKLE FOOT SZ 4.75 LEFT | DYNAMIC ANKLE FOOT ORTHOSIS, PREFABRICATED DYNAMIC<br>ANKLE FOOT ORTHOSIS FOR PEDIATRIC (TOE WALKING,<br>PLANTER FLEXION STABILITY, CORRECT<br>PRONATION/SUPINATION), EACH ONE IS 2 PIECE AND THREE<br>COLORS "BLUE, PINK, WHITE", SIZE S FROM 4.75 INCHES, LEFT     | EA | ITEMIZED | 100 |
| 653 | 4224170702100 | ORTHOSIS DYNAMIC ANKLE FOOT 4.75 RIGHT   | DYNAMIC ANKLE FOOT ORTHOSIS, PREFABRICATED DYNAMIC<br>ANKLE FOOT ORTHOSIS FOR PEDIATRIC (TOE WALKING,<br>PLANTER FLEXION STABILITY, CORRECT<br>PRONATION/SUPINATION), EACH ONE IS 2 PIECE AND THREE<br>COLORS "BLUE, PINK, WHITE", SIZE 5 FROM 4.75 INCHES,<br>RIGHT | EA | ITEMIZED | 100 |
| 654 | 4224170702200 | ORTHOSIS DYNAMIC ANKLE FOOT SZ 5 LEFT    | DYNAMIC ANKLE FOOT ORTHOSIS, PREFABRICATED DYNAMIC<br>ANKLE FOOT ORTHOSIS FOR PEDIATRIC (TOE WALKING,<br>PLANTER FLEXION STABLUTY, CORRECT<br>PRONATION/SUPINATION), EACH ONE IS 2 PIECE AND THREE<br>COLORS "BLUE, PINK, WHITE", SIZE S FROM 5 INCHES, LEFT         | EA | ITEMIZED | 100 |
| 655 | 4224170702300 | ORTHOSIS DYNAMIC ANKLE FOOT SZ 5 RIGHT   | DYNAMIC ANKLE FOOT ORTHOSIS, PREFABRICATED DYNAMIC<br>ANKLE FOOT ORTHOSIS FOR PEDIATRIC (TOE WALKING,<br>PLANTER FLEXION STABILITY, CORRECT<br>PRONATION/SUPINATION), EACH ONE IS 2 PIECE AND THREE<br>COLORS "BLUE, PINK, WHITE", SIZE S FROM S INCHES, RIGHT       | EA | ITEMIZED | 100 |
| 656 | 4224170702400 | ORTHOSIS DYNAMIC ANKLE FOOT SZ 5.25 LEFT | DYNAMIC ANKLE FOOT ORTHOSIS, PREFABRICATED DYNAMIC<br>ANKLE FOOT ORTHOSIS FOR PEDIATRIC (TOE WALKING,<br>PLANTER FLEXION STABILITY, CORRECT<br>PRONATION/SUPINATION), EACH ONE IS 2 PIECE AND THREE<br>COLORS "BLUE, PINK, WHITE", SIZE S FROM 5.25 INCHES, LEFT     | EA | ITEMIZED | 100 |
| 657 | 4224170702500 | ORTHOSIS DYNAMIC ANKLE FOOT 5.25 RIGHT   | DYNAMIC ANKLE FOOT ORTHOSIS, PREFABRICATED DYNAMIC<br>ANKLE FOOT ORTHOSIS FOR PEDIATRIC (TOE WALKING,<br>PLANTER FLEXION STABILITY, CORRECT<br>PRONATION/SUPINATION), EACH ONE IS 2 PIECE AND THREE<br>COLORS "BLUE, PINK, WHITE", SIZE 5 FROM 5.25 INCHES,<br>RIGHT | EA | ITEMIZED | 100 |
| 658 | 4224170702600 | ORTHOSIS DYNAMIC ANKLE FOOT SZ 5.5 LEFT  | DYNAMIC ANKLE FOOT ORTHOSIS, PREFABRICATED DYNAMIC<br>ANKLE FOOT ORTHOSIS FOR PEDIATRIC (TOE WALKING,<br>PLANTER FLEXION STABLITY, CORRECT<br>PRONATION/SUPINATION), EACH ONE IS 2 PIECE AND THREE<br>COLORS "BLUE, PINK, WHITE", SIZE S FROM 5.5 INCHES, LEFT       | EA | ITEMIZED | 100 |
| 659 | 4224170702700 | ORTHOSIS DYNAMIC ANKLE FOOT SZ 5.5 RIGHT | DYNAMIC ANKLE FOOT ORTHOSIS, PREFABRICATED DYNAMIC<br>ANKLE FOOT ORTHOSIS FOR PEDIATRIC (TOE WALKING,<br>PLANTER FLEXION STABLITY, CORRECT<br>PRONATION/SUPINATION), EACH ONE 15 2 PIECE AND THREE<br>COLORS "BLUE, PINK, WHITE", SIZE S FROM 5.5 INCHES, RIGHT      | EA | ITEMIZED | 100 |
| 660 | 4224170702800 | ORTHOSIS DYNAMIC ANKLE FOOT SZ 5.75 LEFT | DYNAMIC ANKLE FOOT ORTHOSIS, PREFABRICATED DYNAMIC<br>ANKLE FOOT ORTHOSIS FOR PEDIATRIC (TOE WALKING,<br>PLANTER FLEXION STABILITY, CORRECT<br>PRONATION/SUPINATION), EACH ONE IS 2 PIECE AND THREE<br>COLORS "BLUE, PINK, WHITE", SIZE S FROM 5.75 INCHES, LEFT     | EA | ITEMIZED | 100 |
| 661 | 4224170702900 | ORTHOSIS DYNAMIC ANKLE FOOT 5.75 RIGHT   | DYNAMIC ANKLE FOOT ORTHOSIS, PREFABRICATED DYNAMIC<br>ANKLE FOOT ORTHOSIS FOR PEDIATRIC (TDE WALKING,<br>PLANTER FLEXION STABILITY, CORRECT<br>PRONATION/SUPINATION), EACH ONE IS 2 PIECE AND THREE<br>COLORS "BLUE, PINK, WHITE", SIZE 5 FROM 5.75 INCHES,<br>RIGHT | EA | ITEMIZED | 100 |
| 662 | 4224170703100 | ORTHOSIS DYNAMIC ANKLE FOOT SZ 6 LEFT    | DYNAMIC ANKLE FOOT ORTHOSIS, PREFABRICATED DYNAMIC<br>ANKLE FOOT ORTHOSIS FOR PEDIATRIC (TOE WALKING,<br>PLANTER FLEXION STABILITY, CORRECT<br>PRONATION/SUPINATION), EACH ONE IS 2 PIECE AND THREE<br>COLORS "BLUE, PINK, WHITE", SIZE S FROM 6 INCHES, LEFT        | EA | ITEMIZED | 100 |

6/21/2022 Page 56 of 160

|     |               |                                          | Daniel Company of the |    |          |     |
|-----|---------------|------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|----------|-----|
| 663 | 4224170703000 | ORTHOSIS DYNAMIC ANKLE FOOT SZ 6 RIGHT   | DYNAMIC ANKLE FOOT ORTHOSIS, PREFABRICATED DYNAMIC ANKLE FOOT ORTHOSIS FOR PEDIATRIC (TOE WALKING, PLANTER FLEXION STABILITY, CORRECT PRONATION/SUPINATION), EACH ONE IS 2 PIECE AND THREE COLORS "BLUE, PINK, WHITE", SIZE S FROM 6 INCHES, RIGHT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | EA | ITEMIZED | 100 |
| 664 | 4224170703200 | ORTHOSIS DYNAMIC ANKLE FOOT SZ 6.25 LEFT | DYNAMIC ANKLE FOOT ORTHOSIS, PREFABRICATED DYNAMIC<br>ANKLE FOOT ORTHOSIS FOR PEDIATRIC (TOE WALKING,<br>PLANTER FLEXION STABLITY, CORRECT<br>PRONATION/SUPINATION), EACH ONE 15 2 PIECE AND THREE<br>COLORS "BLUE, PINK, WHITE", SIZE S FROM 6.25 INCHES, LEFT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | EA | ITEMIZED | 100 |
| 665 | 4224170703300 | ORTHOSIS DYNAMIC ANKLE FOOT 6.25 RIGHT   | DYNAMIC ANKLE FOOT ORTHOSIS, PREFABRICATED DYNAMIC ANKLE FOOT ORTHOSIS FOR PEDIATRIC (TOE WALKING, PLANTER FLEXION STABILITY, CORRECT PRONATION/SUPINATION), EACH ONE IS 2 PIECE AND THREE COLORS "BLUE, PINK, WHITE", SIZE S FROM 6.25 INCHES, RIGHT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | EA | ITEMIZED | 100 |
| 666 | 4224170703500 | ORTHOSIS DYNAMIC ANKLE FOOT SZ 6.5 LEFT  | DYNAMIC ANKLE FOOT ORTHOSIS, PREFABRICATED DYNAMIC<br>ANKLE FOOT ORTHOSIS FOOR PEDIATRIC (TOE WALKING,<br>PLANTER FLEXION STABILITY, CORRECT<br>PRONATION/SUPINATION), EACH ONE IS 2 PIECE AND THREE<br>COLORS "BLUE, PINK, WHITE", SIZE S FROM 6.5 INCHES, LEFT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | EA | ITEMIZED | 100 |
| 667 | 4224170703400 | ORTHOSIS DYNAMIC ANKLE FOOT SZ 6.5 RIGHT | DYNAMIC ANKLE FOOT ORTHOSIS, PREFABRICATED DYNAMIC<br>ANKLE FOOT ORTHOSIS FOR PEDIATRIC (TOE WALKING,<br>PLANTER FLEXION STABILITY, CORRECT<br>PRONATION/SUPINATION), EACH ONE 15 2 PIECE AND THREE<br>COLORS "BLUE, PINK, WHITE", SIZE S FROM 6.5 INCHES, RIGHT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | EA | ITEMIZED | 100 |
| 668 | 4224170703600 | ORTHOSIS DYNAMIC ANKLE FOOT SZ 6,75 LEFT | DYNAMIC ANKLE FOOT ORTHOSIS, PREFABRICATED DYNAMIC<br>ANKLE FOOT ORTHOSIS FOR PEDIATRIC (TOE WALKING,<br>PLANTER FLEXION STABLITY, CORRECT<br>PRONATION/SUPINATION), EACH ONE 15 2 PIECE AND THREE<br>COLORS "BLUE, PINK, WHITE", SIZE S FROM 6.75 INCHES, LEFT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | EA | ITEMIZED | 100 |
| 669 | 4224170703700 | ORTHOSIS DYNAMIC ANKLE FOOT 6.75 RIGHT   | DYNAMIC ANKLE FOOT ORTHOSIS, PREFABRICATED DYNAMIC ANKLE FOOT ORTHOSIS FOR PEDIATRIC (TOE WALKING, PLANTER FLEXION STABILITY, CORRECT PRONATION/SUPINATION), EACH ONE IS 2 PIECE AND THREE COLORS "BLUE, PINK, WHITE", SIZE 5 FROM 6.75 INCHES, RIGHT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | EA | ITEMIZED | 100 |
| 670 | 4224170703900 | ORTHOSIS DYNAMIC ANKLE FOOT SZ 7 LEFT    | DYNAMIC ANKLE FOOT ORTHOSIS, PREFABRICATED DYNAMIC<br>ANKLE FOOT ORTHOSIS FOR PEDIATRIC (TOE WALKING,<br>PLANTER FLEXION STABLITY, CORRECT<br>PRONATION/SUPINATION), EACH ONE IS 2 PIECE AND THREE<br>COLORS "BLUE, PINK, WHITE", SIZE S FROM 7 INCHES, LEFT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | EA | ITEMIZED | 100 |
| 671 | 4224170703800 | ORTHOSIS DYNAMIC ANKLE FOOT SZ 7 RIGHT   | DYNAMIC ANKLE FOOT ORTHOSIS, PREFABRICATED DYNAMIC<br>ANKLE FOOT ORTHOSIS FOR PEDIATRIC (TOE WALKING,<br>PLANTER FLEXION STABLITY, CORRECT<br>PRONATION/SUPINATION), EACH ONE 15 2 PIECE AND THREE<br>COLORS "BLUE, PINK, WHITE", SIZE S FROM 7 INCHES, RIGHT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | EA | ITEMIZED | 100 |
| 672 | 4224170704000 | ORTHOSIS DYNAMIC ANKLE FOOT SZ 7:25 LEFT | DYNAMIC ANKLE FOOT ORTHOSIS, PREFABRICATED DYNAMIC<br>ANKLE FOOT ORTHOSIS FOR PEDIATRIC (TOE WALKING,<br>PLANTER FLEXION STABILITY, CORRECT<br>PRONATION/SUPINATION), EACH ONE 15 2 PIECE AND THREE<br>COLORS "BLUE, PINK, WHITE", SIZE S FROM 7.25 INCHES, LEFT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | EA | ITEMIZED | 100 |
| 673 | 4224170704100 | ORTHOSIS DYNAMIC ANKLE FOOT 7.25 RIGHT   | DYNAMIC ANKLE FOOT ORTHOSIS, PREFABRICATED DYNAMIC ANKLE FOOT ORTHOSIS FOR PEDIATRIC (TOE WALKING, PLANTER FLEXION STABILITY, CORRECT PRONATION/SUPINATION), EACH ONE IS 2 PIECE AND THREE COLORS "BLUE, PINK, WHITE", SIZE S FROM 7.25 INCHES, RIGHT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | EA | ITEMIZED | 100 |
| 674 | 4224170704300 | ORTHOSIS DYNAMIC ANKLE FOOT SZ 7.5 LEFT  | DYNAMIC ANKLE FOOT ORTHOSIS, PREFABRICATED DYNAMIC<br>ANKLE FOOT ORTHOSIS FOR PEDIATRIC (TOE WALKING,<br>PLANTER FLEXION STABILITY, CORRECT<br>PRONATION/SUPINATION), EACH ONE 15 2 PIECE AND THREE<br>COLORS "BLUE, PINK, WHITE", SIZE S FROM 7.5 INCHES, LEFT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | EA | ITEMIZED | 100 |
| 675 | 4224170704200 | ORTHOSIS DYNAMIC ANKLE FOOT SZ 7.5 RIGHT | DYNAMIC ANKLE FOOT ORTHOSIS, PREFABRICATED DYNAMIC<br>ANKLE FOOT ORTHOSIS FOR PEDIATRIC (TOE WALKING,<br>PLANTER FLEXION STABILITY, CORRECT<br>PRONATION/SUPINATION), EACH ONE 15 2 PIECE AND THREE<br>COLORS "BLUE, PINK, WHITE", SIZE S FROM 7.5 INCHES, RIGHT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | EA | ITEMIZED | 100 |
| 676 | 4224170704400 | ORTHOSIS DYNAMIC ANKLE FOOT SZ 7.75 LEFT | DYNAMIC ANKLE FOOT ORTHOSIS, PREFABRICATED DYNAMIC<br>ANKLE FOOT ORTHOSIS FOR PEDIATRIC (TOE WALKING,<br>PLANTER FLEXION STABILITY, CORRECT<br>PRONATION/SUPINATION), EACH ONE IS 2 PIECE AND THREE<br>COLORS "BLUE, PINK, WHITE", SIZE S FROM 7.75 INCHES, LEFT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | EA | ITEMIZED | 100 |
| 677 | 4224170704500 | ORTHOSIS DYNAMIC ANKLE FOOT 7.75 RIGHT   | DYNAMIC ANKLE FOOT ORTHOSIS, PREFABRICATED DYNAMIC ANKLE FOOT ORTHOSIS FOR PEDIATRIC (TOE WALKING, PLANTER FLEXION STABILITY, CORRECT PRONATION/SUPINATION), EACH ONE IS 2 PIECE AND THREE COLORS "BLUE, PINK, WHITE", SIZES FROM 7.75 INCHES, RIGHT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | EA | ITEMIZED | 100 |
| 678 | 4224170704700 | ORTHOSIS DYNAMIC ANKLE FOOT SZ 8 LEFT    | DYNAMIC ANKLE FOOT ORTHOSIS, PREFABRICATED DYNAMIC<br>ANKLE FOOT ORTHOSIS FOR PEDIATRIC (TOE WALKING,<br>PLANTER FLEXION STABILITY, CORRECT<br>PRONATION/SUPINATION), EACH ONE IS 2 PIECE AND THREE<br>COLORS "BLUE, PINK, WHITE", SIZE S FROM 8 INCHES, LEFT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | EA | ITEMIZED | 100 |
| 679 | 4224170704600 | ORTHOSIS DYNAMIC ANKLE FOOT SZ 8 RIGHT   | DYNAMIC ANKLE FOOT ORTHOSIS, PREFABRICATED DYNAMIC<br>ANKLE FOOT ORTHOSIS FOR PEDIATRIC (TOE WALKING,<br>PLANTER FLEXION STABILITY, CORRECT<br>PRONATION/SUPINATION), EACH ONE IS 2 PIECE AND THREE<br>COLORS "BLUE, PINK, WHITE", SIZE S FROM 8 INCHES, RIGHT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | EA | ITEMIZED | 100 |

6/21/2022 Page 57 of 160

| 4224170704800 | ORTHOSIS DYNAMIC ANKLE FOOT SZ 8.25 LEFT                                                                                                                                                                                        | DYNAMIC ANKLE FOOT ORTHOSIS, PREFABRICATED DYNAMIC ANKLE FOOT ORTHOSIS FOR PEDIATRIC (TOE WALKING, PLANTER FLEXION STABILITY, CORRECT PRONATION/SUPINATION), EACH ONE IS 2 PIECE AND THREE COLORS "BLUE, PINK, WHITE", SIZE S FROM 8.25 INCHES, LEFT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | EA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | ITEMIZED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 100                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|---------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 4224170704900 | ORTHOSIS DYNAMIC ANKLE FOOT 8.25 RIGHT                                                                                                                                                                                          | DYNAMIC ANKLE FOOT ORTHOSIS, PREFABRICATED DYNAMIC ANKLE FOOT ORTHOSIS FOR PEDIATRIC (TOE WALKING, PLANTER FLEXION STABILITY, CORRECT PRONATION/SUPINATION), EACH ONE IS 2 PIECE AND THREE COLORS "BLUE, PINK, WHITE", SIZE 5 FROM 8.25 INCHES, RIGHT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | EA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | ITEMIZED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 100                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| 4224170705000 | ORTHOSIS DYNAMIC ANKLE FOOT SZ 8.5 LEFT                                                                                                                                                                                         | DYNAMIC ANKLE FOOT ORTHOSIS, PREFABRICATED DYNAMIC<br>ANKLE FOOT ORTHOSIS FOR PEDIATRIC (TOE WALKING,<br>PLANTER FLEXION STABLITY, CORRECT<br>PRONATIONS, PURIATION), EACH ONE 15 2 PIECE AND THREE<br>COLORS "BLUE, PINK, WHITE", SIZE S FROM 8.5 INCHES, LEFT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | EA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | ITEMIZED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 100                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| 4224170705100 | ORTHOSIS DYNAMIC ANKLE FOOT SZ 8.5 RIGHT                                                                                                                                                                                        | DYNAMIC ANKLE FOOT ORTHOSIS, PREFABRICATED DYNAMIC<br>ANKLE FOOT ORTHOSIS FOR PEDIATRIC (TOE WALKING,<br>PLANTER FLEXION STABILITY, CORRECT<br>PRONATION/SUPINATION), EACH ONE 15 2 PIECE AND THREE<br>COLORS "BLUE, PINK, WHITE", SIZE S FROM 8.5 INCHES, RIGHT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | EA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | ITEMIZED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 100                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| 4224200107600 | DYNAMIC ANKLE FOOT ORTHOSIS RT 10 3/4IN                                                                                                                                                                                         | DYNAMIC ANKLE FOOT ORTHOSIS, RIGHT, FOOT SIZE 10 3/4 INCHES, FOOT PLATE 10 1/4 INCHES, HEIGHT AT THICKEST PART OF CALE 13 1/4 INCH-15 INCHES, PROXIMAL STRAP 14 1/4 INCHES, HEEL HEIGHT 3/5 INCHES APPROXIMATELY, CARBON FIBER INCORPORATED LIGHTWEIGHT ENERGY RETURN WITH TEXTILE COVER TO PREVENT SKIN CONTACT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | PC                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | ITEMIZED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 217                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| 4224200107700 | DYNAMIC ANKLE FOOT ORTHOSIS RIGHT SZ 10                                                                                                                                                                                         | DYNAMIC ANKLE FOOT ORTHOSIS, RIGHT, FOOT SIZE 10 INCHES FOOT PLATE 93/4 INCHES, HEIGHT AT THICKEST PART OF CALF 12 1/2 INCHES - 14 1/4 INCHES, PROXIMAL STRAP 131/4 INCHES, HEEL HEIGHT 3/5 INCHES APPROXIMATELY, CARBON FIBER INCORPORATED LIGHTWEIGHT ENERGY RETURN WITH TEXTILE COVER TO PREVENT SKIN CONTACT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | EA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | ITEMIZED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 351                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| 4224200107800 | DYNAMIC ANKLE FT ORTHOSIS RT 11 1/2IN                                                                                                                                                                                           | DYNAMIC ANKLE FOOT ORTHOSIS, RIGHT, FOOT SIZE 11 1/2 INCHES, FOOT PLATE 11 INCHES, HEIGHT AT THICKEST PART OF CALF 14 1/4 INCHES-15 3/4 INCHES, PROXIMAL STRAP 15 INCHES, HEEL HEIGHT 3/5 INCHES APPROXIMATELY, CARBON FIBER INCORPORATED LIGHTWEIGHT ENERGY RETURN WITH TEXTILE COVER TO PREVENT SKIN CONTACT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | PC                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | ITEMIZED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 296                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| 4224200120200 | DYNAMIC FOOT FOR CHILDREN SZ 14 LT                                                                                                                                                                                              | DYNAMIC FOOT FOR CHILDREN, SIZE 14, LEFT, SUPPLIED WITH FOOT ADAPTER AND SCREW CONNECTION, TUBE ADAPTER, TUBE CLAMP ADAPTER, SOCKET ADAPTER, COSMETIC FOAM, AND PERLON STOCKINGS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | SET                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | ITEMIZED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 10                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 4224200121000 | DYNAMIC FOOT FOR CHILDREN SZ 14 RT                                                                                                                                                                                              | DYNAMIC FOOT FOR CHILDREN, SIZE 14, RIGHT, SUPPLIED WITH FOOT ADAPTER AND SCREW CONNECTION, TUBE ADAPTER, TUBE CLAMP ADAPTER, SOCKET ADAPTER, COSMETIC FOAM, AND PERLON STOCKINGS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | SET                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | ITEMIZED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 10                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 4224200120300 | DYNAMIC FOOT FOR CHILDREN SZ 15 LT                                                                                                                                                                                              | DYNAMIC FOOT FOR CHILDREN, SIZE 15, LEFT, SUPPLIED WITH<br>FOOT ADAPTER AND SCREW CONNECTION, TUBE ADAPTER,<br>TUBE CLAMP ADAPTER, SOCKET ADAPTER, COSMETIC FOAM,<br>AND PERLON STOCKINGS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | SET                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | ITEMIZED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 10                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 4224200121100 | DYNAMIC FOOT FOR CHILDREN SZ 15 RT                                                                                                                                                                                              | DYNAMIC FOOT FOR CHILDREN, SIZE 15, RIGHT, SUPPLIED<br>WITH FOOT ADAPTER AND SCREW CONNECTION, TUBE<br>ADAPTER, TUBE CLAMP ADAPTER, SOCKET ADAPTER,<br>COSMETIC FOAM, AND PERION STOCKINGS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | SET                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | ITEMIZED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 10                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 4224200120400 | DYNAMIC FOOT FOR CHILDREN SIZE 16 LEFT                                                                                                                                                                                          | DYNAMIC FOOT FOR CHILDREN, SIZE 16, LEFT, SUPPLIED WITH FOOT ADAPTER AND SCREW CONNECTION, TUBE ADAPTER, TUBE CLAMP ADAPTER, SOCKET ADAPTER, COSMETIC FOAM, AND PERLON STOCKINGS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | SET                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | ITEMIZED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 10                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 4224200121200 | DYNAMIC FOOT FOR CHILDREN SZ 16 RT                                                                                                                                                                                              | DYNAMIC FOOT FOR CHILDREN, SIZE 16, RIGHT, SUPPLIED<br>WITH FOOT ADAPTER AND SCREW CONNECTION, TUBE<br>ADAPTER, TUBE CLAMP ADAPTER, SOCKET ADAPTER, AND<br>COSMETIC FOAM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | SET                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | ITEMIZED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 10                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 4224200120500 | DYNAMIC FOOT FOR CHILDREN SZ 17 LT                                                                                                                                                                                              | DYNAMIC FOOT FOR CHILDREN, SIZE 17, LEFT, SUPPLIED WITH FOOT ADAPTER AND SCREW CONNECTION, TUBE ADAPTER, TUBE CLAMP ADAPTER, SOCKET ADAPTER, COSMETIC FOAM AND PERLON STOCKINGS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | SET                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | ITEMIZED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 10                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 4224200121300 | DYNAMIC FOOT FOR CHILDREN SZ 17 RT                                                                                                                                                                                              | DYNAMIC FOOT FOR CHILDREN, SIZE 17, RIGHT, SUPPLIED<br>WITH FOOT ADAPTER AND SCREW CONNECTION, TUBE<br>ADAPTER, TUBE CLAMP ADAPTER, SOCKET ADAPTER,<br>COSMETIC FOAM AND PERLON STOCKINGS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | SET                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | ITEMIZED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 10                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 4224200120600 | DYNAMIC FOOT FOR CHILDREN SZ 18 LT                                                                                                                                                                                              | DYNAMIC FOOT FOR CHILDREN, SIZE 18, LEFT. SUPPLIED WITH FOOT ADAPTER AND SCREW CONNECTION, TUBE ADAPTER, TUBE CLAMP ADAPTER, SOCKET ADAPTER, COSMETIC FOAM AND PERLON STOCKINGS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | SET                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | ITEMIZED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 10                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 4224200121400 | DYNAMIC FOOT FOR CHILDREN SZ 18 RT                                                                                                                                                                                              | DYNAMIC FOOT FOR CHILDREN, SIZE 18, RIGHT. SUPPLIED<br>WITH FOOT ADAPTER AND SCREW CONNECTION, TUBE<br>ADAPTER, TUBE CLAMP ADAPTER, SOCKET ADAPTER,<br>COSMETIC FOAM AND PERLON STOCKINGS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | SET                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | ITEMIZED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 10                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 4224200120700 | DYNAMIC FOOT FOR CHILDREN SZ 19 LT                                                                                                                                                                                              | DYNAMIC FOOT FOR CHILDREN, SIZE 19, LEFT. SUPPLIED WITH<br>FOOT ADAPTER AND SCREW CONNECTION, TUBE ADAPTER,<br>TUBE CLAMP ADAPTER, SOCKET ADAPTER, COSMETIC FOAM<br>AND PERLON STOCKINGS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | SET                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | ITEMIZED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 10                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 4224200121500 | DYNAMIC FOOT FOR CHILDREN SZ 19 RT                                                                                                                                                                                              | DYNAMIC FOOT FOR CHILDREN, SIZE 19, RIGHT. SUPPLIED<br>WITH FOOT ADAPTER AND SCREW CONNECTION, TUBE<br>ADAPTER, TUBE CLAMP ADAPTER, SOCKET ADAPTER,<br>COSMETIC FOAM AND PERLON STOCKINGS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | SET                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | ITEMIZED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 10                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 4224200120800 | DYNAMIC FOOT FOR CHILDREN SZ 20 LT                                                                                                                                                                                              | DYNAMIC FOOT FOR CHILDREN, SIZE 20, LEFT. SUPPLIED WITH FOOT ADAPTER AND SCREW CONNECTION, TUBE ADAPTER, TUBE CLAMP ADAPTER, SOCKET ADAPTER, COSMETIC FOAM AND PERLON STOCKINGS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | SET                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | ITEMIZED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 10                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 4224200121600 | DYNAMIC FOOT FOR CHILDREN SIZE 20 RT                                                                                                                                                                                            | DYNAMIC FOOT FOR CHILDREN, SIZE 20, RIGHT. SUPPLIED WITH FOOT ADAPTER AND SCREW CONNECTION, TUBE ADAPTER, TUBE CLAMP DADAPTER, SOCKET ADAPTER, COSMETIC FOAM, AND PERLON STOCKINGS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | SET                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | ITEMIZED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 10                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 4224200120900 | DYNAMIC FOOT FOR CHILDREN SZ 21 LT                                                                                                                                                                                              | DYNAMIC FOOT FOR CHILDREN, SIZE 21, LEFT. SUPPLIED WITH FOOT ADAPTER AND SCREW CONNECTION, TUBE ADAPTER, TUBE CLAMP ADAPTER, SOCKET ADAPTER, COSMETIC FOAM, AND PERLON STOCKINGS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | SET                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | ITEMIZED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 10                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|               | 4224200107500  4224200107600  4224200107600  4224200107600  4224200120200  4224200121000  4224200121100  4224200121200  4224200121200  4224200121200  4224200121500  4224200121500  4224200121500  4224200121500  4224200121500 | 422420107600 ORTHOSIS DYNAMIC ANKLE FOOT 8.25 RIGHT  4224170705000 ORTHOSIS DYNAMIC ANKLE FOOT SZ 8.5 LEFT  4224200107600 DYNAMIC ANKLE FOOT ORTHOSIS RT 10 3/4IN  4224200107700 DYNAMIC ANKLE FOOT ORTHOSIS RT 10 3/4IN  4224200107700 DYNAMIC ANKLE FOOT ORTHOSIS RT 11 1/2IN  4224200107800 DYNAMIC FOOT FOR CHILDREN SZ 14 LT  4224200120200 DYNAMIC FOOT FOR CHILDREN SZ 14 RT  4224200121000 DYNAMIC FOOT FOR CHILDREN SZ 15 LT  4224200121000 DYNAMIC FOOT FOR CHILDREN SZ 15 RT  422420012100 DYNAMIC FOOT FOR CHILDREN SZ 15 RT  422420012100 DYNAMIC FOOT FOR CHILDREN SZ 15 RT  422420012100 DYNAMIC FOOT FOR CHILDREN SZ 17 RT  422420012100 DYNAMIC FOOT FOR CHILDREN SZ 18 RT  4224200121000 DYNAMIC FOOT FOR CHILDREN SZ 18 RT  4224200121000 DYNAMIC FOOT FOR CHILDREN SZ 18 RT  4224200121000 DYNAMIC FOOT FOR CHILDREN SZ 19 RT  4224200121500 DYNAMIC FOOT FOR CHILDREN SZ 19 RT  4224200121500 DYNAMIC FOOT FOR CHILDREN SZ 19 RT  4224200121500 DYNAMIC FOOT FOR CHILDREN SZ 20 LT  4224200121600 DYNAMIC FOOT FOR CHILDREN SZ 20 LT | ### AND PROTECTIONS OF PROMACE ANNUE FOOT SE & 25 LEFT  ### AND PROTECTIONS OF PROMACE ANNUE FOOT SE & 25 LEFT  ### AND PROTECTIONS OF PROMACE ANNUE FOOT BY 8 BIGHT  ### AND PROTECTIONS OF PROMACE ANNUE FOOT BY 8 BIGHT  ### AND PROTECTIONS OF PROMACE ANNUE FOOT BY 8 BIGHT  ### AND PROTECTIONS OF PROMACE ANNUE FOOT BY 8 BIGHT  ### AND PROMACE ANNUE FOOT BY 8 BIGHT BY 8 BIGHT  ### AND PROMACE ANNUE FOOT BY 8 BIGHT BY 8 BIGHT  ### AND PROMACE ANNUE FOOT BY 8 BIGHT BY 8 BIGHT  ### AND PROMACE ANNUE FOOT BY 8 BIGHT BY 8 BIGHT  ### AND PROMACE ANNUE FOOT BY 8 BIGHT BY 8 BIGHT  ### AND PROMACE ANNUE FOOT BY 8 BIGHT BY 8 BIGHT  ### AND PROMACE ANNUE FOOT BY 8 BIGHT BY 8 BIGHT  ### AND PROMACE ANNUE FOOT BY 8 BIGHT BY 8 BIGHT  ### AND PROMACE ANNUE FOOT BY 8 BIGHT BY 8 BIGHT  ### AND PROMACE ANNUE FOOT BY 8 BIGHT BY 8 BIGHT  ### AND PROMACE ANNUE FOOT BY 8 BIGHT BY 8 BIGHT  ### AND PROMACE ANNUE FOOT BY 8 BIGHT | ### PATRICULTURE SPRINGER CONTROL FOR MAINER POOT SEASON FOR THE CONTROL FOR MAINER POOT SEASON FOR MAINER POOT SEASON FOR THE CONTROL FOR THE CONT | AMAIL 1970 INTERPRETATION OF THE PROPERTY OF |

6/21/2022 Page 58 of 160

| 702 | 4224200121700 | DYNAMIC FOOT FOR CHILDREN SZ 21 RIGHT   | DYNAMIC FOOT FOR CHILDREN, SIZE 21, RIGHT, SUPPLIED WITH FOOT ADAPTER AND SCREW CONNECTION, TUBE ADAPTER, TUBE CLAMP ADAPTER, SOCKET ADAPTER, COSMETIC FOAM, AND PERLON STOCKINGS                                                                                                             | SET | ITEMIZED | 10  |
|-----|---------------|-----------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|-----|
| 703 | 4224200107900 | DYNAMIC FOOT FOR MEN 10MM LEFT SZ 22CM  | DYNAMIC FOOT FOR MEN, WITH INNER FLEXIBLE FOOT, DORSAL REINFORCEMENT, MEDIUM DENSITY HEEL AND RESEMBLES THE NATURAL FOOT SHAPE WITH SMOOTH SURFACE, SHAPED TOES AND SANDAL TOE, COMFORTABLE HEEL STRIKE AND A SMOOTHER MORE DYNAMIC, HEEL HEIGHT 10 MM, LEFT, MEN, SIZE 22 CM                 | EA  | ITEMIZED | 45  |
| 704 | 4224200108000 | DYNAMIC FOOT FOR MEN 10MM LEFT SZ 23CM  | DYNAMIC FOOT FOR MEN, WITH INNER FLEXIBLE FOOT,<br>DORSAL REINFORCEMENT, MEDIUM DENSITY HEEL AND<br>RESEMBLES THE NATURAL FOOT SHAPE WITH SMOOTH<br>SURFACE, SHAPED TOES AND SANDAL TOE, COMFORTABLE<br>HEEL STRIKE AND A SMOOTHER MORE DYNAMIC, HEEL<br>HEIGHT 10 MM, LEFF, MEN, SIZE 23 CM  | EA  | ITEMIZED | 68  |
| 705 | 4224200108600 | DYNAMIC FOOT FOR MEN 10MM LEFT SZ 24CM  | DYNAMIC FOOT FOR MEN, WITH INNER FLEXIBLE FOOT,<br>DORSAL REINFORCEMENT, MEDIUM DENSITY HEEL AND<br>RESEMBLES THE NATURAL FOOT SHAPE WITH SMOOTH<br>SURFACE, SHAPED TOES AND SANDAL TOE, COMFORTABLE<br>HEEL STRIKE AND A SMOOTHER MORE DYNAMIC, HEEL<br>HEIGHT 10 MM, LEFF, MEN, SIZE 24 CM  | EA  | ITEMIZED | 103 |
| 706 | 4224200108700 | DYNAMIC FOOT FOR MEN 10MM LEFT SZ 25CM  | DYNAMIC FOOTFOR MEN, WITH INNER FLEXIBLE FOOT,<br>DORSAL REINFORCEMENT, MEDIUM DENSITY HEEL AND<br>RESEMBLES THE NATURAL FOOT SHAPE WITH SMOOTH<br>SURFACE, SHAPED TOES AND SANDAL TOE, COMFORTABLE<br>HEEL STRIKE AND A SMOOTHER MORE DYNAMIC, HEEL<br>HEIGHT 10 MM, LEFT, MEN, SIZE 25 CM   | EA  | ITEMIZED | 184 |
| 707 | 4224200108100 | DYNAMIC FOOT FOR MEN 10MM LEFT SZ 26CM  | DYNAMIC FOOT FOR MEN, WITH INNER FLEXIBLE FOOT,<br>DORSAL REINFORCEMENT, MEDIUM DENSITY HEEL AND<br>RESEMBLES THE NATURAL FOOT SHAPE WITH SMOOTH<br>SURFACE, SHAPED TOES AND SANDAL TOE, COMFORTABLE<br>HEEL STRIKE AND A SMOOTHER MORE DYNAMIC, HEEL<br>HEIGHT 10 MM, LEFT, MEN, SIZE 26 CM  | EA  | ITEMIZED | 184 |
| 708 | 4224200108800 | DYNAMIC FOOT FOR MEN 10MM LEFT SZ 27CM  | DYNAMIC FOOT FOR MEN, WITH INNER FLEXIBLE FOOT,<br>DORSAL REINFORCEMENT, MEDIUM DENSITY HEEL AND<br>RESEMBLES THE NATURAL FOOT SHAPE WITH SMOOTH<br>SURFACE, SHAPED TOES AND SANDAL TOE, COMFORTABLE<br>HEEL STRIKE AND A SMOOTHER MORE DYNAMIC, HEEL<br>HEIGHT 10 MM, LEFT, MEN, SIZE 27 CM  | EA  | ITEMIZED | 115 |
| 709 | 4224200108200 | DYNAMIC FOOT FOR MEN 10MM LEFT SZ 28CM  | DYNAMIC FOOT FOR MEN, WITH INNER FLEXIBLE FOOT,<br>DORSAL REINFORCEMENT, MEDIUM DENSITY HEEL AND<br>RESEMBLES THE NATURAL FOOT SHAPE WITH SMOOTH<br>SURFACE, SHAPED TOES AND SANDAL TOE, COMFORTABLE<br>HEEL STRIKE AND A SMOOTHER MORE DYNAMIC, HEEL<br>HEIGHT 10 MM, LEFT, MEN, SIZE 28 CM  | EA  | ITEMIZED | 58  |
| 710 | 4224200108900 | DYNAMIC FOOT FOR MEN 10MM RIGHT SZ 22CM | DYNAMIC FOOT FOR MEN, WITH INNER FLEXIBLE FOOT,<br>DORSAL REINFORCEMENT, MEDIUM DENSITY HEEL AND<br>RESEMBLES THE NATURAL FOOT SHAPE WITH SMOOTH<br>SURFACE, SHAPED TOES AND SANDAL TOE, COMFORTABLE<br>HEEL STRIKE AND A SMOOTHER MORE DYNAMIC, HEEL<br>HIGHT 10 MM, RIGHT, MEN, SIZE 22 CM  | EA  | ITEMIZED | 33  |
| 711 | 4224200109000 | DYNAMIC FOOT FOR MEN 10MM RIGHT SZ 23CM | DYNAMIC FOOT FOR MEN, WITH INNER FLEXIBLE FOOT,<br>DORSAL REINFORCEMENT, MEDIUM DENSITY HEEL AND<br>RESEMBLES THE NATURAL FOOT SHAPE WITH SMOOTH<br>SURFACE, SHAPED TOES AND SANDAL TOE, COMFORTABLE<br>HELSTRIKE AND A SMOOTHER MORE DYNAMIC, HEEL<br>HIGHT 10 MM, RIGHT, MEN, SIZE 23 CM    | EA  | ITEMIZED | 40  |
| 712 | 4224200108300 | DYNAMIC FOOT FOR MEN 10MM RIGHT SZ 24CM | DYNAMIC FOOTFOR MEN, WITH INNER FLEXIBLE FOOT,<br>DORSAL REINFORCEMENT, MEDIUM DENSITY HEEL AND<br>RESEMBLES THE NATURAL FOOT SHAPE WITH SMOOTH<br>SURFACE, SHAPED TOES AND SANDAL TOE, COMFORTABLE<br>HEEL STRIKE AND A SMOOTHER MORE DYNAMIC, HEEL<br>HEIGHT 10 MM, RIGHT, MEN, SIZE 24 CM  | EA  | ITEMIZED | 115 |
| 713 | 4224200108400 | DYNAMIC FOOT FOR MEN 10MM RIGHT SZ 25CM | DYNAMIC FOOT FOR MEN, WITH INNER FLEXIBLE FOOT,<br>DORSAL REINFORCEMENT, MEDIUM DENSITY HEEL AND<br>RESEMBLES THE NATURAL FOOT SHAPE WITH SMOOTH<br>SURFACE, SHAPED TOES AND SANDAL TOE, COMFORTABLE<br>HEEL STRIKE AND A SMOOTHER MORE DYNAMIC, HEEL<br>HEIGHT 10 MM, RIGHT, MEN, SIZE 25 CM | EA  | ITEMIZED | 118 |
| 714 | 4224200108500 | DYNAMIC FOOT FOR MEN 10MM RIGHT SZ 26CM | DYNAMIC FOOT FOR MEN, WITH INNER FLEXIBLE FOOT,<br>DORSAL REINFORCEMENT, MEDIUM DENSITY HEEL AND<br>RESEMBLES THE NATURAL FOOT SHAPE WITH SMOOTH<br>SURFACE, SHAPED TOES AND SANDAL TOE, COMFORTABLE<br>HEL STRIKE AND A SMOOTHER MORE DYNAMIC, HEEL<br>HIGHT 10 MM, RIGHT, MEN, SIZE 26 CM   | EA  | ITEMIZED | 151 |
| 715 | 4224200110800 | DYNAMIC FOOT FOR MEN 10MM RIGHT SZ 27CM | DYNAMIC FOOT FOR MEN, WITH INNER FLEXIBLE FOOT,<br>DORSAL REINFORCEMENT, MEDIUM DENSITY HEEL AND<br>RESEMBLES THE NATURAL FOOT SHAPE WITH SMOOTH<br>SURFACE, SHAPED TOES AND SANDAL TOE, COMFORTABLE<br>HELSTRIKE AND A SMOOTHER MORE DYNAMIC, HEEL<br>HIGHT 10 MM, RIGHT, MEN, SIZE 27 CM    | EA  | ITEMIZED | 118 |
| 716 | 4224200109100 | DYNAMIC FOOT FOR MEN 10MM RIGHT SZ 28CM | DYNAMIC FOOTFOR MEN, WITH INNER FLEXIBLE FOOT,<br>DORSAL REINFORCEMENT, MEDIUM DENSITY HEEL AND<br>RESEMBLES THE NATURAL FOOT SHAPE WITH SMOOTH<br>SURFACE, SHAPED TOES AND SANDAL TOE, COMFORTABLE<br>HEEL STRIKE AND A SMOOTHER MORE DYNAMIC, HEEL<br>HIGHT 10 MM, RIGHT, MEN, SIZE 28 CM   | EA  | ITEMIZED | 73  |

6/21/2022 Page 59 of 160

| 717 | 4224170201900 | ORTHOSIS DYNAMIC HIP ALIGNMENT           | DYNAMIC HIP ALIGNMENT ORTHOSIS, UNIQUE DESIGN ALLOWS BIOMECHANICALLY APPROPRIATE MOTION, CONTROLLED VARIABLE ABDUCTION, TRANSFERS ADDUCTOR TONE PROXIMALLY TO ACHIEVE MORE POSTURAL POSITIONING, TRI - PLANAR FUNCTION FOR PROPER CLOSED CHAIN MUSCLE FUNCTION, CONTROLS AMOUNT OF ADDUCTION FOR IMPROVED SITTING, STANDING, AND IF AMBULATORY ALSO WALKING FUNCTIONS, ENCOURAGES GREATER TRUNK EXTENSION FOR IMPROVED POSTURAL POSITIONING, IMPROVED SITTING POSTURE, OPENS UP THORAX, STABLE SEATING ALLOWS FOR PARTICIPATION WITH HANDS IN ACTIVITY, ELIMINATES SCISSORING IN STANDING AND WALKING, REDUCES STRESS ON THE HIPS, PROPRIOCEPTIVE RESPONSE HELPS ENHANCE POSITION IN SPACE WHEN WALKING, GUIDANCE FOR PROPER HIP ALIGNMENT CHILDREN WITH CP GMFCS II - V OR EQUIVALENT, SWASH STEADY PELVIC. SIZE S WILL BE ON DEMAND | EA | ITEMIZED | 130 |
|-----|---------------|------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|----------|-----|
| 718 | 4224170639800 | DYNAMIC WALK LARGE LEFT                  | DYNAMIC WALK, LIGHTWEIGHT, MOLDABLE CARBON FIBER, COMPOSITE OPEN HEEL WITH PADDING KIT, LARGE, LEFT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | EA | ITEMIZED | 50  |
| 719 | 4224170639900 | DYNAMIC WALK LARGE RIGHT                 | DYNAMIC WALK, LIGHTWEIGHT, MOLDABLE CARBON FIBER, COMPOSITE OPEN HEEL WITH PADDING KIT, LARGE, RIGHT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | EA | ITEMIZED | 50  |
| 720 | 4224170640000 | DYNAMIC WALK MEDIUM LEFT                 | DYNAMIC WALK, LIGHTWEIGHT, MOLDABLE CARBON FIBER, COMPOSITE OPEN HEEL WITH PADDING KIT, MEDIUM, LEFT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | EA | ITEMIZED | 50  |
| 721 | 4224170640100 | DYNAMIC WALK MEDIUM RIGHT                | DYNAMIC WALK, LIGHTWEIGHT, MOLDABLE CARBON FIBER, COMPOSITE OPEN HEEL WITH PADDING KIT, MEDIUM, RIGHT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | EA | ITEMIZED | 50  |
| 722 | 4224170640200 | DYNAMIC WALK SMALL LEFT                  | DYNAMIC WALK, LIGHTWEIGHT, MOLDABLE CARBON FIBER, COMPOSITE OPEN HEEL WITH PADDING KIT, SMALL, LEFT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | EA | ITEMIZED | 50  |
| 723 | 4224170640300 | DYNAMIC WALK SMALL RIGHT                 | DYNAMIC WALK, LIGHTWEIGHT, MOLDABLE CARBON FIBER, COMPOSITE OPEN HEEL WITH PADDING KIT, SMALL, RIGHT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | EA | ITEMIZED | 50  |
| 724 | 4224170640400 | DYNAMIC WALK WIDE ANKLE LARGE LEFT       | DYNAMIC WALK, LIGHTWEIGHT, MOLDABLE CARBON FIBER, COMPOSITE OPEN HEEL WITH PADDING KIT, WIDE ANKLE, LARGE, LEFT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | EA | ITEMIZED | 50  |
| 725 | 4224170640500 | DYNAMIC WALK WIDE ANKLE LARGE RIGHT      | DYNAMIC WALK, LIGHTWEIGHT, MOLDABLE CARBON FIBER,<br>COMPOSITE OPEN HEEL WITH PADDING KIT, WIDE ANKLE,<br>LARGE, RIGHT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | EA | ITEMIZED | 50  |
| 726 | 4224170640600 | DYNAMIC WALK WIDE ANKLE MEDIUM LEFT      | DYNAMIC WALK, LIGHTWEIGHT, MOLDABLE CARBON FIBER, COMPOSITE OPEN HEEL WITH PADDING KIT, WIDE ANKLE, MEDIUM, LEFT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | EA | ITEMIZED | 50  |
| 727 | 4224170640700 | DYNAMIC WALK WIDE ANKLE MEDIUM RIGHT     | DYNAMIC WALK, LIGHTWEIGHT, MOLDABLE CARBON FIBER,<br>COMPOSITE OPEN HEEL WITH PADDING KIT, WIDE ANKLE,<br>MEDIUM, RIGHT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | EA | ITEMIZED | 50  |
| 728 | 4224170640800 | DYNAMIC WALK WIDE ANKLE SMALL LEFT       | DYNAMIC WALK, LIGHTWEIGHT, MOLDABLE CARBON FIBER,<br>COMPOSITE OPEN HEEL WITH PADDING KIT, WIDE ANKLE,<br>SMALL, LEFT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | EA | ITEMIZED | 50  |
| 729 | 4224170640900 | DYNAMIC WALK WIDE ANKLE SMALL RIGHT      | DYNAMIC WALK, LIGHTWEIGHT, MOLDABLE CARBON FIBER,<br>COMPOSITE OPEN HEEL WITH PADDING KIT, WIDE ANKLE,<br>SMALL, RIGHT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | EA | ITEMIZED | 50  |
| 730 | 4224200134700 | SAFETY STANCE RELEASE                    | EARLIER/LATER STANCE RELEASE LATER MORE SAFETY NORMAL SAFETY AND DYNAMICS EARLIER MORE DYNAMICS STANCE PHASE STABILITY LOW VOLUNTARY CONTROL REQUIRED MID SWINGS SHORTENING FOR BETTER TO CLEARANCE ADJUSTABLE EXTENSION TO OPTIMIZE EXTENSION SPEED ADJUSTABLE STANCE SETTINGS FOR INDIVIDUAL USERS NEED FOR STABILITY INCREASED STABILITY LESS EFFORT AND MORE CONFIDENCE DURING WALKING REDUCED RISK OF TRIPS AND FALLS SAFER WALKING AND MORE CONFIDENCE TRANSFEMORAL LOW TO MODERATE IMPACT LEVEL MAX USER WEIGHT 136 KG. K LEVEL: k 1 AND K 2 ADJUSTABLE GEOMETRY WITH STANCE RELEASE SETTING 4 - BAR GEOMETRY INTEGRATED EXTENSION SPRING                                                                                                                                                                                      | EA | ITEMIZED | 50  |
| 731 | 4224171319200 | EASY PROTH FOR TRANSFEM.PROSTHESIS XXL   | EASY PROTH FOR TRANSFEMORAL PROSTHESIS WASHABLE<br>SIZE: DOUBLE EXTRA-LARGE (XX-LARGE)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | EA | ITEMIZED | 50  |
| 732 | 4224171319100 | EASY PROTH FOR TRANSFEM.PROSTHESIS XL    | EASY PROTH FOR TRANSFEMORAL PROSTHESIS WASHABLE SIZE: EXTRA-LARGE (XL)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | EA | ITEMIZED | 50  |
| 733 | 4224171318800 | EASY PROTH FOR TRANSFEM.PROSTHESIS LARGE | EASY PROTH, FOR TRANSFEMORAL PROSTHESIS, WASHABLE,<br>SIZE: LARGE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | EA | ITEMIZED | 50  |
| 734 | 4224171318900 | EASY PROTH FOR TRANSFEM.PROSTHESIS MED   | EASY PROTH, FOR TRANSFEMORAL PROSTHESIS, WASHABLE, SIZE: MEDIUM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | EA | ITEMIZED | 50  |
| 735 | 4224171319000 | EASY PROTH FOR TRANSFEM.PROSTHESIS SMALL | EASY PROTH, FOR TRANSFEMORAL PROSTHESIS, WASHABLE,<br>SIZE: SMALL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | EA | ITEMIZED | 50  |
| 736 | 4224200430200 | EASY PROTH FOR TRANSFEMORAL PROSTHESIS   | EASY PROTH, FOR TRANSFEMORAL PROSTHESIS, WASHABLE, UNIVERSAL SIZE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | EA | ITEMIZED | 50  |
| 737 | 4224200005700 | ECCENTRIC ADAPTER TI AXIALLY OFFSET 7MM  | ECCENTRIC ADAPTER TITANIUM APPLICATION AS FOR SOCKET<br>ADAPTER WITH ADJUSTMENT PYRAMID AXIALLY OFFSET<br>APPROXIMATELY 7 MM SYSTEM HEIGHT: 11 MM WEIGHT: 60<br>GRAMS FOR BODY WEIGHT UP TO 150 KG.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | EA | ITEMIZED | 50  |
| 738 | 4224200005800 | ECCENTRIC ADAPTER TI DIAGONAL OFFSET 5MM | ECCENTRIC ADAPTER TITANIUM APPLICATION AS FOR SOCKET<br>ADAPTER WITH ADJUSTMENT PYRAMID DIAGONALLY OFFSET<br>APPROXIMATELY 5 MM SYSTEM HEIGHT: 11 MM WEIGHT: 60<br>GRAMS FOR BODY WEIGHT UP TO 150 KG.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | EA | ITEMIZED | 50  |
| 739 | 4224200401700 | ELASTIC FABRIC SOCKS 300MM 250MM         | ELASTIC FABRIC SOCKS, COOLMAX OR EQUIVALENT, WITH INNER POLYMER GEL COATING FOR TRANSTIBLAL AMPUTATION SOCKS, LENGTH 300 MM, GEL LENGTH 250 MM, DISTAL CIRCUMFERENCE 120 - 260 MM, PROXIMAL CIRCUMFERENCE 280 - 420 MM, APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | EA | ITEMIZED | 50  |
| 740 | 4224200401800 | ELASTIC FABRIC SOCKS 400MM 300MM         | ELASTIC FABRIC SOCKS, COOLMAX OR EQUIVALENT, WITH INNER POLYMER GEL COATING FOR TRANSTIBIAL AMPUTATION SOCKS, LENGTH 400 MM, GEL LENGTH 300 MM, DISTAL CIRCUMFERENCE 120 - 260 MM, PROXIMAL CIRCUMFERENCE 280 - 450 MM, APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | EA | ITEMIZED | 50  |
| 741 | 4224200401100 | SOCKS PROSTHETIC LS00MM ELASTIC NYLON    | ELASTIC NYLON SOCKS, WITH INNER POLYMER GEL COATING<br>FOR TRANSTIBIA AMPUTATION, SOCKS LENGTH 500 MM, GEL<br>LENGTH 350 MM, DISTAL CIRCUMFERENCE 270 - 400 MM,<br>PROXIMAL CIRCUMFERENCE 270 - 450 MM, APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | EA | ITEMIZED | 106 |

6/21/2022 Page 60 of 160

|     |               |                                          | I                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |     |          | <u> </u> |
|-----|---------------|------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|----------|
| 742 | 4224200400600 | ELASTIC NYLON SOCK 400MM 200MM 160 250MM | ELASTIC NYLON SOCKS, WITH INNER POLYMER GEL COATING<br>FOR TRANSTIBIAL AMPUTATION, SOCKS LENGTH 400 MM, GEL<br>LENGTH 200 MM, DISTAL CIRCUMFERENCE 160 - 220 MM,<br>PROXIMAL CIRCUMFERENCE 160 - 250 MM, APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | EA  | ITEMIZED | 56       |
| 743 | 4224200401000 | SOCKS PROSTHETIC L450MM ELASTIC NYLON    | ELASTIC NYLON SOCKS, WITH INNER POLYMER GEL COATING<br>FOR TRANSTIBIAL AMPUTATION, SOCKS LENGTH 450 MM, GEL<br>LENGTH 250 MM, DISTAL CIRCUMFERENCE 200 - 310 MM,<br>PROXIMAL CIRCUMFERENCE 200 - 350 MM, APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | EA  | ITEMIZED | 88       |
| 744 | 4224200400700 | ELASTIC NYLON SOCKS L450MM PC230 350MM   | ELASTIC NYLON SOCKS, WITH INNER POLYMER GEL COATING<br>FOR TRANSTIBIAL AMPUTATION, SOCKS LENGTH 450 MM, GEL<br>LENGTH 250 MM, DISTAL CIRCUMFERENCE 230 - 350 MM,<br>PROXIMAL CIRCUMFERENCE 230 - 400 MM, APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | EA  | ITEMIZED | 88       |
| 745 | 4224151008700 | THERMOFORM SHEET NEON YELLOW 1.115X900MM | ELASTIC THERMO - FORMING SHEET, STREIFYFLEX COLOR,<br>NEON YELLOW, THICKNESS 2 MM, SIZE: 1.115 X 900 MM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | EA  | ITEMIZED | 100      |
| 746 | 4224200215900 | ELBOW COMPONENT W/CABLE LOCK 6 3/4 7 1/4 | ELBOW COMPONENT WITH CABLE LOCK, AND AUTOMATIC<br>FOR ARM BALANCE SUITABLE FOR ALL AMPUTATION LEVELS<br>AND FOR ELBOW DISARTICULATION FOR HAND, SIZE 63/4 -<br>71/4                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | EA  | ITEMIZED | 10       |
| 747 | 4224200216000 | ELBOW COMPONENT W/CABLE LOCK 7 3/4 8     | ELBOW COMPONENT WITH CABLE LOCK, AND AUTOMATIC<br>FOR ARM BALANCE SUITABLE FOR ALL AMPUTATION LEVELS<br>AND FOR ELBOW DISARTICULATION FOR HAND, SIZE 73/4 - 8                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | EA  | ITEMIZED | 10       |
| 748 | 4224200217200 | ELBOW EXTENSION ORTHOSIS ADULT SZ LARGE  | ELBOW EXTENSION ORTHOSIS, DESIGNED FOR USE WITH INDIVIDUALS WITH ELBOW FLEXION CONTRACTURES PROVIDES ACTIVE SERIAL, ADULT LARGE SIZE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | EA  | ITEMIZED | 300      |
| 749 | 4224200220000 | ELBOW EXTENSION ORTHOSIS ADULT SZ MED    | ELBOW EXTENSION ORTHOSIS, DESIGNED FOR USE WITH<br>INDIVIDUALS WITH ELBOW FLEXION CONTRACTURES<br>PROVIDES ACTIVE SERIAL, ADULT MEDIUM SIZE<br>ELBOW EXTENSION ORTHOSIS. DESIGNED FOR USE WITH                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | EA  | ITEMIZED | 50       |
| 750 | 4224200220100 | ELBOW EXTENSION ORTHOSIS ADULT SZ SMALL  | INDIVIDUALS WITH ELBOW FLEXION CONTRACTURES                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | EA  | ITEMIZED | 50       |
| 751 | 4224200215800 | ELBOW JOINT FOR CHILDREN 34MM            | PROVIDES ACTIVE SERIAL, ADULT SMALL SIZE  ELBOW JOINT COMPATIBLE WITH PASSIVE CABLE- CONTROLLED AND MYOELECTRIC ARM PROSTHESIS SYSTEM FOR CHILDREN WRIST CONNECTION DIAMETER 34 MM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | EA  | ITEMIZED | 10       |
| 752 | 4224200215500 | ELBOW JOINT FACELIFT 45MM 100MM PT ASS   | ELBOW JOINT FACELIFT (MICROPROCESSOR-CONTROLLED ELBOW JOINT WITH ADJUSTABLE FRICTION) WITH CONTINUOUS GEARING, HIGH LIFTING AND HOLDING FORCE, LOW NOISE LEVEL, NO NOISE AT ALL DURING FREE SWING, NATURAL FREE SWING BEHAVIOUR AND ACTIVE ELBOW COMPONENT WITH LIFTING LOAD CAPACITY OF (6 KG), THE ARM STORES ENERGY WHEN THE ARM IS EXTENDED AND REUSES IT TO PROVIDE SMOOTH FLEXION, CLOSE TO THE NATURAL MOVEMENTS OF THE HUMAN ARM, WITH INTEGRATED LI-ION BATTERY, WITH HIGH PERFORMANCE. FOREARM LAMINATION RING 45 MM, INCLUDES: ELECTRIC ROTATOR FOR POWER-DRIVEN ROTATION WITH ANGLE OF ROTATION 360°, AND SYSTEM ELECTRIC HAND WITH QUICK-DISCONDET WHIST UNIT, PROPORTIONAL SPEED 15 – 300 MM/SEC, OPENING WIDTH 100 MM, COSMETIC GLOVE, WITH COMPLETE ACCESSORIES INCLUDING PROGRAM AND TRAINING, 3 YEARS WARRANTY, SIZE, SIDE AND COLOR WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL. INCLUDES - PATIENT ASSEMBLY AT CUSTOMERS PREMISES, MEASURING, INCLUDES BREICATES OF MEASURING, INCLUDES TO PRIENT AS ESTOMERS PREMISES, MEASURING, INCLUDES AND REPROSTHESIS, DELIVERY, PITTING BY CERTIFIED ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP | кіт | ITEMIZED | 10       |
| 753 | 4224200215600 | ELBOW JOINT FACELIFT 50MM 100MM          | ELBOW JOINT FACELIFT (MICROPROCESSOR-CONTROLLED ELBOW JOINT WITH ADJUSTABLE FRICTION) WITH CONTINUOUS GEARING, HIGH LIFTING AND HOLDING FORCE, LOW NOISE LEVEL, NO NOISE AT ALL DURING FREE SWING, NATURAL FREE SWING BEHAVIOUR AND ACTIVE ELBOW COMPONENT WITH LIFTING LOAD CAPACITY OF (6 KG), THE ARM STORES ENERGY WHEN THE ARM IS EXTENDED AND REUSES IT TO PROVIDE SMOOTH FLEXION, CLOSE TO THE NATURAL MOVEMENTS OF THE HUMAN ARM, WITH INTEGRATED LI-JON BATTERY, WITH HIGH PERFORMANCE FOREARM LAMINATION RING 50 MM, INCLUDES ELECTRIC ROTATOR FOR POWER-DRIVEN ROTATION WITH ANGLE OF ROTATION 360°, AND SYSTEM ELECTRIC HAND WITH QUICK-DISCONNECT WRIST UNIT, PROPORTIONAL SPEED 15 – 300 MM/SEC, OPENING WIDTH 100 MM, COSMETIC GLOVE, WITH COMPLETE ACCESSORIES INCLUDING PROGRAM AND TRAINING, 3 YEARS WARRANTY, SIZE, SIDE AND COLOR WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL                                                                                                                                                                                                                                                                                   | SET | ITEMIZED | 10       |
| 754 | 4224200215700 | ELBOW JOINT FACELIFT 50MM 100MM PT ASS.  | ELBOW JOINT FACELIFT (MICROPROCESSOR-CONTROLLED ELBOW JOINT WITH ADJUSTABLE FRICTION) WITH CONTINUOUS GEARING, HIGH LIFTING AND HOLDING FORCE, LOW NOISE LEVEL, NO NOISE AT ALL DURING FREE SWING, NATURAL FREE SWING BEHAVIOUR AND ACTIVE ELBOW COMPONENT WITH LIFTING LOAD CAPACITY OF (6 KG), THE ARM STORES ENERGY WHEN THE ARM IS EXTENDED AND REUSES IT TO PROVIDE SMOOTH FLEXION, CLOSE TO THE NATURAL MOVEMENTS OF THE HUMAN ARM, WITH INTEGRATED LI-ION BATTERY, WITH HIGH PERFORMANCE. FOREARM LAMINATION RING 50 MM, INCLUDES: ELECTIC ROTATOR FOR POWER-DRIVEN ROTATION WITH AUSLE OF ROTATION 360°, AND SYSTEM ELECTRIC HAND WITH QUICK-DISCONNECT WRIST UNIT, PROPORTIONAL SPEED 15 – 300 MM/SEC, OPENING WIDTH 100 MM, COSMETIC GLOVE, WITH COMPLETE ACCESSORIES INCLUDING PROGRAM AND TRAINING, 3 YEARS WARRANTY, SIZE, SIDE AND COLOR WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL. INCLUDES - PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, INCLUDES ALL REQUIRED MATERIALS/COMPONENTS TO FABRICATE PROSTHESIS, DELIVERY, PITTING BY CERTIFIED ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP                                           | кіт | itemized | 20       |

6/21/2022 Page 61 of 160

|     |               |                                          | ELECTRONIC WEIGHING SCALES OF MATERIAL IN A                                                                                                                                                                                                                                                                                                                                                                                                                                                       |     |          |     |
|-----|---------------|------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|-----|
| 755 | 4224200036300 | ELECTRONIC WEIGHING SCALES               | CONTAINER, AN ORTHOTICS WORKSHOP TOOL, SUITABLE FOR BATTERY AND MAINS OPERATION, ROBUST DESIGN, CAN BE TARED, TOTAL WEIGHT IS DISPLAYED AFTER THE WEIGHT IS ISDEPLAYED AFTER THE WEIGHT IS REMOVED FROM THE SCALE PAN, DIMENSIONS (WXDXH) 140-250 X 200-240 X 60-90 MM, WEIGHING RANGE UP TO 6000 G                                                                                                                                                                                               | EA  | ITEMIZED | 10  |
| 756 | 4224200217500 | ELECTRONIC HAND CHILDREN 5 10 YRS RIGHT  | ELECTRONIC, HAND, CHILDREN, 5 - 10 YEARS OLD, RIGHT<br>ELECTRONIC, HAND, CHILDREN, BETWEEN 1.5 - 3 YEARS OLD,                                                                                                                                                                                                                                                                                                                                                                                     | EA  | ITEMIZED | 5   |
| 757 | 4224200217400 | ELECTRONIC HAND CHILDREN 1.5-3 YRS RIGHT | RIGHT  ELECTRONIC, HAND, CHILDREN, BETWEEN 5 - 10 YEARS OLD,                                                                                                                                                                                                                                                                                                                                                                                                                                      | EA  | ITEMIZED | 5   |
| 758 | 4224200217300 | ELECTRONIC HAND CHILDREN 5-10 YRS LEFT   | LEFT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | EA  | ITEMIZED | 5   |
| 759 | 4224200111400 | ELECT.CONTROLLED SYSTEM KNEE JOINT RIGHT | ELECTRONICALLY CONTROLLED SYSTEM KNEE JOINT WITH A LOCKED STANCE PHASE AND FREE SWING THROUGH PHASE KIT INCLUDES ALL COMPONENTS, TRAINING, AND CERTIFICATION FOR CPO AND TECHNICIANS, SECURED STANCE PHASE FREE SWING THROUGH PHASE ELECTRONICALLY, RIGHT                                                                                                                                                                                                                                         | SET | ITEMIZED | 13  |
| 760 | 4224200110900 | ELECTRONICALLY CONTROLLED KNEE JOINT LFT | ELECTRONICALLY CONTROLLED SYSTEM KNEE JOINT WITH A LOCKED STANCE PHASE AND FREE SWINGTHROUGH PHASE, KIT INCLUDES ALL COMPONENTS, TRAINING AND CERTIFICATION FOR CPO AND TECHNICIANS, SECURED STANCE PHASE, FREE SWING THROUGH PHASE, ELECTRONICALLY, LEFT                                                                                                                                                                                                                                         | SET | ITEMIZED | 7   |
| 761 | 4224200111100 | ELEC.CONTROLLED SYS KNEE JOINT LT PT ASS | ELECTRONICALLY CONTROLLED SYSTEM KNEE JOINT WITH A LOCKED STANCE PHASE AND FREE SWING-THROUGH PHASE. KIT INCLUDES ALL COMPONENTS, TRAINING AND CERTIFICATION FOR CPO AND TECHNICIANS. SECURED STANCE PHASE - FREE SWING-THROUGH PHASE ELECTRONICALLY, LEFT, INCLUDES - PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, INCLUDES ALL REQUIRED MATERIALS/COMPONENTS TO FABRICATE PROSTHESIS, DELIVERY, FITTING BY CERTIFIED ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP | КІТ | ITEMIZED | 7   |
| 762 | 4224200031700 | END-CUTTING PLIERS                       | END-CUTTING PLIERS, AN ORTHOTICS WORKSHOP TOOL, INDUCTIVELY HARDENED CUTTING, SIDE PIECE WITH PVC                                                                                                                                                                                                                                                                                                                                                                                                 | EA  | ITEMIZED | 10  |
| 763 | 4224170643200 | EXTERNAL FOOT DROP BRACE AFO S M L XL    | COATING, FOR HARD WIRE, LENGTH 160-200 MMG  EXTERNAL FOOT DROP BRACE, ANKLE FOOT ORTHOSIS (ANKLE -FOOT- ORTHOSIS), CAN BE FIT EXTERNALLY ON HIGH HIKING FOOTWEAR, WINITER OR SAFETY BOOTS CAN BE ADJUSTED, RIGHT + LEFT, SIZE (SMALL, MEDIUM, LARGE, X LARGE), MADE FROM HIGHLY DURABLE THERMOPLASTIC (LIMITED) WARRANTY OF 2 YEARS), IT ATTACHES TO THE OUTSIDE OF FOOTWEAR AND IS QUICKLY AND EASILY INTERCHANGEABLE FROM SHOE TO SHOE                                                          | EA  | ITEMIZED | 50  |
| 764 | 4224150000900 | FABRIC FOR LAMINATION 20CMX150CM         | FABRIC FOR LAMINATION, BLUE FOREST, FABRIC BAG FOR REINFORCEMENT OF LAMINATION RESIN, WIDTH 20 CM X                                                                                                                                                                                                                                                                                                                                                                                               | EA  | ITEMIZED | 500 |
| 765 | 4412211900100 | FASTENER HOOK BROWN 30MM 25M/ROLL        | LENGTH 150 CM APPROXIMATELY FASTENER, SELF ADHESIVE, HOOK, VELCRO OR EQUIVALENT,                                                                                                                                                                                                                                                                                                                                                                                                                  | EA  | ITEMIZED | 100 |
|     |               |                                          | 30 MM, WIDTH, BROWN, 25 METER/ROLL FASTENER, SELF ADHESIVE, HOOK, VELCRO OR EQUIVALENT,                                                                                                                                                                                                                                                                                                                                                                                                           |     |          |     |
| 766 | 4412211900200 | FASTENER GREY WHITE 30MM 25M/ROLL        | GREY WHITE, 30 MM, WIDTH, 25 METER/ROLL                                                                                                                                                                                                                                                                                                                                                                                                                                                           | EA  | ITEMIZED | 100 |
| 767 | 4412211900300 | FASTENER HOOK WHITE 25MM 25M/ROLL        | FASTENER, SELF ADHESIVE, HOOK, VELCRO OR EQUIVALENT, WHITE, 25 MM, WIDTH, 25 METER/ROLL                                                                                                                                                                                                                                                                                                                                                                                                           | EA  | ITEMIZED | 100 |
| 768 | 4412211900400 | FASTENER HOOK WHITE 30MM 25M/ROLL        | FASTENER, SELF ADHESIVE, HOOK, VELCRO OR EQUIVALENT, WHITE, 30 MM, WIDTH 25 METER/ROLL                                                                                                                                                                                                                                                                                                                                                                                                            | EA  | ITEMIZED | 100 |
| 769 | 4412211900000 | FASTENER HOOK WHITE 50MM 25M/ROLL        | FASTENER, SELF ADHESIVE, HOOK, VELCRO OR EQUIVALENT, WHITE, 50 MM, WIDTH 25 METER/ROLL                                                                                                                                                                                                                                                                                                                                                                                                            | EA  | ITEMIZED | 100 |
| 770 | 4224200512500 | FEMALE PYLON SHORT 250MM WT LIMIT 100KG  | FEMALE PYLON, SHORT, MADE OF STAINLESS STEEL, WITH ALUMINUM, LENGTH 250 MM, WEIGHT LIMIT 100 KG                                                                                                                                                                                                                                                                                                                                                                                                   | EA  | ITEMIZED | 50  |
| 771 | 4224200512600 | FEMALE PYLON SHORT 400MM WT LIMIT 100KG  | FEMALE PYLON, SHORT, MADE OF STAINLESS STEEL, WITH ALUMINUM, LENGTH 400 MM, WEIGHT LIMIT 100 KG                                                                                                                                                                                                                                                                                                                                                                                                   | EA  | ITEMIZED | 50  |
| 772 | 4214280204800 | LINER CASTING L15.6M W100MM FIBERGLASS   | FIBERGLASS STOCKINETTE, HIGH ELASTICITY, TWO WAY STRETCH, WIDTH 100 MM, LENGTH/ROLL 15.6 METER,                                                                                                                                                                                                                                                                                                                                                                                                   | ROL | ITEMIZED | 60  |
| 773 | 4214280204700 | LINER CASTING L12.5M W120MM FIBERGLASS   | APPROXIMATELY  FIBERGLASS STOCKINETTE, HIGH ELASTICITY, TWO WAY  STRETCH, WIDTH 120 MM, LENGTH/ROLL 12.5 METER,                                                                                                                                                                                                                                                                                                                                                                                   | ROL | ITEMIZED | 55  |
|     |               |                                          | APPROXIMATELY FILAMENT POLYPROPYLENE, 3D PRINTING FILAMENT                                                                                                                                                                                                                                                                                                                                                                                                                                        |     |          |     |
| 774 | 4224200019300 | POLYPROPYLN 3D FILAMENT 1.75MM 500-1000G | 1.75MM, 500-1000G, USED IN FABRICATION OF AFO, KAFO AND SPINAL ORTHOSES FIXTURE FOR BENDING BANDS, AN ORTHOTICS WORKSHOP                                                                                                                                                                                                                                                                                                                                                                          | ROL | ITEMIZED | 500 |
| 775 | 4224200035200 | FIXTURE FOR BENDING BANDS                | TOOL, FOR BRACES AN ORTHOTICS FOR SHAPING OF STEELS AND METALS PLATE                                                                                                                                                                                                                                                                                                                                                                                                                              | EA  | ITEMIZED | 10  |
| 776 | 4224200035300 | FLAT SURFORM FILE                        | FLAT SURFORM FILE, AN ORTHOTICS WORKSHOP TOOL, FOR<br>SHAPING OF CASTING AND MODIFICATION PURPOSE                                                                                                                                                                                                                                                                                                                                                                                                 | EA  | ITEMIZED | 30  |
| 777 | 4224200005000 | FLEXIBLE RESIN FLEXIBLE LAMINATION 900GM | FLEXIBLE RESIN FOR FLEXIBLE LAMINATION, NET CONTENTS 900 GM APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                         | EA  | ITEMIZED | 78  |
| 778 | 4231155203800 | FOAM ADHESIVE TAPE W25M L10MT THICK4MM   | FOAM ADHESIVE TAPE, WIDTH 25 MM, LENGTH 10 METERS,<br>THICKNESS 4 MM, APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                               | EA  | ITEMIZED | 220 |
| 779 | 4224200019000 | FOAM ADHESIVE TAPE WIDTH 50 MM           | FOAM ADHESIVE TAPE, WIDTH 50 MM, LENGTH 10 METERS, THICKNESS 4 MM, APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                  | EA  | ITEMIZED | 40  |
| 780 | 4224171200800 | FOAM COVER COSMETIC PURE FLEX. TAN 44CM  | FOAM COVER COSMETIC PURE FLEXIBLE FOAM SLIGHTLY PREFORMED TAN COLOR 30 DEGREES KNEE FLEXION WITH CENTER HOLE PROXIMALLY TO FLAME RESISTANCE FOR MODULAR TRANS - FEMORAL AND HIP DISARTICULATION PROSTHESIS LEFT SIDE WITH CALF CIRCUMFERENCE 44 CM                                                                                                                                                                                                                                                | EA  | ITEMIZED | 100 |
| 781 | 4224200033000 | FOLD UP POCKET HEX KEY KIT               | FOLD UP POCKET HEX KEY KIT, AN ORTHOTICS WORKSHOP TOOL, STEEL, INCLUDES HOLDER, WRENCH SIZE 2, 5 / 3 / 4 / 5                                                                                                                                                                                                                                                                                                                                                                                      | KIT | ITEMIZED | 12  |
| 782 | 4224200110700 | FOOT ADAPTER SACH DYNAMIC M6 THREAD      | / 6 / 8 / 10  FOOT ADAPTER FOR SACH AND DYNAMIC FOOT FOR CHILDREN WITH M6 THREAD                                                                                                                                                                                                                                                                                                                                                                                                                  | EA  | ITEMIZED | 50  |
| 783 | 4224200004600 | FOOT ADAPTR TI W/CAPSCREW M10 THREAD 70G | FOOT ADAPTER TITANIUM WITH CAP SCREW (FOOT BOLT) FOR ALL DYNAMIC AND SACH FEET BOLT SIZE M10 THREAD WEIGHT: 70 GRAMS FOR BODY WEIGHT UP TO 125 KG                                                                                                                                                                                                                                                                                                                                                 | EA  | ITEMIZED | 837 |
| 784 | 4224200004700 | FOOT ADAPTER TI W/CAPSCREW M8 THREAD 70G | FOOT ADAPTER TITANIUM WITH CAP SCREW (FOOT BOLT) FOR ALL DYNAMIC AND SACH FEET BOLT SIZE M8 THREAD WEIGHT: 70 GRAMS FOR BODY WEIGHT UP TO 125 KG                                                                                                                                                                                                                                                                                                                                                  | EA  | ITEMIZED | 357 |
| 785 | 4224200010400 | FOOT ADAPTER FOR CHILDREN W/ M8 THREAD   | FOOT ADAPTER, FOR SACH AND DYNAMIC FOOT, FOR CHILDREN WITH M8 THREAD                                                                                                                                                                                                                                                                                                                                                                                                                              | EA  | ITEMIZED | 36  |
|     |               |                                          | CITEDREN WITH WIG THREAD                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |     |          |     |

6/21/2022 Page 62 of 160

| 786 | 4224200133600 | FOOT CARBON W/ ALUMINUM ADAPTER 22 28CM | FOOT LIGHTWEIGHT CARBON WITH ALUMINUM ADAPTER LIGHTWEIGHT AND FOOTSHELL ROBUST AND DURABLE WITH LOW CLEARANCE RESISTANT AGAINST DUST DIRT AND SPLASH WATER CARBON SPRING FIELS SHAD HITH FOREFOOT STABILITY AND EFFICIENT ENERGY RETURN WHILE WALKING THE SPLIT TOE PROVIDES IMPROVED CONFORMANCE ON UNEVEN TERRAIN FOR SAFE STANDING AND WALKING THE HEEL FOAM OFFERS A COMFORTABLE AND SAVE HEEL STRIKE TOE INSERT PRE - INSTALLED IN THE FOOTSHELL SERVES TO EXTEND THE LENGTH OF THE FOREFOOT SUPPORTING DIFFERENT WALKING SPEEDS LOW PROFILE FOOTSHELL FOR SAY ACCESS TO ADJUSTMENT SCREW S AND CONVENIENT INSTALLATION ALIGNMENT MARKS ON THE FOOTSHELL AND CONNECTION CAP ALLOW AN EASY BENCH ALIGNMENT MAXIMUM BODD WEIGHT: 125 KG FOOT SIZE S: 22 CM TO 28 CM | EA | ITEMIZED | 10 |
|-----|---------------|-----------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|----------|----|
| 787 | 4224200150600 | FOOT SACH CHILD LEFT SIZE 12            | FOOT SACH (SOLID ANKLE CUSHION HEEL) CHILD A ROBUST CHILDREN'S PROSTHETIC FOOT THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEARRES IT HAS A NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING UP TO 45 KG. LEFT SIZE 12                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | EA | ITEMIZED | 50 |
| 788 | 4224200150700 | FOOT SACH CHILD LEFT SIZE 13            | FOOT SACH (SOLID ANKLE CUSHION HEEL) CHILD A ROBUST CHILDREN'S PROSTHETIC FOOT THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEAKERS IT HAS A NATURAL - LOKING FOOT SHAPE WITH A SMOOTH SURRACE AND SHAPED TOES WEIGHING UP TO 45 KG. LEFT SIZE 13                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | EA | ITEMIZED | 50 |
| 789 | 4224200151000 | FOOT SACH CHILD LEFT SIZE 14            | FOOT SACH (SOLID ANKLE CUSHION HEEL) CHILD A ROBUST<br>CHILDREN'S PROSTHETIC FOOT THAT IS TAILDRED TO THE<br>SPECIAL NEEDS OF YOUNG PROSTHESES WEARERS IT HAS A<br>NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE<br>AND SHAPED TOES WEIGHING UP TO 45 KG. LEFT SIZE 14                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | EA | ITEMIZED | 50 |
| 790 | 4224200151100 | FOOT SACH CHILD LEFT SIZE 15            | FOOT SACH (SOLID ANKLE CUSHION HEEL) CHILD A ROBUST<br>CHILDREN'S PROSTHETIC FOOT THAT IS TAILDRED TO THE<br>SPECIAL NEEDS OF YOUNG PROSTHESES WEARERS IT HAS A<br>NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE<br>AND SHAPED TOES WEIGHING UP TO 45 KG. LEFT SIZE 15                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | EA | ITEMIZED | 50 |
| 791 | 4224200151200 | FOOT SACH CHILD LEFT SIZE 16            | FOOT SACH (SOLID ANKLE CUSHION HEEL) CHILD A ROBUST CHILDREN'S PROSTHETIC FOOT THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEAKERS IT HAS A NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING UP TO 45 KG, LEFT SIZE 16                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | EA | ITEMIZED | 50 |
| 792 | 4224200151300 | FOOT SACH CHILD LEFT SIZE 17            | FOOT SACH (SOLID ANKLE CUSHION HEEL) CHILD A ROBUST CHILDREN'S PROSTHETIC FOOT THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEARERS IT HAS A NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING UP TO 45 KG. LEFT SIZE 17                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | EA | ITEMIZED | 50 |
| 793 | 4224200149100 | FOOT SACH CHILD LEFT SIZE 18            | FOOT SACH (SOLID ANKLE CUSHION HEEL) CHILD A ROBUST CHILDREN'S PROSTHETIC FOOT THAT IS TAILDRED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEAKERS IT HAS A NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING UP TO 45 KG. LEFT SIZE 18                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | EA | ITEMIZED | 50 |
| 794 | 4224200149300 | FOOT SACH CHILD LEFT SIZE 19            | FOOT SACH (SOLID ANKLE CUSHION HEEL) CHILD A ROBUST CHILDREN'S PROSTHETIC FOOT THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEARERS IT HAS A NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING UP TO 45 KG. LEFT SIZE 19                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | EA | ITEMIZED | 50 |
| 795 | 4224200149500 | FOOT SACH CHILD LEFT SIZE 20            | FOOT SACH (SOLID ANKLE CUSHION HEEL) CHILD A ROBUST CHILDREN'S PROSTHETIC FOOT THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEAKERS IT HAS A NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURRACE AND SHAPED TOES WEIGHING UP TO 45 KG. LEFT SIZE 20                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | EA | ITEMIZED | 50 |
| 796 | 4224200149700 | FOOT SACH CHILD LEFT SIZE 21            | FOOT SACH (SOLID ANKLE CUSHION HEEL) CHILD A ROBUST CHILDREN'S PROSTHETIC FOOT THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEARERS IT HAS A NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING UP TO 45 KG. LEFT SIZE 21                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | EA | ITEMIZED | 50 |
| 797 | 4224200149900 | FOOT SACH CHILD RIGHT SIZE 18           | FOOT SACH (SOLID ANKLE CUSHION HEEL) CHILD A ROBUST CHILDREN'S PROSTHETIC FOOT THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEARRES IT HAS A NATURAL - LOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING UP TO 45 KG. RIGHT SIZE 18                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | EA | ITEMIZED | 50 |
| 798 | 4224200150100 | FOOT SACH CHILD RIGHT SIZE 19           | FOOT SACH (SOLID ANKLE CUSHION HEEL) CHILD A ROBUST CHILDREN'S PROSTHETIC FOOT THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEARERS IT HAS A NATURAL - LOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING UP TO 45 KG. RIGHT SIZE 19                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | EA | ITEMIZED | 50 |
| 799 | 4224200150800 | FOOT SACH CHILD RIGHT SIZE 12           | FOOT SACH (SOLID ANKLE CUSHION HEEL) CHILD A ROBUST CHILDREN'S PROSTHETIC FOOT THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEARERS IT HAS A NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING UP TO 45 KG. RIGHT SIZE 12                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | EA | ITEMIZED | 50 |
| 800 | 4224200150900 | FOOT SACH CHILD RIGHT SIZE 13           | FOOT SACH (SOLID ANKLE CUSHION HEEL) CHILD A ROBUST CHILDREN'S PROSTHETIC FOOT THAT IS TAILDRED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEARERS IT HAS A NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING UP TO 45 KG. RIGHT SIZE 13                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | EA | ITEMIZED | 50 |

6/21/2022 Page 63 of 160

| 801        | 4224200151400                  | FOOT SACH CHILD RIGHT SIZE 14                                        | FOOT SACH (SOLID ANKLE CUSHION HEEL) CHILD A ROBUST CHILDREN'S PROSTHETIC FOOT THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEARERS IT HAS A NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING UP TO 45 KG. RIGHT SIZE 14                                                            | EA       | ITEMIZED             | 50       |
|------------|--------------------------------|----------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----------------------|----------|
| 802        | 4224200151500                  | FOOT SACH CHILD RIGHT SIZE 15                                        | FOOT SACH (SOLID ANKLE CUSHION HEEL) CHILD A ROBUST CHILDREN'S PROSTHETIC FOOT THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEARERS IT HAS A NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING UP TO 45 KG. RIGHT SIZE 15                                                            | EA       | ITEMIZED             | 50       |
| 803        | 4224200151600                  | FOOT SACH CHILD RIGHT SIZE 16                                        | FOOT SACH (SOLID ANKLE CUSHION HEEL) CHILD A ROBUST CHILDREN'S PROSTHETIC FOOT THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEARERS IT HAS A NATURAL - LOCKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING UP TO 45 KG. RIGHT SIZE 16                                                            | EA       | ITEMIZED             | 50       |
| 804        | 4224200151700                  | FOOT SACH CHILD RIGHT SIZE 17                                        | FOOT SACH (SOLID ANKLE CUSHION HEEL) CHILD A ROBUST CHILDREN'S PROSTHETIC FOOT THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEARERS IT HAS A NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING UP TO 45 KG. RIGHT SIZE 17                                                            | EA       | ITEMIZED             | 50       |
| 805        | 4224200150300                  | FOOT SACH CHILD RIGHT SIZE 20                                        | FOOT SACH (SOLID ANKLE CUSHION HEEL) CHILD A ROBUST CHILDREN'S PROSTHETIC FOOT THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEARERS IT HAS A NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING UP TO 45 KG. RIGHT SIZE 20                                                            | EA       | ITEMIZED             | 50       |
| 806        | 4224200150500                  | FOOT SACH CHILD RIGHT SIZE 21                                        | FOOT SACH (SOLID ANKLE CUSHION HEEL) CHILD A ROBUST CHILDREN'S PROSTHETIC FOOT THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEARERS IT HAS A NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING UP TO 45 KG. RIGHT SIZE 21                                                            | EA       | ITEMIZED             | 50       |
| 807<br>808 | 4225170700900<br>4225170700800 | FOOT DROP SYSTEM CUFF STRAP LARGE FOOT DROP SYSTEM CUFF STRAP MEDIUM | FOOT, DROP SYSTEM, CUFF STRAP, LARGE FOOT, DROP SYSTEM, CUFF STRAP, MEDIUM                                                                                                                                                                                                                                                  | EA<br>EA | ITEMIZED<br>ITEMIZED | 70<br>70 |
| 809        | 4225170700800                  | FOOT DROP SYSTEM CUFF STRAP SMALL                                    | FOOT, DROP, SYSTEM, CUFF STRAP, SMALL                                                                                                                                                                                                                                                                                       | EA       | ITEMIZED             | 70       |
| 810        | 4224200151800                  | FOOT DYNAMIC FOR CHILDREN RIGHT SZ 18                                | FOOT, DYNAMIC, IS A PROSTHETIC FOOT WITH GOOD FOREFOOT DYNAMICS FOR USERS IN MOBILITY GRADES 1 - 2, THE FOOT COMES WITH AN ASSEMBLED TITANIUM ADAPTER AND IS APPROVED FOR A BODY WEIGHT OF UP TO 150 KG, NATURAL - LODKING DESIGN WITH A SMOOTH SURFACE, SHAPED TOES, AND AN ABDUCTED BIG TOE, FOR CHILDREN, RIGHT, SIZE 18 | EA       | ITEMIZED             | 50       |
| 811        | 4224200151900                  | FOOT DYNAMIC FOR CHILDREN RIGHT SZ 19                                | FOOT, DYNAMIC, IS A PROSTHETIC FOOT WITH GOOD FOREFOOT DYNAMICS FOR USERS IN MOBILITY GRADES 1 - 2, THE FOOT COMES WITH AN ASSEMBLE DITTANIUM ADAPTER AND IS APPROVED FOR A BODY WEIGHT OF UP TO 150 KG, NATURAL - LOOKING DESIGN WITH A SMOOTH SURFACE, SHAPED TOES, AND AN ABDUCTED BIG TOE, FOR CHILDREN, RIGHT, SIZE 19 | EA       | ITEMIZED             | 50       |
| 812        | 4224200152000                  | FOOT DYNAMIC FOR CHILDREN RIGHT SZ 20                                | FOOT, DYNAMIC, IS A PROSTHETIC FOOT WITH GOOD FOREFOOT DYNAMICS FOR USERS IN MOBILITY GRADES 1 - 2, THE FOOT COMES WITH AN ASSEMBLED TITANIUM ADAPTER AND IS APPROVED FOR A BODY WEIGHT OF UP TO 150 KG, NATURAL - LOOKING DESIGN WITH A SMOOTH SURFACE, SHAPED TOES, AND AN ABDUCTED BIG TOE, FOR CHILDREN, RIGHT, SIZE 20 | EA       | ITEMIZED             | 50       |
| 813        | 4224200152100                  | FOOT DYNAMIC FOR CHILDREN RIGHT SZ 21                                | FOOT, DYNAMIC, IS A PROSTHETIC FOOT WITH GOOD FOREFOOT DYNAMICS FOR USERS IN MOBILITY GRADES 1 - 2, THE FOOT COMES WITH AN ASSEMBLED TITANIUM ADAPTER AND IS APPROVED FOR A BODY WEIGHT OF UP TO 150 KG, NATURAL - LOOKING DESIGN WITH A SMOOTH SURFACE, SHAPED TOES, AND AN ABDUCTED BIG TOE, FOR CHILDREN, RIGHT, SIZE 21 | EA       | ITEMIZED             | 50       |
| 814        | 4224200152200                  | FOOT DYNAMIC FOR CHILDREN LEFT SZ 18                                 | FOOT, DYNAMIC, IS A PROSTHETIC FOOT WITH GOOD FOREFOOT DYNAMICS FOR USERS IN MOBILITY GRADES 1 - 2, THE FOOT COMES WITH AN ASSEMBLED TITANIUM ADAPTER AND IS APPROVED FOR A BODY WEIGHT OF UP TO 150 KG, NATURAL - LOOKING DESIGN WITH A SMOOTH SURFACE, SHAPED TOES, AND AN ABDUCTED BIG TOE, FOR CHILDREN, LEFT, SIZE 18  | EA       | ITEMIZED             | 50       |
| 815        | 4224200152300                  | FOOT DYNAMIC FOR CHILDREN LEFT SZ 19                                 | FOOT, DYNAMIC, IS A PROSTHETIC FOOT WITH GOOD FOREFOOT DYNAMICS FOR USERS IN MOBILITY GRADES 1 - 2, THE FOOT COMES WITH AN ASSEMBLED TITANIUM ADAPTER AND IS APPROVED FOR A BODY WEIGHT OF UP TO 150 KG, NATURAL - LOOKING DESIGN WITH A SMOOTH SURFACE, SHAPED TOES, AND AN ABDUCTED BIG TOE, FOR CHILDREN, LEFT, SIZE 19  | EA       | ITEMIZED             | 50       |
| 816        | 4224200152400                  | FOOT DYNAMIC FOR CHILDREN LEFT SZ 20                                 | FOOT, DYNAMIC, IS A PROSTHETIC FOOT WITH GOOD FOREFOOT DYNAMICS FOR USERS IN MOBILITY GRADES 1 - 2, THE FOOT COMES WITH AN ASSEMBLED TITANIUM ADAPTER AND IS APPROVED FOR A BODY WEIGHT OF UP TO 150 KG, NATURAL - LOOKING DESIGN WITH A SMOOTH SURFACE, SHAPED TOES, AND AN ABDUCTED BIG TOE, FOR CHILDREN, LEFT, SIZE 20  | EA       | ITEMIZED             | 50       |
| 817        | 4224200152500                  | FOOT DYNAMIC FOR CHILDREN LEFT SZ 21                                 | FOOT, DYNAMIC, IS A PROSTHETIC FOOT WITH GOOD FOREFOOT DYNAMICS FOR USERS IN MOBILITY GRADES 1 - 2, THE FOOT COMES WITH AN ASSEMBLED TITANIUM ADAPTER AND IS APPROVED FOR A BODY WEIGHT OF UP TO 150 KG, NATURAL - LOOKING DESIGN WITH A SMOOTH SURFACE, SHAPED TOES, AND AN ABDUCTED BIG TOE, FOR CHILDREN, LEFT, SIZE 21  | EA       | ITEMIZED             | 50       |
| 818        | 4224200152600                  | FOOT DYNAMIC FOR CHILDREN RIGHT SZ 14                                | FOOT, DYNAMIC, IS A PROSTHETIC FOOT WITH GOOD FOREFOOT DYNAMICS FOR USERS IN MOBILITY GRADES 1 - 2, THE FOOT COMES WITH AN ASSEMBLE D'ITANIUM ADAPTER AND IS APPROVED FOR A BODY WEIGHT OF UP TO 150 KG, NATURAL - LOOKING DESIGN WITH A SMOOTH SURFACE, SHAPED TOES, AND AN ABDUCTED BIG TOE, FOR CHILDREN, RIGHT, SIZE 14 | EA       | ITEMIZED             | 50       |
|            |                                |                                                                      |                                                                                                                                                                                                                                                                                                                             |          |                      |          |

6/21/2022 Page 64 of 160

| 819 | 4224200149200 | FOOT DYNAMIC FOR CHILDREN RIGHT SZ 15    | FOOT, DYNAMIC, IS A PROSTHETIC FOOT WITH GOOD FOREFOOT DYNAMICS FOR USERS IN MOBILITY GRADES 1 - 2, THE FOOT COMES WITH AN ASSEMBLE D'ITANIUM ADAPTER AND IS APPROVED FOR A BODY WEIGHT OF UP TO 150 KG, NATURAL - LOOKING DESIGN WITH A SMOOTH SURFACE, SHAPED TOES, AND AN ABDUCTED BIG TOE, FOR CHILDREN, RIGHT, SIZE 15                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | EA  | ITEMIZED | 50 |
|-----|---------------|------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|----|
| 820 | 4224200149400 | FOOT DYNAMIC FOR CHILDREN RIGHT SZ 16    | FOOT, DYNAMIC, IS A PROSTHETIC FOOT WITH GOOD FOFFOOT DYNAMICS FOR USERS IN MOBILITY GRADES 1 - 2, THE FOOT COMES WITH AN ASSEMBLED TITANIUM ADAPTER AND IS APPROVED FOR A BODY WEIGHT OF UP TO 150 KG, NATURAL - LOOKING DESIGN WITH A SMOOTH SURFACE, SHAPED TOES, AND AN ABDUCTED BIG TOE, FOR CHILDREN, RIGHT, SIZE 16                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | EA  | ITEMIZED | 50 |
| 821 | 4224200149600 | FOOT DYNAMIC FOR CHILDREN RIGHT SZ 17    | FOOT, DYNAMIC, IS A PROSTHETIC FOOT WITH GOOD FOREFOOT DYNAMICS FOR USERS IN MOBILITY GRADES 1 - 2, THE FOOT COMES WITH AN ASSEMBLED TITANIUM ADAPTER AND IS APPROVED FOR A BODY WEIGHT OF UP TO 150 KG, NATURAL - LOOKING DESIGN WITH A SMOOTH SURFACE, SHAPED TOES, AND AN ABDUCTED BIG TOE, FOR CHILDREN, RIGHT, SIZE 17                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | EA  | ITEMIZED | 50 |
| 822 | 4224200149800 | FOOT DYNAMIC FOR CHILDREN LEFT SZ 14     | FOOT, DYNAMIC, IS A PROSTHETIC FOOT WITH GOOD FOREFOOT DYNAMICS FOR USERS IN MOBILITY GRADES 1 - 2, THE FOOT COMES WITH AN ASSEMBLED TITANIUM ADAPTER AND IS APPROVED FOR A BODY WEIGHT OF UP TO 150 KG, NATURAL - LOOKING DESIGN WITH A SMOOTH SURFACE, SHAPED TOES, AND AN ABDUCTED BIG TOE, FOR CHILDREN, LEFT, SIZE 14                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | EA  | ITEMIZED | 50 |
| 823 | 4224200150000 | FOOT DYNAMIC FOR CHILDREN LEFT SZ 15     | FOOT, DYNAMIC, IS A PROSTHETIC FOOT WITH GOOD FOREFOOT DYNAMICS FOR USERS IN MOBILITY GRADES 1 - 2, THE FOOT COMES WITH AN ASSEMBLED TITANIUM ADAPTER AND IS APPROVED FOR A BODY WEIGHT OF UP TO 150 KG, NATURAL - LOOKING DESIGN WITH A SMOOTH SURFACE, SHAPED TOES, AND AN ABDUCTED BIG TOE, FOR CHILDREN, LEFT, SIZE 15                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | EA  | ITEMIZED | 50 |
| 824 | 4224200150200 | FOOT DYNAMIC FOR CHILDREN LEFT SZ 16     | FOOT, DYNAMIC, IS A PROSTHETIC FOOT WITH GOOD FOREFOOT DYNAMICS FOR USERS IN MOBILITY GRADES 1 - 2, THE FOOT COMES WITH AN ASSEMBLED TITANIUM ADAPTER AND IS APPROVED FOR A BODY WEIGHT OF UP TO 150 KG, NATURAL - LOOKING DESIGN WITH A SMOOTH SURFACE, SHAPED TOES, AND AN ABDUCTED BIG TOE, FOR CHILDREN, LEFT, SIZE 16                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | EA  | ITEMIZED | 50 |
| 825 | 4224200150400 | FOOT DYNAMIC FOR CHILDREN LEFT SZ 17     | FOOT, DYNAMIC, IS A PROSTHETIC FOOT WITH GOOD FOREFOOT DYNAMICS FOR USERS IN MOBILITY GRADES 1 - 2, THE FOOT COMES WITH AN ASSEMBLED TITANIUM ADAPTER AND IS APPROVED FOR A BODY WEIGHT OF UP TO 150 KG, NATURAL - LOOKING DESIGN WITH A SMOOTH SURFACE, SHAPED TOES, AND AN ABDUCTED BIG TOE, FOR CHILDREN, LEFT, SIZE 17                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | EA  | ITEMIZED | 50 |
| 826 | 4224171319300 | FOOT IMPRESSION FOR FOOT PRINTS 20MM     | FOOT, IMPRESSION, FOR TAKING FOOTPRINTS, FOR<br>ORTHOPEDIC DEVICES, FOR FABRICATING INSOLES,<br>THICKNESS, 50 MM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | EA  | ITEMIZED | 50 |
| 827 | 4224200133500 | MICROPROCESSOR FOOT SZ 24-29CM 100KG     | FOOT, MICROPROCESSOR, COMPLETE THE PROSTHETIC FOOT OFFERS A HIGH LEVEL OF SECURITY ALONG WITH INCREASED ADAPTABILITY AND A MORE NATURAL MOTION SEQUENCE, THE UNIQUE A-AXIS DESIGN DURING FOOT ROLLOVER, HE FOUR AXES CAUSE THE ANKLE JOINT TO PLANTAR FLEX (FOOT LOWERING) WHICH HELPS KEEP THE BODY'S CENTRE OF GRAVITY FROM LOWERING DURING WALKING, THIS ENABLES A MORE EVEN AND MORE NATURAL GAIT PATTERN WHILE PREVENTING TIRING COMPENSATING MOVEMENTS WITH HYDRAULIC REAL-TIME CONTROL, THEREFORE, ADJUSTS ITSELF IMMEDIATELY TO THE USER'S WALKING SPEED AND GROUND CONDITIONS WHETHER ON SLOPES, STAIRS, OR VARYING TERRAIN, WHEN SITTING THE COMPLETE FOOT LOWERS ITSELF FOR THE RESIDUAL LIMB BECAUSE OF ITS AUTOMATIC HEEL HEIGHT ADJUSTMENT THE FOOT IS SUITABLE FOR VARIOUS TYPES OF SHOES CAN QUICKLY AND EASILY ADAPT THE HEEL, HEIGHT TO YOUR SHOES WHATEVER THE OCCASION THE FOOT BUSING THE COMPLETE FOOT SIJUTABLE FOR VARIOUS STIVATIONS USING THE COMPLETE TO A WIDE RANGE OF STUATIONS USING THE COMPLETE TO SECON MAXIMUM BODY WEIGHT 100 KG | кіт | ITEMIZED | 10 |
| 828 | 4224200145400 | FOOT SACH MEN 10MM LEFT SZ 21            | FOOT, SACH (SOLID ANKLE CUSHION HEEL), PROSTHETIC FOOT, HAS A NATURAL SHAPE WITH A SMOOTH SURFACE SHAPED TOES AND A SANDAL TOE AND TO COMBINATION OF A FIBERGIASS, REINFORCED PLASTIC CORE AND FUNCTIONAL FOAM, THE FOOT IS DESIGNED FOR USE IN MODULAR AND EXOSKELETAL PROSTHESIS, BODY WEIGHT OF UP TO 125 KG, MEN, 10 MM TOES, LEFT, SIZE: 21                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | EA  | ITEMIZED | 50 |
| 829 | 4224200145500 | FOOT SACH PROSTHETIC MEN 10MM LEFT SZ 22 | FOOT, SACH (SOLID ANKLE CUSHION HEEL), PROSTHETIC FOOT, HAS A NATURAL SHAPE WITH A SMOOTH SURFACE, SHAPED TOES, AND A SANDAL TOE, COMBINATION OF A FIBERGLASS, REINFORCED PLASTIC CORE, AND FUNCTIONAL FOAM, THE FOOT IS DESIGNED FOR USE IN MODULAR AND EXOSKELETAL PROSTHESIS, BODY WEIGHT OF UP TO 125 KG, MEN, 10 MM TOES, LEFT, SIZE 22                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | EA  | ITEMIZED | 50 |
| 830 | 4224200145600 | FOOT SACH PROSTHETIC MEN 10MM LEFT SZ 23 | FOOT, SACH (SOLID ANKLE CUSHION HEEL), PROSTHETIC FOOT, HAS A NATURAL SHAPE WITH A SMOOTH SURFACE, SHAPED TOES, AND A SANDAL TOE, COMBINATION OF A FIBERGLASS, REINFORCED PLASTIC CORE, AND FUNCTIONAL FOAM, THE FOOT IS DESIGNED FOR USE IN MODULAR AND EXOSKELETAL PROSTHESIS, BODY WEIGHT OF UP TO 125 KG, MEN, 10 MM TOES, LEFT, SIZE 23                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | EA  | ITEMIZED | 50 |
| 831 | 4224200145700 | FOOT SACH PROSTHETIC MEN 10MM LEFT SZ 24 | FOOT, SACH (SOLID ANKLE CUSHION HEEL), PROSTHETIC FOOT, HAS A NATURAL SHAPE WITH A SMOOTH SURFACE, SHAPED TOES, AND A SANDAL TOE, COMBINATION OF A FIBERGLASS, REINFORCED PLASTIC CORE, AND FUNCTIONAL FOAM, THE FOOT IS DESIGNED FOR USE IN MODULAR AND EXOSKELETAL PROSTHESIS, BODY WEIGHT OF UP TO 125 KG, MEN, 10 MM TOES, LEFT, SIZE 24                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | EA  | ITEMIZED | 50 |

6/21/2022 Page 65 of 160

| 4224200145800 | FOOT SACH PROSTHETIC MEN 10MM LEFT SZ 25                                                                                                             | FOOT, SACH (SOLID ANKLE CUSHION HEEL), PROSTHETIC FOOT, HAS A NATURAL SHAPE WITH A SMOOTH SURFACE, SHAPED TOES, AND A SANDAL TOE, COMBINATION OF A FIBERGLASS, REINFORCED PLASTIC CORE, AND FUNCTIONAL FOAM, THE FOOT IS DESIGNED FOR USE IN MODULAR AND EXOSKELETAL PROSTHESIS, BODY WEIGHT OF UP TO 125 KG., MEN, 10 MM TOES, LEFT, SIZE 25                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | EA                                                          | ITEMIZED                                                                  | 50                                                 |
|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------|---------------------------------------------------------------------------|----------------------------------------------------|
| 4224200145900 | FOOT SACH PROSTHETIC MEN 10MM LEFT SZ 26                                                                                                             | FOOT, HAS A NATURAL SHAPE WITH A SMOOTH SURFACE,<br>SHAPED TOES, AND A SANDAL TOE, COMBINATION OF A<br>FIBERGLASS, REINFORCED PLASTIC CORE, AND FUNCTIONAL<br>FOAM, THE FOOT IS DESIGNED FOR USE IN MODULAR AND<br>EXOSKELETAL PROST                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | EA                                                          | ITEMIZED                                                                  | 50                                                 |
| 4224200146000 | FOOT SACH PROSTHETIC MEN 10MM LEFT SZ 27                                                                                                             | FOOT, SACH (SOLID ANKLE CUSHION HEEL), PROSTHETIC FOOT, HAS A NATURAL SHAPE WITH A SMOOTH SURFACE, SHAPED TOES, AND A SANDAL TOE, COMBINATION OF A FIBERGLASS, REINFORCED PLASTIC CORE, AND FUNCTIONAL FOAM, THE FOOT IS DESIGNED FOR USE IN MODULAR AND EXOSKELETAL PROSTHESIS, BODY WEIGHT OF UP TO 125 KG., MEN. 10 MM TOES. LEFT. SIZE 27                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | EA                                                          | ITEMIZED                                                                  | 50                                                 |
| 4224200146100 | FOOT SACH PROSTHETIC MEN 10MM LEFT SZ 28                                                                                                             | FOOT, SACH (SOLID ANKLE CUSHION HEEL), PROSTHETIC FOOT, HAS A NATURAL SHAPE WITH A SMOOTH SURFACE, SHAPED TOES, AND A SANDAL TOE, COMBINATION OF A FIBERGIASS, REINFORCED PLASTIC CORE, AND FUNCTIONAL FOAM, THE FOOT IS DESIGNED FOR USE IN MODULAR AND EXOSKELETAL PROSTHESIS, BODY WEIGHT OF UP TO 125 KG.,                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | EA                                                          | ITEMIZED                                                                  | 50                                                 |
| 4224200146200 | FOOT SACH PROSTHETIC MEN 10MM RIGHT 5221                                                                                                             | FOOT, SACH (SOLID ANKLE CUSHION HEEL), PROSTHETIC FOOT, HAS A NATURAL SHAPE WITH A SMOOTH SURFACE, SHAPED TOES, AND A SANDAL TOE, COMBINATION OF A FIBERGIASS, REINFORCED PLASTIC CORE, AND FUNCTIONAL FOAM, THE FOOT IS DESIGNED FOR USE IN MODULAR AND EXOSKELETAL PROSTHESIS, BODY WEIGHT OF UP TO 125 KG.,                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | EA                                                          | ITEMIZED                                                                  | 50                                                 |
| 4224200146300 | FOOT SACH PROSTHETIC MEN 10MM RIGHT 5222                                                                                                             | FOOT, SACH (SOLID ANKLE CUSHION HEEL), PROSTHETIC FOOT, HAS A NATURAL SHAPE WITH A SMOOTH SURFACE, SHAPED TOES, AND A SANDAL TOE, COMBINATION OF A FIBERGLASS, REINFORCED PLASTIC CORE, AND FUNCTIONAL FOAM, THE FOOT IS DESIGNED FOR USE IN MODULAR AND EXOSKELETAL PROSTHESIS, BODY WEIGHT OF UP TO 125 KG., MEN, 10 MM TOES, RIGHT, SUZE 22                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | EA                                                          | ITEMIZED                                                                  | 50                                                 |
| 4224200146400 | FOOT SACH PROSTHETIC MEN 10MM RIGHT SZ23                                                                                                             | FOOT, SACH (SOLID ANKLE CUSHION HEEL), PROSTHETIC FOOT, HAS A NATURAL SHAPE WITH A SMOOTH SURFACE, SHAPED TOES, AND A SANDAL TOE, COMBINATION OF A FIBERGLASS, REINFORCED PLASTIC CORE, AND FUNCTIONAL FOAM, THE FOOT IS DESIGNED FOR USE IN MODULAR AND EXOSKELETAL PROSTHESIS, BODY WEIGHT OF UT 125 KG, MEN, 10 MM TOES, RIGHT, SIZE 23                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | EA                                                          | ITEMIZED                                                                  | 50                                                 |
| 4224200146500 | FOOT SACH PROSTHETIC MEN 10MM RIGHT 5224                                                                                                             | FOOT, SACH (SOLID ANKLE CUSHION HEEL), PROSTHETIC FOOT, HAS A NATURAL SHAPE WITH A SMOOTH SURFACE, SHAPED TOES, AND A SANDAL TOE, COMBINATION OF A FIBERGIASS, REINFORCED PLASTIC CORE, AND FUNCTIONAL FOAM, THE FOOT IS DESIGNED FOR USE IN MODULAR AND EXOSKELETAL PROSTHESIS, BODY WEIGHT OF UP TO 125 KG., MEN, 10 MM TOES, RIGHT, SIZE 24                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | EA                                                          | ITEMIZED                                                                  | 50                                                 |
| 4224200146600 | FOOT SACH PROSTHETIC MEN 10MM RIGHT 5225                                                                                                             | FOOT, SACH (SOLID ANKLE CUSHION HEEL), PROSTHETIC FOOT, HAS A NATURAL SHAPE WITH A SMOOTH SURFACE, SHAPED TOES, AND A SANDAL TOE, COMBINATION OF A FIBERGLASS, REINFORCED PLASTIC CORE, AND FUNCTIONAL FOAM, THE FOOT IS DESIGNED FOR USE IN MODULAR AND EXOSKELETAL PROSTHESIS, BODY WEIGHT OF UP TO 125 KG, MEN. 110 MM TOES, RIGHT SIZE 72 5.                                                                                                                                                                                                                                                                                                                                                                                                                                                               | EA                                                          | ITEMIZED                                                                  | 50                                                 |
| 4224200146700 | FOOT SACH PROSTHETIC MEN 10MM RIGHT 5226                                                                                                             | FOOT, SACH (SOLID ANKLE CUSHION HEEL), PROSTHETIC FOOT, HAS A NATURAL SHAPE WITH A SMOOTH SURFACE, SHAPED TOES, AND A SANDAL TOE, COMBINATION OF A FIBERGIASS, REINFORCED PLASTIC CORE, AND FUNCTIONAL FOAM, THE FOOT IS DESIGNED FOR USE IN MODULAR AND EXOSKELETAL PROSTHESIS, BODY WEIGHT OF UP TO 125 KG.,                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | EA                                                          | ITEMIZED                                                                  | 50                                                 |
| 4224200146800 | FOOT SACH PROSTHETIC MEN 10MM RIGHT 5227                                                                                                             | FOOT, SACH (SOLID ANKLE CUSHION HEEL), PROSTHETIC FOOT, HAS A NATURAL SHAPE WITH A SMOOTH SURFACE, SHAPED TOES, AND A SANDAL TOE, COMBINATION OF A FIBERGLASS, REINFORCED PLASTIC CORE, AND FUNCTIONAL FOAM, THE FOOT IS DESIGNED FOR USE IN MODULAR AND EXOSKELETAL PROSTHESIS, BODY WEIGHT OF UP TO 125 KG.,                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | EA                                                          | ITEMIZED                                                                  | 50                                                 |
| 4224200146900 | FOOT SACH PROSTHETIC MEN 10MM RIGHT SZ28                                                                                                             | FOOT, SACH (SOLID ANKLE CUSHION HEEL), PROSTHETIC FOOT, HAS A NATURAL SHAPE WITH A SMOOTH SURFACE, SHAPED TOES, AND A SANDAL TOE, COMBINATION OF A FIBERGIASS, REINFORCED PLASTIC CORE, AND FUNCTIONAL FOAM, THE FOOT IS DESIGNED FOR USE IN MODULAR AND EXOSKELETAL PROSTHESIS, BODY WEIGHT OF UP TO 125 KG.,                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | EA                                                          | ITEMIZED                                                                  | 50                                                 |
| 4224200147000 | FOOT SINGLE AXIS 10MM LEFT SZ 22                                                                                                                     | FOOT, SINGLE AXIS, 10 MM HEEL HEIGHT, HAVE A NATURAL SHAPE, SMOOTH SURFACE, AND SHAPED TOES TO ACHIEVE A SECURE STANCE QUICKLY, THEY ARE ESPECIALLY SUITABLE FOR TRANSFEMORAL FITTINGS, BODY WEIGHT OF UP TO 100                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | EA                                                          | ITEMIZED                                                                  | 50                                                 |
| 4224200147100 | FOOT SINGLE AXIS 10MM LEFT SZ 23                                                                                                                     | FOOT, SINGLE AXIS, 10 MM HEEL HEIGHT, HAVE A NATURAL SHAPE, SMOOTH SURFACE, AND SHAPED TOES TO ACHIEVE A SECURE STANCE QUICKLY, THEY ARE ESPECIALLY SUITABLE FOR TRANSFEMORAL FITTINGS, BODY WEIGHT OF UP TO 100                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | EA                                                          | ITEMIZED                                                                  | 50                                                 |
| 4224200147200 | FOOT SINGLE AXIS 10MM LEFT SZ 24                                                                                                                     | FOOT, SINGLE AXIS, 10 MM HEEL HEIGHT, HAVE A NATURAL SHAPE, SMOOTH SURFACE, AND SHAPED TOES TO ACHIEVE A SECURE STANCE QUICKLY, THEY ARE ESPECIALLY SUITABLE FOR TRANSFEMORAL FITTINGS, BODY WEIGHT OF UP TO 100 KG MEN, LEFT, SIZE 24                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | EA                                                          | ITEMIZED                                                                  | 50                                                 |
| 4224200147300 | FOOT SINGLE AXIS 10MM LEFT SZ 25                                                                                                                     | FOOT, SINGLE AXIS, 10 MM HEEL HEIGHT, HAVE A NATURAL<br>SHAPE, SMOOTH SURFACE, AND SHAPED TOES TO ACHIEVE A<br>SECURE STANCE QUICKLY, THEY ARE ESPECIALLY SUITABLE<br>FOR TRANSFEMORAL FITTINGS, BODY WEIGHT OF UP TO 100<br>KG MEN, LEFT, SIZE 25                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | EA                                                          | ITEMIZED                                                                  | 50                                                 |
|               | 4224200146000  4224200146100  4224200146200  4224200146300  4224200146500  4224200146700  4224200146900  4224200147000  4224200147100  4224200147200 | 4224200146000 FOOT SACH PROSTHETIC MEN 10MM LEFT SZ 26  4224200146100 FOOT SACH PROSTHETIC MEN 10MM LEFT SZ 27  4224200146200 FOOT SACH PROSTHETIC MEN 10MM RIGHT SZ21  4224200146300 FOOT SACH PROSTHETIC MEN 10MM RIGHT SZ22  4224200146400 FOOT SACH PROSTHETIC MEN 10MM RIGHT SZ23  4224200146500 FOOT SACH PROSTHETIC MEN 10MM RIGHT SZ23  4224200146600 FOOT SACH PROSTHETIC MEN 10MM RIGHT SZ25  4224200146700 FOOT SACH PROSTHETIC MEN 10MM RIGHT SZ26  4224200146900 FOOT SACH PROSTHETIC MEN 10MM RIGHT SZ27  4224200146900 FOOT SACH PROSTHETIC MEN 10MM RIGHT SZ28  4224200147100 FOOT SACH PROSTHETIC MEN 10MM RIGHT SZ28 | ### 422400045900   FOOT SACH PROSTHETIC MEN 30MM LEFT \$2.2 | 1007 SACH PROSTHETIC MEN 100ML LETT 23   20   20   20   20   20   20   20 | 1001 SACH PROTECTION AND THE CONTROL AND THE PARTY |

6/21/2022 Page 66 of 160

| 848 | 4224200147400 | FOOT SINGLE AXIS 10MM LEFT SZ 26         | FOOT, SINGLE AXIS, 10 MM HEEL HEIGHT, HAVE A NATURAL SHAPE, SMOOTH SURFACE, AND SHAPED TOES TO ACHIEVE A SECURE STANCE QUICKLY, THEY ARE ESPECIALLY SUITABLE FOR TRANSFEMORAL FITTINGS, BODY WEIGHT OF UP TO 100 KG MEN, LEFT, SIZE 26                                                                                                                                                                                                                                                                                                                                         | EA | ITEMIZED | 50  |
|-----|---------------|------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|----------|-----|
| 849 | 4224200147500 | FOOT SINGLE AXIS 10MM LEFT SZ 27         | FOOT, SINGLE AXIS, 10 MM HEEL HEIGHT, HAVE A NATURAL<br>SHAPE, SMOOTH SURFACE, AND SHAPED TOES TO ACHIEVE A<br>SECURE STANCE QUICKLY, THEY ARE ESPECIALLY SUITABLE<br>FOR TRANSFEMORAL FITTINGS, BODY WEIGHT OF UP TO 100<br>KG MEN, LEFT, SIZE 27                                                                                                                                                                                                                                                                                                                             | EA | ITEMIZED | 50  |
| 850 | 4224200147600 | FOOT SINGLE AXIS 10MM LEFT SZ 28         | FOOT, SINGLE AXIS, 10 MM HEEL HEIGHT, HAVE A NATURAL SHAPE, SMOOTH SURFACE, AND SHAPED TO DES TO ACHIEVE A SECURE STANCE QUICKLY, THEY ARE ESPECIALLY SUITABLE FOR TRANSFEMORAL HITINGS, BODY WEIGHT OF UP TO 100 KG MEN, LEFT, SIZE 28                                                                                                                                                                                                                                                                                                                                        | EA | ITEMIZED | 50  |
| 851 | 4224200147700 | FOOT SINGLE AXIS 10MM RIGHT SZ 21        | FOOT, SINGLE AXIS, 10 MM HEEL HEIGHT, HAVE A NATURAL SHAPE, SMOOTH SURFACE, AND SHAPED TOES TO ACHIEVE A SECURE STANCE QUICKLY, THEY ARE ESPECIALLY SUITABLE FOR TRANSFEMORAL FITTINGS, BODY WEIGHT OF UP TO 100 KG MEN, RIGHT, SIZE 21                                                                                                                                                                                                                                                                                                                                        | EA | ITEMIZED | 50  |
| 852 | 4224200147800 | FOOT SINGLE AXIS 10MM RIGHT SZ 22        | FOOT, SINGLE AXIS, 10 MM HEEL HEIGHT, HAVE A NATURAL SHAPE, SMOOTH SURFACE, AND SHAPED TOES TO ACHIEVE A SECURE STANCE QUICKLY, THEY ARE ESPECIALLY SUITABLE FOR TRANSFEMORAL FITTINGS, BODY WEIGHT OF UP TO 100 KG MEN, RIGHT, SIZE 22                                                                                                                                                                                                                                                                                                                                        | EA | ITEMIZED | 50  |
| 853 | 4224200147900 | FOOT SINGLE AXIS 10MM RIGHT SZ 23        | FOOT, SINGLE AXIS, 10 MM HEEL HEIGHT, HAVE A NATURAL SHAPE, SMOOTH SURFACE, AND SHAPED TOES TO ACHIEVE A SECURE STANCE QUICKLY, THEY ARE ESPECIALLY SUITABLE FOR TRANSFEMORAL FITTINGS, BODY WEIGHT OF UP TO 100 KG MEN, RIGHT, SIZE 23                                                                                                                                                                                                                                                                                                                                        | EA | ITEMIZED | 50  |
| 854 | 4224200148000 | FOOT SINGLE AXIS 10MM RIGHT SZ 24        | FOOT, SINGLE AXIS, 10 MM HEEL HEIGHT, HAVE A NATURAL SHAPE, SMOOTH SURFACE, AND SHAPED TOES TO ACHIEVE A SECURE STANCE QUICKLY, THEY ARE ESPECIALLY SUITABLE FOR TRANSFEMORAL HITINGS, BODY WEIGHT OF UP TO 100 KG MEN, RIGHT, SIZE 2                                                                                                                                                                                                                                                                                                                                          | EA | ITEMIZED | 50  |
| 855 | 4224200148100 | FOOT SINGLE AXIS 10MM RIGHT SZ 25        | FOOT, SINGLE AXIS, 10 MM HEEL HEIGHT, HAVE A NATURAL SHAPE, SMOOTH SURFACE, AND SHAPED TOES TO ACHIEVE A SECURE STANCE QUICKLY, THEY ARE ESPECIALLY SUITABLE FOR TRANSFEMORAL FITTINGS, BODY WEIGHT OF UP TO 100 KG MEN, RIGHT, SIZE 25                                                                                                                                                                                                                                                                                                                                        | EA | ITEMIZED | 50  |
| 856 | 4224200148200 | FOOT SINGLE AXIS 10MM RIGHT SZ 26        | FOOT, SINGLE AXIS, 10 MM HEEL HEIGHT, HAVE A NATURAL SHAPE, SMOOTH SURFACE, AND SHAPED TOES TO ACHIEVE A SECURE STANCE QUICKLY, THEY ARE ESPECIALLY SUITABLE FOR TRANSFEMORAL FITTINGS, BODY WEIGHT OF UP TO 100 KG MEN, RIGHT, SIZE 26                                                                                                                                                                                                                                                                                                                                        | EA | ITEMIZED | 50  |
| 857 | 4224200148300 | FOOT SINGLE AXIS 10MM RIGHT SZ 27        | FOOT, SINGLE AXIS, 10 MM HEEL HEIGHT, HAVE A NATURAL SHAPE, SMOOTH SURFACE, AND SHAPED TOES TO ACHIEVE A SECURE STANCE QUICKLY, THEY ARE ESPECIALLY SUITABLE FOR TRANSFEMORAL FITTINGS, BODY WEIGHT OF UP TO 100 KG MEN, RIGHT, SIZE 27                                                                                                                                                                                                                                                                                                                                        | EA | ITEMIZED | 50  |
| 858 | 4224200148400 | FOOT SINGLE AXIS 10MM RIGHT SZ 28        | FOOT, SINGLE AXIS, 10 MM HEEL HEIGHT, HAVE A NATURAL SHAPE, SMOOTH SURFACE, AND SHAPED TOES TO ACHIEVE A SECURE STANCE QUICKLY, THEY ARE ESPECIALLY SUITABLE FOR TRANSFEMORAL FITTINGS, BODY WEIGHT OF UP TO 100 KG MEN, RIGHT, SIZE 28                                                                                                                                                                                                                                                                                                                                        | EA | ITEMIZED | 50  |
| 859 | 4224200117000 | FREE WALK KNEE ANKL FOOT ORTHOSIS 265LBS | FREE WALK, KNEE ANKLE FOOT ORTHOSIS, FREE SWING PHASE SECURE STANCE PHASE, SMOOTH GAIT PATTERN, LIGHTWEIGHT, THIN, AND STABLE, SUITABLE FOR A WEIGHT OF UP TO 120 KILOGRAMS/265 POUNDS, UNILATERAL JOINT BAR                                                                                                                                                                                                                                                                                                                                                                   | EA | ITEMIZED | 200 |
| 860 | 4224200262800 | FUNCTIONAL PROSTHETIC DEVICE AMPUTATION  | FUNCTIONAL PROSTHETIC DEVICE FOR AMPUTATION PROXIMAL TO METACARPAL, CUSTOM MADE OF MACHINED ALUMINUM, SILICON TIPS. RATED UP TO 200 LBS, BUILT FOR DIGITS 2 TO 3 FOR FUNCTION. VARYING DEGREE OF FLEXION AND EXTENSION POSSIBLE. CUSTOM DESIGNED AND BUILT TO PATIENT SPECIFICATIONS, TRAINING FOR EVALUATION AND MEASUREMENT INCLUDED                                                                                                                                                                                                                                         | EA | ITEMIZED | 20  |
| 861 | 4224200262700 | FUNCTIONAL THUMB PROSTHESIS DEVICE       | FUNCTIONAL THUMB PROSTHESIS DEVICE, CUSTOM MADE PROXIMAL THUMB AMPUTATION. ALLOWS OPPOSITION FUNCTION RESTORATION. CUSTOM DESIGNED MADE FOR INDIVIDUAL PERSON SPECIFICATION. STAINLESS STEEL CONSTRUCTION SILICON TIP APPLICABLE, TRAINING FOR EVALUATION AND MEASUREMENT INCLUDED                                                                                                                                                                                                                                                                                             | EA | ITEMIZED | 20  |
| 862 | 4224170119300 | GEL PROTECTIVE BUNION PROTECTOR          | GEL, PROTECTIVE BUNION PROTECTOR WITH ELASTIC FABRIC,<br>THE GEL GLOVE IS MADE OF AN ELASTIC FABRIC WITH AN<br>INNER CUSHION PROTECTING THE HALLUX VALGUS AREA,<br>DISCHARGE OF THE LATERAL HALLUX VALGUS, PROTECTION<br>OF BUNION FRICTION, AND LATERAL PRESSURES, LATERAL<br>PROTECTOR OF HALLUS VALGUS (BUNION), HALLUX VALGUS<br>BURSITIS, GOUT IN FOOT                                                                                                                                                                                                                    | EA | ITEMIZED | 50  |
| 863 | 4224170114900 | GEL PROTECTIV ELASTC BAND METATARSAL PAD | GEL, PROTECTIVE ELASTIC BAND WITH METATARSAL PAD AND BUNION PROTECTOR WITH ELASTIC FABRIC, THIS IS MADE OF AN HYPOALLERGENIC FABRIC WHICH IS VERY ELASTIC AND SOFT IF INCORPORATES A LARGE PROTECTIVE GEL PAD THAT COVERS THE BUNION AND THE METATARSAL BAREA DAMPING AND UPLOADING OF THE METATARSAL HADS, PREVENTS FRICTION AND CHAFING, PROVIDES A CONSTANT MASSAGE ON SOFT TISSUES AND JOINTS, LATERAL DISCHARGE OF HALLUX VALGUS, PROTECTS THE BUNION FORM PRICTION AND LATERAL PRESSURES, HALLUX VALGUS, BUNION WITH RELEF OF THE METATARSAL ZONE, METATARSAL OVERLOADS. | EA | ITEMIZED | 50  |

6/21/2022 Page 67 of 160

| 864 | 4224170115000 | GEL PROTECTIVE ELASTIC TUBE W/ GEL PAD   | GEL, PROTECTIVE ELASTIC TUBE WITH LATERAL GEL PAD, WITH ELASTIC FABRIC GEL SEPARATOR THAT PREVENTS THE OVERLAPPING OF THE FIRST AND SECOND TOES, RELIEVING PAIN AND ALIGNING THE TOES CORRECTLY, THE TUBULAR KEEPS THE SEPARATOR IN ITS CORRECT POSITION ALLOWING DAY AND/OR NIGHT USE, ALIGNS THE TOES, REDUCES FRICTION AND IRRITATION BETWEEN ADJACENT OR OVERLAPPING TOES, PROTECTS AMORTIGUE, HYDRATES SUPERIMPOSITION OF THE ST FINGER AND THE 2ND FINGER, HALLUX VALGUS POSTOPERATIVE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | EA  | ITEMIZED | 50   |
|-----|---------------|------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|------|
| 865 | 4224170114600 | GEL PROTECTIVE TUBE W/ELAST FABRIC 7.5MM | GEL, PROTECTIVE TUBE WITH ELASTIC FABRIC, THE ELASTIC FABRIC, COVERS THE PROTECTIVE GEL, IT CAN BE CUT AND SHORTENED IN ORDER TO FIT YOUR TOE, WASHABLE, AND REUSABLE, LENGTH IS 7.5 CM, CONTAINS 2 UNITS, PROTECTS, HYDRATES, SOFTENS CALLUSES, REDUCES FRICTION AND PRESSURE ON THE SKIN, RELIEVES PAIN, SCRATCHES, CALLUSES, HELOMAS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | EA  | ITEMIZED | 50   |
| 866 | 4224170114700 | GEL PROTECTIVE TUBE W/ELAST. FABRIC 60MM | GEL, PROTECTIVE TUBE, CLOSED WITH ELASTIC FABRIC, OFFERS PROTECTION AGAINST INJURIES ON THE SURFACE OF THE TOE SPECIALLY IN THE NAIL AREA, LENGTH IS 60 MM, IT IS WASHABLE AND REUSABLE, CONTAINS 1 UNIT, PROTECTS HYDRATES RELIEVES PRESSURE AND FRICTION BETWEEN TOES, PROTECTION FOR PARTIALLY AMPUTATED TOES, PROTECTION OF TOE SURFACE LESIONS, INTERDIGITAL CALLUSES, HAMMER TOES, SUPERIMPOSED OR INFRAIMPOSED, KERATOTIC LESIONS, PARTIALLY AMPUTATED TOES, CUTANEOUS, OR UNREGULAR PROBLEMS DUE TO DRYNESS, INGROWN NAILS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | EA  | ITEMIZED | 50   |
| 867 | 4224170114800 | GEL PROTECTIVE ELASTIC BAND              | GEL, PROTECTIVE, ELASTIC BAND, WITH METATARSAL PAD, WITH ELASTIC FABRIC, EASY TO USE IN ALL TYPES OF FOOTWEAR, ITS HEART - SHAPED GEL DESIGN ENSURES CUSHIONING THE METATARSAL PART CLOSEST TO THE TOES, THE STITCHING BETWEEN THE FIRST AND SECOND TOE CAN BE UNSEEN DAMPING AND UNLOADING OF THE METATARSAL HEADS, PREVENTS FRICTION AND CHAFING, RELIEVES THE IMPACT ON THE METATARSALS CAUSED BY WALKING AND IMMEDIATELY REDUCES PAIN, PROVIDES A CONSTANT MASSAGE ON SOFT TISSUES AND JOINTS, RELIEF OF THE METATARSAL ZONE, METATARSAL VERLOADS, METATARSAL CALLUSES                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | EA  | ITEMIZED | 50   |
| 868 | 4224200195600 | GEOMETRIC KNEE PEDIATRIC FOUR BAR        | GEOMETRIC KNEE, PEDIATRIC FOUR BAR, MANUAL LOCK, CAN BE CONVERTED FOR FREE MOTION, VARIABLE FRICTION, EXTENSION ASSIST, WEIGHT UP TO 40-60 KG                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | EA  | ITEMIZED | 50   |
| 869 | 4224200134500 | GEOMETRIC LOCK FOR WALKING               | GEOMETRIC LOCK STANCE FLEXION CAN BE ADJUSTED MIMICKING KNEE FLEXION DURING EARLY STANCE MID SWING SHORTENING - FOR BETTER TOE CLEARANCE SWING CONTROL ADJUSTMENT TO ACCOMMODATE TO CHANGES IN WALKING SPEED APPLICABLE TO LONG TF OR KO USER'S ENHANCED STABILITY OVER 4 - BAR SYSTEMS AND REDUCING SHOCK AND STRESS ON THE RESIDUAL LIMB LESS HIP EXTENSOR ACTION FOR KNEE STABILIZATION CANNOT RELEASE UNTIL TO LOAD IS APPLIED PREVENTS HIP - HIKING REDUCES GAIT DEVIATIONS MULTI- SPEED WALKING GOOD COSMETIC RESULTS FOR AMPUTEES TRANSFEMORAL AND KNEE DISARTICULATION AMPUTEES MULTI SPEED WALKERS MODERATE TO HIGH IMPACT MAX. USER WEIGHT 100 KGK-LEVEL: K 3 AND K 47 - AXIO SESION 3 - VALVE HYDRAULIC SWING CONTROL LOW PROFILE AND BUILD HEIGHT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | EA  | ITEMIZED | 100  |
| 870 | 4224200011900 | GLUE FOR LEATHER NET CONTENTS 650GM      | GLUE FOR LEATHER, NET CONTENTS 650 GM, APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | EA  | ITEMIZED | 1136 |
| 871 | 4224200220400 | GRIP COMPLIANT 12 DIFFERENT AUTO GRIPS   | GRIP, COMPLIANT WITH PROPORTIONAL CONTROL, INDIVIDUALLY MOTORIZED DISTS WITH COMPLIANT GRIP AND STALL-OUT ABILITY, MANUALLY ROTATABLE THUMB THAT CAN BE POSITIONED BETWEEN LATERAL AND GRIP, OPPOSITIONAL MODE FOR CREATING DIFFERENT GRIP POSITIONS, APP CONTROL, PROVIDES INSTANT ACCESS TO QUICK GRIPS" AT THE TOUCH OF AN ICON OR EQUIVALENT, MUSCLE CONTROL USES SPECIFIC MUSCLE SIGNALS CALLED TRIGGERS TO INSTRUCT THE HAND TO ACTIVATE A SPECIFIC GRIP, 12 DIFFERENT AUTOMATED GRIP POPITIONS AVAILABLE, DIGIT SPEED CAN BE INCREASED BY UP TO 30%, AUTO- GRASP™ OR EQUIVALENT, ANTI DROP SAFETY FEATURE TO PREVENT OBJECTS FROM SUPPING, LOCIC APP COMPATIBLE) FOR OVERVIEW OF USAGE, SETTINGS, AND STATUS, MULTIPLE COVERING OPTIONS AVAILABLE TO SUIT INDIVIDUAL LIFESTYLES, INCREASES CARRY LOAD BY SO %, NATURAL AND SECURE GRIPS FOR DAY TO DAY USE, BETTER GRIP, AND MORE SECURE GRIP OPTIONS, QUICK WAY TO CONTROL THE DEVICE, ADJUSTED TO THE USERS STRENGTH AND PREFERENCE, DIFFERENT WAYS TO CONTROL THE DEVICE, ADJUSTED TO THE USERS STRENGTH AND PREFERENCE, GRIPS THAT ARE USED IN CERTAIN AREAS OR CERTAIN ACTIVITIES CAN BE PROGRAMMED, MORE NATURAL MOVEMENT AND STRENGTH, HOLDING GLASS OR OTHER SLIPPERY SURFACES IS NOT AN ISSUE (COMBINED WITH COMPLIANT GRIPS), MORE INSIGHT AND OPTIONS FOR THE USER IN THEIR OWN DEVICE, NATURAL LOOK OR 'BIONICS' LOOK IS POSSIBLE, ALSO TOUCH SCREEN AVAILABLE, ABLE TO WITHSTAND HEAVIER LOADS, DEPENDING ON THE ILESER ACTIVATIES. CANAISHIMBERJAL | кіт | ITEMIZED | 66   |
| 872 | 4224200033700 | HACKSAW TO CUT METAL                     | HACKSAW TO CUT METAL, AN ORTHOTICS WORKSHOP TOOL, STEEL, WITH PLASTIC HANDLE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | EA  | ITEMIZED | 5    |
| 873 | 4224200035400 | HALT-ROUND SURFORM FILE                  | HALT-ROUND SURFORM FILE, AN ORTHOTICS WORKSHOP TOOL, FOR SHAPING OF CASTING AND MODIFICATION PURPOSE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | EA  | ITEMIZED | 30   |
| 874 | 4224200033600 | HAND BEVERLY SHEAR                       | HAND BEVERLY SHEAR, AN ORTHOTICS WORKSHOP TOOL,<br>FOR CUTTING METAL PLATES                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | EA  | ITEMIZED | 5    |
| 875 | 4618220800100 | HARD INSOLES FOR FLAT FOOT SIZE 36       | HARD INSOLES, FOR FLAT FOOT THAT IS FLEXIBLE AT THE TOE SIDE, SIZE 36                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | PAA | ITEMIZED | 100  |
| 876 | 4618220800200 | HARD INSOLES FOR FLAT FOOT SIZE 37       | HARD INSOLES, FOR FLAT FOOT THAT IS FLEXIBLE AT THE TOE<br>SIDE, SIZE 37                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | PAA | ITEMIZED | 100  |

6/21/2022 Page 68 of 160

| 877 | 4618220800300 | HARD INSOLES FOR FLAT FOOT SIZE 38       | HARD INSOLES, FOR FLAT FOOT THAT IS FLEXIBLE AT THE TOE SIDE, SIZE 38                                                                                                                                                                  | PAA | ITEMIZED | 100  |
|-----|---------------|------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|------|
| 878 | 4618220800400 | HARD INSOLES FOR FLAT FOOT SIZE 39       | HARD INSOLES, FOR FLAT FOOT THAT IS FLEXIBLE AT THE TOE<br>SIDE, SIZE 39                                                                                                                                                               | PAA | ITEMIZED | 100  |
| 879 | 4618220800500 | HARD INSOLES FOR FLAT FOOT SIZE 40       | HARD INSOLES, FOR FLAT FOOT THAT IS FLEXIBLE AT THE TOE SIDE, SIZE 40                                                                                                                                                                  | PAA | ITEMIZED | 100  |
| 880 | 4618220800600 | HARD INSOLES FOR FLAT FOOT SIZE 41       | HARD INSOLES, FOR FLAT FOOT THAT IS FLEXIBLE AT THE TOE<br>SIDE, SIZE 41                                                                                                                                                               | PAA | ITEMIZED | 100  |
| 881 | 4618220800700 | HARD INSOLES FOR FLAT FOOT SIZE 42       | HARD INSOLES, FOR FLAT FOOT THAT IS FLEXIBLE AT THE TOE SIDE, SIZE 42                                                                                                                                                                  | PAA | ITEMIZED | 100  |
| 882 | 4618220800800 | HARD INSOLES FOR FLAT FOOT SIZE 43       | HARD INSOLES, FOR FLAT FOOT THAT IS FLEXIBLE AT THE TOE<br>SIDE, SIZE 43                                                                                                                                                               | PAA | ITEMIZED | 100  |
| 883 | 4618220800900 | HARD INSOLES FOR FLAT FOOT SIZE 44       | HARD INSOLES, FOR FLAT FOOT THAT IS FLEXIBLE AT THE TOE<br>SIDE, SIZE 44                                                                                                                                                               | PAA | ITEMIZED | 100  |
| 884 | 4224171316700 | HARNESS W/ HARNESS RING FOR ADULT        | HARNESS FOR BELOW ELBOW PROSTHESIS WITH HARNESS<br>RING AND PERLON CABLE FOR ADULT, COMPLETE                                                                                                                                           | SET | ITEMIZED | 50   |
| 885 | 4224171316600 | HARNESS W/ TRIPLE PULL STRAPS FOR ADULT  | HARNESS FOR BELOW ELBOW PROSTHESIS WITH HARNESS<br>RING AND PERLON CABLE WITH TRIPLE PULL STRAPS FOR<br>ADULT, COMPLETE                                                                                                                | SET | ITEMIZED | 50   |
| 886 | 4618230600000 | HARNESS PAVLIK W/SOFT INNER LINING LARGE | HARNESS, PAVLIK WITH SOFT INNER LINING AND HOOK - AND - LOOP FASTENERS FOR SECURE ADJUSTMENT, SIZE LARGE                                                                                                                               | EA  | ITEMIZED | 50   |
| 887 | 4224170201000 | HARNESS PAVLIK MEDIUM                    | HARNESS, PAVLIK WITH SOFT INNER LINING AND HOOK - AND - LOOP FASTENERS FOR SECURE ADJUSTMENT, SIZE MEDIUM                                                                                                                              | EA  | ITEMIZED | 50   |
| 888 | 4224170201100 | HARNESS ORTHO SMALL                      | HARNESS, PAVLIK WITH SOFT INNER LINING AND HOOK - AND - LOOP FASTENERS FOR SECURE ADJUSTMENT, SIZE SMALL                                                                                                                               | EA  | ITEMIZED | 50   |
| 889 | 4224200032000 | HEEL PULLER                              | HEEL PULLER, AN ORTHOTICS WORKSHOP TOOL, FOR SHOEMAKER PURPOSE                                                                                                                                                                         | EA  | ITEMIZED | 10   |
| 890 | 4224170615900 | HEEL RELIEF ORTHOSIS SHOE SZ 37 40 RIGHT | HEEL RELIEF ORTHOSIS, USED TO DYNAMICALLY CORRECT<br>AND PREVENT FOOT AND ANKLE CONTRACTURES, PREVENTS<br>MUSCULAR ATROPHY, SHOE SIZE 37 - 40, RIGHT                                                                                   | EA  | ITEMIZED | 550  |
| 891 | 4224170616100 | HEEL RELIEF ORTHOSIS SHOE SZ 40 43 RIGHT | HEEL RELIEF ORTHOSIS, USED TO DYNAMICALLY CORRECT<br>AND PREVENT FOOT AND ANKLE CONTRACTURES, PREVENTS<br>MUSCULAR ATROPHY, SHOE SIZE 40 - 43, RIGHT                                                                                   | EA  | ITEMIZED | 550  |
| 892 | 4224170616300 | HEEL RELIEF ORTHOSIS SHOE SZ 43 46 RIGHT | HEEL RELIEF ORTHOSIS, USED TO DYNAMICALLY CORRECT AND PREVENT FOOT AND ANKLE CONTRACTURES, PREVENTS MUSCULAR ATROPHY, SHOE SIZE 43 - 46, RIGHT                                                                                         | EA  | ITEMIZED | 550  |
| 893 | 4221150900300 | HELMET FLEXIBLE PROTECTIVE SZ 43 46CM    | HELMET, FLEXIBLE PROTECTIVE, FABRICATED FROM A FLEXIBLE PLASTIC WITH ANTI - BACTERIAL PADDING, SIZE 43 - 46 CM, APPROXIMATELY                                                                                                          | EA  | ITEMIZED | 50   |
| 894 | 4221150900900 | HELMET FLEXIBLE PROTECTIVE SZ 45 51CM    | HELMET, FLEXIBLE PROTECTIVE, FABRICATED FROM A<br>FLEXIBLE PLASTIC WITH ANTI - BACTERIAL PADDING, SIZE 45 -<br>51 CM, APPROXIMATELY                                                                                                    | EA  | ITEMIZED | 50   |
| 895 | 4221150900400 | HELMET FLEXIBLE PROTECTIVE SZ 46 48CM    | HELMET, FLEXIBLE PROTECTIVE, FABRICATED FROM A FLEXIBLE PLASTIC WITH ANTI - BACTERIAL PADDING, SIZE 46 - 48 CM, APPROXIMATELY                                                                                                          | EA  | ITEMIZED | 50   |
| 896 | 4221150901000 | HELMET FLEXIBLE PROTECTIVE SZ 51 53CM    | HELMET, FLEXIBLE PROTECTIVE, FABRICATED FROM A FLEXIBLE PLASTIC WITH ANTI - BACTERIAL PADDING, SIZE 51 - 53 CM, APPROXIMATELY                                                                                                          | EA  | ITEMIZED | 50   |
| 897 | 4221150900500 | HELMET FLEXIBLE PROTECTIVE SZ 53 56CM    | HELMET, FLEXIBLE PROTECTIVE, FABRICATED FROM A FLEXIBLE PLASTIC WITH ANTI - BACTERIAL PADDING, SIZE 53 - 56 CM, APPROXIMATELY                                                                                                          | EA  | ITEMIZED | 50   |
| 898 | 4221150900600 | HELMET FLEXIBLE PROTECTIVE SZ 56 58CM    | HELMET, FLEXIBLE PROTECTIVE, FABRICATED FROM A FLEXIBLE PLASTIC WITH ANTI - BACTERIAL PADDING, SIZE 56 - 58 CM, APPROXIMATELY                                                                                                          | EA  | ITEMIZED | 50   |
| 899 | 4221150900700 | HELMET FLEXIBLE PROTECTIVE SZ 58 61CM    | HELMET, FLEXIBLE PROTECTIVE, FABRICATED FROM A FLEXIBLE PLASTIC WITH ANTI - BACTERIAL PADDING, SIZE 58 - 61 CM, APPROXIMATELY                                                                                                          | EA  | ITEMIZED | 50   |
| 900 | 4221150901100 | HELMET FLEXIBLE PROTECTIVE SZ 61 64CM    | HELMET, FLEXIBLE PROTECTIVE, FABRICATED FROM A FLEXIBLE PLASTIC WITH ANTI - BACTERIAL PADDING, SIZE 61 - 64 CM, APPROXIMATELY                                                                                                          | EA  | ITEMIZED | 50   |
| 901 | 4221150900800 | HELMET FLEXIBLE PROTECTIVE SZ 64 66CM    | HELMET, FLEXIBLE PROTECTIVE, FABRICATED FROM A FLEXIBLE PLASTIC WITH ANTI - BACTERIAL PADDING, SIZE 64 - 66 CM, APPROXIMATELY                                                                                                          | EA  | ITEMIZED | 50   |
| 902 | 4224150700500 | HIP ABDUCTION BRACE PEDIATRIC X SMALL    | HIP ABDUCTION BRACE PEDIATRIC ADJUSTABLE<br>POLYPROPULENE LIGHTWEIGHT WITH ALUMINIUM<br>ADJUSTMENT SCREW ALLOWS ABDUCTION 40 TO 180<br>DEGREE ANTIBACTERIAL VOLARA FOAM LINING DOES NOT<br>RETAIN MOISTURE EASY TO CLEAN EXTRA - SMALL | EA  | ITEMIZED | 858  |
| 903 | 4224150700600 | HIP ABDUCTION BRACE PEDIATRIC LARGE      | HIP ABDUCTION BRACE PEDIATRIC ADJUSTABLE POLYPROPYLENE LIGHTWEIGHT WITH ALUMINUM ADJUSTMENT SCREW ALLOWS ABDUCTION 40 TO 180 DEGREE ANTIBACTERIAL VOLARA FOAM LINING DOES NOT RETAIN MOISTURE EASY TO CLEAN LARGE                      | EA  | ITEMIZED | 1067 |
| 904 | 4224150700700 | HIP ABDUCTION BRACE PEDIATRIC MEDIUM     | HIP ABDUCTION BRACE PEDIATRIC ADJUSTABLE POLYPROPYLENE LIGHTWEIGHT WITH ALUMINUM ADJUSTMENT SCREW ALLOWS ABDUCTION 40 TO 180 DEGREE ANTIBACTERIAL VOLARA FOAM LINING DOES NOT RETAIN MOISTURE EASY TO CLEAN MEDIUM                     | EA  | ITEMIZED | 1497 |
| 905 | 4224150700800 | HIP ABDUCTION BRACE PEDIATRIC SMALL      | HIP ABDUCTION BRACE PEDIATRIC ADJUSTABLE POLYPROPYLENE LIGHTWEIGHT WITH ALUMINUM ADJUSTMENT SCREW ALLOWS ABDUCTION 40 TO 180 DEGREE ANTIBACTERIAL VOLARA FOAM LINING DOES NOT RETAIN MOISTURE EASY TO CLEAN SMALL                      | EA  | ITEMIZED | 1365 |
| 906 | 4224150700900 | HIP ABDUCTION BRACE PED 40 180 DEG SZ XL | HIP ABDUCTION BRACE PEDIATRIC ADJUSTABLE POLYPROPYLENE LIGHTWEIGHT WITH ALUMINUM ADJUSTMENT SCREW ALLOWS ABDUCTION 40 TO 180 DEGREES ANTIBACTERIAL VOLARA FOAM LINING DOES NOT RETAIN MOISTURE EASY TO CLEAN SIZE EXTRA LARGE          | EA  | ITEMIZED | 1000 |
| 907 | 4224150702800 | HIP ABDUCTION ORTHOSIS 6 18MOS UNIVERSAL | HIP ABDUCTION ORTHOSIS, FOR CHILDREN FROM 6 TO 18 MONTHS OLD, WHEN THE CHILD STARTS CRAWLING OR WALKING, SIZE: UNIVERSAL                                                                                                               | EA  | ITEMIZED | 1000 |
| 908 | 4224170201400 | HIP JOINT STABILIZER SZ LARGE LEFT       | HIP JOINT STABILIZER, RESTRICTS ROTATION, PREVENTION,<br>AND TREATMENT OF TEP LOOSENING INSTABILITY OF THE HIP<br>JOINT, SIZE LARGE, LEFT                                                                                              | EA  | ITEMIZED | 10   |
| 909 | 4224170201500 | HIP JOINT STABILIZER SZ LARGE RIGHT      | HIP JOINT STABILIZER, RESTRICTS ROTATION, PREVENTION,<br>AND TREATMENT OF TEP LOOSENING INSTABILITY OF THE HIP<br>JOINT, SIZE LARGE, RIGHT                                                                                             | EA  | ITEMIZED | 10   |
| 910 | 4224170201800 | HIP JOINT STABILIZER SZ MEDIUM LEFT      | HIP JOINT STABILIZER, RESTRICTS ROTATION, PREVENTION,<br>AND TREATMENT OF TEP LOOSENING INSTABILITY OF THE HIP<br>JOINT, SIZE MEDIUM, LEFT                                                                                             | EA  | ITEMIZED | 10   |
|     |               |                                          | ,                                                                                                                                                                                                                                      |     | •        |      |

6/21/2022 Page 69 of 160

| 911 | 4224170201600 | HIP JOINT STABILIZER SZ MEDIUM RIGHT     | HIP JOINT STABILIZER, RESTRICTS ROTATION, PREVENTION,<br>AND TREATMENT OF TEP LOOSENING INSTABILITY OF THE HIP<br>JOINT, SIZE MEDIUM, RIGHT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | EA  | ITEMIZED | 10  |
|-----|---------------|------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|-----|
| 912 | 4224170201300 | HIP JOINT STABILIZER SZ SMALL LEFT       | HIP JOINT STABILIZER, RESTRICTS ROTATION, PREVENTION, AND TREATMENT OF TEP LOOSENING INSTABILITY OF THE HIP JOINT, SIZE SMALL, LEFT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | EA  | ITEMIZED | 10  |
| 913 | 4224170201700 | HIP JOINT STABILIZER SZ SMALL RIGHT      | HIP JOINT STABILIZER, RESTRICTS ROTATION, PREVENTION,<br>AND TREATMENT OF TEP LOOSENING INSTABILITY OF THE HIP<br>JOINT, SIZE SMALL, RIGHT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | EA  | ITEMIZED | 10  |
| 914 | 4224200131800 | HIP JOINT SYSTEM 130 DEG 100 KG LEFT     | HIP JOINT SYSTEM, THE HIP JOINT HAS BEEN TESTED AND APPROVED EXCLUSIVELY FOR COMBINATION WITH THE MICOPROCESSOR, KNEE JOINT AND THE CORRESPONDING SYSTEM COMPONENTS, FLEXION ANGLE 130 DEGREE, MAXIMUM BODY WEIGHT 100 KG, LEFT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | EA  | ITEMIZED | 10  |
| 915 | 4224200131900 | HIP JOINT SYSTEM 130 DEG 100 KG RIGHT    | HIP JOINT SYSTEM, THE HIP JOINT HAS BEEN TESTED AND APPROVED EXCLUSIVELY FOR COMBINATION WITH THE MICROPROCESSOR, KNEE JOINT AND THE CORRESPONDING SYSTEM COMPONENTS, FLEXION ANGLE 130 DEGREE, MAXIMUM BODY WEIGHT 100 KG, RIGHT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | EA  | ITEMIZED | 5   |
| 916 | 4224151008300 | HOMOGENOUS THERMOPLASTIC 2000X1000X2MM   | HOMOGENEOUS THERMOPLASTIC MATERIAL, WITH HIGH<br>RIGIDITY, WORKING TEMPERATURE, 165 DEGREES,<br>CAUCASIAN COLOR, 2000 X 1000 X 2 MM, APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | EA  | ITEMIZED | 10  |
| 917 | 4412210902700 | HOOK AND LOOP 30X400MM SKIN COLOR/WHITE  | HOOK AND LOOP, VELCRO OR EQUIVALENT, WIDTH 30 MM,<br>LENGTH 400 MM, SKIN COLOR/WHITE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | EA  | ITEMIZED | 100 |
| 918 | 4412210900700 | HOOK AND PILE CLOSURE W/LOOP 25MM BLUE   | HOOK AND PILE CLOSURE WITH LOOP, WIDTH 25 MM, LENGTH 380 MM, BLUE, VELCRO OR EQUIVALENT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | SET | ITEMIZED | 100 |
| 919 | 4412210900800 | HOOK AND PILE CLOSURE W/LOOP 25MM RED    | HOOK AND PILE CLOSURE WITH LOOP, WIDTH 25 MM,                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | SET | ITEMIZED | 100 |
| 920 | 4412210900900 | HOOK AND PILE CLOSURE W/LOOP 25MM WHITE  | LENGTH 380 MM, RED, VELCRO OR EQUIVALENT  HOOK AND PILE CLOSURE WITH LOOP, WIDTH 25 MM, LENGTH 380 MM, WHITE, VELCRO OR EQUIVALENT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | SET | ITEMIZED | 100 |
| 921 | 4412210901000 | HOOK AND PILE CLOSURE W/LOOP 30MM BLUE   | HOOK AND PILE CLOSURE WITH LOOP, WIDTH 30 MM,                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | SET | ITEMIZED | 100 |
| 922 | 4412210901100 | HOOK AND PILE CLOSURE W/LOOP 30MM RED    | HOOK AND PILE CLOSURE WITH LOOP, WIDTH 30 MM,                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | SET | ITEMIZED | 100 |
| 923 | 4412210901200 | HOOK AND PILE CLOSURE W/LOOP 30MM WHITE  | LENGTH 380 MM, RED, VELCRO OR EQUIVALENT HOOK AND PILE CLOSURE WITH LOOP, WIDTH 30 MM,                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | SET | ITEMIZED | 100 |
| 924 | 4412210901200 | HOOK AND PILE CLOSURE W/LOOP 35MM BLUE   | LENGTH 380 MM, WHITE, VELCRO OR EQUIVALENT HOOK AND PILE CLOSURE WITH LOOP, WIDTH 35 MM,                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | SET | ITEMIZED | 100 |
|     |               |                                          | LENGTH 380 MM, BLUE, VELCRO OR EQUIVALENT HOOK AND PILE CLOSURE WITH LOOP, WIDTH 35 MM,                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |     |          |     |
| 925 | 4412210901500 | HOOK AND PILE CLOSURE W/LOOP 35MM RED    | LENGTH 380 MM, RED, VELCRO OR EQUIVALENT HOOK AND PILE CLOSURE WITH LOOP, WIDTH 35 MM,                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | SET | ITEMIZED | 100 |
| 926 | 4412210901400 | HOOK AND PILE CLOSURE W/LOOP 35MM WHITE  | LENGTH 380 MM, WHITE, VELCRO OR EQUIVALENT HOOK AND PILE CLOSURE, W=50 MM, SALMON (VELCRO)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | SET | ITEMIZED | 100 |
| 927 | 4224152002600 | STRAP FASTENER W50MM SALMON HOOK CLOSURE | ROLL 25 M  HOOK AND PILE CLOSURE, WIDTH 20 MM, BLUE, VELCRO OR                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | EA  | ITEMIZED | 119 |
| 928 | 4412210901600 | HOOK AND PILE CLOSURE 20MM BLUE 25M ROLL | EQUIVALENT, ROLL 25 METERS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | EA  | ITEMIZED | 100 |
| 929 | 4412210900300 | HOOK AND PILE CLOSUR 20MM SALMON 25M RLL | HOOK AND PILE CLOSURE, WIDTH 20 MM, SALMON (VELCRO<br>OR EQUIVALENT), ROLL 25 METERS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | EA  | ITEMIZED | 58  |
| 930 | 4412210900400 | HOOK AND PILE CLOSURE 20MM WHITE 25M RLL | HOOK AND PILE CLOSURE, WIDTH 20 MM, WHITE (VELCRO OR<br>EQUIVALENT), ROLL 25 METERS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | EA  | ITEMIZED | 70  |
| 931 | 4412210901700 | HOOK AND PILE CLOSURE 20MM YELLOW 25M RL | HOOK AND PILE CLOSURE, WIDTH 20 MM, YELLOW, VELCRO OR EQUIVALENT, ROLL 25 METERS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | EA  | ITEMIZED | 100 |
| 932 | 4412210901900 | HOOK AND PILE CLOSURE 25MM BLUE 25M ROLL | HOOK AND PILE CLOSURE, WIDTH 25 MM, BLUE, VELCRO OR EQUIVALENT, ROLL 25 METERS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | EA  | ITEMIZED | 100 |
| 933 | 4412210900500 | HOOK AND PILE CLOSUR 25MM SALMON 25M RLL | HOOK AND PILE CLOSURE, WIDTH 25 MM, SALMON (VELCRO<br>OR EQUIVALENT), ROLL 25 METERS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | EA  | ITEMIZED | 98  |
| 934 | 4412210900600 | HOOK AND PILE CLOSURE 25MM WHITE 25M RLL | HOOK AND PILE CLOSURE, WIDTH 25 MM, WHITE (VELCRO OR EQUIVALENT), ROLL 25 METERS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | EA  | ITEMIZED | 112 |
| 935 | 4412210902100 | HOOK AND PILE CLOSURE 25MM YELLOW 25M RL | HOOK AND PILE CLOSURE, WIDTH 25 MM, YELLOW, VELCRO OR EQUIVALENT, ROLL 25 METERS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | EA  | ITEMIZED | 100 |
| 936 | 4412210902200 | HOOK AND PILE CLOSURE 30MM BLUE 25M ROLL | HOOK AND PILE CLOSURE, WIDTH 30 MM, BLUE, VELCRO OR EQUIVALENT, ROLL 25 METER                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | EA  | ITEMIZED | 100 |
| 937 | 4224152002400 | STRAP FASTENER W30MM SALMON HOOK CLOSURE | HOOK AND PILE CLOSURE, WIDTH 30 MM, SALMON (VELCRO                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | PC  | ITEMIZED | 143 |
| 938 | 4224152002500 | HOOK TRACTION W30MM WHITE CLOSURE        | OR EQUIVALENT), ROLL 25 METERS  HOOK AND PILE CLOSURE, WIDTH 30 MM, WHITE (VELCRO OR                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | EA  | ITEMIZED | 291 |
| 939 | 4412210902300 | HOOK AND PILE CLOSURE W/LOOP 30MM YELLOW | EQUIVALENT), ROLL 25 METERS HOOK AND PILE CLOSURE, WIDTH 30 MM, YELLOW, VELCRO                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | EA  | ITEMIZED | 100 |
| 940 | 4224152002700 | HOOK TRACTION W50MM WHITE CLOSURE        | OR EQUIVALENT, ROLL 25 METERS HOOK AND PILE CLOSURE, WIDTH 50 MM, WHITE (VELCRO OR                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | FA  | ITEMIZED | 71  |
|     |               |                                          | EQUIVALENT), ROLL 25 METERS HOOK AND PILE, CLOSURE, WIDTH 25 MM, BROWN, (VELCRO                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |     |          |     |
| 941 | 4412210901800 | HOOK AND PILE CLOSURE 25MM BROWN ROLL25M | OR EQUIVALENT), ROLL 25 METERS HOOK AND PILE, CLOSURE, WIDTH 25 MM, DARK BROWN,                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | EA  | ITEMIZED | 100 |
| 942 | 4412210902000 | HOOK PILE CLOSURE 25MM DRK BROWN ROLL25M | (VELCRO OR EQUIVALENT), ROLL 25 METERS  HOOK, AND LOOP, VELCRO OR EQUIVALENT, WIDTH 50 MM,                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | EA  | ITEMIZED | 100 |
| 943 | 4412210902900 | HOOK AND LOOP 50X400MM SKIN COLOR/WHITE  | LENGTH, 400 MM, COLOR, SKIN, COLOR/WHITE HYPEREXTENSION ORTHOSIS, HAS A LOAD - RELIEVING AND                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | EA  | ITEMIZED | 100 |
| 944 | 4224200122600 | HYPEREXTENSION ORTHOSIS UP TO SZ 150CM   | STABILIZING EFFECT, CONTINUOUS HEIGHT ADJUSTMENT,<br>WATERPROOF, UP TO SIZE 150 CM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | EA  | ITEMIZED | 100 |
| 945 | 4224200408600 | SEALING LINER ACTIVE SKIN CARE           | HYPOBARIC SEALING MEMBRANE OR EQUIVALENT THE OUTER COVER PROVIDES EXTREME WEAR AND TEAR STRENGTH AND DURABILITY WHILE ALLOWING RADIAL STRETCH AND COMPORTABLE ELASTICITY VASELINE AND ALOE VERA ARE INCORPORATED IN DERMASIL SILICONE TO SOOTHE AND HELP MAINTAIN HEALTHY SKIN MICRO ENGINEERED SURFACE FOR SUPERIOR SKIN CONFORMANCE UNIQUE INTEGRATED MATRIX ALLOWS RADIAL STRETCH AND LIMITS VERTICAL STRETCH FOR INCREASED STABILITY AND SKIN COMFORT SEAL - IN OPTIMIZES SUSPENSION AND COMFORT WHILE OFFERING ULTIMATE USER CONVENIENCE FOR DAILY USE COMBINING COMFORT AND RELIABLE SOLUTION LESS SKIN IRRITATION MORE DURABLE WEAR LESS SKIN IRRITATION INCREASED STABILITY AND SKIN COMFORT TRANSTIBLAL AMPUTEES LOW MODERATE AND HIGH IMPACT LEVEL K - LEVEL: K1 K 2 K 3 AND K 4 SEAL - IN SUSPENSION SEAL - IN FABRIC COVER ACTIVE SKIN CARE SILKEN INNER | EA  | ITEMIZED | 50  |

6/21/2022 Page 70 of 160

| 946        | 4618220704800                  | IMMOBILIZER POLYTHYLENE ANKLE                                                     | IMMOBILIZER POLYETHYLENE ANKLE POLYETHYLENE DESIGN WITH OPEN HEEL PROTECTING MALLEOLUS FOR IMMOBILIZATION OF THE ANKLE ADJUSTMENT USING FOREFOOT ANKLE AND VELCRO OR EQUIVALENT IMMOBILIZATION JOINT - RELATED INJURIES WITHOUT FRACTURE ANTERIOR FIBULAR LIGAMENT SPRAINS AND PERONEUS - CALCANEUS IMMOBILIZATION JI THE ACUTE PHASE OF MALLEOLAR FRACTURES POST - OPERATIVE                                                                                                                                                                                                                                                                     | EA         | ITEMIZED             | 50       |
|------------|--------------------------------|-----------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|----------------------|----------|
| 947        | 4618160903200                  | INSOLE FULL-LENGTH SILICONE PAIR SZ EU36                                          | INSOLE FULL-LENGTH SILICONE DUAL DENSITY PROVIDES CUSHIONING TO HEEL AND METATARSAL HEADS PAIR SIZE EU 36                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | EA         | ITEMIZED             | 100      |
| 948        | 4618160903000                  | INSOLE FULL-LENGTH SILICONE PAIR SZ EU38                                          | INSOLE FULL-LENGTH SILICONE DUAL DENSITY PROVIDES CUSHIONING TO HEEL AND METATARSAL HEADS PAIR SIZE EU 38                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | EA         | ITEMIZED             | 100      |
| 949        | 4618160902800                  | INSOLE FULL-LENGTH SILICONE PAIR SZ EU40                                          | INSOLE FULL-LENGTH SILICONE DUAL DENSITY PROVIDES CUSHIONING TO HEEL AND METATARSAL HEADS PAIR SIZE EU 40                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | EA         | ITEMIZED             | 100      |
| 950        | 4618160902700                  | INSOLE FULL-LENGTH SILICONE PAIR SZ EU42                                          | INSOLE FULL-LENGTH SILICONE DUAL DENSITY PROVIDES CUSHIONING TO HEEL AND METATARSAL HEADS PAIR SIZE EU 42                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | EA         | ITEMIZED             | 100      |
| 951        | 4618160903100                  | INSOLE FULL-LENGTH SILICONE PAIR SZ EU44                                          | INSOLE FULL-LENGTH SILICONE DUAL DENSITY PROVIDES CUSHIONING TO HEEL AND METATARSAL HEADS PAIR SIZE EU 44                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | EA         | ITEMIZED             | 100      |
| 952        | 4618160903300                  | INSOLE FULL-LENGTH SILICONE PAIR SZ EU46                                          | INSOLE FULL-LENGTH SILICONE DUAL DENSITY PROVIDES CUSHIONING TO HEEL AND METATARSAL HEADS PAIR SIZE EU 46                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | EA         | ITEMIZED             | 100      |
| 953        | 4618160903900                  | INSOLE INTERPOD PREFORM ORTHOSIS 37-38                                            | INSOLE, ADJUSTABLE INTERPOD PREFORM ORTHOSIS, SIZE 37-                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | PAA        | ITEMIZED             | 50       |
| 954        | 4618160904000                  | INSOLE INTERPOD PREFORM ORTHOSIS 39-40                                            | INSOLE, ADJUSTABLE INTERPOD PREFORM ORTHOSIS, SIZE 39-                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | PAA        | ITEMIZED             | 50       |
| 955        | 4618160904100                  | INSOLE INTERPOD PREFORM ORTHOSIS 41-42                                            | 40 INSOLE, ADJUSTABLE INTERPOD PREFORM ORTHOSIS, SIZE 41-                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | PAA        | ITEMIZED             | 50       |
| 956        | 4618160904200                  | INSOLE INTERPOD PREFORM ORTHOSIS 43-44                                            | 42 INSOLE, ADJUSTABLE INTERPOD PREFORM ORTHOSIS, SIZE 43-                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | PAA        | ITEMIZED             | 50       |
| 957        | 4618160904300                  | INSOLE INTERPOD PREFORM ORTHOSIS 45-48                                            | 44 INSOLE, ADJUSTABLE INTERPOD PREFORM ORTHOSIS, SIZE 45-                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | PAA        | ITEMIZED             | 50       |
| 957        | 4618160904300                  | INSULE INTERPOD PREFORM ORTHOSIS 45-48                                            | 48                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | PAA        | HEMIZED              | 50       |
| 958        | 4224170641000                  | INSOLE AFO FULL VARUS POLYPROPYLENE                                               | INSOLE, ANKLE - FOOT - ORTHOSIS, FULL VARUS MOULDED POLYPROPYLENE, VERSION IN FULL INSOLE TO ADAPT TO FOOTWEAR, ADJUSTABLE TENSION STRAPS FOR VARUS DEVIATION, EASY - FITTING AND ANATOMICAL DESIGN, REMOVABLE ADJUSTMENT TAPE IN THE TIBIAL AREA, PADDING IN THE CALE FAREA, DORSIFLEXION IN THE EQUINE FOOT, CONTROLS VARUS DEVIATION, IT FACILITATES WALKING AND FUNCTIONAL REHABILITATION, EQUINE FOOT IN FLACCID PARALYSIS WITH AND WITHOUT VARUS DEVIATION, HEMPLEGIA DUE TO VASCULAR - CEREBRAL ACCIDENTS, STROKE, RETRACTION OF THE ACHILLES TRENDON IN INFANTILE CEREBRAL PALSY, INJURY OF THE EXTERNAL POPLITEAL SCIATIC NERVE          | EA         | ITEMIZED             | 830      |
| 959        | 4224170641100                  | INSOLE AFO HALF VARUS POLYPROPYLENE                                               | INSOLE, ANKLE - FOOT - ORTHOSIS, HALF, VARUS MOULDED POLYPROPYLENE, VERSION IN FULL INSOLE TO ADAPT TO FOOTWARK. ADJUSTABLE TENSION STRAPS FOR VARUS DEVIATION, EASY - FITTING AND ANATOMICAL DESIGN, REMOVABLE ADJUSTMENT TAPE IN THE TIBILA RARA, PADDING IN THE CALF AREA. DORSIFLEXION IN THE EQUINE FOOT, CONTROLS VARUS DEVIATION, IT FACILITATES WALKING AND FUNCTIONAL REHABILITATION, EQUINE FOOT IN FLACCID PARALYSIS WITH AND WITHOUT VARUS DEVIATION, HEMIPLEGIA DUE TO VASCULAR - CEREBRAL ACCIDENTS, STROKE, RETRACTION OF THE ACHILLES TENDON IN INFANTILE CEREBRAL PALSY, INJURY OF THE EXTERNAL POPULTER. SCIATIC NEWS CONTROLS. | EA         | ITEMIZED             | 50       |
| 960        | 4618160904500                  | INSOLE FOOT FOR PEDIATRIC ORTHOSIS 21-22                                          | INSOLE, FOOT, FOR PEDIATRIC ORTHOSIS, SIZE 21-22                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | PAA        | ITEMIZED             | 50       |
| 961<br>962 | 4618160904600<br>4618160904700 | INSOLE FOOT FOR PEDIATRIC ORTHOSIS 23-24 INSOLE FOOT FOR PEDIATRIC ORTHOSIS 25    | INSOLE, FOOT, FOR PEDIATRIC ORTHOSIS, SIZE 23-24 INSOLE, FOOT, FOR PEDIATRIC ORTHOSIS, SIZE 25                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | PAA<br>PAA | ITEMIZED<br>ITEMIZED | 50<br>50 |
| 963        | 4618160904800                  | INSOLE FOOT FOR PEDIATRIC ORTHOSIS 26                                             | INSOLE, FOOT, FOR PEDIATRIC ORTHOSIS, SIZE 26                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | PAA        | ITEMIZED             | 50       |
| 964<br>965 | 4618160904900<br>4618160905000 | INSOLE FOOT FOR PEDIATRIC ORTHOSIS 27-28 INSOLE FOOT FOR PEDIATRIC ORTHOSIS 31-32 | INSOLE, FOOT, FOR PEDIATRIC ORTHOSIS, SIZE 27-28 INSOLE, FOOT, FOR PEDIATRIC ORTHOSIS, SIZE 31-32                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | PAA<br>PAA | ITEMIZED<br>ITEMIZED | 50<br>50 |
| 966<br>967 | 4618160905100<br>4618160905200 | INSOLE FOOT FOR PEDIATRIC ORTHOSIS 33-34 INSOLE FOOT FOR PEDIATRIC ORTHOSIS 35    | INSOLE, FOOT, FOR PEDIATRIC ORTHOSIS, SIZE 33-34 INSOLE, FOOT, FOR PEDIATRIC ORTHOSIS, SIZE 35                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | PAA<br>PAA | ITEMIZED<br>ITEMIZED | 50<br>50 |
| 968        | 4618160905300                  | INSOLE FOOT FOR PEDIATRIC ORTHOSIS 35                                             | INSOLE, FOOT, FOR PEDIATRIC ORTHOSIS, SIZE 36                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | PAA        | ITEMIZED             | 50       |
| 969        | 4224170602000                  | INSOLE SHOE SIZE 10-11 MEN                                                        | INSOLE, SHOE, SIZE 10 - 11, MEN, GREEN DOT, SOFT SILICONE,<br>COMFORT, NON-COMPRESSIBLE, DUAL DENSITY, WASHABLE,<br>TRANSFERABLE, HYPOALLERGENIC, NON-TOXIC, NON-<br>FLAMMABLE, ODOR FREE                                                                                                                                                                                                                                                                                                                                                                                                                                                         | PC         | ITEMIZED             | 1800     |
| 970        | 4224170602500                  | INSOLE SHOE SIZE 10 - 11 WOMEN SOFT                                               | INSOLE, SHOE, SIZE 10 - 11, WOMEN, GREEN DOT, SOFT<br>SILICONE, COMFORT, NON-COMPRESSIBLE, DUAL DENSITY,<br>WASHABLE, TRANSFERABLE, HYPOALLERGENIC, NON-TOXIC,<br>NON-FLAMMABLE, ODOR FREE                                                                                                                                                                                                                                                                                                                                                                                                                                                        | PC         | ITEMIZED             | 1000     |
| 971        | 4224170602100                  | INSOLE SHOE SIZE 12-13 MEN                                                        | INSOLE, SHOE, SIZE 12 - 13, MEN, GREEN DOT, SOFT SILICONE,<br>COMFORT, NON-COMPRESSIBLE, DUAL DENSITY, WASHABLE,<br>TRANSFERABLE, HYPOALLERGENIC, NON-TOXIC, NON-<br>FLAMMABLE, ODOR FREE                                                                                                                                                                                                                                                                                                                                                                                                                                                         | PC         | ITEMIZED             | 1800     |
| 972        | 4224170602200                  | INSOLE SHOE SIZE 14-15 MEN                                                        | INSOLE, SHOE, SIZE 14-15, MEN, GREEN DOT, SOFT SILICONE,<br>COMFORT, NON-COMPRESSIBLE, DUAL DENSITY, WASHABLE,<br>TRANSFERABLE, HYPOALLERGENIC, NON-TOXIC, NON-<br>FLAMMABLE, ODOR FREE                                                                                                                                                                                                                                                                                                                                                                                                                                                           | PC         | ITEMIZED             | 1800     |
| 973        | 4224170602600                  | INSOLE SHOE SIZE 4 - 5 WOMEN SOFT                                                 | INSOLE, SHOE, SIZE 4 - 5, WOMEN, GREEN DOT, SOFT<br>SILICONE, COMFORT, NON-COMPRESSIBLE, DUAL DENSITY,<br>WASHABLE, TRANSFERABLE, HYPOALLERGENIC, NON-TOXIC,<br>NON-FLAMMABLE, ODOR FREE                                                                                                                                                                                                                                                                                                                                                                                                                                                          | PC         | ITEMIZED             | 1000     |
| 974        | 4224170602300                  | INSOLE SHOE SIZE 6-7 MEN SILICONE                                                 | INSOLE, SHOE, SIZE 6 - 7, MEN, GREEN DOT, SOFT SILICONE,<br>COMFORT, NON-COMPRESSIBLE, DUAL DENSITY, WASHABLE,<br>TRANSFERABLE, HYPOALLERGENIC, NON-TOXIC, NON-<br>FLAMMABLE, ODOR FREE                                                                                                                                                                                                                                                                                                                                                                                                                                                           | PC         | ITEMIZED             | 1800     |
| 975        | 4224170602700                  | INSOLE SHOE SIZE 6 - 7 WOMEN SOFT                                                 | INSOLE, SHOE, SIZE 6 - 7, WOMEN, GREEN DOT, SOFT<br>SILICONE, COMFORT, NON-COMPRESSIBLE, DUAL DENSITY,<br>WASHABLE, TRANSFERABLE, HYPOALLERGENIC, NON-TOXIC,<br>NON-FLAMMABLE, ODOR FREE                                                                                                                                                                                                                                                                                                                                                                                                                                                          | PC         | ITEMIZED             | 1000     |
| 976        | 4224170602400                  | INSOLE SHOE SIZE 8-9 MEN SILICONE                                                 | INSOLE, SHOE, SIZE 8 - 9, MEN, GREEN DOT, SOFT SILICONE,<br>COMFORT, NON-COMPRESSIBLE, DUAL DENSITY, WASHABLE,<br>TRANSFERABLE, HYPOALLERGENIC, NON-TOXIC, NON-<br>FLAMMABLE, ODOR FREE                                                                                                                                                                                                                                                                                                                                                                                                                                                           | PC         | ITEMIZED             | 1800     |
|            |                                |                                                                                   | •                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |            |                      |          |

6/21/2022 Page 71 of 160

|     |               |                                          | INSOLE, SHOE, SIZE 8 - 9, WOMEN, GREEN DOT, SOFT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |     |          |      |
|-----|---------------|------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|------|
| 977 | 4224170602800 | INSOLE SHOE SIZE 8 - 9 WOMEN SOFT        | SILICONE, COMFORT, NON-COMPRESSIBLE, DUAL DENSITY, WASHABLE, TRANSFERABLE, HYPOALLERGENIC, NON-TOXIC, NON-FLAMMABLE, ODOR FREE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | PC  | ITEMIZED | 1000 |
| 978 | 4618160903400 | INSOLE SILICONE SHORT W/LONGITUDNAL ARCH | INSOLE, SILICONE SHORT, WITH INTERNAL LONGITUDINAL ARCH AND SUBCAPITAL SUPPORT IN THE CENTRAL AREA, PERFECT FOR HEELS AND TIGHT SHOES, THEY FIT TO YOUR BODY TEMPERATURE, WASHABLE, MAINTAINS AN EVEN DISTRIBUTION OF PRESSURE IN THE SOLE OF THE FOOT, PERFORMS A CUSHIONING FUNCTION OF THE IMPACT OF THE FOOT AGAINST THE GROUND, PLANTAR PAIN, METATARSAL AREA PAIN, PLANTAR OVERLOADING, HEEL OVERLOAD, PEOPLE WHO SPEND LONG STANDING                                                                                                                                                                                                                              | EA  | ITEMIZED | 1800 |
| 979 | 4118161000000 | INSOLE VISCO ELASTIC GEL                 | INSOLE, VISCO ELASTIC GEL, DESIGNED WITH MEDICAL GRADE GEL AND ALOE VERA ESSENCE, ITS DESIGN ALLOWS THE BREATHABILITY OF THE GEL AND FACILITATES THE FLOW OF AIR WITH EACH STEP AVOIDING THE WINDY EFFECT, LINED WITH TECHNICAL FABRIC WITH PERMANENT EFFECT, ANTIBACTERIAL, 100% BREATHABLE, ABSORBENT, ANTI- ODOR, ANTI- MITE, AND THERMOREGULATOR FOR ALL SKIN TYPES, HOMOGENEOUS DISTRIBUTION OF LOADS ON THE FOOT, DAMPING OF THE IMPACT OF THE FOOT AGAINST THE GROUND, PAIN RELIEF ALONG THE CHAIN OF IMPACT, PROTECTS OVERLOAD ON THE FEET, KNEES, AND COLUMN PLANTAR PAIN OVERLOAD SPORT PRACTICE PEOPLE WHO REMAIN LONG STANDING TO CUT ACCORDING TO SHOE SIZE | EA  | itemized | 50   |
| 980 | 4618160902900 | INSOLES FULL LENGTH MEDIUM EACH SIZE 20  | INSOLES, FULL LENGTH, MULTIFORM, SIZE, FROM 19/20-46,<br>MEDIUM WIDTH, EACH SIZE 20                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | PAA | ITEMIZED | 100  |
| 981 | 4224171300600 | ISCHIAL BAND STEEL 320X35X2MM            | ISCHIAL BAND STEEL, 320 MM LENGTH, 35 MM WIDTH, 2 MM THICK                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | PC  | ITEMIZED | 8    |
| 982 | 4224200020600 | JOINT ANKLE ADJUSTABLE PLANTAR FLEXION   | JOINT ANKLE INDEPENDENTLY ADJUSTABLE PLANTAR FLEXION RESIST INDEPENDENTLY ADJUSTABLE RANGE OF MOTION INDEPENDENTLY ADJUSTABLE ORSFILEZION RESIST INDEPENDENTLY ADJUSTABLE ANKLE ALIGNMENT IDEAL FOR COMPLEX ANKLE OF KNEE DEFICIENCIES IDEAL FOR CHANGING ANKLE OF KNEE DEFICIENCIES MEDIAL/LATERAL CONTROL MOTION LIMITING RESIST DORSFILEXION AND/OR PLANTAR FLEXION                                                                                                                                                                                                                                                                                                   | EA  | ITEMIZED | 150  |
| 983 | 4224200115000 | JOINT KNEE FREE MOTION STOP POST OFFSET  | JOINT KNEE FREE MOTION WITH 180 DEGREE EXTENSION STOP POSTERIOR OFFSET PROVIDES MEDICLATERAL KNEE STABILITY DOES NOT LIMIT FUNCTIONAL KNEE FLEXION RANGE OF MOTION VARUS/VALGUS CONTOURS AVAILABLE INFANT SIZE S AVAILABLE ALUMINUM ROUNDED ALUMINUM SQUARED STAINLESS STEEL AND ITTAINUM UPRIGHTS AVAILABLE PROVIDE STABILITY DURING THE STANCE PHASE OF GAIT ALLOW UNRESTRICTED FLEXION THROUGH RANGE OF MOTION POSTERIOR OFSET PROVIDES LOAD RESPONSE STABILITY MEDIAL/LATERAL CONTROL GENU RECURVATUM                                                                                                                                                                | EA  | ITEMIZED | 100  |
| 984 | 4224200020400 | JOINT ANKLE ADJUSTABLE DORSIFLEXION      | JOINT, ANKLE ADJUSTABLE DORSIFLEXION ASSIST, PROVIDES RESISTANCE TO PLANTAR FLEXION, MOTION PROVIDES ASSISTANCE TO DORSIFLEXION, MOTION ANKLE JOINTS AND UPRIGHTS ARE AVAILABLE IN STAINLESS STEEL AND ALUMINUM, STIRRUPS ARE STAINLESS STEEL, MEDIAL/LATERAL CONTROL MOTION, LIMITING ASSIST DORSIFLEXION, ANKLE JOINTS, COMPONENTS AND ACCESSORIES FOR INCLUSION IN AN ORTHOSIS TO PROVIDE CONTROLLED DORSIFLEXION ASSIST/ PLANTARFLEXION RESIST                                                                                                                                                                                                                       | EA  | ITEMIZED | 50   |
| 985 | 4224200020500 | JOINT ANKLE ADJ.PLANTAR/DORSIFLEXION     | JOINT, ANKLE ADJUSTABLE PLANTARFLEXION AND DORSIFLEXION, PROVIDES RESISTANCE TO PLANTARFLEXION, MOTION, PROVIDES RESISTANCE TO DORSIFLEXION, MOTION ANKLE JOINTS ARE AVAILABLE IN STAINLESS STEEL AND ALLUMINUM, STIRRUPS ARE STAINLESS STEEL UPRIGHTS ARE AVAILABLE IN STAINLESS STEEL, TITANIUM, AND ALUMINUM, MEDIAL/LATERAL CONTROL MOTION, LIMITING ASSIST DORSIFLEXION AND/OR PLANTAR FLEXION, ANKLE JOINTS COMPONENTS AND ACCESSORIES FOR INCLUSION IN AN ORTHOSIS TO INFLUENCE DORSIFLEXION/PLANTARFLEXION ACTION                                                                                                                                                | EA  | ITEMIZED | 50   |
| 986 | 4224200136500 | JOINT ANKLE FLEX SYS FULL RANGE OPTIONS  | JOINT, ANKLE FLEXIBLE SYSTEM, FULL RANGE OF OPTIONS, FOR THERMOPLASTIC ORTHOSIS POSTERIOR, STOP INCLUDED FLEXIBLE ANKLE JOINT SYSTEM, IDEAL FOR MAXIMUM FUNCTIONAL STRETCH, PROVIDES MEDIOLATERAL CONTROL LIMITS MOTION, MEDIAL/LATERAL CONTROL MOTION, LIMITING ASSIST DORSIFLEXION AND/OR PLANTAR FLEXION                                                                                                                                                                                                                                                                                                                                                              | EA  | ITEMIZED | 1250 |
| 987 | 4224200021300 | JOINT ANKLE NYLON FREE MOTION            | JOINT, ANKLE, NYLON, FUNCTIONS AS A FREE MOTION JOINT, COST - EFFECTIVE, PROVIDES MEDIOLATERAL CONTROL CAN BE CONFIGURED TO LIMIT MOTION WHEN COMBINED WITH A POSTERIOR, STOP STRONGER THAN POLYPROPYLENE VERSION, MEDIAL/LATERAL CONTROL MOTION, LIMITING ASSIST DORSIFLEXION AND/OR PLANTAR FLEXION                                                                                                                                                                                                                                                                                                                                                                    | EA  | ITEMIZED | 50   |
| 988 | 4224200021200 | JOINT ANKLE POLYPROPYLENE                | JOINT, ANKLE, POLYPROPYLENE, FUNCTIONS AS A FREE MOTION JOINT, AVAILABLE IN NATURAL AND BLACK, COST-EFFECTIVE, PROVIDES MEDIOLATERAL CONTROL CAN BE CONFIGURED TO LIMIT MOTION WHEN COMBINED WITH A POSTERIOR STOP, MEDIAL/LATERAL CONTROL MOTION LIMITING ASSIST DORSIFLEXION AND/OR PLANTAR FLEXION                                                                                                                                                                                                                                                                                                                                                                    | EA  | ITEMIZED | 50   |
| 989 | 4224200020000 | JOINT KNEE LEVER LOCK AUTOMATIC ANGLED   | JOINT, KNEE LEVER LOCK, AUTOMATIC ANGLED LEVER LOCK, AUTOMATICALLY ENGAGES WHEN THE JOINT REACHES FULL EXTENSION, OPTIONAL ANTERIOR, PULL CABLE TO DISENGAGE BOTH LOCKS SIMULTANEOUSLY, ALUMINUM ROUNDED, STAINLESS STEEL, AND TITANIUM UPRIGHTS AVAILABLE, MODULAR DESIGN PROVIDE STABILITY DURING THE STANCE, PHASE OF GAIT, MEDIAL/LATERAL CONTROL, GENU RECURVATUM PROFOUND QUADRICEP INSTABILITY                                                                                                                                                                                                                                                                    | EA  | ITEMIZED | 150  |

6/21/2022 Page 72 of 160

| 990  | 4224200114600 | JOINT KNEE LEVER LOCK SYS ACCESS MOTION  | JOINT, KNEE LEVER LOCK, LEVER LOCK SYSTEM ANIS OF MOTION POSTERIOR TO UPRIGHT, ALUMINUM ROUNDED, ALUMINUM SQUARED, STAINLESS STEEL, AND TITANIUM UPRIGHTS AVAILABLE, VARUS/VALGUS CONTOURS, AVAILABLE CAN BE COMBINED WITH LEVER RELEASE KIT, PROVIDE STABILITY, DURING THE STANCE PHASE OF GAIT LEVER LOCKS, AUTOMATICALLY AT FULL EXTENSION, POSTERIOR OFFSET PROVIDES LOAD RESPONSE, STABILITY CONVENIENT, UNLOCKING WHEN COMBINED WITH LEVER RELEASE KIT, MEDIAL/LATERAL CONTROL, GENU RECURVATUM PROFOUND QUADRICEP INSTABILITY | EA  | ITEMIZED | 100 |
|------|---------------|------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|-----|
| 991  | 4224200114700 | JOINT KNEE FREE MOTION STOP FLEXION      | JOINT, KNEE, FREE MOTION, FREE MOTION, 180 DEGREE EXTENSION, STOP UNRESTRICTED FLEXION THROUGH FULL RANGE OF MOTION, ALUMINUM ROUNDED, ALUMINUM SQUARED, STAINLESS STEEL, AND TITANIUM UPRIGHTS AVAILABLE UNRESTRICTED FLEXION THROUGH FULL RANGE OF MOTION, MEDIAL/LATERAL CONTROL GENU RECURVATUM                                                                                                                                                                                                                                  | EA  | ITEMIZED | 100 |
| 992  | 4224200114500 | JOINT KNEE LEVER LOCK SPRING LOADED      | JOINT, KNEE, LEVER LOCK, SPRING LOADED LEVER SYSTEM, AUTOMATIC LOCKING, ALUMINUM ROUNDED, ALUMINUM SQUARED, STAINLESS STEEL AND ITTAINIUM PERIGHTS, AVAILABLE CAN BE COMBINED WITH LEVER RELEASE KIT, PROVIDE STABILITY DURING THE STANCE PHASE OF GAIT, AUTOMATIC LOCKING, CONVENIENT UNLOCKING WHEN COMBINED WITH LEVER RELEASE KIT, GENU RECURVATUM, MEDIAL/LATERAL CONTROL, PROFOUND QUADRICEP INSTABILITY                                                                                                                       | EA  | ITEMIZED | 100 |
| 993  | 4224200114900 | JOINT KNEE LEVER LOCK INC/DEC KNEE EXT   | JOINT, KNEE, LEVER LOCK, SYSTEM, INCREASE/DECREASE KNEE EXTENSION IN 6 DEGREE INTERVALS, KNEE LOCKS WHEN SET EXTENSION IS METAL ALUMINUM, ROUNDED, AND STAINLESS STEEL UPRIGHTS AVAILABLE CAN BE COMBINED WITH LEVER, RELEASE KIT VARYING DEGREES OF KNEE EXTENSION OPTIMAL FOR PERSONS THAT CANNOT REACH, FULL KNEE EXTENSION, MEDIAL/LATERAL CONTROL GENU RECURVATUM PROFOUND QUADRICEP INSTABILITY STATIC POSITIONING FLEXURE CONTRACTURE                                                                                         | EA  | ITEMIZED | 100 |
| 994  | 4224200115700 | JOINT KNEE RATCHET LOCK                  | JOINT, KNEE, RATCHET, LOCK, PROMOTES FULL KNEE EXTENSION THROUGH INCREMENTAL RANGE OF KNEE FLEXION, SECURE SEM! - AUTOMATIC LOCKING MECHANISM, ALUMINUM ROUNDED, STAINLESS STEEL AND TITANIUM UPRIGHTS AVAILABLE, PROVIDE STABILITY DURING THE FLEXION STAGE OF THE KNEE, DISTINCTIVE ANTERIOR LOW PROFILE LOCKING MECHANISMS LOCK CAN BE QUICKLY AND EASILY DISENGAGED, MEDIAL LATERAL INSTABILITY, STATIC PROGRESSIVE POSITIONING RANGE OF MOTION LIMITING                                                                         | EA  | ITEMIZED | 70  |
| 995  | 4224200114300 | JOINT KNEE RING LOCK STRONGEST           | JOINT, KNEE, RING LOCK, RING LOCK EXTENDED, LOCKING SURFACE DROP, LOCK ALUMINUM ROUNDED, ALUMINUM SQUARED, STAINLESS STEEL, AND TITANIUM UPRIGHTS AVAILABLE, STRONGEST RING LOCK KNEE JOINT, PROVIDES STABILITY DURING THE STANCE PHASE OF GAIT, MEDIAL/LATERAL CONTROL, GENUR RECURVATUM, PROFOUND QUADRICEP INSTABILITY                                                                                                                                                                                                            | EA  | ITEMIZED | 100 |
| 996  | 4224200115500 | JOINT KNEE RING LOCK AXIS OF MOTION      | JOINT, KNEE, RING LOCK, RING LOCK, AXIS OF MOTION, POSTERIOR, DOTE PROPERT PROVIDES, MEDIOLATERAL, KNEE STABILITY, PROVIDES ANTERIO-POSTERIOR, DOTES ANTERIO-POSTERIOR, DOTES, AVAILABLE IN FANT SIZE S, AVAILABLE ALUMINUM FOUNDED, ALUMINUM SQUARED, STAINLESS STEEL, AND TITANIUM UPRIGHTS AVAILABLE, PROVIDE STABILITY, DURING THE STANCE PHASE OF GAIT, MEDIAL/LATERAL CONTROL, GENU RECURVATUM, PROFOUND QUADRICEP, INSTABILITY                                                                                                | EA  | ITEMIZED | 70  |
| 997  | 4224200114400 | JOINT KNEE RING LOCK MEDIAL/LATL CONTROL | JOINT, KNEE, RING LOCK, RING LOCKDROP, LOCK NO PROTRUSION, WHEN FLEXED ALUMINUM ROUNDED, ALUMINUM SQUARED, STAINLESS STEEL, AND TITANIUM UPRIGHTS, AVAILABLE, INFANT SIZE S, AVAILABLE VARUS/AGUS CONTOURS, AVAILABLE, NO PROTRUSION WHEN FLEXED, PROVIDES STABILITY, DURING THE STANCE PHASE OF GAIT, MEDIAL/LATERAL CONTROL, GRNU RECURVATUM, PROFOUND QUADRICEP INSTABILITY                                                                                                                                                       | EA  | ITEMIZED | 100 |
| 998  | 4224200020200 | JOINT KNEE STANCE CONTROL LOCKS KNEE     | JOINT, KNEE, STANCE, CONTROL, LOCKS THE KNEE, DURING STANCE PHASE, AND ALLOWS FREE KNEE MOTION, DURING SWING, RESISTS KNEE FLEXION, AT ANY ANGLE, POSITIVE LOCK, ENGAGED AT FULL EXTENSION, ALUMINUM ROUNDED, STAINLESS STEEL, AND TITANIUM UPRIGHTS, AVAILABLE, PROVIDE KNEE STABILITY, EVEN IF FULL EXTENSION IS NOT REACHED, MODULAR DESIGN, DURABLE, ACTIVE BUT RESISTIVE FLEXION, AT KNEE QUADRICEP, WEAKNESS, LACK OF KNEE CONTROL, KNEE FLEXURE CONTRACTURE, GENU RECURVATUM                                                  | EA  | ITEMIZED | 50  |
| 999  | 4224200115300 | JOINT KNEE TRIGGER LOCK SPRING LEVER SYS | JOINT, KNEE, TRIGGER LOCK SPRING LOADED LEVER SYSTEM, AUTOMATICALLY ENGAGED LOCK, ALUMINUM ROUNDED, ALUMINUM SQUARED, STAINLESS STEEL AND TITANIUM UPRIGHTS, AVAILABLE TRIGGER LOCK RELEASE SYSTEM PROVIDE STABILITY DURING THE STANCE PHASE OF GAIT, TRIGGER ALLOWS THE JOINT TO BE UNLOCKED WITHOUT BENDING MEDIAL/LATERAL CONTROL, GERUN RECURVATUM, PROFOUND QUADRICEP INSTABILITY                                                                                                                                               | EA  | ITEMIZED | 90  |
| 1000 | 4224200133400 | JOINT ORTHOTIC ANKLE MODULAR SYSTEM      | JOINT, ORTHOTIC, ANKLE, MODULAR SYSTEM, JOINT BODY, DOUBLE ACTION FUNCTION, INTERCHANGEABLE FUNCTION MODULES, ADJUSTABLE TO REHABILITATION, PROCESS, ENERGY RETURN, FUNCTION, CONTINUOUSLY ADJUSTABLE, CONTROL OF PLANTAR FLEXION, AND DORSAL EXTENSION, FOR PARTIAL OR TOTAL PARALYSIS, OF THE LEG MUSCLES, MAINLY IN CASE OF NEUROLOGICAL DISCASES, SUCH AS: INCOMPLETE SPINAL CORD, INJURY (ISC), TRAUMATIC BRAIN INJURY, INFANTILE, CEREBRAL PALSY, AND STROKE                                                                   | КІТ | ITEMIZED | 10  |

6/21/2022 Page 73 of 160

| 1001 | 4224200115100 | JOINT KNEE RING LOCK ADJ EXTENSION       | JOINT, RING, LOCK, KNEE, ADJUSTABLE EXTENSION STOP IN 6 DEGREE INTERVALS, ADJUSTABLE FLEXION, STOP IN 19 DEGREE INTERVALS, (A ND B), OR 23.75 DEGREE INTERVALS, (C SIZE) ALUMINUM, ROUNDED, AND STAINLESS STEEL, UPRIGHTS AVAILABLE, PROVIDE STABILITY, DURING THE STANCE PHASE OF GAIT, ADJUSTABLE EXTENSION TO RESTRICT, FULL LEG EXTENSION, MEDIAL LATERAL INSTABILITY, STATIC PROGRESSIVE POSITIONING, RANGE OF MOTION LIMITING                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | EA  | ITEMIZED | 130 |
|------|---------------|------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|-----|
| 1002 | 4224200020800 | JOINT ANKLE THERMOFORMABLE SELF CO ALIGN | JOINTS, ANKLE, THERMOFORMABLE, JOINTS SELF CO - ALIGN,<br>ALONG MEDIAL - LATERAL AXES, HIGH STRENGTH, INNER<br>FILAMENT CORE, EASY TO FABRICATE, PROVIDE SMOOTH<br>ARTICULATION, AVAILABLE IN 775, 85, OR 95 DUROMETER,<br>RESIST OR ASIST DORSHEEWION, PREVENTS ELONGATION,<br>ENSURE PRECISE HINGING ACTION, DURABLE,<br>MEDIAL/LATERAL CONTROL MOTION LIMITING ASSIST<br>DORSHEEXION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | EA  | ITEMIZED | 50  |
| 1003 | 4224200021000 | JOINT ARTICULATING LOWER UPPER EXTREMITY | JOINTS, ARTICULATING, IN LOWER AND UPPER EXTREMITY ORTHOSIS, MADE USING THERMOFORMABLE AND THERMOSET MATERIALS CONSTRUCTED OF STAINLESS STEEL, VARIABLE DORSIFLEXION, STOP FREE MOTION ANKLE JOINT, SPHERICAL HINGE, AUTOMATIC CO - ALIGNMENT OF THE MEDIAL AND LATERAL JOINT AXES, EASY TO FABRICATE EASIER ALIGNMENT PRECISE 24 DEGREE CONICAL RANGE ARTICULATING JOINTS IN LOWER AND UPPER EXTREMITY ORTHOSIS, MADE USING THERMOFORMABLE AND THERMOSET MATERIALS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | EA  | ITEMIZED | 50  |
| 1004 | 4920151900000 | KIT TWISTER BILATERAL                    | KIT THAT ENABLES THE TIBIAL TWISTER, ADJUSTMENT OVER THE LOWER LIMB, FEMORAL - TIBIAL ROTATION IS CORRECTED BY THE ACTION OF A TORSION ELEMENT, PLACED IN REVERSE ROTATION CORRECTION TREATMENT OF ROTATIONAL DISORDERS OF FEMUR AND TIBIA, KIT TWISTER BILATERAL ADJUSTABLE BELT WITH HIP ANKLE JOINT WITH CLAMP FOR BINDING TO THE FOOTWEAR, CALF ADJUSTMENT AND RING OF HEIGHT FIXATION, CABLE EASY TO CUIT AND ADJUST TO PATIENT LENGTH                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | EA  | ITEMIZED | 150 |
| 1005 | 4224200011000 | KIT MODULAR MAX. WT 100KG                | KIT, MODULAR, CONSISTING OF LIGHTWEIGHT SINGLE AXIS<br>KNEE JOINT WITH LOCK, ROTATABLE SOCKET ADAPTER WITH<br>PYRAMIO RECEIVER, TUBE ADAPTER, AND COSMETIC FOAM,<br>FOR LOW ACTIVITY, MAXIMUM WEIGHT 100 KG                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | SET | ITEMIZED | 100 |
| 1006 | 4224200139500 | KIT PROSTHSIS DYNAMIC FOOT TITANIUM 445G | KIT, PROSTHESIS, MODULAR, ABOVE KNEE, INCLUDING: DYNAMIC FOOT WITH PYRAMID WITH INNER FLEXIBLE FOOT, DORSAL REINFORCEMENT MEDIUM DENSITY HEEL AND RESEMBLES THE NATURAL FOOT SHAPE WITH SMOOTH SURFACE AND SANDAL TOE, TUBE ADAPTER AND TUBE CLAMP ADAPTER "TITANIUM", MODULAR KNEE JOINT "TITANIUM", POLYCENTRIC, WITH INTEGRATED EXTENSION ASSIST "FOUR BAR" SWING PHASE SETTINGS CAN BE CONTINUOUSLY ADJUSTED THROUGH THE AXIS FRICTION AND EXTENSION ASSIST. THE EXTENSION STOP ALLOWS ADJUSTMENT OF THE INSTANTANEOUS CENTER OF ROTATION, KNEE FLEXION ANGLE 110", MAXIMUM WEIGHT OF THE KNEE JOINT: 445 GRAMS APPROXIMATELY, FOR BODY WEIGHT UP TO 100 KG, LAMINATION ANCHOR WITH PYRAMID RECEIVER, ROTATABLE, FOAM COVER, PERLON COSMETIC STOCKINGS, INTERNAL SOFT SOCKET, SIZE AND SIDE WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDIDAL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | кіт | ITEMIZED | 50  |
| 1007 | 4224200139900 | KIT PROSTHESIS LIGHTWEIGHT CARBON TI 2MM | KIII, PRUSIHESIS, MUDULAR, ABOVE KNEE, INCLUDING: LIGHTWEIGHT CARBON FOOT WITH PYRAMID AND COMPORTABLE FOLLOWER FOR CHARACTERISTICS, INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP, SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE, MULTI- AXIAL MOBILITY TO COMPENSATE FOR UNEVEN SURFACES AND COMFORTABLE WALKING UPHILL AND ON INCLINES, GOOD ENERGY RETURN IN THE FOREFOOT AND HEEL, GOOD SHOCK ABSORPTION, PROGRESSIVE SPRING CHARACTERISTICS, TUBE ADAPTER AND TUBE CLAMP ADAPTER "ITTANIUM", MODULAR POLYCENTRIC, KNEE JOINT WITH HYDRAULIC SWING PHASE CONTROL WITH THE ERGONOMICALLY BALANCED STRIDE FEATURE, HAS FIVE AXES ARRANGED IN A CIRCULAR FORM WHICH ALLOWS FOR TWO DIFFERENT MODES OF OPERATION: SWING PHASE MODE PLUS STANCE PHASE FLEXION MODE, ERGONOMICALLY BALANCED STRIDE (E. B. S) FUNCTION FOR CONTROLLED KNEE FLEXION AT HEEL STRIKE COMFORT AND SAFETY ARE ENSURED BY THE UNIQUE CHARACTERISTIC OF THE EBS ELASTIC FLEXION UNIT, FLEXION ANGLE OF 175", MAXIMUM WEIGHT OF THE KNEE JOINT: 385 GRANM SPPROXIMATELY, ROTATION ADAPTER FOR MODULAR PROSTHESIS, WITH PYRAMID, STANILESS STEEL, SYSTEM HEIGHT: 22 MM, WEIGHT UP TO 150 KG, ADAPTER (DOUBLE), ITTANIUM ABOVE AND BELOW WITH FOUR EACH ADJUSTMENT SCREWS FOR CONNECTION BETWEEN TOW PYRAMID ADAPTERS, LAMINATION ANCHOR WITH PYRAMID ROTATABLE, STANIBES STEEL SYSTEM HEIGHT: 20 MM, WEIGHT: 156 G. | КІТ | ITEMIZED | 50  |

6/21/2022 Page 74 of 160

| 1008 | 4224200140000 | KIT PROSTHSIS LW CARBON FT TITANM PT ASS | RII, PROSINEISIS, MODULAR, ABOVE KNEE, INCLIDINIO: LIGHTWEIGHT CARBON FOOT WITH PYRAMIO AND COMFORTABLE ROLLOVER CHARACTERISTICS, INCLIDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP, SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE, MULTI- AXIAL MOBILITY TO COMPENSATE FOR UNEVEN SURFACES AND COMFORTABLE WALKING UPHILL AND ON INCLINES, GOOD ENERGY RETURN IN THE FOREFOOT AND HEEL, GOOD SHOCK ABSORPTION, PROGRESSIVE SPRING CHARACTERISTICS, TUBE ADAPTER, AND TUBE CLAMP ADAPTER "ITTANIUM", MODULAR POLYCENTRIC, KNEE JOINT WITH HYDRAULIC SWING PHASE CONTROLL, WITH THE ERGONOMICALLY BALANCED STRIDE FEATURE, HAS FIVE AXES ARRANGED IN A CIRCULAR FORM WHICH ALLOWS FOR TWO DIFFERENT MODES OF OPERATION: SWING PHASE MODE, PLUS STANCE PHASE, FLEXION MODE, ERGONOMICALLY BALANCED STRIDE (E.B. S) FUNCTION FOR CONTROLLED KNEE FLEXION AT HEEL STRIKE COMFORT AND SAFETY ARE ENSURED BY THE UNIQUE CHARACTERISTIC OF THE EBS ELASTIC FLEXION UNIT, FLEXION ANGLE OF 175", MAXIMUM WEIGHT OF THE KNEE JOINT, 845 GRAMS APPROXIMATELY, ROTATION ADAPTER FOR MODULAR PROSTHESS, WITH PYRAMID, STAINLESS STEEL, SYSTEM HEIGHT: 22 MM, WEIGHT: 170 GRAMS, ROTATION: MAX. 360", FOR BODY WEIGHT UP TO 150 KG, ADAPTER (DOUBLE), TITANIUM ABOVE AND BELOW WITH FOUR EACH ADJUSTMENT SCREWS FOR CONNECTION BETWEEN TWO PYRAMID ADAPTERS, LAMINATION ANCHOR WITH PYRAMID ADAPTERS, | кіт | ITEMIZED | 50 |
|------|---------------|------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|----|
| 1009 | 4224200137000 | KIT PROSTHESIS SACH FT SSTEEL PT ASSESS  | CTAINLESC STEEL CYCTEM BEIGHT - 3 MM MIGHT - 16C.  KIT, PROSTHESIS, MODULAR, ABOVE KINE, INCLUDING: SACH FOOT WITH TOES, FOOT ADAPTER, TUBE CLAMP ADAPTER, TUBE ADAPTER, LAMINATION ANCHOR WITH PYRAMID, ROTATABLE, FOAM COVER, PERLON COSMETIC STOCKINGS OR EQUIVALENT, INTERNAL SOFT SOCKET OR DERMA SEAL DOUBLE FORTE, ALL COMPONENTS FROM STAINLESS STEEL, SIZE AND SIDE WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL, INCLUDES - PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, INCLUDES ALL REQUIRED MATERIALS/COMPONENTS TO FABRICATE PROSTHESIS, DELIVERY, FITTING BY CERTIFIED ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | кіт | ITEMIZED | 50 |
| 1010 | 4224200139600 | KIT PROSTHESIS DYNAMIC FT TI 445G PT ASS | KIT, PROSTHESIS, MODULAR, ABOVE KNEE, INCLUDING: DYNAMIC FOOT WITH PYRAMID WITH INNER FLEXIBLE FOOT, DORSAL REINFORCEMENT MEDIUM DENISTH HELE AND RESEMBLES THE NATURAL FOOT SHAPE WITH SMOOTH SURFACE AND SANDAL TOE, TUBE ADAPTER AND TUBE CLAMP ADAPTER "TITANIUM", MODULAR KNEE JOINT "ITTANIUM", POLYCENTRIC, WITH INTEGRATED EXTENSION ASSIST "FOUR BAR" SWING PHASE SETTINGS CAN BE CONTINUOUSLY ADJUSTED THROUGH THE AXIS FRICTION AND EXTENSION ASSIST. THE EXTENSION STOP ALLOWS ADJUSTMENT OF THE INSTANTANEOUS CENTRE OF ROTATION, KNEE FLEXION ANGLE 110", MAXIMUM WEIGHT OF THE KNEE JOINT: 445 G APPOX, FOR BODY WEIGHT UP TO 100 KG, LAMINATION ANCHOR WITH PYRAMID RECEIVER, ROTATABLE, FOAM COVER, PERLON COSMETIC STOCKINGS, INTERNAL SOFT SOCKET, SIZE AND SIDE WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL. INCLUDES - PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MERSURING, INCLUDES ALL REQUIRED MATERIALS/COMPONENTS TO FABRICATE PROSTHESIS, MERSURING, INCLUDES ALL REQUIRED MATERIALS/COMPONENTS TO FABRICATE PROSTHESIS, DELIVERY, FITTING BY CERTIFIED ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP                                                                                                                                                                                                                              | кіт | ITEMIZED | 50 |
| 1011 | 4224200137700 | KIT PROSTHESIS DYNAMIC FT SSTEEL         | KIT, PROSTHESIS, MODULAR, ABOVE KNEE, INCLUDING: DYNAMIC FOOT WITH PYRAMID WITH INNER FLEXIBLE FOOT, DORSAL REINFORCEMENT MEDIUM DENSITY HEEL AND RESEMBLES THE NATURAL FOOT SHAPE WITH SMOOTH SURFACE AND SANDAL TOE, TUBE CLAMP ADAPTER, TUBE ADAPTER, LAMINATION ANCHOR WITH PYRAMID, ROTATABLE, FOAM COVER, PERLON COSMETIC STOCKINGS, INTERNAL SOFT SOCKET OR DERMA SEAL DOUBLE FORTE, ALL COMPONENTS FROM STAINLESS STEEL, SIZE AND SIDE WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | KIT | ITEMIZED | 50 |
| 1012 | 4224200137800 | KIT PROSTHESIS DYNAMIC FT SSTEEL PT ASS  | KIT, PROSTHESIS, MODULAR, ABOVE KNEE, INCLUDING: DYNAMIC FOOT WITH PYRAMID WITH INNER FLEXIBLE FOOT, DORSAL REINFORCEMENT MEDIUM DENSITY HEEL AND RESEMBLES THE NATURAL FOOT SHAPE WITH SMOOTH SURFACE AND SANDAL TOE, TUBE CLAMP ADAPTER, TUBE ADAPTER, LAMINATION ANCHOR WITH PYRAMID, ROTATABLE, FOAM COVER, PERLON COSMETICS TOCKINGS, INTERNAL SOFT SOCKET OR DERMA SEAL DOUBLE FORTE, ALL COMPONENTS FROM STAINLESS STEEL, SIZE AND SIDE WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL INCLUDES - PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, INCLUDES ALL REQUIRED MATERIALS/COMPONENTS TO FABRICATE PROSTHESIS, DELIVERY, FITTING BY CERTIFIED ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP, (REFERRING TO APPENDIX D SPECIAL CONDITIONS FOR CONVENTIONAL ABOVE KNEE AND BELOW KNEE PROSTHESIS)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | КІТ | ITEMIZED | 50 |
| 1013 | 4224200137900 | KIT PROSTHESIS DYNAMIC FOOT TITANIUM     | KIT, PROSTHESIS, MODULAR, ABOVE KNEE, INCLUDING: DYNAMIC FOOT WITH PYRAMID WITH INTER FLEXIBLE FOOT, DORSAL REINFORCEMENT MEDIUM DENSITY HEEL AND RESEMBLES THE NATURAL FOOT SHAPE WITH SMOOTH SURFACE AND SANDAL TOE, TUBE CLAMP ADAPTER, TUBE ADAPTER, LAMINATION ANCHOR WITH PYRAMID, ROTATABLE, FOAM COVER, PERLON COSMETIC STOCKINGS, INTERNAL SOFT SOCKET OR DERMA SEAL DOUBLE FORTE, ALL COMPONENTS FROM TITANIUM, SIZE AND SIDE WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | КІТ | ITEMIZED | 50 |

6/21/2022 Page 75 of 160

| 1014 | 4224200138000 | KIT PROSTHESIS DYNAMC FT TITANIUM PT ASS | KIT, PROSTHESIS, MODULAR, ABOVE KNEE, INCLIDING: DYNAMIC FOOT WITH PYRAMID WITH INNER FLEXIBLE FOOT, DORSAL REINFORCEMENT MEDIUM DENSITY HEEL AND RESEMBLES THE NATURAL FOOT SHAPE WITH SMOOTH SURFACE AND SANDAL TOE, TUBE CLAMP ADAPTER, TUBE ADAPTER, LAMINATION ANCHOR WITH PYRAMID, ROTATABLE, FOAM COVER, PERLON COSMETIC STOCKINGS, INTERNAL SOFT SOCKET OR DERMA SEAL DOUBLE FORTE, ALL COMPONENTS FROM TITANIUM, SIZE AND SIDE WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL. INCLUDES - PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, INCLUDES ALL REQUIRED MATERIALS/COMPONENTS TO FABRICATE PROSTHESIS, DELIVERY, FITTING BY CERTIFIED ORTHOTST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | кіт | ITEMIZED | 50 |
|------|---------------|------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|----|
| 1015 | 4224151800800 | KIT PROSTHESIS MULTI AXIAL FOOT ALUMINUM | KIT, PROSTHESIS, MODULAR, ABOVE KNEE, INCLUDING: MULTIAXIAL FOOT WITH PYRAMID, DIVIDED HEEL, 3-D SPACER SMOOTH TRANSITION FROM STANCE PHASE TO SWINS PHASE, MODULAR POLYCENTRIC KNEE JOINT "ALUMINUM" WITH PNEUMATIC SWING PHASE CONTROL, KNEE FLEXION ANGLE 170" AND THE LIGHT WEIGHT AND HIGH COMFORT, STANCE PHASE IS SECURED DUE TO THE 4- AXIS JOINT DESIGN, TUBE ADAPTER AND COSMETIC FOAM. MAXIMUM WEIGHT OF THE KNEE JOINT: 790 GRAMS APPROXIMATELY, FOR BODY WEIGHT UP TO 100 KG, LAMINATION ANCHOR WITH PYRAMID RECEIVER, ROTATABLE, FOAM COVER, PERLON COSMETIC STOCKINGS, SEALING LINER WITH TWO SEALING RING HEIGHTS, WITHOUT DISTAL CONNECTION, WITH THE ANTI-BACTERIAL PROPERTIES AND SKIN-FRIENDLY OILS THAT HELP MINIMIZE ODOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPUING WHILE PROTECTING THE SILICONE, WITH A TEXTURE ON THE INSIDE ENSURES THAT THE LINER CONNECTS WELL TO THE RESIDUAL LIMB WITHOUT STICKING, SLICK OUTER SURFACE WITHOUT TEXTILE FOR EASY DONNING AND DOFFING, NO-STRETCH MATRIX THE ENTIRE LENGTH OF LINER FOR REDUCED ELONGATION AND GOOD TISSUE MANAGEMENT, EASY TO BE CLEANED AND DRIED QUICKLY, SIZE AND SINLE WILLDE INSPECTION UDLO                                                                                                                                                                                                                                                                                        | KIT | ITEMIZED | 50 |
| 1016 | 4224151800900 | KIT PROSTHESIS M AXIAL FT ALUMNUM PT ASS | KII, PROSIHESIS, MODULAR, ABOVE KNEE, INCLUDING: MULTIAXIAL FOOT WITH PYRAMID, DIVIDED HEEL, 3-D SPACER SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE, MODULAR POLYCENTRIC KNEE JOINT "ALUMINUM" WITH PNEUMATIC SWING PHASE CONTROL, KNEE FLEXION ANGLE 170° AND THE LIGHT WEIGHT AND HIGH COMFORT, STANCE PHASE IS SECURED DUE TO THE 4- AXIS JOINT DESIGN, TUBE ADAPTER AND COSMETIC FOAM. MAXIMUM WEIGHT OF THE KNEE JOINT: 790 GRAMS APPROXIMATELY, FOR BODY WEIGHT UP TO 100 KG, LAMINATION ANCHOR WITH PYRAMID RECEIVER, ROTATABLE, FOAM COVER, PERLON COSMETIC STOCKINGS OR EQUIVALENT OR EQUIVALENT, SEALING LINER WITH TWO SEALING RING HEIGHTS, WITHOUT DISTAL CONNECTION, WITH THE ANTI-BACTERIAL PROPERTIES AND SKIN-FRIENDLY OILS THAT HELP MINIMIZE ODOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING WHILE PROTECTING THE SILICONE, WITH A TEXTURE ON THE INSIDE ENSURES THAT THE LINER CONNECTS WELL TO THE RESIDUAL LIMB WITHOUT STICKING, SLICK OUTER SURFACE WITHOUT TEXTILE FOR EASY DONNING AND DOFFING, NO-STRETCH MATRIX THE ENRIE LENGTH OF LINER FOR REDUCED ELONGATION AND GOOD TISSUE MANAGEMENT, EASY TO BE CLEANED AND DRIED QUICKLY, SIZE AND SIDE WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL. INCLUDES - PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, INCLUDES ALL REQUIRED MATERIALS/COMPONENTS TO FABRICATE                                                                                                  | кіт | ITEMIZED | 50 |
| 1017 | 4224200139700 | KIT PROSTHESIS M AXIAL FOOT TITANIUM     | MILTRAVIAL FOOT WITH PYRAMID, DIVIDED HEEL, 3-D SPACER SMOOTH TRANSITION FROM STANCE; INCLUDING: MULTIAXIAL FOOT WITH PYRAMID, DIVIDED HEEL, 3-D SPACER SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE, TUBE CLAMP ADAPTER "TITANIUM" MODULAR MONOCENTRIC KNEE JOINT WITH ROTARY HYDRAULCS, APPROVED FOO PROSTHESS WEARERS WITH A BODY WEIGHT OF UP TO 150 KG, BOTH THE STANCE AND THE SWING PHASE ARE CONTROLLED BY THE HYDRAULCS, AND WALKING DOWN INCLINES ARE EFFECTIVELY SUPPORTED BY CLOSELY APPROXIMATING A PHYSIOLOGICAL GAIT PATTERN, EVEN AT VARIOUS WALKING SPEEDS WATER PROOF CONSTRUCTION: CAN BE USED IN THE SHOWER OR IN THE POOL, INTEGRATED MANUAL LOCK OFFERS IMPROVED SAFETY IN WET AREAS AND MORE COMPORTABLE WHEN STANDING FOR EXTENDED PERIODS, INCLUDING TUBE ADAPTER IDAMFERS AMM, MAXIMUM MAXIMUM, WEIGHT OF THE KNEE JOINT: 1250 GRAMS APPROX, ROTATION ADAPTER FOR MODULAR PROSTHESIS, WITH PYRAMID, STAINLESS STEEL, SYSTEM HEIGHT: 22 MM, WEIGHT: 170 GRAMS, ROTATION: MAX. 360°, FOR BODY WEIGHT UP TO 150 KG, ADAPTER FOOUBLE, TITANIUM ABOVE AND BELDOW WITH FOUR EACH ADJUSTMENT SCREWS FOR CONNECTION BETWEEN TOW PYRAMID ADAPTERS, LAMINATION ANCHOR WITH PYRAMID ROTATABLE, STAINLESS STEEL, SYSTEM HEIGHT: 2 MM, WEIGHT: 155 GRAMS APPROXIMATELY, FOAM COVER, PERION COSMETIC STOCKINGS, SEALING LINRE WITH TWO SEALING RING HEIGHTS, WITHOUT DISTAL CONNECTION, WITH THE ANTI-BACTERIAL PROPERTIES AND SVILL BEIGHTING WITH THE ANTI-BACTERIAL PROPERTIES AND | KIT | ITEMIZED | 50 |

6/21/2022 Page 76 of 160

| 1018 | 4224200139800 | KIT PROSTHSIS M AXIAL FT TITANIUM PT ASS | KII, PROSIHESIS, MODULAR, ABOVE KNEE, INCLUDING: MULTIAXIAL FOOT WITH PYRAMID, DIVIDED HEEL, 3-D SPACER SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE, TUBE CLAMP ADAPTER "TITANIUM" MODULAR MONOCENTRIC KNEE JOINT WITH ROTARY HYDRAULICS, APPROVED FOR PROSTHESIS WEARERS WITH A BODY WEIGHT OF UP TO 150 KG, BOTH THE STANCE AND THE SWING PHASE ARE CONTROLLED BY THE HYDRAULICS, AND WALKING DOWN INCLINES ARE EFFECTIVELY SUPPORTED BY CLOSELY APPROXIMATING A PHYSIOLOGICAL GAIT PATTERN, EVEN AT VARIOUS WALKING SPEEDS WATER PROOF CONSTRUCTION: CAN BE USED IN THE SHOWER OR IN THE POOL, INTEGRATED MANUAL LOCK OFFERS IMPROVED SAFETY IN WET AREAS AND MORE COMFORTABLE WHEN STANDING FOR EXTENDED PERIODS, INCLUDING TUBE ADAPTER DAMM, MAXIMUM MAXIMUM, WEIGHT OF THE KNEE JOINT: 1250 GRAMS APPROXIMATELY, ROTATION ADAPTER FOR MODULAR PROSTHESIS, WITH PYRAMID, STAINLESS STEEL, SYSTEM HEIGHT: 22 MM, WEIGHT: 170 G, ROTATION: MAX. 360°, FOR BODY WEIGHT UP TO 150 KG, ADAPTER (DOUBLE), ITTANIUM ABOVE AND BELOW WITH FOUR EACH ADJUSTMENT SCREWS FOR CONNECTION BETWEEN TOW PYRAMID ADAPTERS, LAMINATION ANCHOR WITH PYRAMID ROTATBALE, STAINLESS STEEL, SYSTEM HEIGHT: 2 MM, WEIGHT: 155 GRAMS APPROXIMATELY, FOAM COVER, PERLON COSMETIC STOCKINGS, SEALING LINER WITH TWO SEALING RING HEIGHTS, WITHOUT DISTAL CONNECTION, WITH THE ANTI- ARCTERIAL DOLORS. | кіт | ITEMIZED | 50 |
|------|---------------|------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|----|
| 1019 | 4224200138500 | KIT PROSTHESIS M-AXIAL FOOT STAINLESS    | KIT, PROSTHESIS, MODULAR, ABOVE KNEE, INCLUDING: MULTIAXIAL FOOT WITH PYRAMID, DIVIDED HEEL, 3-D SPACER SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE, TUBE CLAMP ADAPTER, TUBE ADAPTER, JAMINATION ANCHOR WITH PYRAMID, ROTATBABE, FOAM COVER, PERLON COSMETIC STOCKINGS, ALL COMPONENTS FROM STAINLESS STEEL, SHUTTLE LOCK WITH DISTAL ADJUSTABLE PYRAMID COMPLETE SET, TO CONNECTION BETWEEN THE LINER AND PROSTHESIS, SYSTEM HEIGHT: 25 MM APPROXIMATELY. INCLUDING LAMINATION DUMMY SET WITH SCREW AND SILICONE LINER SOCKET WITH DISTAL CONNECTION, WITH HIGH SHOCK ABSORPTION WITH THE ANTI-BACTERIAL PROPERTIES AND SKIN-FRIENDLY OILS THAT HELP MININIZE ODOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING WHILE PROTECTING THE SILICONE WITH THE SPECIAL TEXTILE COVER MAKES THE LINER EASY TO PLOT ON AND TAKE OFF. INTERIOR TEXTURE: GENTLE ON THE SKIN WHEN DONNING AND DOFFING THE LINER, EASY TO CLEAN STERILIZATION, SIZE AND SIDE WILL BE SPECIETY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL                                                                                                                                                                                                                                                                                                                                         | КІТ | itemized | 50 |
| 1020 | 4224200138800 | KIT PROSTHESIS M AXIAL FT PYRAMID PT ASS | KIT, PROSTHESIS, MODULAR, ABOVE KNEE, INCLUDING: MULTIAXIAL FOOT WITH PYRAMID, DIVIDED HEEL, 3-D SPACER SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE, TUBE CLAMP ADAPTER, TUBE ADAPTER, LAMINATION ANCHOR WITH PYRAMID, ROTATABLE, FOAM COVER, PERLON COSMETIC STOCKINGS, ALL COMPONENTS FROM TITANIUM, SHUTTLE LOCK WITH DISTAL ADJUSTABLE PYRAMID COMPLETE SET, TO CONNECTION BETWEEN THE LINER AND PROSTHESIS, SYSTEM HEIGHT: 25 MM APPROXIMATELY INCLUDING LAMINATION DUMMY SET WITH SCREW AND SILCONE LINER SOCKET WITH DISTAL CONNECTION, WITH HIGH SHOCK ABSORPTION WITH THE ANTI-BACTERIAL PROPERTIES AND SKIN-FRIENDLY OILS THAT HELP MINIMIZE ODOR WHILE ALSO MAINTAINING SIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING WHILE PROTECTING THE SILCONE WITH THE SPECIAL TEXTILE COVER MAKES THE LINER EASY TO PLOT AND TAKE OFF. INTERIOR TEXTURE: GENTLE ON THE SKIN WHEN DONNING AND DOFFING THE LINER, EASY TO PLOT AND TAKE OFF. INTERIOR TEXTURE: GENTLE ON THE SKIN WHEN DONNING AND DOFFING THE LINER, EASY TO CLEAN STERILIZATION, SIZE AND SIDE WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL. INCLUDES - PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, INCLUDES ALL REQUIRED MATERIALS/COMPONENTS TO FABRICATE PROSTHESIS, DELIVERY, FITTING BY CERTIFIED ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP             | KIT | ITEMIZED | 50 |
| 1021 | 4224200138700 | KIT PROSTHSIS MULTI AXIAL FOOT W/PYRAMID | KIT, PROSTHESIS, MODULAR, ABOVE KNEE, INCLUDING: MULTIAXIAL FOOT WITH PYRAMID, DIVIDED HEEL, 3-D SPACER SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE, TUBE CLAWP ADAPTER, TUBE ADAPTER, LAMINATION ANCHOR WITH PYRAMID, ROTATABLE FOAM COVER, PERLON COSMETIC STOCKINGS OR EQUIVALENT, ALL COMPONENTS FROM TITANIUM SHUTTLE LOCK WITH DISTAL ADJUSTABLE PYRAMID COMPLETE SET TO CONNECTION BETWEEN THE LINER AND PROSTHESIS, SYSTEM HEIGHT. 25 MM APPROXIMATELY INCLUDING LAMINATION DUMMY SET WITH SCREW AND SILICONE LINER SOCKET WITH DISTAL CONNECTION WITH HIGH SHOCK ABSORPTION WITH THE ANTI-BACTERIAL PROPERTIES AND SKIN-FRIENDLY OILS THAT HELP MINIMIZE ODDR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING WHILE PROTECTING THE SILICONE WITH THE SPECIAL TEXTILE COVER MAKES THE LINER EASY TO PUT ON AND TAKE OFF, INTERIOR TEXTURE: GENTLE ON THE SKIN WHEN DONNING AND DOFFING THE LINER, EASY TO CLEAN STERILIZATION, SIZE AND SIDE WILL BE SPECIETY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL                                                                                                                                                                                                                                                                                                                                        | кіт | ITEMIZED | 50 |

6/21/2022 Page 77 of 160

| _    |               |                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |     | 1        |    |
|------|---------------|------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|----|
| 1022 | 4224200138600 | KIT PROSTHSIS M-AXIAL SSTEEL 25MM PT ASS | KIT, PROSTHESIS, MODULAR, ABOVE KNEE, INCLUDING: MULTIAXIAL FOOT WITH PYRAMID, DIVIDED HEEL, 3-D SPACER SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE, TUBE CLAMP ADAPTER, TUBE ADAPTER, LAMINATION ANCHOR WITH PYRAMID, ROTATABLE, FOAM COVER, PERLON COSMETIC STOCKINGS, ALL COMPONENTS FROM STAINLESS STEEL, SHUTTLE LOCK WITH DISTAL ADJUSTABLE PYRAMID COMPLETE SET, TO CONNECTION BETWEEN THE LINER AND PROSTHESIS, SYSTEM HEIGHT: 25 MM APPROXIMATELY INCLUDING LAMINATION DUMMY SET WITH SCREW AND SILICONE LINER SOCKET WITH DISTAL CONNECTION, WITH HIGH SHOCK ABSORPTION WITH THE ANTI-BACTERIAL PROPERTIES AND SKIN-FRIENDLY OILS THAT HELP MINIMIZE DOOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING WHILE PROTECTING THE SILICONE WITH THE SPECIAL TEXTILE COVER MAKES THE LINER LEASY TO PUT ON AND TAKE OFF. INTERIOR TEXTURE: GENTLE ON THE SKIN WHEN DONNING AND DOFFING THE ILIER, EASY TO PUT ON AND TAKE OFF. INTERIOR TEXTURE: GENTLE ON THE SKIN WHEN DONNING AND DOFFING THE LINER, EASY TO CLEAN STERILIZATION, SIZE AND SIDE WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL. INCLUDES - PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASJURING, INCLUDES ALL REQUIRED MATERIALS/COMPONENTS TO FABRICATE PROSTHESIS, DELIVERY, FITTING BY CERTIFIED ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | КІТ | itemized | 50 |
| 1023 | 4224200138200 | KIT PROSTHSS CARBON FT SSTEEL 25MM PX AX | KIT, PROSTHESIS, MODULAR, ABOVE KNEE, INCLUDING: PROSTHETIC CARBON FOOT, INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP AND FOOT ADAPTER, TUBE CLAMP, ADAPTER, TUBE ADAPTER, LAMINATION ANCHOR WITH PYRAMID, ROTATABLE, FOAM COVER, PERLON COSMETIC STOCKINGS, ALL COMPONENTS FROM STAINLESS STEEL, SHUTTLE LOCK WITH DISTAL ADJUSTABLE PYRAMID COMPLETE SET, TO CONNECTION BETWEEN THE LURER AND PROSTHESIS, SYSTEM HEIGHT: 25 MM APPROXIMATELY. INCLUDING LAMINATION DUMMY SET WITH SCREW AND SILICONE LINER SOCKET WITH DISTAL CONNECTION, WITH HIGH SHOCK ABSORPTION WITH THE ANTI-BACTERIAL PROPERTIES AND SKIN-FRIENDLY OILS THAT HELP MINIMIZE ODOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING WHILE PROTECTING THE SILICONE WITH THE SPECIAL TEXTILE COVER MAKES THE LINER EASY TO PLY ON AND TAKE OFF, INTERIOR TEXTURE: GENTLE ON THE SKIN WHEN DONNING AND DOFFING THE LUNER, EASY TO CLEAN STERILIZATION, SIZE AND SIDE WILLB ES SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL, INCLUDES - PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, INCLUDES ALL REQUIRED MATERIALS/COMPONENTS TO FABRICATE PROSTHESIS, DELIVERY, FITTING BY CERTIFIED ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | кіт | itemized | 50 |
| 1024 | 4224200138400 | KIT PROSTHESIS CARBON FT TI 25MM PT ASS  | KIT, PROSTHESIS, MODULAR, ABOVE KNEE, INCLUDING: PROSTHETIC CARBON FOOT, INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP AND FOOT ADAPTER, TUBE CLAMP ADAPTER, TUBE ADAPTER, LAMINATION ANCHOR WITH PYRAMID, ROTATABLE, FOAM COVER, PERLON COSMETIC STOCKINGS, ALL COMPONENTS FROM TITANIUM, SHUTTLE LOCK WITH DISTAL ADJUSTABLE PYRAMID COMPLETE SET, TO CONNECTION BETWEEN THE LURR AND PROSTHESIS, SYSTEM HEIGHT: 25 MM APPROXIMATELY. INCLUDING LAMINATION DUMMY SET WITH SCREW AND SILICONE LINER SOCKET WITH DISTAL CONNECTION, WITH HIGH SHOCK ABSORPTION WITH THE ANTI-BACTERIAL PROPERTIES AND SKIN-FRIENDLY OILS THAT HELP MINIMIZE ODOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING WHILE PROTECTIONS THE SILICONE WITH THE SPECIAL TEXTILE COVER MAKES THE LINER EASY TO PUT ON AND TAKE OFF, INTERIOR TEXTURE: GENTLE ON THE SKIN WHEN DONNING AND DOFFING THE LINER, EASY TO CLEAN STERILIZATION, SIZE AND SIDE WILL BE SPECIFY WHEN ONDERED FOR EACH PATIENT INDIVIDUAL, INCLUDES - PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MESSURING, INCLUDES ALL BEQUIRED MATERIALS, COASQUING, INCLUDES ALL BEQUIRED MATERIALS AND ASSERVED AND AND ASSERVED. | KIT | ITEMIZED | 50 |
| 1025 | 4224200138100 | KIT PROSTHESIS CARBON FOOT STEEL 25MM    | KIT, PROSTHESIS, MODULAR, ABOVE KNEE, INCLUDING: PROSTHETIC CARBON FOOT, INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP AND FOOT ADAPTER, TUBE CLAMP ADAPTER, TUBE ADAPTER, TABININATION ANCHOR WITH PYRAMID, ROTATABLE, FOAM COVER, PERLON COSMETIC STOCKINGS, ALL COMPONENTS FROM STAINLESS STEEL, SHUTTLE LOCK WITH DISTAL ADJUSTABLE PYRAMID COMPLETE SET, TO CONNECTION BETWEEN THE LINER AND PROSTHESIS, SYSTEM HEIGHT: 25 MM APPROXIMATELY. INCLUDING LAMINATION DUMMY SET WITH SCREW AND SILICONE LINER SOCKET WITH DISTAL CONNECTION, WITH HIGH SHOCK ABSORPTION WITH THE ARTH-BACTERIAL PROPERTIES AND SKIN-FRIENDLY OILS THAT HELP MINIMIZE ODOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING WHILE PROTECTING THE SILICONE WITH THE SPECIAL TEXTILE COVER MAKES THE LINER EASY TO ULEAN STERILIZATION, SIZE AND SIDE WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | кіт | ITEMIZED | 50 |

6/21/2022 Page 78 of 160

|      |               |                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |     |          | r  |
|------|---------------|------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|----|
| 1026 | 4224200138300 | KIT PROSTHESIS CARBON FOOT TITANIUM 25MM | KIT, PROSTHESIS, MODULAR, ABOVE KNEE, INCLUDING: PROSTHETIC CARBON FOOT, INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP AND FOOT ADAPTER, TUBE CLAMP ADAPTER, TUBE ADAPTER, LAMINATION ANCHOR WITH PYRAMID, ROTATABLE, FOAM COVER, PERLON COSMETIC STOCKINGS, ALL COMPONENTS FROM TITANIUM, SHUTTLE LOCK WITH DISTAL ADJUSTABLE PYRAMID COMPLETE SET, TO CONNECTION BETWEEN THE LINER AND PROSTHESIS, SYSTEM HEIGHT: 25 MM APPROXIMATELY. INCLUDING LAMINATION DUMMY SET WITH SCREW AND SILICONE LINER SOCKET WITH DISTAL CONNECTION, WITH HIGH SHOCK ABSORPTION WITH THE ANTI-BACTERIAL PROPERTIES AND SKIN-FRIENDLY OILS THAT HELP MINIMIZE ODOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING WHILE PROTECTING THE SILICONE WITH THE SPECIAL TEXTILE COVER MAKES THE LINER EASY TO PUT ON AND TAKE OFF, INTERIOR TEXTURE: GENTLE ON THE SKIN WHEN DONNING AND OFFING THE LINER, EASY TO CLEAN STERILIZATION, SIZE AND SIDE WILL BE SPECIPY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | КІТ | ITEMIZED | 50 |
| 1027 | 4224151800600 | KIT PROSTHESIS CARBON FOOT ALUMINUM 790G | KIT, PROSTHESIS, MODULAR, ABOVE KNEE, INCLUDING: PROSTHETIC CARBON FOOT, INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP AND FOOT, MODULAR POLYCENTRIC KNEE JOINT "ALUMINUM" WITH PNEUMATIC SWING PHASE CONTROL, KNEE FLEXION ANGLE 170" AND THE LIGHT WEIGHT AND HIGH COMPORT, STANCE PHASE IS SECURED DUE TO THE 4-AMS JOINT DESIGN, TUBE ADAPTER AND COSMETIC FOAM. MAXIMUM WEIGHT OF THE KNEE JOINT: 790 GRAMS APPROXIMATELY, FOR BODY WEIGHT UP TO 100 KG, LAMINATION ANCHOR WITH PYRAMID RECEIVER, ROTATABLE, FOAM COVER, PERLON COSMETIC STOCKINGS, SEALING LINGER WITH TWO SEALING RINGE HEIGHTS, WITHOUT DISTAL CONNECTION, WITH THE ANTI-BACTERIAL PROPERTIES AND SKIN-FRIENDLY OILS THAT HELP MINIMIZE ODOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING WHILE PROTECTING THE SILICONE, WITH A TEXTURE ON THE INSIDE ENSURES THAT THE LINER CONNECTS WELL TO THE RESIDUAL LIMB WITHOUT STICKING, SLICK OUTER SURFACE WITHOUT TEXTILE FOR EASY DONING AND DOPFINS, NO-STRETCH MATRIX THE ENTIRE LENGTH OF LINER FOR REDUCED ELONGATION AND GOOD TISSUE MANAGEMENT, EASY TO BE CLEARLED AND DRIED QUICKLY, SIZE AND SIDE WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL                                                                                                                                                                                                                                                                                               | кіт | ITEMIZED | 50 |
| 1028 | 4224151800700 | KIT PROSTHESIS CARBON FT ALU 790G PX AX  | RII, PROSTHESIS, MODULAR, ABOVE KNEE, INCLIDING: PROSTHETIC CARBON FOOT, INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP AND FOOT, MODULAR POLYCENTRIC KNEE JOINT "ALUMINUM" WITH PNEUMATIC SWING PHASE CONTROL, KNEE FLEKION ANGLE 170" AND THE LIGHT WEIGHT AND HIGH COMFORT, STANCE PHASE IS SECURED DUE TO THE 4-AXIS JOINT DESIGN, TUBE ADAPTER AND COSMETIC FOAM. MAXIMUM WEIGHT OF THE KNEE JOINT: 790 GRAMS APPROXIMATELY, FOR BODY WEIGHT UP TO 100 KG, LAMINATION ANCHOR WITH PYRAMID RECEIVER, ROTATABLE, FOAM COVER, PERLON COSMETIC STOCKINGS, SEALING LINER WITH TWO SEALING RING HEIGHTS, WITHOUT DISTAL CONNECTION, WITH THE ANTI-BACTERIAL PROPERTIES AND SKIN-FRIENDLY OILS THAT HELP MINIMIZE ODOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING WHILE PROTECTING THE SILICONE, WITH A TEXTURE ON THE INSIDE ENSURES THAT THE LINER CONNECTS WELL TO THE RESIDUAL LIMB WITHOUT STICKING, SLICK OUTER SURFACE WITHOUT TEXTILE FOR EASY DONNING AND DOFFING, NO-STRETCH MATRIX THE ENTIRE LENGTH OF LINER FOR REDUCED ELONGATION AND GOOD TISSUE MANAGEMENT, EASY TO BE CLEANED AND DRIED QUICKLY, SIZE AND SIDE WILL BE SPECIFY WHEN ORDERED FOR FACH PATIENT INDIVIDUAL INCLUDES - PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, INCLUDES ALL REQUIRED MATERIALS/COMPONENTS TO FABRICATE PROSTHESIS, DELIVERY, FITTING BY CERTIFIED ORTHOTST IN MULTIPLE CLINICS AND DLEESEBAT DECLONS WITH EN CHILD WILL BE CLINICA AND DLEESEBAT DECLONS WITH EN CILL OWL ID. | кіт | itemized | 50 |
| 1029 | 4224200136900 | KIT PROSTHESIS SACH FT S-STEEL           | CLINICS AND DIEEREM DEGLONS WITH SOLLOW LIB.  KIT, PROSTHESIS, MODULAR, ABOVE KNEE, INCLUDING: SACH FOOT WITH TOES, FOOT ADAPTER, TUBE CLAMP ADAPTER, TUBE ADAPTER, LAMINATION ANCHOR WITH PYRAMID, ROTATABLE, FOAM COVER, PERLON COSMETIC STOCKINGS, INTERNAL SOFT SOCKET OR DERMA SEAL DOUBLE FORTE, ALL COMPONENTS FROM STAINLESS STEEL SIZE AND SIDE WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | KIT | ITEMIZED | 50 |
| 1030 | 4224200138900 | KIT PROSTHESIS SINGLE AXIS ALUMINUM 290G | KIT, PROSTHESIS, MODULAR, ABOVE KNEE, INCLUDING: SINGLE AXIS FOOT WITH TOES, SINGLE AXIS FOOT ADAPTER "ALUMINUM" WITH CONNECTION CAP, TUBE ADAPTER "ALUMINUM", MODULAR ILGHTWEIGHT SINGLE AXIS KNEE JOINT WITH LOCK, THE UPPER JOINT SECTION WITH PYRAMID ADAPTER AND LOWER JOINT SECTION WITH TUBE CLAMP ARE CONNECTED THROUGH THE KNEE AXIS, KNEE FLEXION ANGLE 155°, MAXIMUM WEIGHT OF THE KNEE JOINT: 290 GRAMS, APPROXIMATELY, FOR BODY WEIGHT UP TO 150 KG, LAMINATION ANCHOR WITH PYRAMID RECEIVER, ROTATABLE, FOAM COVER, PERLON COSMETIC STOCKINGS, INTERNAL SOFT SOCKET SIZE AND SIGE WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | кіт | ITEMIZED | 50 |

6/21/2022 Page 79 of 160

| 1031 | 4224200139000 | KIT PROSTHSIS SINGL AXIS ALU PT ASS 290G | KIT, PROSTHESIS, MODULAR, ABOVE KNEE, INCLUDING: SINGLE AXIS FOOT WITH TOES, SINGLE AXIS FOOT ADAPTER "ALUMINUM" WITH CONNECTION CAP, TUBE ADAPTER "ALUMINUM", MODULAR LIGHTWEIGHT SINGLE AXIS KNEE JOINT, WITH LOCK, THE UPPER JOINT SECTION WITH PYRAMID ADAPTER AND LOWER JOINT SECTION WITH TUBE CLAMP ARE CONNECTED THROUGH THE KNEE AXIS, KNEE FLEXION ANGLE 155", MAXIMUM WEIGHT OF THE KNEE JOINT: 290 GRAMS APPROXIMATELY, FOR BODY WEIGHT UP TO 150 KG., LAMINATION ANCHOR WITH PYRAMID RECEIVER, ROTATABLE, FOAM COVER, PERLON COSMETIC STOCKINGS, INTERNAL SOFT SOCKET, SIZE AND SIDE WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL, INCLUDES- PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, INCLUDES ALL REQUIRED MATERIALS/COMPONENTS TO FABRICATE PROSTHESIS, DELIVERY, PITTING BY CERTIFIED ORTHOTST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP                                                                                                                                   | КІТ | itemized | 50 |
|------|---------------|------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|----|
| 1032 | 4224200139100 | KIT PROSTHESIS SINGLE AXIS S-STEEL 490G  | KIT, PROSTHESIS, MODULAR, ABOVE KNEE, INCLUDING: SINGLE AXIS FOOT WITH TOES, SINGLE AXIS FOOT ADAPTER "STAINLESS STEEL" WITH CONNECTION CAP, TUBE ADAPTER AND TUBE CLAMP ADAPTER "STAINLESS STEEL", MODULAR MONOCENTRIC KNEE JOINT TITANIUM WITH FRICTION BRAKE, WITH EXTENSION ASSIST AND PROTECTIVE SLEEVE, LOAD-DEPENDENT BRAKE TO CONTROL THE SWING PHASE, THE AXIS FRICTION AND THE SPRING FORCE OF THE EXTENSION ASSIST ARE ADJUSTABLE KNEE FLEXION ANGLE 150", MAXIMUM WEIGHT OF THE KNEE JOINT: 490 GRAMS, APPROXIMATELY, FOR BODY WEIGHT UP TO 100 KG, LAMINATION ANCHOR WITH PYRAMID RECEIVER, ROTATABLE, FOAM COVER, PRENDO COSMETICS TOCKINGS, INTERNAL SOFT SOCKET SIZE AND SIDE WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL                                                                                                                                                                                                                                                                            | КІТ | ITEMIZED | 50 |
| 1033 | 4224200139200 | KIT PROSTHESIS SING-AXIS SSTEEL PT ASSES | KIT, PROSTHESIS, MODULAR, ABOVE KNEE, INCLUDING: SINGLE AXIS FOOT WITH TOES, SINGLE AXIS FOOT ADAPTER "STAINLESS STEEL" WITH CONNECTION CAP, TUBE ADAPTER, AND TUBE CLAMP ADAPTER "STAINLESS STEEL" MODULAR MONOCENTRIC KNEE JOINT TITANIUM WITH FRICTION BRAKE, WITH EXTENSION ASSIST AND PROTECTIVE SLEEVE, LOAD-DEPENDENT BRAKE TO CONTROL THE SWING PHASE, THE AXIS FRICTION AND THE SPRING FORCE OF THE EXTENSION ASSIST ARE ADJUSTABLE, KNEE FLEXION ANGLE 150", MAXIMUM WEIGHT OF THE KNEE JOINT: 490 GRAMS APPROXIMATELY, FOR BODY WEIGHT UP TO 100 KG, LAMINATION ANCHOR WITH PYRAMID RECEIVER, ROTATABLE, FOAM COVER, PERLON COSMETIC STOCKINGS, INTERNAL SOFT SOCKET, SIZE AND SIDE WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL, INCLUDES - PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, INCLUDES ALL REQUIRED MATERIALS/COMPONENTS TO FABRICATE PROSTHESIS, DELIVERY, FITTING BY CERTIFIED ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP                                    | КІТ | itemized | 50 |
| 1034 | 4224200139300 | KIT PROSTHESIS SINGLE AXIS TITANIUM 445G | KIT, PROSTHESIS, MODULAR, ABOVE KNEE, INCLUDING: SINGLE AXIS FOOT WITH TOES, SINGLE AXIS FOOT ADAPTER "ITTANIUM" WITH CONNECTION CAP, TUBE ADAPTER, AND TUBE CLAMP ADAPTER TITANIUM", MODULAR KNEE JOINT "ITTANIUM", POLYCENTRIC WITH INTEGRATED EXTENSION ASSIST "FOUR BAR" SWING PHASE SETTINGS CAN BE CONTINUOUSLY ADJUSTED THROUGH THE AXIS FRICTION AND EXTENSION ASSIST, THE EXTENSION STOP ALLOWS ADJUSTMENT OF THE INSTANTIANEOUS CENTER OF ROTATION, KNEE FLEXION ANGLE 110", MAXIMUM WEIGHT OF THE KNEE JOINT: 445 GRAMS, APPROXIMATELY, FOR BODY WEIGHT UP TO 100 KG, LAMINATION ANCHOR WITH PYRAMID RECEIVER, ROTATABLE, FOAM COVER, PERLON COSMETIC STOCKINGS, INTERNAL SOFT SOCKET SIZE AND SIDE WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL                                                                                                                                                                                                                                                           | кіт | itemized | 50 |
| 1035 | 4224200139400 | KIT PROSTHESIS SINGL AXIS TI PT ASS 445G | KIT, PROSTHESIS, MODULAR, ABOVE KNEE, INCLUDING: SINGLE AXIS FOOT WITH TOES, SINGLE AXIS FOOT ADAPTER "TITANIUM" WITH CONNECTION CAP, TUBE ADAPTER, AND TUBE CLAMP ADAPTER "TITANIUM", MODULAR KNEE JOINT "ITTANIUM", POLYCENTRIC WITH INTEGRATED EXTENSION ASIST "FOUR BARE" SWING PHASE SETTINGS CAN BE CONTINUOUSLY ADJUSTED THROUGH THE AXIS FRICTION AND EXTENSION ASSIST, THE EXTENSION STOP ALLOWS ADJUSTMENT OF THE INSTANTIANEOUS CENTER OF ROTATION, KNEE FLEXION ANGLE 110°, MAXIMUM WEIGHT OF THE KNEE JOINT: 445 GRAMS, APPROXIMATELY, FOR BODY WEIGHT UP TO 100 KG, LAMINATION ANCHOR WITH PYRAMID RECEIVER, ROTATABLE, FOAM COVER, PERLON COSMETIC STOCKINGS OR ANY EQUIVALENT, INTERNAL SOFT SOCKET SIZE AND SIDE WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL, INCLUDES - PATHENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, INCLUDES ALL REQUIRED MATERIALS/COMPONENTS TO FABRICATE PROSTHESIS, DELIVERY, FITTING BY CERTIFIED ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP | КІТ | ITEMIZED | 50 |

6/21/2022 Page 80 of 160

| 1036 | 4224200137500 | KIT PROSTHESIS SINGLE AXIS TITANIUM      | KIT, PROSTHESIS, MODULAR, ABOVE KNEE, INCLUDING: SINGLE AXIS FOOT WITH TOES, SINGLE AXIS FOOT ADAPTER CONNECTION CAP, TUBE CLAMP ADAPTER, TUBE ADAPTER, LAMINATION ANCHOR WITH PYRAMID, ROTATABLE, FOAM COVER, PERLON COSMETIC STOCKINGS, INTERNAL SOFT SOCKET OR DERMA SEAL DOUBLE FORTE, ALL COMPONENTS FROM TITANIUM SIZE AND SIDE WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | KIT | ITEMIZED | 50  |
|------|---------------|------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|-----|
| 1037 | 4224200137600 | KIT PROSTHSIS SINGL AXIS ALUMINUM PT ASS | KIT, PROSTHESIS, MODULAR, ABOVE KNEE, INCLUDING: SINGLE AXIS FOOT WITH TOES, SINGLE AXIS FOOT ADAPTER CONNECTION CAP, TUBE CLAMP ADAPTER, TUBE ADAPTER, LAMINATION ANCHOR WITH PYRAMID, ROTATABLE, FOAM COVER, PERLON COSMETIC STOCKINGS, INTERNAL SOFT SOCKET OR DERMA SEAL DOUBLE FORTE, ALL COMPONENTS FROM TITANIUM, SIZE AND SIDE WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL, INCLUDES - PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, INCLUDES ALL REQUIRED MATERIALS/COMPONENTS TO FABRICATE PROSTHESIS, DELIVERY, PITTING BY CERTIFIED ORTHOTS IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | КІТ | ITEMIZED | 50  |
| 1038 | 4224200137300 | KIT PROSTHESIS SINGLE AXIS S-STEEL       | KIT, PROSTHESIS, MODULAR, ABOVE KNEE, INCLUDING: SINGLE AXIS FOOT WITH TOES, SINGLE AXIS FOOT ADAPTER WITH CONNECTION CAP, TUBE CLAMP ADAPTER, TUBE ADAPTER, LAMINATION ANCHOR WITH PYRAMID, ROTATABLE, FOAM COVER, PERLON COSMETIC STOCKINGS, INTERNAL SOFT SOCKET OR DERMA SEAL DOUBLE FOTTE, ALL COMPONENTS FROM STAINLESS STEEL SIZE AND SIDE WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | КІТ | ITEMIZED | 50  |
| 1039 | 4224200137400 | KIT PROSTHESIS SINGL AXIS SSTEEL PT ASS  | KIT, PROSTHESIS, MODULAR, ABOVE KNEE, INCLUDING: SINGLE AXIS FOOT WITH TOES, SINGLE AXIS FOOT ADAPTER WITH CONNECTION CAP, TUBE CLAMP ADAPTER, TUBE ADAPTER, LAMINATION ANCHOR WITH PYRAMID, ROTATABLE, FOAM COVER, PERLON COSMETIC STOCKINGS, INTERNAL SOFT SOCKET OR DERMA SEAL DOUBLE FORTE, ALL COMPONENTS FROM STAINLESS STEEL, SIZE AND SIDE WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL, INCLUDES - PATIENT ASSESSMENT AT CUSTOMERS PREMISES MEASURING, INCLUDES ALL REQUIRED MATERIALS/COMPONENTS TO FABRICATE PROSTHESIS DELIVERY PITTING BY CERTIFIED ORTHOTS TIM MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | КІТ | itemized | 50  |
| 1040 | 4224170642700 | KIT SOFT INTERFACE BET ORTHOSIS/TIBIAL   | KIT, SOFT, INTERFACE, BETWEEN ORTHOSIS AND TIBIAL CREST<br>COMFORT AND RELIEF OF POTENTIAL DISCOMFORT FROM<br>BONY PROMINENCES, AN EXTRA PAD IS INCLUDED TO ALLOW<br>REPLACEMENT WHILE WASHING                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | EA  | ITEMIZED | 150 |
| 1041 | 4224200010200 | KNEE JOINT POS OFSET RINGLOCK 3/16X1/2IN | KNEE JOINT POSTERIOR OFFSET RING LOCK, KNEE JOINT<br>STAINLESS STEEL, MEDIAL AND LATERAL STRAIGHT WITH<br>ROUND EDGE ALUMINUM UPRIGHTS, SIZE 3/16 INCHES X 1/2<br>INCHES, APPROXIMATELY, CHILD SET                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | SET | ITEMIZED | 300 |
| 1042 | 4224200148500 | KNEE JOINT SINGL AXIS CHILDREN 45KG 18MM | KNEE JOINT, SINGLE AXIS, CHILDREN, MODULAR KNEE JOINT WITH INDIVIDUALLY ADJUSTABLE EXTENSION, ASSIST MECHANISM TO CONTROL THE SWING PHASE, MAXIMUM BODY WEIGHT 45 KG, ALUMINUM, MAXIMUM KNEE FLEXION ANGLE 145 DEGREES, KNEE CENTER TO PROXIMAL CONNECTION, 18 MM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | EA  | ITEMIZED | 50  |
| 1043 | 4224200117500 | KNEE JOINTS WITH WEDGE LOCK AND PULL     | KNEE JOINTS WITH WEDGE LOCK AND PULL, RELEASE CABLE, LIGHT, AND STURDY, PROVEN MODULAR JOINT SYSTEM, VERSATILE IN APPLICATION, EASY MAINTENANCE, YOU CAN EASILY DISASSEMBLE ALL COMPONENTS FOR MAINTENANCE PURPOSES AND REPLACE THEM IF NECESSARY, MADE OF PAIR                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | EA  | ITEMIZED | 50  |
| 1044 | 4224200136600 | KNEE MICROPROCESSOR AUTO SET UP          | INNEE MICROPROLESSOR-CONTROLLED, AUTOMATIC SET-UP; LESS STEPS NEEDED FOR USER SPECIFIC SETTINGS, ADVANCED CONTROL FEATURES MONITOR AND ADAPT TO RESISTANCE LEVELS AND POSSIBLE TO MANUALLY ADAPT, ANGLE SENSOR MEASURING KNEE ANGLE, ROBUST SENSOR NO NEED FOR CALIBRATION, LOAD CELLS IN ANTERIOR AND POSTERIOR, MEASURING LOAD FROM HEEL STRIKE TO TOE OFF, KINEMATIC SENSOR FOR CONTINUOUS STABILITY CONTROL WHILE STANDING, ACCURATE STAND TO WALK TRANSTITON, SECURE AND COMPORTABLE KNEE ING AT UP TO 45' ABDUCTION ANGLE, MAGNETORHEOLOGICAL TECHNOLOGY ENSURES IMMEDIATE PROPORTIONAL RESPONSE TO GAIT VARIATIONS AND ENABLES KNEE TO ADAPT TO USERS MOTIONS, ACTUATOR DESIGN INCREASES RESPONSIVENESS TO DIFFERENT AND CHANGING CIRCUMSTANCES., IT ALSO INCREASES THE MAXIMUM TORQUE FOR ADDITIONAL SUPPORT AND STABILITY. LASTLY IT ENABLES EASY SWING INITIATION AND NATURAL SWING MOTION, MANUAL EXTENSION LOCK ADDED AT THE SIDE, COVERS AND MATERIALS ARE RATED IP34 OR EQUIVALENT, LOGIC APP COMPATIBLE AND THEREFORE VISUAL FEEDBACK AVAILABLE, EASY EXTENSION, INCREASES MOBILITY, LONGER DISTANCES, FASTER WALKING AND INCREASED GUILYTY OF LIFE FACILITATES STEPPING OVER OBSTACLES, MORE TOE CLEARANCE SO INCREASED FEELING OF STABILITY AND SAFETY, MORE NATURES SENDER AND THOR TOE CLEARANCE SO INCREASED FEELING OF STABILITY AND SAFETY, MORE NATURES SENDERSY CONSUMPTION AND MORE MOBILITY, MORE SYMMETRICAL GATE, TOTAL STANCE STABILITY, BIDBING EVETEBABE (JOIL MISSTANCES, L'ORMC STABILITY BIDBING EVETEBABE (JOIL MISSTANCES, L'ORMC STABILITY BIDBING EVETEBABE (JOIL MISSTANCES, L'ORMC STABILITY BIDBING EVETEBABE (JOIL MASTANCES, L'ORMC STABILITY BIDBING EVETEBABE (JOIL MISSTANCES, L'ORMC STABILITY BIDBING EVETEBABE (JOIL MISSTANCES, L'ORMC | кіт | ITEMIZED | 60  |

6/21/2022 Page 81 of 160

| 1045         | 4224200136700                  | KNEE MICROPROCESSOR HI RESISTANCE OUTPUT                                     | I KNEE MICKOPROCESSOR-CONTROLLED, HIGH RESISTANCE OUTPUT, STUMBLE RECOVERY, FEATURE COMPATIBLE WITH A WIDE RANGE OF FEET ACROSS ALL ACTIVITY LEVELS EASY SWINIG INITIATION - IDEAL FOR A FAST RESPONSE BATTERY LIFE UP TO 3 DAYS COMPATIBLE WITH HIGH ENREGY-RETURN FLEX-FOOT® AND PRO-FLEX® PRODUCTS OR EQUIVALENT, ANGLE SENSOR MEASURING KNEE ANGLE, ROBUST SENSOR, NO NEED FOR CALIBRATION, LOAD CELLS IN ANTERIOR AND POSTERIOR, MEASURING LOAD FROM HEEL STRIKE TO TOE OFF, KINEMATIC SENSOR FOR CONTINUOUS STABILITY CONTROL WHILE STANDING, ACCURATE STAND TO WALK TRANSITION, SECURE AND COMPORTABLE KNEELING AT UP TO 45° ABDUCTION ANGLE, MAGNETORHOLOGICAL TECHNOLOGY ENSURES IMMEDIATE PROPORTIONAL RESPONSE TO GAIT VARIATIONS AND ENABLES KNEE TO ADAPT TO USERS MOTIONS, ACTUATOR DESIGN INCREASES RESPONSETO GAIT VARIATIONS AND ENABLES KNEE TO ADAPT TO USERS MOTIONS, ACTUATOR DESIGN INCREASES RESPONSETO GAIT VARIATIONS AND ENABLES KNEE TO ADAPT TO USERS MOTIONS, ACTUATOR DESIGN INCREASES RESPONSETO SATURING INTERIOR STABILITY, LASTLY IT ENABLES EASY SWING INITIATION AND NATURAL SWING MOTION, MINIMAL INTERNAL FICTION (ZEED LAS) IN THE ACTUATOR, MANUAL EXTENSION LOCK ADDED AT THE SIDE, COVERS AND MATERIALS ARE RATED IP34, LOGIC APP COMPATIBLE AND THEREFORD EVISUAL FEEDBACK AVAILABLE, IMPROVED EXTENSION ASSIST MECHANISM ROCK-SOLD, STABLE SUPPORT FROM HEEL STRIKE TO TOE-OFF STABILITY AND CONFIDENCE IN EVERY STEP HIGHER FEELING CESTIFES MOSE | кіт       | ITEMIZED             | 58           |
|--------------|--------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|----------------------|--------------|
| 1046         | 4618150500100                  | KNEE SLEEVES DERMA PROTECTION SIZE 1                                         | KNEE SLEEVES, DERMA PROTECTION AND DERMA PROFLEX ARE MADE FROM A COPOLYMER GEL KNEE SLEEVES, PROVIDE INCREASED SUSPENSION BETWEEN SOCKET AND SKIN WHILE THEIR ELASTICITY ALLOWS A GOOD RANGE OF MOTION AT THE KNEE JOINT, CAN BE USED AS PRIMARY SUSPENSION OR WITH A VALVE OR THE HARMON'S YSTEM, THE COPOLYMER GEL IS MOLDED WITH A MEDICAL MINERAL OIL WHICH HAS A BENEFICIAL EFFECT ON THE SKIN DURING WEAR THE OIL, SLOWLY DIFFUSES FROM THE GEL THUS LUBRICATING AND MOISTURIZING THE SKIN OR EQUIVALENT, SIZE: 1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | EA        | ITEMIZED             | 100          |
| 1047         | 4618150500200                  | KNEE SLEEVES DERMA PROTECTION SIZE 2                                         | KNEE SLEEVES, DERMA PROTECTION AND DERMA PROFLEX ARE MADE FROM A COPOLYMER GEL KNEE SLEEVES, PROVIDE INCREASED SUSPENSION BETWEEN SOCKET AND SKIN WHILE THEIR ELASTICITY ALLOWS A GOOD RANGE OF MOTION AT THE KNEE JOINT, CAN BE USED AS PRIMARY SUSPENSION OR WITH A VALVE OR THE HARMON'S YSTEM, THE COPOLYMER GEL IS MOLDED WITH A MEDICAL MINERAL OIL WHICH HAS A BENEFICIAL EFFECT ON THE SKIN DURING WEAR THE OIL, SLOWLY DIFFUSES FROM THE GEL THUS LUBBICATING AND MOISTURIZING THE SKIN OR EQUIVALENT, SIZE: 2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | EA        | ITEMIZED             | 100          |
| 1048         | 4618150500300                  | KNEE SLEEVES DERMA PROTECTION SIZE 3                                         | KNEE SLEEVES, DERMA PROTECTION AND DERMA PROFLEX ARE MADE FROM A COPOLYMER GEL KNEE SLEEVES, PROVIDE INCREASED SUSPENSION BETWEEN SOCKET AND SKIN WHILE THEIR ELASTICITY ALLOWS A GOOD RANGE OF MOTION AT THE KNEE JOINT, CAN BE USED AS PRIMARY SUSPENSION OR WITH A VALVE OR THE HARMON'S YSTEM, THE COPOLYMER GEL IS MOLDED WITH A MEDICAL MINERAL OIL WHICH HAS A BENEFICIAL EFFECT ON THE SKIN DURING WEAR THE OIL, SLOWLY DIFFUSES FROM THE GEL THUS LUBBICATION AND MOISTURIZING THE SKIN OR EQUIVALENT, SIZE: 3                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | EA        | ITEMIZED             | 100          |
| 1049         | 4618150500400                  | KNEE SLEEVES DERMA PROTECTION SIZE 4                                         | KNEE SLEEVES, DERMA PROTECTION AND DERMA PROFLEX ARE MADE FROM A COPOLYMER GEL KNEE SLEEVES, PROVIDE INCREASED SUSPENSION BETWEEN SOCKET AND SKIN WHILE THEIR ELASTICITY ALLOWS A GOOD RANGE OF MOTION AT THE KNEE JOINT, CAN BE USED AS PRIMARY SUSPENSION OR WITH A VALVE OR THE HARMONY SYSTEM, THE COPOLYMER GEL IS MOLDED WITH A MEDICAL MINERAL DIL WHICH HAS A BENEFICIAL EFFECT ON THE SKIN DURING WEAR THE DIL, SLOWLY DIFFUSES FROM THE GEL THUS LUBBICATING AND MOISTURIZING THE SKIN OR EQUIVALENT, SIZE: 4                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | EA        | ITEMIZED             | 100          |
| 1050<br>1051 | 4224180000400<br>4224180000300 | KNIGHT TAYLOR TLSO X LARGE KNIGHT TAYLOR TLSO LARGE                          | KNIGHT TAYLOR TLSO, EXTRA LARGE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | EA<br>EA  | ITEMIZED<br>ITEMIZED | 1000<br>1000 |
| 1052         | 4224180000200                  | KNIGHT TAYLOR TLSO MEDIUM                                                    | KNIGHT TAYLOR TLSO, LARGE<br>KNIGHT TAYLOR TLSO, MEDIUM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | EA        | ITEMIZED             | 1000         |
| 1053<br>1054 | 4224180000100<br>4214280205700 | KNIGHT TAYLOR TLSO SMALL LADIES BEST WILLOW CALF SKIN                        | KNIGHT TAYLOR TLSO, SMALL LADIES BEST WILLOW CALF SKIN BURGUNDY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | EA<br>EA  | ITEMIZED<br>ITEMIZED | 1000<br>135  |
| 1055         | 4224171400100                  | LADIES BEST WILLOW CALF SKIN BLUE                                            | LADIES BEST WILLOW, CALF SKIN, BLUE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | EA        | ITEMIZED             | 165          |
| 1056         | 4224171400200<br>4224200008000 | LADIES BEST WILLOW CALF SKIN WHITE  LAMINATION ANCHOR W/PYRAMID ADAPTER 44MM | LADIES BEST WILLOW, CALF SKIN, WHITE  LAMINATION ANCHOR WITH PYRAMID ADAPTER, ROTATABLE, STAINLESS STEEL, CONNECT THE PROSTHETIC SOCKET TO THE DISTAL PROSTHETIC COMPONENTS, SYSTEM HEIGHT: 44 MM, WEIGHT: 155 GRAMS, FOR BODY WEIGHT UP TO 150 KG.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | EA<br>KIT | ITEMIZED<br>ITEMIZED | 105          |
| 1058         | 4224200007300                  | LAMINATION ANCHOR W/PYRAMID ADAPTER 35MM                                     | LAMINATION ANCHOR WITH PYRAMID RECEIVER ALUMINUM USED IN TRANSTIBIAL AND TRANSFEMORAL PROSTHESIS FOR CHILDREN AND IS LAMINATED INTO THE SOCKET SYSTEM HEIGHT: 35 MM FOR BODY WEIGHT UP TO 45 KG.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | EA        | ITEMIZED             | 50           |
| 1059         | 4224200007500                  | LAMINATION ANCHOR W/PYRAMID 5 STEEL 2MM                                      | LAMINATION ANCHOR WITH PYRAMID ROTATABLE STAINLESS<br>STEEL SYSTEM HEIGHT: 2 MM WEIGHT: 165 GRAMS<br>APPROXIMATELY FOR BODY WEIGHT UP TO 150 KG.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | EA        | ITEMIZED             | 50           |
| 1060         | 4224200007600                  | LAMINATION ANCHOR W/PYRAMID S STEEL 3MM                                      | LAMINATION ANCHOR WITH PYRAMID ROTATABLE STAINLESS STEEL USED TO CONNECT THE PROSTHETIC SOCKET TO THE DISTAL PROSTHETIC COMPONENTS SYSTEM HEIGHT: 3 MM WEIGHT: 180 GRAMS FOR BODY WEIGHT UP TO 125 KG.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | EA        | ITEMIZED             | 50           |
| 1061         | 4224200007700                  | LAMINATION ANCHOR W/PYRAMID S STEEL 8MM                                      | LAMINATION ANCHOR WITH THREADED CONNECTOR STAINLESS STEEL SYSTEM HEIGHT: 8 MM WEIGHT: 95 GRAMS FOR BODY WEIGHT UP TO 125 KG.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | EA        | ITEMIZED             | 50           |
| 1062         | 4224200010500                  | LAMINATION ANCHOR PEDIATRIC                                                  | LAMINATION ANCHOR, PEDIATRIC, WITH PYRAMID FOR TRANSTIBIAL AND TRANSFEMORAL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | EA        | ITEMIZED             | 100          |
|              |                                |                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |           |                      |              |

6/21/2022 Page 82 of 160

|      |               |                                         | LAMINATION DUMMY, FOR ANCHORS, CE MARK OR                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |     |          |      |
|------|---------------|-----------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|------|
| 1063 | 4224200007800 | LAMINATION DUMMY FOR ANCHORS            | EQUIVALENT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | EA  | ITEMIZED | 100  |
| 1064 | 4224200007900 | LAMINATION DUMMY FOR ROTATION ADAPTER   | LAMINATION DUMMY, FOR ROTATION ADAPTER, CE MARK OR EQUIVALENT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | EA  | ITEMIZED | 100  |
| 1065 | 4224200005100 | LAMINATION RESIN 80: 20 900GM           | LAMINATION RESIN FOR RIGID LAMINATION 80: 20 NET<br>CONTENTS 900 GRAMS APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | EA  | ITEMIZED | 1336 |
| 1066 | 4224200008900 | LAMINATION RING DISCONNECT HAND 8 1/4   | LAMINATION RING FOR MYOQUICK DISCONNECT HAND SIZE 8<br>1/4 INCHES                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | EA  | ITEMIZED | 100  |
| 1067 | 4224200009000 | LAMINATION RING FOR BABY HAND           | LAMINATION RING, FOR BABY HAND                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | EA  | ITEMIZED | 100  |
| 1068 | 4224200008800 | LAMINATION RING FOR DISCONNECT HAND 7IN | LAMINATION RING, FOR MYOQUICK DISCONNECT HAND, SIZE 7 INCHES                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | EA  | ITEMIZED | 100  |
| 1069 | 4224200031600 | LASTING PLIERS                          | LASTING PLIERS, AN ORTHOTICS WORKSHOP TOOL, JAW<br>WIDTH 8-10 MM, LENGTH 180-220 MM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | EA  | ITEMIZED | 10   |
| 1070 | 4224200034300 | LEATHER DRIVE PUNCH KIT                 | LEATHER DRIVE PUNCH KIT, AN ORTHOTICS WORKSHOP  TOOL, TOOL STEEL, 13 PARTS, Ø 2, 3, 4, 5, 6, 8, 10, 11, 13, 14,  16, 19 AND 20 MM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | KIT | ITEMIZED | 10   |
| 1071 | 4224200118800 | LIGHTWEIGHT CARBON FOOT SZ 24 LEFT      | LIGHTWEIGHT CARBON FOOT WITH COMFORTABLE ROLLOVER CHARACTERISTICS INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE MULTI - AXIAL MOBILITY TO COMPENSATE FOR UNEVER SURFACES AND COMFORTABLE WALKING UPHILL AND ON INCLINES GOOD ENERGY RETURN IN THE FOREFOOT AND HEEL GOOD SHOCK ABSORPTION PROGRESSIVE SPRING CHARACTERISTICS SAFETY: CONTROLLED PLANTAR FLEXION OF UP TO 12 DEGREE VERY GOOD IN - EVERSION AND PRO - SUPINATION GOOD INITIATION OF KNEE FLEXION C - SPRING AND CONTROL RING GUARANTEES THAT BOTH SPRINGS WORK TOGETHER SIZE 24 LEFER SIZE 24 DEFER | EA  | ITEMIZED | 100  |
| 1072 | 4224200118900 | LIGHTWEIGHT CARBON FOOT SZ 25 LEFT      | LIGHTWEIGHT CARBON FOOT WITH COMFORTABLE ROLLOVER CHARACTERISTICS INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE MULTI - AXIAL MOBILITY TO COMPENSATE FOR UNEVEN SURFACES AND COMFORTABLE WALKING UPHILL AND ON INCLINES GOOD ENERGY RETURN IN THE FOREFOOT AND HEEL GOOD SHOCK ABSORPTION PROGRESSIVE SPRING CHARACTERISTICS SAFETY: CONTROLLED PLANTAR FLEXION OF UP TO 12 DEGREE VERY GOOD IN - /EVERSION AND PRO - SUPINATION GOOD INITIATION OF KNEE FLEXION C - SPRING AND CONTROL RING GUARANTEES THAT BOTH SPRINGS WORK TOGETHER SIZE ZS LEFT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | EA  | ITEMIZED | 100  |
| 1073 | 4224200119000 | LIGHTWEIGHT CARBON FOOT SZ 26 LEFT      | LIGHTWEIGHT CARBON FOOT WITH COMFORTABLE ROLLOVER CHARACTERISTICS INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE MULTI - AXIAL MOBILITY TO COMPENSATE FOR UNEVER SURFACES AND COMFORTABLE WALKING UPHILL AND ON INCLINES GOOD ENERGY RETURN IN THE FOREFOOT AND HEEL GOOD SHOCK ABSORPTION PROGRESSIVE SPRING CHARACTERISTICS SAFETY: CONTROLLED PLANTAR FLEXION OF UP TO 12 DEGREE VERY GOOD IN - EVERSION AND PRO - SUPINATION GOOD INITIATION OF KNEE FLEXION C - SPRING AND CONTROL RING GUARANTEES THAT BOTH SPRINGS WORK TOGETHER SIZE 26 LEFER SIZE 25                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | EA  | ITEMIZED | 100  |
| 1074 | 4224200119100 | LIGHTWEIGHT CARBON FOOT SZ 27 LEFT      | LIGHTWEIGHT CARBON FOOT WITH COMFORTABLE ROLLOVER CHARACTERISTICS INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE MULTI - AXIAL MOBILITY TO COMPENSATE FOR UNEVEN SUBFACES AND COMFORTABLE WALKING UPHILL AND ON INCLINES GOOD ENERGY RETURN IN THE FOREFOOT AND HEEL GOOD SHOCK ABSORPTION PROGRESSIVE SPRING CHARACTERISTICS SAFETY: CONTROLLED PLANTAR FLEXION OF UP TO 12 DEGREE VERY GOOD IN - /EVERSION AND PRO - SUPINATION GOOD INITIATION OF KNEE FLEXION C - SPRING AND CONTROL RING GUARANTEES THAT BOTH SPRINGS WORK TOGETHER SIZE Z7 LEFER SIZE Z7 LEFT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | EA  | ITEMIZED | 100  |
| 1075 | 4224200119200 | LIGHTWEIGHT CARBON FOOT SZ 28 LEFT      | LIGHTWEIGHT CARBON FOOT WITH COMFORTABLE ROLLOVER CHARACTERISTICS INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE MULTI - AXIAL MOBILITY TO COMPENSATE FOR UNEVEN SURFACES AND COMFORTABLE WALKING UPHILL AND ON INCLINES GOOD ENERGY RETURN IN THE FOREFOOT AND HEEL GOOD SHOCK ABSORPTION PROGRESSIVE SPRING CHARACTERISTICS SAFETY: CONTROLLED PLANTAR FLEXION OF UP TO 12 DEGREE VERY GOOD IN - /EVERSION AND PRO - SUPINATION GOOD INITIATION OF KNEE FLEXION C - SPRING AND CONTROL RING GUARANTEES THAT BOTH SPRINGS WORK TOGETHER SIZE 28 LEFTS IZE 28 LEFTS.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | EA  | ITEMIZED | 100  |
| 1076 | 4224200119300 | LIGHTWEIGHT CARBON FOOT SZ 29 LEFT      | LIGHTWEIGHT CARBON FOOT WITH COMFORTABLE ROLLOVER CHARACTERISTICS INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE MULTI - AXIAL MOBILITY TO COMPENSATE FOR UNEVEN SUBFACES AND COMFORTABLE WALKING UPHILL AND ON INCLINES GOOD ENERGY RETURN IN THE FOREFOOT AND HEEL GOOD SHOCK ABSORPTION PROGRESSIVE SPRING CHARACTERISTICS SAFETY: CONTROLLED PLANTAR FLEXION OF UP TO 12 DEGREE VERY GOOD IN - /EVERSION AND PRO - SUPINATION GOOD INITIATION OF KNEE FLEXION C - SPRING AND CONTROL RING GUARANTEES THAT BOTH SPRINGS WORK TOGETHER SIZE 29 LEFT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | EA  | ITEMIZED | 100  |

6/21/2022 Page 83 of 160

| 1077 | 4224200119400 | LIGHTWEIGHT CARBON FOOT SZ 30 LEFT  | LIGHTWEIGHT CARBON FOOT WITH COMFORTABLE ROLLOVER CHARACTERISTICS INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE MULTI - AXIAL MOBILITY TO COMPENSATE FOR UNEVEN SURFACES AND COMFORTABLE WALKING UPHILL AND ON INCLINES GOOD ENERGY RETURN IN THE FOREFOOT AND HEEL GOOD SHOCK ABSORPTION PROGRESSIVE SPRING CHARACTERISTICS SAFETY: CONTROLLED PLANTAR FLEXION OF UP TO 12 DEGREE VERY GOOD IN - EVERSION AND PRO - SUPINATION GOOD INITIATION OF KNEE FLEXION C - SPRING AND CONTROL RING GUARANTEES THAT BOTH SPRINGS WORK TOGETHER SIZE 30 LEFT                | EA | ITEMIZED | 100 |
|------|---------------|-------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|----------|-----|
| 1078 | 4224200119500 | LIGHTWEIGHT CARBON FOOT SZ 24 RIGHT | LIGHTWEIGHT CARBON FOOT WITH COMFORTABLE ROLLOVER CHARACTERISTICS INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE MULTI - AXIAL MOBILITY TO COMPENSATE FOR UNEVER SURFACES AND COMFORTABLE WALKING UPHILL AND ON INCLINES GOOD ENERGY RETURN IN THE FOREFOOT AND HEEL GOOD SHOCK ABSORPTION PROGRESSIVE SPRING CHARACTERISTICS SAFETY: CONTROLLED PLANTAR FLEXION OF UP TO 12 DEGREE VERY GOOD IN - EVERSION AND PRO - SUPINATION GOOD INITIATION OF KNEE FLEXION C - SPRING AND CONTROL RING GUARANTEES THAT BOTH SPRINGS WORK TOGETHER SIZE 24 RIGHT               | EA | ITEMIZED | 100 |
| 1079 | 4224200119600 | LIGHTWEIGHT CARBON FOOT SZ 25 RIGHT | LIGHTWEIGHT CARBON FOOT WITH COMFORTABLE ROLLOVER CHARACTERISTICS INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE MULTI - AXIAL MOBILITY TO COMPENSATE FOR UNEVER SURFACES AND COMFORTABLE WALKING UPHILL AND ON INCLINES GOOD ENERGY RETURN IN THE FOREFOOT AND HEEL GOOD SHOCK ABSORPTION PROGRESSIVE SPRING CHARACTERISTICS SAFETY: CONTROLLED PLANTAR FLEXION OF UP TO 12 DEGREE VERY GOOD IN - EVERSION AND PRO - SUPINATION GOOD INITIATION OF KNEE FLEXION C - SPRING AND CONTROL RING GUARANTEES THAT BOTH SPRINGS WORK TOGETHER SIZE ZS RIGHT SIZE ZS       | EA | ITEMIZED | 100 |
| 1080 | 4224200119700 | LIGHTWEIGHT CARBON FOOT SZ 26 RIGHT | LIGHTWEIGHT CARBON FOOT WITH COMFORTABLE ROLLOVER CHARACTERISTICS INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE MULTI - AXIAL MOBILITY TO COMPENSATE FOR UNEVER SURFACES AND COMFORTABLE WALKING UPHILL AND ON INCLINES GOOD ENERGY RETURN IN THE FOREPOOT AND HEEL GOOD SHOCK ABSORPTION PROGRESSIVE SPRING CHARACTERISTICS SAFETY: CONTROLLED PLANTAR FLEXION OF UP TO 12 DEGREE VERY GOOD IN - EVERSION AND PRO - SUPINATION GOOD INITIATION OF KNEE FLEXION C - SPRING AND CONTROL RING GUARANTEES THAT BOTH SPRINGS WORK TOGETHER SIZE 26 RIGHTS TIES CONTROL | EA | ITEMIZED | 100 |
| 1081 | 4224200119800 | LIGHTWEIGHT CARBON FOOT SZ 27 RIGHT | LIGHTWEIGHT CARBON FOOT WITH COMFORTABLE ROLLOVER CHARACTERISTICS INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE MULTI - AXIAL MOBILITY TO COMPENSATE FOR UNEVER SURFACES AND COMFORTABLE WALKING UPHILL AND ON INCLINES GOOD ENERGY RETURN IN THE FOREPOOT AND HEEL GOOD SHOCK ABSORPTION PROGRESSIVE SPRING CHARACTERISTICS SAFETY: CONTROLLED PLANTAR FLEXION OF UP TO 12 DEGREE VERY GOOD IN - EVERSION AND PRO - SUPINATION GOOD INITIATION OF KNEE FLEXION C - SPRING AND CONTROL RING GUARANTEES THAT BOTH SPRINGS WORK TOGETHER SIZE ZY RIGHT SIZE ZY RIGHT | EA | ITEMIZED | 100 |
| 1082 | 4224200119900 | LIGHTWEIGHT CARBON FOOT SZ 28 RIGHT | LIGHTWEIGHT CARBON FOOT WITH COMFORTABLE ROLLOVER CHARACTERISTICS INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE MULTI - AXIAL MOBILITY TO COMPENSATE FOR UNEVEN SUBFACES AND COMFORTABLE WALKING UPHILL AND ON INCLINES GOOD ENERGY RETURN IN THE FOREFOOT AND HEEL GOOD SHOCK ABSORPTION PROGRESSIVE SPRING CHARACTERISTICS SAFETY: CONTROLLED PLANTAR FLEXION OF UP TO 12 DEGREE VERY GOOD IN - EVERSION AND PRO - SUPINATION GOOD INITIATION OF KNEE FLEXION C - SPRING AND CONTROL RING GUARANTEES THAT BOTH SPRINGS WORK TOGETHER SIZE 28 RIGHT               | EA | ITEMIZED | 100 |
| 1083 | 4224200120000 | LIGHTWEIGHT CARBON FOOT SZ 29 RIGHT | LIGHTWEIGHT CARBON FOOT WITH COMFORTABLE ROLLOVER CHARACTERISTICS INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE MULTI - AXIAL MOBILITY TO COMPENSATE FOR UNEVEN SUBFACES AND COMFORTABLE WALKING UPHILL AND ON INCLINES GOOD ENERGY RETURN IN THE FOREFOOT AND HEEL GOOD SHOCK ABSORPTION PROGRESSIVE SPRING CHARACTERISTICS SAFETY: CONTROLLED PLANTAR FLEXION OF UP TO 12 DEGREE VERY GOOD IN - EVERSION AND PRO - SUPINATION GOOD INITIATION OF KNEE FLEXION C - SPRING AND CONTROL RING GUARANTEES THAT BOTH SPRINGS WORK TOGETHER SIZE 29 RIGHT               | EA | ITEMIZED | 100 |
| 1084 | 4224200120100 | LIGHTWEIGHT CARBON FOOT SZ 30 RIGHT | LIGHTWEIGHT CARBON FOOT WITH COMFORTABLE ROLLOVER CHARACTERISTICS INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE MULTI - AXIAL MOBILITY TO COMPENSATE FOR UNEVEN SUBFACES AND COMFORTABLE WALKING UPHILL AND ON INCLINES GOOD ENERGY RETURN IN THE FOREFOOT AND HEEL GOOD SHOCK ABSORPTION PROGRESSIVE SPRING CHARACTERISTICS SAFETY: CONTROLLED PLANTAR FLEXION OF UP TO 12 DEGREE VERY GOOD IN - EVERSION AND PRO - SUPINATION GOOD INITIATION OF KNEE FLEXION C - SPRING AND CONTROL RING GUARANTEES THAT BOTH SPRINGS WORK TOGETHER SIZE 30 RIGHT               | EA | ITEMIZED | 100 |

6/21/2022 Page 84 of 160

| 1085 | 4224200126800 | LIGHTWEIGHT ROBUST CARBON FOOT SZ24 LEFT | LIGHTWEIGHT ROBUST AND DURABLE CARBON FOOT, WITH LOW CLEARANCE RESISTANT AGAINST DUST, DIRT, AND SPLASH WATER, THE CARBON SPRING OFFERS A GOOD FOREFOOT STABILITY AND AN EFFICIENT ENERGY RETURN THE HEEL FOAM OFFERS A COMPORTABLE AND SAVE HEEL STRIKE, TOE INSERT PRE-INSTALLED IN THE FOOTSHELL SERVES TO EXTEND THE LENGTH OF THE FOREFOOT SUPPORTING DIFFERENT WALKING SPEEDS, LOW PROFILE FOOTSHELL FOR EASY ACCESS TO ADJUSTMENT SCREWS AND CONVENIENT INSTALLATION, ALIGNMENT MARKS ON THE FOOTSHELL AND CONNECTION CAP ALLOW AN EASY BENCH ALIGNMENT, INCLUDED TITANIUM TUBE ADAPTER, TITANIUM TUBE CLAMP ADAPTER, TITANIUM TRANS-TIBIAL LAMINATION ANCHOR WITH PYRAMID, AND COSMETIC                                                                                        | SET | ITEMIZED | 50 |
|------|---------------|------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|----|
| 1086 | 4224200126900 | LIGHTWEIGHT ROBUST CARBON FOOT SZ25 LEFT | FOAM, CE MARK OR EQUIVALENT, SIZE 24, LEFT  LIGHTWEIGHT ROBUST AND DURABLE CARBON FOOT, WITH LOW CLEARANCE RESISTANT AGAINST DUST, DIRT, AND SPLASH WATER, THE CARBON SPRING OFFERS A GOOD FOREFOOT STABILITY AND AN EFFICIENT ENERGY RETURN THE HEEL FOAM OFFERS A COMFORTABLE AND SAVE HEEL STRIKE, TOE INSERT PRE-INSTALLED IN THE FOOTSHELL SERVES TO EXTEND THE LENGTH OF THE FORFFOOT SUPPORTING DIFFERENT WALKING SPEEDS, LOW PROFILE FOOTSHELL FOR EASY ACCESS TO ADJUSTMENT SCREWS AND CONVENIENT INSTALLATION, ALIGNMENT MARKS ON THE FOOTSHELL AND CONNECTION CAP ALLOW AN EASY BENCH ALIGNMENT, INCLUDED TITANIUM TUBE ADAPTER, TITANIUM TUBE CLAMP ADAPTER, TITANIUM TRANS-TIBIAL LAMINATION ANCHOR WITH PYRAMID, AND COSMETIC FOAM, CE MARK OR EQUIVALENT, SIZE 25, LEFT | SET | ITEMIZED | 50 |
| 1087 | 4224200127000 | LIGHTWEIGHT ROBUST CARBON FOOT SZ24 RT   | LIGHTWEIGHT ROBUST AND DURABLE CARBON FOOT, WITH LOW CLEARANCE RESISTANT AGAINST DUST, DIRT, AND SPLASH WATER, THE CARBON SPRING OFFERS A GOOD FOREFOOT STABILITY AND AN EFFICIENT ENERGY RETURN THE HEEL FOAM OFFERS A COMFORTABLE AND SAVE HEEL STRIKE, TOE INSERT PRE-INSTALLED IN THE FOOTSHELL SERVES TO EXTEND THE LENGTH OF THE FOREFOOT SUPPORTING DIFFERENT WALKING SPEEDS, LOW PROFILE FOOTSHELL FOR EASY ACCESS TO ADJUSTMENT SCREWS AND CONVENIENT INSTALLATION, ALIGNMENT MARKS ON THE FOOTSHELL FOR EASY ACCESS TO ADJUSTMENT SCREWS BENCH ALIGNMENT, INCLUDED TITANIUM TUBE ADAPTER, TITANIUM TUBE CLAMP ADAPTER, TITANIUM TRANS-TIBIAL LAMINATION ANCHOR WITH PYRAMID, AND COSMETIC FOAM, CE MARK OR EQUIVALENT, SIZE 24, RIGHT                                        | SET | ITEMIZED | 50 |
| 1088 | 4224200127100 | LIGHTWEIGHT ROBUST CARBON FOOT SZ25 RT   | LIGHTWEIGHT ROBUST AND DURABLE CARBON FOOT, WITH LOW CLEARANCE RESISTANT AGAINST DUST, DIRT, AND SPLASH WATER, THE CARBON SPRING OFFERS A GOOD FOREFOOT STABILITY AND AN EFFICIENT ENERGY RETURN THE HEEL FOAM OFFERS A COMFORTABLE AND SAVE HEEL STRIKE, TOE INSERT PRE-INSTALLED IN THE FOOTSHELL SERVES TO EXTEND THE LENGTH OF THE FOREFOOT SUPPORTING DIFFERENT WALKING SPEEDS, LOW PROFILE FOOTSHELL FOR EASY ACCESS TO ADJUSTMENT SCREWS AND CONVENIENT INSTALLATION, ALIGNMENT MARKS ON THE FOOTSHELL AND CONNECTION CAP ALLOW AN EASY BENCH ALIGNMENT, INCLUDED TITANIUM TUBE ADAPTER, TITANIUM TUBE CLAMP ADAPTER, TITANIUM TRANS-TIBIAL LAMINATION ANCHOR WITH PYRAMID, AND COSMETIC FOAM, CE MARK OR EQUIVALENT, SIZE 25, RIGHT                                            | SET | ITEMIZED | 50 |
| 1089 | 4224200127200 | LIGHTWEIGHT ROBUST CARBON FOOT SZ26 LEFT | LIGHTWEIGHT ROBUST AND DURABLE CARBON FOOT, WITH LOW CLEARANCE RESISTANT AGAINST DUST, DIRT, AND SPLASH WATER, THE CARBON SPRING OFFERS A GOOD FOREFOOT STABILITY AND AN EFFICIENT ENERGY RETURN THE HEEL FOAM OFFERS A COMFORTABLE AND SAVE HEEL STRIKE, FOAM SEFENS ALLOW THE FOOTSHELL SERVES TO EXTEND THE LENGTH OF THE FOOTSHELL SERVES TO EXTEND THE LENGTH OF THE FOREFOOT SUPPORTING DIFFERENT WALKING SPEEDS, LOW PROFILE FOOTSHELL FOR EASY ACCESS TO ADJUSTMENT SCREWS AND CONVENIENT INSTALLATION, ALIGNMENT MARKS ON THE FOOTSHELL AND CONNECTION CAP ALLOW AN EASY BENCH ALIGNMENT, INCLUDED ITTANIUM TUBE ADAPTER, TITANIUM TUBE CLAMP ADAPTER, TITANIUM TRANS-TIBIAL LAMINATION ANCHOR WITH PYRAMID, AND COSMETIC FOAM, CE MARK OR EQUIVALENT, SIZE 26, LEFT          | SET | ITEMIZED | 50 |
| 1090 | 4224200127300 | LIGHTWEIGHT ROBUST CARBON FOOT SZ27 LEFT | LIGHTWEIGHT ROBUST AND DURABLE CARBON FOOT, WITH LOW CLEARANCE RESISTANT AGAINST DUST, DIRT, AND SPLASH WATER, THE CARBON SPRING OFFERS A GOOD FOREFOOT STABILITY AND AN EFFICIENT RENERGY RETURN THE HEEL FOAM OFFERS A COMFORTABLE AND SAVE HEEL STRIKE, TOE INSERT PRE-INSTALLED IN THE FOOTSHELL SERVES TO EXTEND THE LENGTH OF THE FOREFOOT SUPPORTING DIFFERENT WALKING SPEEDS, LOW PROFILE FOOTSHELL FOR EASY ACCESS TO ADJUSTMENT SCREWS AND CONVENIENT INSTALLATION, ALIGNMENT MARKS ON THE FOOTSHELL FOR EASY ACCESS TO ADJUSTMENT SCREWS BNOCH ALIGNMENT, INCLUDED TITANIUM TUBE ADAPTER, TITANIUM TUBE CLAMP ADAPTER, TITANIUM TRANS-TIBIAL LAMINATION ANCHOR WITH PYRAMID, AND COSMETIC FOAM, CE MARK OR EQUIVALENT, SIZE 27, LEFT                                        | SET | ITEMIZED | 50 |

6/21/2022 Page 85 of 160

| 4224200127400 | LIGHTWEIGHT ROBUST CARBON FOOT SZ28 LEFT                                                                                              | LIGHTWEIGHT ROBUST AND DURABLE CARBON FOOT, WITH LOW CLEARANCE RESISTANT AGAINST DUST, DIRT, AND SPLASH WATER, THE CARBON SPRING OFFERS A GOOD FOREFOOT STABILITY AND AN EFFICIENT ENERGY RETURN THE HEEL FOAM OFFERS A COMFORTABLE AND SAVE HEEL STRIKE, TOE INSERT PRE-INSTALLED IN THE FOOTSHELL SERVES TO EXTEND THE LENGTH OF THE FOREFOOT SUPPORTING DIFFERENT WALKING SPEEDS, LOW PROFILE FOOTSHELL FOR EASY ACCESS TO ADJUSTMENT SCREWS AND CONVENIENT INSTALLATION, ALIGNMENT MARKS ON THE FOOTSHELL AND CONNECTION CAP ALLOW AN EASY BENCH ALIGNMENT, INCLUDED TITANIUM TUBE ADAPTER, TITANIUM TUBE CLAMP ADAPTER, TITANIUM TRANS-TIBIAL LAMINATION ANCHOR WITH PYRAMID, AND COSMETIC FOAM, CE MARKOR EQUIVALENT, SIZE 28, LEFT                                | SET                                     | ITEMIZED      | 50                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|---------------|---------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------|---------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 4224200127500 | LIGHTWEIGHT ROBUST CARBON FOOT SZ26 RT                                                                                                | LIGHTWEIGHT ROBUST AND DURABLE CARBON FOOT, WITH LOW CLEARANCE RESISTANT AGAINST DUST, DIRT, AND SPLASH WATER, THE CARBON SPRING OFFERS A GOOD FOREFOOT STABILITY AND AN EFFICIENT ENERGY RETURN THE HEEL FOAM OFFERS A COMFORTABLE AND SAVE HEEL STRIKE, TOE INSERT PRE-INSTALLED IN THE FOOTSHELL SERVES TO EXTEND THE LENGTH OF THE FOREFOOT SUPPORTING DIFFERENT WALKING SPEEDS, LOW PROFILE FOOTSHELL FOR EASY ACCESS TO ADJUSTMENT SCREWS AND CONVENIENT INSTALLATION, ALIGNMENT MARKS ON THE FOOTSHELL AND CONNECTION CAP ALLOW AN EASY BENCH ALIGNMENT, INCLUDED TITANIUM TUBE ADAPTER, TITANIUM TUBE CLAMP ADAPTER, TITANIUM TRANS-TIBIAL LAMINATION ANCHOR WITH PYRAMIO, AND COSMETIC FOAM, CE MARK OR EQUIVALENT, SIZE 26, RIGHT                              | SET                                     | ITEMIZED      | 50                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| 4224200127600 | LIGHTWEIGHT ROBUST CARBON FOOT SZ27 RT                                                                                                | LIGHTWEIGHT ROBUST AND DURABLE CARBON FOOT, WITH LOW CLEARANCE RESISTANT AGAINST DUST, DIRT, AND SPLASH WATER, THE CARBON SPRING OFFERS A GOOD FOREFOOT STABILITY AND AN EFFICIENT ENERGY RETURN THE HEEL FOAM OFFERS A COMFORTABLE AND SAVE HEEL STRIKE, FOE INSERT PRE-INSTALLED IN THE FOOTSHELL SERVES TO EXTEND THE LENGTH OF THE FOREFOOT SUPPORTING DIFFERENT WALKING SPEEDS, LOW PROFILE FOOTSHELL FOR EASY ACCESS TO ADJUSTMENT SCREWS AND CONVENIENT INSTALLATION, ALIGNMENT MARKS ON THE FOOTSHELL AND CONNECTION CAP ALLOW AN EASY BENCH ALIGNMENT, INCLUDED TITANIUM TUBE ADAPTER, TITANIUM TUBE CLAMP ADAPTER, TITANIUM TRANS-TIBIAL LAMINATION ANCHOR WITH PYRAMIO, AND COSMETIC FOAM, CE MARK OR EQUIVALENT, SIZE 27, RIGHT                              | SET                                     | ITEMIZED      | 50                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| 4224200127700 | LIGHTWEIGHT ROBUST CARBON FOOT SZ28 RT                                                                                                | LIGHTWEIGHT ROBUST AND DURABLE CARBON FOOT, WITH LOW CLEARANCE RESISTANT AGAINST DUST, DIRT, AND SPLASH WATER, THE CARBON SPRING OFFERS A GOOD FOREFOOT STABILITY AND AN EFFICIENT ERREGY RETURN THE HEEL FOAM OFFERS A COMFORTABLE AND SAVE HEEL STRIKE, TOE INSERT PRE-INSTALLED IN THE FOOTSHELL SERVES TO EXTEND THE LENGTH OF THE FOREFOOT SUPPORTING DIFFERENT WALKING SPEEDS, LOW PROFILE FOOTSHELL FOR EASY ACCESS TO ADJUSTMENT SCREWS AND CONVENIENT INSTALLATION, ALIGNMENT MARKS ON THE FOOTSHELL AND CONNECTION CAP ALLOW AN EASY BENCH ALIGNMENT, INCLUDED TITANIUM TUBE ADAPTER, TITANIUM TUBE CLAMP ADAPTER, TITANIUM TUBE CLAMP ADAPTER, TITANIUM TRANS-TIBIAL LAMINATION ANCHOR WITH PYRAMID, AND COSMETIC FOAM, CE MARK OR EQUIVALENT, SIZE 28, RIGHT | SET                                     | ITEMIZED      | 50                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| 4224200030900 | LIMBMAKER'S VISE                                                                                                                      | LIMBMAKER'S VISE, AN ORTHOTICS WORKSHOP TOOL,<br>CLAMPING DEVICE FOR INSTALLATION UNDER THE<br>WORKBENCH, ROTATING AND EXTENDABLE, CLAMPING<br>EXHAUST TUBES OF DIFFERENT SIZES, DIMENSIONS (W X D X<br>H ) 100 X 625 X 115 MM, WEIGHT 5-7 KG                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | EA                                      | ITEMIZED      | 10                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| 4224150902000 | LIMITER MOTION CONTROL PLANTAR FLEXION                                                                                                | STOP WITH SOME DAMPING CONSTRUCTED OF STAINLESS STEEL AND URETHANE, EASY TO FABRICATE PLANTARFLEXION STOP MOTION LIMITING                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | EA                                      | ITEMIZED      | 50                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| 4224150901900 | LIMITER PLANTARFLEXION RANGE OF MOTION                                                                                                | TURNED INTO A SOLID ANKLE, CAN INITIALLY BE SET TO ANY PLANTAR STOP POSITION, MOTION LIMITING                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | EA                                      | ITEMIZED      | 50                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| 4224171324600 | LINER PROSTHETIC CUSHION 3MM CONTOURED                                                                                                | LINER PROS HEELIC GEL, CUSHION, 3MM HHICKNESS, CONTOURED SHAPE, STRETCHABLE, PROVIDES PRESSURE DISTRIBUTION, REDUCE FRICTION, COMFORT, DURABILITY AND OPTIMAL SOCKET FITTING, ASSORTED SIZES                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | EA                                      | ITEMIZED      | 100                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 4224171324900 | LINER PROSTHETIC CUSHION 3MM TAPERED                                                                                                  | LINER PROSTHETIC GEL, CUSHION, 3MM THICKNESS, TAPERED<br>SHAPE, STRETCHABILE, PROVIDES PRESSURE DISTRIBUTION,<br>REDUCE FRICTION, COMFORT, DURABILITY AND OPTIMAL<br>SOCKET FITTING, ASSORTED SIZES                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | EA                                      | ITEMIZED      | 100                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 4224171324300 | LINER PROSTHETIC GEL CUSHION 3MM UNIFORM                                                                                              | LINER PROSTHETIC GEL, CUSHION, 3MM THICKNESS,<br>UNIFORM SHAPE, STRETCHABLE, PROVIDES PRESSURE<br>DISTRIBUTION, REDUCE FRICTION, COMFORT, DURABILITY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | EA                                      | ITEMIZED      | 100                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 4224171324700 | LINER PROSTHETIC CUSHION 6MM CONTOURED                                                                                                | LINER PROSTHETIC GEL, CUSHION, 6MM THICKNESS,<br>CONTOURED SHAPE, STRETCHABLE, PROVIDES PRESSURE<br>DISTRIBUTION, REDUCE FRICTION, COMFORT, DURABILITY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | EA                                      | ITEMIZED      | 100                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 4224171325000 | LINER PROSTHETIC CUSHION 6MM TAPERED                                                                                                  | LINER PROSTHETIC GEL, CUSHION, 6MM THICKNESS, TAPERED SHAPE, STRETCHABLE, PROVIDES PRESSURE DISTRIBUTION, REDUCE FRICTION, COMFORT, DURABILITY AND OPTIMAL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | EA                                      | ITEMIZED      | 100                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 4224171324400 | LINER PROSTHETIC GEL CUSHION 5MM UNIFORM                                                                                              | LINER PROSTHETIC GEL, CUSHION, 6MM THICKNESS,<br>UNIFORM SHAPE, STRETCHABLE, PROVIDES PRESSURE<br>DISTRIBUTION, REDUCE FRICTION, COMFORT, DURABILITY<br>AND OPTIMAL SOCKET FITTING, ASSORTED SIZES                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | EA                                      | ITEMIZED      | 100                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 4224171324800 | LINER PROSTHETIC CUSHION 9MM CONTOURED                                                                                                | LINER PROSTHETIC GEL, CUSHION, 9MM THICKNESS,<br>CONTOURED SHAPE, STRETCHABLE, PROVIDES PRESSURE<br>DISTRIBUTION, REDUCE FRICTION, COMFORT, DURABILITY<br>AND OPTIMAL SOCKET FITTING, ASSORTED SIZES                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | EA                                      | ITEMIZED      | 100                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|               | 4224200127500  4224200127600  4224200127700  4224200030900  4224150901900  4224171324500  4224171324700  4224171324700  4224171324400 | 4224200127500 LIGHTWEIGHT ROBUST CARBON FOOT SZ26 RT  4224200127600 LIGHTWEIGHT ROBUST CARBON FOOT SZ27 RT  4224200127700 LIGHTWEIGHT ROBUST CARBON FOOT SZ28 RT  4224200030900 LIMBMAKER'S VISE  4224150902000 LIMITER MOTION CONTROL PLANTAR FLEXION  4224150901900 LIMITER PLANTARFLEXION RANGE OF MOTION  4224171324600 LINER PROSTHETIC CUSHION 3MM CONTOURED  4224171324900 LINER PROSTHETIC CUSHION 3MM UNIFORM  4224171324900 LINER PROSTHETIC GEL CUSHION 3MM UNIFORM  4224171324900 LINER PROSTHETIC CUSHION 6MM CONTOURED  4224171324900 LINER PROSTHETIC CUSHION 6MM TAPERED  4224171324900 LINER PROSTHETIC CUSHION 6MM TAPERED                                                                                                                             | LIGHTWEIGHT ROBUST CARBON FOOT SZZB LET | APA-200217900 | LUGITIMOGRIF ROBUST CARBON FOOT SCENET  423405027900  LUGITIMOGRIF ROBUST CARBON FOOT SCENET  LUGITIMOGRIF ROBUST CARBON FOOT |

6/21/2022 Page 86 of 160

|              |                                |                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |          | 1                    |            |
|--------------|--------------------------------|-------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----------------------|------------|
| 1105         | 4224171325100                  | LINER PROSTHETIC CUSHION 9MM TAPERED                                          | LINER PROSTHETIC GEL, CUSHION, 9MM THICKNESS, TAPERED<br>SHAPE, STRETCHABLE, PROVIDES PRESSURE DISTRIBUTION,<br>REDUCE FRICTION, COMFORT, DURABILITY AND OPTIMAL<br>SOCKET FITTING, ASSORTED SIZES                                                                                                                                                                                                                                                                                                           | EA       | ITEMIZED             | 100        |
| 1106         | 4224171324500                  | LINER PROSTHETIC GEL CUSHION 9MM UNIFORM                                      | LINER PROSTHETIC GEL, CUSHION, 9MM THICKNESS,<br>UNIFORM SHAPE, STRETCHABLE, PROVIDES PRESSURE<br>DISTRIBUTION, REDUCE FRICTION, COMFORT, DURABILITY<br>AND OPTIMAL SOCKET FITTING, ASSORTEO SIZES                                                                                                                                                                                                                                                                                                           | EA       | ITEMIZED             | 100        |
| 1107         | 4224171323700                  | LINER GEL LOCKING PIN 3MM CONTOURED                                           | LINER PROSTHETIC GEL, LOCKING PIN, 3MM THICKNESS,<br>CONTOURED SHAPE, STRETCHABLE, PROVIDES PRESSURE<br>DISTRIBUTION, REDUCE FRICTION, COMFORT, DURABILITY<br>AND OPTIMAL SOCKET FITTING, ASSORTED SIZES                                                                                                                                                                                                                                                                                                     | EA       | ITEMIZED             | 100        |
| 1108         | 4224171324000                  | LINER PROSTHETIC GEL 3MM TAPERED                                              | LINER PROSTHETIC GEL, LOCKING PIN, 3MM THICKNESS,<br>TAPERED SHAPE, STRETCHABILE, PROVIDES PRESSURE<br>DISTRIBUTION, REDUCE FRICTION, COMFORT, DURABILITY<br>AND OPTIMAL SOCKET FITTING, ASSORTED SIZES                                                                                                                                                                                                                                                                                                      | EA       | ITEMIZED             | 100        |
| 1109         | 4224171323400                  | LINER PROSTHETIC GEL 3MM UNIFORM                                              | LINER PROSTHETIC GEL, LOCKING PIN, 3MM THICKNESS,<br>UNIFORM SHAPE, STRETCHABLE, PROVIDES PRESSURE<br>DISTRIBUTION, REDUCE FRICTION, COMFORT, DURABILITY<br>AND OPTIMAL SOCKET FITTING, ASSORTEO SIZES                                                                                                                                                                                                                                                                                                       | EA       | ITEMIZED             | 100        |
| 1110         | 4224171323800                  | LINER GEL LOCKING PIN 6MM CONTOURED                                           | LINER PROSTHETIC GEL, LOCKING PIN, 6MM THICKNESS,<br>CONTOURED SHAPE, STRETCHABLE, PROVIDES PRESSURE<br>DISTRIBUTION, REDUCE FRICTION, COMFORT, DURABILITY<br>AND OPTIMAL SOCKET FITTING, ASSORTED SIZES                                                                                                                                                                                                                                                                                                     | EA       | ITEMIZED             | 100        |
| 1111         | 4224171324100                  | LINER PROSTHETIC GEL 6MM TAPERED                                              | LINER PROSTHETIC GEL, LOCKING PIN, 6MM THICKNESS,<br>TAPERED SHAPE, STRETCHABLE, PROVIDES PRESSURE<br>DISTRIBUTION, REDUCE FRICTION, COMFORT, DURABILITY<br>AND OPTIMAL SOCKET FITTING, ASSORTED SIZES                                                                                                                                                                                                                                                                                                       | EA       | ITEMIZED             | 100        |
| 1112         | 4224171323500                  | LINER PROSTHETIC GEL 6MM UNIFORM                                              | LINER PROSTHETIC GEL, LOCKING PIN, 6MM THICKNESS,<br>UNIFORM SHAPE, STRETCHABLE, PROVIDES PRESSURE<br>DISTRIBUTION, REDUCE FRICTION, COMFORT, DURABILITY<br>AND OPTIMAL SOCKET FITTING, ASSORTED SIZES                                                                                                                                                                                                                                                                                                       | EA       | ITEMIZED             | 100        |
| 1113         | 4224171323900                  | LINER GEL LOCKING PIN 9MM CONTOURED                                           | LINER PROSTHETIC GEL, LOCKING PIN, SMM THICKNESS,<br>CONTOURED SHAPE, STRETCHABLE, PROVIDES PRESSURE<br>DISTRIBUTION, REDUCE FRICTION, COMPORT, DURABILITY<br>AND OPTIMAL SOCKET FITTING, ASSORTED SIZES                                                                                                                                                                                                                                                                                                     | EA       | ITEMIZED             | 100        |
| 1114         | 4224171324200                  | LINER PROSTHETIC GEL 9MM TAPERED                                              | LINER PROSTHETIC GEL, LOCKING PIN, 9MM THICKNESS,<br>TAPERED SHAPE, STRETCHABLE, PROVIDES PRESSURE<br>DISTRIBUTION, REDUCE FRICTION, COMPORT, DURABILITY<br>AND OPTIMAL SOCKET FITTING, ASSORTED SIZES                                                                                                                                                                                                                                                                                                       | EA       | ITEMIZED             | 100        |
| 1115         | 4224171323600                  | LINER PROSTHETIC GEL 9MM UNIFORM                                              | LINER PROSTHETIC GEL, LOCKING PIN, 9MM THICKNESS,<br>UNIFORM SHAPE, STRETCHABLE, PROVIDES PRESSURE<br>DISTRIBUTION, REDUCE FRICTION, COMFORT, DURABILITY<br>AND OPTIMAL SOCKET FITTING, ASSORTED SIZES                                                                                                                                                                                                                                                                                                       | EA       | ITEMIZED             | 100        |
| 1116         | 4224200015800                  | LOCK STRAIGHTFORWARD PIN 25MM MAX.W125K                                       | LOCK MAGNOFLEX OR EQUIVALENT THE STRAIGHTFORWARD PIN GUIDE ELIMINATES THE ARDUOUS TASK OF SEARCHING FOR THE OPENING IN THE SHUTTLE LOCK 1 - STEP FABRICATION: QUICK AND STRAIGHTFORWARD INTEGRATION INTO THE PROSTHESIS THE OPTIONAL SLIDER PLATE MAKES IT EASIER TO OPTIMIZE THE PROSTHESIS SETTINGS AREA OF APPLICATION: TRANSFEMORAL AND TRANSTIBIAL AMPUTATION SYSTEM HEIGHT: 25 MM MAXIMUM BODY WEIGHT: 125 KG                                                                                          | EA       | ITEMIZED             | 10         |
| 1117         | 4224200009300                  | LOCK SET FOR SILICONE ARM LINER                                               | LOCK SET FOR SILICONE ARM LINER                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | EA       | ITEMIZED             | 10         |
| 1118         | 4224200134900                  | STANCE PHASE LOCK KNEE JOINT                                                  | LOCKING POSSIBILITY WHEN NEEDED STANCE PHASE STABILITY LOW VOLUNTARY CONTROL REQUIRED MID SWING SHORTENING - FOR BETTER TO CLEARANCE ADJUSTABLE EXTENSION TO OPTIMIZE EXTENSION SPEED MORE SAFETY WHEN NEEDED LESS EFFORT AND MORE CONFIDENCE DURING WALKING LESS RISK OF TRIPS AND FALLS INDIVIDUALLY ADAPTABLE TO INCREASE MOBILITY DURING REHABILITATION PHASE TRANSFEMORAL LOW TO MODERATE IMPACT LEVEL MAXIMUM USER WEIGHT 136 KG K - LEVEL: K 1 AND K 22 - IN - 1 FUNCTION 4 - BAR GEOMETRY INTEGRATED | EA       | ITEMIZED             | 50         |
| 1119         | 4224200031300                  | LONG-NOSED PLIERS                                                             | EXTENSION SPRING  LONG-NOSED PLIERS, AN ORTHOTICS WORKSHOP TOOL, OIL HARDENED, SIDE PIECE WITH PVC COATING, POLISHED HEAD, LENGTH 140-160 MM                                                                                                                                                                                                                                                                                                                                                                 | EA       | ITEMIZED             | 10         |
| 1120<br>1121 | 4224171400300<br>4224171307100 | LOOP IRON NICKEL PLATED PLAIN 20MM<br>LOOP PROSTHETIC 25MM IRON NICKEL COATED | LOOP, IRON NICKEL PLATED, PLAIN JOINTED, 20 MM LOOP, IRON NICKEL PLATED, PLAIN JOINTED, 25 MM                                                                                                                                                                                                                                                                                                                                                                                                                | EA<br>PC | ITEMIZED<br>ITEMIZED | 299<br>350 |
| 1122         | 4224171319400                  | LOOP IRON NICKEL PLATED WELDED 30MM                                           | LOOP, IRON NICKEL PLATED, WELDED, INSIDE WIDTH 30 MM                                                                                                                                                                                                                                                                                                                                                                                                                                                         | EA       | ITEMIZED             | 50         |
| 1123         | 4224171313200                  | LOOP PROSTHETIC IRON NICKEL W35MM                                             | LOOP, IRON NICKEL PLATED, WELDED, INSIDE WIDTH 35 MM                                                                                                                                                                                                                                                                                                                                                                                                                                                         | EA       | ITEMIZED             | 50         |
| 1124         | 4224170643100                  | LOW INTERFACE FRICTION MATERIAL                                               | LOW INTERFACE FRICTION MATERIAL, AVAILABLE IN BLACK, BLUE, AND BEIGE, PROTECTS SKIN FROM FRICTION BLISTERS, CALLUSES, AND FOOT ULCERS, USE IN PRESSURE MANAGEMENT APPLICATIONS, PRESERVING FUNCTION, ENDURANCE, AND COMFORT FRICTION RELIEF                                                                                                                                                                                                                                                                  | EA       | ITEMIZED             | 150        |
| 1125         | 4224200135100                  | LOW PULL STUMP PROSTHETIC                                                     | LOW PULL ON STUMP IMPROVED SHOCK - ABSORPTION FULL- LENGTH TOE LEVER VERTICAL FORCES GENERATED AT HEEL CONTACT ARE INITIALLY ABSORBED AND TRANSLATED INTO FORWARD MOTION MORE COMPERT PROTECTING SOUND SIDE - MORE NATURAL GAIT BALANCE AND LESS EFFORT FOR PUSH OFF MORE NATURAL GAIT AND REDUCED WALKING EFFORT TRANSTIBIAL AND TRANSFEMDRAL LOW IMPACT LEVEL MAXIMUM USER WEIGHT 136 KG. K LEVEL: K 1 AND K 2 IJGHTWIGHT PROPORTIONAL RESPONSE ACTIVE HEEL OPTIMAL ROLL - OVER ACTIVE TIBIAL PROGRESSION  | EA       | ITEMIZED             | 50         |
| 1126         | 4618221105100                  | LSO SEMIRIGID OBTAIN EFFECTIVE RESTRAINT                                      | LSO (LUMBOSACRAL ORTHOSIS) SEMI-RIGID MADE OF HIGHLY BREATHABLE MATERIALS. DESIGNED TO OBTAIN AN EFFECTIVE RESTRAINT CONTAINMENT AND UNLOADING OF THE SPINE LUMBAGO LUMBOSACRAL PROCESSES (SPONDVILTIS SPONDYLARTHRITIS DISC PROTRUSIONS) OSTEOPOROSIS MUSCULAR HYPOTONIA MINIOR TRAUMATIC INJURIES VERTEBRAL FRACTURES AND POSTURAL AND POST-SURGICAL REHABILITATION WHICH INCORPORATES FOUR FORMABLE STEEL STAYS SLIDING BUCKLES THAT MULTIPLY THE TRACTION FORCE                                          | EA       | ITEMIZED             | 50         |

6/21/2022 Page 87 of 160

| 1127 | 4618221105000 | LSO SEMI-RIGID W/PULLEY TRACTION XXXL    | LSO (LUMBOSACRAL ORTHOSIS) SEMI-RIGID SEMI-RIGID WITH PULLEY TRACTION MADE OF HIGHLY BREATHABLE MATERIALS LATEX FREE: HYPOALLERGENIC GARMENT COOLMAX DERMODRY INSIDE TECHNICAL TEXTILE FINISHING PROCESS THAT ACCELERATES THE ABSORPTION OF MOISTURE KEEPING THE SKIN DRY MINIMUM THICKNESS ADJUSTMENT MADE BY MICRO VELCRO LUMBAGO LUMBOSACRAL PROCESSES (SPONDYLITIS SPONDYLARTHRITS DISC PROTRUSIONS) OSTEOPOROSIS MUSCULAR HYPOTONIA MINOR TRAUMATIC INJURIES VERTEBRAL FRACTURES AND POSTURAL AND POST-SURGICAL REHABILITATION AUDISTAMENT TRACTION AND CONTROL SYSTEM WITH INIDEPENDENT PULLEYS IT GETS MAXIMUM POWER WITH MINIMUM EFFORT AS IT MULTIPLIES THE PULLING FORCE OF THE PATIENT SIZE: XXX-                                         | EA | iTEMIZED | 50  |
|------|---------------|------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|----------|-----|
| 1128 | 4618221101600 | LSO SEMI-RIGID WITH PULLEY TRACTION SM   | LSO (LUMBOSACRAL ORTHOSIS) SEMI-RIGID WITH PULLEY TRACTION ADJUSTMENT TRACTION AND CONTROL SYSTEM WITH INDEPENDENT PULLEYS IT GETS MAXIMUM POWER WITH MINDEPENDENT PULLEYS IT GETS MAXIMUM POWER WITH MINIMUM EFFORT AS IT MULTIPLIES THE PULLING FORCE OF THE PATIENT MADE OF HIGHLY BREATHABLE MATERIALS LATEX RERE. HYPOALLERGENG GARMENT COOLMAX DERMODRY INSIDE: TECHNICAL TEXTILE FINISHING PROCESS THAT ACCELERATES THE ABSORPTION OF MOISTURE KEPING THE ESKIN DRY MINIMUM THICKNESS: ADJUSTMENT MADE BY MICRO VELCRO LUMBAGO LUMBOSACRAL PROCESSES (SPONDYLITIS SPONDYLARTHRITIS DISC PROTINUSIONS) OSTEOPOROSIS MUSCULAR HYPOTONIA MINOR TRAUMATIC INJURIES VERTEBRAL FRACTURES AND POST USUGICAL REHABILITATION OR EQUIVALENT SIZE: SMALL | EA | itemized | 500 |
| 1129 | 4618221101700 | LSO SEMI-RIGID WITH PULLEY TRACTION MED  | LSO (LUMBOSACRAL ORTHOSIS) SEMI-RIGID WITH PULLEY TRACTION ADJUSTMENT TRACTION AND CONTROL SYSTEM WITH INDEPENDENT PULLEY SI GETS MAXIMUM POWER WITH MINIMUM EFFORT AS IT MULTIPLES THE PULLING FORCE OF THE PATIENT MADE OF HIGHLY BREATHABLE MATERIALS LATEX PREE: HYPOALLERGEBUNG GARMENT COOLMAX DERMODRY INSIDE: TECHNICAL TEXTILE FINISHING PROCESS THAT ACCELERATES THE ABSORPTION OF MOISTURE KEPING THE SKIN DRY MINIMUM THICKNESS: ADJUSTMENT MADE BY MICRO VELCRO LUMBAGO LUMBOSACRAL PROCESSES (SPONDYLITIS SPONDYLARTHRITIS DISC PROTRUSIONS) OSTEOPOROSIS MUSCULAR HYPOTONIA MINOR TRAUMATIC MUJURIES VERTEBRAL FRACTURES AND POST USUGCIAL REMEDIUM OR EQUIVALENT SIZE: MEDIUM                                                        | EA | ITEMIZED | 500 |
| 1130 | 4618221101800 | LSO SEMIRIGID WITH PULLEY TRACTION LARGE | LSO (LUMBOSACRAL ORTHOSIS) SEMI-RIGID WITH PULLEY TRACTION ADJUSTMENT TRACTION AND CONTROL SYSTEM WITH NOEPENDENT PULLEYS IT GETS MAXIMUM POWER WITH MINDEMENT PROBLETS IT GETS MAXIMUM POWER WITH MINIMUM EFFORT AS IT MULTIPLIES THE PULLING FORCE OF THE PATIENT MADE OF HIGHLY BREATHABLE MATERIALS LATEX PREE: HYPOALLERGENIC GARMENT COOLMAX DERMODRY INSIDE: TECHNICAL TEXTILE FINISHING PROCESS THAT ACCELERATES THE ABSORPTION OF MOISTURE KEPING THE SKIN DRY MINIMUM THICKNESS: ADJUSTMENT MADE BY MICRO VELCRO LUMBAGO LUMBOSACRAL PROCESSES (PONDVLITTS PONDVLARTHRIDS DISC PROTRUSIONS) OSTEOPOROSIS MUSCULAR HYPOTONIA MINOR TRAUMATIC INJURIES VERTEBRAL FRACTURES AND POST-USIGICAL REMABILITATION OR EQUIVALENT SIZE: LARGE        | EA | itemized | 500 |
| 1131 | 4618221101900 | LSO SEMI-RIGID WITH PULLEY TRACTION XL   | LSO (LUMBOSACRAL ORTHOSIS) SEMI-RIGID WITH PULLEY TRACTION ADJUSTMENT TRACTION AND CONTROL SYSTEM WITH MINDEPENDENT PULLEYS IT GETS MAXIMUM POWER WITH MINIMUM EFFORT AS IT MULTIPLIES THE PULLING FORCE OF THE PATIENT MADE OF HIGHLY BREATHABLE MATERIALS LATEX RERE: HYPOALLERGENIC GARMENT COOLMAX DERMODRY INSIDE: TECHNICAL TEXTILE FINISHING PROCESS THAT ACCELERATES THE ABSORPTION OF MOISTURE KEPING THE SKIN DRY MINIMUM THICKNESS: ADJUSTMENT MADE BY MICRO VELCRO LUMBAGO LUMBOSACRAL PROCESSES (SPONDVLATIES PONDVLASTHRITIS DISC PROTRUSIONS) OSTEOPOROSIS MUSCULAR HYPOTONIA MINOR TRAUMATIC MUURIES VERTEBRAL FRACTURES AND POST USEGICAL REMABILITATION OR EQUIVALENT SIZE: EXTRA LARGE                                            | EA | itemized | 500 |
| 1132 | 4618221102000 | LSO SEMI-RIGID WITH PULLEY TRACTION XXL  | LSO (LUMBOSACRAL ORTHOSIS) SEMI-RIGID WITH PULLEY TRACTION ADJUSTMENT TRACTION AND CONTROL SYSTEM WITH INDEPENDENT PULLEYS IT GETS MAXIMUM POWER WITH MINIMUM FEFORT AS IT MULTIPLIES THE PULLING FORCE OF THE PATIENT MADE OF HIGHLY BREATHABLE MATERIALS LATEX PREE: HYPOALLERGENIC GARMENT COOLMAX DERMODRY INSIDE: TECHNICAL TEXTILE FINISHING PROCESS THAT ACCELERATES THE ABSORPTION OF MOISTURE KEPING THE KSIN DRY MINIMUM THICKNESS: ADJUSTMENT MADE BY MICRO VELCRO LUMBAGO LUMBOSACRAL PROCESSES (SPONDYLITIS SPONDYLARTHRITIS DISC PROTRUSIONS) OSTEOPRORSIS MUSCULAR HYPOTONIA MINOR TRAUMATIC MUJURIES VERTEBRAL FRACTURES AND POST USAGICAL REMABILITATION OR EQUIVALENT SIZE: XX-LARGE                                               | EA | iTEMIZED | 500 |

6/21/2022 Page 88 of 160

| 1133 | 4618221105900 | LSO BIVALVE CORSET                     | LSO BIVALVE CORSET WITH BOA CLOSURE OVERLAPPING ON THE FRONT FACE THE FLEXIBILITY OF THE MATERIAL MAKES IT EASY THE ADAPTATION TO MOST OF THE PATIENTS THE STRENGTH OF THE MATERIAL MAINTAINS THE STABILIZATION AND IMMOBILIZATION CHAIL MAINTAINS THE STABILIZATION AND IMMOBILIZATION CORRECTION OF THE PATHOLOGIES FOR WHICH HAS BEEN DESIGNED STABILIZATION AND IMMOBILIZATION CORRECTION OF THE HYPERLORDOSIS INTRA - ABDOMINAL COMPRESSION DISCHARGE OF THE LS SPINE CONTROL OF MOBILITY IN THE SAGITTAL FRONTAL AND LATERAL PLANES LUMBAR SPINE AILMENTS CANAL STENOSIS SPONDYLOLYSIS.  SPONDYLOARTHRITIS OSTEOPOROSIS MICRO ADJUSTMENT NON - TAPERED SIZE FROM EXTRA - SMALL TO XXX-LARGE                                                                                                                                                                                                                                                                                                             | EA | ITEMIZED | 50  |
|------|---------------|----------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|----------|-----|
| 1134 | 4618221105200 | LSO PENDOLOUS SEMI-RIGID               | LSO PENDOLOUS SEMI-RIGID MADE OF HIGHLY BREATHABLE MATERIALS CLOSURE SYSTEM TO KEEP THE ANATOMICAL POSITION IN CASE OF PROMINENT ABDOMENS DESIGNED TO OBTAIN AN EFFECTIVE RESTRAINT CONTAINMENT AND UNLOADING OF THE SPINE LUMBAGO LUMBOSACRAL PROCESSES (SPONDYLITS SPONDYLATHRITIS DISC PROTRESIONS) OSTEOPOROSIS MUSCULAR HYPOTONIA MINOR TRAUMATIC INJURIES VERTEBRAL FRACTURES AND POSTURAL AND POST - SURGICAL REHABILITATION WHICH INCORPORATES FOUR FORMABLE STEEL STAYS. SLIDING BUCKLES THAT MULTIPLY THE TRACTION FORCE                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | EA | ITEMIZED | 50  |
| 1135 | 4224180203600 | LSO BI-VALVE LARGE LEFT                | LSO, BI-VALVE, WITH ADJUSTABLE HIP EXTENSION (HIP<br>SPICA), FOAM PADDED, POLYETHYLENE, THICKNESS 4MM,<br>RESTRICTS ROTATION, PREVENTION, SIZE LARGE, LEFT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | EA | ITEMIZED | 5   |
| 1136 | 4224180204100 | LSO BI-VALVE LARGE RIGHT               | LSO, BI-VALVE, WITH ADJUSTABLE HIP EXTENSION (HIP SPICA), FOAM PADDED, POLYETHYLENE, THICKNESS 4MM, RESTRICTS ROTATION, PREVENTION, SIZE LARGE, RIGHT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | EA | ITEMIZED | 5   |
| 1137 | 4224180203500 | LSO BI-VALVE MEDIUM LEFT               | LSO, BI-VALVE, WITH ADJUSTABLE HIP EXTENSION (HIP SPICA), FOAM PADDED, POLYETHYLENE, THICKNESS 4MM, RESTRICTS ROTATION, PREVENTION, SIZE MEDIUM, LEFT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | EA | ITEMIZED | 5   |
| 1138 | 4224180204000 | LSO BI-VALVE MEDIUM RIGHT              | LSO, BI-VALVE, WITH ADJUSTABLE HIP EXTENSION (HIP SPICA), FOAM PADDED, POLYETHYLENE, THICKNESS 4MM, RESTRICTS ROTATION, PREVENTION, SIZE MEDIUM, RIGHT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | EA | ITEMIZED | 5   |
| 1139 | 4224180203400 | LSO BI-VALVE SMALL LEFT                | LSO, BI-VALVE, WITH ADJUSTABLE HIP EXTENSION (HIP SPICA), FOAM PADDED, POLYETHYLENE, THICKNESS 4MM, RESTRICTS ROTATION, PREVENTION, SIZE SMALL, LEFT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | EA | ITEMIZED | 5   |
| 1140 | 4224180203900 | LSO BI-VALVE SMALL RIGHT               | LSO, BI-VALVE, WITH ADJUSTABLE HIP EXTENSION (HIP SPICA), FOAM PADDED, POLYETHYLENE, THICKNESS 4MM, RESTRICTS ROTATION, PREVENTION, SIZE SMALL, RIGHT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | EA | ITEMIZED | 5   |
| 1141 | 4224180203700 | LSO BI-VALVE X-LARGE LEFT              | LSO, BI-VALVE, WITH ADJUSTABLE HIP EXTENSION (HIP SPICA), FOAM PADDED, POLYETHYLENE, THICKNESS 4MM, RESTRICTS ROTATION, PREVENTION, SIZE X-LARGE, LEFT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | EA | ITEMIZED | 5   |
| 1142 | 4224180204200 | LSO BI-VALVE X-LARGE RIGHT             | LSO, BI-VALVE, WITH ADJUSTABLE HIP EXTENSION (HIP SPICA), FOAM PADDED, POLYETHYLENE, THICKNESS 4MM, RESTRICTS ROTATION, PREVENTION, SIZE X-LARGE, RIGHT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | EA | ITEMIZED | 5   |
| 1143 | 4224180203800 | LSO BI-VALVE XX-LARGE LEFT             | LSO, BI-VALVE, WITH ADJUSTABLE HIP EXTENSION (HIP SPICA), FOAM PADDED, POLYETHYLENE, THICKNESS 4MM, RESTRICTS ROTATION, PREVENTION, SIZE XX-LARGE, LEFT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | EA | ITEMIZED | 5   |
| 1144 | 4224180204300 | LSO BI-VALVE XX-LARGE RIGHT            | LSO, BI-VALVE, WITH ADJUSTABLE HIP EXTENSION (HIP SPICA), FOAM PADDED, POLYETHYLENE, THICKNESS 4MM, RESTRICTS ROTATION, PREVENTION, SIZE XX-LARGE, LEFT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | EA | ITEMIZED | 5   |
| 1145 | 4224200011400 | LUBRICANT 250 GRAMS                    | LUBRICANT, TO AID IN DONNING THE PROSTHETIC GLOVE OVER THE INNER HAND, NET CONTENTS 250 GRAMS, APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | EA | ITEMIZED | 100 |
| 1146 | 4224200135300 | MAIN PIVOT ANKLE JOINT ORTHOSIS        | MAIN PIVOT WORKS AS ANKLE JOINT LOW STIFFNESS IN MID - STANCE HIGH STIFFNESS IN LATE STANCE BETTER PLANTAR PRESSURE SOLE BLADE OFFERS FULL-LENGTH AND BIG TOE SOLE BLADE: SPLIT FROM MID - FOOT TO FOREFOOT AND WIDER BLADE MULTI - AXIAL ADAPTATION ALLOWING THE FOOT TO ADJUST TO THE SURFACE LIGHTWEIGHT WITH GRIPPING SOLE FOR BETTER GRIP BARFEOOT SANDAL CLAMPING FOR FLIP - FLOPS NATURAL ARCH AND FOOTPRINT AND PAINTABLE NAILS SMOOTH AND MORE SYMMETRICAL GAIT MORE NATURAL MOVEMENT AND LESS IMPACT ON SOUND SIDE INCREASED PUSH - OFF AND CONTROL MORE STABILITY AUTIL TERMINAL STANCE HELPS TO MAINTAIN BALANCE STABILITY AND REDUCES PEAK IMPACT DURING LOADING ALLOWING AMPUTEES TO WALK NATURALLY ON EVEN GROUND MORE NATURAL LOOK AND MORE NATURAL USE TRANSTIBIAL TRANSFEMORAL KNEE AND HIP DISARTICULATION AMPUTEES LOW TO MODERATE IMPACT LEVEL MAXIMUM USER WEIGHT 125 KGK - LEVEL: K 2 AND K 3 THREE ROTATIONAL JOINTS 3 - BLADE CARBON DESIGN SPLIT TOE ANATOMICALLY SHAPED FOOT COVER | EA | iTEMIZED | 50  |
| 1147 | 4224200021700 | MALE INSERT PYRAMID FOR PRONG 31MM 94G | MALE INSERT PYRAMID FOR PRONG, STAINLESS STEEL, INSERT<br>HEIGHT 31 MM, BUILD HEIGHT 7.5 MM, WEIGHT 94 GRAMS,<br>WEIGHT CAPACITY IS UP TO 100 KG                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | EA | ITEMIZED | 50  |
| 1148 | 4224200035800 | MANAGEABLE AN ORTHOTICS WORKSHOP TOOL  | MANAGEABLE, AN ORTHOTICS WORKSHOP TOOL, ADJUSTABLE GONIOMETER, POSITIONING OF THE ROTATING LEVEL USING A HAND WHELL SOLE MADE OF ALUMINUM WITH INTEGRATED MAGNETS, ROTATION DISK SCALE IN DEGREES AND MM/M, DIMENSIONS (L X W X H ) 250 X 20 X 125 MM, WEIGHT 0.370 KG                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | EA | ITEMIZED | 10  |
| 1149 | 4224171323300 | MANUAL ELEVATED PUMP VACUUM SYSTEM     | MANUAL ELEVATED PUMP VACUUM SYSTEM, FOR BELOW<br>KNEE PROSTHESIS, REMOVABLE, MADE FROM MEDICAL<br>GRADE SILICON. AIRFLOW MANAGED BY TWO VALVES<br>MECHANICAL HAND, VOLUNTARY OPENING WITH PERLON                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | EA | ITEMIZED | 25  |
| 1150 | 4224200600900 | MECHANICAL HAND 12X1.5MM 7 1/4 RT SIDE | CABLE THROUGH THE PALM OF THE HAND (INNER PULL) WITH THREADED STUD, 12 X 1.5 MM AND INNER HAND SIZE: 71/4, RIGHT SIDE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | EA | ITEMIZED | 3   |

6/21/2022 Page 89 of 160

| 1151 | 4224200262600 | METACARPAL FUNCTIONAL PROSTHESIS         | METACARPAL FUNCTIONAL PROSTHESIS, CUSTOM MADE FUNCTIONAL DEVICE FOR PROXIMAL FINGER AMPUTATION. RESTORES THE FUNCTION OF MIDDLE FINGER AND DISTAL FINGER. CUSTOM DESIGNED AND MADE FOR EACH INDIVIDUAL. RESTORES PINCH AND CYLINDRICAL GRIP. UP TO 9-POUND LIFT POWER. FOR EACH FINGER. STAINLESS STEEL CONSTRUCTION WITH SULCON TP, TRAINING FOR EVALUATION AND MEASUREMENT INCLUDED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | EA  | ITEMIZED | 20  |
|------|---------------|------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|-----|
| 1152 | 4224150202000 | MICRO HOOK STRIP 50MM 10M WHITE          | MICRO HOOK STRIP, SELF - ADHESIVE, USED WITH TERRY CLOTH PADDING FABRIC, WIDTH 50 MM, LENGTH 10 METER, WHITE COLOR                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | EA  | ITEMIZED | 100 |
| 1153 | 4224200133900 | MICROPROCESSOR CONTROLLED HYDRAULIC ANKL | MICROPROCESSOR CONTROLLED HYDRAULIC ANKLE VARIABLE RESPONSE CADENCE INCREASE STABILITY DOWN SLOPE SIDE AND SIZE S TO PATIENT'S SPECIFICATIONS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | EA  | ITEMIZED | 10  |
| 1154 | 4224200116300 | MICROPROCESSOR PROSTHETIC LEG SYSTEM     | MICROPROCESSOR PROSTHETIC LEG SYSTEM (COMPLETE), INCLUDING MICROPROCESSOR KNEE PROSTHETIC FOOT ADAPTER, CHARGER AND WIRELESS CONNECTION WITH COMPLETE FITTING ACCESSORIES, INCLUDING FITTING AND TRAINING WITH FULL PROGRAM SYSTEM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | КІТ | ITEMIZED | 100 |
| 1155 | 4224200112400 | MICROPROCESSOR PROSTHETC LEG 925G PT ASS | MICROPROCESSOR PROSTHETIC LEG SYSTEM (COMPIETE), INCLUDING MICROPROCESSOR NICE PROSTHETIC FOOT ADAPTER, CHARGER, AND WIRELESS CONNECTION WITH COMPLETE ACCESSORIES INCLUDING PROGRAM TRAINING, THE HYDRAULIC UNIT IS CONTROLLED BY THE MICROPROCESSOR ALLOWING ADAPTATION TO THE INDIVIDUAL NEEDS OF THE USER AND THE KNEE JOINT SHOULD ALSO INCLUDE ADAPTATION TO THE INDIVIDUAL ABILITIES OF THE USER THROUGH ADJUSTABLE ACTIVITY MODES, EASY SWING PHASE RELEASE ASD POSSIBLE WITH SMALL STEPS AND WHEN USING WALKING AIDS, HIGH DEGREE OF SAFETY THROUGH TARGET-GROUP- SPECIFIC SWING PHASE RELEASE AND STUMBLE RECOVERY PLUS, SUPPORTED AND CONTROLLED SITTING AND STANDING UNDER LOAD POSSIBLE FOR GREATER SAFETY AND TO RELIEVE THE CONTRALATERAL SIDE, SAFE STANDING THANKS TO LOCKED STANCE PHASE (ACTIVITY MODE SA AND B) OR INTUITIVE STANCE FUNCTION IN ACTIVITY MODE C, SMART CONTROL THROUGH INTEGRATED BLUETOOTH TECHNOLOGY, WEIGHT OF THE KNEE JOINT: LIGHTWEIGHT NOT MORE THAN: 925 GRAMS, USER WEIGHT 120 KG, 3 YEARS WARRANTY INCLUDES SERVICE UNIT FOR USE DURING REPAIRS AND SERVICE INSPECTIONS, SIZE, SIDE AND COLOR WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL NICLUDES - PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, INCLUDES ALL REQUIRED MATERIALS/COMPONENTS TO FABRICATE PROSTHESIS, DELIVERY, FITTING BY CERTIFIED ORTHOTIST IN MICROPROCESSOR PROSTMETE THE STEPS STEEN THE TOTS. | KIT | ITEMIZED | 56  |
| 1156 | 4224200112500 | MICROPROCESSOR PROSTHETIC LEG SYS 1300G  | INCLUDING MICROPROCESSOR KNEE PROSTHETIC FOOT, TUBE ADAPTER, TITANIUM, CHARGER AND WIRELESS CONNECTION WITH COMPLETE ACCESSORIES INCLUDING PROGRAM AND TRAINING, THE CONTROL FOR (MICROPROCESSOR-HYDRAULIC UNIT) OF THE STANCE AND SWING PHASE AND USES THE MEASUREMENTS OF AN INTEGRATED SENSOR SYSTEM AS A BASIS TO CONTROL A HYDRAULIC UNIT, THE SENSOR DATA ARE UPDATED AND EVALUATED 100 TIMES PER SECOND, AND THE BEHAVIOUR OF THIS ITEM IS ADAPTED TO THE CURRENT MOTION STUDATION (GAIT PHASE) DYNAMICALLY AND IN REAL TIME, STABILITY WHILE STANDING AND WALKING AND AVOIDING FALLS, WALKING SAFE BACKWARDS, WEATHERPROOF, MODIFICATION VIA THE APPLICATION AND KNOW THE DETAILS OF THE KNEE AS WELL AS THE LEVEL OF BATTERY CHARGING, ONCE THE BATTERY IS DRAINED THE AUTOMATICALLY SWITCHES TO SAFETY MODE, EMPTY BATTERY MODE PERMITS SAFE WALKING AND THE KNEE JOINT SHOULD ALSO INCLUDE THE COMPLEX SENSOR SYSTEM THAT CAPTURES DATA IN REAL TIME AND RECOGNIZES WHICH PHASE OF WALKING THE THE USER, WALKING ON DIFFICULT SURFACES LIKE SAND, GRAVEL AND STONES, CHOICE BETWEEN INTUITIVE AND MANUAL STANCE FUNCTION, USER CAN WALK BACKWARDS CONFIDENTLY WITHOUT SWING PHASE RELEASE, SMARD CONTROL THROUGH INTEGRATED BILDETOOTH TECHNOLOGY WITH COCKPIT APP FOR IOS AND AND RODROL THAN 13300                                                                                                                         | SET | iTEMIZED | 62  |
| 1157 | 4224200112200 | MICROPROCESSOR PROSTHETIC LEG SYS 925G   | MIGNOPROCESSOR PROSTHETIC LEG SYSTEM (COMPLETE), INCLUDING MICROPROCESSOR KNEE, PROSTHETIC FOOT, ADAPTER, CHARGER AND WIRELESS CONNECTION, WITH COMPLETE ACCESSORIES INCLUDING PROGRAM, TRAINING, THE HYDRAULIC UNIT IS CONTROLLED BY THE MICROPROCESSOR ALLOWING ADAPTATION TO THE INDIVIDUAL NEEDS OF THE USER, AND THE KNEE JOINT SHOULD ALSO INCLUDE ADAPTATION TO THE INDIVIDUAL ABILITIES OF THE USER THROUGH ADJUSTABLE ACTIVITY MODES, EASY SWING PHASE RELEASE ALSO POSSIBLE WITH SMALL STEPS AND WHEN USING WALKING AIDS, HIGH DEGREE OF SAFETY THROUGH TARGET-GROUP-SPECIFIC SWING PHASE RELEASE AND STUMBLE RECOVERY PLUS, SUPPORTED AND CONTROLLED SITTING AND STANDING UNDER LOAD POSSIBLE FOR GREATER SAFETY AND TO RELIEVE THE CONTRA LATERAL SIDE, SAFE STANDING THANKS TO LOCKED STANCE PHASE (CICTIVITY MODE C, SMART CONTROL THROUGH INTEGRATED BLUETOOTH TECHNOLOGY, WEIGHT OF THE KNEE JOINT: LIGHTWEIGHT NOT MORE THAN: 925 GRAMS, USER WEIGHT 120 KG, 3 YEARS WARRANTY INCLIDES SERVICE UNIT FOR USE DURING REPAIRS AND SERVICE INSPECTION, SIZE, SIDE, AND COLOR WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL                                                                                                                                                                                                                                                                                      | SET | ITEMIZED | 50  |

6/21/2022 Page 90 of 160

|      |               |                                          | MILLING BLOCK FOR INSOLES (BLUE COLOR), SIZE 2 DIMENSIONS (350X3000X35MM), FEATURES A MEDIUM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |     |          |     |
|------|---------------|------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|-----|
| 1158 | 4224200018700 | MILLING BLOCK FOR INSOLES BLUE COLOR SZ2 | HARDNESS AND SOFT HARDNESS ETHYLENE-VINYL ACETATE, (EVA) LAYERS, COMBINED WITH A BOTTOM STIFFENING LAYER                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | EA  | ITEMIZED | 50  |
| 1159 | 4224200018600 | MILLING BLOCK FOR INSOLE BROWN COLOR SZ2 | MILLING BLOCK FOR INSOLES (BROWN COLOR), SIZE 2 DIMENSIONS (350X3000X35MM), FEATURES TWO SOFT ETHYLENE-VINYL ACETATE, (EVA) LAYERS, COMBINED WITH A BOTTOM STIFFENING LAYER                                                                                                                                                                                                                                                                                                                                                                                                                    | EA  | ITEMIZED | 50  |
| 1160 | 4224200018900 | MILLING BLOCK FOR INSOLE GREEN COLOR SZ2 | MILLING BLOCK FOR INSOLES (GREEN COLOR), SIZE 2 DIMENSIONS (350X3000X35MM), FEATURES A MEDIUM DENSITY ETHYLENE-VINYL ACETATE, (EVA) LAYERS, COMBINED WITH A BOTTOM STIFFENING LAYER                                                                                                                                                                                                                                                                                                                                                                                                            | EA  | ITEMIZED | 50  |
| 1161 | 4224200018800 | MILLING BLOCK FOR INSOLES RED COLOR SZ2  | MILLING BLOCK FOR INSOLES (RED COLOR), SIZE 2 DIMENSIONS (350X300X35MM), FEATURES A FIRM HARDNESS AND MEDIUM-SOFT HARDNESS ETHYLENE-VINYL ACETATE, (EVA) LAYERS, COMBINED WITH A BOTTOM STIFFERNING LAYER                                                                                                                                                                                                                                                                                                                                                                                      | EA  | ITEMIZED | 50  |
| 1162 | 4224150202100 | MINI NON SLIP 840X530MM BLCK 10MM        | MINI NON - SLIP, NORA LUNASOFT OR EQUIVALENT, 840 X<br>530 MM, SHORE VALUE A 50, BLACK 10 MM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | EA  | ITEMIZED | 50  |
| 1163 | 4224150202200 | MINI NON SLIP 840X530MM BLCK 4MM         | MINI NON - SLIP, NORA LUNASOFT OR EQUIVALENT, 840 X<br>530 MM, SHORE VALUE A 50, BLACK 4 MM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | EA  | ITEMIZED | 50  |
| 1164 | 4224150202300 | MINI NON SLIP 840X530MM BLCK 6 MM        | MINI NON - SLIP, NORA LUNASOFT OR EQUIVALENT, 840 X<br>530 MM, SHORE VALUE A 50, BLACK 6 MM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | EA  | ITEMIZED | 50  |
| 1165 | 4224150202400 | MINI NON SLIP 840X530MM BLCK 8 MM        | MINI NON - SLIP, NORA LUNASOFT OR EQUIVALENT, 840 X                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | EA  | ITEMIZED | 5   |
| 1166 | 4215251602400 | MIXING BOWL PLASTER 0.5 LITER            | 530 MM, SHORE VALUE A 50, BLACK 8 MM<br>MIXING BOWL, PLASTER, 0.5 LITERS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | EA  | ITEMIZED | 50  |
| 1167 | 4224200016400 | MIXING TIPS FOR QUICK ADHESIVE           | MIXING TIPS FOR QUICK ADHESIVE  MODULAR ARM COMPONENTS, FOR LONG ABOVE ELBOW                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | SET | ITEMIZED | 10  |
| 1168 | 4224200216500 | MODULAR ARM COMPONENTS LONG 300MM LEFT   | WITH PASSIVE ELBOW LOCK UPPER ARM AND FOREARM ROTATION, SEPARATE FRICTION, WITH PRE-SHAPED FOAM BLOCK, BEIGE, FOREARM CIRCUMFERENCE 300 MM APPROXIMATELY WITH PROXIMALLY ATTACHED CONNECTION FLANGE AND 1 METER APPROXIMATELY COSMETIC STOCKINETTE BEIGE, LEFT                                                                                                                                                                                                                                                                                                                                 | SET | ITEMIZED | 10  |
| 1169 | 4224200216700 | MODULAR ARM COMPONENTS LONG 300MM RIGHT  | MODULAR ARM COMPONENTS, FOR LONG ABOVE ELBOW WITH PASSIVE ELBOW LOCK UPPER ARM AND FOREARM ROTATION, SEPARATE FRICTION, WITH PRE-SHAPED FOAM BLOCK, BEIGE, FOREARM CIRCUMFERENCE 300 MM APPROXIMATELY WITH PROXIMALLY ATTACHED CONNECTION FLANGE AND 1 METER APPROXIMATELY COSMETIC STOCKINETTE BEIGE, RIGHT                                                                                                                                                                                                                                                                                   | SET | ITEMIZED | 10  |
| 1170 | 4224200216900 | MODULAR ARM COMPONENTS 220MM LEFT        | MODULAR ARM COMPONENTS, FOR SHOULDER DISARTICULATION WITH PASSIVE ELBOW LOCK AND ADAPTER FOR CONNECTION TO A SHOULDER JOINT WITH SHOULDER JOINT, TWO AXES WITH SEPARATE FRICTION, WITH TWO UPPER ARM PARTS, LENGTH 220 MM, APPROXIMATELY AND LAMINATION RING DIAMETER 43 MM, WITH PRE-SHAPED FOAM BLOCK TWO PIECES, BEIGE, FOREARM CIRCUMFERENCE 300 MM AND TWO METERS BEIGE COSMETIC STOCKINETTE, LEFT                                                                                                                                                                                        | SET | ITEMIZED | 10  |
| 1171 | 4224200217000 | MODULAR ARM COMPONENT FOR SHOULDER RIGHT | MODULAR ARM COMPONENTS, FOR SHOULDER DISARTICULATION WITH PASSIVE ELBOW LOCK AND ADAPTER, FOR CONNECTION TO A SHOULDER JOINT WITH SHOULDER JOINT TWO AXES, WITH SEPARATE FRICTION, WITH TWO UPPER ARM PARTS, LENGTH 220 MM APPROXIMATELY AND LAMINATION RING DIAMETER 43 MM, WITH PRE-SHAPED FOAM BLOCK TWO PIECES, BEIGE, FOREARM CIRCUMFERENCE 300 MM AND TWO METERS DEGREECE SHEGE STOCKHETTE, RIGHT                                                                                                                                                                                        | SET | ITEMIZED | 10  |
| 1172 | 4224200132200 | MODULAR HIP JOINT OF TITANIUM            | MODULAR HIP JOINT OF TITANIUM, WITH INTERNAL<br>EXTENSION ASSIST ADJUSTABLE ABDUCTION FLEXION AND<br>EXTENSION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | EA  | ITEMIZED | 5   |
| 1173 | 4224200129000 | MODULAR HYDRAULIC KNEE JOINT 515G        | MODULAR HYDRAULIC KNEE JOINT FOR CHILDREN ALUMINUM WITH 4 - AXIS - POLYCENTRIC WITH HYDRAULIC SWING PHASE CONTROL OFFERS ENHANCED SAFETY AND MAKES IT EASY TO INITIATE THE SWING PHASE HIGH FLEXION ANGLE OF 150 DEGREE ALLOWS THE CHILD MAXIMUM FREEDOM OF MOVEMENT HYDRAULIC SWING PHASE CONTROL SUPPORTS THE CHILD AT DIFFERENT WALKING SPEEDS FOR BODY WEIGHT UP TO 45 KG MAXIMUM WEIGHT OF THE KNEE JOINT 515 GRAM APPROXIMATELY                                                                                                                                                          | EA  | ITEMIZED | 20  |
| 1174 | 4224200128800 | MODULAR KNEE JOINT POLYCENTRC BW 35KG UP | MODULAR KNEE JOINT POLYCENTRIC, ALUMINUM WITH INTEGRATED ROTATION, THE LOWER JOINT SECTION PERMITS ROTATION OF THE PROSTHETIC FOOT, THE FLEXION ANGLE OF APPROXIMATELY 165 DEGREES AND KNEE FLEXION APPROXIMATELY 175 DEGREES, ENABLES CHILDREN A GOOD KNEELING OR SQUATTING POSITION WITH FOOT ROTATED OUTWARD FOR BODY WEIGHT UP TO 35 KG                                                                                                                                                                                                                                                    | EA  | ITEMIZED | 30  |
| 1175 | 4224200116100 | MODULAR KNEE JOINT 350G                  | MODULAR KNEE JOINT, LIGHTWEIGHT, MONOCENTRIC WITH HYDRAULIC SWING PHASE CONTROL AND WITH POWERFUL LINEAR HYDRAULICS FOR SWING PHASE CONTROL, PARTICULARLY WELL SUITED FOR HIGHLY ACTIVE USERS, HYDRAULICS FOR SWING PHASE CONTROL ARE ADAPTED TO THE LOWER PENDULUM MASS, THE KNEE JOINT HOUSING HAS A DORSAL RECESS TO ALLOW FOR A LARGER FLEXION ANGLE, FOR LOADING UP TO 75 KG, INCLUDING ROTATABLE SOCKET ADAPTER WITH PYRAMID RECEIVER STAINLESS STEEL, TUBE ADAPTER, AND TUBE CLAMP ADAPTER ALUMINUM AND COSMETIC FORM COVER, MAXIMUM WEIGHT OF THE KNEE JOINT: 350 GRAMS, APPROXIMATELY | SET | ITEMIZED | 100 |

6/21/2022 Page 91 of 160

| 1176 | 4224200116200 | MODULAR KNEE JOINT HYDRAULIC SWING 370G | MODULAR KNEE JOINT, LIGHTWEIGHT, MONOCENTRIC, WITH HYDRAULIC SWING PHASE CONTROL AND WITH POWERFUL LINEAR HYDRAULICS FOR SWING PHASE CONTROL, PARTICULARLY WELL SUITED FOR HIGHLY ACTIVE USERS. HYDRAULICS FOR SWING PHASE CONTROL ARE ADAPTED TO THE LOWER PENDULUM MASS, THE KNEE JOINT HOUSING HAS A DORSAL RECESS TO ALLOW FOR A LARGER FLEXION ANGLE, FOR LOADING UP TO 150 KG, INCLUDING: ROTATABLE SOCKET ADAPTER WITH PYRAMIO RECEIVER STAINLESS STEEL, TUBE ADAPTER AND TUBE CLAMP ADAPTER STAINLESS STEEL, AND COSMITIC FOAM COVER, MAXMUM WEIGHT OF THE KNEE JOINT: 370 GRAMS APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | SET | ITEMIZED | 100 |
|------|---------------|-----------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|-----|
| 1177 | 4224200116000 | MODULAR MONOCENTRIC KNEE JOINT TI 370G  | MODULAR MONOCENTRIC KNEE JOINT, TITANIUM, WITH FRICTION BRAKE, WITH EXTENSION ASSIST AND PROTECTIVE SLEEVE, LOAD-DEPENDENT BRAKE, TO CONTROL THE SWING PHASE, THE AUSIS FRICTION AND THE SPRING FORCE OF THE EXTENSION ASSIST ARE ADJUSTABLE, INCLUDING: ROTATABLE SOCKET ADAPTER WITH PYRAMID RECEIVER, TUBE ADAPTER, PROTECTIVE SLEEVE AND COSMETTIC FOAM, MAXIMUM WEIGHT OF THE KNEE JOINT: 370 GRAMS APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | SET | ITEMIZED | 100 |
| 1178 | 4224200113700 | MODULAR MONOCENTRIC KNEE JOINT 1250G    | MODULAR MONOCENTRIC KNEE JOINT, WITH ROTARY HYDRAULICS, APPROVED FOR PROSTHESIS WEARRES WITH A BODY WEIGHT OF UP TO 150 KG, BOTH THE STANCE AND THE SWING PHASE ARE CONTROLLED BY THE HYDRAULICS AND WALKING DOWN INCLINES ARE EFFECTIVELY SUPPORTED BY CLOSELY APPROXIMATELY IMITATING A PHYSIOLOGICAL GAIT PATTERN EVEN AT VARIOUS WALKING SPEEDS WATER PROOF CONSTRUCTION, CAN BE USED IN THE SHOWER OR IN THE POOL, INTEGRATED MANUAL LOCK OFFERS IMPROVED SAFETY IN WET AREAS AND MORE COMFORTABLE WHEN STANDING FOR EXTENDED PERIODS, INCLUDING TUBE ADAPTER DIAMETER 34 MM, MAXIMUM WEIGHT OF THE KNEE JOINT 1250 GRAMS, APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | SET | ITEMIZED | 100 |
| 1179 | 4224200113600 | MODULAR POLYCENTRIC KNEE JOINT 850G     | MODULAR POLYCENTRIC KNEE JOINT WITH HYDRAULIC SWING PHASE CONTROL HAS FIVE AXES ARRANGED IN A CIRCULAR FORM WHICH ALLOWS FOR TWO DIFFERENT MODES OF OPERATION: SWING PHASE MODE PLUS STANCE PHASE FLEXION ANDE E REGONOMICALLY BALANCED STRIDE (E.B.S) FUNCTION FOR CONTROLLED KNEE FLEXION AT HEEL STRIKE COMFORT AND SAFETY ARE ENSURED BY THE UNIQUE CHARACTERISTIC OF THE EBS ELASTIC FLEXION UNIT WHICH SIMULATES THE BIOMECHANICS OF THE NATURAL GAIT SWING PHASE HYDRAULICS THAT ARE VERY EASY TO ADJUST WITH EASY INITIATION OF THE SWING PHASE OPTIMUM PROGRESSIVE DAMPING FOR NATURAL MOVEMENT AND COMFORTABLE END POSITION DAMPING FOR A LARGE RANGE OF WALKING SPEEDS CONTROLLED STANCE PHASE FLEXION OF UP TO 15 DEGREE AND THUS COMFORTABLE WALKING WITH HIGH SAFETY EVEN ON ROUGH TERRAIN AND ON INCLINES UP TO 10 DEGREE LOW WEIGHT AND A VERY LARGE FLEXION ANGLE OF 175 DEGREE FOR GREATER FREEDOM OF MOVEMENT HIGH GROUND CLEARANCE IN THE SWING PHASE FLEXION ANGLE OF 175 DEGREE FOR GREATER FREEDOM OF MOVEMENT HIGH GROUND CLEARANCE IN THE SWING PHASE FLEXION ANGLE OF 175 DEGREE FOR GREATER FREEDOM OF MOVEMENT HIGH GROUND CLEARANCE IN THE SWING PHASE FLEXION AND EXTENSION MOVEMENTS CAN BE SEPARATELY AND INDIVIDUALLY CUSTOMIZED TO THE REQUIREMENTS OF THE PROSTHESIS WEARREN AND THE SPECIAL POLYCENTRIC STRUCTURE MAKES IT POSSIBLE TO SIT DOWN EASILY WITHOUT TARGETED LOAD RE - LIEF MAXIMUM WEIGHT OF THE KNEE JOINT: 850 GRAMS APPROXIMATELY | EA  | ITEMIZED | 150 |
| 1180 | 4224151800100 | MODULAR POLYCENTRIC KNEE JOINT 795 G    | MODULAR POLYCENTRIC KNEE JOINT, WITH PNEUMATIC SWING PHASE CONTROL, "PYRAMID ADAPTER (10" INCLINED)" WIDE FLEXION ANGLE OF 170" AND THE LIGHT WEIGHT AND HIGH COMFORT, STANCE PHASE IS SECURED DUE TO THE 4-AXIS JOINT DESIGN, POWER DUAL-CHAMBER PNEUMATICS WITH INTEGRATED EXTENSION ASSIST SPRING ENSURE HARMONIOUS PENDULLUM MOVEMENTS OF THE PROSTHETIC LOWER LEG, EVEN AT HIGHER WALKING SPEEDS, MODERN POLYCENTRIC STRUCTURE RELIABLY STRABILIZES THE KNEE JOINT DURING STANCE PHASE AND PROVIDES FOR INCREASED GROUND CLEARANCE DURING THE SWING PHASE, EASY INITIATION OF THE SWING PHASE, HARMONIOUS EXTENSION STOP, FLEXION AND EXTENSION DAMPING ARE INDIVIDUALLY ADJUSTABLE, INCLINED PYRAMID ADAPTER, ROTATABLE SOCKET ADAPTER WITH PYRAMID RECEIVER, TUBE ADAPTER AND COSMETIC FOAM, MAXIMUM WEIGHT OF THE KNEE JOINT: 795 GRAMS, APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | SET | ITEMIZED | 50  |
| 1181 | 4224151800200 | MODULAR POLYCENTRIC KNEE JOINT 750 G    | MODULAR POLYCENTRIC KNEE JOINT, WITH PNEUMATIC SWING PHASE CONTROL, "PYRAMID ADAPTER (10" INCLINED)" WIDE FLEXION ANGLE OF 170" AND THE LIGHT WEIGHT AND HIGH COMPORT, STANCE PHASE IS SECURED DUE TO THE 4-AXIS JOINT DESIGN, POWER DUAL-CHAMBER PNEUMATICS WITH INTEGRATED EXTENSION ASSIST SPRING ENSURE HARMONIOUS PENDULLUM MOVEMENTS OF THE PROSTHETIC LOWER LEG, EVEN AT HIGHER WALKING SPEEDS, MODERN POLYCENTRIC STRUCTURE RELIABLY STRABILIZES THE KINEE JOINT DURING STANCE PHASE AND PROVIDES FOR INCREASED GROUND CLEARANCE DURING THE SWING PHASE, EASY INITIATION OF THE SWING PHASE, HARMONIOUS EXTENSION STOP, FLEXION AND EXTENSION DAMPING ARE INDIVIDUALLY ADJUSTABLE, INCLINED PYRAMID ADAPTER, ROTATABLE SOCKET ADAPTER WITH PYRAMID RECEIVER, TUBE ADAPTER AND COSMETIC FOAM, MAXIMUM WEIGHT OF THE KNEE JOINT: 750 GRAMS, APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | SET | ITEMIZED | 50  |

6/21/2022 Page 92 of 160

| 1182 | 4224151800300 | MODULAR POLYCENTRIC KNEE JOINT 765 G     | MODULAR POLYCENTRIC KNEE JOINT, WITH PNEUMATIC SWING PHASE CONTROL, "PYRAMID ADAPTER (10° INCLINED)" WIDE FEXION ANGLE OF 120° AND THE LIGHT WEIGHT AND HIGH COMFORT, STANCE PHASE IS SECURED DUE TO THE 4-AXIS JOINT DESIGN, POWER DUAL-CHAMBER PNEUMATICS WITH INTEGRATED EXTENSION ASSIST SPRING ENSURE HARMONIOUS PENDULUM MOVEMENTS OF THE PROSTHETIC LOWER LEG, EVEN AT HIGHER WALKING SPEDS, MODERN POLYCENTRIC STRUCTURE RELIABLY STABILIZES THE KNEE JOINT DURING STANCE PHASE AND PROVIDES FOR INCREASED GROUND CLEARANCE DURING THE SWING PHASE, EASY INITIATION OF THE SWING PHASE, HARMONIOUS EXTENSION STOP, FLEXION AND EXTENSION DAMPING ARE INDIVIDUALLY ADJUSTABLE, INCLINED PYRAMID ADAPTER, ROTATABLE SOCKET ADAPTER WITH PYRAMID RECEIVER, TUBE ADAPTER AND COSMICT FORM, MANDIM WEIGHT OF THE KNEE JOINT: 765 GRAMS, APPROXIMMETELY | SET | ITEMIZED | 50  |
|------|---------------|------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|-----|
| 1183 | 4224151800400 | MODULAR POLYCENTRIC KNEE JOINT 770 G     | MODULAR POLYCENTRIC KNEE JOINT, WITH PNEUMATIC SWING PHASE CONTROL, "PYRAMID ADAPTER (10" INCLINED)" WIDE FLEXION ANGLE OF 170" AND THE LIGHT WEIGHT AND HIGH COMPORT, STANCE PHASE IS SECURED DUE TO THE 4-AXIS JOINT DESIGN, POWER DUAL-CHAMBER PNEUMATICS WITH INTEGRATED EXTENSION ASSIST SPRING ENSURE HARMONIOUS PENDULUM MOVEMENTS OF THE PROSTHETIC LOWER LEG, EVEN AT HIGHER WALKING SPEEDS, MODERN POLYCENTRIC STRUCTURE RELIABLY STABILIZES THE KNEE JOINT DURING STANCE PHASE AND PROVIDES FOR INCREASED GROUND CLEARANCE DURING THE SWING PHASE, EASY INITIATION OF THE SWING PHASE, HARMONIOUS EXTENSION STOP, FLEXION AND EXTENSION DAMPING ARE INDIVIDUALLY ADJUSTABLE, INCLINED PYRAMID ADAPTER, ROTATABLE SOCKET ADAPTER WITH PYRAMID RECEIVER, ROTHE COMPTE COMMENT. TO GRAMS, APPROXIMATELY                                           | SET | ITEMIZED | 50  |
| 1184 | 4224200217100 | MODULAR SHOULDER UNIT                    | MODULAR SHOULDER UNIT, 2 INDEPENDENT FRICTION CONTROLS FOR FLEXION/EXTENSION AND ABDUCTION/ADDUCTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | EA  | ITEMIZED | 10  |
| 1185 | 4224200128900 | MODULAR TRANSFEMORAL KIT PED POLYCENTRIC | MODULAR TRANSFEMORAL KIT, PEDIATRIC, INCLUDING POLYCENTRIC KNEE JOINT, CLAMP ADAPTER, COSMETIC FOAM, AND PERLON STOCKINGS OR EQUIVALENT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | SET | ITEMIZED | 30  |
| 1186 | 4224200128500 | MODULAR TRANSFEMORAL KIT PED SINGLE AXIS | MODULAR TRANSFEMORAL KIT, PEDIATRIC, INCLUDING SINGLE AXIS KNEE JOINT WITH LOCK CLAMP ADAPTER, COSMETIC FOAM, AND PERLON STOCKINGS OR EQUIVALENT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | SET | ITEMIZED | 10  |
| 1187 | 4224200128300 | MODULAR TRANSFEMORAL KIT PEDIATRIC       | MODULAR TRANSFEMORAL KIT, PEDIATRIC, INCLUDING SINGLE AXIS KNEE JOINT, CLAMP ADAPTER, COSMETIC FOAM, AND PERLON STOCKINGS KIT OR EQUIVALENT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | SET | ITEMIZED | 10  |
| 1188 | 4224200127800 | MODULAR TRANSTIB.KIT W/LAMINATION ANCHOR | MODULAR TRANSTIBIAL KIT WITH LAMINATION ANCHOR AND COSMETIC FOAM, CE MARK OR EQUIVALENT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | EA  | ITEMIZED | 50  |
| 1189 | 4224200126700 | MODULAR TRANSTIBIAL KIT TITANIUM 34MM    | MODULAR TRANSTIBIAL KIT, TITANIUM, 34 MM, WITH<br>COSMETIC FOAM MAX WEIGHT 150 KG, CE MARK OR<br>EQUIVALENT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | EA  | ITEMIZED | 100 |
| 1190 | 4224200132300 | MODULAR HIP JOINT FOR CHILDREN           | MODULAR, HIP JOINT FOR CHILDREN, ALUMINUM ALLOY WITH PROXIMAL SOCKET ATTACHMENT PLATE AND DISTAL TUBE CLAMP (HIP DISARTICULATION)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | EA  | ITEMIZED | 5   |
| 1191 | 4224200128100 | MODULAR POLYCENTRIC 4BAR LINK KNEE JOINT | MODULAR, POLYCENTRIC, FOUR BAR LINKAGE KNEE JOINT WITH INTERNAL, EXTENSION ASSIST, TITANIUM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | EA  | ITEMIZED | 50  |
| 1192 | 4224200132100 | MODULAR SINGL AXIS HIP JOINT MANUAL LOCK | MODULAR, SINGLE AXIS HIP JOINT, ALUMINUM WITH  MANUAL LOCK, LEFT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | EA  | ITEMIZED | 5   |
| 1193 | 4224200132000 | MODULAR SINGL AXIS HIP JOINT STRIDE CTRL | MODULAR, SINGLE AXIS HIP JOINT, ALUMINUM WITH STRIDE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | EA  | ITEMIZED | 5   |
| 1194 | 4224200127900 | MODULAR SINGLE AXIS KNEE JOINT S STEEL   | CONTROL AND EXTENSION ASSIST MODULAR, SINGLE AXIS KNEE JOINT, STAINLESS STEEL WITH                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | EA  | ITEMIZED | 50  |
| 1195 | 4224200128000 | MODULAR SINGLE AXIS KNEE JOINT TITANIUM  | MANUAL LOCK AND INTERNAL EXTENSION ASSIST MODULAR, SINGLE AXIS KNEE JOINT, TITANIUM, WITH                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | EA  | ITEMIZED | 50  |
| 1196 | 4224200128400 | MODULAR SINGL AXIS KNEE JOINT LOCK CHILD | MANUAL LOCK AND INTERNAL EXTENSION ASSIST MODULAR, SINGLE AXIS KNEE JOINT, WITH LOCK FOR CHILDREN, ALUMINUM ALLOY WITH PROXIMAL ADJUSTMENT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | EA  | ITEMIZED | 10  |
| 1197 | 4224200129100 | MONOCENTRIC KNEE JOINT 130DEG 125KG      | PYRAMID AND DISTAL TUBE, CLAMP  MONOCENTRIC KNEE JOINT, ALUMINUM, KNEE OFFERS  TARGETED SUPPORT FOR THE THERAPY PROCESS FOLLOWING AN AMPUTATION THE RIGHT KNEE JOINT FROM THE FIRST  STANDING AND WALKING EXERCISES, WITH THE INTERIM  PROSTHESIS ALL THE WAY TO THE DEFINITIVE FITTING, IT IS A  MONOCENTRIC KNEE JOINT WITH A LOAD - DEPENDENT  BRAKE MECHANISM AND AN OPTIONAL LOCKING FUNCTION, THE SWING PHASE IS CONTROLLED BY AN INTEGRATED  ADJUSTABLE SPRING EXTENSION ASSIST KNEE FLEXION  ANGLE, 130 DEGREES, FOR BODY WEIGHT UP TO 125 KG                                                                                                                                                                                                                                                                                                     | EA  | ITEMIZED | 10  |
| 1198 | 4224171325200 | MONOCENTRIC KNEE JOINT                   | MONOCENTRIC KNEE JOINT, KNEE OFFERS K2-K4, IT IS A MONOCENTRIC KNEE JOINT WITH A LOAD-DEPENDENT BRAKE MECHANISM AND AN OPTIONAL LOCKING FUNCTION, THE SWING PHASE IS CONTROLLED BY AN INTEGRATED PNEUMATIC EXTENSION ASSIST KNEE FLEXION ANGLE, 125- 145 DEGREES, FOR BODY WEIGHT 120-140                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | EA  | ITEMIZED | 15  |
| 1199 | 4224200112000 | MULTIAXIAL FOOT W/DIVIDED HEEL 24CM RT   | MULTIAXIAL FOOT WITH DIVIDED HEEL, 3 - D SPACER SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE, PHYSIOLOGICAL ROLLOVER AND S - SPRING MULTI- AXIAL MOBILITY TO COMPENSATE FOR UNEVEN SURFACES AND COMPETABLE WALKING UPHILL AND ON INCLINES ELASTIC FOAM COMPRESSION SPRING ARCH AT HEEL STRIKE OF THE BACK SPRING ARCH AT ROLLOVER, SIZE: 24 CM, RIGHT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | EA  | ITEMIZED | 70  |
| 1200 | 4224200112300 | MULTIAXIAL FOOT W/DIVIDED HEEL 25CM LEFT | MULTIAXIAL FOOT WITH DIVIDED HEEL, 3 - D SPACER SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE, PHYSIOLOGICAL ROLLOVER AND S - SPRING MULTI - AXIAL MOBILITY TO COMPENSATE FOR UNEVEN SURFACES AND COMFORTABLE WALKING UPHILL AND ON INCLINES ELASTIC FOAM COMPRESSION SPRING ARCH AT HEEL STRIKE OF THE BACK SPRING ARCH AT ROLLOVER, SIZE: 25 CM, LEFT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | EA  | ITEMIZED | 59  |

6/21/2022 Page 93 of 160

| 1201         | 4224200112600                  | MULTIAXIAL FOOT W/DIVIDED HEEL 25CM RT                            | MULTIAXIAL FOOT WITH DIVIDED HEEL, 3 - D SPACER SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE, PHYSIOLOGICAL ROLLOVER AND S - SPRING MULTI-AXIAL MOBILITY TO COMPENSATE FOR UNEVEN SURFACES AND COMFORTABLE WALKING UPHILL AND ON INCLINES ELASTIC FOAM COMPRESSION SPRING ARCH AT HEEL STRIKE OF THE BACK SPRING ARCH AT ROLLOVER, SIZE: 25 CM, RIGHT | EA       | ITEMIZED             | 57         |
|--------------|--------------------------------|-------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----------------------|------------|
| 1202         | 4224200112800                  | MULTIAXIAL FOOT W/DIVIDED HEEL 26CM LEFT                          | MULTIAXIAL FOOT WITH DIVIDED HEEL, 3 - D SPACER SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE, PHSIQLOGICAL ROLLOVER AND 5 - SPRING MULTI-AXIAL MOBILITY TO COMPENSATE FOR UNEVEN SURFACES AND COMFORTABLE WALKING UPHILL AND ON INCLINES ELASTIC FOAM COMPRESSION SPRING ARCH AT HEEL STRIKE OF THE BACK SPRING ARCH AT ROLLOVER, SIZE: 26 CM, LEFT   | EA       | ITEMIZED             | 67         |
| 1203         | 4224200113000                  | MULTIAXIAL FOOT W/DIVIDED HEEL 27CM LEFT                          | MULTIAXIAL FOOT WITH DIVIDED HEEL, 3 - D SPACER SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE, PHSIOLOGICAL ROLLOVER AND 5 - SPRING MULTI-AXIAL MOBILITY TO COMPENSATE FOR UNEVEN SURFACES AND COMFORTABLE WALKING UPHILL AND ON INCLINES ELASTIC FOAM COMPRESSION SPRING ARCH AT HEEL STRIKE OF THE BACK SPRING ARCH AT ROLLOVER, SIZE: 27 CM, LEFT   | EA       | ITEMIZED             | 59         |
| 1204         | 4224200113100                  | MULTIAXIAL FOOT W/DIVIDED HEEL 28CM LEFT                          | MULTIAXIAL FOOT WITH DIVIDED HEEL, 3 - D SPACER SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE, PHYSIOLOGICAL ROLLOVER AND S - SPRING MULTI-AXIAL MOBILITY TO COMPENSATE FOR UNEVEN SURFACES AND COMFORTABLE WALKING UPHILL AND ON INCLINES ELASTIC FOAM COMPRESSION SPRING ARCH AT HEEL STRIKE OF THE BACK SPRING ARCH AT ROLLOVER, SIZE: 28 CM, LEFT  | EA       | ITEMIZED             | 47         |
| 1205         | 4224200107300                  | MULTIAXIAL FOOT W/DIVIDED HEEL 28CM RT                            | MULTIAXIAL FOOT WITH DIVIDED HEEL, 3 - D SPACER SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE, PHYSIOLOGICAL ROLLOVER AND S - SPRING MULTI-AXIAL MOBILITY TO COMPENSATE FOR UNEVEN SURFACES AND COMFORTABLE WALKING UPHILL AND ON INCLINES ELASTIC FOAM COMPRESSION SPRING ARCH AT HEEL STRIKE OF THE BACK SPRING ARCH AT ROLLOVER, SIZE: 28 CM, RIGHT | EA       | ITEMIZED             | 45         |
| 1206         | 4224200113200                  | MULTIAXIAL FOOT W/DIVIDED HEEL 29CM LEFT                          | MULTIAXIAL FOOT WITH DIVIDED HEEL, 3 - D SPACER SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE, PHYSIOLOGICAL ROLLOVER AND S - SPRING MULTI-AXIAL MOBILITY TO COMPENSATE FOR UNEVEN SURFACES AND COMFORTABLE WALKING UPHILL AND ON INCLINES ELASTIC FOAM COMPRESSION SPRING ARCH AT HEEL STRIKE OF THE BACK SPRING ARCH AT ROLLOVER, SIZE: 29 CM, LEFT  | EA       | ITEMIZED             | 38         |
| 1207         | 4224200111700                  | MULTIAXIAL FOOT W/DIVIDED HEEL 24CM LEFT                          | MULTIAXIAL FOOT WITH DIVIDED HEEL, 3 - D SPACER SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE, PHSIOLOGICAL ROULOVER AND S-SPRING MULTI-AXIAL MOBILITY TO COMPENSATE FOR UNEVEN SURFACES AND COMPORTABLE WALKING UPHILL AND ON INCLINES, ELASTIC FOAM COMPRESSION SPRING ARCH AT HEEL STRIKE OF THE BACK SPRING ARCH AT ROLLOVER, SIZE: 24 CM LEFT     | EA       | ITEMIZED             | 55         |
| 1208         | 4224200113300                  | MULTIAXIAL FOOT W/DIVIDED HEEL 30CM LEFT                          | MULTIAXIAL FOOT WITH DIVIDED HEEL, 3 - D SPACER SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE, PHYSIOLOGICAL ROLLOVER AND S - SPRING MULTI-AXIAL MOBILITY TO COMPENSATE FOR UNEVEN SURFACES AND COMFORTABLE WALKING UPHILL AND ON INCLINES, ELASTIC FOAM COMPRESSION SPRING ARCH AT HEEL STRIKE OF THE BACK SPRING ARCH AT ROLLOVER, SIZE: 30 CM LEFT  | EA       | ITEMIZED             | 31         |
| 1209         | 4618220704300                  | MULTIFUNCTION ANKLE ORTHOSIS SZ X LARGE                           | MULTIFUNCTION ANKLE ORTHOSIS, WITH A THREE - PHASE FITTING FOOT POSITIONING IN A SLIGHT PRONATION AND PLANTIGRADE POSITION, INCREASING THE LEVEL OF ACTIVITY, IMPROVING MUSCULAR STABILITY, IMPROVING FUNCTIONAL STABILITY AND MOBILITY, SIZE EXTRA LARGE                                                                                                   | EA       | ITEMIZED             | 1000       |
| 1210         | 4618220704400                  | MULTIFUNCTION ANKLE ORTHOSIS SZ X SMALL                           | MULTIFUNCTION ANKLE ORTHOSIS, WITH A THREE - PHASE FITTING FOOT POSITIONING IN A SLIGHT PRONATION AND PLANTIGRADE POSITION, INCREASING THE LEVEL OF ACTIVITY, IMPROVING MUSCULAR STABILITY, IMPROVING FUNCTIONAL STABILITY AND MOBILITY, SIZE EXTRA SMALL                                                                                                   | EA       | ITEMIZED             | 1000       |
| 1211         | 4618220704000                  | MULTIFUNCTION ANKLE ORTHOSIS SZ LARGE                             | MULTIFUNCTION ANKLE ORTHOSIS, WITH A THREE - PHASE FITTING FOOT POSITIONING IN A SLIGHT PRONATION AND PLANTIGRADE POSITION, INCREASING THE LEVEL OF ACTIVITY, IMPROVING MUSCULAR STABILITY, IMPROVING FUNCTIONAL STABILITY AND MOBILITY, SIZE LARGE                                                                                                         | EA       | ITEMIZED             | 1000       |
| 1212         | 4618220704100                  | MULTIFUNCTION ANKLE ORTHOSIS SZ MEDIUM                            | MULTIFUNCTION ANKLE ORTHOSIS, WITH A THREE - PHASE FITTING FOOT POSITIONING IN A SLIGHT PRONATION AND PLANTIGRADE POSITION, INCREASING THE LEVEL OF ACTIVITY, IMPROVING MUSCULAR STABILITY, IMPROVING MOST FUNCTIONAL STABILITY AND MOBILITY, SIZE MEDIUM                                                                                                   | EA       | ITEMIZED             | 1000       |
| 1213         | 4618220704200                  | MULTIFUNCTION ANKLE ORTHOSIS SZ SMALL                             | MULTIFUNCTION ANKLE ORTHOSIS, WITH A THREE - PHASE FITTING FOOT POSITIONING IN A SLIGHT PRONATION AND PLANTIGRADE POSITION, INCREASING THE LEVEL OF ACTIVITY, IMPROVING MUSCULAR STABILITY, MIPROVING FUNCTIONAL STABILITY AND MOBILITY, SIZE SMALL                                                                                                         | EA       | ITEMIZED             | 1000       |
| 1214         | 4224200215300                  | MYOELECTRIC WRIST UNIT 40MM                                       | MYOELECTRIC WRIST UNIT TO POSITION THE HAND IN ANY                                                                                                                                                                                                                                                                                                          | EA       | ITEMIZED             | 100        |
| 1215         | 4224200012600                  | MYOENERGY INTEGRAL BATTERY FOR ADULT                              | DIRECTION WRIST CONNECTION, 40 MM MYOENERGY INTEGRAL BATTERY, FOR ADULT                                                                                                                                                                                                                                                                                     | EA       | ITEMIZED             | 10         |
| 1216         | 4224200012400                  | MYOENERGY INTEGRAL FOR CHILDREN                                   | MYOENERGY INTEGRAL, FOR CHILDREN                                                                                                                                                                                                                                                                                                                            | EA       | ITEMIZED             | 10         |
| 1217<br>1218 | 4224200009200<br>4224200004900 | MYOROTRONIC FOR ELECTRIC WRIST ROTATOR  NATURAL CALF LINING 1.1MM | MYOROTRONIC FOR ELECTRIC WRIST ROTATOR NATURAL CALF LINING, 1.1 MM, APPROXIMATELY                                                                                                                                                                                                                                                                           | EA<br>EA | ITEMIZED<br>ITEMIZED | 10<br>1475 |
| 1219         | 4224150402400                  | NATURAL LINING HIDES 1.5 MM APPROX                                | NATURAL LINING HIDES, 1.5 MM, APPROXIMATELY                                                                                                                                                                                                                                                                                                                 | EA       | ITEMIZED             | 10         |
| 1220         | 4224170308600                  | TRANSFEMORAL SUSPENSION SLEEVE MED LEFT                           | NEOPRENE TRANSFEMORAL SUSPENSION SLEEVE, SIZE<br>MEDIUM, LEFT                                                                                                                                                                                                                                                                                               | EA       | ITEMIZED             | 101        |
| 1221         | 4224200407900                  | TRANSFEMORAL SUSPENSION SLEEV SMALL LEFT                          | NEOPRENE TRANSFEMORAL SUSPENSION SLEEVE, SIZE SMALL, LEFT                                                                                                                                                                                                                                                                                                   | EA       | ITEMIZED             | 110        |
|              |                                |                                                                   |                                                                                                                                                                                                                                                                                                                                                             |          |                      |            |

6/21/2022 Page 94 of 160

| 1222 | 4224170500800 | NIGHT SPLINT ANKLE FOOT ORTHOSIS ADULT L | NIGHT SPLINT ANKLE FOOT ORTHOSIS, ADULT, PROVIDES AN EFFECTIVE TREATMENT FOR PLANTAR FASCITIS AND ACHILLES TENDON, ADJUSTABLE FROM 10 TO 90 DEGREE, DORSI                                                                                                                                                                                                                                                                                                                                                                                                                                                          | EA  | ITEMIZED | 1000 |
|------|---------------|------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|------|
| 1223 | 4224170500900 | NIGHT SPLINT ANKLE FOOT ORTHOSIS ADULT M | FLEXION WITH COOL FOAM LINER, SIZE LARGE NIGHT SPLINT ANKLE FOOT ORTHOSIS, ADULT, PROVIDES AN EFFECTIVE TREATMENT FOR PLANTAR FASCITIS AND ACHILLES TENDON, ADJUSTABLE FROM 10 TO 90 DEGREE, DORSI FLEXION WITH COOL FOAM LINER, SIZE MEDIUM                                                                                                                                                                                                                                                                                                                                                                       | EA  | ITEMIZED | 1000 |
| 1224 | 4224150301100 | NIGHT SPLINT ANKLE FOOT ORTHOSIS ADULT   | NIGHT SPLINT ANKLE FOOD TORHOSIS, ADULT, PROVIDES AN<br>EFFECTIVE TREATMENT FOR PLANTAR FASCITIS AND ACHILLES<br>TENDON, ADJUSTABLE FROM 10 TO 90 DEGREE, DORSI<br>FLEXION WITH COOL FOAM LINER, SIZE SMALL                                                                                                                                                                                                                                                                                                                                                                                                        | EA  | ITEMIZED | 5    |
| 1225 | 4224200032600 | NON ADJUSTABLE OPEN-END WRENCHE          | NON ADJUSTABLE OPEN-END WRENCHE, STEEL, AN ORTHOTICS WORKSHOP TOOL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | KIT | ITEMIZED | 5    |
| 1226 | 4224180306300 | NON-INVASIVE HALO UNIVERSAL ADULT        | NON-INVASIVE HALO FOR CERVICAL STABILIZATION MRI<br>COMPATIBLE, SIZE: UNIVERSAL, ADULT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | SET | ITEMIZED | 308  |
| 1227 | 4224150300100 | CUFF STOCKINETTE L23.8M W150MM NYLGLASS  | NYLGLASS STOCKINETTE, OFF - WHITE, 50/50% BLEND OF<br>NYLON AND FIBERGLASS, WIDTH 150 MM, LENGTH 23.8<br>METERS APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | EA  | ITEMIZED | 25   |
| 1228 | 4214280205200 | LINER CASTING L35.7M W80MM NYLGLASS      | NYLGLASS STOCKINETTE, OFFWHITE, 50/50 % BLEND OF<br>NYLON AND FIBERGLASS, WIDTH 80 MM, LENGTH 35.7<br>METER, APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | ROL | ITEMIZED | 93   |
| 1229 | 4618220700300 | HIGH ANKLE ORTHOPEDC SHOES LACE BLACK 34 | ORTHOPEDIC SHOES, HIGH, ANKLE SUPPORT, COLOR - BLACK, LACE CLOSURE, SIZE 34; SOFF PADDING AROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT S. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMPORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; FIRM HEEL COUNTER; APPROXIMATELY 125MM IN HEIGHT  | РАА | ITEMIZED | 100  |
| 1230 | 4618220700400 | HIGH ANKLE ORTHOPEDC SHOES LACE BLACK 35 | ORTHOPEDIC SHOES, HIGH, ANKLE SUPPORT, COLOR - BLACK, LACE CLOSURE, SIZE 35; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG SHIFERNER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT 5. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; FIRM HEEL COUNTER; APPROXIMATELY 125MM IN HEIGHT  | РАА | ITEMIZED | 100  |
| 1231 | 4618220700500 | HIGH ANKLE ORTHOPEDC SHOES LACE BLACK 36 | ORTHOPEDIC SHOES, HIGH, ANKLE SUPPORT, COLOR - BLACK, LACE CLOSURE, SIZE 36; SOFF PADDING AROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT S. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; FIRM HEEL COUNTER; APPROXIMATELY 1255MM IN HEIGHT | РАА | ITEMIZED | 100  |
| 1232 | 4618220700600 | HIGH ANKLE ORTHOPEDC SHOES LACE BLACK 37 | ORTHOPEDIC SHOES, HIGH, ANKLE SUPPORT, COLOR - BLACK, LACE CLOSURE, SIZE 37; SOFF PADDING AROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT 5. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; FIRM HEEL COUNTER; APPROXIMATELY 125MM IN HEIGHT  | РАА | ITEMIZED | 100  |
| 1233 | 4618220700700 | HIGH ANKLE ORTHOPEDC SHOES LACE BLACK 38 | ORTHOPEDIC SHOES, HIGH, ANKLE SUPPORT, COLOR - BLACK, LACE CLOSURE, SIZE 38; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT 5. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; FIRM HEEL COUNTER; APPROXIMATELY 125MM IN HEIGHT  | PAA | ITEMIZED | 100  |
| 1234 | 4618220700800 | HIGH ANKLE ORTHOPEDC SHOES LACE BLACK 39 | ORTHOPEDIC SHOES, HIGH, ANKLE SUPPORT, COLOR - BLACK, LACE CLOSURE, SIZE 39; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT S. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; FIRM HEEL COUNTER; APPROXIMATELY 125MM IN HEIGHT  | PAA | ITEMIZED | 100  |

6/21/2022 Page 95 of 160

| 1235 | 4618220700900 | HIGH ANKLE ORTHOPEDC SHOES LACE BLACK 40 | ORTHOPEDIC SHOES, HIGH, ANKLE SUPPORT, COLOR - BLACK, LACE CLOSURE, SIZE 40; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT S. SUPFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMPORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; FIRM HEEL COUNTER; APPROXIMATELY 125MM IN HEIGHT                 | PAA | ITEMIZED | 100 |
|------|---------------|------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|-----|
| 1236 | 4618220701000 | HIGH ANKLE ORTHOPEDC SHOES LACE BLACK 41 | ORTHOPEDIC SHOES, HIGH, ANKLE SUPPORT, COLOR - BLACK, LACE CLOSURE, SIZE 41; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT S. SUPFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMPORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; FIRM HEEL COUNTER; APPROXIMATELY 125MM IN HEIGHT                 | PAA | ITEMIZED | 100 |
| 1237 | 4618220701100 | HIGH ANKLE ORTHOPEDC SHOES LACE BLACK 42 | ORTHOPEDIC SHOES, HIGH, ANKLE SUPPORT, COLOR - BLACK, LACE CLOSURE, SIZE 42; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG STIFFERER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT S. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; FIRM HELE COUNTER; APPROXIMATELY 125MM IN HEIGHT                 | PAA | ITEMIZED | 100 |
| 1238 | 4618220701200 | HIGH ANKLE ORTHOPEDC SHOES LACE BLACK 43 | ORTHOPEDIC SHOES, HIGH, ANKLE SUPPORT, COLOR - BLACK, LACE CLOSURE, SIZE 43; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT S. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; FIRM HEEL COUNTER; APPROXIMATELY 125MM IN HEIGHT                 | PAA | ITEMIZED | 100 |
| 1239 | 4618220701300 | HIGH ANKLE ORTHOPEDC SHOES LACE BLACK 44 | ORTHOPEDIC SHOES, HIGH, ANKLE SUPPORT, COLOR - BLACK, LACE CLOSURE, SIZE 44; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT S. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; FIRM HELE COUNTER; APPROXIMATELY 125MM IN HEIGHT                 | PAA | ITEMIZED | 100 |
| 1240 | 4618220701400 | HIGH ANKLE ORTHOPED SHOES VELCRO BLACK36 | ORTHOPEDIC SHOES, HIGH, ANKLE SUPPORT, COLOR - BLACK, VELCRO CLOSURE OR EQUIVALENT, SIZE 36; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT 5. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMPORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; FIRM HEEL COUNTER; APPROXIMATELY 125MM IN HEIGHT | РАА | ITEMIZED | 100 |
| 1241 | 4618220701500 | HIGH ANKLE ORTHOPED SHOES VELCRO BLACK37 | ORTHOPEDIC SHOES, HIGH, ANKLE SUPPORT, COLOR - BLACK, VELCRO CLOSURE OR EQUIVALENT, SIZE 37; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT 5. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-90X AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; FIRM HEEL COUNTER; APPROXIMATELY 125MM IN HEIGHT | PAA | ITEMIZED | 100 |

6/21/2022 Page 96 of 160

| 1242 | 4618220701600 | HIGH ANKLE ORTHOPED SHOES VELCRO BLACK38 | ORTHOPEDIC SHOES, HIGH, ANKLE SUPPORT, COLOR - BLACK, VELCRO CLOSURE OR EQUIVALENT, SUE 38; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT 5. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTRADED FACINGS FOR MAXIMUM ACCESSBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; FIRM HEEL CHUTER; APPROXIMATELY 125MM IN HEIGHT   | PAA | ITEMIZED | 100 |
|------|---------------|------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|-----|
| 1243 | 4618220701700 | HIGH ANKLE ORTHOPED SHOES VELCRO BLACK39 | ORTHOPEDIC SHOES, HIGH, ANKLE SUPPORT, COLOR - BLACK, VELCRO CLOSURE OR EQUIVALENT, SUE 39; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT 5. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTRADED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; FIRM HEEL COUNTER; APPROXIMATELY 125MM IN HEIGHT | PAA | ITEMIZED | 100 |
| 1244 | 4618220701800 | HIGH ANKLE ORTHOPED SHOES VELCRO BLACK40 | ORTHOPEDIC SHOES, HIGH, ANKLE SUPPORT, COLOR - BLACK, VELEGO CLOSURE OR EQUIVALENT, SUE 40; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT 5. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTRADED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; FIRM HEEL COUNTER; APPROXIMATELY 125MM IN HEIGHT | PAA | ITEMIZED | 100 |
| 1245 | 4618220701900 | HIGH ANKLE ORTHOPED SHOES VELCRO BLACK41 | ORTHOPEDIC SHOES, HIGH, ANKLE SUPPORT, COLOR - BLACK, VELCRO CLOSURE OR EQUIVALENT, SIZE 41; SOFT PADDING AROUND THE COLLAR FOR A BETTER RT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNITS. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMPORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; FIRM HEEL COUNTER; APPROXIMATELY 125MM IN HEIGHT  | PAA | ITEMIZED | 100 |
| 1246 | 4618220702000 | HIGH ANKLE ORTHOPED SHOES VELCRO BLACK42 | ORTHOPEDIC SHOES, HIGH, ANKLE SUPPORT, COLOR - BLACK, VELCRO CLOSURE OR EQUIVALENT, SIZE 42; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT S. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTRADED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; FIRM HEEL CHUTER; APPROXIMATELY 125MM IN HEIGHT | PAA | ITEMIZED | 100 |
| 1247 | 4618220702100 | HIGH ANKLE ORTHOPED SHOES VELCRO BLACK43 | ORTHOPEDIC SHOES, HIGH, ANKLE SUPPORT, COLOR - BLACK, VELCRO CLOSURE OR EQUIVALENT, SIZE 43; SOFT PADDING AROUND THE COLAR FOR A BETTER RT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT 5. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTRADED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; FIRM HEEL COUNTER; APPROXIMATELY 125MM IN HEIGHT  | PAA | ITEMIZED | 100 |
| 1248 | 4618220702200 | HIGH ANKLE ORTHOPED SHOES VELCRO BLACK44 | ORTHOPEDIC SHOES, HIGH, ANKLE SUPPORT, COLOR - BLACK, VELCRO CLOSURE OR EQUIVALENT, SIZE 44; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT S. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTRADED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; FIRM HEEL CHUTER; APPROXIMATELY 125MM IN HEIGHT | PAA | ITEMIZED | 100 |

6/21/2022 Page 97 of 160

| 1249         | 4214170000800                  | ORTHOSIS ANTIDECUBITUS HEEL                                      | ORTHOSIS ANTI DECUBITUS HEEL FOR POSITIONING OF LOWER LIMB EASY PLACEMENT HEEL ANTI DECUBITUS COMFORTABLE CUSHIONS FOR THE PATIENT VERY SOFT MATERIAL THAT DECREASES THE PRESSURE EXTERNAL SEAMS TO AVOID FRICTION VELCRO ADJUSTMENT OR EQUIVALENT IT PREVENTS THE SORES ON THE HEEL THE MALLEUS AND THE RUBBING EFFECTS ON THE AREA BEDUCES FRICTION AND SHEARING FORCES KEEPS THE SKIN CLEAN AND DRY THANKS TO ITS BREATHABILITY CONTROLS EXCESS MOISTURE IT FACILITATES BETTER PROPHYLACTIC AND THERAPEUTIC CARE PREVENTION OF ULCERS AND SORES IN PARENTS WHO REMAIN FOR LONG PERIODS OF TIME IN THE SAME POSITION                                                                                                                                                                                                                         | EA       | ITEMIZED             | 50        |
|--------------|--------------------------------|------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----------------------|-----------|
| 1250         | 4214170000900                  | ANTIDECUBITUS POSTURAL HEEL ORTHOSIS                             | ORTHOSIS ANTI DECUBITUS POSTURAL HEEL EASY PLACEMENT HEEL ANTI DECUBITUS COMFORTABLE CUSHIONS FOR THE PATIENT THERMOPLASTIC ORTHESIS FOR THE POSITIONING OF THE LOWER LIMB VERY COMFORTABLE CUSHION RELEASES HEEL MALLEUS AND POSSIBLE PRESSURE ON FINGERS BY THE WEIGHT OF THE SHEETS POSITIONS THE ANKLE IN A NEUTRAL POSITION POSSIBILITY OF POSITIONING IN 15 ° OF EXTERNAL OR INTERNAL ROTATION IT PREVENTS THE SORES ON THE HEEL AND THE MALLEUS AND THE RUBBING FEFECTS ON THE ARRA REDUCES FRICTION AND SHEARING FORCES KEEPS THE SKIN CLEAN AND DRY THANKS TO ITS BREATHABILITY CONTROLS EXCESS MOISTURE IT FACILITATES BETTER PROPHYLACTIC AND THERAPEUTIC CARE PREVENTION OF ULCERS AND SORES IN PATIENTS WHO REMAIN FOR LONG PERIODS OF TIME IN THE SAME POSITION                                                                  | EA       | ITEMIZED             | 50        |
| 1251         | 4618221201400                  | SHOULDER ABDUCTION ORTHOSIS                                      | ORTHOSIS SHOULDER ABDUCTION BREATHABLE 3 D FABRIC THAT MAXIMIZES AIR CIRCULATION BETWEEN PATIENT/ORTHOSIS FITNESS BALL HELPS BLOOD CIRCULATION AND MAINTENANCE OF MUSCLE TONE ARM SUPPORT ARM POSITIONED 90 DEGREE ELBOW FLEXION AND SUPPORTS THE WEIGHT ABDUCTION PILLOW POSITIONS THE SHOULDER IN 15 DEGREE OF ABDUCTION GLENOHUMERAL DISLOCATION SUBLUXATION GLENOHUMERAL CAPSULAR SHIFT RECONSTRUCTIVE SURGERY OF THE ROTATOR CUFF POST-SURGERY ARTHROSCOPIC INJURY BANKHART SOFT TISSUE REPAIR IMMOBILIZING AND STABILIZING ORTHOSIS THAT MAINTAINS THE SECURE POSITIONING OF THE SHOULDER JOINT IN ABDUCTION AND 15 DEGREE ELBOW JOINT AT 90 DEGREE                                                                                                                                                                                      | EA       | ITEMIZED             | 630       |
| 1252         | 4224200132400                  | ORTHOSIS ANKLE FT PED CARBON FIBER L LFT                         | ORTHOSIS, ANKLE FOOT, PEDIATRIC CARBON FIBER, KIDDIEGAIT OR EQUIVALENT, SIZE LARGE, LEFT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | EA       | ITEMIZED             | 50        |
| 1253         | 4224200132500                  | ORTHOSIS ANKLE FT PED CARBON FIBER L RT                          | ORTHOSIS, ANKLE FOOT, PEDIATRIC CARBON FIBER,<br>KIDDIEGAIT OR EQUIVALENT, SIZE LARGE, RIGHT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | EA       | ITEMIZED             | 50        |
| 1254         | 4224200132600                  | ORTHOSIS ANKLE FT PED CARBON FIBER M LFT                         | ORTHOSIS, ANKLE FOOT, PEDIATRIC CARBON FIBER,                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | EA       | ITEMIZED             | 50        |
| 1255         | 4224200132700                  | ORTHOSIS ANKLE FT PED CARBON FIBER M RT                          | KIDDIEGAIT OR EQUIVALENT, SIZE MEDIUM, LEFT ORTHOSIS, ANKLE FOOT, PEDIATRIC CARBON FIBER,                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | EA       | ITEMIZED             | 50        |
| 1256         | 4224200132800                  | ORTHOSIS ANKLE FT PED CARBON FIBER S LFT                         | ORTHOSIS, ANKLE FOOT, PEDIATRIC CARBON FIBER,                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | EA       | ITEMIZED             | 50        |
| 1257         | 4224200132900                  | ORTHOSIS ANKLE FT PED CARBON FIBER S RT                          | KIDDIEGAIT OR EQUIVALENT, SIZE SMALL, LEFT ORTHOSIS, ANKLE FOOT, PEDIATRIC CARBON FIBER,                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | EA       | ITEMIZED             | 50        |
| 1237         | 4224200132300                  | ONTHOSIS AINKLE FT FED CANDON FIBER 3 KT                         | KIDDIEGAIT OR EQUIVALENT, SIZE SMALL, RIGHT  ORTHOSIS, CERVICAL THORACIC LUMBAR SACRAL, PROVIDES                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | LA       | HEWIZED              | 30        |
| 1258         | 4618221107000                  | ORTHOSIS CERVICAL THORA LUMBAR SACRAL XL                         | ANTERIOR, POSTERIOR, LATERAL, AND ROTATIONAL CONTROL<br>(APL AND R), FULLY ADJUSTABLE CONTAINS WASHABLE FOAM<br>LINERS AND A REMOVABLE FOAM LUMBAR PAD, SIZE EXTRA<br>LARGE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | EA       | ITEMIZED             | 50        |
| 1259         | 4618221106900                  | ORTHOSIS CERVICAL THORA LUMBAR SACRAL M                          | ORTHOSIS, CERVICAL THORACIC LUMBAR SACRAL, PROVIDES ANTERIOR, POSTERIOR, LATERAL, AND ROTATIONAL CONTROL (APL AND R), FULLY ADJUSTABLE CONTAINS WASHABLE FOAM LINERS AND A REMOVABLE FOAM LUMBAR PAD, SIZE MEDIUM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | EA       | ITEMIZED             | 50        |
| 1260         | 4618221106800                  | ORTHOSIS CERVICAL THORA LUMBAR SACRAL SM                         | ORTHOSIS, CERVICAL THORACIC LUMBAR SACRAL, PROVIDES ANTERIOR, POSTERIOR, LATERAL, AND ROTATIONAL CONTROL (APL AND R), FULLY ADJUSTABLE CONTROL WASHABLE FOAM LUMBAR PAD, SIZE SMALL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | EA       | ITEMIZED             | 50        |
| 1261         | 4618170400000                  | ORTHOSIS CRANIAL REMOULDING                                      | ORTHOSIS, CRANIAL REMOULDING (CUSTOM MADE HELMETS), TO TREAT DEFORMATIONAL PLAGIOCEPHALY, BRACHYCEPHALY, SCAPHOCEPHALY, CRANIOSYNOSTOSIS AND OTHER HEAD SHAPE DEFORMATIONS IN INFANTS 3-18 MONTHS OF AGE, MATERIALS INCLUDE SEMI-RIGIO/RIGID PLASTIC, HYPO ALLERGENIC FOAM LINERS, MULTIPLE DESIGNS BASED UPON PATIENT NEEDS AND CONDITIONS, MEASUREMENTS TAKEN BY CERTIFIED ORTHOTIST USING LASER SCANNING TECHNOLOGY OR SIMILIAR SCANNING TECHNOLOGY OR SIMILIAR CAUNTING TECHNOLOGIES THAT CAN GENERATE 3D REPORTS TO COMPARE HEAD SHAPE CHANGES OVER TIME, CLINICAL SERVICES INCLUDE PATIENT ASSESSMENT AT CUSTOMER'S PREMISES, MEASURING AND SCANNING, FITTING AND ANY FOLLOW-UP ADJUSTMENTS NEEDED BY A CERTIFIED ORTHOTIST USING VENTIONS ORTHOTIST. DELIVERY, FITTING BY CERTIFIED ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS | кіт      | itemized             | 50        |
| 1262         | 4618221106500                  | ORTHOSIS CRUCIFORM ANT.SPINAL HYPEREXTN                          | ORTHOSIS, CRUCIFORM ANTERIOR SPINAL HYPEREXTENSION (CASH), UNIVERSAL, FOR EXTREMELY, LARGE OR SMALL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | EA       | ITEMIZED             | 50        |
| 1263         | 4224170644200                  | ORTHOSIS FOOT METATARSAL PAD L REG                               | PATIENT ORTHOSIS, FOOT METATARSAL PAD, LARGE, REGULAR                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | EA       | ITEMIZED             | 50        |
| 1264<br>1265 | 4224170644300<br>4224170644400 | ORTHOSIS FOOT METATARSAL PAD MED REGULAR ORTHOSIS FOOT PAD SMALL | ORTHOSIS, FOOT METATARSAL PAD, MEDIUM, REGULAR ORTHOSIS, FOOT PAD, SMALL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | EA<br>EA | ITEMIZED<br>ITEMIZED | 50<br>100 |
| 1266         | 4618221104400                  | LUMBOSACRAL ORTHOSIS SZ LARGE                                    | ORTHOSIS, LUMBOSACRAL, POSITIVE SUPPORT, PROVIDES LOWER BACK SUPPORT TO HELP REDUCE OR AVOID PAIN, SIZE: LARGE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | EA       | ITEMIZED             | 50        |
| 1267         | 4618221104500                  | LUMBOSACRAL ORTHOSIS SZ MEDIUM                                   | ORTHOSIS, LUMBOSACRAL, POSITIVE SUPPORT, PROVIDES LOWER BACK SUPPORT TO HELP REDUCE OR AVOID PAIN, SIZE: MEDIUM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | EA       | ITEMIZED             | 50        |
| 1268         | 4618221104600                  | LUMBOSACRAL ORTHOSIS SZ SMALL                                    | ORTHOSIS, LUMBOSACRAL, POSITIVE SUPPORT, PROVIDES LOWER BACK SUPPORT TO HELP REDUCE OR AVOID PAIN, SIZE: SMALL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | EA       | ITEMIZED             | 550       |

6/21/2022 Page 98 of 160

| 1269         | 4618221106100                  | ORTHOSIS THIGH OF POLYETHYLENE                                             | ORTHOSIS, THIGH OF POLVETHYLENE, SHAPED WITH ISCHIATIC SUPPORT, INTERNAL LINING WITH A PLEASANT TOUCH THAT PREVENTS SLIPPING WHILE PADDING, ADJUSTING TAPES WITH ADJUSTABLE AND REMOVABLE TERNINIALS, FORMED FOR THE FUNCTIONAL TREATMENT OF EACH SEGMENT IN MATERIAL OF EASY ADAPTATION, TRIMMING, AND ADJUSTMENT, FUNCTIONAL TREATMENT OF FARCTURES OF THE TIBL AND FIBLUA                                                                                                        | EA       | ITEMIZED             | 100       |
|--------------|--------------------------------|----------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----------------------|-----------|
| 1270         | 4224200117200                  | ORTHOTIC SYSTEM 80KG CAUCASIAN LEFT                                        | ORTHOTIC SYSTEM THAT LOCKS THE KNEE JOINT, DURING THE STANCE PHASE AND BECOMES RELEASED DURING THE SWING PHASE, ALLOWING PATIENTS TO BEND THEIR LEG, THUS REQUIRING LESS ENERGY WHEN WALKING, ALSO LIGHTENS THE LOAD ON THE BACK, HIPS, AND KNEE JOINT THROUGH ITS MODE OF DEPARTION, THE SYSTEM ENSURES THE PATIENTS INDIVIDUAL SECURITY, STABILITY, AND ABOVE ALL MOBILITY, FOR PARTIAL PARALYSIS OR A COMPLETE FAILURE OF THE KNEE EXTENSORS, 80 KG, CAUCASIAN SKIN COLOR, LEFT  | SET      | ITEMIZED             | 50        |
| 1271         | 4224200117400                  | ORTHOTIC SYSTEM 80KG CAUCASIAN RIGHT                                       | ORTHOTIC SYSTEM THAT LOCKS THE KNEE JOINT, DURING THE STANCE PHASE AND BECOMES RELEASED DURING THE SWING PHASE, ALLOWING PATIENTS TO BEND THEIR LEG, THUS REQUIRING LESS ENERGY WHEN WALKING, ALSO LIGHTENS THE LOAD ON THE BACK, HIPS, AND KNEE JOINT THROUGH ITS MODE OF OPERATION, THE SYSTEM ENSURES THE PATIENTS INDIVIDUAL SECURITY, STABILITY, AND ABOVE ALL MOBILITY, FOR PARTIAL PARALYSIS OR A COMPLETE FAILURE OF THE KNEE EXTENSORS, 80 KG, CAUCASIAN SKIN COLOR, RIGHT | SET      | ITEMIZED             | 50        |
| 1272         | 4224170642200                  | ORTHOTIC ANKLE FT 7MM MILD MOD DEFICITS                                    | ORTHOTIC, ANKLE FOOT, TOEOFF 2 ½ OR EQUIVALENT,<br>LIGHTWEIGHT CARBON COMPOSITE, COMFORTABLE<br>ANTERIOR DESIGN, OPEN HEEL, DYNAMIC FOOTPLATE,<br>GRADED STABILITY, FITS IN NORMAL SHOES, 7 MM HEEL<br>HIGHHT, TABILIZES THE ANKLE AND PROVIDES ADDED<br>CONTROL OF PROXIMAL DEFICITS, SUPPORTS THE PATIENT<br>THROUGH COMPLETE GAIT CYCLE, MILD TO MODERATE<br>PROXIMAL DEFICITS AND SPASTICITY LIMB                                                                               | EA       | ITEMIZED             | 50        |
| 1273         | 4224170643300                  | ORTHOTIC ARCH SUPPORT 3/4 LENGTH                                           | ORTHOTIC, ARCH SUPPORT, 3/4 LENGTH                                                                                                                                                                                                                                                                                                                                                                                                                                                  | EA       | ITEMIZED             | 50        |
| 1274<br>1275 | 4224170643400<br>4224170644100 | ORTHOTIC ARCH SUPPORT FULL LENGTH ORTHOTICS FOR MEDICAL DIABETIC/FLAT FOOT | ORTHOTIC, ARCH SUPPORT, FULL LENGTH ORTHOTICS, FOR MEDICAL DIABETIC AND FLAT FOOT                                                                                                                                                                                                                                                                                                                                                                                                   | EA<br>EA | ITEMIZED<br>ITEMIZED | 50<br>150 |
| 1276         | 4222170601000                  | BAG PROSTHETIC DEVICE 1000X260X50MM PVA                                    | P.V.A. BAGS FOR LAMINATION, 1000 X 260 X 50 MM,                                                                                                                                                                                                                                                                                                                                                                                                                                     | PC       | ITEMIZED             | 597       |
| 1277         | 4224150300700                  | PVA BAGS FOR LAMINATION 100X30X5CM                                         | APPROXIMATELY P.V.A. BAGS FOR LAMINATION, 1000 X 300 X 50 MM,                                                                                                                                                                                                                                                                                                                                                                                                                       | EA       | ITEMIZED             | 50        |
|              |                                |                                                                            | APPROXIMATELY P.V.A. BAGS FOR LAMINATION, 1300 X 260 X 50 MM,                                                                                                                                                                                                                                                                                                                                                                                                                       |          |                      |           |
| 1278         | 4224171308400                  | P.V.A. BAGS FOR LAMINATION 1300X260X50MM                                   | APPROXIMATELY P.V.A. BAGS, FOR LAMINATION, 1000 X 190 X 50 MM                                                                                                                                                                                                                                                                                                                                                                                                                       | EA       | ITEMIZED             | 720       |
| 1279         | 4224171308300                  | BAG PROSTHETIC DEVICE 1000X190X50MM PVA                                    | APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | EA       | ITEMIZED             | 504       |
| 1280         | 4222170601100                  | BAG PROSTHETIC DEVICE 1300X220X50MM PVA                                    | P.V.A. BAGS, FOR LAMINATION, 1300 X 220 X 50MM<br>APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                     | PC       | ITEMIZED             | 620       |
| 1281         | 4222170600700                  | BAG PROSTHETIC DEVICE 600X110X40MM PVA                                     | P.V.A. BAGS, FOR LAMINATION, 600 X 110 X 40MM<br>APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                      | EA       | ITEMIZED             | 382       |
| 1282         | 4222170600800                  | BAG PROSTHETIC DEVICE 700X190X50MM PVA                                     | P.V.A. BAGS, FOR LAMINATION, 700 X 190 X 50MM<br>APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                      | PC       | ITEMIZED             | 400       |
| 1283         | 4222170600900                  | BAG PROSTHETIC DEVICE 700X270X50MM PVA                                     | P.V.A. BAGS, FOR LAMINATION, 700 X 270 X 50MM<br>APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                      | PC       | ITEMIZED             | 450       |
| 1284         | 4224170601900                  | PAD HEEL XLARGE BLUE DOT SILICONE                                          | PAD, HEEL, EXTRA LARGE, BLUE DOT, SOFT SILICONE,<br>COMFORT, NON-COMPRESSIBLE, DUAL DENSITY, WASHABLE,<br>TRANSFERABLE, HYPOALLERGENIC, NON-TOXIC, NON-<br>FLAMMABLE, ODOR FREE                                                                                                                                                                                                                                                                                                     | PC       | ITEMIZED             | 1800      |
| 1285         | 4224170601700                  | PAD HEEL LARGE BLUE DOT SILICONE                                           | PAD, HEEL, LARGE, BLUE DOT, SOFT SILICONE, COMFORT,<br>NON-COMPRESSIBLE, DUAL DENSITY, WASHABLE,<br>TRANSFERABLE, HYPOALLERGENIC, NON-TOXIC, NON-<br>FLAMMABLE, ODOR FREE                                                                                                                                                                                                                                                                                                           | PC       | ITEMIZED             | 3200      |
| 1286         | 4224170601800                  | PAD HEEL MEDIUM BLUE DOT SILICONE                                          | PAD, HEEL, MEDIUM, BLUE DOT, SOFT SILICONE, COMFORT,<br>NON-COMPRESSIBLE, DUAL DENSITY, WASHABLE,<br>TRANSFERABLE, HYPOALLERGENIC, NON-TOXIC, NON-<br>FLAMMABLE, ODOR FREE                                                                                                                                                                                                                                                                                                          | PC       | ITEMIZED             | 3200      |
| 1287         | 4224200011700                  | PARTING AGENT FOR RESINS 1KG                                               | PARTING AGENT FOR RESINS, NET CONTENTS, 1 KG., APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                        | EA       | ITEMIZED             | 100       |
| 1288         | 4224150001000                  | PARTING AGENT SPRAY SILICONE 400ML                                         | PARTING AGENT SPRAY, SILICONE, NET CONTENTS 400 ML, SPRAY CAN, APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                        | EA       | ITEMIZED             | 100       |
| 1289         | 4224200017600                  | PASTE MODELING SHORE HARDNESS EXTRA SOFT                                   | PASTE MODELING MEDICAL SHORE HARDNESS A10 OR EQUIVALENT EXTRA SOFT TWO POTS A AND B TO MIX IN SAME PROPORTION TO MAKE THE PODIATRIC ORTHOSIS ONCE MADE LEAVE IT TO GET DRY TO MAKE CUSTOM-MADE PODIATRIC ORTHOSIS TO MAKE CUSTOM-MADE PODIATRIC ORTHOS TO MAKE CUSTOM-MADE PODIATRIC ORTHO                                                                                                                                                                                          | EA       | ITEMIZED             | 100       |
| 1290         | 4224200017700                  | PASTE MODELING SHORE HARDNESS SOFT                                         | PASTE MODELING MEDICAL SHORE HARDNESS A20 OR<br>EQUIVALENT SOFT TWO POTS A AND B TO MIX IN SAME<br>PROPORTION TO MAKE THE PODIATRIC ORTHOSIS ONCE<br>MADE LEAVE IT TO GET DRY TO MAKE CUSTOM-MADE<br>PODIATRIC ORTHOSIS TO MAKE CUST                                                                                                                                                                                                                                                | EA       | ITEMIZED             | 100       |
| 1291         | 4224171318100                  | PIGMENT PASTE BLACK NET CONTENTS 250 GM                                    | PASTE, PIGMENT, BLACK, NET CONTENTS 250 GRAMS, APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                        | EA       | ITEMIZED             | 100       |
| 1292         | 4224171318000                  | PIGMENT PASTE BLUE NET CONTENTS 250 GM                                     | PASTE, PIGMENT, BLUE, NET CONTENTS 250 GRAMS, APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                         | EA       | ITEMIZED             | 100       |
| 1293         | 4224171317900                  | PIGMENT PASTE RED NET CONTENTS 250GM                                       | PASTE, PIGMENT, RED, NET CONTENTS 250 GRAMS,                                                                                                                                                                                                                                                                                                                                                                                                                                        | EA       | ITEMIZED             | 100       |
| 1294         | 4224171317600                  | PIGMENT PASTE BROWN NET CONTENTS 250GM                                     | APPROXIMATELY  PASTE, PIGMENT, SKIN COLOR BROWN, NET CONTENTS 250                                                                                                                                                                                                                                                                                                                                                                                                                   | EA       | ITEMIZED             | 100       |
| 1295         | 4224171317500                  | PIGMENT PASTE CAUCASIAN NET CONTENTS 1KG                                   | GRAMS, APPROXIMATELY PASTE, PIGMENT, SKIN COLOR, CAUCASIAN, NET CONTENTS 1                                                                                                                                                                                                                                                                                                                                                                                                          | EA       | ITEMIZED             | 100       |
|              |                                |                                                                            | KG., APPROXIMATELY PASTE, PIGMENT, WHITE, NET CONTENTS 250 GRAMS,                                                                                                                                                                                                                                                                                                                                                                                                                   |          |                      |           |
| 1296         | 4224171317700                  | PIGMENT PASTE WHITE NET CONTENTS 250 GM                                    | APPROXIMATELY PASTE, PIGMENT, YELLOW, NET CONTENTS 250 GRAMS,                                                                                                                                                                                                                                                                                                                                                                                                                       | EA       | ITEMIZED             | 100       |
| 1297         | 4224171317800                  | PIGMENT PASTE YELLOW NET CONTENTS 250GM                                    | APPROXIMATELY PECTUS CARINATUM ORTHOSIS WITH RATCHET CLOSURE                                                                                                                                                                                                                                                                                                                                                                                                                        | EA       | ITEMIZED             | 100       |
| 1298         | 4224180802300                  | PECTUS CARINATUM ORTHOSIS                                                  | PROVIDES INCREASED ANTERIOR/POSTERIOR DIRECTED CORRECTIVE COMPRESSION FORCES, SIZE: 65-90 CM                                                                                                                                                                                                                                                                                                                                                                                        | EA       | ITEMIZED             | 10        |

6/21/2022 Page 99 of 160

| 1299 | 4224150300300 | PEDIC PLASTER POST SURGICAL              | PEDIC PLASTER POST-SURGICAL PLASTER PROTECTOR ANTI-<br>SUP SOLE VELCRO CLOSURCE OR CQUIVALENT IT FACILITATES<br>THE AMBULATION IN THE POST - OPERATIVE OF<br>INTERVENTIONS IN THE FEET POST - OPERATIVE PERIOD<br>AFTER THE FEET INTERVEN                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | EA  | ITEMIZED | 50  |
|------|---------------|------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|-----|
| 1300 | 4224150300200 | PEDIC PLASTER PROTECTOR                  | PEDIC PLASTER, PROTECTOR, ANTI - SLIP SOLE, LACE CLOSURE<br>FOR A BETTER FIT, IT FACILITATES THE AMBULATION IN THE<br>POST - OPERATIVE OF INTREVENTIONS IN THE FEET<br>INDICATED FOR FOOT AND ANKLE FRACTURES                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | EA  | ITEMIZED | 50  |
| 1301 | 4224150300400 | PEDIC TALUS PLASTER POST SURGICAL        | PEDIC TALUS PLASTER POST-SURGICAL MAINTAINS THE  POSITION OF THE FOOT IN TALUS UNLOADING THE AREA OF  THE FOREFOOT PLASTER PROTECTOR ANT - SUP SOLE  VELCRO CLOSURE IT FACILITATES THE AMBULATION IN THE  POST - OPERATIVE OF INTERVENTIONS IN THE FEET POST -  OPERATIVE PERIOD AFTER THE FEET INTERVENTIONS  (BUNIONS INGROWN NAILS CLAW TOES)                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | EA  | ITEMIZED | 50  |
| 1302 | 4224151015000 | PERFORATED H3 CAUCASIAN 1000X1000X3MM    | PEDILIN OR EQUIVALENT, PERFORATED, H3, CAUCASIAN COLOR, 1000 X 1000 X 3 MM THICKNESS, APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | EA  | ITEMIZED | 50  |
| 1303 | 4224151015100 | PERFORATED H4 CAUCASIAN 1000X1000X4MM    | PEDILIN OR EQUIVALENT, PERFORATED, H4, CAUCASIAN COLOR, 1000 X 1000 X 4 MM THICKNESS, APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | EA  | ITEMIZED | 50  |
| 1304 | 4224151015200 | PERFORATED H5 CAUCASIAN 1000X1000X5MM    | PEDILIN OR EQUIVALENT, PERFORATED, H5, CAUCASIAN                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | EA  | ITEMIZED | 50  |
| 1305 | 4224151015300 | PERFORATED H6 CAUCASIAN 1000X1000X6MM    | COLOR, 1000 X 1000 X 5 MM THICKNESS, APPROXIMATELY PEDILIN OR EQUIVALENT, PERFORATED, H6, CAUCASIAN                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | EA  | ITEMIZED | 50  |
| 1306 | 4231155305100 | PERLON WHITE STOCKINETTE 2RL/1KG 8CM     | COLOR, 1000 X 1000 X 6 MM THICKNESS, APPROXIMATELY PERLON, WHITE, STOCKINETTE, 2 ROLL/ 1 KG, 8 CM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | EA  | ITEMIZED | 50  |
| 1307 | 4231155305200 | PERLON WHITE STOCKINETTE 20CM 1KG 20M    | PERLON, WHITE, STOCKINETTE, 20 CM, 1 KG, 20 M                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | EA  | ITEMIZED | 50  |
| 1308 | 4231155305300 | PERLON WHITE STOCKINETTE 25CM 1KG 25     | PERLON, WHITE, STOCKINETTE, 25 CM, 1 KG, 25                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | EA  | ITEMIZED | 50  |
| 1309 | 4231155305400 | PERLON WHITE STOCKINETTE 30CM 1KG 30     | PERLON, WHITE, STOCKINETTE, 30 CM, 1 KG, 30                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | EA  | ITEMIZED | 50  |
| 1310 | 4231155304000 | STOCKINETTE PERLON W100MM X 37M WHITE    | PERLON, WHITE, STOCKINETTE, WIDTH 100 MM<br>LENGTH/ROLL, 37 METER, APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | EA  | ITEMIZED | 102 |
| 1311 | 4231155304600 | STOCKINETTE PERLON W60MM X 27.7M WHITE   | PERLON, WHITE, STOCKINETTE, WIDTH 60 MM LENGTH/ROLL, 27.7 METER, APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | EA  | ITEMIZED | 37  |
| 1312 | 4224170800000 | ABDUCTION PILLOW DELUXE PEDIATRIC 10IN   | PILLOW, ABDUCTION DELUXE, PEDIATRIC, 9 INCHES ANKLE, 3 INCHES KNEE, 10 INCHES LENGTH, POLYFOAM WITH VINYL COVERING                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | EA  | ITEMIZED | 50  |
| 1313 | 4224200034200 | PIN PUNCH KIT                            | PIN PUNCH KIT, AN ORTHOTICS WORKSHOP TOOL, CHROME-<br>VANADIUM STEEL, SIX PARTS, IN WOODEN STAND,<br>OCTAGONAL SHAFT, Ø 2, 3, 4, 5, 6 AND 8 MM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | KIT | ITEMIZED | 10  |
| 1314 | 4224171310600 | PINCH GAUGE                              | PINCH GAUGE, FOR TESTING THE GRIP FORCE OF SYSTEM ELECTRIC HAND                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | EA  | ITEMIZED | 100 |
| 1315 | 4224200031000 | PIPE VISE OR PIPE-HOLDING FIXTURE        | PIPE VISE OR PIPE-HOLDING FIXTURE, AN ORTHOTICS WORKSHOP TOOL, HINGED DESIGN WITH AUTOMATICALLY CLOSING SECURING HOOK, DROP FORGED MOVABLE JAW, MOVABLE JAW AND FIXED JAW EXCHANGEABLE, GRIPPING SURFACES MILLED AND HARDENED, STRONG SPINDLE WITH ADJUSTABLE T-HANDLE, TO BE USED FOR FOR PIPES UP TO 2 INCHES, JAW OPENING 60-80 MM, WEIGHT 4-6 KG                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | EA  | ITEMIZED | 10  |
| 1316 | 4224200011800 | PLASTABAND FOR SEALING 10M 20MM 2MM GRAY | PLASTABAND FOR SEALING FILLING AND PROTECTION IN CONJUNCTION WITH LAMINATION APPLICATIONS AND TEMPERATURE RESISTANT LENGTH 10 METER WIDTH: 20 MM THICKNESS: 2 MM COLOR: GRAY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | EA  | ITEMIZED | 100 |
| 1317 | 4224200030200 | PLASTAZOTE PERFORATED FOR PADDING 3MM    | PLASTAZOTE PERFORATED FOR THE PADDING OF ORTHOSES,<br>HARDNESS APPROX. SHORE A 15-20, LOW DENSITY: APPROX.<br>45 KG/M³, GOOD RESILIENCE, WASHABLE, CAUCASIAN COLOR,<br>SIZE 1000 X 1000 MM, THICKNESS 3 MM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | EA  | ITEMIZED | 500 |
| 1318 | 4224200030300 | PLASTAZOTE PERFORATED FOR PADDING 4MM    | PLASTAZOTE PERFORATED FOR THE PADDING OF ORTHOSES,<br>HARDNESS APPROX. SHORE A 15-20, LOW DENSITY: APPROX.<br>45 KG/M³, GOOD RESILIENCE, WASHABLE, CAUCASIAN COLOR,<br>SIZE 1000 X 1000 MM, THICKNESS 4 MM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | EA  | ITEMIZED | 500 |
| 1319 | 4224200030400 | PLASTAZOTE PERFORATED FOR PADDING 5MM    | PLASTAZOTE PERFORATED FOR THE PADDING OF ORTHOSES,<br>HARDNESS APPROX. SHORE A 15-20, LOW DENSITY: APPROX.<br>45 KG/M³, GOOD RESILIENCE, WASHABLE, CAUCASIAN COLOR,<br>SIZE 1000 X 1000 MM, THICKNESS 5 MM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | EA  | ITEMIZED | 200 |
| 1320 | 4224151001700 | SHEET THERMOPLASTIC 10X560X750MM         | PLASTAZOTE SHEETS, BLACK, VERY RIGID, SIZE: 10 X 560 X 750  MM APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | EA  | ITEMIZED | 44  |
| 1321 | 4224150601600 | PLASTER OF PARIS POWDER 25KG/PACK        | PLASTER OF PARIS POWDER, ALABASTER MOULDING PLASTER, 25 KG/PACK                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | EA  | ITEMIZED | 714 |
| 1322 | 4224200036700 | PLASTIC HEAD HAMMER                      | PLASTIC HEAD HAMMER, AN ORTHOTICS WORKSHOP TOOL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | EA  | ITEMIZED | 10  |
| 1323 | 4224171501200 | PLATE CALIPER LEFT 19X2 LARGE W75MM 90G  | PLATE, ORTHOTIC, CALIPER, LEFT SIDE, COMPATIBLE UPRIGHT<br>SECTION 19 X 2.5 MM STAINLESS STEEL, LARGE, WIDTH 75<br>MM, WEIGHT 90 GRAMS, FOR ANKLE JOINT STIRRUPS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | EA  | ITEMIZED | 100 |
| 1324 | 4224200408000 | FLAT SEAM REGULAR PLUS 24 32CM SIZE 1    | PLUS FLAT SEAM REGULAR PROFLEX OR EQUIVALENT TO ENSURE THE PROXIMAL END IS BABELY FELT AND THE DISTAL SEAL IS EXTREMELY PRECISE DESIGN SUPPORTS FUNCTIONALITY THE DESIGN OF THE PROFLEX PLUS CLEARLY DELINEATES THE PATELLA AND THE HOLLOW OF THE KNEE AND MAKES PREFLEXION MORE VISIBLE THIS MAKES IT EASIER TO CORRECTLY ROLL OUT THE SEALING SLEEVE PRE - SHAPED KNEE CAP AREA REDUCES PRESSURE ON THE KNEE CAP WHEN THE KNEE BENDS 15 DEGREE PREFLEXION MAKES IT EASIER TO BEND THE KNEE AND ALLOWS FEWER CREASES TO FORM IN THE HOLLOW OF THE KNEE CONICLAL SHAPE THE SEALING SLEEVE IS TAPERED BOTH FROM THE DISTAL END TOWARDS THE KNEE AS WELL AS FROM THE KNEE TOWARDS THE PROXIMAL END THIS INCREASES THE GRIP ON THE PROSTHETIC SOCKET AND AT THE SAME TIME REDUCES PRESSURE ON THE THIGH KNEE CENTRECL STEPPOLY. | EA  | ITEMIZED | 90  |

6/21/2022 Page 100 of 160

| 1325 | 4224200408100 | FLAT SEAM REGULAR PLUS 30 40CM SIZE 1    | PLUS FLAT SEAM REGULAR PROFLEX OR EQUIVALENT TO ENSURE THE PROXIMAL END IS BARELY FELT AND THE DISTAL SEAL IS EXTREMELY PRECISE DESIGN SUPPORTS FUNCTIONALITY THE DESIGN OF THE PROFLEX PLUS CLEARLY DELINEATES THE PATELLA AND THE HOLLOW OF THE KNEE AND MAKES PREFLEXION MORE VISIBLE THIS MAKES IT EASIER TO CORRECTLY ROLL OUT THE SEALING SLEEVE PRE - SHAPED KNEE CAP AREA REDUCES PRESSURE ON THE KNEE CAP WHEN THE KNEE BENDS 15 DEGREE PREFLEXION MAKES IT EASIER TO BEND THE KNEE AND ALLOWS FEWER CREASES TO FORM IN THE HOLLOW OF THE KNEE CONICAL SHAPE THE SEALING SLEEVE IS TAPERED BOTH FROM THE DISTAL END TOWARDS THE RNEE AS WELL AS FROM THE KNEE TOWARDS THE PROXIMAL END THIS INCREASES THE GRIP ON THE PROSTHETIC SOCKET AND AT THE SAME TIME REDUCES PRESSURE ON THE THIS KNEE TOWARDS THE PROSTHETIC SOCKET AND AT THE SAME TIME REDUCES PRESSURE ON THE THIS KNEE CENTER CIRCUMFERENCE 30 - 40 CM SIZE 1                                                                                                              | EA | ITEMIZED | 90  |
|------|---------------|------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|----------|-----|
| 1326 | 4224200408200 | FLAT SEAM REGULAR PLUS 36 27CM SIZE 1    | PLUS FLAT SEAM REGULAR PROFLEX OR EQUIVALENT TO ENSURE THE PROXIMAL END IS BARELY FELT AND THE DISTAL SEAL IS EXTREMELY PRECISE DESIGN SUPPORTS FUNCTIONALITY THE DESIGN OF THE PROFLEX PLUS CLEARLY DELINEATES THE PATELLA AND THE HOLLOW OF THE KNEE AND MAKES PREFLEXION MORE VISIBLE THIS MAKES IT EASIER TO CORRECTLY ROLL OUT THE SEALING SLEVE PRE - SHAPED KNEE CAP AREA REDUCES PRESSURE ON THE KNEE CAP WHEN THE KNEE BENDS 15 DEGREE PREFLEXION MAKES IT EASIER TO BEND THE KNEE AND THE KNEE AND THE KNEE AND THE KNEE AND THE KNEE TO FORM IN THE HOLLOW OF THE KNEE CONICAL SHAPE THE SEALING SLEEVE IS TAPERED BOTH FROM THE DISTAL END TOWARDS THE KNEE AS WELL AS FROM THE KNEE TOWARDS THE PROXIMAL END THIS INCREASES THE GRIP ON THE PROXIMAL END THIS INCREASES THE GRIP ON THE PROXIMAL END THIS INCREASES THE GRIP ON THE PROSTHETIC SOCKET AND AT THE SAME TIME REDUCES PRESSURE ON THE THE REDUCES 47 CM SIZE 1                                                                                                         | EA | iTEMIZED | 90  |
| 1327 | 4224200408300 | FLAT SEAM SHORT PLUS 24 32CM SIZE 1      | PLUS FLAT SEAM SHORT PROFLEX OR EQUIVALENT TO ENSURE THE PROXIMAL END IS BARELY FELT AND THE DISTAL SEAL IS EXTREMELY PRECISE DESIGN SUPPORTS FUNCTIONALITY THE DESIGN OF THE PROFLEX PLUS CLEARLY DELINEATES THE PATELLA AND THE HOLLOW OF THE KNEE AND MAKES PREFLEXION MORE VISIBLE THIS MAKES IT EASIER TO CORRECTLY ROLL OUT THE SEALING SLEEVE PRE - SHAPED KNEE CAP AREA REDUCES PRESSURE ON THE KNEE CAP WHEN THE KNEE BENDS 15 DEGREE PREFLEXION MAKES IT EASIER TO BEND THE KNEE AND ALLOWS FEWER CREASES TO FORM IN THE HOLLOW OF THE KNEE CONICAL SHAPE THE SEALING SLEEVE IS TAPERED BOTH FROM THE DISTAL END TOWARDS THE KNEE AS WELL AS FROM THE KNEE TOWARDS THE PROXIMAL END THIS INCREASES THE GRIP ON THE PROSTHETIC SOCKET AND AT THE SAME TIME REDUCES PRESSURE ON THE THIGH KNEE CONICAL SHE ON THE PROSTHETIC SOCKET AND AT THE SAME TIME REDUCES PRESSURE ON THE THIGH KNEE CONICAL SHE GRIP ON THE PROSTHETIC SOCKET AND AT THE SAME TIME REDUCES AS CM SIZE 1                                                          | EA | ITEMIZED | 10  |
| 1328 | 4224200408400 | FLAT SEAM SHORT PLUS 30 40CM SIZE 1      | PLUS FLAT SEAM SHORT PROFLEX OR EQUIVALENT TO ENSURE THE PROXIMAL END IS BARELY FELT AND THE DISTAL SEAL IS EXTREMELY PRECISE DESIGN SUPPORTS FUNCTIONALITY THE DESIGN OF THE PROFLEX PLUS CLEARLY DELINEATES THE PATELLA AND THE HOLLOW OF THE KNEE AND MAKES PREFLEXION MORE VISIBLE THIS MAKES IT EASIER TO CORRECTLY ROLL OUT THE SEALING SLEEVE PRE - SHAPED KNEE CAP AREA REDUCES PRESSURE ON THE KNEE CAP WHEN THE KNEE BENDS 15 DEGREE PREFLEXION MAKES IT EASIER TO BEND THE KNEE AND ALLOWS FEWER CREASES TO FORM IN THE HOLLOW OF THE KNEE CONICAL SHAPE THE SEALING SLEEVE IS TAPERED BOTH FROM THE DISTAL END TOWARDS THE KNEE AS WELL AS FROM THE KNEE TOWARDS THE PROXIMAL END THIS INCREASES THE GRIP ON THE PROSTHETIC SOCKET AND AT THE SAME TIME REDUCES PRESSURE ON THE THIGH KNEE CENTREAL SERIOR OF THE PROSTHETIC SOCKET AND AT THE SAME TIME REDUCES OPESSURE ON THE THIGH KNEE CENTREAL STREET OF THE PROSTHETIC SOCKET AND AT THE SAME TIME REDUCES OPESSURE ON THE THIGH KNEE CENTRER CIRCUMFERENCE 30 - 40 CM SIZE 1 | EA | iTEMIZED | 10  |
| 1329 | 4224200408500 | FLAT SEAM SHORT PLUS 36 47CM SIZE 1      | PLUS FLAT SEAM SHORT PROFLEX OR EQUIVALENT TO ENSURE THE PROXIMAL END IS BARELY FELT AND THE DISTAL SEAL IS EXTREMELY PRECISE DESIGN SUPPORTS FUNCTIONALITY THE DESIGN OF THE PROFLEX PLUS CLEARLY DELINEATES THE PATELLA AND THE HOLLOW OF THE KNEE AND MAKES PREFLEXION MORE VISIBLE THIS MAKES IT EASIER TO CORRECTLY ROLL OUT THE SEALING SLEEVE PRE - SHAPED KNEE CAP AREA REDUCES PRESSURE ON THE KNEE CAP WHEN THE KNEE BENDS 15 DEGREE PREFLEXION MAKES IT EASIER TO BEND THE KNEE AND LOWS FEWER CREASES TO FORM IN THE HOLLOW OF THE KNEE CREASES TO FORM IN THE HOLLOW OF THE ROM THE DISTAL END TOWARDS THE KNEE AS WELL AS FROM THE KNEE TOWARDS THE PROXIMAL END THIS INCREASES THE GRIP ON THE PROXIMAL END THIS INCREASES THE GRIP ON THE PROXIMAL END THIS INCREASES THE GRIP ON THE PROXIMAL END THIS INCREASES THE SAME TIME REDUCES PRESSURE ON THE THIS HAME TIME REDUCES 47 CM SIZE 1                                                                                                                                      | EA | ITEMIZED | 10  |
| 1330 | 4224171308500 | DEVICE PROSTHESIS POGISTR 3MMX100CMX50CM | POGISTER MATERIAL SELF-ADHESIVE WHITE SIZE: 3 MM X 100 CM X 50 CM APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | EA | ITEMIZED | 132 |
| 1331 | 4224200148600 | POLYCENTRIC KNEE JOINT MAX. BW100KG 30MM | POLYCENTRIC KNEE JOINT TITAN UPPER AND LOWER JOINT SECTIONS ARE CONNECTED BY LINKAGE BARS STANCE PHASE STABILITY IS ACHIEVED THROUGH POLYCENTRIC KINEMATICS (INSTANTANEOUS CENTER OF ROTATION IS SET BY ADJUSTING THE STOP) SWING PHASE CONTROL IS ADJUSTABLE USING AXIS FRICTION AND THE EXTENSION ASSIST SPRING MAXIMUM BODY WEIGHT (100 KG) MAXIMUM KNEE FLEXION ANGLE 110 DEGREES KNEE CENTER TO PROXIMAL CONNECTION 30 MM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | EA | ITEMIZED | 50  |
| 1332 | 4224200195500 | POLYCENTRIC KNEE WITH SWING 120-130 KG   | POLYCENTRIC KNEE WITH HYDRAULIC SWING PHASE<br>CONTROL, FOR KNEE DISARTICULATION, MAXIMUM WEIGHT<br>120-130 KG                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | EA | ITEMIZED | 50  |
|      |               | · · · · · · · · · · · · · · · · · · ·    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |    |          |     |

6/21/2022 Page 101 of 160

| 1333 | 4224200195400 | POLYCENTRIC KNEE WITH SWING 70-90 KG     | POLYCENTRIC KNEE WITH HYDRAULIC SWING PHASE CONTROL, FOR KNEE DISARTICULATION, MAXIMUM WEIGHT 70-90 KG                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | EA  | ITEMIZED | 50  |
|------|---------------|------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|-----|
| 1334 | 4224200128700 | POLYCENTRIC KNEE W/HYDRAULIC 125-130KG   | POLYCENTRIC KNEE WITH HYDRAULIC SWING PHASE<br>CONTROL, FOR KNEE DISARTICULATION, TUBE ADAPTER,<br>TUBE CLAMP ADAPTER, AND COSMETIC FOAM, FOR HIGH TO<br>V, HIGH ACTIVITY, MAXIMUM WEIGHT 120-130 KG                                                                                                                                                                                                                                                                                                                                                                     | SET | ITEMIZED | 30  |
| 1335 | 4224180202500 | POLYETHYLENE PELVIC SECTION 123 DEGREES  | POLYETHYLENE PELVIC SECTION, UPRIGHT 123 DEGREE THAT EXTENDS FROM L 2 /L 3 TO DISTAL MARGIN OF THE SACRUM, PROVIDING MAXIMUM THORACIC AND PELVIC SUPPORT, PATIENTS WITH LOW TRUNK TONE AND/OR VERY LIMITED TRUNK, CONTROL STRENGTH MAY BENEFIT FROM THE INCREASED POSTERIOR AND LATERAL SUPPORT THIS DESIGN OFFERS, WHEN PATIENT IS PRIMARILY NON - AMBULATORY (GMFCS IV - V), WHEN THE GREATER PELVIC COVERAGE TRIGGERS MORE DESIGNABLE NEURO - SENSORY MOTOR RESPONSE WITH COMPLETE ACCESSORIES                                                                        | EA  | ITEMIZED | 50  |
| 1336 | 4224151002400 | POLYETHYLENE SHEET 1000MMX500MM 1MM      | POLYETHYLENE SHEET, FLEXIBLE, 1000 MM X 500 MM, 1 MM THICK, NATURAL, APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | EA  | ITEMIZED | 23  |
| 1337 | 4224151002500 | POLYETHYLENE SHEET 1000MMX500MM 2MM      | POLYETHYLENE SHEET, FLEXIBLE, 1000 MM X 500 MM, 2 MM THICK, NATURAL, APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | EA  | ITEMIZED | 12  |
| 1338 | 4224151002200 | POLYETHYLENE SHEET 2000MMX1000MM 3MM     | POLYETHYLENE SHEET, SIZE 2000 MM X 1000 MM, THICKNESS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | EA  | ITEMIZED | 78  |
| 1339 | 4224151002300 | POLYETHYLENE SHEET 2000MMX1000MM 4MM     | 3 MM, WHITE, APPROXIMATELY POLYETHYLENE SHEET, SIZE 2000 MM X 1000 MM, THICKNESS 4 MM, WHITE, APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                              | EA  | ITEMIZED | 60  |
| 1340 | 4224200019400 | PETG 3D FILAMENT 1.75MM 500-1000 G       | POLYETYLENE TEREPHTHALATE GLYCOL (PETG) 3D FILAMENT, 1.75MM, 500-1000 G, USED TO BUILD LOWER AND UPPER EXTREMITY ORTHOSES                                                                                                                                                                                                                                                                                                                                                                                                                                                | ROL | ITEMIZED | 500 |
| 1341 | 4224151002600 | POLYFORM 2MM THICK SKIN COLOR 1M X 1M    | POLYFORM, 2 MM THICK, SKIN COLOR, SIZE: 1 M X 1 M<br>APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | EA  | ITEMIZED | 203 |
| 1342 | 4224151002800 | POLYFORM 5MM 1X1M                        | POLYFORM, 5 MM THICK, SKIN COLOR, SIZE: 1 M X 1 M  APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | EA  | ITEMIZED | 114 |
| 1343 | 4224151002900 | POLYFORM 6MM THICK SKIN COLOR 1M X 1M    | POLYFORM, 6 MM THICK, SKIN COLOR, SIZE: 1 M X 1 M<br>APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | EA  | ITEMIZED | 40  |
| 1344 | 4224200013900 | POLYPROPYLENE COPOLYMER 5MMX1200MMX1200  | POLYPROPYLENE COPOLYMER, 5 MM X 1200 MM X 1200 MM,<br>APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | EA  | ITEMIZED | 50  |
| 1345 | 4224151003100 | POLYPROPYLENE COPOLYMER 2000X1000X3MM    | POLYPROPYLENE COPOLYMER, NATURAL, SIZE 2000 X 1000 X 3 MM, APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | EA  | ITEMIZED | 123 |
| 1346 | 4224151003200 | POLYPROPYLENE COPOLYMER 2000X1000X4MM    | POLYPROPYLENE COPOLYMER, NATURAL, SIZE 2000 X 1000 X 4 MM, APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | EA  | ITEMIZED | 103 |
| 1347 | 4224151006000 | POLYPROPYLENE COPOLYMER NT 2000X1000X5MM | POLYPROPYLENE COPOLYMER, NATURAL, SIZE 2000 X 1000 X 5 MM, APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | EA  | ITEMIZED | 70  |
| 1348 | 4224160001600 | POROUS PLASTER SMOOTH PLAST CAST 500G    | POROUS PLASTER, FOR SMOOTH PLASTER CAST, 500 GRAMS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | EA  | ITEMIZED | 10  |
| 1349 | 4224210000100 | POWDER HARDENER W/ 1GM SPOON 150GM       | POWDER HARDENER FOR RESIN, WITH 1 GRAM MEASURING<br>SPOON 150 GM, APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | EA  | ITEMIZED | 100 |
| 1350 | 4224170001100 | PREFABRICATED LIGHTWEIGHT KAFO XL LEFT   | PREFABRICATED LIGHT WEIGHT KNEE-ANKLE-FOOT-ORTHOSIS FOR HYPER EXTENDED KNEE JOINT, EXTRA LARGE, LEFT; SINGLE-JOINTED UPRIGHT ROM KNEE ORTHOSIS; PRIMARILY DESIGNED FOR SAGITTAL PLANE MOTION CONTROL; UNIQUE SINGLE POSTERIOR UPRIGHT DESIGN ALLOWS FOR A SIMPLIFIED FIT; ADDRESSES UP TO FIVE DIFFERENT KNEE ORTHOSIS FUNCTIONS; IDEAL FOR CONTRACTURE, FRACTURE, MOTOR AND SENSORY MANAGEMENT; ADJUSTABLE MEDIAL AND LATERAL FEMORAL AND TIBIAL STABILIZING PANELS; TELESCOPING THIGH AND CALF SEGMENTS FOR INCREASED COMFORT AND OPTIMAL JOINT                        | EA  | ITEMIZED | 100 |
| 1351 | 4224170001200 | PREFABRICATED LIGHTWEIGHT KAFO XL RIGHT  | PLACEMENT  PREFABRICATED LIGHT WEIGHT KNEE-ANKLE-FOOT-ORTHOSIS FOR HYPER EXTENDED KNEE JOINT, EXTRA LARGE, RIGHT; SINGLE-JOINTED UPRIGHT ROM KNEE ORTHOSIS; PRIMARILY DESIGNED FOR SAGITTAL PLANE MOTION CONTROL; UNIQUE SINGLE POSTERIOR UPRIGHT DESIGN ALLOWS FOR A SIMPLIFIED FIT; ADDRESSES UP TO FIVE DIFFERENT KNEE ORTHOSIS FUNCTIONS; IDEAL FOR CONTRACTURE, FRACTURE, MOTIOR AND SENSORY MANAGEMENT; ADJUSTABLE MEDIAL AND LATERAL FEMORAL AND TIBIAL STABILIZING PANELS; TELESCOPING THIGH AND CALF SEGMENTS FOR INCREASED COMFORT AND OPTIMAL JOINT PLACEMENT | EA  | ITEMIZED | 100 |
| 1352 | 4224170000500 | PREFABRICATED LIGHTWEIGHT KAFO LARG LEFT | PREFABRICATED LIGHT WEIGHT KNEE-ANKLE-FOOT-ORTHOSIS FOR HYPER EXTENDED KNEE JOINT, LARGE, LEFT; SINGLE- JOINTED UPRIGHT ROM KNEE ORTHOSIS; PRIMARILY DESIGNED FOR SAGITTAL PLANE MOTION CONTROL; UNIQUE SINGLE POSTERIOR UPRIGHT DESIGN ALLOWS FOR A SIMPLIFIED FIT; ADDRESSES UP TO FIVE DIFFERENT KNEE ORTHOSIS FUNCTIONS; IDEAL FOR CONTRACTURE, FRACTURE, MOTOR AND SENSORY MANAGEMENT; ADJUSTABLE MEDIAL AND LATERAL FEMORAL AND TIBIAL STABILIZING PANKLE; TELESCOPING THIGH AND CALF SEGMENTS FOR INCREASE COMFORT AND OPTIMAL JOINT PLACEMENT                    | EA  | ITEMIZED | 100 |
| 1353 | 4224170000600 | PREFABRICATED LIGHTWEIGHT KAFO LRG RIGHT | PREFABRICATED LIGHT WEIGHT KNEE-ANKLE-FOOT-ORTHOSIS FOR HYPER EXTENDED KNEE JOINT, LARGE, RIGHT; SINGLE-JOINTED UPRIGHT ROM KNEE ORTHOSIS; PRIMARILY DESIGNED FOR SAGITTAL PLANE MOTION CONTROL; UNIQUE SINGLE POSTERIOR UPRIGHT DESIGN ALLOWS FOR A SIMPLIFIED HIT; ADDRESSES UP TO FIVE DIFFERENT KNEE ORTHOSIS FUNCTIONS; IDEAL FOR CONTRACTURE, FRACTURE, MOTOR AND SENSORY MANAGEMENT; ADJUSTABLE MEDIAL AND LATERAL FEMORAL AND TIBIAL STABILIZING PANKLE; TELESCOPING THIGH AND CALF SEGMENTS FOR INCREASE COMFORT AND OPTIMAL JOINT PLACEMENT                    | EA  | ITEMIZED | 100 |

6/21/2022 Page 102 of 160

|      |               |                                          | DDEEADDICATED LIGHT WEIGHT WAITE AND S SOOT OF THE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |    |          |     |
|------|---------------|------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|----------|-----|
| 1354 | 4224170000700 | PREFABRICATED LIGHTWEIGHT KAFO MED LEFT  | PREFABRICATED LIGHT WEIGHT KNEE-ANKLE-FOOT-ORTHOSIS FOR HYPER EXTENDED KNEE JOINT, MEDIUM, LEFT; SINGLE-JOINTED UPRIGHT ROM KNEE ORTHOSIS; PRIMARILY DESIGNED FOR SAGITTAL PLANE MOTION CONTROL; UNIQUE SINGLE POSTERIOR UPRIGHT DESIGN ALLOWS FOR A SIMPLIHED FIT; ADDRESSES UP TO FIVE DIFFERENT KNEE ORTHOSIS FUNCTIONS; IDEAL FOR CONTRACTURE, FRACTURE, MOTOR AND SENSORY MANAGEMENT; ADJUSTABLE MEDIAL AND LATERAL FEMORAL AND TIBIAL STABILIZING PANELS; TELESCOPING THIGH AND CALF SEGMENTS FOR INCREASED COMFORT AND OPTIMAL JOINT PLACEMENT                                                                                                                                                                                                                                                                                                                                                                 | EA | ITEMIZED | 100 |
| 1355 | 422417000800  | PREFABRICATED LIGHTWEIGHT KAFO MED RIGHT | PREFABRICATED LIGHT WEIGHT KNEE-ANKLE-FOOT-ORTHOSIS FOR HYPER EXTENDED KNEE JOINT, MEDIUM, RIGHT; SINGLE-JOINTED UPRIGHT ROM KNEE ORTHOSIS; PRIMARILY DESIGNED FOR SAGIITAL PLANE MOTION CONTROL; UNIQUE SINGLE POSTERIOR UPRIGHT DESIGN ALLOWS FOR A SIMPLIHED FIT; ADDRESSES UP TO FIVE DIFFERENT KNEE ORTHOSIS FUNCTIONS; IDEAL FOR CONTRACTURE, FRACTURE, MOTOR AND SENSORY MANAGEMENT; ADJUSTABLE MEDIAL AND LATERAL FEMORAL AND TIBIAL STABILIZING PANELS; TELESCOPING THIGH AND CALF SEGMENTS FOR INCREASED COMFORT AND OPTIMAL JOINT PLACEMENT                                                                                                                                                                                                                                                                                                                                                                | EA | ITEMIZED | 100 |
| 1356 | 422417000900  | PREFABRICATED LIGHTWEIGHT KAFO SMAL LEFT | PREFABRICATED LIGHT WEIGHT KNEE-ANKLE-FOOT-ORTHOSIS FOR HYPER EXTENDED KNEE JOINTS. DATE JOINTS UPRIGHT ROM KNEE ORTHOSIS; PRIMARILY DESIGNED FOR SAGITTAL PLANE MOTION CONTROL; UNIQUE SINGLE POSTERIOR UPRIGHT DESIGN ALLOWS FOR A SIMPLIFIED FIT; ADDRESSES UP TO FIVE UPFERENT KNEE ORTHOSIS FUNCTIONS; IDEAL FOR CONTRACTURE, FRACTURE, MOTOR AND SENSORY MANAGEMENT; ADJUSTABLE MEDIAL AND LATERAL FEMORAL AND TIBIAL STABILIZING PANELS; TELESCOPING THIGH AND CALF SEGMENTS FOR INCREASED COMPORT AND OPTIMAL JOINT PLACEMENT                                                                                                                                                                                                                                                                                                                                                                                 | EA | ITEMIZED | 100 |
| 1357 | 4224170001000 | PREFABRICATED LIGHTWEIGHT KAFO SML RIGHT | PREFABRICATED LIGHT WEIGHT KNEE-ANKLE-FOOT-ORTHOSIS FOR HYPER EXTENDED KNEE JOINTS, SMALL, RIGHT, SINGLE-JOINTED UPRIGHT ROM KNEE ORTHOSIS; PRIMARILY DESIGNED FOR SAGITTAL PLANE MOTION CONTROL; UNIQUE SINGLE POSTERIOR UPRIGHT DESIGN ALLOWS FOR A SIMPLIFIED HT; ADDRESSES UP TO FIVE DIFFERENT KNEE ORTHOSIS FUNCTIONS; IDEAL FOR CONTRACTURE, FRACTURE, MOTOR AND SENSORY MANAGEMENT; ADJUSTABLE MEDIAL AND LATERAL FEMORAL AND TIBIAL STABILIZING PANELS; TELESCOPING THIGH AND CALF SEGMENTS FOR INCREASED COMFORT AND OPTIMAL JOINT PLACEMENT                                                                                                                                                                                                                                                                                                                                                                | EA | ITEMIZED | 100 |
| 1358 | 4224170501300 | PRESSURE RELIEF ANKLE 10-11 INCHES       | PRESSURE RELIEF ANKLE-FOOT ORTHOSIS (PRAFO), FLEECE,<br>WITH EXTENSION STRAP, ELIMINATES HEEL PRESSURE AND<br>TREATS FOOT AND ANKLE CONTRACTURES, SIZE EXTRA<br>LARGE, 10-11 INCHES                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | EA | ITEMIZED | 100 |
| 1359 | 4224170501000 | PRESSURE RELIEF ANKLE 9-10 INCHES        | PRESSURE RELIEF ANKLE-FOOT ORTHOSIS (PRAFO), FLEECE,<br>WITH EXTENSION STRAP, ELIMINATES HEEL PRESSURE AND<br>TREATS FOOT AND ANKLE CONTRACTURES, SIZE LARGE, 9-10<br>INCHES                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | EA | ITEMIZED | 100 |
| 1360 | 4224170501100 | PRESSURE RELIEF ANKLE 7.5-9 INCHES       | PRESSURE RELIEF ANKLE-FOOT ORTHOSIS (PRAFO), FLEECE, WITH EXTENSION STRAP, ELIMINATES HEEL PRESSURE AND TREATS FOOT AND ANKLE CONTRACTURES, SIZE MEDIUM, 7.5-9 INCHES                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | EA | ITEMIZED | 100 |
| 1361 | 4224170501200 | PRESSURE RELIEF ANKLE 6-7.5 INCHES       | PRESSURE RELIEF ANKLE-FOOT ORTHOSIS (PRAFO), FLEECE,<br>WITH EXTENSION STRAP, ELIMINATES HEEL PRESSURE AND<br>TREATS FOOT AND ANKLE CONTRACTURES, SIZE SMALL, 6-7.5<br>INCHES                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | EA | ITEMIZED | 100 |
| 1362 | 4224170616700 | PRESSURE RELIEF ANKLE FOOT ORTHO 10-11CM | PRESSURE, RELIEF ANKLE-FOOT ORTHOSIS, USED TO DYNAMICALLY CORRECT AND PREVENT FOOT AND ANKLE CONTRACTURES, SOFT PADDED, WITH EXTENSION STRAP, ALSO PROVIDES HEEL AND TOE CLEARANCE TO PREVENT PRESSURE ULCERS. APPROXIMATELY 10 - 11CM; FARLY INTERVENTION FOR THE EVOLVING REHAB PATIENT CVA, TBI, SCI AND DIABETIC NEUROPATHY; FACILITATION OF FUNCTIONAL KNEE AND ANKLE JOINT POSTION; ALLOWS FOR OPTIMAL DORSI/PLANTAR FLEXION ANKLE POSTIONING TO PROVIDE ADEQUATE CLEARANCE DURING SWING PHASE AND KNEE STABLITY IN STANCE PHASE.; POST MUSCULOSKELETAL INJURY OF THE FOOT AND ANKLE; POST TAL IMMOBILIZATION; POST BOTOX OR SERIAL CASTING; STABLE FRACTURES OF THE FOOT AND ANKLE TENDON OR LIGAMENTOUS TEAR/RUPTURE; CLINICALLY PROVEN FOR EFFECTIVE AMBULATION; CONTROLS DORSI-PLANTAR FLEXION; CUSTOM-CONTOURED, MALLEABLE ALUMINUM HEEL CONNECTOR MALLEABLE ALUMINUM ANTI-ROTATION BAR                    | EA | ITEMIZED | 100 |
| 1363 | 4224170616800 | PRESSURE RELIEF ANKLE FOOT ORTHO 11-15CM | PRESSURE, REUEF ANKLE-FOOT ORTHOSIS, USED TO DYNAMICALLY CORRECT AND PREVENT FOOT AND ANKLE CONTRACTURES, SOFT PADDED, WITH EXTENSION STRAP, ALSO PROVIDES HELE AND TOE CLEARANCE TO PREVENT PRESSURE ULCERS. APPROXIMATELY 11 - 15CM; EARLY INTERVENTION FOR THE EVOLVING REHAB PATIENT CVA, TBI, SCI AND DIABETIC NEUROPATHY; FACELITATION OF FUNCTIONAL KNEE AND ANKLE JOINT POSITION; ALLOWS FOR OPTIMAL DORS/PLANTAR FLEXION ANKLE POSITIONING TO PROVIDE ADEQUATE CLEARANCE DURING SWING PHASE AND KNEE STABILITY IN STANCE PHASE; POST MUSCULOSKELETAL INJURY OF THE FOOT AND ANKLE; POST TAL IMMOBILIZATION; POST BOTOX OR SERIAL CASTING; STABLE FRACTURES OF THE FOOT AND ANKLE TENDON OR LIGAMENTOUS TEAR/RUPTURE; CLINICALLY PROVEN FOR EFFECTIVE AMBULATION; CONTROLS DORS-PLANTAR FLEXION; CUSTOM-CONTOURED, MALLEABLE ALUMINUM HEEL CONNECTOR MALLEABLE ALUMINUM HEEL CONNECTOR MALLEABLE ALUMINUM BAR | EA | ITEMIZED | 100 |

6/21/2022 Page 103 of 160

| 1364 | 4224170616900 | PRESSURE RELIEF ANKLE FOOT ORTHO 15-17CM | PRESSURE, RELIEF ANKLE-FOOT ORTHOSIS, USED TO DYNAMICALLY CORRECT AND PREVENT FOOT AND ANKLE CONTRACTURES, SOFT PADDED, WITH EXTENSION STRAP, ALSO PROVIDES HEEL AND TOE CLEARANCE TO PREVENT PRESSURE ULCERS. APPROXIMATELY 15-17CM; EARLY INTERVENTION FOR THE EVOLVING REHAB PATIENT CVA, TBI, SCI AND DIABETIC NEUROPATHY; FACILITATION OF FUNCTIONAL KNEE AND ANKLE JOINT POSTION; ALLOWS FOR OPTIMAL DORSI/PLANTAR FLEXION ANKLE POSTIONING TO PROVIDE ADEQUATE CLEARANCE DURING SWING PHASE AND KNEE STABLITY IN STANCE PHASE; POST TAL IMMOBILIZATION; POST BOTOX OR SERIAL CASTING; STABLE FRACTURES OF THE FOOT AND ANKLE TENDON OR LIGAMENTOUS TEAR/RUPTURE; CLINICALLY PROVEN FOR EFFECTIVE AMBULATION; CONTROLS DORSI-PLANTAR FLEXION; CUSTOM-CONTOURED, MALLEABLE ALUMINUM HEEL CONNECTOR MALLEABLE ALUMINUM ANTI-ROTATION BAR                                                       | EA | ITEMIZED | 100 |
|------|---------------|------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|----------|-----|
| 1365 | 4224170617000 | PRESSURE RELIEF ANKLE FOOT ORTHO 17-20CM | PRESSURE, RELIEF ANKLE-FOOT ORTHOSIS, USED TO DYNAMICALLY CORRECT AND PREVENT FOOT AND ANKLE CONTRACTURES, SOFT PADDED, WITH EXTENSION STRAP, ALSO PROVIDES HEEL AND TOE CLEARANCE TO PREVENT PRESSURE ULCERS. APPROXIMATELY 17 TO 20 CM; EARLY INTERVENTION FOR THE EVOLVING REHAB PATIENT CVA, TBI, SCI AND DIABETIC NEUROPATHY; FACILITATION OF FUNCTIONAL KNEE AND ANKLE JOINT POSTION; ALLOWS FOR OPTIMAL DORSI/PLANTAR FLEXION ANKLE POSTIONING TO PROVIDE ADEQUATE CLEARANCE DURING SWING PHASE AND KNEE STABLITY IN STANCE PHASE.; POST MUSCULOSKELETAL INJURY OF THE FOOT AND ANKLE; POST TAL IMMOBILIZATION; POST BOTOX OR SERIAL CASTING; STABLE FRACTURES OF THE FOOT AND ANKLE TENDON OR LIGAMENTOUS TEAR/RUPTURE; CLINICALLY PROVEN FOR EFFECTIVE AMBULATION; CONTROLS DORSI-PLANTAR FLEXION; CUSTOM-CONTOURED, MALLEABLE ALUMINUM HEEL CONNECTOR MALLEABLE ALUMINUM ANTI-ROTATION   | EA | ITEMIZED | 100 |
| 1366 | 4224170617100 | PRESSURE RELIEF ANKLE FOOT ORTHO 20-22CM | PRESSURE, RELIEF ANKLE-FOOT ORTHOSIS, USED TO DYNAMICALLY CORRECT AND PREVENT FOOT AND ANKLE CONTRACTURES, SOFT PADDED, WITH EXTENSION STRAP, ALSO PROVIDES HEEL AND TOE CLEARANCE TO PREVENT PRESSURE ULCERS. APPROXIMATELY 20 TO 22 CM; EARLY INTERVENTION FOR THE EVOLVING REHAB PATIENT CVA, TBI, SCI AND DIABETIC NEUROPATHY; FACILITATION OF FUNCTIONAL KNEE AND ANKLE JOINT POSTION; ALLOWS FOR OPTIMAL DORSI/PLANTAR FLEXION ANKLE POSTIONING TO PROVIDE ADEQUATE CLEARANCE DURING SWING PHASE AND KNEE STABLIFT IN STANCE PHASE; POST TAL IMMOBILIZATION; POST BOTOX OR SERIAL CASTING; STABLE FRACTURES OF THE FOOT AND ANKLE TENDON OR LIGAMENTOUS TEAR/RUPTURE; CLINICALLY PROVEN FOR EFFECTIVE AMBULATION; CONTROLS DORSI-PLANTAR FLEXION; CUSTOM-CONTOURED, MALLEABLE ALUMINUM HEEL CONNECTOR MALLEABLE ALUMINUM ANTI-ROTATION BAR                                                   | EA | ITEMIZED | 100 |
| 1367 | 4224170617200 | PRESSURE RELIEF ANKLE FOOT ORTHO 22-25CM | PRESSURE, RELIEF ANKLE-FOOT ORTHOSIS, USED TO DYNAMICALLY CORRECT AND PREVENT FOOT AND ANKLE CONTRACTURES, SOFT PADDED, WITH EXTENSION STRAP, ALSO PROVIDES HEEL AND TOE CLEARANCE TO PREVENT PRESSURE ULCERS. APPROXIMATELY 22 TO 25 CM; EARLY INTERVENTION FOR THE EVOLVING REHAB PATIENT CVA, TBI, SCI AND DIABETIC NEUROPATHY; FACILITATION OF FUNCTIONAL KNEE AND ANKLE JOINT POSTION; ALLOWS FOR OPTIMAL DORSI/PLANTAR FLEXION ANKLE POSITIONING TO PROVIDE ADEQUATE CLEARANCE DURING SWING PHASE AND KNEE STABLITY IN STANCE PHASE; POST MUSCULOSKELETAL INJURY OF THE FOOT AND ANKLE; POST TAL IMMOBILIZATION; POST BOTOX OR SERIAL CASTING; STABLE FRACTURES OF THE FOOT AND ANKLE TENDON OR LIGAMENTOUS TEAR/RUPTURE; CLINICALLY PROVEN FOR EFFECTIVE AMBULATION; CONTROLS DORSI-PLANTAR FLEXION; CUSTOM-CONTOURED, MALLEABLE ALUMINUM HEEL CONNECTOR MALLEABLE ALUMINUM ANTI-ROTATION   | EA | ITEMIZED | 100 |
| 1368 | 4224170616600 | PRESSURE RELIEF ANKLE FOOT ORTHO 6-7.5CM | PRESSURE, RELIEF ANKLE-FOOT ORTHOSIS, USED TO DYNAMICALLY CORRECT AND PREVENT FOOT AND ANKLE CONTRACTURES, SOFF PADDED, WITH EXTENSION STRAP, ALSO PROVIDES HEEL AND TOE CLEARANCE TO PREVENT PRESSURE ULCERS. APPROXIMATELY 6 - 7.5CM; EARLY INTERVENTION FOR THE EVOLVING REHAB PATIENT CVA, TBI, SCI AND DIABETIC NEUROPATHY; FACILITATION OF FUNCTIONAL KNEE AND ANKLE JOND FOSTION; ALLOWS FOR OPTIMAL DORS/IPLANTAR FLEXION ANKLE POSTIONING TO PROVIDE ADEQUATE CLEARANCE DURING SWING PHASE AND KNEE STABILITY IN STANCE PHASE.; POST MUSCULOSKELETAL INJURY OF THE FOOT AND ANKLE; POST TAL IMMOBILIZATION; POST BOTOX OR SERIAL CASTING; STABLE FRACTURES OF THE FOOT AND ANKLE TENDON OR LIGAMENTOUS TEAR/RUPTURE; CLINICALLY PROVEN FOR EFFECTIVE AMBULATION; CONTROLS DORSI-PLANTAR FLEXION; CUSTOM-CONTOURED, MALLEABLE ALUMINUM HEEL CONNECTOR MALLEABLE ALUMINUM ANTI-ROTATION BAR | EA | ITEMIZED | 100 |

6/21/2022 Page 104 of 160

| 1369 | 4224170616500 | PRESSURE RELIEF ANKLE FT ORTHO 7-5-9CM   | PRESSURE, RELIEF ANKLE-FOOT ORTHOSIS, USED TO DYNAMICALLY CORRECT AND PREVENT FOOT AND ANKLE CONTRACTURES, SOFT PADDED, WITH EXTENSION STRAP, ALSO PROVIDES HEEL AND TOE CLEARANCE TO PREVENT PRESSURE ULCERS. APPROXIMATELY 7.5 - 9CM; EARLY INTERVENTION FOR THE EVOLVING REHAB PATIENT CVA, TBI, SCI AND DIABETIC NEUROPATHY; FACILITATION OF FUNCTIONAL KNEE AND NAKLE JOINT POSTION; ALLOWS FOR OPTIMAL DORSI/PLANTAR FLEXION ANKLE POSTIONING TO PROVIDE ADEQUATE CLEARANCE DURING SWING PHASE AND KNEE STABLITY IN STANCE PHASE; POST TAL IMMOBILIZATION; POST BOTOX OR SERIAL CASTING; STABLE FRACTURES OF THE FOOT AND ANKLE TENDON OR LIGAMENTOUS TEAR/RUPTURE; CLINICALLY PROVEN FOR EFFECTIVE AMBULATION; CONTROLS DORSI-PLANTAR FLEXION; CUSTOM CONTROL MALLEABLE ALUMINUM HEEL CONNECTOR MALLEABLE ALUMINUM ANTI-ROTATION BAR                                                       | EA  | itemized | 100 |
|------|---------------|------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|-----|
| 1370 | 4224170616400 | PRESSUR RELIEF ANKL FT ORTHOSIS 9-10CM   | PRESSURE, RELIEF ANKLE-FOOT ORTHOSIS, USED TO DYNAMICALLY CORRECT AND PREVENT FOOT AND ANKLE CONTRACTURES, SOFT PADDED, WITH EXTENSION STRAP, ALSO PROVIDES HEEL AND TOE CLEARANCE TO PREVENT PRESSURE ULCERS. APPROXIMATELY 9 - 10CM; EARLY INTERVENTION FOR THE EVOLVING REHAB PATIENT CVA, TBI, SCI AND DIABETIC NEUROPATHY; FACILITATION OF FUNCTIONAL KNEE AND ANKLE JOINT POSTION; ALLOWS FOR OPTIMAL DORSI/PLANTAR FLEXION ANKLE POSTIONING TO PROVIDE ADEQUATE CLEARANCE DURING SWING PHASE AND KNEE STABLETIN IS STANCE PHASE.; POST MUSCULOSKELETAL INJURY OF THE FOOT AND ANKLE; POST TAL IMMOBILIZATION; POST BOTOX OR SERIAL ASTING; STABLE FRACTURES OF THE FOOT AND ANKLE TENDON OR LIGAMENTOUS TEAR/RUPTURE; CLINICALLY PROVEN FOR EFFECTIVE AMBULATION; CONTROLS DORSI-PLANTAR FLEXION; CUSTOM-CONTOURED, MALLEABLE ALUMINUM HEEL CONNECTOR MALLEABLE ALUMINUM ANTI-ROTATION BAR | EA  | ITEMIZED | 100 |
| 1371 | 4224170617300 | PRESSURE RELIEF ANKLE FOOT ORTHO 27-31CM | PRESSURE, RELIEF ANKLE-FOOT ORTHOSIS, USED TO DYNAMICALLY CORRECT AND PREVENT FOOT AND ANKLE CONTRACTURES, SOFT PADDED, WITH EXTENSION STRAP, ALSO PROVIDES HEEL AND TOE CLEARANCE TO PREVENT PRESSURE ULCERS. APPROXIMATLY, 27-31CM; EARLY INTERVENTION FOR THE EVOLVING REHAB PATIENT CVA, TBI, SCI AND DIABETIC NEUROPATHY; FACILITATION OF FUNCTIONAL KNEE AND ANKLE JOINT POSTION; ALLOWS FOR OPTIMAL DORSI/PLANTAR FLEXION ANKLE POSTIONING TO PROVIDE ADEQUATE CLEARANCE DURING SWING PHASE AND KNEE STABLE TRAFES.; POST MUSCULOSKELETAL INJURY OF THE FOOT AND ANKLE; POST TAL IMMOBILIZATION; POST BOTOX OR SERIAL ASTING; STABLE FRACTURES OF THE FOOT AND ANKLE TENDON OR LIGAMENTOUS TEAR/RUPTURE; CLINICALLY PROVEN FOR EFFECTIVE AMBULATION; CONTROLS DORS: PLANTAR FLEXION; CUSTOM-CONTOURED, MALLEABLE ALUMINUM ANTI-ROTATION BAR                                                | EA  | ITEMIZED | 100 |
| 1372 | 4224200034100 | PRICK PUNCH KIT                          | PRICK PUNCH KIT, AN ORTHOTICS WORKSHOP TOOL, STEEL,                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | KIT | ITEMIZED | 10  |
| 1373 | 4224171310700 | PROX. VACUUM SOCKET SEALING SYSTEM 420MM | ROUND SHAFT, LACQUERED FINISH  PROSEAL OR EQUIVALENT IS A PROXIMAL VACUUM SOCKET SEALING SYSTEM FOR USE IN TRANSFEMORAL FITTINGS, WHICH DISTINGUISHES ITSELF THROUGH SIMPLICITY AND EXCELLENT WEARER COMFORT, SIZE 420 MM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | EA  | ITEMIZED | 100 |
| 1374 | 4224171310900 | PROX. VACUUM SOCKET SEALING SYSTEM 440MM | PROSEAL OR EQUIVALENT IS A PROXIMAL VACUUM SOCKET<br>SEALING SYSTEM FOR USE IN TRANSFEMORAL FITTINGS,<br>WHICH DISTINGUISHES ITSELF THROUGH SIMPLICITY AND<br>EXCELLENT WEARER COMFORT, SIZE 440 MM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | EA  | ITEMIZED | 100 |
| 1375 | 4224171311100 | PROX. VACUUM SOCKET SEALING SYSTEM 460MM | PROSEAL OR EQUIVALENT IS A PROXIMAL VACUUM SOCKET<br>SEALING SYSTEM FOR USE IN TRANSFEMORAL FITTINGS,<br>WHICH DISTINGUISHES ITSELF THROUGH SIMPLICITY AND<br>EXCELLENT WEARER COMFORT, SIZE 460 MM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | EA  | ITEMIZED | 100 |
| 1376 | 4224171311200 | PROX. VACUUM SOCKET SEALING SYSTEM 480MM | PROSEAL OR EQUIVALENT IS A PROXIMAL VACUUM SOCKET<br>SEALING SYSTEM FOR USE IN TRANSFEMORAL FITTINGS,<br>WHICH DISTINGUISHES ITSELF THROUGH SIMPLICITY AND<br>EXCELLENT WEARER COMFORT, SIZE 480 MM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | EA  | ITEMIZED | 100 |
| 1377 | 4224171311300 | PROX. VACUUM SOCKET SEALING SYSTEM 560MM | PROSEAL OR EQUIVALENT IS A PROXIMAL VACUUM SOCKET<br>SEALING SYSTEM FOR USE IN TRANSFEMORAL FITTINGS,<br>WHICH DISTINGUISHES ITSELF THROUGH SIMPLICITY AND<br>EXCELLENT WEARER COMFORT, SIZE 560 MM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | EA  | ITEMIZED | 100 |
| 1378 | 4224171311400 | PROX. VACUUM SOCKET SEALING SYSTEM S80MM | PROSEAL OR EQUIVALENT IS A PROXIMAL VACUUM SOCKET<br>SEALING SYSTEM FOR USE IN TRANSFEMORAL FITTINGS,<br>WHICH DISTINGUISHES ITSELF THROUGH SIMPLICITY AND<br>EXCELLENT WEARER COMFORT, SIZE 580 MM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | EA  | ITEMIZED | 100 |
| 1379 | 4224200262500 | PROSTHESIS INTERPHALANGEAL FUNCTIONAL    | PROSTHESIS INTERPHALANGEAL FUNCTIONAL, CUSTOM MADE MID FINGER AMPUTATION FUNCTIONAL DEVICE. USED FOR DIP AMPUTATIONS. RESTORES LENGTH. CUSTOM DESIGNED AND MADE TO PATIENT SPECIFICATIONS. SLENDER DESIGN MADE FROM MEDICAL GRADE NYLON. SILICON FINGERTIPS, TRAINING FOR EVALUATION AND MEASUREMENT INCLUDED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | EA  | ITEMIZED | 20  |
| 1380 | 4224200217600 | BELOW ELBOW PROSTHESIS SIZE 7 1/4 LEFT   | PROSTHESIS, BELOW ELBOW, ELECTRIC HAND COMPLETE<br>WORKING SYSTEM FOR ALL AMPUTATION LEVELS AND<br>BATTERY CHARGER (110 - 220 V, 50/60 HZ), SIZE: 71/4, LEFT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | EA  | ITEMIZED | 30  |
| 1381 | 4224200217800 | BELOW ELBOW PROSTHESIS SIZE 7 1/4 RIGHT  | PROSTHESIS, BELOW ELBOW, ELECTRIC HAND COMPLETE WORKING SYSTEM FOR ALL AMPUTATION LEVELS AND BATTERY CHARGER (110 - 220 V, 50/60 HZ), SIZE: 71/4, RIGHT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | EA  | ITEMIZED | 20  |

6/21/2022 Page 105 of 160

|      |               |                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |    |          | ·   |
|------|---------------|------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|----------|-----|
| 1382 | 4224200217700 | BELOW ELBOW PROSTHESIS SIZE 7 3/4 LEFT   | PROSTHESIS, BELOW ELBOW, ELECTRIC HAND COMPLETE<br>WORKING SYSTEM FOR ALL AMPUTATION LEVELS AND<br>BATTERY CHARGER (110 - 220 V, 50/60 HZ), SIZE: 73/4, LEFT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | EA | ITEMIZED | 20  |
| 1383 | 4224200217900 | BELOW ELBOW PROSTHESIS SIZE 7 3/4 RIGHT  | PROSTHESIS, BELOW ELBOW, ELECTRIC HAND COMPLETE<br>WORKING SYSTEM FOR ALL AMPUTATION LEVELS AND<br>BATTERY CHARGER (110 - 220 V, 50/60 HZ), SIZE: 73/4, RIGHT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | EA | ITEMIZED | 20  |
| 1384 | 4224200218900 | PROSTHESIS ALL AMPUTATION LEVELS 8 1/4LT | PROSTHESIS, BELOW ELBOW, ELECTRIC HAND, COMPLETE<br>WORKING SYSTEM FOR ALL AMPUTATION LEVELS AND<br>BATTERY CHARGER (110 - 220 V, 50/60 HZ), SIZE - 81/4, LEFT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | EA | ITEMIZED | 10  |
| 1385 | 4224200219000 | PROSTHESIS ALL AMPUTATION LEVELS 8 1/4RT | PROSTHESIS, BELOW ELBOW, ELECTRIC HAND, COMPLETE WORKING SYSTEM FOR ALL AMPUTATION LEVELS AND BATTERY CHARGER (110 - 220 V, 50/60 HZ), SIZE - 81/4, RIGHT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | EA | ITEMIZED | 10  |
| 1386 | 4224200219900 | PROSTHESIS WRIST DISARTICULATION 6 3/4RT | PROSTHESIS, BELOW ELBOW, ELECTRIC HAND, COMPLETE WORKING SYSTEM FOR WRIST DISARTICULATION, AMPUTATION, AND BATTERY CHARGER (110 - 220 V, 50/60 HZ), SIZE - 63/4, RIGHT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | EA | ITEMIZED | 10  |
| 1387 | 4224200219700 | PROSTHESIS WRIST DISARTICULATION 7 3/4RT | PROSTHESIS, BELOW ELBOW, ELECTRIC HAND, COMPLETE WORKING SYSTEM FOR WRIST DISARTICULATION, AMPUTATION, AND BATTERY CHARGER (110 - 220 V, 50/60 HZ), SIZE - 73/4, RIGHT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | EA | ITEMIZED | 10  |
| 1388 | 4224200219100 | PROSTHESIS ELECTRIC HAND SYSTEM 6 3/4 LT | PROSTHESIS, BELOW ELBOW, ELECTRIC HAND, COMPLETE WORKING SYSTEM, FOR WRIST DISARTICULATION, AMPUTATION, AND BATTERY CHARGER (110 - 220 V, 50/60 HZ), SIZE: 63/4 INCHES, LEFT                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | EA | ITEMIZED | 10  |
| 1389 | 4224200219200 | PROSTHESIS ELECTRIC HAND SYSTEM 7 1/4 LT | PROSTHESIS, BELOW ELBOW, ELECTRIC HAND, COMPLETE WORKING SYSTEM, FOR WRIST DISARTICULATION, AMPUTATION, AND BATTERY CHARGER (110 - 220 V, 50/60 HZ), SIZE: 71/4 INCHES, LEFT                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | EA | ITEMIZED | 10  |
| 1390 | 4224200219300 | PROSTHESIS ELECTRIC HAND SYSTEM 7 1/4 RT | PROSTHESIS, BELOW ELBOW, ELECTRIC HAND, COMPLETE WORKING SYSTEM, FOR WRIST DISARTICULATION, AMPUTATION, AND BATTERY CHARGER (110 - 220 V, 50/60 HZ), SIZE: 71/4 INCHES, RIGHT                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | EA | ITEMIZED | 10  |
| 1391 | 4224200219400 | PROSTHESIS ELECTRIC HAND SYSTEM 7 3/4 LT | PROSTHESIS, BELOW ELBOW, ELECTRIC HAND, COMPLETE WORKING SYSTEM, FOR WRIST DISARTICULATION, AMPUTATION, AND BATTERY CHARGER (110 - 220 V, 50/60 HZ), SIZE: 73/4 INCHES, LEFT                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | EA | ITEMIZED | 10  |
| 1392 | 4224200430900 | PROSTHETIC BELOW KNEE MED. LONG 1 PLY    | PROSTHETIC BELOW KNEE STUMP SOCKS MEDIUM LONG<br>REGULAR, 85 % COTTON, 15% LYCRA (LENGTH 22-26 INCH),<br>TOE WIDTH 3 ½ INCH TOP WIDTH 6-6 ½ INCH), 1 PLY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | EA | ITEMIZED | 100 |
| 1393 | 4224200431500 | PROSTHETIC BELOW KNEE MED. LONG 5 PLY    | PROSTHETIC BELOW KNEE STUMP SOCKS MEDIUM LONG<br>REGULAR, 85 % COTTON, 15% LYCRA (LENGTH 22-26 INCH),<br>TOE WIDTH 3 ½ INCH TOP WIDTH 6-6 ½ INCH), 5 PLY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | EA | ITEMIZED | 100 |
| 1394 | 4224200431200 | PROSTHETIC BELOW KNEE MED. LONG 3 PLY    | PROSTHETIC BELOW KNEE STUMP SOCKS MEDIUM LONG<br>REGULAR, 85 % COTTON, 15% LYCRA(LENGTH 22-26 INCH),<br>TOE WIDTH 3 ½ INCH TOP WIDTH 6-6 ½ INCH), 3 PLY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | EA | ITEMIZED | 100 |
| 1395 | 4224200430800 | PROSTHETIC BELOW KNEE MED. REGULAR 1 PLY | PROSTHETIC BELOW KNEE STUMP SOCKS MEDIUM REGULAR,<br>85 % COTTON, 15% LYCRA (LENGTH 16-20 INCH), TOE WIDTH<br>3 ½ INCH, TOP WIDTH 6-6 ½ INCH), 1 PLY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | EA | ITEMIZED | 100 |
| 1396 | 4224200431100 | PROSTHETIC BELOW KNEE MED. REGULAR 3 PLY | PROSTHETIC BELOW KNEE STUMP SOCKS MEDIUM REGULAR,<br>85 % COTTON, 15% LYCRA (LENGTH 16-20 INCH), TOE WIDTH<br>3 ½ INCH, TOP WIDTH 6-6 ½ INCH), 3 PLY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | EA | ITEMIZED | 100 |
| 1397 | 4224200431400 | PROSTHETIC BELOW KNEE MED. REGULAR 5 PLY | PROSTHETIC BELOW KNEE STUMP SOCKS MEDIUM REGULAR,<br>85 % COTTON, 15% LYCRA (LENGTH 16-20 INCH), TOE WIDTH<br>3 ½ INCH, TOP WIDTH 6-6 ½ INCH), 5 PLY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | EA | ITEMIZED | 100 |
| 1398 | 4224200431600 | PROSTHETIC BELOW KNEE MED. SHORT 5 PLY   | PROSTHETIC BELOW KNEE STUMP SOCKS MEDIUM SHORT, 85 % COTTON, 15% LYCRA (LENGTH 10-14 INCH, TOE WIDTH 3 ½ INCH TOP WIDTH 6-6 ½ INCH), 5 PLY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | EA | ITEMIZED | 100 |
| 1399 | 4224200431000 | PROSTHETIC BELOW KNEE MED. SHORT 1 PLY   | PROSTHETIC BELOW KNEE STUMP SOCKS MEDIUM SHORT, 85<br>% COTTON, 15% LYCRA(LENGTH 10-14 INCH, TOE WIDTH 3 ½<br>INCH TOP WIDTH 6-6 ½ INCH), 1 PLY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | EA | ITEMIZED | 100 |
| 1400 | 4224200431300 | PROSTHETIC BELOW KNEE MED. SHORT 3 PLY   | PROSTHETIC BELOW KNEE STUMP SOCKS MEDIUM SHORT, 85<br>% COTTON, 15% LYCRA(LENGTH 10-14 INCH, TOE WIDTH 3 ½<br>INCH TOP WIDTH 6-6 ½ INCH), 3 PLY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | EA | ITEMIZED | 100 |
| 1401 | 4224200125300 | PROSTHETIC CARBON FOOT SZ 30 LEFT        | PROSTHETIC CARBON FOOT EXCELLENT FUNCTIONALITY EVEN UNDER THE HIGHEST LOAD SMOOTH ROLLOVER CONTROLLED USER MOVEMENT INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP INCLUDES A SEPARATE BIG TOE AND CONNECTS THE FOREFOOT AND THE HEEL SPRING TO FORM A COMPLETE SYSTEM TRIANGULAR TECHNOLOGY SAFETY: HEAVY DUTY/WALKING ON UNEVEN SURFACES AND CHANGING DURING SPORTS SUITABLE FOR A BROAD RANGE OF APPLICATION FROM EVERYDAY LIFE TO DEMANDING PROFESSIONS AND EVEN LEISURE SPORTS WITH CARBON HEEL SPRING CUSTOMIZABLE SHOCK ABSORPTION WITH TWO DIFFERENT HEEL WEDGE OPTIONS WITH POSSIBILITY REPLACEABLE HEEL WEDGE WATERPROOF SIZE 30 LEFT  | EA | ITEMIZED | 50  |
| 1402 | 4224200125400 | PROSTHETIC CARBON FOOT SZ 24 RIGHT       | PROSTHETIC CARBON FOOT EXCELLENT FUNCTIONALITY EVEN UNDER THE HIGHEST LOAD SMOOTH ROLLOVER CONTROLLED USER MOVEMENT INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP INCLUDES A SEPARATE BIG TOE AND CONNECTS THE FOREFOOT AND THE HEEL SPRING TO FORM A COMPLETE SYSTEM TRIANGULAR TECHNOLOGY SAFETY: HEAVY DUTY/WALKING ON UNEVEN SURFACES AND CHANGING DURING SPORTS SUITABLE FOR A BROAD RANGE OF APPLICATION FROM EVERYDAY LIFE TO DEMANDING PROFESSIONS AND EVEN LEISURE SPORTS WITH CARBON HEEL SPRING CUSTOMIZABLE SHOCK ABSORPTION WITH TWO DIFFERENT HEEL WEDGE OPTIONS WITH POSSIBILITY REPLACEABLE HEEL WEDGE WATERPROOF SIZE 24 RIGHT | EA | ITEMIZED | 50  |

6/21/2022 Page 106 of 160

| 1403 | 4224200125600 | PROSTHETIC CARBON FOOT SZ 25 RIGHT | PROSTHETIC CARBON FOOT EXCELLENT FUNCTIONALITY EVEN UNDER THE HIGHEST LOAD SMOOTH ROLLOVER CONTROLLED USER MOVEMENT INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP INCLUDES A SEPARATE BIG TOE AND CONNECTS THE FOREFOOT AND THE HEEL SPRING TO FORM A COMPLETE SYSTEM TRIANGULAR TECHNOLOGY SAFETY: HEAVY DUTY/WALKING ON UNEVEN SURFACES AND CHANGING DURING SPORTS SUITABLE FOR A BROAD RANGE OF APPLICATION FROM EVERYDAY LIFE TO DEMANDING PROFESSIONS AND EVEN LEISURE SPORTS WITH CARBON HEEL SPRING CUSTOMIZABLE SHOCK ABSORPTION WITH TWO DIFFERENT HEEL WEDGE OPTIONS WITH POSSIBILITY REPLACEABLE HEEL WEDGE WATERPROOF SIZE 25 RIGHT              | EA  | ITEMIZED | 50 |
|------|---------------|------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|----|
| 1404 | 4224200125800 | PROSTHETIC CARBON FOOT SZ 26 RIGHT | PROSTHETIC CARBON FOOT EXCELLENT FUNCTIONALITY EVEN UNDER THE HIGHEST LOAD SMOOTH ROLLOVER CONTROLLED USER MOVEMENT INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP INCLUDES A SEPARATE BIG TOE AND CONNECTS THE FOREFOOT AND THE HEEL SPRING TO FORM A COMPLETE SYSTEM TRIANGULAR TECHNOLOGY SAFETY: HEAVY DUTY/WALKING ON UNEVEN SURFACES AND CHANGING DURING SPORTS SUITABLE FOR A BROAD RANGE OF APPLICATION FROM EVERYDAY LIFE TO DEMANDING PROFESSIONS AND EVEN LEISURE SPORTS WITH CARBON HEEL SPRING COSTOMIZABLE SHOCK ABSORPTION WITH TWO DIFFERENT HEEL WEDGE OPTIONS WITH POSSIBILITY REPLACEABLE HEEL WEDGE WATERPROOF SIZE 26 RIGHT              | EA  | ITEMIZED | 50 |
| 1405 | 4224200126200 | PROSTHETIC CARBON FOOT SZ 28 RIGHT | PROSTHETIC CARBON FOOT EXCELLENT FUNCTIONALITY EVEN UNDER THE HIGHEST LOAD SMOOTH ROLLOVER CONTROLLED USER MOVEMENT INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP INCLUDES A SEPARATE BIG TOE AND CONNECTS THE FOREFOOT AND THE HEEL SPRINGT OF FORM A COMPLETE SYSTEM TRIANGULAR TECHNOLOGY SAFETY: HEAVY DUTY/WALKING ON INVEYEN SURFACES AND CHANGING DURING SPORTS SUITABLE FOR A BROAD RANGE OF APPLICATION FROM EVERYDAY LIFE TO DEMANDING PROFESSIONS AND EVEN LEISURE SPORTS WITH CARBON HEEL SPRING CUSTOMIZABLE SHOCK ABSORPTION WITH TWO DIFFERENT HEEL WEDGE OPTIONS WITH POSSIBILITY REPLACEABLE HEEL WEDGE WATERPROOF SIZE 28 RIGHT            | EA  | ITEMIZED | 50 |
| 1406 | 4224200126400 | PROSTHETIC CARBON FOOT SZ 29 RIGHT | PROSTHETIC CARBON FOOT EXCELLENT FUNCTIONALITY EVEN UNDER THE HIGHEST LOAD SMOOTH ROLLOVER CONTROLLED USER MOVEMENT INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP INCLUDES A SEPARATE BIG TOE AND CONNECTS THE FOREFOOT AND THE HEEL SPRING TO FORM A COMPLETE SYSTEM TRIANGULAR TECHNOLOGY SAFETY: HEAVY DUTY/WALKING ON UNEVEN SURFACES AND CHANGING DURING SPORTS SUITABLE FOR A BROAD RANGE OF APPLICATION FROM EVERYDAY LIFE TO DEMANDING PROFESSIONS AND EVEN LEISURE SPORTS WITH CARBON HEEL SPRING CUSTOMIZABLE SHOCK ABSORPTION WITH TWO DIFFERENT HEEL WEDGE OPTIONS WITH POSSIBILITY REPLACEABLE HEEL WEDGE WATERPROOF SIZE 29 RIGHT              | EA  | ITEMIZED | 50 |
| 1407 | 4224200126600 | PROSTHETIC CARBON FOOT SZ 30 RIGHT | PROSTHETIC CARBON FOOT EXCELLENT FUNCTIONALITY EVEN UNDER THE HIGHEST LOAD SMOOTH ROLLOVER CONTROLLED USER MOVEMENT INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP INCLUDES A SEPARATE BIG TOE AND CONNECTS THE FOREFOOT AND THE HEEL SPRING TO FORM A COMPLETE SYSTEM TRIANGULAR TECHNOLOGY SAFETY: HEAVY DUTY/WALKING ON UNEVEN SURFACES AND CHANGING DURING SPORTS SUITABLE FOR A BROAD RANGE OF APPLICATION FROM EVERYDAY LIFE TO DEMANDING PROFESSIONS AND EVEN LEISURE SPORTS WITH CARBON HEEL SPRING CUSTOMIZABLE SHOCK ABSORPTION WITH TWO DIFFERENT HEEL WEDGE OPTIONS WITH POSSIBILITY REPLACEABLE HEEL WEDGE WATERPROOF SIZE 30 RIGHT              | EA  | ITEMIZED | 50 |
| 1408 | 4224200125000 | PROSTHETIC CARBON FOOT SZ 28 LEFT  | PROSTHETIC CARBON FOOT, EXCELLENT FUNCTIONALITY EVEN UNDER THE HIGHEST LOAD, SMOOTH ROLLOVER, CONTROLLED USER MOVEMENT INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP, INCLUDES A SEPARATE BIG TOE AND CONNECTS THE FOREFOOT AND THE HEEL SPRING TO FORM A COMPLETE SYSTEM, TRIANGULAR TECHNOLOGY, SAFETY: HEAVY DUTLY / WALKING ON UNEVEN SURFACES AND CHANGING DURING SPORTS, SUITABLE FOR A BROAD RANGE OF APPLICATION FROM EVERYDAY LIFE TO DEMANDING PROFESSIONS AND EVEN LEISURE SPORTS WITH CARBON HEEL SPRING, CUSTOMIZABLE SHOCK ABSORPTION WITH TWO DIFFERENT HEEL WEDGE OPTIONS WITH POSSIBILITY REPLACEABLE HEEL WEDGE, WATERPROOF, SIZE 28, LEFT | SET | ITEMIZED | 50 |
| 1409 | 4224200126000 | PROSTHETIC CARBON FOOT SZ 27 RIGHT | PROSTHETIC CARBON FOOT, EXCELLENT FUNCTIONALITY EVEN UNDER THE HIGHEST LOAD, SMOOTH ROLLOVER, CONTROLLED USER MOVEMENT INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP, INCLUDES A SEPARATE BIG TOE AND CONNECTS THE FOREFOOT AND THE HEEL SPRING TO FORM A COMPLETE SYSTEM, TRIANGULAR TECHNOLOGY, SAFETY: HEAVY DUTY / WALKING ON UNEVEN SURFACES AND CHANGING DURING SPORTS, SUITABLE FOR A BROAD RANGE OF APPLICATION FROM EVERYDAY LIFE TO DEMANDING PROFESSIONS AND EVEN LEISURE SPORTS WITH CARBON HEEL SPRING, CUSTOMIZABLE SHOCK ABSORPTION WITH TWO DIFFERENT HEEL WEDGE, WATERPROOF, SIZE 27, RIGHT                                                 | SET | ITEMIZED | 50 |

6/21/2022 Page 107 of 160

| 1410 | 4224200122700 | PROSTHETIC CARBON FOOT FOOTSHELL 24 LEFT | PROSTHETIC CARBON FOOT, INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP, WITH SPRING ELEMENTS FOR EXCELLENT HELE SHOCK ABSORPTION, ROLLOVER AND ENERGY EFFICIENT CHARACTERISTICS FOR SAFE STANDING AND WALKING AND ADAPTS TO UNEVEN TERRAIN, WITH DOUBLE SPRING ELEMENTS AND FLEXIBLE DUAL SPRINGS PROVIDE RELIEF WITH DAMPENING AT HEEL STRIKE AND FACILITATE AN EASY ROLLOVER, TRIANGULAR DESIGN PROMOTES BALANCES AND CONTROLLED MOVEMENTS WHEN WALKING ON UNEVEN TERRAIN, LIGHTWEIGHT CONSTRUCTION, SIZE 24, LEFT  | EA | ITEMIZED | 50 |
|------|---------------|------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|----------|----|
| 1411 | 4224200122800 | PROSTHETIC CARBON FOOT FOOTSHELL 25 LEFT | PROSTHETIC CARBON FOOT, INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP, WITH SPRING ELEMENTS FOR EXCELLENT HEEL SHOCK ABSORPTION, ROLLOVER AND ENERGY EFFICIENT CHARACTERISTICS FOR SAFE STANDING AND WALKING AND ADAPTS TO UNEVEN TERRAIN, WITH DOUBLE SPRING ELEMENTS AND FILEIBLE DUAL SPRINGS PROVIDE RELIEF WITH DAMPENING AT HEEL STRIKE AND FACILITATE AN EASY ROLLOVER, TRIANGULAR DESIGN PROMOTES BALANCES AND CONTROLLED MOVEMENTS WHEN WALKING ON UNEVEN TERRAIN, LIGHTWEIGHT CONSTRUCTION, SIZE 25, LEFT  | EA | ITEMIZED | 50 |
| 1412 | 4224200122900 | PROSTHETIC CARBON FOOT FOOTSHELL 26 LEFT | PROSTHETIC CARBON FOOT, INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP, WITH SPRING ELEMENTS FOR EXCELLENT HELE SHOCK ABSORPTION, ROLLOVER AND ENERGY EFFICIENT CHARACTERISTICS FOR SAFE STANDING AND WALKING AND ADAPTS TO UNEVEN TERRAIN, WITH DOUBLE SPRING ELEMENTS AND FLEXIBLE DUAL SPRINGS PROVIDE RELIEF WITH DAMPENING AT HEEL STRIKE AND FACILITATE AN EASY ROLLOVER, TRIANGULAR DESIGN PROMOTES BALANCES AND CONTROLLED MOVEMENTS WHEN WALKING ON UNEVEN TERRAIN, LIGHTWEIGHT CONSTRUCTION, SIZE 26, LEFT  | EA | ITEMIZED | 50 |
| 1413 | 4224200123000 | PROSTHETIC CARBON FOOT FOOTSHELL 27 LEFT | PROSTHETIC CARBON FOOT, INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP, WITH SPRING ELEMENTS FOR EXCELLENT HELE SHOCK ABSORPTION, ROLLOVER AND ENERGY EFFICIENT CHARACTERISTICS FOR SAFE STANDING AND WALKING AND ADAPTS TO UNEVEN TERRAIN, WITH DOUBLE SPRING ELEMENTS AND FLEXIBLE DUAL SPRINGS PROVIDE RELIEF WITH DAMPENING AT HEEL STRIKE AND FACILITATE AN EASY ROLLOVER, TRIANGULAR DESIGN PROMOTES BALANCES AND CONTROLLED MOVEMENTS WHEN WALKING ON UNEVEN TERRAIN, LIGHTWEIGHT CONSTRUCTION, SIZE 27, LEFT  | EA | ITEMIZED | 50 |
| 1414 | 4224200123100 | PROSTHETIC CARBON FOOT FOOTSHELL 28 LEFT | PROSTHETIC CARBON FOOT, INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP, WITH SPRING ELEMENTS FOR EXCELLENT HEEL SHOCK ABSORPTION, ROLLOVER AND ENERGY EFFICIENT CHARACTERISTICS FOR SAFE STANDING AND WALKING AND ADAPTS TO UNEVEN TERRAIN, WITH DOUBLE SPRING ELEMENTS AND FLEXIBLE DUAL SPRINGS PROVIDE RELIEF WITH DAMPENING AT HEEL STRIKE AND FACILITATE AN EASY ROLLOVER, TRIANGULAR DESIGN PROMOTES BALANCES AND CONTROLLED MOVEMENTS WHEN WALKING ON UNEVEN TERRAIN, LIGHTWEIGHT CONSTRUCTION, SIZE 28, LEFT  | EA | ITEMIZED | 50 |
| 1415 | 4224200123600 | PROSTHETIC CARBON FOOT FOOTSHELL 26 RT   | PROSTHETIC CARBON FOOT, INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP, WITH SPRING ELEMENTS FOR EXCELLENT HEEL SHOCK ABSORPTION, ROLLOVER AND ENERGY EFFICIENT CHARACTERISTICS FOR SAFE STANDING AND WALKING AND ADAPTS TO UNEVEN TERRAIN, WITH DOUBLE SPRING ELEMENTS AND FLEXIBLE DUAL SPRINGS PROVIDE RELIEF WITH DAMPENING AT HEEL STRIKE AND FACILITATE AN EASY ROLLOVER, TRIANGULAR DESIGN PROMOTES BALANCES AND CONTROLLED MOVEMENTS WHEN WALKING ON UNEVEN TERRAIN, LIGHTWEIGHT CONSTRUCTION, SIZE 26, RIGHT | EA | ITEMIZED | 50 |
| 1416 | 4224200123700 | PROSTHETIC CARBON FOOT FOOTSHELL 27 RT   | PROSTHETIC CARBON FOOT, INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP, WITH SPRING ELEMENTS FOR EXCELLENT HELE SHOCK ABSORPTION, ROLLOVER AND ENERGY EFFICIENT CHARACTERISTICS FOR SAFE STANDING AND WALKING AND ADAPTS TO UNEVEN TERRAIN, WITH DOUBLE SPRING ELEMENTS AND FLEXIBLE DUAL SPRINGS PROVIDE RELIEF WITH DAMPENING AT HEEL STRIKE AND FACILITATE AN EASY ROLLOVER, TRIANGULAR DESIGN PROMOTES BALANCES AND CONTROLLED MOVEMENTS WHEN WALKING ON UNEVEN TERRAIN, LIGHTWEIGHT CONSTRUCTION, SIZE 27, RIGHT | EA | ITEMIZED | 50 |
| 1417 | 4224200123800 | PROSTHETIC CARBON FOOT FOOTSHELL 28 RT   | PROSTHETIC CARBON FOOT, INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP, WITH SPRING ELEMENTS FOR EXCELLENT HEEL SHOCK ABSORPTION, ROLLOVER AND ENERGY EFFICIENT CHARACTERISTICS FOR SAFE STANDING AND WALKING AND ADAPTS TO UNEVEN TERRAIN, WITH DOUBLE SPRING ELEMENTS AND FLEXIBLE DUAL SPRINGS PROVIDE RELIEF WITH DAMPENING AT HEEL STRIKE AND FACILITATE AN EASY ROLLOVER, TRIANGULAR DESIGN PROMOTES BALANCES AND CONTROLLED MOVEMENTS WHEN WALKING ON UNEVEN TERRAIN, LIGHTWEIGHT CONSTRUCTION, SIZE 28, RIGHT | EA | ITEMIZED | 50 |
| 1418 | 4224200123900 | PROSTHETIC CARBON FOOT FOOTSHELL 29 RT   | PROSTHETIC CARBON FOOT, INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP, WITH SPRING ELEMENTS FOR EXCELLENT HEEL SHOCK ABSORPTION, ROLLOVER AND ENERGY EFFICIENT CHARACTERISTICS FOR SAFE STANDING AND WALKING AND ADAPTS TO UNEVEN TERRAIN, WITH DOUBLE SPRING ELEMENTS AND FLEXIBLE DUAL SPRINGS PROVIDE RELIEF WITH DAMPENING AT HEEL STRIKE AND FACILITATE AN EASY ROLLOVER, TRIANGULAR DESIGN PROMOTES BALANCES AND CONTROLLED MOVEMENTS WHEN WALKING ON UNEVEN TERRAIN, LIGHTWEIGHT CONSTRUCTION, SIZE 29, RIGHT | EA | ITEMIZED | 50 |

6/21/2022 Page 108 of 160

| 1419 | 4224200124000 | PROSTHETIC CARBON FOOT FOOTSHELL 30 RT   | PROSTHETIC CARBON FOOT, INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP, WITH SPRING ELEMENTS FOR EXCELLENT HEEL SHOCK ABSORPTION, ROLLOVER AND ENERGY EFFICIENT CHARACTERISTICS FOR SAFE STANDING AND WALKING AND ADAPTS TO UNEVEN TERRAIN, WITH DOUBLE SPRING ELEMENTS AND FLEXIBLE EDUAL SPRINGS PROVIDE RELIEF WITH DAMPENING AT HEEL STRIKE AND FACILITATE AN EASY ROLLOVER, TRIANGULAR DESIGN PROMOTES BALANCES AND CONTROLLED MOVEMENTS WHEN WALKING ON UNEVEN TERRAIN, LIGHTWEIGHT CONSTRUCTION, SIZE 30, RIGHT                                                                                                                                                                                                                                                                                                                                                                                         | EA | ITEMIZED | 50   |
|------|---------------|------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|----------|------|
| 1420 | 4224200195700 | PROSTHETIC CARBON FOOT 23 LEFT           | PROSTHETIC CARBON FOOT, INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP, WITH SPRING ELEMENTS FOR EXCELLENT HELE SHOCK ABSORPTION, ROLLOVER AND ENERGY EFFICIENT CHARACTERISTICS FOR SAFE STANDING AND WALKING AND ADAPTS TO UNEVEN TERRAIN, WITH DOUBLE SPRING ELEMENTS AND FLEXIBLE DUAL SPRINGS PROVIDE RELIEF WITH DAMPENING AT HEEL STRIKE AND FACILITATE AN EASY ROLLOVER, TRIANGULAR DESIGN PROMOTES BALANCES AND CONTROLLED MOVEMENTS WHEN WALKING ON UNEVEN TERRAIN, LIGHTWEIGHT CONSTRUCTION, SIZE 23, LEFT                                                                                                                                                                                                                                                                                                                                                                                           | EA | ITEMIZED | 2200 |
| 1421 | 4224200195800 | PROSTHETIC CARBON FOOT 23 RIGHT          | PROSTHETIC CARBON FOOT, INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP, WITH SPRING ELEMENTS FOR EXCELLENT HELE SHOCK ABSORPTION, ROLLOVER AND ENERGY EFFICIENT CHARACTERISTICS FOR SAFE STANDING AND WALKING AND ADAPTS TO UNEVEN TERRAIN, WITH DOUBLE SPRING ELEMENTS AND FLEXIBLE DUAL SPRINGS PROVIDE RELIEF WITH DAMPENING AT HEEL STRIKE AND FACILITATE AN EASY ROLLOVER, TRIANGULAR DESIGN PROMOTES BALANCES AND CONTROLLED MOVEMENTS WHEN WALKING ON UNEVEN TERRAIN, LIGHTWEIGHT CONSTRUCTION, SIZE 23, RIGHT                                                                                                                                                                                                                                                                                                                                                                                          | EA | ITEMIZED | 2200 |
| 1422 | 4224200133700 | PROSTHETIC FOOT CARBON FIBER SZ 22 30CM  | PROSTHETIC FOOT FROM CARBON FIBER WITH FOOTSHELL DOUBLE SPRINGS AND A LONG CARBON BASE SPRING ALLOW A SMOOTH ROLLING AND AN EFFICIENT ENERGY RETURN AT DIFFERENT WALKING SPEEDS UNIQUE FLEWBLE CONNECTION OF THE CARBON SPRINGS IN THE FOREFOOT FOR OPTIMAL ADAPTATION TO A WIDE RANGE OF TERRAINS INDIVIDUAL SHOCK ABSORPTION THANKS TO THREE DIFFERENT HEEL WEDGE OPTIONS ACTIVE USERS CAN MANAGE LIFE COMPLETELY ON THEIR OWN TERMS FEATURES A SMOOTH ROLLOVER AND ITS FEFICIENT ENERGY RETURN SUPPORTS A DYNAMIC GAIT IN DOING SO THE FOOT ADAPTS FLEXIBLY TO EACH USER'S INDIVIDUAL GAIT CHARACTERISTICS AND VARIOUS SUPRACES RESISTANT TO FRESH SALT AND CHLORINATED WATER WATER DRAINAGE CONTOURS ON THE ADAPTER AND OPENINGS IN THE SOLE OF THE FOOT PREVENT WATER FROM COLLECTING IN THE PROSTHESIS COSMESIS COMPATIBLE WITH SUM CONNECTION ADAPTER MAXIMUM BODY WEIGHT 150 KG FOOT SIZE S: 22 CM TO 30 CM | EA | ITEMIZED | 10   |
| 1423 | 4224200113400 | PROSTHETIC FOOT W/FOOT SHELL 31CM LEFT   | PROSTHETIC FOOT WITH FOOT SHELL, WITH DIVIDED HEEL<br>AND FOREFOOT AREA, THE CUSHIONING COMPOSITE FOR A<br>SPRINGY LIVELY STEP, HIGH ENERGY RETURN, MULTI AXIAL<br>FUNCTION, SIZE: 31 CM, LEFT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | EA | ITEMIZED | 31   |
| 1424 | 4224200117600 | PROSTHETIC FOOT MULTIAXIAL JOINT 24 LEFT | PROSTHETIC FOOT WITH MULTI - AXIAL JOINT FLEXIBLE KEEL FOOT WITH TOES WITH ASSEMBLED TITANIUM ADAPTER WHICH ROLL OVER THE RING-SHAPED ROCKING RUBBER COMBINED WITH THE INTERNAL ELASTOMERIC CONNECTION WHICH PERMITS MULTI AXIAL ANKLE MOVEMENT AND HAS PRONATION SUPINATION AND ROTATION IN THE HORIZONTAL PLANE WITH FOAM CONNECTION CAP SIZE: 24 LEFT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | EA | ITEMIZED | 100  |
| 1425 | 4224200117700 | PROSTHETIC FOOT MULTIAXIAL JOINT 25 LEFT | PROSTHETIC FOOT WITH MULTI - AXIAL JOINT FLEXIBLE KEEL FOOT WITH TOES WITH ASSEMBLED TITANIUM ADAPTER WHICH ROCLL OVER THE MING-SHAPED ROCKING RUBBER COMBINED WITH THE INTERNAL ELASTOMERIC CONNECTION WHICH PERMITS MULTI AXIAL ANKLE MOVEMENT AND HAS PRONATION SUPINATION AND ROTATION IN THE HORIZONTAL PLANE WITH FOAM CONNECTION CAP SIZE: 25                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | EA | ITEMIZED | 100  |
| 1426 | 4224200117800 | PROSTHETIC FOOT MULTIAXIAL JOINT 26 LEFT | LEFT PROSTHETIC FOOT WITH MULTI - AXIAL JOINT FLEXIBLE KEEL FOOT WITH TOES WITH ASSEMBLED TITANIUM ADAPTER WHICH ROLL OVER THE RING-SHAPED ROCKING RUBBER COMBINED WITH THE INTERNAL ELASTOMERIC CONNECTION WHICH PERMITS MULTI AXIAL ANKLE MOVEMENT AND HAS PRONATION SUPINATION AND ROTATION IN THE HORIZONTAL PLANE WITH FOAM CONNECTION CAP SIZE: 26 LEFT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | EA | ITEMIZED | 100  |
| 1427 | 4224200117900 | PROSTHETIC FOOT MULTIAXIAL JOINT 27 LEFT | PROSTHETIC FOOT WITH MULTI- AXIAL JOINT FLEXIBLE KEEL FOOT WITH TOES WITH ASSEMBLED TITANIUM ADAPTER WHICH ROCKLOVE THE RIMG-SHAPED ROCKING RUBBER COMBINED WITH THE INTERNAL ELASTOMERIC CONNECTION WHICH PERMITS MULTI AXIAL ANKLE MOVEMENT AND HAS PRONATION SUPINATION AND ROTATION IN THE HORIZONTAL PLANE WITH FOAM CONNECTION CAP SIZE: 27 LEFT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | EA | ITEMIZED | 100  |
| 1428 | 4224200118000 | PROSTHETIC FOOT MULTIAXIAL JOINT 28      | PROSTHETIC FOOT WITH MULTI - AXIAL JOINT FLEXIBLE KEEL FOOT WITH TOES WITH ASSEMBLED TITANIUM ADAPTER WHICH ROCKLOVE THE RIMG-SHAPED ROCKING RUBBER COMBINED WITH THE INTERNAL ELASTOMERIC CONNECTION WHICH PERMITS MULTI AXIAL ANKLE MOVEMENT AND HAS PRONATION SUPINATION AND ROTATION IN THE HORIZONTAL PLANE WITH FOAM CONNECTION CAP SIZE: 28 LEFT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | EA | ITEMIZED | 100  |
| 1429 | 4224200118100 | PROSTHETIC FOOT MULTIAXIAL JOINT 29 LEFT | PROSTHETIC FOOT WITH MULTI - AXIAL JOINT FLEXIBLE KEEL FOOT WITH TOES WITH ASSEMBLED TITANIUM ADAPTER WHICH ROLL OVER THE RING-SHAPED ROCKING RUBBER COMBINED WITH THE INTERNAL ELASTOMERIC CONNECTION WHICH PERMITS MULTI AXIAL ANKLE MOVEMENT AND HAS PRONATION SUPINATION AND ROTATION IN THE HORIZONTAL PLANE WITH FOAM CONNECTION CAP SIZE: 29 LEFT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | EA | ITEMIZED | 100  |

6/21/2022 Page 109 of 160

|      |               |                                        | PROSTHETIC FOOT WITH MULTI - AXIAL JOINT FLEXIBLE KEEL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |     |          |     |
|------|---------------|----------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|-----|
| 1430 | 4224200118200 | PROSTHETIC FOOT MULTIAXIAL JOINT 24 RT | FOOT WITH TOES WITH ASSEMBLED TITANIUM ADAPTER WHICH ROLL OVER THE RING-SHAPED ROCKING RUBBER COMBINED WITH THE INTERNAL ELASTOMERIC CONNECTION WHICH PERMITS MULTI AXIAL ANKLE MOVEMENT AND HAS PRONATION SUPINATION AND ROTATION IN THE HORIZONTAL PLANE WITH FOAM CONNECTION CAP SIZE: 24 RIGHT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | EA  | ITEMIZED | 100 |
| 1431 | 4224200118300 | PROSTHETIC FOOT MULTIAXIAL JOINT 25 RT | PROSTHETIC FOOT WITH MULTI: AXIAL JOINT FLEXIBLE KEEL FOOT WITH TOES WITH ASSEMBLED TITANIUM ADAPTER WHICH ROOL OVER THE RING-SHAPE DROCKING RUBBER COMBINED WITH THE INTERNAL ELASTOMERIC CONNECTION WHICH PERMITS MULTI AXIAL ANKLE MOVEMENT AND HAS PCHONATION SUPINATION AND ROTATION IN THE HORIZONTAL PLANE WITH FOAM CONNECTION CAP SIZE: 25 RIGHT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | EA  | ITEMIZED | 100 |
| 1432 | 4224200118400 | PROSTHETIC FOOT MULTIAXIAL JOINT 26 RT | PROSTHETIC FOOT WITH MULTI - AXIAL JOINT FLEXIBLE KEEL FOOT WITH TOES WITH ASSEMBLED TITANIUM ADAPTER WHICH ROOL OVER THE RING-SHAPE DROCKING RUBBER COMBINED WITH THE INTERNAL ELASTOMERIC CONNECTION WHICH PERMITS MULTI AXIAL ANKLE MOVEMENT AND HAS PRONATION SUPINATION AND ROTATION IN THE HORIZONTAL PLANE WITH FOAM CONNECTION CAP SIZE: 26 RIGHT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | EA  | ITEMIZED | 100 |
| 1433 | 4224200118500 | PROSTHETIC FOOT MULTIAXIAL JOINT 27 RT | PROSTHETIC FOOT WITH MULTI - AXIAL JOINT FLEXIBLE KEEL FOOT WITH TOES WITH ASSEMBLED TITANIUM ADAPTER WHICH ROLL OVER THE RING-SHAPED ROCKING RUBBER COMBINED WITH THE INTERNAL ELASTOMERIC CONNECTION WHICH PREMITS MULTI AXIAL ANKLE MOVEMENT AND HAS PRONATION SUPINATION AND ROTATION IN THE HORIZONTAL PLANE WITH FOAM CONNECTION CAP SIZE: 27 RIGHT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | EA  | ITEMIZED | 100 |
| 1434 | 4224200118600 | PROSTHETIC FOOT MULTIAXIAL JOINT 28 RT | PROSTHETIC FOOT WITH MULTI - AXIAL JOINT FLEXIBLE KEEL FOOT WITH TOES WITH ASSEMBLED TITANIUM ADAPTER WHICH ROLL OVER THE RING-SHAPED ROCKING RUBBER COMBINED WITH THE INTERNAL ELASTOMERIC CONNECTION WHICH PERMITS MULTI AXIAL ANKLE MOVEMENT AND HAS PRONATION SUPINATION AND ROTATION IN THE HORIZONTAL PLANE WITH FOAM CONNECTION CAP SIZE: 28 RIGHT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | EA  | ITEMIZED | 100 |
| 1435 | 4224200118700 | PROSTHETIC FOOT MULTIAXIAL JOINT 29 RT | PROSTHETIC FOOT WITH MULTI - AXIAL JOINT FLEXIBLE KEEL FOOT WITH TOES WITH ASSEMBLED TITANIUM ADAPTER WHICH ROLL OVER THE RING-SHAPED ROCKING RUBBER COMBINED WITH THE INTERNAL ELASTOMERIC CONNECTION WHICH PERMITS MULTI AXIAL ANKLE MOVEMENT AND HAS PRONATION SUPINATION AND ROTATION IN THE HORIZONTAL PLANE WITH FOAM CONNECTION CAP SIZE: 29 RIGHT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | EA  | ITEMIZED | 100 |
| 1436 | 4224151800000 | PROSTHETIC KNEE 125KG KLEVEL K2 K3     | PROSTHETIC KNEE, DIFFERENT LOCATION OF INSTANT CENTER OF ROTATION 2) STANCE PHASE STABILITY, LOW VOLUNTARY CONTROL REQUIRED TO MID SWING SHORTENING - FOR BETTER TO CLEARANCE, HIGHER DEGREE OF FLEXION AND EXTENSION DAMPING, ADJUSTABLE STANCE SETTINGS FOR INDIVIDUAL USERS NEED FOR STABILITY TO INCREASED STABILITY TO LESS EFFORT AND MORE CONFIDENCE DURING WALKING TO REDUCED RISK OF TRIPS AND FALLS, SMOOTH AND COMPORTABLE SWING PHASE FOR VARIABLE WALKING SPEEDS, TRANSFERMORAL AND KREE DISARTICULATION AMPUTEES, MODERATE TO HIGH IMPACT LEVEL MAX. USER WEIGHT 125KG K-LEVEL: KZ AND K3, 1) MORE ACTIVE FRAME DESIGN, 4-BAR GEOMETRY, VERY POWERFUL PNEUMATIC SWING PHASE CONTROL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | EA  | ITEMIZED | 70  |
| 1437 | 4224200133000 | PROSTHETIC LEG SYSTEM                  | PROSTHETIC LEG SYSTEM (COMPLETE, BIONIC OR EQUIVALENT, INCLUDING MICROPROCESSOR KNEE, PROSTHETIC FOOT, ADD STER, CHARGER AND WIRELESS CONNECTION, WITH COMPLETE ACCESSORIES INCLUDING PROGRAM AND TRAINING, THE KNEE JOINT SHOULD ALSO INCLUDE: MICROPROCESSOR, SENSOR, AND CONTROL TECHNOLOGY KNEE, THE SENSOR DATA ARE UPDATED AND EVALUATED 100 TIMES PER SECOND, MAXIMUM KNEE FLEXION ANGLE MAXIMUM 135' WITHOUT FLEXION STOP, PYRAMID ADAPTER OR THREADED CONNECTOR, OPG 2.0 (OPTIMIZED PHYSIOLOGICAL GAIT), FOR THE SMOOTHEST, MOST NATURAL GAIT (INCLUDING ON UNEVEN SURFACES), SAFETY WHEN WALKING BACKWARDS, NOTICEABLE SUPPORT WHEN WALKING UPHILL AND DOWNHILL, SOPHISTICATED STUMBLE RECOVERY, STAIRS AND DESTACLE FUNCTION FOR CLIMBING STAIRS STEP-OVERSTEP AND CROSSING OBSTACLES, CHOICE BETWEEN INTUITIVE AND DELIBERATE STANCE FUNCTION, MYMODES PLUS A TREMENDOUS SELECTION OF INDIVIDUAL ADJUSTMENT POSSIBILITIES FOR S DIFFERENT MODES, WALK-TO-RUN FUNCTION FOR SHORT SPRINTS (IN BASIC MODE), RUNNING MODE FOR SPORTS (ADDITIONAL MODE), EXTRA ROBUST FOR HIGH DEMANDS, WATERPROF AND CORROSION RESISTANT, FULLY FUNCTIONAL UNDERWATER AND PROTECTED AGAINST JET WATER, SMART CONTROL THROUGH INTEGRATED BLUETOOTH TECHNOLOGY WITH COCKPIT APP FOR 10S AND ANDROID DEVICES AND THE USER CAN ALSO DEACTUATOR ES BUETOOTH, ADJUSTMENT SOFTWARE WITH DESCRIPTIVE VIDEO TUTORIALS AND SETTIME RECOMMENT OF SECTIMES DECOME. | SET | ITEMIZED | 20  |
| 1438 | 4224200123200 | PROSTHETIC CARBON FOOT SIZE 29 LEFT    | PROSTHETIC, CARBON FOOT, INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP WITH SPRING ELEMENTS FOR EXCELLENT HEEL SHOCK ABSORPTION, ROLLOVER, AND ENERGY EPFICIENT, CHARACTERISTICS FOR SAFE STANDING AND WALKING AND ADAPTS TO UNEVEN TERRAIN WITH DOUBLE SPRING ELEMENTS AND FLEXIBLE DUAL SPRINGS PROVIDE RELIEF WITH DAMPENING AT HEEL STRIKE AND FACILITATE AN EASY ROLLOVER, TRIANGULAR DESIGN PROMOTES BALANCES AND CONTROLLED MOVEMENTS WHEN WALKING ON UNEVEN TERRAIN, LIGHTWEIGHT CONSTRUCTION, SIZE 29, LEFT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | EA  | ITEMIZED | 50  |

6/21/2022 Page 110 of 160

| 1439 | 4224200123300 | PROSTHETIC CARBON FOOT SIZE 30 LEFT      | PROSTHETIC, CARBON FOOT, INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP WITH SPRING ELEMENTS FOR EXCELLENT HEEL SHOCK ABSORPTION, ROLLOVER, AND ENERGY EFFICIENT, CHARACTERISTICS FOR SAFE STANDING AND WASKING AND ADAPTS TO UNEVEN TERRAIN WITH DOUBLE SPRINGS ELEMENTS AND FLEXIBLE DUAL SPRINGS PROVIDE RELIEF WITH DAMPENING AT HEEL STRIKE AND FACILITATE AN EASY ROLLOVER, TRIANGULAR DESIGN PROMOTES BALANCES AND CONTROLLED MOVEMENTS WHEN WALKING ON UNEVEN TERRAIN, LIGHTWEIGHT CONSTRUCTION, SIZE 30 LEFT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | EA  | ITEMIZED | 50 |
|------|---------------|------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|----|
| 1440 | 4224200123400 | PROSTHETIC CARBON FOOT SIZE 24 RIGHT     | PROSTHETIC, CARBON FOOT, INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP WITH SPRING ELEMENTS FOR EXCELLENT HEEL SHOCK ABSORPTION, ROLLOVER, AND ENERGY EFFICIENT, CHARACTERISTICS FOR SAFE STANDING AND WALKING AND ADAPTS TO UNEVEN TERRAIN WITH DOUBLE SPRING ELEMENTS AND FLEXIBLE DUAL SPRINGS PROVIDE RELIEF WITH DAMPENING AT HEEL STRIKE AND FACILITATE AN EASY ROLLOVER, TRIANGULAR DESIGN PROMOTES BALANCES AND CONTROLLED MOVEMENTS WHEN WALKING ON UNEVEN TERRAIN, LIGHTWEIGHT CONSTRUCTION, SIZE 24 RIGHT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | EA  | ITEMIZED | 50 |
| 1441 | 4224200123500 | PROSTHETIC CARBON FOOT SIZE 25 RIGHT     | PROSTHETIC, CARBON FOOT, INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP WITH SPRING ELEMENTS FOR EXCELLENT HEEL SHOCK ABSORPTION, ROLLOVER, AND ENERGY EFFICIENT, CHARACTERISTICS FOR SAFE STANDING AND WALKING AND ADAPTS TO UNEVEN TERRAIN WITH DOUBLE SPRING ELEMENTS AND FLEXIBLE DUAL SPRINGS PROVIDE RELIEF WITH DAMPENING AT HEEL STRIKE AND FACILITATE AN EASY ROLLOVER, TRIANGULAR DESIGN PROMOTES BALANCES AND CONTROLLED MOVEMENTS WHEN WALKING ON UNEVEN TERRAIN, LIGHTWEIGHT CONSTRUCTION, SIZE 25 RIGHT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | EA  | ITEMIZED | 50 |
| 1442 | 4224200218400 | PROSTHETC M ART MYOELEC HAND W/EQD WRIST | PROSTHETIC, MULTI ARTICULATING MYOELECTRIC HAND WITH EQD (ELECTRIC QUICK DISCONNECT) WRIST, ROTATES 360°, THE EQD WRIST ALLOWS THE HAND TO BE REMOVED WITH A ROTATING ACTION, THE USER CAN QUICKLY ROTATE AND REMOVE OR ATTACH TERMINAL DEVICES AS REQUIRED, INDIVIDUAL FINGER MOVEMENT, 14 SELECTABLE GRIPS PATTERNS INCLUDING THE MOUSE AND SMART THUMB AND TRIGGER GRIPS, THE MICROPROCESSORS CONSTANTLY MONITOR THE POSITION OF THE DIGIST TO ENSURE THAT GRIP SEQUENCES ARE ACCURATE EVERYTIME, WITH NO LOSS OF CONTROL OR NEED TO RESET, WRIST ALLOWS THE USER TO QUICKLY REMOVE THE HAND BY ROTATING IT AND THEN ATTACH ANOTHER TERMINAL DEVICE, INDIVIDUAL DRIVES IN THE HIGHERS WITH PADDED FINGERTIES AND A WIDE THUMB, EASY TO CONNECT TO REBALANCE AND ADJUSTMENT SOFTWARE VIA BLUETOOTH, COMPATIBLE WITH ELBOW JOINT, SHOULD ALSO INCLUDE: WRIST, ELECTRODE CABLE, BATTERY, BATTERY CHARGER, AND ANY OTHER PARTS FOR INSTALLING THIS ITEM, HAND CARRY LOAD (STATIC) 40 KG APPROX. THREE YEARS WARRANTY INCLUDES SERVICE UNIT FOR USE DURING REPAIRS AND SERVICE INSPECTIONS, SIZE, SIDE AND COLOR WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL                                                                                                                                                                                                    | EA  | ITEMIZED | 5  |
| 1443 | 4224200218500 | PROSTHTC M-ART MYOELEC HAND W/EQD PT ASS | PROSTHETIC, MULTI ARTICULATING, MYOELECTRIC HAND WITH EQD (ELECTRIC QUICK DISCONNECT) WRIST, ROTATES 360°, THE EQD WRIST ALLOWS THE HAND TO BE REMOVED WITH A ROTATING ACTION. THE USER CAN QUICKLY ROTATE AND REMOVE OR ATTACH TERMINAL DEVICES AS REQUIRED, INDIVIDUAL FINGER MOVEMENT, 14 SELECTABLE GRIPS, PATTERNS INCLUDING THE MOUSE AND SMART THUMB AND TRIGGER GRIPS, THE MICROPROCESSORS CONSTANTLY MONITOR THE POSITION OF THE DIGISTS TO ENSURE THAT GRIP SEQUENCES ARE ACCURATE EVERY TIME, WITH NO LOSS OF CONTROL OR NEED TO RESET, WRIST ALLOWS THE USER TO QUICKLY REMOVE THE HAND BY ROTATING IT AND THEN ATTACH ANOTHER TERMINAL DEVICE, INDIVIDUAL DRIVES IN THE RIBERS, WITH PADDED FINGERTIES AND A WIDE THUMB, EASY TO CONNECT TO BE BALANCED AND ADJUSTMENT SOFTWARE VIA BLUETOOTH, COMPATIBLE WITH ELBOW JOINT, SHOULD ALSO INCLUDE: WRIST, ELECTRODE CABLE, BATTERY, BATTERY CHARGER, AND ANY OTHER PARTS FOR INSTALLING THIS THEM, HAND CARRY LOAD CHARGE OF A RESERVICE UNIT FOR USE DURING REPAIRS AND SERVICE INSPECTIONS, SIZE, SIDE AND COLOR WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL. INCLUDES PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, INCLUDES A LERGUIRED MATERIALS/COMPONENTS TO FABRICATE PROSTHESIS, DELIVERY, FITTING BY CERTIFIED ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP | кіт | ITEMIZED | 5  |

6/21/2022 Page 111 of 160

| 1444 | 4224200218200 | MYOELECTRIC HAND FLEXION WRIST           | PROSTHETIC, MULTI ARTICULATING, MYOELECTRIC HAND WITH FLEXION WRIST (THREE - STAGE JOINT) THE FLEXION WRIST IS A VERSATILE FLEXION DEVICE THAT ALLOWS THE WEARER TO EASILY LOCK OR UNLICK THE WRIST POSITION AND REPOSITION THE WRIST IN EITHER A FLEXION OR EXTENSION POSITION. OFFERS 30 "IN EITHER DIRECTION AND CAN BE LOCKED IN REACH OF THE THERE POSITIONS, INDIVIDUAL FINGER MOVEMENT, 14 SELECTABLE GRIPS PATTERNS INCLUDING THE MOUSE AND SMART THUMB AND TRIGGER GRIPS, THE MICROPROCESSORS CONSTANTLY MONITOR THE POSITION OF THE DIGITS TO ENSURE THAT GRIP SEQUENCES ARE ACCURATE EVERY TIME, WITH NO LOSS OF CONTROL OR NEED TO RESET, WRIST ALLOWS THE USER TO QUICKLY REMOVE THE HAND BY ROTATING IT AND THEN ATTACH ANOTHER TERMINAL DEVICE, INDIVIDUAL DRIVES IN THE FINGERS, WITH PADDED FINGERTIPS AND A WIDE THUMB, EASY TO CONNECT TO BE BALANCED AND ADJUSTMENT SOFTWARE VIA BLUETCOTH, COMPATIBLE WITH ELBOW JOINT, SHOULD ALSO INCLUDE: WRIST, ELECTRODE CABLE, BATTERY, BATTERY CHARGER, AND ANY OTHER PRANTS FOR INSTALLING THIS ITEM, HAND CARRY LOAD (STATIC) 40 KG, APPROXIMATELY THREE YEARS WARRANTY INCLUDES SERVICE UNIT FOR USE DURING REPAIRS AND SERVICE INSPECTIONS, SIZE, SIDE AND COLOR WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL                                                                                                                          | EA  | itemized | 5 |
|------|---------------|------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|---|
| 1445 | 4224200218300 | MYOELECTRIC HAND FLEXION WRIST PT ASSESS | PROSTHETIC, MULTI ARTICULATING, MYOELECTRIC HAND WITH FLEXION WRIST (THREE-STAGE JOINT) THE FLEXION WRIST IS A VERSATILE FLEXION DEVICE THAT ALLOWS THE WEARER TO EASILY LOCK OR UNLOCK THE WRIST POSITION AND REPOSITION THE WRISTS IN EITHER A FLEXION OR EXTENSION POSITION. OFFERS 30' IN EITHER DIRECTION AND CAN BE LOCKED IN EACH OF THE THREE POSITIONS, INDIVIDUAL FINGER MOVEMENT, 14 SELECTABLE GRIPS PATTERNS INCLUDING THE MOUSE AND SMART THUMB AND TRIGGER GRIPS, THE MICROPROCESSORS CONSTANTLY MONITOR THE POSITION OF THE DIGIST TO ENSURE THAT GRIP SEQUENCES ARE ACCURATE EVERY TIME, WITH NO LOSS OF CONTROL OR NEED TO RESET, WRIST ALLOWS THE USER TO QUICKLY REMOVE THE HAND BY ROTATING IT AND THEN ATTACH ANOTHER TERMINAL DEVICE, INDIVIDUAL DRIVES IN THE FINGERS, WITH PADDED FINGERTIES AND A WIDE THUMB, EASY TO CONNECT TO BE BALANCED AND ADJUSTMENT SOFTWARE VIA BLUETOOTH, COMPATIBLE WITH ELBOW JOINT, SHOULD ALSO INCLUDE: WRIST, ELECTRODE CABLE, BATTERY, BATTERY CHARGER, AND ANY OTHER PARTS FOR INSTALLING THIS TIEM, HAND CARRY LOAD (STATIC) 40 KG APPROX. THREE YEARS WARRANTY INCLUDES SERVICE UNIT FOR USE DURING REPAIRS AND SERVICE INSPECTIONS, SIZE, SIDE AND COLOR WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL. INCLUDES- PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, INCLUDES AL REQUIRED MATERIALS/COMPONENTS TO FABRICATE PROSTHESIS, | кіт | ITEMIZED | 5 |
| 1446 | 4224200218000 | PROSTHETIC MYOELECT HAND MULTIFLEX WRIST | PROSTHETIC, MULTI ARTICULATING, MYOELECTRIC HAND WITH MULTI - FLEX WRIST, THE MULTI - FLEX WRIST OFFERS PASSIVE WRIST MOVEMENT IN ALL DIRECTIONS AND THE ABILITY TO LOCK IN 30 ° FLEXION, 30 ° EXTENSION OR A NEUTRAL POSITION, LATERAL DEVIATION REMAINS AVAILABLE WHILE THE WRIST IS LOCKED IN THE PREFERRED FLEXION ANGLE, INDIVIDUAL FINGER MOVEMENT, 14 SELECTABLE GRIPS PATTERNS INCLUDING THE MOUSE AND SMART THUMB AND TRIGGER GRIPS, THE MICROPROCESSORS CONSTANTLY MONITOR THE POSITION OF THE DIGITS TO ENSURE THAT GRIP SEQUENCES ARE ACCURATE EVERY TIME, WITH NO LOSS OF CONTROL OR NEED TO RESET, WRIST ALLOWS THE USER TO QUICKLY REMOVE THE HAND BY ROTATING IT AND THEN ATTACH ANOTHER TERMINAL DEVICE, INDIVIDUAL DRIVES IN THE FINGERS, WITH PADEDD FINGERTIPS AND A WIDE THUMB, EASY TO CONNECT TO BE BALANCED AND ADJUSTMENT SOFTWARE VIA BLUETOOTH, COMPATIBLE WITH ELBOW JOINT, SHOULD ALSO INCLUDE: WRIST, ELECTRODE CABLE, BATTERY, BATTERY CHARGER, AND ANY OTHER PARTS FOR INSTALLING THIS ITEM, HAND CARRY LOAD (STATIC) AND SEPCLINGS, SIZE, SIDE, AND COLOR WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL                                                                                                                                                                                                                                                                | EA  | ITEMIZED | 5 |

6/21/2022 Page 112 of 160

| 1447 | 4224200218100 | PROSTHETIC HAND MULTIFLEX WRIST PT ASS   | PROSTHETIC, MULTI ARTICULATING, MYDELECTIKIC HAND WITH MULTI-FLEX WIST, THE MULTI-FLEX WIST OFFERS PASSIVE WRIST MOVEMENT IN ALL DIRECTIONS AND THE ABILITY TO LOCK IN 30° FLEXION, 30° EXTENSION OR A NEUTRAL POSITION, LATERAL DEVIATION REMAINS AVAILABLE WHILE THE WRIST IS LOCKED IN THE PREFERRED FLEXION ANGLE; INDIVIDUAL FINGER MOVEMENT, 14 SELECTABLE GRIPS PATTERNS INCLUDING THE MOUSE AND SMART THUMB AND TRIGGER GRIPS, THE MICROPROCESSORS CONSTANTLY MONITOR THE POSITION OF THE DIGITS TO ENSURE THAT GRIP SEQUENCES ARE ACCURATE EVERY TIME, WITH NO LOSS OF CONTROL OR NEED TO RESET, WRIST ALLOWS THE USER TO QUICKLY REMOVE THE HAND BY ROTATING IT AND THEN ATTACH ANOTHER TERMINAL DEVICE, INDIVIDUAL DRIVES IN THE FINGERS, WITH PADDED FINGERTIPS AND A WIDE THUMB, EASY TO CONNECT TO BE BALANCED AND ADJUSTMENT SOFTWARE VIA BLUETOOTH, COMPATIBLE WITH ELBOW JOINT, SHOULD ALSO INCLUDE: WISIT, ELECTRODE CABLE, BATTERY, BATTERY CHARGER, AND ANY OTHER PARTS FOR INSTALLING THIS ITEM, HAND CARRY LOAD (STATIC) 40 KG APPROX. THREE YEARS WARRANTY INCLUDES SERVICE UNIT FOR USE DURING REPAIRS AND SERVICE INSPECTIONS, SIZE, SIDE AND COLOR WILL BE SPECIFY WHEN ORDERED FOR EACH PATHENT INDIVIDUAL, INCLUDES - PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, INCLUDES ALL REQUIRED MATERIALS/COMPONENTS TO FABRICATE PROSTHESIS, DELIVERY, FITTING BY CERTIFIED ORTHOUST IN                 | кіт | ITEMIZED | 5   |
|------|---------------|------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|-----|
| 1448 | 4224200218600 | PROSTHETIC MYOELECTRIC HAND SHORT WRIST  | PROSTHETIC, MULTI ARTICULATING, MYOELECTRIC HAND WITH SHORT WRIST, ROTATES 360", THE SHORT WRIST CONSISTS OF A LOW-PROFILE CONNECTOR FOR APPLICATIONS WHERE THERE IS A LONG RESIDUAL LIMB. THE HAND CAN BE ROTATED A GAINST A CONSTANT FRICTION, WHICH CAN BE ROJUSTED BY THE USER, INDIVIDUAL FINGER MOVEMENT, 14 SELECTABLE GRIPS PATTERN SINCLUDING THE MOUSE AND SMART THUMB AND TRIGGER GRIPS, THE MICROPROCESSORS CONSTANTLY MONITOR THE POSITION OF THE DIGITS TO ENSURE THAT GRIP SEQUENCES ARE ACCURATE EVERY TIME, WITH NO LOSS OF CONTROL OR NEED TO RESET, WRIST ALLOWS THE USER TO QUICKLY REMOVE THE HAND BY ROTATING IT AND THEN ATTACH ANOTHER TERMINAL DEVICE, INDIVIDUAL DRIVES IN THE FINGERS, WITH PAODED FINGERITYS AND A WIDE THUMB, EASY TO CONNECT TO BE BALANCED AND ADJUSTMENT SOFTWARE VIA BULTETOTH, COMPATIBLE WITH ELBOW JOINT, SHOULD ALSO INCLUDE: WRIST, ELECTRODE CABLE, BATTERY, BATTERY CHARGER, AND ANY OTHER PARTS FOR INSTALLING THIS ITEM, HAND CARRY LOAD (STATIC) 40 KG APPROX. THREE YEARS WARRANTY INCLUDES SERVICE UNIT FOR USE DURING REPAIRS AND SERVICE INSPECTIONS, SIZE, SIDE AND COLOR WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL                                                                                                                                                                                                                                    | EA  | ITEMIZED | 5   |
| 1449 | 4224200218700 | PROSTHTC MYOELEC HAND SHORT WRIST PT ASS | PROSTHETIC, MULTI ARTICUCATING, MYDELECTRIC HAND WITH SHORT WRIST, ROATES 360", THE SHORT WRIST CONSISTS OF A LOW-PROFILE CONNECTOR FOR APPLICATIONS WHERE THERE IS A LONG RESIDUAL LIMB. THE HAND CAN BE ROTATED AGAINST A CORNSTANT FRICTION, WHICH CAN BE ADJUSTED BY THE USER, INDIVIDUAL FINGER MOVEMENT, 14 SELECTABLE GRIPS PATTERNS INCLUDING THE MOUSE AND SMART THUMB AND TRIGGER GRIPS, THE MICROPROCESSORS CONSTANTLY MONITOR THE POSITION OF THE DIGITS TO ENSURE THAT GRIP SEQUENCES ARE ACCURATE EVERY TIME, WITH NO LOSS OF CONTROL OR NEED TO RESET, WRIST ALLOWS THE USER TO QUICKLY REMOVE THE HAND BY ROTATING IT AND THEN ATTACH ANOTHER TERMINAL DEVICE, INDIVIDUAL DRIVES IN THE FINGERS, WITH PADDED FINGERTIPS AND A WIDE THUMB, EASY TO CONNECT TO BE BALANCED AND ADJUSTMENT SOFTWARE VIA BLUETOOTH, COMPATIBLE WITH ELBOW JOINT, SHOULD ALSO INCLUDE: WRIST, ELECTRODE CABLE, BATTERY, BATTERY CHARGER, AND ANY OTHER PARTS FOR INSTALLING THIS TERM, HAND CARRY LOAD (STATIC) AO KG APPROX. THREE YEARS WARRANTY INCLUDES SERVICE UNIT FOR USE DURING REPAIRS AND SERVICE INSPECTIONS, SIZE, SIDE AND COLOR WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL. INCLUDES - PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, INCLUDES ALL REQUIRED MATERIALS/COMPONENTS TO FABRICATE PROSTHESIS, DELIVERY, FITTING BY CERTIFIED ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW | кіт | ITEMIZED | 5   |
| 1450 | 4221150900100 | PROTECTIVE HELMET SPLINT CHILDREN M 56CM | PROTECTIVE HELMET SPLINT FOR CHILDREN SIZE MEDIUM BROW CIRCUMFERENCE: 56 CM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | EA  | ITEMIZED | 560 |
| 1451 | 4221150900200 | PROTECTIVE HELMET SPLINT CHILDREN S 47CM | PROTECTIVE HELMET SPLINT FOR CHILDREN SIZE SMALL BROW CIRCUMFERENCE: 47 CM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | EA  | ITEMIZED | 560 |
| 1452 | 4221150900000 | PROTECTIVE HELMET SPLINT CHILDREN L 60CM | PROTECTIVE HELMET SPLINT FOR CHILDREN SIZE: LARGE<br>BROW CIRCUMFERENCE: 60 CM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | EA  | ITEMIZED | 460 |
| 1453 | 4224200008100 | PROXIMAL VACUUM SOCKET SEALING SYS 320MM | PROXIMAL VACUUM SOCKET SEALING SYSTEM, PROSEAL OR<br>EQUIVALENT, FOR USE IN TRANSFEMORAL FITTINGS WHICH<br>DISTINGUISHES ITSELF THROUGH SIMPLICITY AND EXCELLENT<br>WEARER COMFORT, SIZE 320 MM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | EA  | ITEMIZED | 100 |
| 1454 | 4224200008200 | PROXIMAL VACUUM SOCKET SEALING SYS 340MM | PROXIMAL VACUUM SOCKET SEALING SYSTEM, PROSEAL OR EQUIVALENT, FOR USE IN TRANSFEMORAL FITTINGS WHICH DISTINGUISHES ITSELF THROUGH SIMPLICITY AND EXCELLENT WEARER COMFORT, 31E 340 MM PROXIMAL VACUUM SOCKET SEALING SYSTEM, PROSEAL OR                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | EA  | ITEMIZED | 100 |
| 1455 | 4224200008300 | PROXIMAL VACUUM SOCKET SEALING SYS 360MM | PROXIMAL VACUIUM SOCKET SEARING STSTEM, PROSEAL OR EQUIVALENT, FOR USE IN TRANSFEMORAL FITTINGS WHICH DISTINGUISHES ITSELF THROUGH SIMPLICITY AND EXCELLENT WEARER COMFORT, SIZE 360 MM  PROXIMAL VACUIUM SOCKET SEALING SYSTEM, PROSEAL OR                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | EA  | ITEMIZED | 100 |
| 1456 | 4224200008400 | PROXIMAL VACUUM SOCKET SEALING SYS 380MM | EQUIVALENT, FOR USE IN TRANSFEMORAL FITTINGS WHICH<br>DISTINGUISHES ITSELF THROUGH SIMPLICITY AND EXCELLENT<br>WEARER COMFORT, SIZE 380 MM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | EA  | ITEMIZED | 100 |

6/21/2022 Page 113 of 160

|      |               |                                          | PROXIMAL VACUUM SOCKET SEALING SYSTEM, PROSEAL OR                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |     |          |     |
|------|---------------|------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|-----|
| 1457 | 4224200008500 | PROXIMAL VACUUM SOCKET SEALING SYS 400MM | EQUIVALENT, FOR USE IN TRANSFEMORAL FITTINGS WHICH<br>DISTINGUISHES ITSELF THROUGH SIMPLICITY AND EXCELLENT<br>WEARER COMFORT, SIZE 400 MM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | EA  | ITEMIZED | 100 |
| 1458 | 4224171319600 | MECHANICAL VACUUM PUMP ALUMINUM/TI 595G  | PUMP MECHANICAL VACUUM (ALUMINUM/TITANIUM) ACHIEVE THE NECESSARY VACUUM AFTER JUST A FEW STEPS SHORTER AND LIGHTER VACUUM PUMP INTEGRATED INTO THE SOCKET AND THE STRUCTURAL HEIGHT AS WELL AS THE OVERALL WEIGHT ARE DECREASED BUILT - IN SHOCK ABSORPTION AND A TORSION FEATURE REDUCES PISTONING BETWEEN THE LIMB AND SOCKET THIS SUPPORTS ACTIVE PROSTHESIS USERS IN PARTICULAR HEIPS IMPROVE BALANCE REDUCE RISK OF FALLS AND IMPROVE WALKING REDUCED VOLUME FLUCTUATIONS THE ACTIVE VACUUM INCREASES THE STABILITY OF THE RESIDUAL LIMB VOLUME IN MANY CASES ENHANCED SAFETY THE VACUUM IS RETAINED EVEN AT HIGH ACTIVITY LEVELS AND THE PROSTHESIS HIST SIRMLY TO THE RESIDUAL LIMB IMPROVED CONTROL THE USER CAN MOVE AND POSITION THE PROSTHETIC FOOT MORE CONFIDENTLY THANKS TO REDUCED PROSTHESIS MOTION INCREASED PROPRIOCEPTION THE USER HAS A BETTER PERCEPTION OF THE GROUND CONDITIONS REDUCED PRESSURE AND ABRASION POINTS SKIN CONDITION OFTEN IMPROVES DUE TO DECREASED MOVEMENT BETWEEN THE SOCKET AND THE RESIDUAL LIMB MAXIMUM BODY WEIGHT FROM 50 - 150 KG. MAXIMUM WEIGHT OF THE PART 595 GRAMS APPROXIMATELY | EA  | ITEMIZED | 10  |
| 1459 | 4224171319500 | MECHANICAL VACUUM PUMP ALUMINUM 470G     | PUMP, MECHANICAL VACUUM (ALUMINUM), ACHIEVE THE NECESSARY VACUUM AFTER JUST A FEW STEPS SHORTER AND LIGHTER VACUUM PUMP INTEGRATED INTO THE SCOKET AND THE STRUCTURAL HEIGHT AS WELL AS THE OVERALL WEIGHT ARE DECREASED, BUILT - IN SHOCK ABSORPTION AND A TORSION FEATURE REDUCES PISTONING BETWEEN THE LIMB AND SOCKET, THIS SUPPORTS ACTIVE PROSTHESIS USERS IN PARTICULAR HELPS IMPROVE BALANCE REDUCE RISK OF FALLS AND IMPROVE WALKING, REDUCED VOLUME FLUCTUATIONS, THE ACTIVE VACUUM INCREASES THE STABILITY OF THE RESIDUAL LIMB, VOLUME IN MANY CASES, ENHANCED SAFETY THE VACUUM IS RETAINED EVEN AT HIGH ACTIVITY LEVELS AND THE PROSTHESIS, FITS FIRMLY TO THE RESIDUAL LIMB IMPROVED CONTROL THE USER CAN MOVE AND POSITION THE PROSTHETIS MOTION INCREASED PROPRIOCEPTION, THE USER THAS A BETTER PERCEPTION OF THE GROUND CONDITION SEPTIER PERCEPTION OF THE GROUND CONDITION, OF THE IMPROVES DUE TO DECREASED MOVEMENT BETWEEN THE SOCKET AND THE RESIDUAL LIMB, MAXIMUM BODY WEIGHT FROM SO - 100 KG, MAXIMUM WEIGHT FOR THE PART 470 GRAMS APPROXIMATELY                                                        | EA  | iTEMIZED | 10  |
| 1460 | 4224200023100 | FEMALE PYLON KIT 1 LONG AL 250MM 100KG   | PYLON FEMALE KIT 1, LONG ALUMINUM TUB, CLAMP, STAINLESS STEEL TUBE, LENGTH 250 MM, WEIGHT LIMIT 100 KG                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | EA  | ITEMIZED | 50  |
| 1461 | 4224200022700 | FEMALE PYLON KIT 1 400MM 150-170KG       | PYLON FEMALE KIT 1, LONG TITANIUM TUBE CLAMP, CARBON<br>TUBE, AND SOCKET ADAPTOR, LENGTH UP TO 400 MM,<br>WEIGHT LIMIT 150-170 KG                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | EA  | ITEMIZED | 50  |
| 1462 | 4224200023000 | FEMALE PYLON KIT 1 SHORT AL 250MM 100KG  | PYLON FEMALE KIT 1, SHORT ALUMINUM TUBE CLAMP, STAINLESS STEEL TUBE, LENGTH 250 MM, WEIGHT LIMIT 100                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | EA  | ITEMIZED | 50  |
| 1463 | 4224200016500 | QUICK ADHESIVE DISPENSER                 | KG<br>QUICK ADHESIVE DISPENSER                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | EA  | ITEMIZED | 10  |
| 1464 | 4224200032800 | RATCHET WRENCHES KIT                     | RATCHET WRENCHES KIT, STEEL, AN ORTHOTICS WORKSHOP<br>TOOL, SHORT DESIGN, RING HEAD ANGLED AT 15°, 17 PARTS,<br>IN TRANSPARENT BAG, FROM 6 TO 22 IN 1 MM INCREMENTS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | КІТ | ITEMIZED | 5   |
| 1465 | 4224170617700 | REHAB KNEE ANKLE FOOT ORTHOSIS PT ASS    | REHAB KNEE, MODULAR, FULLY ADJUSTABLE KNEE-ANKLE-<br>FOOT-ORTHOSIS. PROVIDES KNEE STABILITY AND CONTROL,<br>HANDHELD SWITCH FOR UNLOCKING KNEE JOINTINCLUDES -<br>PATIENT ASSESSMENT AT CUSTOMERS PREMISES,<br>MEASURING, INCLUDES ALL REQUIRED<br>MATERIALS/COMPONENTS TO FABRICATE PROSTHESIS<br>DELIVERY FITTING BY CERTIFIED ORTHOTIST IN MULTIPLE<br>CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | KIT | ITEMIZED | 100 |
| 1466 | 4224200402000 | RESIDUAL LIMB SOCK DERMA SEAL DOUBLE SZ1 | RESIDUAL LIMB SOCK WITH SILICONE FOR ADDITIONAL PROTECTION OF BONY AREAS AND 2 LAYERS OF COOLMAX FABRIC, DERMA SEAL DOUBLE FORTE, SIZE 1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | EA  | ITEMIZED | 100 |
| 1467 | 4224200402100 | RESIDUAL LIMB SOCK DERMA SEAL DOUBL SZ10 | RESIDUAL LIMB SOCK WITH SILICONE FOR ADDITIONAL PROTECTION OF BONY AREAS AND 2 LAYERS OF COOLMAX FABRIC, DERMA SEAL DOUBLE FORTE, SIZE 10                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | EA  | ITEMIZED | 100 |
| 1468 | 4224200402200 | RESIDUAL LIMB SOCK DERMA SEAL DOUBLE SZ2 | RESIDUAL LIMB SOCK WITH SILICONE FOR ADDITIONAL<br>PROTECTION OF BONY AREAS AND 2 LAYERS OF COOLMAX<br>FABRIC, DERMA SEAL DOUBLE FORTE, SIZE 2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | EA  | ITEMIZED | 100 |
| 1469 | 4224200402300 | RESIDUAL LIMB SOCK DERMA SEAL DOUBL SZ20 | RESIDUAL LIMB SOCK WITH SILICONE FOR ADDITIONAL<br>PROTECTION OF BONY AREAS AND 2 LAYERS OF COOLMAX<br>FABRIC, DERMA SEAL DOUBLE FORTE, SIZE 20                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | EA  | ITEMIZED | 100 |
| 1470 | 4224200402400 | RESIDUAL LIMB SOCK DERMA SEAL DOUBLE SZ3 | RESIDUAL LIMB SOCK WITH SILICONE FOR ADDITIONAL<br>PROTECTION OF BONY AREAS AND 2 LAYERS OF COOLMAX<br>FABRIC, DERMA SEAL DOUBLE FORTE, SIZE 3                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | EA  | ITEMIZED | 100 |
| 1471 | 4224200402500 | RESIDUAL LIMB SOCK DERMA SEAL FORTE SZ 1 | RESIDUAL LIMB SOCK WITH SILICONE FOR ADDITIONAL PROTECTION OF BONY AREAS, DERMA SEAL FORTE, SIZE 1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | EA  | ITEMIZED | 100 |
| 1472 | 4224200402600 | RESIDUAL LIMB SOCK DERMA SEAL FORTE SZ 2 | RESIDUAL LIMB SOCK WITH SILICONE FOR ADDITIONAL PROTECTION OF BONY AREAS, DERMA SEAL FORTE, SIZE 2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | EA  | ITEMIZED | 100 |
| 1473 | 4224200402700 | RESIDUAL LIMB SOCK DERMA SEAL FORTE SZ 3 | RESIDUAL LIMB SOCK WITH SILICONE FOR ADDITIONAL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | EA  | ITEMIZED | 100 |
| 1474 | 4224200402800 | RESIDUAL LIMB SOCK DERMA SEAL FORTE SZ 4 | PROTECTION OF BONY AREAS, DERMA SEAL FORTE, SIZE 3  RESIDUAL LIMB SOCK WITH SILICONE FOR ADDITIONAL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | EA  | ITEMIZED | 100 |
| 1475 | 4224200402900 | RESIDUAL LIMB SOCK DERMA SEAL FORTE SZ 5 | PROTECTION OF BONY AREAS, DERMA SEAL FORTE, SIZE 4  RESIDUAL LIMB SOCK WITH SILICONE FOR ADDITIONAL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | EA  | ITEMIZED | 100 |
| 1476 | 4224200403000 | RESIDUAL LIMB SOCK WITH SILICONE SIZE 6  | PROTECTION OF BONY AREAS, DERMA SEAL FORTE, SIZE 5  RESIDUAL LIMB SOCK, WITH SILICONE FOR ADDITIONAL  REOTECTION OF BONY AREAS, DERMA SEAL FORTE, SIZE 6                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | EA  | ITEMIZED | 100 |
| 1477 | 4224200403100 | RESIDUAL LIMB SOCK WITH SILICONE SIZE 7  | PROTECTION OF BONY AREAS, DERMA SEAL FORTE, SIZE 6  RESIDUAL LIMB SOCK, WITH SILICONE FOR ADDITIONAL  PROTECTION OF BONY AREAS, DERMA SEAL FORTE, SIZE 7                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | EA  | ITEMIZED | 100 |
|      |               |                                          | TROTECTION OF BOINT AREAS, DERIVIA SEAL FORTE, SIZE /                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |     |          |     |

6/21/2022 Page 114 of 160

| 1478         | 4224200005300                  | RIGID FOAM 865 GRAMS APPROXIMATELY                                          | RIGID FOAM FOR AVERAGE WEIGHT BEARING VOLUME<br>INCREASE 6.5 TIMES, 865 GRAMS APPROXIMATELY.<br>HARDNESS WILL BE ON DEMAND                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | EA       | ITEMIZED             | 66          |
|--------------|--------------------------------|-----------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----------------------|-------------|
| 1479         | 4224152004400                  | RIVET HEADER 3MM CHROME VANADIUM L100MM                                     | RIVET, HEADER, 3 MM, CHROME VANADIUM STEEL,<br>OCTAGONAL SHAFT, LENGTH 100 MM, APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | EA       | ITEMIZED             | 505         |
| 1480         | 4224152004500                  | RIVET HEADER 4MM CHROME VANADIUM L100MM                                     | RIVET, HEADER, 4 MM, CHROME VANADIUM STEEL,<br>OCTAGONAL SHAFT, LENGTH 100 MM, APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | EA       | ITEMIZED             | 50          |
| 1481         | 4224200032100                  | RIVETING HAMMER                                                             | RIVETING HAMMER, AN ORTHOTICS WORKSHOP TOOL, DOUBLE CHANNEL, CHASING HAMMER WITH SHAFT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | EA       | ITEMIZED             | 10          |
| 1482<br>1483 | 4214360501600<br>4224200005400 | ROLL LOOP INSIDE WIDTH 35 MM ROLL LOOP INSIDE WIDTH 50MM                    | ROLL LOOP, INSIDE WIDTH 35 MM ROLL LOOP, INSIDE WIDTH 50 MM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | EA<br>EA | ITEMIZED<br>ITEMIZED | 200<br>2000 |
|              |                                |                                                                             | ROTARY HOLE LEATHER PUNCHER, AN ORTHOTICS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |          |                      |             |
| 1484         | 4224200036600                  | ROTARY HOLE LEATHER PUNCHER                                                 | WORKSHOP TOOL, PUNCHED, WITH SIX PUNCHING TUBES DIAMETERS: 2 / 2.5 / 3 / 3.5 / 4 AND 5 MM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | KIT      | ITEMIZED             | 10          |
| 1485         | 4224200007400                  | ROTATABLE SOCKET ADAPTER S STEEL 39MM                                       | ROTATABLE SOCKET ADAPTER STAINLESS STEEL AND LAMINATION ANCHOR FOR LAMINATION DIRECTLY ONTO THE DISTAL END OF ABOVE KNEE SOCKET SYSTEM HEIGHT: 39 MM APPROXIMATELY FOR BODY WEIGHT UP TO 120 KG                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | EA       | ITEMIZED             | 50          |
| 1486         | 4224200011100                  | ADAPTER ROTATABLE SOCKET S STEEL                                            | ROTATABLE, SOCKET, ADAPTER, APPLICATION, AS FOR SOCKET ADAPTER, WITH ADJUSTMENT SET SCREW S, STAINLESS STEEL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | EA       | ITEMIZED             | 100         |
| 1487         | 4224200008600                  | ROTATION ADAPTER FOR MOD PROSTHESIS 22MM                                    | ROTATION ADAPTER FOR MODULAR PROSTHESIS WITH PYRAMID STAINLESS STEEL THE LOWER LEG MAY BE ROTATED MEDIALLY OR LATERALLY RELATIVE TO THE SOCKET WITH THE KNEE FLEXED THROUGH THE ROTATION ADAPTER SYSTEM HEIGHT: 22 MM WEIGHT: 170 GRAMS ROTATION: MAXIMUM 360 DEGREE FOR BODY WEIGHT UP TO 150 KG                                                                                                                                                                                                                                                                                                                                                                                      | EA       | ITEMIZED             | 100         |
| 1488         | 4224200008700                  | ROTATION ADAPTER FOR MOD PROSTHESIS 42MM                                    | ROTATION ADAPTER FOR MODULAR PROSTHESIS WITH THREAD STAINLESS STEEL THE LOWER LEG MAY BE ROTATED MEDIALLY OR LATERALLY RELATIVE TO THE SOCKET WITH THE KNEE FLEXED THROUGH THE ROTATION ADAPTER SYSTEM HEIGHT: 42 MM WEIGHT: 185 GRAMS ROTATION: MAXIMUM 360 DEGREE FOR BODY WEIGHT UP TO 150 KG                                                                                                                                                                                                                                                                                                                                                                                       | EA       | ITEMIZED             | 100         |
| 1489         | 4224200035500                  | ROUND SURFORM FILE                                                          | ROUND SURFORM FILE, AN ORTHOTICS WORKSHOP TOOL,<br>FOR SHAPING OF CASTING AND MODIFICATION PURPOSE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | EA       | ITEMIZED             | 30          |
| 1490         | 4224200031400                  | ROUND-NOSED PLIERS                                                          | ROUND-NOSED PLIERS, AN ORTHOTICS WORKSHOP TOOL,<br>SIDE PIECE WITH PVC COATING, LENGTH 140-160 MM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | EA       | ITEMIZED             | 10          |
| 1491         | 4224200032500                  | RUBBER HEAD HAMMER                                                          | RUBBER HEAD HAMMER, AN ORTHOTICS WORKSHOP TOOL,                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | EA       | ITEMIZED             | 10          |
| 1492         | 4224180203300                  | SACRO SUPPORT SEMI-RIGID 1PC MED 32-36IN                                    | RUBBER MALLET WITH SHAFT SACRO SUPPORT, SEMI-RIGID ONE PIECE, LUMBAR BACK,                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | EA       | ITEMIZED             | 50          |
| 1493         | 4224160002200                  | SAND PAPER WET DRY 230X280MM GRIT 240                                       | MEDIUM, 32-36 INCHES<br>SAND PAPER, WET - DRY, 230 X 280 MM, GRIT 240                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | EA       | ITEMIZED             | 505         |
| 1494         | 4224160001300                  | SANDING SLEEVES 73MMX200MM GRIT 40                                          | SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200<br>MM, GRIT 40                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | EA       | ITEMIZED             | 10          |
| 1495         | 4224160001400                  | SANDING SLEEVES 73MMX200MM GRIT 60                                          | SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | EA       | ITEMIZED             | 10          |
| 1496         | 4224160001500                  | SANDING SLEEVES 73MMX200MM GRIT 80                                          | MM, GRIT 60 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | EA       | ITEMIZED             | 10          |
| 1497         | 4224160201000                  | SAW BLADE FOR ELECTRIC CAST CUTTER 50MM                                     | MM, GRIT 80 SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 50 MM,                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | EA       | ITEMIZED             | 10          |
|              |                                |                                                                             | APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 65 MM,                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |          |                      |             |
| 1498         | 4224160201100                  | SAW BLADE FOR ELECTRIC CAST CUTTER 65MM                                     | APPROXIMATELY SCHMID PERIMETER GAGE (INSIDE CIRCUMFERENCE GAUGE),                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | EA       | ITEMIZED             | 10          |
| 1499         | 4224200036100                  | SCHMID PERIMETER GAGE                                                       | AN ORTHOTICS WORKSHOP TOOL, USED FOR MEASURING THE DISTANCE AROUND THE INSIDE OF A SOCKET AT ANY SELECTED DEPTH BELOW THE LOWEST PORTION OF THE TOP OF THE SOCKET                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | EA       | ITEMIZED             | 10          |
| 1500<br>1501 | 4412161800200<br>4412161800300 | LISTER BANDAGE SCISSOR 7.5 INCHES LONG PLASTER CAST CUTTING SCISSORS L210MM | SCISSOR, LISTER BANDAGE, 7.5 INCHES LONG SCISSORS, PLASTER, CAST CUTTING, LENGTH 210 MM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | EA<br>EA | ITEMIZED<br>ITEMIZED | 50<br>50    |
| 1502         | 4412161800400                  | PLASTER CAST CUTTING SCISSORS L220MM                                        | SCISSORS, PLASTER, CAST CUTTING, LENGTH 220 MM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | EA       | ITEMIZED             | 5           |
| 1503         | 4224200033900                  | SCRATCH AWL                                                                 | SCRATCH AWL, AN ORTHOTICS WORKSHOP TOOL, STEEL, WITH ROUND BLADE AND PLASTIC HANDLE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | EA       | ITEMIZED             | 5           |
| 1504         | 4224200005200                  | SEALING RESIN FOR SEALING/BONDING 900GM                                     | SEALING RESIN, FOR SEALING AND BONDING, NET CONTENTS<br>900 GRAMS, APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | EA       | ITEMIZED             | 229         |
| 1505         | 4224170641700                  | SECOND CLAW TOE PROTECTOR AND SEPARATOR                                     | SECOND CLAW TOE PROTECTOR AND SEPARATOR, SILICONE, DORSAL ELEVATION WITH POSITIONING ON PROXIMAL PHALANX TO FREE THE PROXIMAL INTERPHALANGEAL JOINT FROM PRESSURE AND RUBBING, HAS TO BE PLACED BETWEEN THE FIRST AND SECOND TOE, IT FITS TO BODY TEMPERATURE, WASHABLE, RELEASE OF PRESSURE AND RUBBING ON UPPER CALLUSTIES OF THE SECOND CLAW TOE, ALIGN THE FIRST TOE AND METATARSUS IN THE HALLUX VALGUS, IT FACILITATES THE ALIGNMENT OF THE PROXIMAL PHALANX AND ITS METATARSUS DUE TO THE PROSTIME OF THE FOOTWARD ON THE FIRST TOE AND METATARSUS FOR THE SECOND METATARSOPHALANGEAL JOINT, UPPER CALLOSITIES ON SECOND TOE IN CLAW, SEPARATION OF FIRST TOE IN HALLUX VALGUS. | EA       | ITEMIZED             | 800         |
| 1506         | 4410171600100                  | REVOLVING PUNCH SET STAMPED 6 HOLES 2MM                                     | SET, REVOLVING PUNCH, STAMPED, 6 HOLES, 2 MM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | EA       | ITEMIZED             | 50          |
| 1507         | 4224171320700                  | ARM DONNING SHEATH KIDS                                                     | SHEATH, ARM DONNING, EASY PROTH OR EQUIVALENT, KIDS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | EA EA    | ITEMIZED             | 50          |
| 1508<br>1509 | 4224171320900<br>4224171320800 | ARM DONNING SHEATH TH ARM DONNING SHEATH TR                                 | SHEATH, ARM DONNING, EASY PROTH OR EQUIVALENT, TH<br>SHEATH, ARM DONNING, EASY PROTH OR EQUIVALENT, TR                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | EA<br>EA | ITEMIZED<br>ITEMIZED | 50<br>50    |
| 1510         | 4224171320100                  | DONNING SHEATH EXTRA SMALL                                                  | SHEATH, DONNING, EASY FIT OR EQUIVALENT, EXTRA SMALL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | EA       | ITEMIZED             | 50          |
| 1511         | 4224150001100                  | DUR ALUMINUM SHEET 1000X500MM 3MM                                           | SHEET, DUR, ALUMINUM, 1000 X 500 MM, 3 MM THICKNESS,<br>APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | EA       | ITEMIZED             | 100         |
| 1512         | 4224171202300                  | FOAM RUBBER SHEET 100X50X1CM                                                | SHEET, FOAM, RUBBER, 100 X 50 X 1 CM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | EA       | ITEMIZED             | 50          |
| 1513         | 4224170610700                  | SHEET THERMOPLASTIC PLASTAZOTE 46X71X2CM                                    | SHEET, PLASTAZOTE OR EQUIVALENT, BLACK, RIGID DENSITY,<br>NON - PERFORATED, SIZE: 46 X 71 X 2 CM, APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | EA       | ITEMIZED             | 75          |
| 1514         | 4224150201900                  | TECHNOGEL SHEET 50X50CM 0.3CM                                               | SHEET, TECHNOGEL, FOR PADDING FOS, ANKLE - FOOT - ORTHOSIS, AND KNEE - ANKLE - FOOT - ORTHOSIS, HIGH SHOCK ABSORPTION, WASHABLE, LENGTH 50 CM, WIDTH 50 CM, THICKNESS 0.3 CM, SKIN COLOR                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | EA       | ITEMIZED             | 100         |
| 1515         | 4224151014900                  | SHEETS CAUCASIAN SZ 1000X1000X8MM                                           | SHEETS, PEDILIN OR EQUIVALENT, CAUCASIAN COLOR, 1000 X<br>1000 X 8 MM THICKNESS, APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | EA       | ITEMIZED             | 50          |
| 1516         | 4224151007800                  | SHEET CAUCASIAN 1000X1000 2MM                                               | SHEETS, PEDILIN OR EQUIVALENT, CAUCASIAN COLOR, 1000 X<br>1000, 2 MM THICKNESS, APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | EA       | ITEMIZED             | 100         |
|              |                                |                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |          |                      |             |

6/21/2022 Page 115 of 160

| 1517 | 4224151007900 | SHEET CAUCASIAN 1000X1000 3MM           | SHEETS, PEDILIN OR EQUIVALENT, CAUCASIAN COLOR, 1000 X<br>1000, 3 MM THICKNESS, APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | EA  | ITEMIZED | 100 |
|------|---------------|-----------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|-----|
| 1518 | 4224151008000 | SHEET CAUCASIAN 1000X1000 4MM           | SHEETS, PEDILIN OR EQUIVALENT, CAUCASIAN COLOR, 1000 X<br>1000, 4 MM THICKNESS, APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | EA  | ITEMIZED | 100 |
| 1519 | 4224151008200 | SHEET CAUCASIAN 1000X1000 6MM           | SHEETS, PEDILIN OR EQUIVALENT, CAUCASIAN COLOR, 1000 X<br>1000, 6 MM THICKNESS, APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | EA  | ITEMIZED | 100 |
| 1520 | 4224151002100 | SHEETS BLACK NONPERFORATED SZ 46X71X1CM | SHEETS, PLASTAZOTE OR EQUIVALENT, BLACK, RIGID DENSITY, NON - PERFORATED, SIZE: 46 X 71 X 1 CM, APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | EA  | ITEMIZED | 106 |
| 1521 | 4224151001900 | SHEET THERMOPLASTIC 1000X750X3MM        | SHEETS, PLASTAZOTE OR EQUIVALENT, CAUCASIAN COLOR,<br>SIZE 1000 X 750 X 3 MM THICKNESS, APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | EA  | ITEMIZED | 227 |
| 1522 | 4224151008600 | SHEETS WHITE SZ 150X100X3MM             | SHEETS, PLASTAZOTE OR EQUIVALENT, WHITE, SIZE: 150 MM<br>X 100 MM X 3 MM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | EA  | ITEMIZED | 50  |
| 1523 | 4224151007700 | POLYETHYLENE SHEETS 2000X1000MM WHITE   | SHEETS, POLYETHYLENE, SIZE 2000 MM X 1000 MM, THICKNESS 2 MM, WHITE, APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | EA  | ITEMIZED | 100 |
| 1524 | 4224151007100 | THERMOFORMING SHEETS 2MM GOLDEN         | SHEETS, THERMOFORMING, STREIFLEX COLOR, ELASTIC,<br>THICKNESS 2 MM, GOLDEN, SIZE 1.115 X 900 MM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | EA  | ITEMIZED | 100 |
| 1525 | 4224151007200 | THERMOFORMING SHEETS 2MM TRANSPARENT    | SHEETS, THERMOFORMING, STREIFLEX COLOR, ELASTIC,<br>THICKNESS 2 MM, TRANSPARENT, SIZE 1.115 X 900 MM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | EA  | ITEMIZED | 100 |
| 1526 | 4224151007500 | THERMOFORMING SHEETS 4MM LIGHT BLUE     | SHEETS, THERMOFORMING, STREIFLEX COLOR, ELASTIC,<br>THICKNESS 4 MM, LIGHT BLUE, SIZE 1.115 X 900 MM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | EA  | ITEMIZED | 100 |
| 1527 | 4224151007400 | THERMOFORMING SHEETS 4MM NEON GREEN     | SHEETS, THERMOFORMING, STREIFLEX COLOR, ELASTIC, THICKNESS 4 MM, NEON GREEN, SIZE 1.115 X 900 MM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | EA  | ITEMIZED | 100 |
| 1528 | 4224151007300 | THERMOFORMING SHEETS 4MM SILVER         | SHEETS, THERMOFORMING, STREIFLEX COLOR, ELASTIC,                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | EA  | ITEMIZED | 100 |
| 1529 | 4224200010600 | SHOCK ABSORBER WITH TUBE CLAMP ADAPTER  | THICKNESS 4 MM, SIILVER, SIZE 1.115 X 900 MM SHOCK ABSORBER, WITH TUBE CLAMP ADAPTER                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | EA  | ITEMIZED | 100 |
| 1530 | 4224170620200 | DIABETIC SHOE ELASTIC BLACK SIZE 34     | SHOE, DIABETIC, ELASTIC, WITH THERMOCOMFORT, WITH FLEXIBLE LINING TO REDUCE PRESSURE, BLACK, VELCRO OR EQUIVALENT, SIZE 34; ONLY COW/CALF LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED, POPICETURE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURF. FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT ACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS    | РАА | ITEMIZED | 200 |
| 1531 | 4224170620300 | DIABETIC SHOE ELASTIC BLACK SIZE 35     | SHOE, DIABETIC, ELASTIC, WITH THERMOCOMFORT, WITH FLEXIBLE LINING TO REDUCE PRESSURE, BLACK, VELCRO OR EQUIVALENT, SIZE 35; ONLY COW/CALF LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL, IS USED, POPICETUR INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURFFREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT ACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS      | РАА | ITEMIZED | 200 |
| 1532 | 4224170620400 | DIABETIC SHOE ELASTIC BLACK SIZE 36     | SHOE, DIABETIC, ELASTIC, WITH THERMOCOMFORT, WITH FLEXIBLE LINING TO REDUCE PRESSURE, BLACK, VELCRO OR EQUIVALENT, SIZE 36; ONLY COW/CALF LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED. ; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTREUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE, FREE IT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA BOOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS | PAA | ITEMIZED | 200 |
| 1533 | 4224170620500 | DIABETIC SHOE ELASTIC BLACK SIZE 37     | SHOE, DIABETIC, ELASTIC, WITH THERMOCOMFORT, WITH FLEXIBLE LINING TO REDUCE PRESSURE, BLACK, VELCKO OR EQUIVALENT, SIZE 37; ONLY COW/CALF LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE RIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT ACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS    | РАА | ITEMIZED | 200 |

6/21/2022 Page 116 of 160

| 1534 | 4224170620600 | DIABETIC SHOE ELASTIC BLACK SIZE 38 | SHOE, DIABETIC, ELASTIC, WITH THERMOCOMFORT, WITH FLEXIBLE LINING TO REDUCE PRESSURE, BLACK, VELCOR OR EQUIVALENT, SIZE 38; ONLY COW/CALF LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED. ; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSUREFIELD FOOT; STRAD BOTH THAT PROVIDES EXTRA DOMN FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LICHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS                                             | РАА | ITEMIZED | 200 |
|------|---------------|-------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|-----|
| 1535 | 4224170620700 | DIABETIC SHOE ELASTIC BLACK SIZE 39 | SHOE, DIABETIC, ELASTIC, WITH THERMOCOMFORT, WITH FLEXIBLE LINING TO REDUCE PRESSURE, BLACK, VELCRO OR EQUIVALENT, SIZE 39; ONLY COW/CALF LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESION THAT PROVIDES A PRESSUREFEEF HTAN DEAM ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS   | PAA | ITEMIZED | 200 |
| 1536 | 4224170620800 | DIABETIC SHOE ELASTIC BLACK SIZE 40 | SHOE, DIABETIC, ELASTIC, WITH THERMOCOMFORT, WITH FLEXIBLE LINING TO REDUCE PRESSURE, BLACK, VELCRO OR EQUIVALENT, SIZE 40; ONIX COM/CLAF LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED. ; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTREUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS                                                  | PAA | ITEMIZED | 200 |
| 1537 | 4224170620900 | DIABETIC SHOE ELASTIC BLACK SIZE 41 | SHOE, DIABETIC, ELASTIC, WITH THERMOCOMFORT, WITH FLEXIBLE LINING TO REDUCE PRESSURE, BLACK, VELCRO OR EQUIVALENT, SIZE 41; ONLY COW/CALF LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THATIS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTREUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE, FREE IT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA BOOM FOR TOE; MOYEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHONING SOLES THAT FACILITATE MOSILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE SHOPS CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS                    | PAA | ITEMIZED | 200 |
| 1538 | 4224170621000 | DIABETIC SHOE ELASTIC BLACK SIZE 42 | SHOE, DIABETIC, ELASTIC, WITH THERMOCOMFORT, WITH FLEXIBLE LINING TO REDUCE PRESSURE, BLACK, VELCRO OR EQUIVALENT, SIZE 42; ONLY COW/CALF LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESION THAT PROVIDES A PRESSUREFEEF FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS | РАА | ITEMIZED | 200 |

6/21/2022 Page 117 of 160

| 1539 | 4224170621100 | DIABETIC SHOES W/THERMOCOMFORT BLACK 34  | SHOE, DIABETIC, WITH THERMOCOMFORT, REMOVABLE INSOLES, VELCRO LIGHT SOLE OR EQUIVALENT, SHOCK ABSORBING OUTSOLE, WEIGHTLESS, BREATHABLE, ELASTIC, PRESSURE FREE AT BIG AND SMALL TOES, AVOIDS NEW WOUNDS, DIABETIC, RHEUMATISM, SENSITIVE FEET, PAINFUL OF HALLUX VALGUS, BUNION, HAMMER, AND TOES, BLACK, SIZE 34; ONLY COW/CALF LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED; PROTECTIVE INTERIOR THAT IS MODE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURFFREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CORTOWS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS    | PAA | ITEMIZED | 200 |
|------|---------------|------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|-----|
| 1540 | 4224170621200 | DIABETIC SHOES W/ THERMOCOMFORT BLACK 35 | SHOE, DIABETIC, WITH THERMOCOMFORT, REMOVABLE INSOLES, VELCRO LIGHT SOLE OR EQUIVALENT, SHOCK ABSORBING OUTSOLE, WEIGHTLESS, BREATHABLE, ELASTIC, PRESSURE FREE AT BIG AND SMALL TOES, AVOIDS NEW WOUNDS, DIABETIC, RHEUMATISM, SENSITIVE FEET, PAINFUL OF HALLUX VALGUS, BUNION, HAMMER, AND TOES, BLACK, SIZE 35; ONLY COW/CALF LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED. ; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDES OA SNOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT RESURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS | РАА | ITEMIZED | 200 |
| 1541 | 4224170621300 | DIABETIC SHOES W/ THERMOCOMFORT BLACK 36 | SHOE, DIABETIC, WITH THERMOCOMFORT, REMOVABLE INSOLES, VELCRO LIGHT SOLE OR EQUIVALENT, SHOCK ABSORBING OUTSOLE, WEIGHTLESS, BREATHABLE, ELASTIC, PRESSURE FREE AT BIG AND SMALL TOES, AVOIDS NEW WOUNDS, DIABETIC, RHEUMATISM, SENSITIVE FEET, PAINFUL OF HALLUX VALGUS, BUNION, HAMMER, AND TOES, BLACK, SIZE 36; ONLY COW/CAL FLATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED. PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTUDES SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE-OF THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURFFREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS    | PAA | iTEMIZED | 200 |
| 1542 | 4224170621400 | DIABETIC SHOES W/ THERMOCOMFORT BLACK 37 | SHOE, DIABETIC, WITH THERMOCOMFORT, REMOVABLE INSOLES, VELCRO LIGHT SOLE OR EQUIVALENT, SHOCK ABSORBING OUTSOLE, WEIGHTLESS, BREATHABLE, ELASTIC, PRESSUBE FREE AT BIG AND SMALL TOES, AVOIDS NEW WOUNDS, DIABETIC, RHEUMATISM, SENSITIVE FEET, PAINFUL OF HALLUX VALGUS, BUNION, HAMMER, AND TOES, BLACK, SIZE 37; ONLY COW/CALF LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED. ; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTING SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTING SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTING SOFT MATERIAL, AND STITCHING THAT DOESN'T SHORT SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTING SOFT MATERIAL SOFT MATERIAL SOFT MATERIAL SOFT SOFT SOFT SOFT SOFT SOFT SOFT SOFT                                                                                                                                                                                                                            | РАА | itemized | 200 |

6/21/2022 Page 118 of 160

| 1543 | 4224170621500 | DIABETIC SHOES W/THERMOCOMFORT BLACK 38  | SHOE, DIABETIC, WITH THERMOCOMFORT, REMOVABLE INSOLES, VELCRO LIGHT SOLE OR EQUIVALENT, SHOCK ABSORBING OUTSOLE, WEIGHTLESS, BREATHABLE, ELASTIC, PRESSURE FREE AT BIG AND SMALL TOES, AVOIDS NEW WOUNDS, DIABETIC, RHEUMATISM, SENSITIVE FEET, PAINFUL OF HALLUX VALGUS, BUNION, HAMMER, AND TOES, BLACK, SIZE 38; ONLY COW/CALF LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT TOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSUREFREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS | PAA | ITEMIZED | 200 |
|------|---------------|------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|-----|
| 1544 | 4224170621600 | DIABETIC SHOES W/ THERMOCOMFORT BLACK 39 | SHOE, DIABETIC, WITH THERMOCOMFORT, REMOVABLE INSOLES, VELCRO LIGHT SOLE OR EQUIVALENT, SHOCK ABSORBING OUTSOLE, WEIGHTLESS, BREATHABLE, ELASTIC, PRESSURE FREE AT BIG AND SMALL TOSE, AVOIDS NEW WOUNDS, DIABETIC, RHEUMATISM, SENSITIVE FEET, PAINFUL OF HALLUX VALGUS, BUNION, HAMMER, AND TOES, BLACK, SIZE 39; ONLY COW/CALF LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURFFREE HIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS | РАА | ITEMIZED | 200 |
| 1545 | 4224170621700 | DIABETIC SHOES W/ THERMOCOMFORT BLACK 40 | SHOE, DIABETIC, WITH THERMOCOMFORT, REMOVABLE INSOLES, VELCRO LIGHT SOLE OR EQUIVALENT, SHOCK ABSORBING OUTSOLE, WEIGHTLESS, BREATHABLE, ELASTIC, PRESSURE FREE AT BIG AND SMALL TOSE, AVOIDS NEW WOUNDS, DIABETIC, RHEUMATISM, SENSITIVE FEET, PAINFUL OF HALLUX VALGUS, BUNION, HAMMER, AND TOES, BLACK, SIZE 40; ONLY COW/CALF LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURFFREE HIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS | РАА | ITEMIZED | 200 |
| 1546 | 4224170621800 | DIABETIC SHOES W/ THERMOCOMFORT BLACK 41 | SHOE, DIABETIC, WITH THERMOCOMFORT, REMOVABLE INSOLES, VELCRO LIGHT SOLE OR EQUIVALENT, SHOCK ABSORBING OUTSOLE, WEIGHTLESS, BREATHABLE, ELASTIC, PRESSURE FREE AT BIG AND SMALL TOSE, AVOIDS NEW WOUNDS, DIABETIC, RHEUMATISM, SENSITIVE FEET, PAINFUL OF HALLUX VALGUS, BUNION, HAMMER, AND TOES, BLACK, SIZE 41; ONLY COW/CALF LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL BU SED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDES OA SNOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSUREFREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STREICHABLE SHOES CONFORM TO THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS       | PAA | ITEMIZED | 200 |

6/21/2022 Page 119 of 160

| 1547 | 4224170621900 | DIABETIC SHOES W/ THERMOCOMFORT BLACK 42 | SHOE, DIABETIC, WITH THERMOCOMFORT, REMOVABLE INSOLES, VELCRO LIGHT SOLE OR EQUIVALENT, SHOCK ABSORBING OUTSOLE, WEIGHTLESS, BREATHABLE, ELASTIC, PRESSURE FREE AT BIG AND SMALL TOSE, AVOIDS NEW WOUNDS, DIABETIC, RHEUMANTSM, SENSITIVE FEET, PAINFUL OF HALLUX VALGUS, BUNION, HAMMER, AND TOES, BLACK, SIZE 42; ONLY COW/CALF LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MAFERIAL IS USED; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; MON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSUREFREE IT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LICHTWEIGHT, CUSHONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS | РАА | iTEMIZED | 200 |
|------|---------------|------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|-----|
| 1548 | 4224170908500 | SHOE MULTICAST POST OP FOREFOOT SIZE 3 5 | SHOE, MULTICAST, POST OP, FOREFOOT RELIEF, SIZE 3 - 5, TO OFFLOAD WEIGHT AND PRESSURE FROM THE REARFOOT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | EA  | ITEMIZED | 50  |
| 1549 | 4224170908400 | SHOE MULTICAST POST OP FOREFOOT SIZE 6 7 | SHOE, MULTICAST, POST OP, FOREFOOT RELIEF, SIZE 6 - 7, TO OFFLOAD WEIGHT AND PRESSURE FROM THE REARFOOT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | EA  | ITEMIZED | 50  |
| 1550 | 4224170908600 | SHOE MULTICAST POST OP FOREFOOT SZ 8-10  | SHOE, MULTICAST, POST OP, FOREFOOT RELIEF, SIZE 8 - 10 +,<br>TO OFFLOAD WEIGHT AND PRESSURE FROM THE REARFOOT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | EA  | ITEMIZED | 50  |
| 1551 | 4224170908700 | SHOE MULTICAST POST OP HEEL SIZE 3 5     | SHOE, MULTICAST, POST OP, HEEL RELIEF, SIZE 3 - 5, TO OFFLOAD WEIGHT AND PRESSURE FROM THE REARFOOT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | EA  | ITEMIZED | 50  |
| 1552 | 4224170908800 | SHOE MULTICAST POST OP HEEL SIZE 6 7     | SHOE, MULTICAST, POST OP, HEEL RELIEF, SIZE 6 - 7, TO OFFLOAD WEIGHT AND PRESSURE FROM THE REARFOOT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | EA  | ITEMIZED | 50  |
| 1553 | 4224170908900 | SHOE MULTICAST POST OP HEEL SIZE 8 10    | SHOE, MULTICAST, POST OP, HEEL RELIEF, SIZE 8 - 10 +, TO<br>OFFLOAD WEIGHT AND PRESSURE FROM THE REARFOOT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | EA  | ITEMIZED | 50  |
| 1554 | 4224170618000 | ANTI-VARUS SHOES HIGH ANKLE PINK SZ18    | SHOES, ANTI-VARUS, DESIGNED TO BE USED TO HELP MAINTAIN CORRECTION IN BABIES, WITH CLUBFOOT AND METATARSUS ADDUCTUS, FEATURES: FULL GRAIN COW/CALF LEATHER UPPER, SPLIT COW LEATHER LINING, NON-SLIP RUBBER OLITOSLE, HIGH ANNIE, HARD HEEL, TWO VELCRO STRAP OR EQUIVALENT, COLOR PINK, SIZE: 18; MADE ON ANTI VARUS LASTS; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WARRING) SOLE-UNIT; SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT                                                                                                                                                                                                          | РАА | ITEMIZED | 100 |
| 1555 | 4224170618100 | ANTI-VARUS SHOES HIGH ANKLE PINK SZ20    | SHOES, ANTI-VARUS, DESIGNED TO BE USED TO HELP MAINTAIN CORRECTION IN BABIES, WITH CLUBFOOT AND METATARSUS ADDUCTUS, FEATURES: FULL GRAIN COW/CALF LEATHER UPPER, SPLIT COW LEATHER LINING, NON-SLIP RUBBER OUTSOLE, HIGH ANNLE, HARD HEEL, TWO VELCRO STRAP OR EQUIVALENT, COLOR PINK, SIZE: 20; MADE ON ANTI VARUS LASTS; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; SPECIAL EXTENDED SITFERIER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WARNING) SOLE-UNIT; SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE HOR COUND THE FOOT                                                                                                                                                                                                            | PAA | ITEMIZED | 100 |
| 1556 | 4224170618200 | ANTI-VARUS SHOES HIGH ANKLE PINK SZ21    | SHOES, ANTI-VARUS, DESIGNED TO BE USED TO HELP MAINTAIN CORRECTION IN BABIES, WITH CLUBFOOT AND METATARSUS ADDUCTUS, FEATURES: FULL GRAIN COW/CALF LEATHER UPPER, SPLIT COW LEATHER LINING, MON-SLIP RUBBER OUTSOLE, HIGH ANKLE, HARD HEEL, TWO VELCRO STRAP OR EQUIVALENT, COLOR PINK, SIZE: 21; MADE ON ANTI VARUS LASTS; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-LINIT; SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOES; EXTENDED TACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT                                                                                                                                                                                                                                                           | РАА | ITEMIZED | 100 |

6/21/2022 Page 120 of 160

| 1557 | 4224170618300 | ANTI-VARUS SHOES HIGH ANKLE PINK SZ25    | SHOES, ANTI-VARUS, DESIGNED TO BE USED TO HELP MAINTAIN CORRECTION IN BABIES, WITH CLUBFOOT AND METATARSUS ADDUCTUS, FEATURES: FULL GRAIN COW/CALF LEATHER UPPER, SPLIT COW LEATHER LINING, NON-SLIP RUBBER OUTSOLE, HIGH ANKLE, HARD HEEL, TWO VELCRO STRAP OR EQUIVALENT, COLOR PINK, SIZE: 25; MADE ON ANTI VARUS LASTS; SOFT PADDING AROUND THE COLLAR FOR A BETTER HIT; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNINT; SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT | РАА | ITEMIZED | 100 |
|------|---------------|------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|-----|
| 1558 | 4224170618400 | ANTI-VARUS SHOES HIGH ANKLE PINK SZ26    | SHOES, ANTI-VARUS, DESIGNED TO BE USED TO HELP MAINTAIN CORRECTION IN BABIES, WITH CLUBFOOT AND METATARSUS ADDUCTUS, FEATURES: FULL GRAIN COW/CALF LEATHER UPPER, SPILT COW LEATHER LINING, NON-SLIP RUBBER OUTSOLE, HIGH ANKLE, HARD HEEL, TWO VELCRO STRAP OR EQUIVALENT, COLOR PINK SIZE: 26; MADE ON ANTI VARUS LASTS; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT; SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES. EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTER PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT                                                    | PAA | itemized | 100 |
| 1559 | 4224170618500 | ANTI-VARUS SHOES HIGH ANKLE PINK SZ27    | SHOES, ANTI-VARUS, DESIGNED TO BE USED TO HELP MAINTAIN CORRECTION IN BABIES, WITH CLUBFOOT AND METATARSUS ADDUCTUS, FEATURES: FULL GRAIN COW/CALF LEATHER UPPER, SPLIT COW LEATHER LINING, NON-SLIP RUBBER OUTSOLE, HIGH ANNLE, HARD HEEL, TWO YELCRO STRAP OR FOLUVALENT, COLOR PINN, SIZE: 27; MADE ON ANTI VARUS LASTS; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT; SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANNLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT                                                   | PAA | ITEMIZED | 100 |
| 1560 | 4224170618600 | ANTI-VARUS SHOES HIGH ANKLE PINK SZ 24   | SHOES, ANTI-VARUS, DESIGNED TO BE USED TO HELP MAINTAIN CORRECTION IN BABIES, WITH CLUBFOOT AND METATARSUS ADDUCTUS, FEATURES: FULL GRAIN COW/CALF LEATHER UPPER, SPILT COW LEATHER LINNIS, ONN-SLIP RUBBER OUTSOLE, HIGH ANKLE, HARD HEEL, TWO VELCRO STRAP OR EQUIVALENT, COLOR PINK, SIZE: 24; MADE ON ANTI VARUS LASTS; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT; SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT                                                   | PAA | ITEMIZED | 100 |
| 1561 | 4224170618700 | ANTI-VARUS SHOES HI ANKLE DARK BLUE SZ24 | SHOES, ANTI-VARUS, DESIGNED TO BE USED TO HELP MAINTAIN CORRECTION IN BABIES, WITH CLUBFOOT AND METATARSUS ADDUCTUS, FEATURES: FULL GRAIN COW/CALF LEATHER UPPER, SPILT COW LEATHER LINING, NON-SLIP RUBBER OUTSOLE, HIGH ANKLE, HARD HEEL, TWO VELCRO STRAP OR EQUIVALENT, DARK BLUE COLOR, SIZE: 24; MADE ON ANTI VARUS LASTS; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT; SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; SEXTRA PADDING AROUND THE ANKLE FOR MORE COMPORT; SOFT TONIGUE PADDING TO MOULD THE SHOE ROUND THE FOOT                                            | PAA | ITEMIZED | 100 |

6/21/2022 Page 121 of 160

| 1562 | 4224170618800 | ANTI-VARUS SHOES HI ANKLE DARK BLUE SZ25 | SHOES, ANTI-VARUS, DESIGNED TO BE USED TO HELP MAINTAIN CORRECTION IN BABIES, WITH CLUBFOOT AND METATARSUS ADDUCTUS, FEATURES: FULL GRAIN COW/CALF LEATHER UPPER, SPLIT COW LEATHER LINING, NON-SLIP RUBBER OUTSOLE, HIGH ANKLE, HARD HEEL, TWO VELCRO STRAP OR EQUIVALENT, DARK BLUE COLOR, SIZE: 25; MADE ON ANTI VARUS LASTS; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT; SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOF-BOX AND STRONG TO-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT                  | PAA | ITEMIZED | 100 |
|------|---------------|------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|-----|
| 1563 | 4224170618900 | ANTI-VARUS SHOES HI ANKLE DARK BLUE SZ26 | SHOES, ANTI-VARUS, DESIGNED TO BE USED TO HELP MAINTAIN CORRECTION IN BABIES, WITH CLUBFOOT AND METATARSUS ADDUCTUS, FEATURES: FULL GRAIN COW/CALF LEATHER UPPER, SPLIT COW LEATHER LINING, NON-SLIP RUBBER OUTSOLE, HIGH ANNLE, HARD HEEL, TWO VELCRO STRAP OR EQUIVALENT, DARR BLUE COLOR, SIZE: 26; MADE ON ANTI VARUS LASTS; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT; SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANNLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT                 | PAA | ITEMIZED | 100 |
| 1564 | 4224170619000 | ANTI-VARUS SHOES HI ANKLE DARK BLUE SZ27 | SHOES, ANTI-VARUS, DESIGNED TO BE USED TO HELP MAINTAIN CORRECTION IN BABIES, WITH CLUBFOOT AND METATARSUS ADDUCTUS, FEATURES: FULL GRAIN COW/CALF LEATHER UPPER, SPLIT COW LEATHER LINING, NON-SLIP RUBBER OUTSOLE, HIGH ANKLE, HARD HEEL, TWO YELCRO STRAP OR EQUIVALENT, DARK BLUE COLOR, SIZE: 27; MADE ON ANTI VARUS LASTS; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT; SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT                 | PAA | itemized | 100 |
| 1565 | 4224170619100 | ANTI-VARUS SHOES HI ANKLE DARK BLUE SZ28 | SHOES, ANTI-VARUS, DESIGNED TO BE USED TO HELP MAINTAIN CORRECTION IN BABIES, WITH CLUBFOOT AND METATARSUS ADDUCTUS, FEATURES: FULL GRAIN COW/CALF LEATHER UPPER, SPLIT COW LEATHER LINING, NON-SLIP RUBBER OUTSOLE, HIGH ANNLE, HARD HEEL, TWO VELCRO STRAP OR EQUIVALENT, DARR BLUE COLOR, SIZE: 28; MADE ON ANTI VARUS LASTS; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT; SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANNLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT                 | PAA | ITEMIZED | 100 |
| 1566 | 4224170619200 | ANTI-VARUS SHOES HI ANKLE DARK BLUE SZ19 | SHOES, ANTI-VARUS, DESIGNED TO BE USED TO HELP MAINTAIN CORRECTION IN BABIES, WITH CLUBFOOT AND METATARSUS ADDUCTUS, FEATURES: FULL GRAIN COW/CALF LEATHER UPPER, SPIL COW LEATHER LINNS, NON-SLIP RUBBER OUTSOLE, HIGH ANKLE, HARD HEEL, TWO VELCRO STRAP OR EQUIVALENT, DARK BLUE COLOR, OR AS REQUESTED, SIZE: 19; MADE ON ANTI VARUS LASTS; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-JUNIT; SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMPORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT | PAA | ITEMIZED | 100 |

6/21/2022 Page 122 of 160

| 1567 | 4224170619300 | ANTI-VARUS SHOES HI ANKLE DARK BLUE SZ20 | SHOES, ANTI-VARUS, DESIGNED TO BE USED TO HELP MAINTAIN CORRECTION IN BABIES, WITH CLUBFOOT AND METATARSUS ADDUCTUS, FEATURES: FULL GRAIN COW/CALF LEATHER UPPER, SPLIT COW LEATHER LINING, NON-SLIP RUBBER OUTSOLE, HIGH ANKLE, HARD HEEL, TWO VELCRO STRAP OR EQUIVALENT, DARK BLUE COLOR, OR AS REQUESTED, SIZE: 20; MADE ON ANTI VARUS LAIST; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT; SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED COKK INLAY; HIGH TOE-BOX AND STRONG TOE-LOP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMPORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT    | PAA | ITEMIZED | 100 |
|------|---------------|------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|-----|
| 1568 | 4224170619400 | ANTI-VARUS SHOES HI ANKLE DARK BLUE SZ21 | SHOES, ANTI-VARUS, DESIGNED TO BE USED TO HELP MAINTAIN CORRECTION IN BABIES, WITH CLUBFOOT AND METATARSUS ADDUCTUS, FEATURES: FULL GRAIN COW/CALF LEATHER UPPER, SPLIT COW LEATHER LINING, NON-SLIP RUBBER OUTSOLE, HIGH ANNLE, HARD HEEL, TWO YELCRO STRAP OR EQUIVALENT, DARK BLUE COLOR, OR AS REQUESTED, SIZE: 21; MADE ON ANTI VARUS LASTS; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT; SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMPORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT    | PAA | ITEMIZED | 100 |
| 1569 | 4224170619500 | ANTI-VARUS SHOES HI ANKLE DARK BLUE SZ22 | SHOES, ANTI-VARUS, DESIGNED TO BE USED TO HELP MAINTAIN CORRECTION IN BABIES, WITH CLUBFOOT AND METATARSUS ADDUCTUS, FEATURES: FULL GRAIN COW/CALF LEATHER UPPER, SPLIT COW LEATHER LINING, NON-SILP RUBBER OUTSOLE, HIGH ANNLE, HARD HEEL, TWO VELCRO STRAP OR EQUIVALENT, DARK BLUE COLOR, OR AS REQUESTED, SIZE: 22; MADE ON ANTI VARUS LASTS; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; SPECIAL EXTENDED STIFEPNER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT; SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOTE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMPORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT   | РАА | ITEMIZED | 100 |
| 1570 | 4224170619600 | ANTI-VARUS SHOES HI ANKLE DARK BLUE SZ23 | SHOES, ANTI-VARUS, DESIGNED TO BE USED TO HELP MAINTAIN CORRECTION IN BABIES, WITH CLUBROOT AND METATARSUS ADDUCTUS, FEATURES: FULL GRAIN COW/CALF LEATHER UPPER, SPLIT COW LEATHER LINING, NON-SLIP RUBBER OUTSOLE, HIGH ANKLE, HARD HEEL, TWO YELCRO STRAP OR EQUIVALENT, DARK BLUE COLOR, OR AS REQUESTED, SIZE: 23; MADE ON ANTI VARUS LASTS; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; SPECIAL EXTENDED STIFEPER RY WITH CURYED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-JUNIT; SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMPORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT | РАА | ITEMIZED | 100 |
| 1571 | 4224170619700 | ANTI VARUS SHOES RED AND BLUE SZ 18      | SHOES, ANTI-VARUS, DESIGNED TO BE USED TO HELP MAINTAIN CORRECTION IN BABIES, WITH CLUBFOOT AND METATARSUS ADDUCTUS, FEATURES: FULL GRAIN COW/CALF LEATHER UPPER, SPUT COW LEATHER LINING, NON-SLIP RUBBER OUTSOLE, HIGH ANKLE, HARD HEEL, TWO VELCRO STRAP OR EQUIVALENT, DARK BLUE AND RED COLOR, SIZE: 18; MADE ON ANTI VARUS LAST; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOL; E JEASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT; SUFFICIENT TOESRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMPORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT               | РАА | ITEMIZED | 100 |

6/21/2022 Page 123 of 160

| 1572 | 4224170619800 | ANTI-VARUS SHOES HIGH ANKLE PINK SZ19 | SHOES, ANTI-VARUS, DESIGNED TO BE USED TO HELP MAINTAIN CORRECTION IN BABIES, WITH CLUBFOOT AND METATARSUS ADDUCTUS, FEATURES: FULL GRAIN COW/CALF LEATHER UPPER, SPLIT COW LEATHER LINING, NON-SLIP RUBBER OUTSOLE, HIGH ANKLE, HARD HEEL, TWO VELCRO STRAP OR EQUIVALENT, SIZE: 19 PINK; MADE ON ANTI VARUS LASTS; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT; SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMPORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT       | РАА | ITEMIZED | 100 |
|------|---------------|---------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|-----|
| 1573 | 4224170619900 | ANTI-VARUS SHOES HIGH ANKLE PINK SZ23 | SHOES, ANTI-VARUS, DESIGNED TO BE USED TO HELP MAINTAIN CORRECTION IN BABIES, WITH CLUBFOOT AND METATARSUS ADDUCTUS, FEATURES: FULL GRAIN COW/CALF LEATHER UPPER, SPLIT COW LEATHER LINING, NON-SLIP RUBBER OUTSOLE, HIGH ANKLE, HARD HEEL, TWO VELCRO STRAP OR EQUIVALENT, COLOR PINK, SIZE: 23; MADE ON ANTI VARUS LASTS; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; SASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT; SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOF-BOX AND STRONG TO-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT | РАА | ITEMIZED | 100 |
| 1574 | 4224170620000 | ANTI-VARUS SHOES HIGH ANKLE PINK 5Z22 | SHOES, ANTI-VARUS, DESIGNED TO BE USED TO HELP MAINTAIN CORRECTION IN BABIES, WITH CLUBFOOT AND METATARSUS ADDUCTUS, FEATURES: FULL GRAIN COW/CALF LEATHER UPPER, SPUT COW LEATHER LINING, NON-SLIP RUBBER OUTSOLE, HIGH ANKLE, HARD HEEL, TWO VELCRO STRAP OR EQUIVALENT, COLOR PINK, SIZE: 22; MADE ON ANTI VARUS LASTS; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT; SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF, REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANNLE FOR MORE COMPORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT | РАА | ITEMIZED | 100 |
| 1575 | 4224170620100 | ANTI-VARUS SHOES HIGH ANKLE PINK 5Z28 | SHOES, ANTI-VARUS, DESIGNED TO BE USED TO HELP MAINTAIN CORRECTION IN BABIES, WITH CLUBFOOT AND METATARSUS ADDUCTUS, FEATURES: FULL GRAIN COW/CALF LEATHER UPPER, SPUT COW LEATHER LINING, NON-SLIP RUBBER OUTSOLE, HIGH ANKLE, HARD HEEL, TWO YELCRO STRAP OR COULVALENT, COLOR PINK, SIZE: 28; MADE ON ANTI VARUS LASTS; SOFT PADDING AROUND THE COLLAR FOR A BETTER HIT; SPECIAL EXTENDED STIFFERER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-LINIT; SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOES, EXTENDED FACINGS FOR MAXIMM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT                                                  | РАА | ITEMIZED | 100 |
| 1576 | 4224170612300 | ANTI VARUS SHOES DARK BLUE SZ 18      | SHOES, ANTI-VARUS, FEATURES: FULL GRAIN COW/CALF LEATHER UPPER, SPLIT COW LEATHER LINING, NON-SLIP RUBBER OUTSOLE, HIGH ANKLE, HARD HEEL, DESIGNED TO BE USED TO HELP MAINTAIN CORRECTION IN BABIES, WITH CLUBFOOT AND METATARSUS ADDUCTUS TWO VELCRO STRAP OR EQUIVALENT, DARK BLUE COLOR, SIZE: 18; MADE ON ANTI VARUS LASTS; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT; SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMPORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE | РАА | ITEMIZED | 570 |

6/21/2022 Page 124 of 160

| 1577 | 4224170603000 | ANTI VARUS SHOES DARK BLUE SZ 19 | SHOES, ANTI-VARUS, FEATURES: FULL GRAIN COW/CALF LEATHER UPPER, SPUT COW LEATHER LINING, NON-SUP RUBBER OUTSOLE, HIGH ANKLE, HARD HEEL, DESIGNED TO BE USED TO HELP MAINTAIN CORRECTION IN BABIES, WITH CLUBFOOT AND METTATARSUS ADDUCTUS TWO VELCRO STRAP OR EQUIVALENT, DARK BLUE COLOR, SIZE: 19; MADE ON ANTI VARUS LASTS; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT; SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT  | PAA | ITEMIZED | 755 |
|------|---------------|----------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|-----|
| 1578 | 4224170612400 | ANTI VARUS SHOES DARK BLUE SZ 20 | SHOES, ANTI-VARUS, FEATURES: FULL GRAIN COW/CALF LEATHER UPPER, SPLIT COW LEATHER LINING, NON-SLIP RUBBER OLTSOLE, HIGH ANKLE, HARD HEEL, DESIGNED TO BE USED TO HELP MAINTAIN CORRECTION IN BABIES, WITH CLUBFOOT AND METATARSUS ADDUCTUS TWO VELCRO STRAP OR EQUIVALENT, DARR BLUE COLOR, SIZE: 20; MADE ON ANTI VARUS LASTS; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT; SUFFICIENT TOE-SPRING FOR EASY ROIL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT | PAA | ITEMIZED | 700 |
| 1579 | 4224170612500 | ANTI VARUS SHOES DARK BLUE SZ 21 | SHOES, ANTI-VARUS, FEATURES: FULL GRAIN COW/CALF LEATHER UPPER, SPLIT COW LEATHER LINING, NON-SLIP RUBBER OUTSOLE, HIGH ANKLE, HARD HEEL, DESIGNED TO BE USED TO HELP MAINTAIN CORRECTION IN BABIES, WITH CLUBFOOT AND METATARSUS ADDUCTUS TWO VELCRO STRAP OR EQUIVALENT, DARR BLUE COLOR, SIZE: 21; MADE ON ANTI VARUS LASTS; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT; SUFFICIENT TOE-SPRING FOR EASY ROIL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT | PAA | ITEMIZED | 700 |
| 1580 | 4224170612600 | ANTI VARUS SHOES DARK BLUE SZ 22 | SHOES, ANTI-VARUS, FEATURES: FULL GRAIN COW/CALF LEATHER UPPER, SPLIT COW LEATHER LINING, NON-SLIP RUBBER OUTSOLE, HIGH ANKLE, HARD HEEL, DESIGNED TO BE USED TO HELP MAINTAIN CORRECTION IN BABIES, WITH CLUBFOOT AND METATARSUS ADDUCTUS TWO VELCRO STRAP OR EQUIVALENT, DARK BLUE COLOR, SIZE: 22; MADE ON ANTI VARUS LASTS; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; SPECIAL EXTENDED STIFFERR WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-LINIT; SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE      | PAA | ITEMIZED | 700 |
| 1581 | 4224170612700 | ANTI VARUS SHOES DARK BLUE SZ 23 | SHOES, ANTI-VARUS, FEATURES: FULL GRAIN COW/CALF LEATHER UPPER, SPLIT COW LEATHER LINING, NON-SLIP RUBBER OUTSOLE, HIGH ANKLE, HARD HEEL, DESIGNED TO BE USED TO HELP MAINTAIN CORRECTION IN BABIES, WITH CLUBFOOT AND METATARSUS ADDUCTUS TWO VELCRO STRAP OR EQUIVALENT, DARK BLUE COLOR, SIZE: 23; MADE ON ANTI VARUS LASTS; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; SASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT; SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMPORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE      | РАА | ITEMIZED | 700 |

6/21/2022 Page 125 of 160

| 1582 | 4224170612800 | ANTI VARUS SHOES DARK BLUE SZ 24 | SHOES, ANTI-VARUS, FEATURES: FULL GRAIN COW/CALF LEATHER UPPER, SPLIT COW LEATHER LINING, NON-SLIP RUBBER OUTSOLE, HIGH ANKLE, HARD HEEL, DESIGNED TO BE USED TO HELP MAINTAIN CORRECTION IN BABIES, WITH CLUBFOOT AND METATASSUS ADDUCTUS TWO VELCRO STRAP OR EQUIVALENT, DARK BLUE COLOR, SIZE: 24; MADE ON ANTI-VARUS LASTS; SOFF PADDING AROUND THE COLLAR FOR A BETTER FIT; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT; SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOC-CAP FOR ROTECTION OF THE TOE-BOX AND STRONG TOC-CAP FOR ROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT | РАА | ITEMIZED | 700 |
|------|---------------|----------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|-----|
| 1583 | 4224170612900 | ANTI VARUS SHOES DARK BLUE SZ 25 | SHOES, ANTI-VARUS, FEATURES: FULL GRAIN COW/CALF LEATHER UPPER, SPLIT COW LEATHER LINING, NON-SLIP RUBBER OUTSOLE, HIGH ANKLE, HARD HEEL, DESIGNED TO BE USED TO HE PM AINTAIN CORRECTION IN BABIES, WITH CLUBFOOT AND METATARSUS ADDUCTUS TWO VELCRO STRAP OR EQUIVALENT, DARK BLUE COLOR, SUE: 25; MADE ON ANTI VARUS LASTS; SOFF PADDING AROUND THE COLLAR FOR A BETTER FIT; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FOLL GRAIN LEATHER INSOLE; ESAILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT; SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR ROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE                                                       | PAA | ITEMIZED | 700 |
| 1584 | 4224170613000 | ANTI VARUS SHOES DARK BLUE SZ 26 | SHOES, ANTI-VARUS, FEATURES: FULL GRAIN COW/CALF LEATHER UPPER, SPLIT COW LEATHER LINING, NON-SLIP RUBBER OUTSOLE, HIGH ANKLE, HARD HEEL, DESIGNED TO BE USED TO HELP MAINTAIN CORRECTION IN BABIES, WITH CLUBPOOT AND METATARSUS ADDUCTUS TWO VELCRO STRAP OR ROUTALENT, DAKE BLUE COLOR, SIZE: 26; MADE ON ANTI VARUS LASTS; SOFT PADDING ARQUIND THE COLLAR FOR A BETTER FIT; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WAERMIS) SOLE-UNIT; SUPFICIENT TOE-SPRING FOR EASY ROIL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING ARQUIND THE ANKLE FOR MORE COMPORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE                                                    | PAA | ITEMIZED | 700 |
| 1585 | 4224170613100 | ANTI VARUS SHOES DARK BLUE SZ 27 | SHOES, ANTI-VARUS, FEATURES: FULL GRAIN COW/CALF LEATHER UPPER, SPLIT COW LEATHER LINING, NON-SLIP RUBBER OUTSOLE, HIGH ANKLE, HARD HEEL, DESIGNED TO BE USED TO HELP MAINTAIN CORRECTION IN BABIES, WITH CLUBPOOT AND METATARSUS ADDUCTUS TWO VELCRO STARP OR EQUIVALENT, DAKE BLUE COLOR, SIZE: 27; MADE ON ANTI VARUS LASTS; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT! SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WAERING) SOLE-UNIT'S SUPFICIENT TOS-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMPORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE                                                    | РАА | ITEMIZED | 700 |
| 1586 | 4224170603100 | ANTI VARUS SHOES DARK BLUE SZ 28 | SHOES, ANTI-VARUS, FEATURES: FULL GRAIN COW/CALF LEATHER UPPER, SPLIT COW LEATHER LINING, NON-SLIP RUBBER OUTSOLE, HIGH ANKLE, HARD HEEL, DESIGNED TO BE USED TO HELP MAINTAIN CORRECTION IN BABIES, WITH CLUBFOOT AND METATARSUS ADDUCTUS TWO VELCRO STRAP OR EQUIVALENT, DARK BLUE COLOR, SIZE: 28; MADE ON ANTI VARUS LASTS; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-JUNIT; SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROFICTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE                                                    | РАА | ITEMIZED | 995 |

6/21/2022 Page 126 of 160

| 1587 | 4224170603200 | ANTI VARUS SHOES DARK BLUE SZ 29 | SHOES, ANTI-VARUS, FEATURES: FULL GRAIN COW/CALF LEATHER UPPER, SPLIT COW LEATHER LINING, NON-SLIP RUBBER OUTSOLE, HIGH ANKLE, HARD HEEL, DESIGNED TO BE USED TO HELP MAINTAIN CORRECTION IN BABIES, WITH CLUBFOOT AND METATARSUS ADDUCTUS TWO VELCRO STRAP OR EQUIVALENT, DARK BLUE COLOR, SIZE: 29; MADE ON ANTI VARUS LASTS; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; FABLIY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT; SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE       | РАА | ITEMIZED | 632 |
|------|---------------|----------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|-----|
| 1588 | 4224170603300 | ANTI VARUS SHOES DARK BLUE SZ 30 | SHOES, ANTI-VARUS, FEATURES: FULL GRAIN COW/CALF LEATHER UPPER, SPLIT COW LEATHER LINING, NON-SLIP RUBBER OUTSOLE, HIGH ANKLE, HARD HELD, DESIGNED TO BE USED TO HELP MAINTAIN CORRECTION IN BABIES, WITH CLUBFOOT AND METATARSUS ADDUCTUS TWO VELCRO STRAP OR EQUIVALENT, DARK BLUE COLOR, SIZE: 30; MADE ON ANTI VARUS LASTS; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WARRING) SOLE-UNIT; SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT  | PAA | ITEMIZED | 649 |
| 1589 | 4224170613200 | ANTI VARUS SHOES DARK BLUE SZ 31 | SHOES, ANTI-VARUS, FEATURES: FULL GRAIN COW/CALF LEATHER UPPER, SPLIT COW LEATHER LINING, NON-SLIP RUBBER OUTSOLE, HIGH ANKLE, HARD HEEL, DESIGNED TO BE USED TO HELP MAINTAIN CORRECTION IN BABIES, WITH CLUBFOOT AND METATARSUS ADDUCTUS TWO YELCRO STRAP OR EQUIVALENT, DARR BLUE COLOR, SIZE: 31; MADE ON ANTI VARUS LASTS; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOIL- UNIT; SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT | PAA | ITEMIZED | 506 |
| 1590 | 4224170613300 | ANTI VARUS SHOES DARK BLUE SZ 32 | SHOES, ANTI-VARUS, FEATURES: FULL GRAIN COW/CALF LEATHER UPPER, SPLIT COW LEATHER LINING, NON-SLIP RUBBER OUTSOLE, HIGH ANKLE, HARD HEEL, DESIGNED TO BE USED TO HELP MAINTAIN CORRECTION IN BABIES, WITH CLUBFOOT AND METATARSUS ADDUCTUS TWO YELCRO STRAP OR EQUIVALENT, DARR BLUE COLOR, SIZE: 32; MADE ON ANTI VARUS LASTS; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-LUNT; SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT                                                   | PAA | iTEMIZED | 460 |
| 1591 | 4224170613400 | ANTI VARUS SHOES DARK BLUE SZ 33 | SHOES, ANTI-VARUS, FEATURES: FULL GRAIN COW/CALF LEATHER UPPER, SPLIT COW LEATHER LINING, NON-SLIP RUBBER OUTSOLE, HIGH ANKLE, HARD HEEL, DESIGNED TO BE USED TO HELP MAINTAIN CORRECTION IN BABIES, WITH CLUBFOOT AND METATARSUS ADDUCTUS TWO VELCRO STRAP OR EQUIVALENT, DARK BLUE COLOR, SIZE: 33; MADE ON ANTI VARUS LASTS; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; FASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT; SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT  | РАА | ITEMIZED | 543 |

6/21/2022 Page 127 of 160

| 1592 | 4224170613500 | ANTI VARUS SHOES DARK BLUE SZ 34         | SHOES, ANTI-VARUS, FEATURES: FULL GRAIN COW/CALF LEATHER UPPER, SPLIT COW LEATHER LINING, NON-SLIP RUBBER OUTSOLE, HIGH ANKLE, HARD HEEL, DESIGNED TO BE USED TO HELP MAINTAIN CORRECTION IN BABIES, WITH CLUBFOOT AND METATARSUS ADDUCTUS TWO VELCRO STRAP OR FOLUMIZENT, DARK BULE COLOR, SIZE: 34; MADE ON ANTI VARUS LASTS; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-W-BRAING) SOLE-UNIT'S SUPFICIENT TOS-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STROM TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT | PAA | ITEMIZED | 501 |
|------|---------------|------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|-----|
| 1593 | 4224170613600 | ANTI VARUS SHOES DARK BLUE SZ 35         | SHOES, ANTI-VARUS, FEATURES: FULL GRAIN COW/CALF LEATHER UPPER, SPLIT COW LEATHER LINING, NON-SLIP RUBBER OUTSOLE, HIGH ANKLE, HARD HEEL, DESIGNED TO BE USED TO HELP MAINTAIN CORRECTION IN BABIES, WITH CLUBFOOT AND METATARSUS ADDUCTUS TWO VELCRO STRAP OR EQUIVALENT, DARK BLUE COLOR, SIZE: 35; MADE ON ANTI VARUS LASTS; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; ESALIS REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT; SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE     | PAA | ITEMIZED | 377 |
| 1594 | 4224170628900 | DIABETIC SHOES W/HAVANA TYPE FEMALE UK10 | SHOES, DIABETIC, SPECIFICATION, SOFT LEATHER WITH HAVANA TYPE, WITH VELCRO FASTENING SHOWN IN ALABASTER LEATHER, VELCRO OR COLIVALENT, FEMALE, LAST SIZE US 10; PROTECTIVE IN TERIOR THAT IS AMDE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESION THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS                                                     | PAA | iTEMIZED | 200 |
| 1595 | 4224170629200 | DIABETIC SHOES W/HAVANA TYPE FEMALE UK 6 | SHOES, DIABETIC, SPECIFICATION, SOFT LEATHER WITH HAVAMA TYPE, WITH VELCRO FASTENING SHOWN IN ALABASTER LEATHER, VELCRO OR EQUIVALENT, FEMALE, LAST SIZE UK 6; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDINING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPITH DESION THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE SUPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS                                                   | PAA | ITEMIZED | 200 |
| 1596 | 4224170629000 | DIABETIC SHOES W/HAVANA TYPE FEMALE UK 7 | SHOES, DIABETIC, SPECIFICATION, SOFT LEATHER WITH HAVANA TYPE, WITH VELCRO FASTENING SHOWN IN ALABASTER LEATHER, VELCRO OR CHUVALENT, FEMALE, LAST SIZE UK 7; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STICCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPITH DESION THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS                                                       | PAA | itemized | 200 |
| 1597 | 4224170629100 | DIABETIC SHOES W/HAVANA TYPE FEMALE UK 8 | SHOES, DIABETIC, SPECIFICATION, SOFT LEATHER WITH HAVANA TYPE, WITH VELCRO FASTENING SHOWN IN ALABASTER LEATHER, VELCRO OR CRUIVALENT, FEMAL STAST SLEZ US S, PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDINING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA COOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS                                                      | PAA | itemized | 200 |

6/21/2022 Page 128 of 160

| 1598 | 4224170629300 | DIABETIC SHOES W/HAVANA TYPE FEMALE UK 9 | SHOES, DIABETIC, SPECIFICATION, SOFT LEATHER WITH HAVANA TYPE, WITH VELCRO FASTENING SHOWN IN ALBASTER LEATHER, VELCRO OR EQUIVALENT, FEMALE, LAST SIZE UK 9; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND SITTCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE HIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS | PAA | itemized | 200 |
|------|---------------|------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|-----|
| 1599 | 4224170107900 | SHOES FOR POSITION ORTHOTIC DEVICE SZ24  | SHOES, MADE FOR THE POSITIONING OF ORTHOTIC DEVICES, THEY ARE COMMONLY USED IN PARTICULAR FOR CHILDREN AFFECTED FROM SPINA BIFIDA, HEMIPLEGIA, AND NEURO-MUSCULAR PATHOLOGIES, SPECIFICALLY RELATED TO CHILDHOOD, SIZE 24; MADE FROM COW/CALF LEATHER; ACCOMMODATES STOCK AND CUSTOM AFG. 50FT PADDING; EXTENDED HEEL STIFFENERS; FULL LEATHER FLAT INSOLE; LIGHTWEIGHT SOLE; ANTI-SUP FULL RUBBER SOLE; HIGH TOE BOX; STRONG TOE-CAP; EXTENDED OPENINGS; SOFT TONGUE; MADE ON SPECIALIST FOOTWEAR LAST                                                                                                                                                                                                                                                                   | PAA | ITEMIZED | 550 |
| 1600 | 4224170108000 | SHOES FOR POSITION ORTHOTIC DEVICE SZ26  | SHOES, MADE FOR THE POSITIONING OF ORTHOTIC DEVICES, THEY ARE COMMONLY USED IN PARTICULAR FOR CHILDREN AFFECTED FROM SPINA BIFIDA, HEMIPLEGIA, AND NEURO-MUSCULAR PATHOLOGIES, SPECIFICALLY RELATED TO CHILDHOOD, SIZE 25; MADE FROM COW/CALF LEATHER; ACCOMMODATES STOCK AND CUSTOM AFO; SOFT PADDING; EXTENDED HEEL STIFFENERS; FULL LEATHER FLAT INSOLE; LIGHTWEIGHT SOLE; ANTI-SUP FULL RUBBER SOLE; HIGH TOE BOX; STRONG TOE-CAP; EXTENDED OPENINGS; SOFT TONGUE; MADE ON SPECIALIST FOOTWEAR LAST                                                                                                                                                                                                                                                                   | PAA | ITEMIZED | 550 |
| 1601 | 4224170108100 | SHOES FOR POSITION ORTHOTIC DEVICE SZ28  | SHOES, MADE FOR THE POSITIONING OF ORTHOTIC DEVICES, THEY ARE COMMONITY USED IN PARTICULAR FOR CHILDREN AFFECTED FROM SPINA BIFIDA, HEMIPLEGIA, AND NEUDRO MUSCULAR PATHOLOGIES, SPECIFICALLY RELATED TO CHILDHOOD, SIZE 28; MADE FROM COW/CALF LEATHER; ACCOMMODATES STOCK AND CUSTOM AFG, SOFT PADDING; EXTENDED HEEL STIFFENERS; FULL LEATHER FLAT INSOLE; LIGHTWEIGHT SOLE; ANTI-SUF FULL RUBBER SOLE; HIGH TOE BOX; STRONG TOE-CAP; EXTENDED OPENINGS; SOFT TONGUE; MADE ON SPECIALIST FOOTWEAR LAST                                                                                                                                                                                                                                                                 | PAA | ITEMIZED | 550 |
| 1602 | 4224170108200 | SHOES FOR POSITION ORTHOTIC DEVICE SZ30  | SHOES, MADE FOR THE POSITIONING OF ORTHOTIC DEVICES, THEY ARE COMMONLY USED IN PARTICULAR FOR CHILDREN AFFECTED FROM SPINA BIFIDA, HEMIPLEGIA, AND NEURO-MUSCULAR PATHOLOGIES, SPECIFICALLY RELATED TO CHILDHOOD, SIZE 30; MADE FROM COW/CALF LEATHER; ACCOMMODATES STOCK AND CUSTOM AFO; SOFT PADDING; EXTENDED HEEL STIFFERERS; FULL LEATHER FLAT INSOLE; LIGHTWEIGHT SOLE; ANTI-SUP FULL RUBBER SOLE; HIGH TOE BOX; STRONG TOE-CAP; EXTENDED OPENINGS; SOFT TONGUE; MADE ON SPECIALIST FOOTWEAR LAST                                                                                                                                                                                                                                                                   | PAA | ITEMIZED | 550 |
| 1603 | 4224170108300 | SHOES FOR POSITION ORTHOTIC DEVICE SZ32  | SHOES, MADE FOR THE POSITIONING OF ORTHOTIC DEVICES, THEY ARE COMMONITY USED IN PARTICULAR FOR CHILDREN AFFECTED FROM SPINA BIFIDA, HEMIPLEGIA, AND NEUDON MUSCULAR PATHOLOGIES, SPECIFICALLY RELATED TO CHILDHOOD, SIZE 32; MADE FROM COW/CALF LEATHER ; ACCOMMODATES STOCK AND CUSTOM AFO, SOFT PADDING; EXTENDED HEEL STIFFENERS; FULL LEATHER FLAT INSOLE; LIGHTWEIGHT SOLE; ANTI-SUP FULL RUBBER SOLE; HIGH TOE BOX; STRONG TOE-CAP; EXTENDED OPENINGS; SOFT TONGUE; MADE ON SPECIALIST FOOTWEAR LAST                                                                                                                                                                                                                                                                | PAA | ITEMIZED | 550 |
| 1604 | 4224170108400 | SHOES FOR POSITION ORTHOTIC DEVICE SZ34  | SHOES, MADE FOR THE POSITIONING OF ORTHOTIC DEVICES, THEY ARE COMMONLY USED IN PARTICULAR FOR CHILDREN AFFECTED FROM SPINA BIFIDA, HEMIPLEGIA, AND NEURO-MUSCULAR PATHOLOGIES, SPECIFICALLY RELATED TO CHILDHOOD, SIZE 34; MADE FROM COW/CALF LEATHER; ACCOMMODATES STOCK AND CUSTOM AFO; SOFT PADDIOE; EXTENDED HEEL STIFFENERS; FULL LEATHER FLAT INSOLE; LIGHTWEIGHT SOLE; ANTI-SUP FULL RUBBER SOLE; HIGH TOE BOX; STRONG TOE-CAP; EXTENDED OPENINGS; SOFT TONGUE; MADE ON SPECIALIST FOOTWEAR LAST                                                                                                                                                                                                                                                                   | PAA | ITEMIZED | 550 |
| 1605 | 4224170108500 | SHOES FOR POSITION ORTHOTIC DEVICE SZ36  | SHOES, MADE FOR THE POSITIONING OF ORTHOTIC DEVICES, THEY ARE COMMONLY USED IN PARTICULAR FOR CHILDREN AFFECTED FROM SPINA BIFIDA, HEMIPLEGIA, AND NEURO-MUSCULAR PATHOLOGIES, SPECIFICALLY RELATED TO CHILDHOOD, SIZE 36; MADE FROM COW/CALF LEATHER; ACCOMMODATES STOCK AND CUSTOM AFG. 50FT PADDING; EXTENDED HEEL STIFFENERS; FULL LEATHER FLAT INSOLE; LIGHTWEIGHT SOLE; ANTI-SUP FULL RUBBER SOLE; HIGH TOE BOX; STRONG TOE-CAP; EXTENDED OPENINGS; SOFT TONGUE; MADE ON SPECIALIST FOOTWEAR LAST                                                                                                                                                                                                                                                                   | PAA | ITEMIZED | 550 |
| 1606 | 4224170108600 | SHOES FOR POSITION ORTHOTIC DEVICE SZ38  | SHOES, MADE FOR THE POSITIONING OF ORTHOTIC DEVICES, THEY ARE COMMONITY USED IN PARTICULAR FOR CHILDREN AFFECTED FROM SPINA BIFIDA, HEMIPLEGIA, AND NEURO-MUSCULAR PATHOLOGIES, SPECIFICALLY RELATED TO CHILDHOOD, SIZE 38; MADE FROM COW/CALF LEATHER; ACCOMMODATES STOCK AND CUSTOM AFG. 50FT PADDING; EXTENDED HEEL STIFFENERS; FULL LEATHER FLAT INSOLE; LIGHTWEIGHT SOLE; ANTI-SUF FULL RUBBER SOLE; HIGH TOE BOX; STRONG TOE-CAP; EXTENDED OPENINGS; SOFT TONGUE; MADE ON SPECIALIST FOOTWEAR LAST                                                                                                                                                                                                                                                                  | PAA | ITEMIZED | 550 |

6/21/2022 Page 129 of 160

| 1607 | 4224170111500 | SHOES FOR POSITION ORTHOTIC DEVICE SZ40 | SHOES, MADE FOR THE POSITIONING OF ORTHOTIC DEVICES, THEY ARE COMMONLY USED IN PARTICULAR FOR CHILDREN AFFECTED FROM SPINA BIFIDA, HEMIPLEGIA, AND NEURO-MUSCULAR PATHOLOGIES, SPECIFICALLY RELATED TO CHILDHOOD, SIZE 40; MADE FROM COW/CALF LEATHER F, ACCOMMODATES STOCK AND CUSTOM AFO, SOFT PADDING; EXTENDED HEEL STIFFENERS; FULL LEATHER FLAT INSOLE; LIGHTWEIGHT SOLE; ANTI-SUP FULL RUBBER SOLE; HIGH TOE BOX; STRONG TOE-CAP; EXTENDED DRENINGS; SOFT TONGUE; MADE ON SPECIALIST FOOTWEAR LAST                                                                                       | PAA | ITEMIZED | 550 |
|------|---------------|-----------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|-----|
| 1608 | 4224170111600 | SHOES FOR POSITION ORTHOTIC DEVICE SZ42 | SHOES, MADE FOR THE POSITIONING OF ORTHOTIC DEVICES, THEY ARE COMMONLY USED IN PARTICULAR FOR CHILDREN AFFECTED FROM SPINA BIFIDA, HEMIPLEGIA, AND NEURO-MUSCULAR PATHOLOGIES, SPECIFICALLY RELATED TO CHILDHOOD, SIZE 42; MADE FROM COW/CALF LEATHER; ACCOMMODATES STOCK AND CUSTOM AFO; SOFT PADDING; EXTENDED HEEL STIFFENERS; FULL LEATHER FLAT INSOLE; LIGHTWEIGHT SOLE; ANTI-SUP FULL RUBBER SOLE; HIGH TOE BOX; STRONG TOE-CAP; EXTENDED OPENINGS; SOFT TONGUE; MADE ON SPECIALIST FOOTWEAR LAST                                                                                         | РАА | ITEMIZED | 550 |
| 1609 | 4224170106800 | SHOES ORTHO RED AND BLACK 29            | SHOES, ORTHOPEDIC, RED AND BLACK OR AS REQUESTED, , SIZE 29; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKE; FLUIL GRAIN LEATHER INSOL; E ASSLIY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT; SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLY; HIGH TOE-BOX AND STROMS TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMPORT; SOFT TOMGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; FIRM HEEL COUNTER; APPROXIMATELY 125MM IN HEIGHT | PAA | ITEMIZED | 100 |
| 1610 | 4224170106100 | SHOES ORTHO RED AND BLACK 22            | SHOES, ORTHOPEDIC, RED AND BLACK, OR AS REQUESTED, SIZE 22; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG SIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-JURT; SUPFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROPILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; FIRM HEEL COUNTER; APPROXIMATELY 125MM IN HEIGHT   | PAA | ITEMIZED | 100 |
| 1611 | 4224170106200 | SHOES ORTHO RED AND BLACK 23            | SHOES, ORTHOPEDIC, RED AND BLACK, OR AS REQUESTED, SIZE 23; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG SIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT; SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROPILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; FIRM HEEL COUNTER; APPROXIMATELY 125MM IN HEIGHT   | PAA | ITEMIZED | 100 |
| 1612 | 4224170106300 | SHOES ORTHO RED AND BLACK 24            | SHOES, ORTHOPEDIC, RED AND BLACK, OR AS REQUESTED, SIZE 24; SOFF PADDING AROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANNLE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT; SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTRADED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; FIRM HEEL COUNTER; APPROXIMATELY 125MM IN HEIGHT  | PAA | ITEMIZED | 100 |
| 1613 | 4224170106400 | SHOES ORTHO RED AND BLACK 25            | SHOES, ORTHOPEDIC, RED AND BLACK, OR AS REQUESTED, SIZE 25; SOFF PADDING AROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANNLE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT; SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; FIRM HEEL COUNTER; APPROXIMATELY 125MM IN HEIGHT  | PAA | ITEMIZED | 100 |
| 1614 | 4224170106500 | SHOES ORTHO RED AND BLACK 26            | SHOES, ORTHOPEDIC, RED AND BLACK, OR AS REQUESTED, SIZE 26; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT; SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; FIRM HEEL COUNTER; APPROXIMATELY 125MM IN HEIGHT  | PAA | ITEMIZED | 100 |

6/21/2022 Page 130 of 160

| 1615 | 4224170106600 | SHOES ORTHO RED AND BLACK 27         | SHOES, ORTHOPEDIC, RED AND BLACK, OR AS REQUESTED, SIZE 27; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WARRING) SOLE-UNIT; SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; FIRM HEEL COUNTER; APPROXIMATELY 125MM IN HEIGHT    | PAA | ITEMIZED | 100 |
|------|---------------|--------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|-----|
| 1616 | 4224170106700 | SHOES ORTHO RED AND BLACK 28         | SHOES, ORTHOPEDIC, RED AND BLACK, OR AS REQUESTED, SIZE 28; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT; SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROWN FOR THE FOOT; FIRM HEEL COUNTER; APPROXIMATELY 125MM IN HEIGHT | PAA | ITEMIZED | 100 |
| 1617 | 4224170909100 | SHOES SURGICAL HALF BOOT SZ 18 BLACK | SHOES, SURGICAL (HALF BOOT), LACE TO TOE FULL GRAIN COW/CALF LEATHER UPPER, CALF LEATHER LINING AND FULL GRAIN COW/CALF LEATHER INSOLE, RUBBER OUTSOLE, STITCH DOWN CONSTRUCTION, HEEL AND RIGID SHANK, REINFORCED TOE BOX AND COUNTER, TWO VELERG STRAP CLOSURE, SIZE 18, BLACK COLOR; SOFT PADDING AROUND HEEL CUFFS; A HIGH AND EXTRA-LONG STIFFENER TO SUPPORT ANKLE; EASILY REMOVABLE AND ADATABLE SOLEUNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; SOFT TONGUE TO ASSIST SHOE FIT                                                                                                           | PAA | ITEMIZED | 200 |
| 1618 | 4224170903000 | SHOES SURGICAL HALF BOOT SZ 19 BLACK | SHOES, SURGICAL (HALF BOOT), LACE TO TOE FULL GRAIN COW/CALF LEATHER UPPER, CALF LEATHER LINING AND FULL GRAIN COW/CALF LEATHER INSOLE, RUBBER OUTSOLE, STITCH DOWN CONSTRUCTION, HEEL AND RIGID SHANK, REINFORCED TOE BOX AND COUNTER, TWO VELCRO STRAP CLOSURE, SIZE 19, BLACK COLOR; SOFT PADDING AROUND HEEL CUFFS; A HIGH AND EXTRA-LONG STIFFENER TO SUPPORT ANKLE; EASILY REMOVABLE AND ADAPTABLE SOLEUNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; SOFT TONGUE TO ASSIST SHOE FIT                                                                                                          | PAA | ITEMIZED | 200 |
| 1619 | 4224170903100 | SHOES SURGICAL HALF BOOT SZ 20 BLACK | SHOES, SURGICAL (HALF BOOT), LACE TO TOE FULL GRAIN COW/CALF LEATHER UPPER, CALF LEATHER LINING AND FULL GRAIN COW/CALF LEATHER INSOLE, RUBBER OUTSOLE, STITCH DOWN CONSTRUCTION, HEEL AND RIGID SHANK, REINFORCED TOE BOX AND COUNTER, TWO VELERG STRAP CLOSURE, SIZE 20, BLACK COLOR; SOFT PADDING AROUND HEEL CUFFS; A HIGH AND EXTRA-LONG STIFFENER TO SUPPORT ANKLE; EASILY REMOVABLE AND ADAPTABLE SOLEUNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; SOFT TONGUE TO ASSIST SHOE FIT                                                                                                          | PAA | ITEMIZED | 200 |
| 1620 | 4224170903200 | SHOES SURGICAL HALF BOOT SZ 21 BLACK | SHOES, SURGICAL (HALF BOOT), LACE TO TOE FULL GRAIN COW/CALF LEATHER UPPER, CALF LEATHER LINING AND FULL GRAIN COW/CALF LEATHER INSOLE, RUBBER OUTSOLE, STITCH DOWN CONSTRUCTION, HEEL AND RIGID SHANK, REINFORCED TOE BOX AND COUNTER, TWO VELERG STRAP CLOSURE, SIZE 21, BLACK COLOR ALSO, SOFT PADDING AROUND HEEL CUFFS; A HIGH AND EXTRA-LONG STIFFENER TO SUPPORT ANKLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; SOFT TONGUE TO ASSIST SHOE FIT                                                                                                    | PAA | ITEMIZED | 200 |
| 1621 | 4224170903300 | SHOES SURGICAL HALF BOOT SZ 22 BLACK | SHOES, SURGICAL (HALF BOOT), LACE TO TOE FULL GRAIN COW/CALF LEATHER UPPER, CALF LEATHER LINING AND FULL GRAIN COW/CALF LEATHER INSOLE, RUBBER OUTSOLE, STITCH DOWN CONSTRUCTION, HEEL AND RIGID SHANK, REINFORCED TOE BOX AND COUNTER, TWO VELEOR STRAP CLOSURE, SIZE 22, BLACK COLOR ALSO; SOFT PADDING AROUND HEEL CUFFS; A HIGH AND EXTRA-LONG STIFFENER TO SUPPORT ANKE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; SOFT TONGUE TO ASSIST SHOE FIT                                                                                                     | PAA | ITEMIZED | 200 |
| 1622 | 4224170903400 | SHOES SURGICAL HALF BOOT SZ 23 BLACK | SHOES, SURGICAL (HALF BOOT), LACE TO TOE FULL GRAIN COW/CALF LEATHER UPPER, CALF LEATHER LINING AND FULL GRAIN COW/CALF LEATHER HONGLE, RUBBER OUTSOLE, STITCH DOWN CONSTRUCTION, HEEL AND RIGID SHANK, REINFORCED TOE BOX AND COUNTER, TWO VELERG STRAP CLOSURE, SIZE 23, BLACK COLOR; SOFT PADDING AROUND HEEL CUFFS; A HIGH AND EXTRA-LONG STIFFENER TO SUPPORT ANKLE; EASILY REMOVABLE AND ADAPTABLE SOLUNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; SOFT TONGUE TO ASSIST SHOE FIT                                                                                                           | PAA | ITEMIZED | 200 |
| 1623 | 4224170903500 | SHOES SURGICAL HALF BOOT SZ 39 BLACK | SHOES, SURGICAL (HALF BOOT), LACE TO TOE FULL GRAIN COW/CALF LEATHER UPPER, CALF LEATHER LINING AND FULL GRAIN COW/CALF LEATHER INSOLE, RUBBER OUTSOLE, STITCH DOWN CONSTRUCTION, HEEL AND RIGID SHANK, REINFORCED TOE BOX AND COUNTER, TWO VELCRO STRAP CLOSURE, SIZE 39, BLACK COLOR; SOFT PADDING AROUND HEEL CUFFS; A HIGH AND EXTRA-LONG STIFFENER TO SUPPORT ANKLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; SOFT TONGUE TO ASSIST SHOE FIT                                                                                                         | РАА | ITEMIZED | 200 |

6/21/2022 Page 131 of 160

| 1624 | 4224170903600 | SHOES SURGICAL HALF BOOT SZ 42 BLACK     | SHOES, SURGICAL (HALF BOOT), LACE TO TOE FULL GRAIN COW/CALF LEATHER UPPER, CALF LEATHER LINING AND FULL GRAIN COW/CALF LEATHER INSOLE, RUBBER OUTSOLE, STITCH DOWN CONSTRUCTION, HEEL AND RIGID SHANK, REINFORCED TOE BOX AND COUNTER, TWO VELCRO STRAP CLOSURE, SIZE 42, BLACK COLOR; SOFT PADDING AROUND HEEL CUFFS; A HIGH AND EXTRA-LONG STIFFENER TO SUPPORT ANKLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; SOFT TONGUE TO ASSIST SHOE FIT | PAA | ITEMIZED | 200 |
|------|---------------|------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|-----|
| 1625 | 4224170903700 | SHOES SURGICAL HALF BOOT SZ 43 BLACK     | SHOES, SURGICAL (HALF BOOT), LACE TO TOE FULL GRAIN COW/CALF LEATHER UPPER, CALF LEATHER LINING AND FULL GRAIN COW/CALF LEATHER INSOLE, RUBBER OUTSOLE, STITCH DOWN CONSTRUCTION, HEEL AND RIGID SHANK, REINFORCED TOE BOX AND COUNTER, TWO VELCRO STRAP CLOSURE, SUE 43, BLACK COLOE; SOFT PADDING AROUND HEEL CUFFS; A HIGH AND EXTRA-LONG STIFFENER TO SUPPORT ANKLE; EASILY REMOVABLE AND DATABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; SOFT TONGUE TO ASSIST SHOE FIT    | PAA | ITEMIZED | 200 |
| 1626 | 4224170903800 | SHOES SURGICAL HALF BOOT SZ 44 BLACK     | SHOES, SURGICAL (HALF BOOT), LACE TO TOE FULL GRAIN COW/CALF LEATHER UPPER, CALF LEATHER LINING AND FULL GRAIN COW/CALF LEATHER INSOLE, RUBBER OUTSOLE, STITCH DOWN CONSTRUCTION, HEEL AND RIGID SHANK, REINFORCED TOE BOX AND COUNTER, TWO VELCRO STRAP CLOSURE, SIZE 44, BLACK COLOE; SOFT PADDING AROUND HEEL CUFFS; A HIGH AND EXTRA-LONG STIFFENER TO SUPPORT ANKLE; EASILY REMOVABLE AND ADATABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; SOFT TONGUE TO ASSIST SHOE FIT  | PAA | ITEMIZED | 200 |
| 1627 | 4224170903900 | SHOES SURGICAL HALF BOOT SZ 45 BLACK     | SHOES, SURGICAL (HALF BOOT), LACE TO TOE FULL GRAIN COW/CALF LEATHER UPPER, CALF LEATHER LINING AND FULL GRAIN COW/CALF LEATHER INSOLE, RUBBER OUTSOLE, STITCH DOWN CONSTRUCTION, HEEL AND RIGID SHANK, REINFORCED TOE BOX AND COUNTER, TWO VELERG STRAP CLOSURE, SIZE 45, BLACK COLOR; SOFT PADDING AROUND HEEL CUFFS; A HIGH AND EXTRA-LONG STIFFENER TO SUPPORT ANKLE; EASILY REMOVABLE AND ADATABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; SOFT TONGUE TO ASSIST SHOE FIT  | PAA | ITEMIZED | 200 |
| 1628 | 4224170904000 | SHOES SURGICAL HALF BOOT SZ 46 BLACK     | SHOES, SURGICAL (HALF BOOT), LACE TO TOE FULL GRAIN COW/CALF LEATHER UPPER, CALF LEATHER LINING AND FULL GRAIN COW/CALF LEATHER INSOLE, RUBBER OUTSOLE, STITCH DOWN CONSTRUCTION, HEEL AND RIGID SHANK, REINFORCED TOE BOX AND COUNTER, TWO VELCRO STRAP CLOSURE, SUZE 46, BLACK GOLOR; SOFT PADDING AROUND HEEL CUFFS; A HIGH AND EXTRA-LONG STIFFENER TO SUPPORT ANKLE; EASILY REMOVABLE AND ADAPTABLE SOLUNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; SOFT TONGUE TO ASSIST SHOE FIT   | PAA | ITEMIZED | 200 |
| 1629 | 4224170902000 | SHOES SURGICAL HALF BOOT SZ 40 BLACK     | SHOES, SURGICAL (HALF BOOT), LACE TO TOE FULL GRAIN COW/CALF LEATHER UPPER, CALF LEATHER LINING AND FULL GRAIN COW/CALF LEATHER INSOLE, RUBBER OUTSOLE, STITCH DOWN CONSTRUCTION, HEEL AND RIGID SHANK, REINFORCEO TOE BOX AND COUNTER, TWO VELCRO STRAP CLOSURE, SUSE 40, BLACK COLOB; SOFT PADDING AROUND HEEL CUFFS; A HIGH AND EXTRA-LONG STIFFENER TO SUPPORT ANKLE; EASILY REMOVABLE AND ADAPTABLE SOLUNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; SOFT TONGUE TO ASSIST SHOE FIT   | PAA | ITEMIZED | 200 |
| 1630 | 4224170904100 | SHOE POST-OP SZ41 BLACK HALF BOOT PAIR   | SHOES, SURGICAL (HALF BOOT), LACE TO TOE FULL GRAIN COW/CALF LEATHER UPPER, CALF LEATHER LINING AND FULL GRAIN COW/CALF LEATHER INSOLE, RUBBER OUTSOLE, STITCH DOWN CONSTRUCTION, HEEL AND RIGID SHANK, REINFORCED TOE BOX AND COUNTER, TWO VELCRO STRAP CLOSURE, SIZE 41, BLACK COLOR; SOFT PADDING AROUND HEEL CUFFS; A HIGH AND EXTRA-LONG STIFFENER TO SUPPORT ANKLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; SOFT TONGUE TO ASSIST SHOE FIT | PAA | ITEMIZED | 200 |
| 1631 | 4224171316300 | SHOULDER JOINT FREE SWING MOVEMENT LEFT  | SHOULDER JOINT FREE SWING MOVEMENT, FOR FUNCTION IN COMBINATION WITH HIGH TECH COMPONENTS, LEFT                                                                                                                                                                                                                                                                                                                                                                                           | EA  | ITEMIZED | 10  |
| 1632 | 4224171316400 | SHOULDER JOINT FREE SWING MOVEMENT RIGHT | SHOULDER JOINT FREE SWING MOVEMENT, FOR FUNCTION IN COMBINATION WITH HIGH TECH COMPONENTS, RIGHT                                                                                                                                                                                                                                                                                                                                                                                          | EA  | ITEMIZED | 10  |
| 1633 | 4224200015600 | SHUTTLE LOCK PLASTIC                     | SHUTTLE LOCK, PLASTIC, LIGHTWEIGHT IS WATER-RESISTANT EASY TO UNLOCK RATCHET UNIT EVEN UNDER TENSILE LOAD, LOCKING IS CONTINUOUSLY VARIABLES OF THAT "CLICKING NOISES" DO NOT OCCUR WHEN WALKING, CONTINUOUSLY VARIABLE LOCKING MECHANISM FOR SECURE SUPPORT, LOCK HAS NO WEIGHT LIMIT AND IS EMBEDDED DIRECTLY IN THE SOCKET, IT IS USED WITH LINERS HAVING A DISTAL CONNECTION FOR LIGHTWEIGHT PLASTIC HOUSING, THEREFORE SUITABLE FOR USE IN BATHING PROSTHESIS                        | SET | ITEMIZED | 500 |
| 1634 | 4224200015700 | SHUTTLE LOCK WITH SERRATED PIN           | SHUTTLE LOCK, WITH SERRATED PIN CARTIER, ALUMINUM HOUSING, EASY TO UNLOCK, RATCHET UNIT EVEN UNDER TENSILE LOAD, CONTINUOUSLY VARIABLE LOCKING MECHANISM FOR SECURE SUPPORT, ADJUSTABLE, ENGAGES SILENTLY, OR AUDIBLY.                                                                                                                                                                                                                                                                    | SET | ITEMIZED | 100 |
| 1635 | 4224200012200 | SILICONE FOR IMPRESSION                  | SILICONE FOR IMPRESSION, TAKING AND CORRECTION OF TRIAL FITTINGS ON THE PATIENT, INCLUDING FINGER PROSTHESIS, PARTAL HAND PROSTHESIS, SCAR COMPRESSION, MASKS, AND GLOVES, PARTIAL FOOT PROSTHESIS, TRANSFEMORAL, AND TIBIAL PROSTHESIS LINERS AS WELL AS ORTHOSIS                                                                                                                                                                                                                        | EA  | ITEMIZED | 100 |

6/21/2022 Page 132 of 160

| 1636 | 4618160907900 | SILICONE INSOLE 3/4 SZ EXTRA LARGE     | SILICONE INSOLE, 3/4, DUAL DENSITY SILICONE PROVIDES CUSHIONING TO HEEL AND METATARSAL HEADS, PAIR SIZE: EXTRA LARGE                                                                                                                                                                                                                             | EA  | ITEMIZED | 150 |
|------|---------------|----------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|-----|
| 1637 | 4618160907600 | SILICONE INSOLE 3/4 SZ LARGE           | SILICONE INSOLE, 3/4, DUAL DENSITY SILICONE PROVIDES CUSHIONING TO HEEL AND METATARSAL HEADS, PAIR SIZE: LARGE                                                                                                                                                                                                                                   | EA  | ITEMIZED | 150 |
| 1638 | 4618160907700 | SILICONE INSOLE 3/4 SZ MEDIUM          | SILICONE INSOLE, 3/4, DUAL DENSITY SILICONE PROVIDES CUSHIONING TO HEEL AND METATARSAL HEADS, PAIR SIZE: MEDIUM                                                                                                                                                                                                                                  | EA  | ITEMIZED | 150 |
| 1639 | 4618160907800 | SILICONE INSOLE 3/4 SZ SMALL           | SILICONE INSOLE, 3/4, DUAL DENSITY SILICONE PROVIDES CUSHIONING TO HEEL AND METATARSAL HEADS, PAIR SIZE: SMALL                                                                                                                                                                                                                                   | EA  | ITEMIZED | 150 |
| 1640 | 4224200504100 | SILICONE LINER SHUTTLE LOCK 25MM       | SILICONE LINER SHUTTLE LOCK, WITH DISTAL ADJUSTABLE PYRAMID COMPLETE SET, TO CONNECTION BETWEEN THE LINER AND PROSTHESIS, SYSTEM HEIGHT: 25 MM APPROXIMATELY, INCLUDING LAMINATION DUMMY SET WITH SCREW, FOR BODY WEIGHT UP TO 120 KG                                                                                                            | SET | ITEMIZED | 900 |
| 1641 | 4224200504200 | SILICONE LINER SHUTTLE LOCK 79MM       | SILICONE LINER SHUTTLE LOCK, WITH DISTAL ADJUSTABLE SCREW COMPLETE SET, TO CONNECTION BETWEEN THE LINER AND PROSTHESIS, SYSTEM HEIGHT: 79 MM APPROXIMATELY, INCLUDING LAMINATION DUMMY SET WITH SCREW, POR BODY WEIGHT UP TO 120 KG                                                                                                              | SET | ITEMIZED | 309 |
| 1642 | 4224200503200 | LINER PROSTHETIC SOCKET 300MM SILICONE | SILICONE LINER SOCKET, FOR TRANS - FEMORAL AMPUTEES, WITH DISTAL CONNECTION, WITH HIGH SHOCK ABSORPTION, THE INTEGRATED TEXTILE MATRIX PREVENTS ELONGATION AND CIRCUMFERENTIAL STRETCHING IS NOT AFFECTED, SPECIAL TEXTILE COWER FACILITATES DONNING AND DOFFING OF THE LINER, EASY TO BE CLEANDE AND DRIED QUICKLY, SIZE 300 MM, APPROXIMATELY  | EA  | ITEMIZED | 100 |
| 1643 | 4224200503300 | LINER PROSTHETIC SOCKET 320MM SILICONE | SILICONE LINER SOCKET, FOR TRANS - FEMORAL AMPUTEES, WITH DISTAL CONNECTION, WITH HIGH SHOCK ABSORPTION, THE INTEGRATED TEXTILE MATRIX PREVENTS ELONGATION AND CIRCUMFERENTIAL STRETCHING IS NOT AFFECTED, SPECIAL TEXTILE COVER FACILITATES DONNING AND DOFFING OF THE LINER, EASY TO BE CLEANDE AND DRIED QUICKLY, SIZE 320 MM, APPROXIMATELY  | EA  | ITEMIZED | 100 |
| 1644 | 4224200503400 | LINER PROSTHETIC SOCKET 340MM SILICONE | SILICONE LINER SOCKET, FOR TRANS - FEMORAL AMPUTEES, WITH DISTAL CONNECTION, WITH HIGH SHOCK ABSORPTION, THE INTEGRATED TEXTILE MATRIX PREVENTS ELONGATION AND CIRCUMFERENTIAL STRETCHING IS NOT AFFECTED, SPECIAL TEXTILE COVER FACILITATES DONNING AND DOFFING OF THE LINER, EASY TO BE CLEANED AND DRIED QUICKLY, SIZE 340 MM, APPROXIMATELY  | EA  | ITEMIZED | 100 |
| 1645 | 4224200503500 | LINER PROSTHETIC SOCKET 360MM SILICONE | SILICONE LINER SOCKET, FOR TRANS - FEMORAL AMPUTEES, WITH DISTAL CONNECTION, WITH HIGH SHOCK ABSORPTION, THE INTEGRATED TEXTILE MATRIX PREVENTS ELONGATION AND CIRCUMFERENTIAL STRETCHING IS NOT AFFECTED, SPECIAL TEXTILE COVER FACILITATES DONNING AND DOFFING OF THE LINER, EASY TO BE CLEANDE AND DRIED QUICKLY, SIZE 360 MM, APPROXIMATELY  | EA  | ITEMIZED | 100 |
| 1646 | 4224200503600 | LINER PROSTHETIC SOCKET 380MM SILICONE | SILICONE LINER SOCKET, FOR TRANS - FEMORAL AMPUTEES, WITH DISTAL CONNECTION, WITH HIGH SHOCK ABSORPTION, THE INTEGRATED TEXTILE MATRIX PREVENTS ELONGATION AND CIRCUMFERENTIAL STRETCHING IS NOT AFFECTED, SPECIAL TEXTILE COVER FACILITATES DONNING AND DOFFING OF THE LINER, EASY TO BE CLEANED AND DRIED QUICKLY, SIZE 380 MM, APPROXIMATELY  | EA  | ITEMIZED | 100 |
| 1647 | 4224200503700 | LINER PROSTHETIC SOCKET 400MM SILICONE | SILICONE LINER SOCKET, FOR TRANS - FEMORAL AMPUTEES, WITH DISTAL CONNECTION, WITH HIGH SHOCK ABSORPTION, THE INTEGRATED TEXTILE MATRIX PREVENTS ELONGATION AND CIRCUMFERENTIAL STRETCHING IS NOT AFFECTED, SPECIAL TEXTILE COVER FACILITATES DONNING AND DOFFING OF THE LINER, EASY TO BE CLEANED AND DRIED QUICKLY, SIZE 400 MM, APPROXIMATELY  | EA  | ITEMIZED | 100 |
| 1648 | 4224200506000 | SILICONE LINER SOCKET SZ 450MM         | SILICONE LINER SOCKET, FOR TRANS - FEMORAL AMPUTEES, WITH DISTAL CONNECTION, WITH HIGH SHOCK ABSORPTION, THE INTEGRATED TEXTILE MATRIX PREVENTS ELONGATION AND CIRCUMFERENTIAL STRETCHING IS NOT AFFECTED, SPECIAL TEXTILE COVER FACILITATES DONNING AND DOFFING OF THE LINER, EASY TO BE CLEANED AND DRIED QUICKLY, SIZE 450 MM, APPROXIMATELY  | EA  | ITEMIZED | 100 |
| 1649 | 4224200506100 | SILICONE LINER SOCKET SZ 500MM         | SILICONE LINER SOCKET, FOR TRANS - FEMORAL AMPUTEES, WITH DISTAL CONNECTION, WITH HIGH SHOCK ABSORPTION, THE INTEGRATED TEXTILE MATRIX PREVENTS ELONGATION AND CIRCUMFERENTIAL STRETCHING IS NOT AFFECTED, SPECIAL TEXTILE COVER FACILITATES DONNING AND DOFFING OF THE LINER, EASY TO BE CLEANED AND DRIED QUICKLY, SIZE 500 MM, APPROXIMATELY  | EA  | ITEMIZED | 100 |
| 1650 | 4224200506200 | SILICONE LINER SOCKET SZ 550MM         | SILICONE LINER SOCKET, FOR TRANS - FEMORAL AMPUTEES, WITH DISTAL CONNECTION, WITH HIGH SHOCK ABSORPTION, THE INTEGRATED TEXTILE MATRIX PREVENTS ELONGATION AND CIRCUMFERENTIAL STRETCHING IS NOT AFFECTED, SPECIAL TEXTILE COVER FACILITATES DONNING AND DOFFING OF THE LINER, EASY TO BE CLEANED AND DRIED QUICKLY, SIZE 550 MM, APPROXIMATELY  | EA  | ITEMIZED | 100 |
| 1651 | 4224200503100 | LINER PROSTHETIC SOCKET 280MM SILICONE | SILICONE LINER SOCKET, FOR TRANS - FEMORAL AMPUTEES, WITH DISTAL CONNECTION, WITH HIGH SHOCK ABSORPTION, THE INTEGRATED TEXTILE MATRIX PREVENTS ELONGATION AND CIRCUMFERENTIAL STRETCHING IS NOT AFFECTED.  SPECIAL TEXTILE COVER FACILITATES DONNING AND DOFFING OF THE LINER, EASY TO BE CLEANED AND DRIED QUICKLY, SIZE 280 MM, APPROXIMATELY | EA  | ITEMIZED | 100 |

6/21/2022 Page 133 of 160

| SILICONE LINER SOCKET, FOR TRANSFEMORAL AMPUTEES, WITH DISTAL CONNECTION, WITH HIGH SHOCK ABSORPTION, ANTIBACTURE PROPERTIES THAT IMPROVE HYGIENE AND PROMOTE HEALTHY SKIN, CONTROLS ODOR CAUSED BY BACTERIA FOR IMPROVING HYGIENE, THE INTEGRATED TEXTILE MATRIX PREVENTS ELONGATION AND CIRCUMFERENTIAL STRETCHING IS NOT AFFECTED, SPECIAL TEXTILE CONTROLS ODOR AND DOFFING OF THE LINER, FASY TO BE CLEANED AND DOFFING OF THE LINER, FASY TO BE CLEANED AND DOFFING OF THE LINER, FASY TO BE CLEANED AND DOFFING OF THE LINER, FASY TO BE CLEANED AND PROMOTE HEALTHY SKIN, CONTROLS ODOR CAUSED BY BACTERIA POR IMPROVING HYGIENE, AND PROMOTE HEALTHY SKIN, CONTROLS ODOR CAUSED BY BACTERIA POR IMPROVING HYGIEN, EN HITGERATED TEXTILE MATRIX PREVENTS ELONGATION AND CIRCUMFERENTIAL STRETCHING IS NOT AFFECTED, SPECIAL TEXTILE COVER FACILITATES DONNING AND DOFFING OF THE | ED 100 |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|
| WITH DISTAL CONNECTION, WITH HIGH SHOCK ABSORPTION, ANTIBACTERIAL PROPERTIES THAT IMPROVE HYGIENE AND PROMOTE HEALTHY SKIN, CONTROLS ODOR CAUSED BY BACTERIA FOR IMPROVING HYGIENE, THE INTEGRATED BACTERIA FOR IMPROVING HYGIENE, THE INTEGRATED CIRCUMFERENTIAL STRETCHING IS NOT AFFECTED, SPECIAL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |        |
| LINER, EASY TO BE CLEANED AND DRIED QUICKLY, SIZE 320 MM, APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | ED 100 |
| SILICONE LINER SOCKET, FOR TRANSFEMORAL AMPUTEES, WITH DISTAL CONNECTION, WITH HIGH SHOCK ABSORPTION, ANTIBACTERIAL PROPERTIES THAT IMPROVE HYGIENE AND PROMOTE HEALTHY SKIN, CONTROLS ODOR CAUSED BY BACTERIA FOR IMPROVING HYGIENE, THE INTEGRATED TEXTILE ATTRIX PREVENTS ELONGATION AND CIRCUMFERENTIAL STRETCHING IS NOT AFFECTED, SPECIAL TEXTILE COVER FACILITATES DONNING AND DOFFING OF THE LINER, EASY TO BE CLEARED AND DRIED QUICKLY, SIZE 340 MM, APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                             | ED 100 |
| SILICONE LINER SOCKET, FOR TRANSFEMORAL AMPUTEES, WITH DISTAL CONNECTION, WITH HIGH SHOCK ABSORPTION, ANTIBACTERIAL PROPERTIES THAT IMPROVE HYGIENE AND PROMOTE HEALTHY SKIN, CONTROLS ODOR CAUSED BY BACTERIA FOR IMPROVING HYGIENE, THE INTEGRATED TEXTILE MATRIX PREVENTS ELONGATION AND CIRCUMFERENTIAL STRETCHING IS NOT AFFECTED, SPECIAL TEXTILE COVER FACILITATES DONNING AND DOFFING OF THE LINER, EASY TO BE CLEANED AND DRIED QUICKLY, SIZE 360 MM, APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                             | ED 100 |
| SILICONE LINER SOCKET, FOR TRANSFEMORAL AMPUTEES, WITH DISTAL CONNECTION, WITH HIGH SHOCK ABSORPTION, ANTIBACTERIAL PROPERTIES THAT IMPROVE HYGIENE AND PROMOTE HEALTHY SKIN, CONTROLS ODOR CAUSED BY BACTERIA FOR IMPROVING HYGIENE, THE INTEGRATED TEXTILE MATRIX PREVENTS ELONGATION AND CIRCUMFERENTIAL STRETCHING IS NOT AFFECTED, SPECIAL TEXTILE COVER FACILITATES DONNING AND DOFFING OF THE LINER, EASY TO BE CLEARED AND DRIED QUICKLY, SIZE 380 MM, APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                             | ED 100 |
| SILICONE LINER SOCKET, FOR TRANSFEMORAL AMPUTEES, WITH DISTAL CONNECTION, WITH HIGH SHOCK ABSORPTION, ANTIBACTERIAL PROPERTIES THAT IMPROVE HYGIENE AND PROMOTE HEALTHY SKIN, CONTROLS ODOR CAUSED BY BACTERIA FOR IMPROVING HYGIENE, THE INTEGRATED TEXTILE MATRIX PREVENTS ELONGATION AND CIRCUMFERENTIAL STRETCHING IS NOT AFFECTED, SPECIAL TEXTILE COVER FACILITATES DONNING AND DOFFING OF THE LINER, EASY TO BE CLEARED AND ORIED QUICKLY, SIZE 400 MM, APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                             | ED 100 |
| SILICONE LINER SOCKET, FOR TRANSFEMORAL AMPUTEES, WITH DISTAL CONNECTION, WITH HIGH SHOCK ABSORPTION, ANTIBACTERIAL PROPERTIES THAT HIMPROVE HYGIENE AND PROMOTE HEALTHY SKIN, CONTROLS ODOR CAUSED BY BACTERIA FOR IMPROVING HYGIENE, THE INTEGRATED TEXTILE MATRIX PREVENTS ELONGATION AND CIRCUMPERENTIAL STRETCHING IS NOT AFFECTED, SPECIAL TEXTILE COVER FACILITATES DONNING AND DOFFING OF THE LINER, EASY TO BE CLEARED AND ORIED QUICKLY, SIZE 420 MM, APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                            | ED 100 |
| SILICONE LINER SOCKET, FOR TRANSFEMORAL AMPUTEES, WITH DISTAL CONNECTION, WITH HIGH SHOCK ABSORPTION, ANTIBACTERIAL PROPERTIES THAT IMPROVE HYGIENE AND PROMOTE HEALTHY SKIN, CONTROLS ODOR CAUSED BY BACTERIA FOR IMPROVING HYGIENE, THE INTEGRATED TEXTILE MATRIX PREVENTS ELONGACTION AND CIRCUMFERENTIAL STRETCHING IS NOT AFFECTED, SPECIAL TEXTILE COVER FACILITATES DONNING AND DOFFING OF THE LINER, EASY TO BE CLEARED AND DRIED QUICKLY, SIZE 450 MM, APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                            | ED 100 |
| SILICONE LINER, FOR LOW ACTIVITY TRANS - TIBIAL  1660 4224200130400 SILICONE LINER FOR LOW ACT. AMP SZ 16 AMPUTATION, 6 MM, LOCKING LINER WITH ACTIVE SKIN EA ITEMIZ  CARE LEMENTS AND SUPLEX OUTER COVER, SIZE 16                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | ED 100 |
| SILCONE LINER, FOR LOW ACT. AMP SZ 18  SILCONE LINER, FOR LOW ACTIVITY TRANS - TIBIAL  1661 4224200130500 SILICONE LINER FOR LOW ACT. AMP SZ 18 AMPUTATION, 6 MM, LOCKING LINER WITH ACTIVE SKIN EA ITEMIA  CARE ELEMENTS AND SUPLEX OUTER COVER, SIZE 18                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | ED 100 |
| SILICONE LINER, FOR LOW ACTIVITY TRANS - TIBIAL  1662 4224200130800 SILICONE LINER FOR LOW ACT. AMP 6MM 23.5 AMPUTATION, 6 MINN, LOCKING LINER WITH ACTIVE SKIN EA ITEMIZ  CARE ELEMENTS AND SUPLEX OUTER COVER, SIZE 23.5                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | ED 100 |
| SILICONE LINER, FOR LOW ACTIVITY TRANS - TIBLAL  1663 4224200131000 SILICONE LINER FOR LOW ACT. AMP SZ 26.5 AMPUTATION, 6 MM, LOCKING LINER WITH ACTIVE SKIN  CARE ELEMENTS AND SUPLEX OUTER COVER, SIZE 26.5  TEMBLE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | ED 100 |
| SILICONE LINER, FOR LOW ACTIVITY TRANS - TIBIAL  1664 4224200131100 SILICONE LINER FOR LOW ACT. AMP SZ 28 AMPUTATION, 6 MM, LOCKING LINER WITH ACTIVE SKIN EA ITEMIC  CARE ELEMENTS AND SUPLEX OUTER COVER, SIZE 28                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | ED 100 |

6/21/2022 Page 134 of 160

| 1665 | 4224200131200 | SILICONE LINER FOR LOW ACT. AMP SZ 30    | SILICONE LINER, FOR LOW ACTIVITY TRANS - TIBIAL AMPUTATION, 6 MM, LOCKING LINER WITH ACTIVE SKIN CARE ELEMENTS AND SUPLEX OUTER COVER, SIZE 30                                                                                                                                                                                                                                                                                                                                                                                                                              | EA | ITEMIZED | 100 |
|------|---------------|------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|----------|-----|
| 1666 | 4224200131300 | SILICONE LINER FOR LOW ACT. AMP SZ 32    | SILICONE LINER, FOR LOW ACTIVITY TRANS - TIBIAL AMPUTATION, 6 MM, LOCKING LINER WITH ACTIVE SKIN CARE ELEMENTS AND SUPLEX OUTER COVER, SIZE 32                                                                                                                                                                                                                                                                                                                                                                                                                              | EA | ITEMIZED | 100 |
| 1667 | 4224200131400 | SILICONE LINER FOR LOW ACT. AMP SZ 34    | SILICONE LINER, FOR LOW ACTIVITY TRANS - TIBIAL AMPUTATION, 6 MM, LOCKING LINER WITH ACTIVE SKIN CARE ELEMENTS AND SUPLEX OUTER COVER, SIZE 34                                                                                                                                                                                                                                                                                                                                                                                                                              | EA | ITEMIZED | 100 |
| 1668 | 4224200131500 | SILICONE LINER FOR LOW ACT. AMP SZ 36    | SILICONE LINER, FOR LOW ACTIVITY TRANS - TIBIAL AMPUTATION, 6 MM, LOCKING LINER WITH ACTIVE SKIN CARE ELEMENTS AND SUPLEX OUTER COVER, SIZE 36                                                                                                                                                                                                                                                                                                                                                                                                                              | EA | ITEMIZED | 100 |
| 1669 | 4224200131600 | SILICONE LINER FOR LOW ACT. AMP SZ 38    | SILICONE LINER, FOR LOW ACTIVITY TRANS - TIBIAL AMPUTATION, 6 MM, LOCKING LINER WITH ACTIVE SKIN CARE ELEMENTS AND SUPLEX OUTER COVER, SIZE 38                                                                                                                                                                                                                                                                                                                                                                                                                              | EA | ITEMIZED | 100 |
| 1670 | 4224200131700 | SILICONE LINER FOR LOW ACT. AMP SZ 40    | SILICONE LINER, FOR LOW ACTIVITY TRANS - TIBIAL AMPUTATION, 6 MM, LOCKING LINER WITH ACTIVE SKIN CARE ELEMENTS AND SUPLEX OUTER COVER, SIZE 40                                                                                                                                                                                                                                                                                                                                                                                                                              | EA | ITEMIZED | 100 |
| 1671 | 4224200130600 | SILICONE LINER FOR LOW ACT. AMP SZ 20    | SILICONE LINER, FOR LOW ACTIVITY, TRANS - TIBIAL AMPUTATION, 6 MM, LOCKING LINER, WITH ACTIVE SKIN CARE ELEMENTS, AND SUPLEX OUTER COVER, SIZE 20                                                                                                                                                                                                                                                                                                                                                                                                                           | EA | ITEMIZED | 100 |
| 1672 | 4224200130700 | SILICONE LINER FOR LOW ACT. AMP SZ 22    | SILICONE LINER, FOR LOW ACTIVITY, TRANS - TIBIAL AMPUTATION, 6 MM, LOCKING LINER, WITH ACTIVE SKIN CARE ELEMENTS, AND SUPLEX OUTER COVER, SIZE 22                                                                                                                                                                                                                                                                                                                                                                                                                           | EA | ITEMIZED | 100 |
| 1673 | 4224200130900 | SILICONE LINER FOR LOW ACT. AMP SZ 25    | SILICONE LINER, FOR LOW ACTIVITY, TRANS - TIBIAL<br>AMPUTATION, 6 MM, LOCKING LINER, WITH ACTIVE SKIN<br>CARE ELEMENTS, AND SUPLEX OUTER COVER, SIZE 25                                                                                                                                                                                                                                                                                                                                                                                                                     | EA | ITEMIZED | 100 |
| 1674 | 4224200129200 | SILICONE LINER FOR MED ACT.AMP 3MM SZ 18 | SILICONE LINER, FOR MEDIUM ACTIVITY TRANS - TIBIAL<br>AMPUTATION, 3 MM, SEAL - IN LINER WITH SUSPENSION<br>SLEEVE, SIZE 18                                                                                                                                                                                                                                                                                                                                                                                                                                                  | EA | ITEMIZED | 100 |
| 1675 | 4224200129300 | SILICONE LINER FOR MED ACT.AMP 3MM SZ 20 | SILICONE LINER, FOR MEDIUM ACTIVITY TRANS - TIBIAL AMPUTATION, 3 MM, SEAL - IN LINER WITH SUSPENSION SLEEVE, SIZE 20                                                                                                                                                                                                                                                                                                                                                                                                                                                        | EA | ITEMIZED | 100 |
| 1676 | 4224200129400 | SILICONE LINER FOR MED ACT.AMP 3MM SZ 22 | SILICONE LINER, FOR MEDIUM ACTIVITY TRANS - TIBIAL AMPUTATION, 3 MM, SEAL - IN LINER WITH SUSPENSION SLEEVE, SIZE 22                                                                                                                                                                                                                                                                                                                                                                                                                                                        | EA | ITEMIZED | 100 |
| 1677 | 4224200129500 | SILICONE LINER FOR MED ACT. AMP 3MM 23.5 | SILICONE LINER, FOR MEDIUM ACTIVITY TRANS - TIBIAL AMPUTATION, 3 MM, SEAL - IN LINER WITH SUSPENSION SLEEVE, SIZE 23.5                                                                                                                                                                                                                                                                                                                                                                                                                                                      | EA | ITEMIZED | 100 |
| 1678 | 4224200129600 | SILICONE LINER FOR MED ACT.AMP 3MM SZ 25 | SILICONE LINER, FOR MEDIUM ACTIVITY TRANS - TIBIAL<br>AMPUTATION, 3 MM, SEAL - IN LINER WITH SUSPENSION<br>SLEEVE, SIZE 25                                                                                                                                                                                                                                                                                                                                                                                                                                                  | EA | ITEMIZED | 100 |
| 1679 | 4224200129700 | SILICONE LINER FOR MED ACT. AMP 3MM 26.5 | SILICONE LINER, FOR MEDIUM ACTIVITY TRANS - TIBIAL AMPUTATION, 3 MM, SEAL - IN LINER WITH SUSPENSION SLEEVE, SIZE 26.5                                                                                                                                                                                                                                                                                                                                                                                                                                                      | EA | ITEMIZED | 100 |
| 1680 | 4224200129800 | SILICONE LINER FOR MED ACT.AMP 3MM SZ 28 | SILICONE LINER, FOR MEDIUM ACTIVITY TRANS - TIBIAL<br>AMPUTATION, 3 MM, SEAL - IN LINER WITH SUSPENSION<br>SLEEVE, SIZE 28                                                                                                                                                                                                                                                                                                                                                                                                                                                  | EA | ITEMIZED | 100 |
| 1681 | 4224200129900 | SILICONE LINER FOR MED ACT.AMP 3MM SZ 30 | SILICONE LINER, FOR MEDIUM ACTIVITY TRANS - TIBIAL AMPUTATION, 3 MM, SEAL - IN LINER WITH SUSPENSION SLEEVE, SIZE 30                                                                                                                                                                                                                                                                                                                                                                                                                                                        | EA | ITEMIZED | 100 |
| 1682 | 4224200130000 | SILICONE LINER FOR MED ACT.AMP 3MM SZ 32 | SILICONE LINER, FOR MEDIUM ACTIVITY TRANS - TIBIAL<br>AMPUTATION, 3 MM, SEAL - IN LINER WITH SUSPENSION<br>SLEEVE, SIZE 32                                                                                                                                                                                                                                                                                                                                                                                                                                                  | EA | ITEMIZED | 100 |
| 1683 | 4224200130100 | SILICONE LINER FOR MED ACT.AMP 3MM SZ 34 | SILICONE LINER, FOR MEDIUM ACTIVITY TRANS - TIBIAL AMPUTATION, 3 MM, SEAL - IN LINER WITH SUSPENSION SLEEVE, SIZE 34                                                                                                                                                                                                                                                                                                                                                                                                                                                        | EA | ITEMIZED | 100 |
| 1684 | 4224200130200 | SILICONE LINER FOR MED ACT.AMP 3MM SZ 36 | SILICONE LINER, FOR MEDIUM ACTIVITY TRANS - TIBIAL<br>AMPUTATION, 3 MM, SEAL - IN LINER WITH SUSPENSION<br>SLEEVE, SIZE 36                                                                                                                                                                                                                                                                                                                                                                                                                                                  | EA | ITEMIZED | 100 |
| 1685 | 4224200130300 | SILICONE LINER FOR MED ACT.AMP 3MM SZ 40 | SILICONE LINER, FOR MEDIUM ACTIVITY TRANS - TIBIAL AMPUTATION, 3 MM, SEAL - IN LINER WITH SUSPENSION SLEEVE, SIZE 40                                                                                                                                                                                                                                                                                                                                                                                                                                                        | EA | ITEMIZED | 100 |
| 1686 | 4224200116400 | SILICONE LOCKING LINER SZ 11CM           | SILICONE LOCKING LINER FOR UPPER EXTREMITY AMPUTEES EASIER TO PUT ON AND TAKE OFF THANKS TO THE OUTER COATING WITHOUT DONNING SPRAY REQUIRED VERY COMFORTABLE TO WEAR THANKS TO THE ROUGHENED INTERIOR CONTOUR WHICH REDUCES PERSPIRATION REDUCED LINEAR EXTENSION THANKS TO A NEW MATRIX FOR EXCELLENT ROBUSTNESS SUITABLE FOR RESIDUAL LIMB SOCKETS FROM A RESIDUAL LIMB LENGTH OF 10 CM ON THE UPPER ARM AND FOREARM SECURE HOLD OF THE PROSTHESIS WITH THE LOCK SET: A PIN IS USED TO ESTABLISH THE CONNECTION TO THE LOCK BUILT INTO THE PROSTHETIC                    | EA | ITEMIZED | 10  |
| 1687 | 4224200116500 | SILICONE LOCKING LINER SZ 14CM           | SILICONE LOCKING LINER FOR UPPER EXTREMITY AMPUTEES EASIER TO PUT ON AND TAKE OFF THANKS TO THE OUTER COATING WITHOUT DONNING SPRAY REQUIRED VERY COMFORTABLE TO WEAR THANKS TO THE ROUGHENED INTERIOR CONTOUR WHICH REDUCES PERSPIRATION REDUCED LINEAR EXTENSION THANKS TO A NEW MATRIX FOR EXCELLENT ROBUSTNIESS SUITABLE FOR RESIDUAL LIMB SOCKETS FROM A RESIDUAL LIMB LENGTH OF 10 CM ON THE UPPER ARM AND FOREARM SECURE HOLD OF THE PROSTHESIS WITH THE LOCK SET: A PIN IS USED TO ESTABLISH THE CONNECTION TO THE LOCK BUILT INTO THE PROSTHETIC SOCKET SIZE 14 CM | EA | ITEMIZED | 10  |
| 1688 | 4224200116600 | SILICONE LOCKING LINER SZ 16CM           | SILICONE LOCKING LINER FOR UPPER EXTREMITY AMPUTEES EASIER TO PUT ON AND TAKE OFF THANKS TO THE OUTER COATING WITHOUT DONNING SPRAY REQUIRED VERY COMFORTABLE TO WEAR THANKS TO THE ROUGHENED INTERIOR CONTOUR WHICH REDUCES PERSPIRATION REDUCED LINEAR EXTENSION THANKS TO A NEW MATRIX FOR EXCELLENT ROBUSTNESS SUITABLE FOR RESIDUAL LIMB SOCKETS FROM A RESIDUAL LIMB LENGTH OF 10 CM ON THE UPPER ARM AND FOREARM SECURE HOLD OF THE PROSTHESIS WITH THE LOCK SET: A PIN IS USED TO ESTABLISH THE CONNECTION TO THE LOCK BUILT INTO THE PROSTHETIC SOCKET SIZE 16 CM  | EA | ITEMIZED | 10  |

6/21/2022 Page 135 of 160

| 1689         | 4224200116700                  | SILICONE LOCKING LINER SZ 18CM                                                  | SILCONE LOCKING LINER FOR UPPER EXTREMITY AMPUTEES EASIER TO PUT ON AND TAKE OFF THANKS TO THE OUTER COATING WITHOUT DONNING SPRAY REQUIRED VERY COMFORTABLE TO WEAR THANKS TO THE ROUGHENED INTERIOR CONTOUR WHICH REDUCES PERSPIRATION REDUCED LINERA EXTENSION THANKS TO A NEW MATRIX FOR EXCELLENT ROBUSTNESS SUITABLE FOR RESIDUAL LIMB SOCKETS FROM A RESIDUAL LIMB LENGTH OF 10 CM ON THE UPPER ARM AND FOREAM SECURE HOLD OF THE PROSTHESIS WITH THE LOCK SET: A PIN IS USED TO ESTABLISH THE CONNECTION TO THE LOCK BUILT INTO THE PROSTHETIC SOCKET SEZE 18 CM                                                                          | EA       | ITEMIZED | 10       |
|--------------|--------------------------------|---------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----------|----------|
| 1690         | 4224200116800                  | SILICONE LOCKING LINER SZ 20CM                                                  | SILICONE LOCKING LINER FOR UPPER EXTREMITY AMPUTEES<br>EASIER TO PUT ON AND TAKE OFF THANKS TO THE OUTER<br>COATING WITHOUT DONNING SPRAY REQUIRED VERY<br>COMFORTABLE TO WEAR THANKS TO THE ROUGHENED<br>INTERIOR CONTOUR WHICH REDUCES PERSPIRATION<br>REDUCED LINEAR EXTENSION THANKS TO A NEW MATRIX FOR<br>EXCELLENT ROBUSTNESS SUITABLE FOR RESIDUAL LIMB<br>SOCKETS FROM A RESIDUAL LIMB LENGTH OF 10 CM ON THE<br>UPPER ARM AND FOREAM SECURE HOLD OF THE<br>PROSTHESIS WITH THE LOCK SET: A PIN IS USED TO ESTABLISH<br>THE CONNECTION TO THE LOCK BUILT INTO THE PROSTHETIC<br>SOCKET SIZE 20 CM                                        | EA       | ITEMIZED | 10       |
| 1691         | 4224200116900                  | SILICONE LOCKING LINER SZ 22CM                                                  | SILICONE LOCKING LINER FOR UPPER EXTREMITY AMPUTEES EASIER TO PUT ON AND TAKE OFF THANKS TO THE OUTER COATING WITHOUT DONNING SPRAY REQUIRED VERY COMFORTABLE TO WEAR THANKS TO THE ROUGHENED INTERIOR CONTOUR WHICH REDUCES PERSPIRATION REDUCED LINEAR EXTENSION THANKS TO A NEW MATRIX FOR EXCELLENT ROBUSTRESS SUITABLE FOR RESIDUAL LIMB SOCKETS FROM A RESIDUAL LIMB LENGTH OF 10 CM ON THE UPPER ARM AND FOREARM SECURE HOLD OF THE PROSTHESIS WITH THE LOCK SET: A PIN IS USED TO ESTABLISH THE CONNECTION TO THE LOCK SUILT INTO THE PROSTHETIC                                                                                          | EA       | ITEMIZED | 5        |
| 1692         | 4224170641500                  | SHIELD SILICONE HALLUX VALGUS BUNION                                            | SILICONE SHIELD, HALLUX VALGUS BUNION, COVERS LATERALLY THE BUNION AREA, HOLDING ITSELF WITH THE HOOP IN A TOE, MADE OF EXTRA - SOFT MEDICAL SILICONE, IT FITS TO BODY TEMPERATURE, WASHABLE, PROTECTS AGAINST HALLUX VALGUS, PROTECTION OF FRICTION AND PRESSURES OF BUNION HALLUX VALGUS SIDE SHIELD, HALLUX VALGUS BURSTITS, GOUT                                                                                                                                                                                                                                                                                                              | EA       | ITEMIZED | 800      |
| 1693         | 4224170641600                  | SHIELD SILICONE VARUS QUINTUS LAT DISCHA                                        | SILICONE SHIELD, VARUS QUINTUS LATERAL DISCHARGE OF<br>THE BUNION AREA, HOLDING ITSELF WITH THE HOOP IN THE<br>FIFTH TOE, MADE OF EXTRA - SOFT MEDICAL SILICONE, IF ITST<br>TO BODY TEMPERATURE, WASHABLE, LATERAL DISCHARGE<br>OF THE BUNION AREA, PROTECTION OF FRICTION AND<br>PRESSURES OF BUNION QUINTUS VALGUS SIDE SHIELD,<br>QUINTUS VALGUS BURSTITS                                                                                                                                                                                                                                                                                      | EA       | ITEMIZED | 100      |
| 1694         | 4224171318200                  | SILICONE GREASE TUBE                                                            | SILICONE, GREASE (TUBE)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | EA       | ITEMIZED | 100      |
| 1695         | 4224200135900                  | PROSTHETIC K LEVEL WT 147KG                                                     | SIMPLE PRODUCT ENERGY EFFICIENT PHYSIOLOGICAL SHAPE PRODUCT AVAILABLE FOR AMPUTEES WITH LONG STUMP AND OTHER INDICATIONS SECURELY BONDS THE PLATE TO THE SOCKET FACILITATES COSMETIC FINISHING SIMPLIPY FITTING AND LOWER BUILD HEIGHT MAXIMUM HEEL AND TOE DEFLECTION IMPROVED FIT IN SHOES COMPLIANT WITH SOUNDS ISIGH HEIGHT TRANSFERS FORCES WITHOUT ENERGY LOSS BOYD LISPRANC PARTIAL FOOT PIROGOFF AND TRANSTIBLAL LOW MODERATE AND HIGH IMPACT LEVEL K-LEVEL: K1 K2 K3 AND K4 MAXIMUM USER WEIGHT 147 KG SINGLE PLATE TAPERED CARBON LAVIP CURVED SOLE SHAPE LOWEST BUILD HEIGHT IN CHOPART OPTIONS LAMINATION KIT FITS REGULAR FOOT COVER | EA       | ITEMIZED | 50       |
| 1696         | 4224200032900                  | SINGLE-HOOK SPANNER KIT                                                         | SINGLE-HOOK SPANNER KIT, STEEL, AN ORTHOTICS WORKSHOP TOOL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | KIT      | ITEMIZED | 5        |
| 1697         | 4224200033300                  | SKIVING KNIFE                                                                   | SKIVING KNIFE, LEATHER CUTTING KNIFE HALF-ROUND, AN ORTHOTICS WORKSHOP TOOL, WOODEN HANDLE WITH BRASS COLLAR                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | EA       | ITEMIZED | 10       |
| 1698<br>1699 | 4224200032300<br>4224170306700 | SLEDGE HAMMER                                                                   | SLEDGE HAMMER, AN ORTHOTICS WORKSHOP TOOL SLEEVE TRANSFEMORAL NEOPRENE SUSPENSION SIZE EXTRA-                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | EA<br>EA | ITEMIZED | 10<br>85 |
| 1700         | 4224170306700                  | TRANSFEMORAL SUSPENSION SLEEVE XL LEFT  TRANSFEMORAL SUSPENSION SLEEVE XXL LEFT | LARGE LEFT SLEEVE TRANSFEMORAL NEOPRENE SUSPENSION SIZE XX-                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | EA EA    | ITEMIZED | 68       |
| 1701         | 4224170306900                  | PAIR OF SUSPENSION SLEEVE 250X310X440MM                                         | LARGE LEFT SLEEVE, PAIR OF SUSPENSION, TWO - WAY STRETCH FOR BELOW KNEE AMPUTATION PROSTHESSS, LENGTH 250 MM, LOWER CIRCUMFERENCE 310 MM, UPPER CIRCUMFERENCE 440 MM, APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                               | EA       | ITEMIZED | 193      |
| 1702         | 4214280210800                  | PAIR OF SUPENSION SLEEVE 250X325X455MM                                          | SLEEVE, PAIR OF SUSPENSION, TWO - WAY STRETCH FOR<br>BELOW KNEE AMPUTATION PROSTHESES, LENGTH 250 MM,<br>LOWER CIRCUMFERENCE 325 MM, UPPER CIRCUMFERENCE<br>455 MM, APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | EA       | ITEMIZED | 256      |
| 1703         | 4224171308600                  | PAIR OF SUSPENSION SLEEVE 250X295X425MM                                         | SLEEVE, PAIR OF SUSPENSION, TWO - WAY STRETCH FOR<br>BELOW KNEE AMPUTATION PROSTHESIS, LENGTH 250 MM,<br>LOWER CIRCUMFERENCE 259 MM, UPPER CIRCUMFERENCE<br>425 MM, APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | EA       | ITEMIZED | 129      |
| 1704         | 4224171308800                  | PAIR OF SUSPENSION SLEEVE 250X310X410MM                                         | SLEEVE, PAIR OF SUSPENSION, TWO - WAY STRETCH FOR<br>BELOW KNEE AMPUTATION PROSTHESIS, LENGTH 250 MM,<br>LOWER CIRCUMFERENCE 310 MM, UPPER CIRCUMFERENCE<br>410 MM, APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | EA       | ITEMIZED | 210      |
| 1705         | 4224170306500                  | TRANSFEMORAL SUSPENSION SLEEVE SZ L LEFT                                        | SLEEVE, TRANSFEMORAL, NEOPRENE SUSPENSION, SIZE<br>LARGE, LEFT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | EA       | ITEMIZED | 83       |
| 1706         | 4224170306600                  | TRANSFEMORAL SUSPENSION SLEEVE LRG RIGHT                                        | SLEEVE, TRANSFEMORAL, NEOPRENE SUSPENSION, SIZE<br>LARGE, RIGHT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | EA       | ITEMIZED | 46       |
| 1707         | 4224170306400                  | TRANSFEMORAL SUSPENSION SLEEVE MED RIGHT                                        | SLEEVE, TRANSFEMORAL, NEOPRENE SUSPENSION, SIZE MEDIUM, RIGHT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | EA       | ITEMIZED | 117      |
| 1708         | 4224171316100                  | SLIDING ADAPTER ALUMINUM SH2SMM W200G                                           | SLIDING ADAPTER ALUMINUM FOR MODULAR PROSTHESIS<br>WEIGHT: 200 GRAMS SYSTEM HEIGHT: 25 MM MAXIMUM<br>BODY WEIGHT: 100 KG. CE MARK OR EQUIVALENT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | EA       | ITEMIZED | 100      |

6/21/2022 Page 136 of 160

| 1709         | 4224171309300                  | SLIDING ADAPTER TITANIUM D30MM W183G                                               | SLIDING ADAPTER TITANIUM 30 MM DIAMETER ALLOWS ADDITIONAL SLIDING ADJUSTIMENTS BETWEEN THE PROSTHEIT SOCKET AND TUBE ADAPTER CAN BE SHIFTED MEDIALLY OR LATERALLY IN THE FRONTAL PLANE OR DORSALLY OR VENTRALLY IN THE SAGITTAL PLANE SYSTEM HEIGHT: 51 MM APPROXIMATELY WEIGHT: 183 GRAMS FOR BODY WEIGHT UP TO 85 KG.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | EA       | ITEMIZED             | 150        |
|--------------|--------------------------------|------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----------------------|------------|
| 1710         | 4224171309200                  | SLIDING ADAPTER TITANIUM H60MM W215G                                               | SLIDING ADAPTER WITH ADJUSTABLE SCREW S "TITANIUM" CONNECTS 2 PROSTHETIC COMPONENTS WITH PYRAMID ADAPTER AND ALSO ALLOWS A TRANSLATION ADJUSTMENT MEDIALLY OR LATERALLY IN THE FRONTAL PLANE OR DORSALLY OR VENTRALLY IN THE SAGITTAL PLANE HEIGHT: 60 MM APPROXIMATELY SYSTEM HEIGHT: 97 MM WEIGHT: 215 GRAMS APPROXIMATELY FOR BODY WEIGHT UP TO 100 KG.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | EA       | ITEMIZED             | 100        |
| 1711         | 4224200135500                  | SMOOTH ROLL OVER BETTER SHOCK ABSORPTION                                           | SMOOTH ROLL OVER INCREASED PUSH - OFF CONTROL UNTIL LAST STANCE MORE STABILITY VERTICAL SHOCK ABSORPTION MORE DORSIFLEXION THAN STANDARD FEET CLOSER TO SOUND SIDE ROLL - OVER MORE SYMMETRY AND PHYSIOLOGICAL GAIT LIGHTWEIGHT WITH GRIPPING SOLE FOR BETTER GRIP BAREFOOT SANDAL CLAMPING FOR FLIP FLOPS NATURAL ARCH AND FOOTPRINT AND PAINTABLE NAILS ROTATION AND BETTER SHOCK ABSORPTION INCREASED ANKLE POWER FOR MORE MOBILITY STABILITY AND CONTROL LESS BACK PAIN REDUCED SOUND SIDE LOADING MORE SYMMETRICAL GAIT INCREASE ANKLE MOTION FOR MORE MOBILITY REDUCED SOUND SIDE LOADING COMPARED TO STANDARD PROSTHETT. FEET (LESS COMORBIDITES) LESS EFFORT WHEN WALKING LESS FATIGUE IMPROVED SATISFACTION AND WELL - BEING REDUCED SHEAR FORCES ON THE RESIDUAL LIMB AND ADDITIONAL VERTICAL DISPLACEMENT TRANSTIBIAL TRANSFEMORAL KNEE AND HIP DISARTICULATION AMPUTEES LOW MODERATE AND HIGH IMPACT LEVEL V. LEVEL: X & X AND K & MAXIMUM USER WEIGHT: LOW IMPACT 147 KGMAX. USER WEIGHT: MODERATE IMPACT 130 KG MAX. USER WEIGHT: HIGH IMPACT 116 KG WIDER SOUB BLADE WITH FULL EFFECTIVE TO ELEVER SANDAL TOE C - SHAPE ANKLE MOTION COMBINATION FOOTCOVER SOLE BLADE WITH FULL EFFECTIVE TOE LEVER SANDAL TOE C - SHAPE ANKLE MOTION COMBINATION FOOTCOVER SOLE BLADE WITH FULL EFFECTIVE TOE LEVER SANDAL TOE C - SHAPE ANKLE MOTION COMBINATION FOOTCOVER SOLE BLADE WITH FULL EFFECTIVE TOE LEVER SANDAL TOE C - SHAPE ANKLE MOTION COMBINATION FOOTCOVER SOLE BLADE WITH FULL EFFECTIVE TOE LEVER SANDAL TOE C - SHAPE ANKLE MOTION UNIT WITH IMPROVED DURABILITY | EA       | ITEMIZED             | 110        |
| 1712         | 4224200405900                  | SHRINKER COMPRESSION SOCK XXL                                                      | SOCK COMPRESSION SHRINKER TRANSFEMORAL DOUBLE<br>EXTRA-LARGE (XX-LARGE)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | EA       | ITEMIZED             | 100        |
| 1713         | 4224200406500                  | SOCK COMPRESSION SHRINKER TRANSTIB. XXL                                            | SOCK COMPRESSION SHRINKER TRANSTIBIAL DOUBLE EXTRA-<br>LARGE (XX-LARGE)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | EA       | ITEMIZED             | 100        |
| 1714         | 4224200405700                  | SOCK COMPRESSION SHRINKER TRANSFEM. XL                                             | SOCK, COMPRESSION, SHRINKER, TRANSFEMORAL, EXTRA<br>LARGE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | EA       | ITEMIZED             | 100        |
| 1715         | 4224200405800                  | SOCK COMPRESSION SHRINKER TRANSFEM. XS                                             | SOCK, COMPRESSION, SHRINKER, TRANSFEMORAL, EXTRA SMALL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | EA       | ITEMIZED             | 100        |
| 1716         | 4224200405500                  | SOCK COMPRESSION SHRINKER TRANSFEMORAL L                                           | SOCK, COMPRESSION, SHRINKER, TRANSFEMORAL, LARGE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | EA       | ITEMIZED             | 100        |
| 1717         | 4224200405600                  | SOCK COMPRESSION SHRINKER TRANSFEMORAL M                                           | SOCK, COMPRESSION, SHRINKER, TRANSFEMORAL, MEDIUM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | EA       | ITEMIZED             | 100        |
| 1718         | 4224200406300                  | SOCK COMPRESSION SHRINKER TRANSTIBIAL XL                                           | SOCK, COMPRESSION, SHRINKER, TRANSTIBIAL, EXTRA LARGE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | EA       | ITEMIZED             | 100        |
| 1719         | 4224200406400                  | SOCK COMPRESSION SHRINKER TRANSTIBIAL XS                                           | SOCK, COMPRESSION, SHRINKER, TRANSTIBIAL, EXTRA SMALL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | EA       | ITEMIZED             | 100        |
| 1720         | 4224200406000                  | SOCK COMPRESSION SHRINKER TRANSTIBIAL L                                            | SOCK, COMPRESSION, SHRINKER, TRANSTIBIAL, LARGE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | EA       | ITEMIZED             | 100        |
| 1721<br>1722 | 4224200406100<br>4224200406200 | SOCK COMPRESSION SHRINKER TRANSTIBIAL M<br>SOCK COMPRESSION SHRINKER TRANSTIBIAL S | SOCK, COMPRESSION, SHRINKER, TRANSTIBIAL, MEDIUM SOCK, COMPRESSION, SHRINKER, TRANSTIBIAL, SMALL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | EA<br>EA | ITEMIZED<br>ITEMIZED | 100<br>100 |
| 1723         | 4224200403800                  | COTTON RESIDUAL LIMB SOCK 20CM                                                     | SOCK, COTTON, RESIDUAL LIMB, 20 CM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | EA       | ITEMIZED             | 100        |
| 1724<br>1725 | 4224200403900<br>4224200404000 | COTTON RESIDUAL LIMB SOCK 25CM COTTON RESIDUAL LIMB SOCK 30CM                      | SOCK, COTTON, RESIDUAL LIMB, 25 CM SOCK, COTTON, RESIDUAL LIMB, 30 CM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | EA<br>EA | ITEMIZED<br>ITEMIZED | 100<br>100 |
| 1726         | 4224200404000                  | COTTON RESIDUAL LIMB SOCK 35CM                                                     | SOCK, COTTON, RESIDUAL LIMB, 35 CM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | EA       | ITEMIZED             | 100        |
| 1727         | 4224200404200                  | COTTON RESIDUAL LIMB SOCK 40CM                                                     | SOCK, COTTON, RESIDUAL LIMB, 40 CM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | EA       | ITEMIZED             | 100        |
| 1728<br>1729 | 4224200404300<br>4224200404400 | COTTON RESIDUAL LIMB SOCK 45CM COTTON RESIDUAL LIMB SOCK 50CM                      | SOCK, COTTON, RESIDUAL LIMB, 45 CM SOCK, COTTON, RESIDUAL LIMB, 50 CM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | EA<br>EA | ITEMIZED<br>ITEMIZED | 100        |
| 1730         | 4224200404500                  | COTTON RESIDUAL LIMB SOCK 60CM                                                     | SOCK, COTTON, RESIDUAL LIMB, 60 CM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | EA       | ITEMIZED             | 100        |
| 1731<br>1732 | 4224200403600<br>4224200403700 | NYLON PROTECTIVE SOCK LENGTH 20CM<br>NYLON PROTECTIVE SOCK LENGTH 25CM             | SOCK, NYLON, PROTECTIVE, LENGTH 20 CM<br>SOCK, NYLON, PROTECTIVE, LENGTH 25 CM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | EA<br>EA | ITEMIZED<br>ITEMIZED | 100<br>100 |
| 1733         | 4224200403400                  | NYLON PROTECTIVE SOCK LENGTH 30CM                                                  | SOCK, NYLON, PROTECTIVE, LENGTH 30 CM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | EA       | ITEMIZED             | 100        |
| 1734<br>1735 | 4224200403500<br>4224200403200 | NYLON PROTECTIVE SOCK LENGTH 35CM<br>SOCK NYLON PROTECTIVE LENGTH 40CM             | SOCK, NYLON, PROTECTIVE, LENGTH 35 CM<br>SOCK, NYLON, PROTECTIVE, LENGTH 40 CM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | EA<br>EA | ITEMIZED<br>ITEMIZED | 100<br>100 |
| 1736         | 4224200403200                  | SOCK NYLON PROTECTIVE LENGTH 45CM                                                  | SOCK, NYLON, PROTECTIVE, LENGTH 40 CM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | EA       | ITEMIZED             | 100        |
| 1737         | 4224200404600                  | SOCK STRETCH FOR LISFRANC/CHOPART AMP. S                                           | SOCK, STRETCHABLE, FOR LISFRANC/CHOPART AMPUTATION,<br>SEAMLESS DISTAL END OF SOCK, HAS POLYMER GEL FOR<br>PROTECTION OF BONY AREAS, DERMA SEAL TRANS PED, SIZE:<br>SMALL STANDARD                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | EA       | ITEMIZED             | 100        |
| 1738         | 4224200505700                  | ADAPTER SOCKET W/ PYRAMID H11M W50G                                                | SOCKET ADAPTER WITH PYRAMID RECEIVER STAINLESS STEEL TO BE USED FOR MOUNTING ONTO THE SOCKET OF THE TRANSFEMORAL AND TRANSTIBIAL PROSTHESIS SYSTEM HEIGHT: 11 MM WEIGHT: 50 GRAMS FOR BODY WEIGHT UP TO 150 KG.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | EA       | ITEMIZED             | 100        |
| 1739         | 4224200505800                  | ADAPTER SOCKET W/ PYRAMID H33M W8SG                                                | SOCKET ADAPTER WITH PYRAMID RECEIVER STAINLESS STEEL<br>TO BE USED FOR MOUNTING ONTO THE SOCKET OF THE<br>TRANSFEMORAL AND TRANSTIBIAL PROSTHESIS SYSTEM<br>HEIGHT: 33 MM WEIGHT: 85 GRAMS FOR BODY WEIGHT UP<br>TO 125 KG.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | EA       | ITEMIZED             | 100        |
| 1740         | 4224200507300                  | ADAPTER SOCKET W/ PYRAMID H9MM W70G                                                | SOCKET ADAPTER WITH PYRAMID ROTATABLE TITANIUM SYSTEM HEIGHT: 9 MM WEIGHT: 70 GRAMS FOR BODY WEIGHT UP TO 150 KG.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | EA       | ITEMIZED             | 100        |
| 1741         | 4224200507800                  | SOCKET ADAPTER S STEEL W/ PYRAMID                                                  | SOCKET ADAPTER, STAINLESS STEEL, WITH PYRAMID AND LAMINATION ANCHOR, WITH 4 X 3 LAMINATION DUMMY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | EA       | ITEMIZED             | 100        |
| 1742         | 4224200509100                  | ATTACHMENT BLOCK SOCKET 120MM 30MM                                                 | SOCKET ATTACHMENT BLOCK WITH FOUR COUNTERSUNK<br>HEAD SCREW S AND LAMINATION DUMMY 120 MM WOOD<br>CONNECTION DIAMETER 30 MM HEIGHT APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | EA       | ITEMIZED             | 100        |
| 1743         | 4224200508900                  | ATTACHMENT BLOCK SOCKET 120MM 64MM                                                 | SOCKET ATTACHMENT BLOCK WITH FOUR COUNTERSUNK HEAD SCREW S AND LAMINATION DUMMY 120 MM WOOD CONNECTION DIAMETER 64 MM HEIGHT APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | EA       | ITEMIZED             | 100        |
|              | 4224200508700                  | ATTACHMENT BLOCK SOCKET 147MM 64MM                                                 | SOCKET ATTACHMENT BLOCK WITH FOUR COUNTERSUNK<br>HEAD SCREW S AND LAMINATION DUMMY 147 MM WOOD                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | EA       | ITEMIZED             | 100        |

6/21/2022 Page 137 of 160

| 1988                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |      |               |                                          | TOOCHET ATTACHMENT DIEGE FOR CARDICATION OF AN URDER                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |     | 1        |     |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|---------------|------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|-----|
| Application      | 1745 | 4224200507500 | SOCKET FOR UPPER EXT.PROSTHESIS FABRICTN |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | EA  | ITEMIZED | 100 |
| 1970                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 1746 | 4224200509200 | ATTACHMENT BLOCK SOCKET PEDIATRIC        | AND TRANSFEMORAL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | EA  | ITEMIZED | 100 |
| 1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985   1985      | 1747 | 4224200509300 | ATTACHMENT BLOCK SOCKET PLASTIC CHILDREN | WITH FOUR COUNTER SUNK HEAD SCREW S AND 4 X 8  LAMINATION CAP                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | EA  | ITEMIZED | 100 |
| 1976   CALIFORNICO   SECULATION CONTROL   SECULATION CONTROL   SECULATION CONTROL   SECULATION CONTROL   SECULATION CONTROL   SECULATION CONTROL   SECURITION CONTROL   SECURIT   | 1748 | 4224200410300 | SOCKS ABOVE KNEE LIMB COMP CLASS2 XXL 30 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | EA  | ITEMIZED | 50  |
| 10.000-00-00-00-00-00-00-00-00-00-00-00-0                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 1749 | 4224200410400 | SOCKS ABOVE KNEE LIMB COMP.CLASS2 XXL 38 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | EA  | ITEMIZED | 50  |
| 10.00000000000000000000000000000000000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 1750 | 4224200410500 | SOCKS ABOVE KNEE LIMB COMP.CLASS2 XXL 46 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | EA  | ITEMIZED | 50  |
| 1973   123-0000000000   10000000000000000000000000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 1751 | 4224200409700 | SOCKS ABOVE KNEE LIMB COMP. CLASS2 XL 30 | SOCKS ABOVE KNEE RESIDUAL LIMB COMPRESSION CLASS 2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | EA  | ITEMIZED | 50  |
| 1972   42320960000   5000 ADDRESS (LINE CORP. LIASSES)   5000 ADDRESS (LINE LIASSES)   5000 AD   | 1752 | 4224200409800 | SOCKS ABOVE KNEE LIMB COMP. CLASS2 XL 38 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | EA  | ITEMIZED | 50  |
| 1975   12-12-00-12-00-00   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-00-01   200-01-   | 1753 | 4224200409900 | SOCKS ABOVE KNEE LIMB COMP. CLASS2 XL 46 | SOCKS ABOVE KNEE RESIDUAL LIMB COMPRESSION CLASS 2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | EA  | ITEMIZED | 50  |
| 1975   42-20-20-20-20   SOCIA ADDRE DELLE ADDRE COMP. CALES 2 58   SOCIA ADDRE DELLE ADD   | 1754 | 4224200410000 | SOCKS ABOVE KNEE LIMB COMP. CLASS2 XS 30 | SOCKS, ABOVE KNEE RESIDUAL, LIMB COMPRESSION, CLASS 2,                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | EA  | ITEMIZED | 50  |
| 1772   123200102000   20005 ABOTO RETURN COMP CLASS 3 18   20005, AB   | 1755 | 4224200410100 | SOCKS ABOVE KNEE LIMB COMP. CLASS2 XS 38 | SOCKS, ABOVE KNEE RESIDUAL, LIMB COMPRESSION, CLASS 2,                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | EA  | ITEMIZED | 50  |
| 1979   42-4200400000   50004 ADM REL BIAS COMP. CLAS 3 1 30   50004 ADM REL BIAS COMP. CLAS 3 1 30   50004 ADM REL BIAS COMP. CLAS 3 1 30   50004 ADM REL BIAS COMP. CLAS 3 1 30   50004 ADM REL BIAS COMP. CLAS 3 1 30   50005 ADM REL BIAS COMP. CLAS 3 1 30   50005 ADM REL BIAS COMP. CLAS 3 1 30   50005 ADM REL BIAS COMP. CLAS 3 1 30   50005 ADM REL BIAS COMP. CLAS 3 1 30   50005 ADM REL BIAS COMP. CLAS 3 1 30   50005 ADM REL BIAS COMP. CLAS 3 1 30   50005 ADM REL BIAS COMP. CLAS 3 1 30   50005 ADM REL BIAS COMP. CLAS 3 1 30   50005 ADM REL BIAS COMP. CLAS 3 1 30   50005 ADM REL BIAS COMP. CLAS 3 1 30   50005 ADM REL BIAS COMP. CLAS 3 1 30   50005 ADM REL BIAS COMP. CLAS 3 1 30   50005 ADM REL BIAS COMP. CLAS 3 1 30   50005 ADM REL BIAS COMP. CLAS 3 1 30   50005 ADM REL BIAS COMP. CLAS 3 1 30   50005 ADM REL BIAS COMP. CLAS 3 1 30   50005 ADM REL BIAS COMP. CLAS 3 1 30   50005 ADM REL BIAS COMP. CLAS 3 1 30   50005 ADM REL BIAS COMP. CLAS 3 1 30   50005 ADM REL BIAS COMP. CLAS 3 1 30   50005 ADM REL BIAS COMP. CLAS 3 1 30   50005 ADM REL BIAS COMP. CLAS 3 1 30   50005 ADM REL BIAS COMP. CLAS 3 1 30   50005 ADM REL BIAS COMP. CLAS 3 1 40   50005 ADM REL BIAS COMP. CLAS 3 1 40   50005 ADM REL BIAS COMP. CLAS 3 1 40   50005 ADM REL BIAS COMP. CLAS 3 1 40   50005 ADM REL BIAS COMP. CLAS 3 1 40   50005 ADM REL BIAS COMP. CLAS 3 1 40   50005 ADM REL BIAS COMP. CLAS 3 1 4   50005 ADM REL BIAS COMP. CLAS 3 1 4   50005 ADM REL BIAS COMP. CLAS 3 1 4   50005 ADM REL BIAS COMP. CLAS 3 1 4   50005 ADM REL BIAS COMP. CLAS 3 1 4   50005 ADM REL BIAS COMP. CLAS 3 1 4   50005 ADM REL BIAS COMP. CLAS 3 1 4   50005 ADM REL BIAS COMP. CLAS 3 1 4   50005 ADM REL BIAS COMP. CLAS 3 1 4   50005 ADM REL BIAS COMP. CLAS 3 1 4   50005 ADM REL BIAS COMP. CLAS 3 1 4   50005 ADM REL BIAS COMP. CLAS 3 1 4   50005 ADM REL BIAS COMP. CLAS 3 1 4   50005 ADM REL BIAS COMP. CLAS 3 1 4   50005 ADM REL BIAS COMP. CLAS 3 1 4   50005 ADM REL BIAS COMP. CLAS 3 1 4   50005 ADM REL BIAS COMP. CLAS 3 1 4   50005 ADM REL BIAS COMP. CLAS 3 1 4   50005 ADM R   | 1756 | 4224200410200 | SOCKS ABOVE KNEE LIMB COMP. CLASS2 XS 46 | SOCKS, ABOVE KNEE RESIDUAL, LIMB COMPRESSION, CLASS 2,                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | EA  | ITEMIZED | 50  |
| 1776   422400000000   30000 ABDUE RIVET UMB COMP CLASS 2 1 30   50000 ABDUE RIVET UMB COMP CLASS 2 1 30   50000 ABDUE RIVET UMB COMP CLASS 2 1 30   50000 ABDUE RIVET UMB COMP CLASS 2 1 30   50000 ABDUE RIVET UMB COMP CLASS 2 1 30   50000 ABDUE RIVET UMB COMP CLASS 2 1 30   50000 ABDUE RIVET UMB COMP CLASS 2 1 30   50000 ABDUE RIVET UMB COMP CLASS 2 1 30   50000 ABDUE RIVET UMB COMP CLASS 2 1 30   50000 ABDUE RIVET UMB COMP CLASS 2 1 30   50000 ABDUE RIVET UMB COMP CLASS 2 1 30   50000 ABDUE RIVET UMB COMP CLASS 2 1 30   50000 ABDUE RIVET UMB COMP CLASS 2 1 30   50000 ABDUE RIVET UMB COMP CLASS 2 1 30   50000 ABDUE RIVET UMB COMP CLASS 2 1 30   50000 ABDUE RIVET UMB COMP CLASS 2 1 30   50000 ABDUE RIVET UMB COMP CLASS 2 1 30   50000 ABDUE RIVET UMB COMP CLASS 2 1 30   50000 ABDUE RIVET UMB COMP CLASS 2 1 30   50000 ABDUE RIVET UMB COMP CLASS 2 1 30   50000 ABDUE RIVET UMB COMP CLASS 2 1 30   50000 ABDUE RIVET UMB COMP CLASS 2 1 30   50000 ABDUE RIVET UMB COMP CLASS 2 1 30   50000 ABDUE RIVET UMB COMP CLASS 2 1 30   50000 ABDUE RIVET UMB COMP CLASS 2 1 30   50000 ABDUE RIVET UMB COMP CLASS 2 1 30   50000 ABDUE RIVET UMB COMP CLASS 2 1 30   50000 ABDUE RIVET UMB COMP CLASS 2 1 30   50000 ABDUE RIVET UMB COMP CLASS 2 1 30   50000 ABDUE RIVET UMB COMP CLASS 2 1 30   50000 ABDUE RIVET UMB COMP CLASS 2 1 30   50000 ABDUE RIVET UMB COMP CLASS 2 1 30   50000 ABDUE RIVET UMB COMP CLASS 2 1 30   50000 ABDUE RIVET UMB COMP CLASS 2 1 30   50000 ABDUE RIVET UMB COMP CLASS 2 1 30   50000 ABDUE RIVET UMB COMP CLASS 2 1 30   50000 ABDUE RIVET UMB COMP CLASS 2 1 30   50000 ABDUE RIVET UMB COMP CLASS 2 1 30   50000 ABDUE RIVET UMB COMP CLASS 2 1 30   50000 ABDUE RIVET UMB COMP CLASS 2 1 30   50000 ABDUE RIVET UMB COMP CLASS 2 1 30   50000 ABDUE RIVET UMB COMP CLASS 2 1 30   50000 ABDUE RIVET UMB COMP CLASS 2 1 30   50000 ABDUE RIVET UMB COMP CLASS 2 1 30   50000 ABDUE RIVET UMB COMP CLASS 2 1 30   50000 ABDUE RIVET UMB COMP CLASS 2 1 30   500000 ABDUE RIVET UMB COMP CLASS 2 1 30   500000 ABDUE RIVET UMB COMP CLASS 2 1 30   5000   | 1757 | 4224200410600 | SOCKS ABOVE KNEE LIMB COMP. CLASS 2 L 20 | SOCKS, ABOVE KNEE RESIDUAL, LIMB COMPRESSION, CLASS 2,                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | EA  | ITEMIZED | 50  |
| 1996   422400048800                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 1758 | 4224200410700 | SOCKS ABOVE KNEE LIMB COMP. CLASS 2 L 25 | SOCKS, ABOVE KNEE RESIDUAL, LIMB COMPRESSION, CLASS 2,                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | EA  | ITEMIZED | 50  |
| 1700                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |      | 4224200408800 | SOCKS AROVE KNEETIMR COMP. CLASS 2 L 30  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | FΔ  | ITEMIZED | 50  |
| 1961   4234000000000   SOCK AROW ENET LIMB COMP. CLASS 21-44                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |      |               |                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |     |          |     |
| 1772   422400000900   SOCK ABOVE RIVE LIMB COMP. CLAS 2 M 30   SOCK ABOVE RIVE LIMB COMP. CLAS 2 M 30   SOCK ABOVE RIVE LIMB COMP. CLAS 2 M 30   SOCK ABOVE RIVE LIMB COMP. CLAS 2 M 30   SOCK ABOVE RIVE LIMB COMP. CLAS 2 M 30   SOCK ABOVE RIVE LIMB COMP. CLAS 2 M 30   SOCK ABOVE RIVE LIMB COMP. CLAS 2 M 30   SOCK ABOVE RIVE LIMB COMP. CLAS 2 M 30   SOCK ABOVE RIVE LIMB COMP. CLAS 2 M 30   SOCK ABOVE RIVE LIMB COMP. CLAS 2 M 30   SOCK ABOVE RIVE LIMB COMP. CLAS 2 M 30   SOCK ABOVE RIVE LIMB COMP. CLAS 2 M 30   SOCK ABOVE RIVE LIMB COMP. CLAS 2 M 30   SOCK ABOVE RIVE LIMB COMP. CLAS 2 M 30   SOCK ABOVE RIVE LIMB COMP. CLAS 2 M 30   SOCK ABOVE RIVE LIMB COMP. CLAS 2 M 30   SOCK ABOVE RIVE LIMB COMP. CLAS 2 M 30   SOCK ABOVE RIVE LIMB COMP. CLAS 2 M 30   SOCK ABOVE RIVE LIMB COMP. CLAS 2 M 30   SOCK ABOVE RIVE LIMB COMP. CLAS 2 M 30   SOCK ABOVE RIVE LIMB COMP. CLAS 2 M 30   SOCK ABOVE RIVE LIMB COMP. CLAS 2 M 30   SOCK ABOVE RIVE LIMB COMP. CLAS 2 M 30   SOCK ABOVE RIVE LIMB COMP. CLAS 2 M 30   SOCK ABOVE RIVE LIMB COMP. CLAS 2 M 30   SOCK ABOVE RIVE LIMB COMP. CLAS 2 M 30   SOCK ABOVE RIVE LIMB COMP. CLAS 2 M 30   SOCK ABOVE RIVE LIMB COMP. CLAS 2 M 30   SOCK ABOVE RIVE LIMB COMP. CLAS 2 M 30   SOCK ABOVE RIVE LIMB COMP. CLAS 2 M 30   SOCK ABOVE RIVE LIMB COMP. CLAS 2 M 30   SOCK ABOVE RIVE LIMB COMP. CLAS 2 M 30   SOCK ABOVE RIVE LIMB COMP. CLAS 2 M 30   SOCK ABOVE RIVE LIMB COMP. CLAS 2 M 30   SOCK ABOVE RIVE LIMB COMP. CLAS 2 M 30   SOCK ABOVE RIVE LIMB COMP. CLAS 2 M 30   SOCK ABOVE RIVE LIMB COMP. CLAS 2 M 30   SOCK ABOVE RIVE LIMB COMP. CLAS 2 M 30   SOCK ABOVE RIVE LIMB COMP. CLAS 2 M 30   SOCK ABOVE RIVE LIMB COMP. CLAS 2 M 30   SOCK ABOVE RIVE LIMB COMP. CLAS 2 M 30   SOCK ABOVE RIVE LIMB COMP. CLAS 2 M 30   SOCK ABOVE RIVE LIMB COMP. CLAS 2 M 30   SOCK ABOVE RIVE LIMB COMP. CLAS 2 M 30   SOCK ABOVE RIVE LIMB COMP. CLAS 2 M 30   SOCK ABOVE RIVE LIMB COMP. CLAS 2 M 30   SOCK ABOVE RIVE LIMB COMP. CLAS 2 M 30   SOCK ABOVE RIVE LIMB COMP. CLAS 2 M 30   SOCK ABOVE RIVE LIMB COMP. CLAS 2 M 30   SOCK ABOVE RI   |      |               |                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |     |          |     |
| 1976   122-000-99900   3000S ABOVE RINE LIMB COMP. CLASS 2 M 8   3000S. ABOVE RINE RESIDUAL, MARK COMPRISSON, CLASS 2 M 1   115-000   3000S ABOVE RINE LIMB COMP. CLASS 2 M 8   3000S. ABOVE RINE LIMB COMP. CLASS 2 M 8   3000S ABOVE RINE RESIDUAL, MARK COMPRISSON, CLASS 2 M 1   115-000   3000S ABOVE RINE LIMB COMP. CLASS 2 M 8   3000S ABOVE RINE RESIDUAL, MARK COMPRISSON, CLASS 2 M 1   115-000   3000S ABOVE RINE LIMB COMP. CLASS 2 M 8   3000S ABOVE RINE RESIDUAL, MARK COMPRISSON, CLASS 2 M 1   115-000   3000S ABOVE RINE LIMB COMP. CLASS 2 M 9   3000S ABOVE RINE RESIDUAL, MARK COMPRISSON, CLASS 2 M 1   115-000   3000S ABOVE RINE RESIDUAL, MARK COMPRISSON, CLASS 2 M 1   115-000   3000S ABOVE RINE RESIDUAL, MARK COMPRISSON, CLASS 2 M 1   115-000   3000S ABOVE RINE RESIDUAL, MARK COMPRISSON, CLASS 2 M 1   115-000   3000S ABOVE RINE RESIDUAL, MARK COMPRISSON, CLASS 2 M 1   115-000   3000S ABOVE RINE RESIDUAL, MARK COMPRISSON, CLASS 2 M 1   115-000   3000S ABOVE RINE RESIDUAL, MARK COMPRISSON, CLASS 2 M 1   115-000   3000S ABOVE RINE RESIDUAL, MARK COMPRISSON, CLASS 2 M 1   115-000   3000S ABOVE RINE RESIDUAL MARK COMPRISSON, CLASS 2 M 1   115-000   3000S ABOVE RINE RESIDUAL MARK COMPRISSON, CLASS 2 M 1   115-000   3000S ABOVE RINE RESIDUAL MARK COMPRISSON, CLASS 2 M 1   115-000   3000S ABOVE RINE RESIDUAL MARK COMPRISSON, CLASS 2 M 1   115-000   3000S ABOVE RINE RESIDUAL MARK COMPRISSON, CLASS 2 M 1   115-000   3000S ABOVE RINE RESIDUAL MARK COMPRISSON, CLASS 2 M 1   115-000   3000S ABOVE RINE RESIDUAL MARK COMPRISSON, CLASS 2 M 1   115-000   3000S ABOVE RINE RESIDUAL MARK COMPRISSON, CLASS 2 M 1   115-000   3000S ABOVE RINE RESIDUAL MARK COMPRISSON, CLASS 2 M 1   115-000   3000S ABOVE RINE RESIDUAL MARK COMPRISSON, CLASS 2 M 1   115-000   3000S ABOVE RINE RESIDUAL MARK COMPRISSON, CLASS 2 M 1   115-000   3000S ABOVE RINE RESIDUAL MARK COMPRISSON, CLASS 2 M 1   115-000   3000S ABOVE RINE RESIDUAL MARK COMPRISSON, CLASS 2 M 1   115-000S ABOVE RINE RESIDUAL MARK COMPRISSON, CLASS 2 M 1   115-000S ABOVE RINE RESIDUAL M   |      |               |                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |     |          |     |
| 1766   4224000409400   SOCIS ABOVE INFEL LINB COMP. CLASS 2 M 49                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |      |               |                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |     |          |     |
| 1776                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |      |               |                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |     |          |     |
| 1776   422400003000   SOCIS ABOVE RICE LIMB COMP CLASS 2 38   SOCIS, ABOVE RICE ESPECIAL LIMB COMP CLASS 2 38   SOCIS, ABOVE RICE ESPECIAL LIMB COMP CLASS 2 38   SOCIS, ABOVE RICE ESPECIAL LIMB COMP CLASS 2 38   SOCIS, ABOVE RICE ESPECIAL LIMB COMP CLASS 2 38   SOCIS, ABOVE RICE ESPECIAL LIMB COMP CLASS 2 36   SOCIS, ABOVE RICE ESPECIAL LIMB COMP CLASS 2 36   SOCIS, ABOVE RICE ESPECIAL LIMB COMP CLASS 2 36   SOCIS, ABOVE RICE ESPECIAL LIMB COMP CLASS 2 36   SOCIS, ABOVE RICE ESPECIAL LIMB COMP CLASS 2 36   SOCIS, ABOVE RICE ESPECIAL LIMB COMP CLASS 2 36   SOCIS, ABOVE RICE ESPECIAL LIMB COMP CLASS 2 36   SOCIS, ABOVE RICE ESPECIAL LIMB COMP CLASS 2 36   SOCIS, ABOVE RICE ESPECIAL LIMB COMP CLASS 2 36   SOCIS, ABOVE RICE ESPECIAL LIMB COMP CLASS 2 36   SOCIS, ABOVE RICE ESPECIAL LIMB COMP CLASS 2 38   SOCIS, ABOVE RICE ESPECIAL LIBB COMP CLASS 2 38   SOCIS, ABOVE RICE ESPECIAL LIBB COMP CLASS 2 38   SOCIS, ABOVE RICE ESPECIAL LIBB COMP CLASS 2 38   SOCIS, ABOVE RICE ESPECIAL LIBB COMP CLASS 2 38   SOCIS, ABOVE RICE ESPECIAL LIBB COMP CLASS 2 38   SOCIS, ABOVE RICE ESPECIAL LIBB COMP CLASS 2 38   SOCIS, ABOVE RICE ESPECIAL LIBB COMP CLASS 2 38   SOCIA, ABOVE RICE ESPECIAL LIBB COMP CLASS 2 38   SOCIA, ABOVE RICE ESPECIAL LIBB COMP CLASS 2 38   SOCIA, ABOVE RICE ESPECIAL LIBB COMP CLASS 2 38   SOCIA, ABOVE RICE ESPECIAL LIBB COMP CLASS 2 38   SOCIA, ABOVE RICE ESPECIAL LIBB COMP CLASS 2 38   SOCIA, ABOVE RICE ESPECIAL LIBB COMP CLASS 2 38   SOCIA, ABOVE RICE ESPECIAL LIBB COMP CLASS 2 38   SOCIA, ABOVE RICE ESPECIAL LIBB COMP CLASS 2 38   SOCIA, ABOVE RICE ESPECIAL LIBB COMP CLASS 2 38   SOCIA, ABOVE RICE ESPECIAL LIBB COMP CLASS 2 38   SOCIA, ABOVE RICE ESPECIAL LIBB COMP CLASS 2 38   SOCIA, ABOVE RICE ESPECIAL LIBB COMP CLASS 2 38   SOCIA, ABOVE RICE ESPECIAL LIBB COMP CLASS 2 38   SOCIA, ABOVE RICE ESPECIAL LIBB COMP COMP COMP COMP COMP COMP COMP COMP                                                                                                                                                                    |      |               |                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |     |          |     |
| 2770   22240006900   SOCS ABOVE ENRE LIMB COMP CLASS 2 548   SOCS, ABOVE ENRE ENDUAL LIMB COMPRESSION, CLASS 2 502 SALL 8   SOCS ABOVE ENRE ENDUAL LIMB COMPRESSION, CLASS 2 502 SALL 8   SOCS ABOVE ENRE ENDUAL LIMB COMPRESSION, CLASS 2 502 SALL 8   SOCS ABOVE ENRE ENDUAL LIMB COMPRESSION, CLASS 2 502 SALL 8   SOCS ABOVE ENRE ENDUAL LIMB COMPRESSION, CLASS 2 502 SALL 8   SOCS ABOVE ENRE ENDUAL LIMB COMPRESSION, CLASS 3 503 SALL 8   SOCS ABOVE ENRE ENDUAL LIMB COMPRESSION, CASC LIMB PART 2 502 SALL 8   SOCS ABOVE ENRE ENDUAL LIMB COMPRESSION, CASC LIMB PART 2 502 SALL 8   SOCS ABOVE ENRE ENDUAL LIMB COMPRESSION, CASC LIMB PART 2 503 SALL 8   SOCS ABOVE ENRE ENDUAL LIMB COMPRESSION, CASC LIMB PART 2 503 SALL 8   SOCS ABOVE ENRE ENDUAL LIMB COMPRESSION CLASS 2 503 SALL 8   SOCS ABOVE ENRE ENDUAL LIMB COMPRESSION CLASS 2 503 SALL 8   SOCI A 504 SALL 8   SOCI   |      |               |                                          | SIZE: SMALL 30                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |     |          |     |
| 1776   4224170617900   SPACETEX PADDING US HIGH SIMILAR STATE SHAPE STATE SHAPE SH   | 1766 | 4224200409500 | SOCKS ABOVE KNEE LIMB COMP. CLASS 2 S 38 | SIZE: SMALL 38                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | EA  | ITEMIZED | 50  |
| 1778   4224200401900   SOCIS ELASTIC COOL MAX FABRIC LESION   SOLIC MERITED AMPLICATION, SOCIS ENROTH                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 1767 | 4224200409600 | SOCKS ABOVE KNEE LIMB COMP. CLASS 2 S 46 | SIZE: SMALL 46                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | EA  | ITEMIZED | 50  |
| 1770   4224170617800   SPACETEX PADDING L SM T 3MM BLACK   COMPRISE OR PROTINCE OF PROTI   | 1768 | 4224200401900 | SOCKS ELASTIC COOL MAX FABRIC L250CM     | GEL COATING FOR TRANSTIBIA AMPUTATION, SOCKS LENGTH<br>650 MM, GEL LENGTH 250 MM, DISTAL CIRCUMFERENCE 150 -<br>220 MM, PROXIMAL CIRCUMFERENCE 220 - 320 MM,                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | EA  | ITEMIZED | 50  |
| 1770                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 1769 | 4224171308900 | SOLE PLATE BLACK 4X610X910MM BLACK       | SOLE PLATE, BLACK, SIZE: 4 X 610 X 910 MM, APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | EA  | ITEMIZED | 78  |
| 1771                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 1770 | 4224170617800 | SPACETEX PADDING L 5M T 3MM BLACK        | COMFORTABLE, AIR PERMEABLE, HEAT AND MOISTURE IS TRANSFERRED AWAY FROM THE BODY, LENGTH 5 METER,                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | EA  | ITEMIZED | 100 |
| 1777                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 1771 | 4224170617900 | SPACETEX PADDING W 1400MM 5M 3MM BLACK   | COMFORTABLE, AIR PERMEABLE, HEAT AND MOISTURE IS TRANSFERRED AWAY FROM THE BODY, WIDTH 1400 MM,                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | EA  | ITEMIZED | 100 |
| 1773   4224150010400   SPECIAL CLEANER FOR PROSTHETIC GLOVES   0.45 KG_APPROXIMATELY   EA   ITEMIZED   100                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 1772 | 4224200036500 | SPANNER WRENCHES KIT                     | SPANNER WRENCHES KIT, STEEL, AN ORTHOTICS WORKSHOP                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | KIT | ITEMIZED | 5   |
| SPINAL BRACE SYSTEM, CUT - 4 - CUSTOM, FOR IMMEDIATE FIT OF INDIVIDUAL BRACE, CONSISTS OF FRONT + BACK, APANLE DI CUW TEMPRATURE, THERMOPPLASTIC MATERIAL, 4 DIFFERENT HEIGHT'S ACCOMMODATE PRESCRIPTION AND PATHET ANATOMY (ISO AND EXPORTED FOR BREATHABILITY, LIGHT WEIGHT, NON - TOXIC, NO REPORTS OF SIXIN PRITTADION, CAN BE LISO), AREATED FOR BREATHABILITY, LIGHT MEIGHT, NON - TOXIC, NO REPORTS OF SIXIN PRITTADION, CAN BE USEN SHOWER, MAY BE RE. HATTON, CAN BE USEN SHOWER, MAY BE RE. HEATED AND REFORMED, VEAVE STRUCTURE OF MATERIAL, ALOWS FOR FEFCUR'VE VENING, OURCE FIT AT 1 VIST; CAN BE WORN IN SHOWER, MAY BE RE. HEATED AND REFORMED, VEAVE STRUCTURE OF MATERIAL, ALOWS FOR FEFCUR'VE VENING, OURCE FIT AT 1 VIST; CAN BE WORN IN SHOWER, MAY BE RE. HEATED AND REFORMED, VEAVE STRUCTURE OF MATERIAL, ALOWS FOR FEFCUR'VE VENING, OURCE FIT AT 1 VIST; CAN BE WORN IN SHOWER, MAY BE RE. HEATED AND REFORMED, VEAVE STRUCTURE OF MATERIAL, ALOWS FOR FEFCUR'VE VENING, OURCE FIT AT 1 VIST; CAN BE WORN IN SHOWER, MAY BE RE. HEATED AND REFORMED AND R   | 1773 | 4224200012100 | SPECIAL CLEANER FOR PROSTHETIC GLOVES    | SPECIAL CLEANER FOR PROSTHETIC GLOVES, NET CONTENTS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | EA  | ITEMIZED | 100 |
| A PLASTER SHAPE SUPPORT ASSISTANCE, ADJUSTABLE TO ALL AGE GROUPS OF PATIENTS  SPLINT LEG POSTURAL ORTHOSIS FOR POSITIONING OF LOWER LIMB EASY HITING ANTIDECUBITUS HELL COMFORTABLE PADS FOR THE PATIENT FORMED FOAM IN THE CALF AREA OPENING IN THE HELL AREA TO PREVENT POSSIBLE PRESSURE SORES PLANTAR TRIANGLE THAT ALLOWS ROTATIONAL REGULATION (- 15 DEGREE 0 DEGREE + 15 DEGREE) IMMOBILIZATION POSITIONAL CONTROL PREVENTION OF DEFORMITIES OF PATIENTS POST- OPERATIVE HIP KNEE AND FOOT WHICH REQUIRE THE POSITIONING OF THE LOWER EXTREMITY ANTIDECUBITUS BY PADDINIS MAINLY IN THE FOAM AND IN FINGERS DUE TO THE FORMED OPENING IN FIFE FOAM AND IN FINGERS DUE TO THE FORMED TO PERSONAL HIP SPLINT LARGE 13 1/2X12IN  SPLINT, CONGENITAL HIP, LARGE, 131/2X 12 INCHES  1778 4224150707700 CONGENITAL HIP SPLINT MEDIUM 27X23CM  SPLINT, CONGENITAL HIP, LARGE, 131/2X 12 INCHES  SPLINT, CONGENITAL HIP, SMULL, 10 - 1/2X 6 INCHES  SPLINT, CONGENITAL HIP, SMULL, 10 - 1/2X 6 INCHES  EA ITEMIZED  50 1780 422415707900 SPLINT FOR HALLUX VALGUS CORRECTION LEFT  SPLINT, FOR CORRECTION OF HALLUX VALGUS, LEFT  EA ITEMIZED  50 1780 422415707900 SPLINT FOR HALLUX VALGUS CORRECTION LEFT  SPLINT, FOR CORRECTION OF HALLUX VALGUS, LEFT  EA ITEMIZED  50 1780 4224157079900 SPLINT FOR HALLUX VALGUS CORRECTION LEFT  SPLINT, FOR CORRECTION OF HALLUX VALGUS, LEFT  EA ITEMIZED  50 1780 4224157079900 SPLINT FOR HALLUX VALGUS CORRECTION LEFT  SPLINT, FOR CORRECTION OF HALLUX VALGUS, LEFT  EA ITEMIZED  50 1780 4224157079900 SPLINT FOR HALLUX VALGUS CORRECTION LEFT  SPLINT, FOR CORRECTION OF HALLUX VALGUS, LEFT  EA ITEMIZED  50 1780 42241570109900 SPLINT FOR HALLUX VALGUS CORRECTION LEFT  SPLINT, FOR CORRECTION OF HALLUX VALGUS, LEFT  EA ITEMIZED  50 1780 42241570109900 SPLINT FOR HALLUX VALGUS CORRECTION LEFT  SPLINT, FOR CORRECTION OF HALLUX VALGUS, LEFT  EA ITEMIZED  50 1790 42241570109900 SPLINT FOR HALLUX VALGUS CORRECTION LEFT  SPLINT, FOR CORRECTION OF HALLUX VALGUS, LEFT  EA ITEMIZED  50 1790 42241570109900 SPLINT FOR HALLUX VALGUS CORRECTION LEFT  SPLINT, F | 1774 | 4618221106300 | SYSTEM SPINAL BRACE CUT 4 CUSTOM         | SPINAL BRACE SYSTEM, CUT - 4 - CUSTOM, FOR IMMEDIATE FIT OF INDIVIDUAL BRACE, CONSISTS OF FRONT + BACK, PANEL OF LOW TEMPERATURE, THERMOPLASTIC MATERIAL, 4 DIFFERENT HEIGHTS ACCOMMODATE PRESCRIPTION AND PATIENT ANATOMY (LOS AND TISO), A REATED FOR BREATHABILITY, LIGHTWEIGHT, NON - TOXIC, NO REPORTS OF SKIN IRRITATION, CAN BE USED IN SHOWER, MAY BE RE - HEATED AND REFORMED, WEAVE STRUCTURE OF MATERIAL, ALLOWS FOR EFFECTIVE VENTILATION, QUICK FIT AT 1 VISIT, CAN BE WORN IN SHOWER, POSSIBLE TO USE AVAILABLE COVER TO PROVIDE SOFT INTERFACE BETWEEN BRACE AND SKIN, POST - OPERATIVE TREATMENT, COMPRESSION | EA  | ITEMIZED | 300 |
| SPLINT LEG POSTURAL ORTHOSIS FOR POSITIONING OF LOWER LIMB EASY FITTING ANTIDECUBITUS HEEL COMFORTABLE PADS FOR THE PATIENT FORMED FOAM IN THE CALF AREA OPENING IN THE HEEL AREA TO PREVENT POSSIBLE PRESSURE SORES PLANTAR TRIANGLE THAT ALLOWS ROTATIONAL REQUIATION (-1.5 DEGREE to DEGREE +1.5 DEGREE +1.5 DEGREE) IMMOBILIZATION POSITIONAL CONTROL PREVENTING NO PEROMITIES OF PATIENTS POST - OPERATIVE PRINCE AND FOOT WHICH REQUIAE THE POSITIONING OF THE LOWER EXTREMITY ANTIDECUBITUS BY PADDING MAINLY IN THE HEEL AREA DUE TO THE FORMED OPENING IN THE FOAM AND IN FINGERS DUE TO THE PLANT HEIGHT WHICH PREVENTS THE SHEETS CONTACT  1777 4224150707700 CONGENITAL HIP SPLINT LARGE 13 1/2X12IN SPLINT, CONGENITAL HIP, LARGE, 131/2 X 12 INCHES  1778 4224150707800 CONGENITAL HIP SPLINT MEDIUM 27X23CM SPLINT, CONGENITAL HIP, LARGE, 131/2 X 12 INCHES EA ITEMIZED 50  1779 4224150707900 CONGENITAL HIP SPLINT SMALL LO 1/2X6IN SPLINT, CONGENITAL HIP, SMALL, 10 -1/2 X 6 INCHES  1780 4224170105900 SPLINT FOR HALLUX VALGUS CORRECTION LEFT SPLINT, FOR CORRECTION OF HALLUX VALGUS, LEFT EA ITEMIZED 100                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 1775 | 4224150010400 | SPINAL CASTING SUPPORT                   | A PLASTER SHAPE SUPPORT ASSISTANCE, ADJUSTABLE TO ALL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | EA  | ITEMIZED | 15  |
| 1778         4224150707800         CONGENITAL HIP SPLINT MEDIUM 27X23CM         SPLINT, CONGENITAL HIP, MEDIUM, 27 X 23 CM (101/2 X 9 INCHES)         EA         ITEMIZED         50           1779         4224150707900         CONGENITAL HIP SPLINT SMALL 10 1/2X6IN         SPLINT, CONGENITAL HIP, SMALL, 10 - 1/2 X 6 INCHES         EA         ITEMIZED         50           1780         4224170105900         SPLINT FOR HALLUX VALGUS, LEFT         EA         ITEMIZED         100                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 1776 | 4224170641300 | LEG POSTURAL ORTHOSIS SPLINT             | LOWER LIMB EASY FITTING ANTIDECUBITUS HEEL COMFORTABLE PADS FOR THE PATIENT FORMED FOAM IN THE CALF AREA OPENING IN THE HEEL AREA TO PREVENT POSSIBLE PRESSURE SORES PLANTAR TRIANGLE THAT ALLOWS ROTATIONAL REGULATION (-15 DEGREE D DEGREE + 15 DEGREE) IMMOBILIZATION POSITIONAL CONTROL PREVENTION OF DEFORMITIES OF PATIENTS POST - OPERATIVE HIP NINEE AND FOOT WHICH REQUIRE THE POSITIONING OF THE LOWER EXTREMITY ANTIDECUBITUS BY PADDING MAINLY IN THE HEAL AREA DUE TO THE FORMED OPENING IN THE FOAM AND IN FINGERS DUE TO THE PLANT                                                                             | EA  |          | 250 |
| 1779         4224150707900         CONGENITAL HIP SPLINT INELIDIO Z/AZAGN         INCHES)         EA         ITEMIZED         50           1779         4224150707900         CONGENITAL HIP SPLINT SMALL 10 1/2X6IN         SPLINT, CONGENITAL HIP, SMALL 10 - 1/2 X 6 INCHES         EA         ITEMIZED         50           1780         4224170105900         SPLINT FOR HALLUX VALGUS CORRECTION LEFT         SPLINT, FOR CORRECTION OF HALLUX VALGUS, LEFT         EA         ITEMIZED         100                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |      |               |                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |     |          |     |
| 1780 4224770105900 SPLINT FOR HALLUX VALGUS CORRECTION LEFT SPLINT, FOR CORRECTION OF HALLUX VALGUS, LEFT EA ITEMIZED 100                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |      |               |                                          | INCHES)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |     |          |     |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |      |               |                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |     |          |     |

6/21/2022 Page 138 of 160

|      |               |                                      | CRUINT HID ADDUCTION BUY ONLESS WAS MODEL TO THE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |     | I        | ı   |
|------|---------------|--------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|-----|
| 1782 | 4224170202000 | HIP ABDUCTION PILLOW SPLINT SZ 12    | SPLINT, HIP ABDUCTION PILLOW, FREJKA MODEL 480 OR EQUIVALENT, SIZE 12  SPLINT, HIP ABDUCTION PILLOW, FREJKA MODEL 480 OR                                                                                                                                                                                                                                                                                                                                                                                                             | EA  | ITEMIZED | 50  |
| 1783 | 4224170202100 | HIP ABDUCTION PILLOW SPLINT SZ 14 15 | EQUIVALENT, SIZE 14 - 15                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | EA  | ITEMIZED | 50  |
| 1784 | 4224170202200 | HIP ABDUCTION PILLOW SPLINT SZ 16 17 | SPLINT, HIP ABDUCTION PILLOW, FREJKA MODEL 480 OR<br>EQUIVALENT, SIZE 16 - 17                                                                                                                                                                                                                                                                                                                                                                                                                                                        | EA  | ITEMIZED | 50  |
| 1785 | 4224170202300 | HIP ABDUCTION PILLOW SPLINT SZ 17 18 | SPLINT, HIP ABDUCTION PILLOW, FREJKA MODEL 480 OR<br>EQUIVALENT, SIZE 17 - 18                                                                                                                                                                                                                                                                                                                                                                                                                                                        | EA  | ITEMIZED | 50  |
| 1786 | 4224170202400 | HIP ABDUCTION PILLOW SPLINT SZ 20 21 | SPLINT, HIP ABDUCTION PILLOW, FREJKA MODEL 480 OR<br>EQUIVALENT, SIZE 20 - 21                                                                                                                                                                                                                                                                                                                                                                                                                                                        | EA  | ITEMIZED | 50  |
| 1787 | 4224200031900 | SPREADING PLIERS                     | SPREADING PLIERS, AN ORTHOTICS WORKSHOP TOOL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | EA  | ITEMIZED | 10  |
| 1788 | 4224170906200 | STABILITY FOOTWEAR SANDAL SZ 30 PINK | STABILITY FOOTWEAR SANDAL, HIGH COUNTERS (STIFFENERS), THEY PROVIDE GREATER SUPPORT AND ARE SUITABLE FOR MORE SEVERE INSTABILITY OF THE FOOT AND ANKLE COMPLEX, , SIZE 30, PINK; FULL GRAIN COW/CALF LEATHER UPPER; SOFT PADDING AROUND HEEL CUFFS; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; FASILY REMOVABLE AND ADAPTABLE SOLE UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK | PAA | ITEMIZED | 100 |
| 1789 | 4224170905800 | STABILITY FOOTWEAR SANDAL SZ 29 BLUE | STABILITY FOOTWEAR SANDAL, HIGH COUNTERS (STIFFENERS), THEY PROVIDE GREATER SUPPORT AND ARE SUITABLE FOR MORE SEVERE INSTABILITY OF THE FOOT AND ANKE COMPLEX, 29, BLUE; FULL GRAIN COW/CALF LEATHER UPPER; SOFT PADDING AROUND HEEL CHEFS; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE ANK DADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CANK INLY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGIG SHANK         | PAA | ITEMIZED | 100 |
| 1790 | 4224170904200 | STABILITY FOOTWEAR SANDAL SZ 18      | STABILITY FOOTWEAR SANDAL, HIGH COUNTERS (STIFFENERS), THEY PROVIDE GREATER SUPPORT AND ARE SUITABLE FOR MORE SEVERE INSTABILITY OF THE FOOT AND ANKLE COMPLEX, SIZE 18; FULL GRAIN COW/CALF LEATHER UPPER; SOFT PADDING AROUND HEEL CHEFS; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CANK INLY; HIGH TOE BOX ; STRONG TOE CAP; SOFT TOMOUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK         | PAA | ITEMIZED | 100 |
| 1791 | 4224170904300 | STABILITY FOOTWEAR SANDAL SZ 19      | STABILITY FOOTWEAR SANDAL, HIGH COUNTERS (STIFFENERS), THEY PROVIDE GREATER SUPPORT AND ARE SUITABLE FOR MORE SEVERE INSTABILITY OF THE FOOT AND ANKLE COMPLEX, SIZE 19; FULL GRAIN COW/CALF LEATHER UPPER; SOFT PADDING AROUND HEEL CHEFS; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CANK INLY; HIGH TOE BOX ; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK         | PAA | ITEMIZED | 100 |
| 1792 | 4224170904400 | STABILITY FOOTWEAR SANDAL SZ 20      | STABILITY FOOTWEAR SANDAL, HIGH COUNTERS (STIFFENERS), THEY PROVIDE GREATER SUPPORT AND ARE SUITABLE FOR MORE SEVERE INSTABILITY OF THE FOOT AND ANKLE COMPLEX, SIZE 20; FULL GRAIN COW/CALF LEATHER UPPER; SOFT PADDING AROUND HEEL CUFFS; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CANK INLY; HIGH TOE BOX ; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGIO SHANK         | PAA | ITEMIZED | 100 |
| 1793 | 4224170904500 | STABILITY FOOTWEAR SANDAL SZ 21      | STABILITY FOOTWEAR SANDAL HIGH COUNTERS (STIFERERS), THEY PROVIDE GREATER SUPPORT AND ARE SUITABLE FOR MORE SEVER INSTABILITY OF THE FOOT AND ANKLE COMPLEX, SIZE 21; FULL GRAIN COW/CALF LEATHER UPPER; SOFT PADDING AROUND HELL CUFFS; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOB EX ; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGIO SHANK            | РАА | ITEMIZED | 100 |
| 1794 | 4224170904600 | STABILITY FOOTWEAR SANDAL SZ 22      | STABILITY FOOTWEAR SANDAL, HIGH COUNTERS (STIFFENERS), THEY PROVIDE GREATER SUPPORT AND ARE SUITABLE FOR MORE SEVERE INSTABILITY OF THE FOOT AND ANKLE COMPLEX, SIZE 22; FULL GRAIN COW/CALF LEATHER UPPER; SOFT PADDING AROUND HEEL CHEFS; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CANK INLAY; HIGH TOE BOX ; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK        | PAA | ITEMIZED | 100 |
| 1795 | 4224170904700 | STABILITY FOOTWEAR SANDAL SZ 23      | STABILITY FOOTWEAR SANDAL, HIGH COUNTERS (STIFFENERS), THEY PROVIDE GREATER SUPPORT AND ARE SUITABLE FOR MORE SEVERE INSTABILITY OF THE FOOT AND ANKLE COMPLEX, SIZE 23; FULL GRAIN COW/CALF LEATHER UPPER; SOFT PADDING AROUND HEEL CUFFS; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE ANK DADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CANK INLAY; HIGH TOE BOX ; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGIO SHANK       | РАА | ITEMIZED | 100 |

6/21/2022 Page 139 of 160

|      |               |                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |     | T        |     |
|------|---------------|---------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|-----|
| 1796 | 4224170904800 | STABILITY FOOTWEAR SANDAL SZ 24       | STABILITY FOOTWEAR SANDAL, HIGH COUNTERS (STIFFENERS), THEY PROVIDE GREATER SUPPORT AND ARE SUITABLE FOR MORE SEVERE INSTABILITY OF THE FOOT AND ANKLE COMPLEX, SIZE 24; FULL GRAIN COW/CALF LEATHER UPPER; SOFT PADDING AROUND HEEL CHEFS; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CANK INAX; HIGH TOB BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK          | PAA | ITEMIZED | 100 |
| 1797 | 4224170904900 | STABILITY FOOTWEAR SANDAL SZ 25       | STABILITY FOOTWEAR SANDAL, HIGH COUNTERS (STIFFENERS), THEY PROVIDE GREATER SUPPORT AND ARE SUITABLE FOR MORE SEVERE INSTABILITY OF THE FOOT AND ANKLE COMPLEX, SIZE 25; FULL GRAIN COW/CALF LEATHER UPPER; SOFT PADDING AROUND HEEL CUFFS; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CANK INAX; HIGH TOE BOX ; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK         | PAA | ITEMIZED | 100 |
| 1798 | 4224170905000 | STABILITY FOOTWEAR SANDAL SZ 26 BLACK | STABILITY FOOTWEAR SANDAL, HIGH COUNTERS (STIFENERS), THEY PROVIDE GREATER SUPPORT AND ARE SUITABLE FOR MORE SEVERE INSTABILITY OF THE FOOT AND ANKLE COMPIEX, SIZE 26, BLACK; FULL GRAIN COW/CALF LEATHER UPPER; SOFT PADDING AROUND HEEL CUFFS; A HIGH AND EXTRA LONG STIFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE- UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK   | PAA | ITEMIZED | 100 |
| 1799 | 4224170905100 | STABILITY FOOTWEAR SANDAL SZ 27 BLACK | STABILITY FOOTWEAR SANDAL, HIGH COUNTERS (STIFFENERS), THEY PROVIDE GREATER SUPPORT AND ARE SUITABLE FOR MORE SEVERE INSTABILITY OF THE FOOT AND ANKLE COMPIEX, SIZE 27, BLACK; FULL GRAIN COW/CALF LEATHER UPPER; SOFT PADDING AROUND HEEL CUFFS; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE- UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK | PAA | ITEMIZED | 100 |
| 1800 | 4224170905200 | STABILITY FOOTWEAR SANDAL SZ 27 BLUE  | STABILITY FOOTWEAR SANDAL, HIGH COUNTERS (STIFFENERS), THEY PROVIDE GREATER SUPPORT AND ARE SUITABLE FOR MORE SEVERE INSTABILITY OF THE FOOT AND ANKLE COMPIEX, SIZE 27, BULE; FIUL GRAIN COW/CALF LEATHER UPPER; SOFT PADDING AROUND HEEL CUFFS; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE- UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK  | PAA | ITEMIZED | 100 |
| 1801 | 4224170905300 | STABILITY FOOTWEAR SANDAL SZ 27 PINK  | STABILITY FOOTWEAR SANDAL, HIGH COUNTERS (STIFFENERS), THEY PROVIDE GREATER SUPPORT AND ARE SUITABLE FOR MORE SEVERE INSTABILITY OF THE FOOT AND ANKLE COMPLEX, SIZE 27, PINK; FILL GRAIN COW/CALF LEATHER UPPER; SOFT PADDING AROUND HEEL CUFFS; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; ESALIY REMOVABLE AND ADAPTABLE SOLE- UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STICH DOWN CONSTRUCTION; HEEL AND RIGID SHANK   | РАА | ITEMIZED | 100 |
| 1802 | 4224170905400 | STABILITY FOOTWEAR SANDAL SZ 28 BLACK | STABILITY FOOTWEAR SANDAL, HIGH COUNTERS (STIFFENERS), THEY PROVIDE GREATER SUPPORT AND ARE SUITABLE FOR MORE SEVERE INSTABILITY OF THE FOOT AND ANKLE COMPLEX, SIZE 28, BLACK; FULL GRAIN COW/CALF LEATHER UPPER; SOFT PADDING AROUND HEEL CUFFS; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE- UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK | РАА | ITEMIZED | 100 |
| 1803 | 4224170905500 | STABILITY FOOTWEAR SANDAL SZ 28 BLUE  | STABILITY FOOTWEAR SANDAL, HIGH COUNTERS (STIFFENERS), THEY PROVIDE GREATER SUPPORT AND ARE SUITABLE FOR MORE SEVERE INSTABILITY OF THE FOOT AND ANKLE COMPLEX, SIZE 28, BLUE; FIUL GRAIN COW/CALF LEATHER UPPER; SOFT PADDING AROUND HEEL CUFFS; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE- UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK  | PAA | ITEMIZED | 100 |

6/21/2022 Page 140 of 160

| 1804 | 4224170905600 | STABILITY FOOTWEAR SANDAL SZ 28 PINK  | STABILITY FOOTWEAR SANDAL, HIGH COUNTERS (STIFFENERS), THEY PROVIDE GREATER SUPPORT AND ARE SUITABLE FOR MORE SEVERE INSTABILITY OF THE FOOT AND ANKLE COMPLEX, SIZE S, PINK; FULL GRAIN COW/CALF LEATHER UPPER; SOFT PADDING AROUND HEEL CUFFS; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOL; EASILY REMOVABLE AND ADAPTABLE SOLE- UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK     | PAA | ITEMIZED | 100 |
|------|---------------|---------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|-----|
| 1805 | 4224170905700 | STABILITY FOOTWEAR SANDAL SZ 29 BLACK | STABILITY FOOTWEAR SANDAL, HIGH COUNTERS (STIFFENERS), THEY PROVIDE GREATER SUPPORT AND ARE SUITABLE FOR MORE SEVERE INSTABILITY OF THE FOOT AND ANKLE COMPLEX, SIZE 29, BLACK; FULL GRAIN COW/CALF LEATHER UPPER; SOFT PADDING AROUND HEEL CUFFS; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE- UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK  | PAA | ITEMIZED | 100 |
| 1806 | 4224170905900 | STABILITY FOOTWEAR SANDAL SZ 29 PINK  | STABILITY FOOTWEAR SANDAL, HIGH COUNTERS (STIFFENERS), THEY PROVIDE GREATER SUPPORT AND ARE SUITABLE FOR MORE SEVERE INSTABILITY OF THE FOOT AND ANKLE COMPIEX, SIZE 29, PINK; FIULI GRAIN COW/CALF LEATHER UPPER; SOFT PADDING AROUND HEEL CUFFS; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE- UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK  | PAA | ITEMIZED | 100 |
| 1807 | 4224170906000 | STABILITY FOOTWEAR SANDAL SZ 30 BLACK | STABILITY FOOTWEAR SANDAL, HIGH COUNTERS (STIFFENERS), THEY PROVIDE GREATER SUPPORT AND ARE SUITABLE FOR MORE SEVERE INSTABILITY OF THE FOOT AND ANKLE COMPLEX, SIZE 30, BLACK; FULL GRAIN COW/CALF LEATHER UPPER; SOFT PADDING AROUND HEEL CUFFS; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE- UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK  | PAA | ITEMIZED | 100 |
| 1808 | 4224170906100 | STABILITY FOOTWEAR SANDAL SZ 30 BLUE  | STABILITY FOOTWEAR SANDAL, HIGH COUNTERS (STIFFENERS), THEY PROVIDE GREATER SUPPORT AND ARE SUITABLE FOR MORE SEVERE INSTABILITY OF THE FOOT AND ANKLE COMPLEX, SIZE 30, BLUE; FULL GRAIN COW/CALF LEATHER UPPER; SOFT PADDING AROUND HEEL CUFFS; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE- UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK  | PAA | iTEMIZED | 100 |
| 1809 | 4224170906400 | STABILITY FOOTWEAR SANDAL SZ 31 BLUE  | STABILITY FOOTWEAR SANDAL, HIGH COUNTERS (STIFFENERS), THEY PROVIDE GREATER SUPPORT AND ARE SUITABLE FOR MORE SEVERE INSTABILITY OF THE FOOT AND ANKLE COMPLEX, SIZE 31, BLUE; FIUL GRAIN COW/CALF LEATHER UPPER; SOFT PADDING AROUND HEEL CUFFS; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE- UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STICH DOWN CONSTRUCTION; HEEL AND RIGID SHANK   | PAA | ITEMIZED | 100 |
| 1810 | 4224170906500 | STABILITY FOOTWEAR SANDAL SZ 31 PINK  | STABILITY FOOTWEAR SANDAL, HIGH COUNTERS (STIFFENERS), THEY PROVIDE GREATER SUPPORT AND ARE SUITABLE FOR MORE SEVERE INSTABILITY OF THE FOOT AND ANKLE COMPLEX, SIZE 31, PINE; FIULE GRAIN COW/CALF LEATHER UPPER; SOFT PADDING AROUND HEEL CUFFS; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE- UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK  | PAA | ITEMIZED | 100 |
| 1811 | 4224170906600 | STABILITY FOOTWEAR SANDAL SZ 32 BLACK | STABILITY FOOTWEAR SANDAL, HIGH COUNTERS (STIFFENERS), THEY PROVIDE GREATER SUPPORT AND ARE SUITABLE FOR MORE SEVERE INSTABILITY OF THE FOOT AND ANKLE COMPLEX, SIZE 32, BLACK; FULL GRAIN COW/CALF LEATHER UPPER; SOFT PADDING AROUND HEEL CUFFS; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE- UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK | PAA | ITEMIZED | 100 |

6/21/2022 Page 141 of 160

| 1812 | 4224170906700 | STABILITY FOOTWEAR SANDAL SZ 32 BLUE  | STABILITY FOOTWEAR SANDAL, HIGH COUNTERS (STIFFENERS), THEY PROVIDE GREATER SUPPORT AND ARE SUITABLE FOR MORE SEVERE INSTABILITY OF THE FOOT AND ANKLE COMPLEX, SIZE 32, BULE; FIUL GRAIN COW/CALF LEATHER UPPER; SOFT PADDING AROUND HEEL CUFFS; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE- UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK    | PAA | ITEMIZED | 100 |
|------|---------------|---------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|-----|
| 1813 | 4224170906800 | STABILITY FOOTWEAR SANDAL SZ 32 PINK  | STABILITY FOOTWEAR SANDAL, HIGH COUNTERS (STIFFENERS), THEY PROVIDE GREATER SUPPORT AND ARE SUITABLE FOR MORE SEVERE INSTABILITY OF THE FOOT AND ANKLE COMPLEX, SIZE 32, PINE ; FULL GRAIN COW/CALF LEATHER UPPER; SOFT PADDING AROUND HEEL CUFFS; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; LEASILY REMOVABLE AND ADAPTABLE SOLE- UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK | PAA | ITEMIZED | 100 |
| 1814 | 4224170906900 | STABILITY FOOTWEAR SANDAL SZ 33 BLACK | STABILITY FOOTWEAR SANDAL, HIGH COUNTERS (STIFFENERS), THEY PROVIDE GREATER SUPPORT AND ARE SUITABLE FOR MORE SEVERE INSTABILITY OF THE FOOT AND ANKLE COMPLEX, SIZE 33, BLACK, FULL GRAIN COW/CALF LEATHER UPPER; SOFT PADDING AROUND HEEL CUFFS; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE- UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK  | PAA | ITEMIZED | 100 |
| 1815 | 4224170907000 | STABILITY FOOTWEAR SANDAL SZ 33 BLUE  | STABILITY FOOTWEAR SANDAL, HIGH COUNTERS (STIFFENERS), THEY PROVIDE GREATER SUPPORT AND ARE SUITABLE FOR MORE SEVERE INSTABILITY OF THE FOOT AND ANKLE COMPLEX, SIZE 33, BLUE; FULL GRAIN COW/CALF LEATHER UPPER; SOFT PADDING AROUND HEEL CUFFS; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE- UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK   | PAA | ITEMIZED | 100 |
| 1816 | 4224170907100 | STABILITY FOOTWEAR SANDAL SZ 33 PINK  | STABILITY FOOTWEAR SANDAL, HIGH COUNTERS (STIFFENERS), THEY PROVIDE GREATER SUPPORT AND ARE SUITABLE FOR MORE SEVERE INSTABILITY OF THE FOOT AND ANKLE COMPIEX, SIZE 33, PINK; FULL GRAIN COW/CALF LEATHER UPPER; SOFT PADDING AROUND HEEL CUFFS; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE- UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK   | PAA | ITEMIZED | 100 |
| 1817 | 4224170907200 | STABILITY FOOTWEAR SANDAL SZ 34 BLACK | STABILITY FOOTWEAR SANDAL, HIGH COUNTERS (STIFFENERS), THEY PROVIDE GREATER SUPPORT AND ARE SUITABLE FOR MORE SEVERE INSTABILITY OF THE FOOT AND ANKLE COMPLEX, SIZE 34, BLACK; FULL GRAIN COW/CALF LEATHER UPPER; SOFT PADDING AROUND HEEL CUFFS; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOL; EASILY REMOVABLE AND ADAPTABLE SOLE- UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK   | PAA | ITEMIZED | 100 |
| 1818 | 4224170907300 | STABILITY FOOTWEAR SANDAL SZ 34 BLUE  | STABILITY FOOTWEAR SANDAL, HIGH COUNTERS (STIFFENERS), THEY PROVIDE GREATER SUPPORT AND ARE SUITABLE FOR MORE SEVERE INSTABILITY OF THE FOOT AND ANKLE COMPLEX, SIZE 34, BLUE; FJULE GRAIN COW/CALF LEATHER UPPER; SOFT PADDING AROUND HEEL CUFFS; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE- UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK  | PAA | ITEMIZED | 100 |
| 1819 | 4224170907400 | STABILITY FOOTWEAR SANDAL SZ 34 PINK  | STABILITY FOOTWEAR SANDAL, HIGH COUNTERS (STIFFENERS), THEY PROVIDE GREATER SUPPORT AND ARE SUITABLE FOR MORE SEVERE INSTABILITY OF THE FOOT AND ANKLE COMPIEX, SIZE 34, PINK; FULL GRAIN COW/CALF LEATHER UPPER; SOFT PADDING AROUND HEEL CUFFS; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE- UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK   | PAA | ITEMIZED | 100 |

6/21/2022 Page 142 of 160

| 1820 | 4224170907500 | STABILITY FOOTWEAR SANDAL 5Z 35 BLACK    | STABILITY FOOTWEAR SANDAL, HIGH COUNTERS (STIFFENERS), THEY PROVIDE GREATER SUPPORT AND ARE SUITABLE FOR MORE SEVERE INSTABILITY OF THE FOOT AND ANKLE COMPICE, SIZE 3S, BLACK; FULL GRAIN COW/CALF LEATHER UPPER; SOFT PADDING AROUND HEEL CUFFS; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; FEASILY REMOVABLE AND ADAPTABLE SOLE- UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK                                                                                                                                                                                                                       | PAA | ITEMIZED | 100 |
|------|---------------|------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|-----|
| 1821 | 4224170907600 | STABILITY FOOTWEAR SANDAL SZ 35 BLUE     | STABILITY FOOTWEAR SANDAL, HIGH COUNTERS (STIFFENERS), THEY PROVIDE GREATER SUPPORT AND ARE SUITABLE FOR MORE SEVERE INSTABILITY OF THE FOOT AND ANKE COMPLEX, SIZE 38, BULE; FULL GRAIN COW/CALF LEATHER UPPER; SOFT PADDING AROUND HEEL CUFFS; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKE; FULL LEATHER INSOLE; FEASILY REMOVABLE AND ADAPTABLE SOLE- UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK                                                                                                                                                                                                                          | PAA | ITEMIZED | 100 |
| 1822 | 4224170907700 | STABILITY FOOTWEAR SANDAL SZ 35 PINK     | STABILITY FOOTWEAR SANDAL, HIGH COUNTERS (STIFFENERS), THEY PROVIDE GREATER SUPPORT AND ARE SUITABLE FOR MORE SEVERE INSTABILITY OF THE FOOT AND ANKLE COMPLEX, SIZE 35, PINIS; FULL GRAIN COW/CALF LEATHER UPPER; SOFT PADDING AROUND HEEL CUFFS; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASLIY REMOVABLE AND ADAPTABLE SOLE: LUNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK                                                                                                                                                                                                                       | PAA | ITEMIZED | 100 |
| 1823 | 4224170907800 | STABILITY FOOTWEAR SANDAL SZ 36 BLACK    | STABILITY FOOTWEAR SANDAL, HIGH COUNTERS (STIFEFNERS), THEY PROVIDE GREATER SUPPORT AND ARE SUITABLE FOR MORE SEVERE INSTABILITY OF THE FOOT AND ANKLE COMPLEX, SIZE 36, BLACK; FULL GRAIN COW/CALF LEATHER UPPER; SOFT PADDING AROUND HEEL CUFFS; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE- LUNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK                                                                                                                                                                                                                       | PAA | ITEMIZED | 100 |
| 1824 | 4224170907900 | STABILITY FOOTWEAR SANDAL SZ 36 PINK     | STABILITY FOOTWEAR SANDAL, HIGH COUNTERS (STIFFENERS), THEY PROVIDE GREATER SUPPORT AND ARE SUITABLE FOR MORE SEVERE INSTABILITY OF THE FOOT AND ANKE COMPLEX, SIZE 36, PINE; FULL GRAIN COW/CALF LEATHER UPPER; SOFT PADDING AROUND HEEL CUFFS; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE: UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK                                                                                                                                                                                                                          | PAA | ITEMIZED | 100 |
| 1825 | 4224170906300 | STABILITY FOOTWEAR SANDAL SZ 31 BLACK    | STABILITY FOOTWEAR SANDAL, HIGH COUNTERS (STIFFENERS), THEY PROVIDE GREATER SUPPORT AND ARE SUITABLE FOR MORE SEVERE INSTABILITY OF THE FOOT AND ANKE COMPLEXSIZE 31, BACK; FULL GRAIN COW/CALF LEATHER UPPER; SOFT PADDING AROUND HEEL CUFFS; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKE; FULL LEATHER INSDE; FASILY REMOVABLE AND ADAPTABLE SOLE- UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TOROUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK                                                                                                                                                                                                                              | PAA | ITEMIZED | 100 |
| 1826 | 4224200017800 | STANCE PHASE STABLITY LOW VOLUNTARY CTRL | STANCE PHASE STABILITY LOW VOLUNTARY CONTROL REQUIRED MID SWING SHORTENING - FOR BETTER TOE CLEARANCE EARLIER/LATER STANCE RELEASE LATER - MORE SAFETY NORMAL = SAFETY AND DYNAMICS FARLIER = MORE DYNAMICS ADAPTATION TO VARIABLE SPEED WALKING ONCE ALIGNED AND SET READY TO USE FOR VARIABLE ACTIVITIES LESS EFFORT AND MORE CONFIDENCE DURING WALKING REDUCED RISK OF TRIPS AND FALLS ADJUSTABLE TO USER PREFERENCE VARIABLE SPEEDS OF WALKING INCLUDING RUNNING (UP TO 7 KM/H) TRANSFEMORAL AND KNEE DISARTICULATION AMPUTEES MULTI SPEED WALKERS RUNNING MODERATE TO EXTREME IMPACT MAX. USER WEIGHT 136 KG K - LEVEL: K Z K 3 AND K 4 BAR GEOMETRY ADJUSTABLE GEOMETRY WATURS TANDER SELEMENT OF LANGERS SETTING AUTO - ADAPTIVE SWING PHASE CONTROL | EA  | ITEMIZED | 100 |

6/21/2022 Page 143 of 160

| 1827 | 4618221102100 | BRACE TREATMNT IDIOPATHIC SCOLIOSIS ADLT | STANDARDIZED SYMMETRICAL MODULES THAT ARE CUSTOMIZED FOR FACH INDIVIDUAL PATIENT THE BOSTON BRACE SYSTEM FOR THE TREATMENT OF ADOLESCENT DIOPATHIC SOCIOUSIS IS PERHAPS THE MOST WIDELY USED SYSTEM IN THE WORD AND FOLLOWS A PROVEN AND DETAILED SET OF CONSTRUCTION PRINCIPLES WHICH MAKE IT EASILY TRANSPORTABLE (I.E. ALLOWS FOR CONSISTENCY OF DESIGN IN ALL LOCATIONS BY FOLLOWING THESE WELL DOCUMENTED PRINCIPLES) LIGHTWEIGHT CONSTRUCTION WITH WELL DOCUMENTED EVIDENCE OF RESULTS. BRACE FABRICATION AND DESIGN CYCLE TIME IS SHORT THEREFORE PATIENT WILL BE SUPPLIED VERY SOON AFTER INITIAL CLINICAL APPOINTMENT NO CASTING OF PATIENT NECESSARY ONLY A SMALL NUMBER OF MEASUREMENTS REQUIRED AND SO LESS DISCOMPORT TO THE PATIENT DURING THAT PHASE ADOLESCENT IDIOPATHIC SCOLIOSIS (AIS) FOR CURVES BETWEEN 25 AND 45 DEGREES (MEASURED BY TE COBB METHOD) AND CLIVE A PEDEV UP TO T 7 WITH DOCUMENTED PROGRESSION AND A DEGREE OF FLEXIBILITY SCOLIOSIS BRACE FOR ADULTS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | EA  | ITEMIZED | 50  |
|------|---------------|------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|-----|
| 1828 | 4224200035700 | STEEL RULER 30 CM                        | STEEL RULER, AN ORTHOTICS WORKSHOP TOOL, SCALES 30 CM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | EA  | ITEMIZED | 30  |
| 1829 | 4224200035600 | STEEL RULER 50-60 CM                     | STEEL RULER, AN ORTHOTICS WORKSHOP TOOL, SCALES 50-60 CM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | EA  | ITEMIZED | 30  |
| 1830 | 4224210301600 | STERNO OCCIPITAL MAND. IMMOBILIZER SZ L  | STERNO OCCIPITAL MANDIBULAR IMMOBILIZER (S.O.M.I), SIZE LARGE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | EA  | ITEMIZED | 31  |
| 1831 | 4224180000000 | STERNO OCCIPITAL MAND. IMMOBILIZER SZ SM | STERNO OCCIPITAL MANDIBULAR IMMOBILIZER (S.O.M.I), SIZE SMALL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | EA  | ITEMIZED | 368 |
| 1832 | 4231155304700 | STOCKINETTE COTTON W100MM NATURAL WHITE  | STOCKINETTE COTTON, FOR UNDERPLASTERS, NATURAL WHITE, WIDTH 100 MM, WEIGHT/ROLL 1 KG., APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | EA  | ITEMIZED | 100 |
| 1833 | 4224150401500 | STOCKINETTE ELASTC WHITE W100MM L/RL 77M | STOCKINETTE ELASTIC WHITE WIDTH 100 MM LENGTH /ROLL 77 METER APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | EA  | ITEMIZED | 100 |
| 1834 | 4224150401600 | STOCKINETTE ELAS.WHITE W150MM L/RL 43.5M | STOCKINETTE ELASTIC WHITE WIDTH 150 MM LENGTH /ROLL 43.5 METER APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | EA  | ITEMIZED | 100 |
| 1835 | 4224150401700 | STOCKINETTE ELASTIC WHITE 60MM L/RL 50M  | STOCKINETTE ELASTIC WHITE WIDTH 60 MM LENGTH /ROLL 50 METER APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | EA  | ITEMIZED | 100 |
| 1836 | 4224150400700 | STOCKINETTE FIBERGLASS W100MM L/RL 7M    | STOCKINETTE FIBERGLASS FOR FABRICATION OF THIN -<br>WALLED (LIGHTWEIGHT DESIGN) WIDTH 100 MM LENGTH<br>/ROLL 7 METER APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | EA  | ITEMIZED | 100 |
| 1837 | 4224150400800 | STOCKINETTE FIBERGLASS W80MM 8M          | STOCKINETTE FIBERGLASS FOR FABRICATION OF THIN - WALLED (LIGHTWEIGHT DESIGN) WIDTH 80 MM LENGTH /ROLL 8 METER APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | EA  | ITEMIZED | 100 |
| 1838 | 4224150400900 | STOCKINETTE FIBERGLASS W200MM L/RL 7.2M  | STOCKINETTE FIBERGLASS HIGH ELASTICITY TWO - WAY STRETCH WIDTH 200 MM LENGTH /ROLL 7.2 METER APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | EA  | ITEMIZED | 100 |
| 1839 | 4224150401000 | STOCKINETTE FIBERGLASS W250MM L/RL 5.2M  | STOCKINETTE FIBERGLASS HIGH ELASTICITY TWO - WAY STRETCH WIDTH 250 MM LENGTH /ROLL 5.2 METER APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | EA  | ITEMIZED | 100 |
| 1840 | 4224150401100 | STOCKINETTE FIBERGLASS W300MM L/RL 4.8M  | STOCKINETTE FIBERGLASS HIGH ELASTICITY TWO - WAY STRETCH WIDTH 300 MM LENGTH /ROLL 4.8 METER APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | EA  | ITEMIZED | 100 |
| 1841 | 4224150401200 | STOCKINETTE FIBERGLASS W60MM L/RL 28.5M  | STOCKINETTE FIBERGLASS HIGH ELASTICITY TWO - WAY STRETCH WIDTH 60 MM LENGTH /ROLL 28.5 METER APPROXIMATELY STOCKINETE FIBERGLASS HIGH ELASTICITY TWO - WAY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | EA  | ITEMIZED | 100 |
| 1842 | 4224150401300 | STOCKINETTE FIBERGLASS W80MM L/RL 17.2M  | STOCKINETTE FIBERGLASS HIGH ELASTICITY TWO - WAY STRETCH WIDTH 80 MM LENGTH LENGTH /ROLL 17.2 METER APPROXIMATELY | EA  | ITEMIZED | 100 |
| 1843 | 4224150400500 | STOCKINETTE NYLON CAUCSIAN 120MMX38.5/RL | STOCKINETTE NYLON CAUCASIAN SKIN COLOR 120 MM X 38.5  METER LENGTH /ROLL APPROXIMATELY  STOCKINETTE NYLON CAUCASIAN SKIN COLOR 150 MM X 32                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | EA  | ITEMIZED | 6   |
| 1844 | 4224150401800 | STOCKINETTE NYLON CAUCASIAN 150MMX32M/RL | METER LENGTH /ROLL APPROXIMATELY  STOCKINETTE NYLON CAUCASIAN SKIN COLOR 150 MINI X 32  METER LENGTH /ROLL APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | EA  | ITEMIZED | 100 |
| 1845 | 4224150401900 | STOCKINETTE NYLON CAUCSIAN 60MMX48.5M/RL | METER LENGTH /ROLL APPROXIMATELY  STOCKINETTE NYLON CAUCASIAN SKIN COLOR 90 MM X 35.7                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | EA  | ITEMIZED | 100 |
| 1846 | 4224150402000 | STOCKINETTE NYLON CAUCSIAN 90MMX35.7M/RL | METER LENGTH /ROLL APPROXIMATELY  STOCKINETTE, COTTON, FOR UNDERPLASTERS, NATURAL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | EA  | ITEMIZED | 100 |
| 1847 | 4224150401400 | STOCKINETTE COTTON W80MM W/RL 0.005KG    | WHITE, WIDTH 80 MM, WEIGHT/ROLL 0.500 KG., APPROXIMATELY STOCKINETTE, FIBERGLASS, HIGH ELASTICITY, TWO - WAY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | EA  | ITEMIZED | 100 |
| 1848 | 4214280204600 | STOCKINETTE FIBERGLASS W150MM L/RL 9.3M  | STRETCH, WIDTH 150 MM, LENGTH / ROLL 9.3 METER, APPROXIMATELY  STOCKINETTE, NYLGLASS, OFF - WHITE, 50/50%, BLEND OF                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | ROL | ITEMIZED | 57  |
| 1849 | 4224150400400 | STOCKINETTE 50/50 BLEND 100MMX32.2M      | NYLON AND FIBERGLASS, WIDTH 100 MM, LENGTH 32.2  METER, APPROXIMATELY  STOCKINETTE, NYLGASS, OFF - WHITE, 50/50%, BLEND OF                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | EA  | ITEMIZED | 80  |
| 1850 | 4224150603700 | STOCKINETTE 50/50 BLEND 120MMX26.3M      | NYLON AND FIBERGLASS, WIFT - WHITE, 30/50%, BLEND OF<br>NYLON AND FIBERGLASS, WIDTH 120 MM, LENGTH 26.3<br>METER, APPROXIMATELY<br>STOCKINETTE, NYLGLASS, OFF - WHITE, 50/50%, BLEND OF                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | EA  | ITEMIZED | 102 |
| 1851 | 4224150603600 | STOCKINETTE 50/50 BLEND 200MMX18M        | NYLON AND FIBERGLASS, WIDTH 200 MM, LENGTH 18 METER, APPROXIMATELY  STOCKINETTE, NYLGLASS, OFF - WHITE, 50/50%, BLEND OF                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | EA  | ITEMIZED | 27  |
| 1852 | 4224150603800 | STOCKINETTE 50/50 BLEND 250MMX15.2M      | NYLON AND FIBERGLASS, WIDTH 250 MM, LENGTH 15.2  METER, APPROXIMATELY  STOCKINETTE, NYLGLASS, OFF - WHITE, 50/50%, BLEND OF                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | EA  | ITEMIZED | 20  |
| 1853 | 4224150402100 | STOCKINETTE NYLGLASS OFFWHITE W300MM     | NYLON AND FIBERGLASS, WIDTH 300 MM, LENGTH 11.6  METER, APPROXIMATELY  STOCKINETTE, NYLGLASS, OFF - WHITE, 50/50%, BLEND OF                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | EA  | ITEMIZED | 14  |
| 1854 | 4224150402200 | STOCKINETTE NYLGLASS OFFWHITE 40MM 36.4M | NYLON AND FIBERGLASS, WIFT - WHITE, 307,50%, BLEND OF NYLON AND FIBERGLASS, WIDTH 40 MM, LENGTH 36.4 METER, APPROXIMATELY STOCKINETTE, PERLON OR EQUIVALENT, WHITE, WIDTH 120                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | EA  | ITEMIZED | 100 |
| 1855 | 4231155304200 | STOCKINETTE PERLON W120MM X 33.3M WHITE  | MM, L/ROLL 33.3 METER, APPROXIMATELY  STOCKINETTE, PERLON OR EQUIVALENT, WHITE, WIDTH 150                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | EA  | ITEMIZED | 102 |
| 1856 | 4231155304100 | STOCKINETTE PERLON W150MM X 27M WHITE    | MM, L/ROLL 27.0 METER, APPROXIMATELY  STOCKING, NYLON, USED FOR DRAPING PROCESS, 30 X 1.25                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | EA  | ITEMIZED | 100 |
| 1857 | 4224200016600 | STOCKING NYLON DRAPING PORCESS 30X1.25M  | METER  STOCKINGS, COSMETIC, FOR BELOW KNEE PROSTHESIS, SIZE 1,                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | EA  | ITEMIZED | 10  |
| 1858 | 4224200430300 | STOCKINGS COSMETIC 1                     | LENGTH 38.5 CM, APPROXIMATELY  STOCKINGS, COSMETIC, FOR BELOW KNEE PROSTHESIS, SIZE 2,                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | EA  | ITEMIZED | 50  |
| 1859 | 4224200405100 | STOCKINGS COSMETIC BELOW KNEE SZZ 40.5CM | LENGTH 40.5 CM, APPROXIMATELY STOCKINGS, COSMETIC, FOR BELOW KNEE PROSTHESIS, SIZE 3,                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | EA  | ITEMIZED | 100 |
| 1860 | 4224200426200 | STOCKINGS COSMETIC BELOW KNEE SZ3 44.5CM | LENGTH 44.5 CM, APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | EA  | ITEMIZED | 50  |

6/21/2022 Page 144 of 160

| 1861 | 4224200405200 | STOCKINGS COSMETIC FOR CHILDREN 34CM     | STOCKINGS, PERLON OR EQUIVALENT, COSMETIC, FOR                                                                                                                                                                                                                                                                                   | EA  | ITEMIZED | 100 |
|------|---------------|------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|-----|
| 1862 | 4224200405300 | STOCKINGS COSMETIC FOR CHILDREN 37CM     | CHILDREN, 34 CM STOCKINGS, PERLON OR EQUIVALENT, COSMETIC, FOR                                                                                                                                                                                                                                                                   | EA  | ITEMIZED | 100 |
| 1863 | 4224200405400 | STOCKINGS COSMETIC FOR CHILDREN 44CM     | CHILDREN, 37 CM STOCKINGS, PERLON OR EQUIVALENT, COSMETIC, FOR                                                                                                                                                                                                                                                                   | EA  | ITEMIZED | 100 |
| 1864 | 4618153500300 | STOCKINGS W/RUBBER BAND BEIGE SZ 0       | CHILDREN, 44 CM  STOCKINGS, THE PERLON OR EQUIVALENT, WITH RUBBER BAND, ARE INTENDED FOR THE OUTER COSMETIC FINISH OF MODULAR KNEE DISARTICULATION PROSTHESIS AND TRANSFEMORAL PROSTHESIS, LENGTH 59 CM, FOOT LENGTH 18 CM (7.086 INCHES), ANKLE (1/2) 9 CM (3.543 INCHES), CUFF (1/2) 15 CM (5.905 INCHES), BEIGE, SIZE 0       | PAA | ITEMIZED | 50  |
| 1865 | 4618153500400 | STOCKINGS W/RUBBER BAND LIGHT BROWN SZ 0 | STOCKINGS, THE PERLON OR EQUIVALENT, WITH RUBBER BAND, ARE INTENDED FOR THE OUTER COSMETIC FINISH OF MODULAR KNEE DISARTICULATION PROSTHESIS AND TRANSFEMORAL PROSTHESIS, LENGTH 59 CM, FOOT LENGTH18 CM (7.086 INCHES), ANKLE (1/2), 9 CM (3.543 INCHES), CUFF (1/2) 15 CM (5.905 INCHES), LIGHT BROWN, SIZE 0                  | РАА | ITEMIZED | 50  |
| 1866 | 4618153500700 | STOCKINGS W/RUBBER BAND BEIGE SZ 2       | STOCKINGS, THE PERLON OR EQUIVALENT, WITH RUBBER BAND, ARE INTENDED FOR THE OUTER COSMETIC FINISH OF MODULAR KNEE DISARTICULATION PROSTHESIS AND TRANSFEMORAL PROSTHESIS, LENGTH 66 CM, FOOT LENGTH 20 CM (7.874 INCHES), ANKLE (1/2) 9 CM (3.543 INCHES), CUFF (1/2) 17 CM (6.692 INCHES), BEIGE, SIZE 2                        | PAA | ITEMIZED | 50  |
| 1867 | 4618153501000 | STOCKINGS W/RUBBER BAND LIGHT BROWN SZ 3 | STOCKINGS, THE PERLON OR EQUIVALENT, WITH RUBBER BAND, ARE INTENDED FOR THE OUTER COSMETIC FINISH OF MODULAR KNEE DISARTICULATION PROSTHESIS AND TRANSFEMORAL PROSTHESIS, LENGTH 72 CM, FOOT LENGTH, 20.5 CM (8.070 INCHES), ANKLE (1/2) 9.25 CM (3.641 INCHES), CUFF (1/2) 18 CM (7.086 INCHES), LIGHT BROWN, SIZE 3            | PAA | ITEMIZED | 50  |
| 1868 | 4618153501200 | STOCKINGS W/RUBBER BAND LIGHT BROWN SZ 4 | STOCKINGS, THE PERLON OR EQUIVALENT, WITH RUBBER BAND, ARE INTENDED FOR THE OUTER COSMETIC FINISH OF MODULAR KNEE DISARTICULATION PROSTHESIS AND TRANSFEMORAL PROSTHESIS, LENGTH 83.5 CM, FOOT LENGTH 21 CM (8.267 INCHES), ANKLE (1/2) 9.5 CM (3.740 INCHES), CUFF (1/2) 19 CM (7.480 INCHES), LIGHT BROWN, SIZE 4              | РАА | ITEMIZED | 50  |
| 1869 | 4618153500900 | STOCKINGS W/RUBBER BAND BEIGE SZ 3       | STOCKINGS, THE PERLON OR EQUIVALENT, WITH RUBBER BAND, ARE INTENDED FOR THE OUTER COSMETIC FINISH, OF MODULAR KNEE DISARTICULATION PROSTHESIS AND TRANSFEMORAL PROSTHESIS, LENGTH 72 CM, FOOT LENGTH 20.5 CM (8.070 INCHES), ANKLE (1/2) 9.25 CM (3.641 INCHES), CUFF (1/2) 18 CM (7.086 INCHES), BEIGE, SIZE 3                  | PAA | ITEMIZED | 50  |
| 1870 | 4618153501100 | STOCKINGS W/RUBBER BAND BEIGE SZ 4       | STOCKINGS, THE PERLON OR EQUIVALENT, WITH RUBBER BAND, ARE INTENDED FOR THE OUTER COSMETIC FINISH, OF MODULAR KNEE DISARTICULATION PROSTHESIS AND TRANSFEMORAL PROSTHESIS, LENGTH 83.5 CM, FOOT LENGTH 21 CM (8.267 INCHES), ANKLE (1/2) 9.5 CM (3.740 INCHES), CUFF (1/2) 19 CM (7.480 INCHES), BEIGE, SIZE 4                   | PAA | ITEMIZED | 50  |
| 1871 | 4618153500600 | STOCKINGS W/RUBBER BAND LIGHT BROWN SZ 1 | STOCKINGS, THE PERLON OR EQUIVALENT, WITH RUBBER BAND, ARE INTENDED FOR THE OUTER COSMETIC, FINISH OF MODULAR KNEE DISARTICULATION PROSTHESIS AND TRANSFEMORAL PROSTHESIS, LENGTH 61.5 CM, FOOT LENGTH 19 CM (7.480 INCHES), ANKLE (1/2) 9 CM (3.543 INCHES), CUFF (1/2) 16 CM (6.299 INCHES), LIGHT BROWN, SIZE 1               | РАА | ITEMIZED | 50  |
| 1872 | 4618153500800 | STOCKINGS W/RUBBER BAND LIGHT BROWN SZ 2 | STOCKINGS, THE PERLON OR EQUIVALENT, WITH RUBBER BAND, ARE INTENDED FOR THE OUTER COSMETIC, FINISH OF MODULAR KNEE DISARTICULATION PROSTHESIS AND TRANSFEMORAL PROSTHESIS, LENGTH 66 CM, FOOT LENGTH 20 CM (7.874 INCHES), ANKLE (1/2) 9 CM (3.543 INCHES), CUFF (1/2) 17 CM (6.692 INCHES), LIGHT BROWN, SIZE 2                 | РАА | ITEMIZED | 50  |
| 1873 | 4618153501300 | STOCKINGS BEIGE HIP DISARTICULATION      | STOCKINGS, THE PERLON OR EQUIVALENT, WITH RUBBER BAND, ARE INTENDED FOR THE OUTER COSMETIC, FINISH OF MODULAR KNEE DISARTICULATION PROSTHESIS, AND TRANSFEMORAL PROSTHESIS LENGTH 100 CM, FOOT LENGTH 18.5 CM (7.283 INCHES), ANKLE (1/2) 10 CM (3.937 INCHES), CUFF (1/2) 14 CM (5.511 INCHES), BEIGE, SIZE HIP DISARTICULATION | РАА | ITEMIZED | 50  |
| 1874 | 4618153500500 | STOCKINGS W/RUBBER BAND BEIGE SZ 1       | STOCKINGS, THE PERLON OR EQUIVALENT, WITH RUBBER BAND, ARE INTENDED FOR THE OUTER COSMETIC, FINISH OF MODULAR KNEE, DISARTICULATION PROSTHESIS AND TRANSFEMORAL PROSTHESIS LENGTH 61.5 CM, FOOT LENGTH 19 CM (7.480 INCHES), ANKLE (1/2) 9 CM (3.433 INCHES), CUFF (1/2) 16 CM (6.299 INCHES), BEIGE, SIZE 1                     | РАА | ITEMIZED | 50  |
| 1875 | 4224200035000 | STORAGE CONTAINER FOR GLUE               | STORAGE CONTAINER FOR GLUE, AN ORTHOTICS WORKSHOP<br>TOOL, FLAT BRUSH, FOR ADHESIVE, VARNISH, CONTENTS 450-<br>800 ML, WEIGHT 180-500 G                                                                                                                                                                                          | EA  | ITEMIZED | 10  |
| 1876 | 4224200033400 | STRAIGHT HAND SHEARS OR SNIPS            | STRAIGHT HAND SHEARS OR SNIPS, AN ORTHOTICS<br>WORKSHOP TOOL, STEEL, STRAIGHT, WITH TOOTHED BLADE,<br>PAINTED HANDLE                                                                                                                                                                                                             | EA  | ITEMIZED | 10  |
| 1877 | 4224170500400 | STRETCH NIGHT SPLINT LARGE SZ 10.5       | STRETCH NIGHT SPLINT, LARGE, SIZE: 10.5, WITH ADJUSTABLE DORSIFLEXION STRAPS PROVIDE OPTIMAL STRETCH, NON-SKID BOTTOM FOR INCREASED SAFETY, TOE WEDGE INCLUDED, ANTIMICROBIAL MATERIAL WHICH HELPS PREVENT ODOR AND INFECTION                                                                                                    | РАА | ITEMIZED | 100 |
| 1878 | 4224170500500 | STRETCH NIGHT SPLINT MEDIUM SZ 8-10      | STRETCH NIGHT SPLINT, MEDIUM, SIZE: 8-10, WITH ADJUSTABLE DORSIFLEXION STRAPS, PROVIDE OPTIMAL STRETCH, NON-SKID BOTTOM FOR INCREASED SAFETY, TOE WEDGE INCLUDED, ANTIMICROBIAL MATERIAL WHICH HELPS PREVENT ODOR AND INFECTION STRETCH NIGHT SIGNAL SEAM SIZE A ZE MITH                                                         | РАА | ITEMIZED | 100 |
| 1879 | 4224170500600 | STRETCH NIGHT SPLINT SMALL SZ 4-7.5      | STRETCH NIGHT SPLINT, SMALL, SIZE: 4-7.5, WITH ADJUSTABLE DORSIFLEXION STRAPS, PROVIDE OPTIMAL STRETCH, NON-SKID BOTTOM FOR INCREASED SAFETY, TOE WEDGE INCLUDED, ANTIMICROBIAL MATERIAL WHICH HELPS PREVENT ODOR AND INFECTION                                                                                                  | PAA | ITEMIZED | 100 |
| 1880 | 4224200401600 | STUMP SOCKS WHITE THIN WALLED 30CM       | STUMP SOCKS, TERRY CLOTH, WHITE, THIN - WALLED FOR<br>TRANSTIBIAL AMPUTATION, LENGTH 30 CM                                                                                                                                                                                                                                       | EA  | ITEMIZED | 657 |
| 1881 | 4224200401400 | SOCKS PROSTHETIC STUMP TERRY CLOTH L40CM | STUMP SOCKS, TERRY CLOTH, WHITE, THIN - WALLED FOR<br>TRANSTIBIAL AMPUTATION, LENGTH 40 CM                                                                                                                                                                                                                                       | EA  | ITEMIZED | 627 |

6/21/2022 Page 145 of 160

| 1882 | 4224200401500 | SOCKS PROSTHETIC STUMP TERRY CLOTH L50CM | STUMP SOCKS, TERRY CLOTH, WHITE, THIN - WALLED FOR TRANSTIBIAL AMPUTATION, LENGTH 50 CM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | EA  | ITEMIZED             | 612 |
|------|---------------|------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------------------|-----|
| 1883 | 4224200401300 | SOCKS PROSTHETIC STUMP TERRY CLOTH L60CM | STUMP SOCKS, TERRY CLOTH, WHITE, THIN - WALLED FOR TRANSTIBIAL AMPUTATION, LENGTH 60 CM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | EA  | ITEMIZED             | 612 |
| 1884 | 4224200400800 | STUMP SOCKS FOR SHORT PROSTH. 35X15X9CM  | STUMP SOCKS, WOOL, FOR SHORT PROSTHESIS, (PTB), NATURAL LENGTH 35 CM, UPPER WIDTH 15 CM, LOWER WIDTH 9 CM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | EA  | ITEMIZED             | 689 |
| 1885 | 4224200400900 | STUMP SOCKS FOR SHORT PROSTH. 45X15X9CM  | STUMP SOCKS, WOOL, FOR SHORT PROSTHESIS, (PTB), NATURAL LENGTH 45 CM, UPPER WIDTH 15 CM, LOWER WIDTH 9 CM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | EA  | ITEMIZED             | 861 |
| 1886 | 4224200401200 | SOCKS STUMP W15CMXL50CMXLOWER W9CM       | STUMP SOCKS, WOOL, FOR SHORT PROSTHESIS, (PTB), NATURAL LENGTH 50 CM, UPPER WIDTH 15 CM, LOWER WIDTH 9 CM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | EA  | ITEMIZED             | 653 |
| 1887 | 4214180200100 | SUCTION SOCKET ELECTRODE SIZE: 60        | SUCTION, SOCKET, ELECTRODE, SIZE 60                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | EA  | ITEMIZED             | 10  |
| 1888 | 4224200030100 | SUPERGLUE FOR FAST GLUING OF SOCKET      | SUPERGLUE FOR FAST GLUING OF SOCKET ADAPTER AND GLUING METALS DUROPLASTICS. AND THERMOPLASTICS, 2-COMPONENT ADHESIVE BASED ON METHYL METHACRYLATE WITH VERY HIGH ADHESIVE STRENGTH, GEL/HIGHLY VISCOUS, FILLS GAPS FROM 0.5 TO 12 MM, HIGH TEMPERATURE RESISTANCE, LASTING STRENGTH AND FLEXIBILITY, PROCESSING TIME: 4 TO 7 MINUTES, CURING TIME: APPROX. 15 MINUTES, INCLUING GUN OF SUPERGLUE, NET CONTENTS 50 ML GRAMS APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | EA  | ITEMIZED             | 200 |
| 1889 | 4224170314800 | CUSTOM MOLDED KNEE SUPPORT LARGE         | SUPPORT, CUSTOM, MOLDED KNEE, IMMOBILIZES THE KNEE AND HELPS REDUCE PAIN, LARGE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | EA  | ITEMIZED             | 30  |
| 1890 | 4224170656000 | SUPRA MALLEOLAR ORTHOSIS COMBO           | AND HELP'S REDUCE PAIN, LARGE SUPRA MALLEOLAR ORTHOSIS, CUSTOM MADE, COMBO THICKNESS 1-3MM POLYETHYLENE WITH ANKLE FOOT ORTHOSIS THICKNESS 2- 4MM POLYPROPYLENE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | EA  | ITEMIZED             | 50  |
| 1891 | 4224170655900 | SUPRA MALLEOLAR ORTHOSIS PEDIATRIC       | SUPRA MALLEOLAR ORTHOSIS, CUSTOM MADE, PEDIATRIC,<br>THICKNESS 1-3MM POLYETHYLENE, COLOR UPON REQUEST                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | EA  | ITEMIZED             | 50  |
| 1892 | 4224170317600 | SWEDISH KNEE CAGE EXTRA LARGE            | SWEDISH, KNEE CAGE, EXTRA-LARGE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | EA  | ITEMIZED             | 50  |
| 1893 | 4224170317500 | SWEDISH KNEE CAGE LARGE                  | SWEDISH, KNEE CAGE, LARGE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | EA  | ITEMIZED             | 50  |
| 1894 | 4224170317400 | SWEDISH KNEE CAGE SMALL                  | SWEDISH, KNEE CAGE, MEDIUM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | EA  | ITEMIZED<br>ITEMIZED | 50  |
| 1895 | 4224170317300 | SWEDISH KNEE CAGE SMALL                  | SWEDISH, KNEE CAGE, SMALL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | EA  | ITEMIZED             | 50  |
| 1896 | 4224200010900 | SYSTEM SOCKET CONNECTION                 | SYSTEM SOCKET CONNECTION, FOR TRANSFEMORAL AMPUTATIONS, PROXIMAL, AND DISTAL CONNECTION, BETWEEN THE SOCKET AND LINER, REDUCED PISTONING, AND ROTATIONAL MOVEMENTS, CAN BE DONNED WHILE SITTING, THEREFORE, PARTICULARLY, WELL SUITED, FOR GERIATRIC USERS, AND USERS WITH A LOW MOBILITY GRADE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | EA  | ITEMIZED             | 100 |
| 1897 | 4224200015000 | SYSTEM ANKLE JOINTS W/LAMINATION RT 20MM | SYSTEM, ANKLE, JOINTS, WITH LAMINATION PIECES, RIGHT SYSTEM, WIDTH 20 MM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | PAA | ITEMIZED             | 100 |
| 1898 | 4224200005500 | RESIDUAL LIMB VOLUME SYSTEM              | SYSTEM, CONTROLS THE VOLUME OF THE RESIDUAL LIMB, A PUMP UNIT FOR HEAVY DUTY PURPOSES, HEAVY BODY WEIGHT / HIGH LEVEL OF ACTIVITY COMPLETE KIT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | KIT | ITEMIZED             | 40  |
| 1899 | 4224200133200 | MICROPROCESSOR ORTHOTIST SYSTEM          | SYSTEM, MICROPROCESSOR ORTHOTIST, COMPLETE INCLUDING MICROPROCESSOR SENSOR TECHNOLOGY, THE SENSORS IN THE KNEE JOINT ARE CONSTANTLY EVALUATING (100 TIMES PER SECOND) WHICH MOVEMENT YOU ARE CURRENTLY PERFORMING AND HOW QUICKLY THIS INFORMATION IS PASSED ONTO THE MICROPPOCESSOR, IN THE BRACE WHICH REQULATES THE REQUIRED SUPPORT FLEXING UNDER LOAD WHILE SITTING DOWN NAVIGATING SLOPES, WALKING ON UNEVEN TERRAIN OR GOING DOWN STAIRS STEP OVER STEP ALL THIS DEFINES A NEW LEVEL OF MOBILITY, THE BRACE IS SMALLER AND LIGHTER DOES NOT NEED TO EXERT AS MUCH ENERGY WHILE WALKING, ALLOWS THE USER TO WEAR THE ORTHOSIS UNDERNEATH THEIR CLOTHING, THE MICROPROCESSOR SENSOR MAKES THE ENTIRE GAIT PATTERN MORE DYNAMIC AND RESPONSIVE, THE USER CAN ALSO CHANGE SETTINGS ON THEIR JOINT SWITCHING TO CYCLING MODE USING THE SMARTPHONE APPLICATION INCLUDES PATIENT ASSESSMENT AT CUSTOMERS PREMISES MEASURING INCLUDES ALL REQUIRED MATERIALS/COMPONENTS TO FABRICATE PROSTHESIS DELIVERY FITTING BY CERTIFIED ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP | ΚιΤ | ITEMIZED             | 10  |
| 1900 | 4224200133300 | SYSTEM MICROPROCESSOR ORTHOTIST          | SYSTEM, MICROPROCESSOR, ORTHOTIST, (COMPLETE), INCLUDING MICROPROCESSOR SENSOR TECHNOLOGY, THE SENSORS IN THE KNEE, JOINT, ARE CONSTANTLY EVALUATING, (100 TIMES PER SECOND), WHICH MOVEMENT, YOU ARE CURRENTLY PERFORMING, AND HOW QUICKLY, THIS INFORMATION IS PASSED, ONTO THE MICROPROCESSOR, IN THE BRACE, WHICH REGULATES THE REQUIRED SUPPORT, FLEXING UNDER LOAD, WHILE SITTING DOWN, NAVIGATING SLOPES, WALKING ON UNEVEN TERRAIN, OR GOING DOWN STAIRS, STEP OVER STEP, ALL THIS DEFINES A NEW LEVEL OF MOBILITY, THE BRACE IS SMALLER, AND LIGHTER, DOES NOT NEED TO EXERT, AS MUCH ENERGY, WHILE WALKING, ALLOWS THE USER TO WEAR THE ORTHOSIS, UNDERNEATH THEIR CLOTHING, THE MICROPROCESSOR SENSOR, MAKES THE ENTIRE GAIT, PATTERN MORE DYNAMIC AND RESPONSIVE, THE USER CAN ALSO CHANGE SETTINGS, ON THEIR JOINT, SWITCHING, TO CYCLING MODE, USING THE SMARTPHONE APPLICATION                                                                                                                                                                                                   | кіт | ITEMIZED             | 10  |
| 1901 | 4224200113500 | SYSTEM PUMP UNIT 95MM 399G               | SYSTEM, PUMP UNIT, PREVENTS VOLUME LOSS AND MINIMIZES VOLUME FLUCTUATIONS IN THE RESIDUAL LIMB, THE USERS BENEFIT FROM THE ADVANTAGES OF THE VACUUM SYSTEM TUBE CLAMP 34 MM, FOR USERS WITH A MODERATE TO HIGH MOBILITY GRADE, SYSTEM HEIGHT 95 MM, WEIGHT 399 GRAMS, FOR BODY WEIGHT UP TO 125 KG, INCLUDING SEALING SLEEVE AND LINER W/COMPLETE ACCESSORIES AND TRAINING                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | КІТ | ITEMIZED             | 38  |

6/21/2022 Page 146 of 160

|              |                                |                                                                                   | SYSTEM, PUMP UNIT, PREVENTS VOLUME LOSS, AND                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |          |                      |            |
|--------------|--------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----------------------|------------|
| 1902         | 4224200010800                  | SYSTEM PUMP UNIT INCLUDE PX ASSESSMENT                                            | SYSTEM, PUMP UNIT, PREVENTS VOLUME LISS, AND MINIMIZES VOLUME FLUCTUATIONS, IN THE RESIDUAL LIMB, THE USERS BENEFIT, FROM THE ADVANTAGES, OF THE VACUUM SYSTEM INCLUDES, PATIENT ASSESSMENT, AT CUSTOMERS PREMISES, MEASURING, INCLUDES ALL REQUIRED MATERIALS/COMPONENTS, TO FABRICATE PROSTHESIS, DELIVERY, FITTING BY CERTIFIED ORTHOTIST, IN MULTIPLE CLINICS, AND DIFFERENT REGIONS WITH FOLLOW LIP                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | КІТ      | ITEMIZED             | 100        |
| 1903         | 4214360501000                  | T STRAP LEATHER W/ COWHIDE BLACK XL 41CM                                          | T - STRAP, STANDARD DESIGN, LEATHER, LINED WITH COWHIDE, BLACK, EXTRA LARGE, 41 CM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | EA       | ITEMIZED             | 100        |
| 1904         | 4214360500800                  | T STRAP LEATHER W/ COWHIDE BLACK L 38CM                                           | T - STRAP, STANDARD DESIGN, LEATHER, LINED WITH COWHIDE, BLACK, LARGE, 38 CM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | EA       | ITEMIZED             | 100        |
| 1905         | 4214360500900                  | TSTRAP LEATHER W/ COWHIDE BLACK MED 28CM                                          | T - STRAP, STANDARD DESIGN, LEATHER, LINED WITH                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | EA       | ITEMIZED             | 100        |
| 1906         | 4214360501300                  | T STRAP LEATHER W/ COWHIDE BROWN XL 41CM                                          | COWHIDE, BLACK, MEDIUM, 28 CM<br>T - STRAP, STANDARD DESIGN, LEATHER, LINED WITH                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | EA       | ITEMIZED             | 100        |
| 1907         | 4214360501100                  | T STRAP LEATHER W/ COWHIDE BROWN L 38CM                                           | COWHIDE, BROWN, EXTRA LARGE, 41 CM T - STRAP, STANDARD DESIGN, LEATHER, LINED WITH                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | EA       | ITEMIZED             | 100        |
| 1908         | 4214360501200                  | TSTRAP LEATHER W/ COWHIDE BROWN MED 28CM                                          | COWHIDE, BROWN, LARGE, 38 CM T - STRAP, STANDARD DESIGN, LEATHER, LINED WITH                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | EA       | ITEMIZED             | 100        |
| 1909         | 4224200033100                  | T- HANDLE HEX KEY SET                                                             | COWHIDE, BROWN, MEDIUM, 28 CM T- HANDLE HEX KEY SET, STEEL BLADE, AN ORTHOTICS WORKSHOP TOOL, WITH PLASTIC T-HANDLE, WRENCH SIZE 2 /                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | KIT      | ITEMIZED             | 12         |
| 1910         | 4224200012000                  | TALCUM POWDER NET CONTENTS 1KG                                                    | 3/4/5/6/8/10 TALCUM, POWDER, NET CONTENTS, 1 KG., APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | EA       | ITEMIZED             | 100        |
| 1911         | 4224200013800                  | LINEN ADHESIVE TAPE LSOM W25MM RAW WHITE                                          | TAPE LINEN ADHESIVE FOR SEALING LAMINATION RESIN                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | EA       | ITEMIZED             | 50         |
| 1912         | 4224200016200                  | TAPERED MANDREL USED IN CAST PROCESSING                                           | LENGTH: 50 METER WIDTH: 25 MM COLOR: RAW WHITE  TAPERED, MANDREL, USED IN CAST PROCESSING, RE - USABLE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | EA       | ITEMIZED             | 10         |
| 1912         | 4224200016200                  | TAPERED MAINDREL USED IN CAST PROCESSING                                          | TECHNOGEL SHEET, FOR PADDING FOS, ANKLE - FOOT -                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | EA       | TTEMIZED             | 10         |
| 1913         | 4224150201800                  | TECHNOGEL SHEET L50CM W50CM 0.3CM BLUE                                            | ORTHOSIS AND KNEE - ANKLE - FOOT - ORTHOSIS, HIGH<br>SHOCK ABSORPTION, WASHABLE, LENGTH 50 CM, WIDTH 50<br>CM, THICKNESS 0.3 CM, COLOR BLUE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | EA       | ITEMIZED             | 100        |
| 1914         | 4224200430400                  | TERRY CLOTH RESIDUAL LIMB SOCK 11 30CM                                            | TERRY CLOTH RESIDUAL LIMB SOCK WITH DISTAL HOLE FOR USE WITH LINERS WITH A CONNECTOR, MADE OF COTTON (85%) AND SANDEX (15%), SUITABLE FOR TRANSTIBLA AND TRANSFEMORAL PROSTHESES, SIZE 11, LENGTH 30 CM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | EA       | ITEMIZED             | 100        |
| 1915         | 4224200430500                  | TERRY CLOTH RESIDUAL LIMB SOCK 11 40CM                                            | TERRY CLOTH RESIDUAL LIMB SOCK WITH DISTAL HOLE FOR USE WITH LINERS WITH A CONNECTOR, MADE OF COTTON (85%) AND SAPADEX (15%), SUITABLE FOR TRANSTIBLA AND TRANSFEMORAL PROSTHESES, SIZE 11, LENGTH 40 CM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | EA       | ITEMIZED             | 100        |
| 1916         | 4224200430600                  | TERRY CLOTH RESIDUAL LIMB SOCK 20 30CM                                            | TERRY CLOTH RESIDUAL LIMB SOCK WITH DISTAL HOLE FOR USE WITH LINERS WITH A CONNECTOR, MADE OF COTTON (85%), AND SPANDEX (15%), SUITABLE FOR TRANSTIBLA AND TRANSFEMORAL PROSTHESES, SIZE 20, LENGTH 30 CM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | EA       | ITEMIZED             | 100        |
| 1917         | 4224200430700                  | TERRY CLOTH RESIDUAL LIMB SOCK 20 40CM                                            | TERRY CLOTH RESIDUAL LIMB SOCK WITH DISTAL HOLE FOR USE WITH LINERS WITH A CONNECTOR, MADE OF COTTON (85%) AND SPANDEX (15%), SUITABLE FOR TRANSTIBIAL AND TRANSFEMORAL PROSTHESES, SIZE 20, LENGTH 40 CM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | EA       | ITEMIZED             | 100        |
| 1918<br>1919 | 4224200407100<br>4224200407200 | TERRY CLOTH RESIDUAL LIMB SOCK WHITE20CM TERRY CLOTH RESIDUAL LIMB SOCK WHITE25CM | TERRY CLOTH, RESIDUAL, LIMB, SOCK, WHITE, 20 CM TERRY CLOTH, RESIDUAL, LIMB, SOCK, WHITE, 25 CM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | EA<br>EA | ITEMIZED<br>ITEMIZED | 100<br>100 |
| 1920         | 4224200407400                  | TERRY CLOTH RESIDUAL LIMB SOCK WHITE35CM                                          | TERRY CLOTH, RESIDUAL, LIMB, SOCK, WHITE, 35 CM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | EA       | ITEMIZED             | 100        |
| 1921         | 4224200407600                  | TERRY CLOTH RESIDUAL LIMB SOCK WHITE45CM                                          | TERRY CLOTH, RESIDUAL, LIMB, SOCK, WHITE, 45 CM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | EA       | ITEMIZED             | 100        |
| 1922         | 4224180001800                  | BOSTON SOFT BODY JACKET                                                           | THE BOSTON SOFT BODY JACKET IS A LIGHTWEIGHT SPINAL ORTHOSIS DESIGNED TO MAKE CONTROL OF THE SPINE MORE EFFECTIVE COMFORTABLE FOR PATIENTS WHO CANNOT TOLERATE A RIGID PLASTIC BRACE THE ORTHOSIS ALTHOUGH EXTREMELY LIGHT IS PROVIDED WITH RIGIDITY AROUND THE TRUNK BY WAY OF STRATEGICALLY PLACED REINFORCEMENTS THE BRACE IS EASILY TRIMMED WITH SCISSORS AND MINIMAL WORKSHOP FACILITIES THE BOSTON SOFT BODY JACKET IS VERY ACCEPTABLE TO THE PATIENTS DUE TO THE SOFT ON ATURE OF THE FOAM MATERIALS USED DUE TO ITS SOFT CONSTRUCTION EDGE PRESSURE ON THE PATIENT IS A MOST NON - EXISTENT THE PRODUCTS EXTERIOR CONTOURS ARE AESTHETICALLY PLEASING AND ARE GENERALLY WELL ACCEPTED BY BOTH PATIENT AND PARENTS THE INDICATION FOR THIS PRODUCT ARE 1. NEURO MUSCULAR SCULIORS 2. CEREBRAL PALSY 3. MYELOMENINGOCELE 4. MUSCULAR DYSTROPHY S. POSTURAL POSITIONING G. IMPROVED SEATING THE BRACE IS NOT A CORRECTIVE BRACE BUT RATHER SHOULD BE PROVIDED IN THOSE CASES WHERE STABILIZATION OF MODERATE CURVES MAY BE REQUIRED AND WHERE IMPROVED POSTURAL CONTROL AND SEATING ARE REQUIRED AND WHERE | EA       | ITEMIZED             | 250        |
| 1923<br>1924 | 4410311900000<br>4410311900100 | THERMO PAPERS W/ LIGHT BLUE COLOR THERMO PAPERS W/ LIGHT MIXED RED OR PINK        | THERMO PAPERS (TRANSFER PAPERS), WITH LIGHT BLUE COLORS, OR JEANS PICTURE, OR FOOTBALLS BLUE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | EA<br>EA | ITEMIZED<br>ITEMIZED | 100        |
| 1924         | 4410311900100                  | JOINTS AND CAPS ANKLE THERMOFORMABLE                                              | THERMO PAPERS, WITH LIGHT MIXED RED OR PINK THERMOFORMABLE ANKLE JOINTS CAPS, JOINTS SELF CO- ALIGN ALONG MEDIAL - LATERAL AXES, HIGH STRENGTH INNER FILAMENT CORE, EASY TO FABRICATE, PROVIDE SMOOTH ARTICULATION, PREVENTS ELONGATION, ENSURE PRECISE HINGING ACTION, DURABLE, MEDIAL/LATERAL CONTROL MOTION LIMITING                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | EA       | ITEMIZED             | 50         |
| 1926         | 4224151020700                  | THERMOLYN RIGID FOR FABRICATING 8MM                                               | THERMOLYN RIGID FOR FABRICATING SELF-SUPPORTING CHECK SOCKETS FOR TT, TF AND HD, WITH GOOD FRACTURE RESISTANCE, HIGH STIFFNESS, HIGH THERMOPLASTIC DIMENSIONAL STABILITY, HIGH RESISTANCE AGAINST THE FORMATION OF STRESS CRACKS, LENGTH 400 MM, WIDTH 400 MM, THICKNESS 8 MM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | EA       | ITEMIZED             | 200        |
| 1927         | 4224151021900                  | THERMOLYN RIGID FOR FABRICATING 10MM                                              | THERMOLYN RIGID FOR FABRICATING SELF-SUPPORTING CHECK SOCKETS FOR TT, TF AND HD, WITH GOOD FRACTURE RESISTANCE, HIGH STIFFNESS, HIGH THERMOPLASTIC DIMENSIONAL STABILITY, HIGH RESISTANCE AGAINST THE FORMATION OF STRESS CRACKS, LENGTH 400 MM, WIDTH 400 MM, THICKNESS 10 MM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | EA       | ITEMIZED             | 200        |

6/21/2022 Page 147 of 160

| THERMOLYN RIGID FOR FABRICATING SELF-SUPPORTING CHECK SOCKETS FOR TT, TF AND HD, WITH GOOD FRACTURE RESISTANCE, HIGH STIFFNESS, HIGH THERMOPLASTIC DIMENSIONAL STABILITY, HIGH RESISTANCE AGAINST THE FORMATION OF STRESS CRACKS, LENGTH 400 MM, WIDTH 400 MM, THICKNESS 12 MM  THERMOLYN RIGID FOR FABRICATING SELF-SUPPORTING CHECK SOCKETS FOR TT, TF AND HD, WITH GOOD FRACTURE RESISTANCE, HIGH STIFFNESS, HIGH THERMOPLASTIC DIMENSIONAL STABILITY, HIGH RESISTANCE AGAINST THE FORMATION OF STRESS CRACKS, LENGTH 400 MM, WIDTH 400 MM, THICKNESS 12 MM  THERMOLYN RIGID FOR FABRICATING SELF-SUPPORTING CHECK SOCKETS FOR TT, TF AND HD, WITH GOOD FRACTURE RESISTANCE, HIGH STIFFNESS, HIGH THERMOPLASTIC DIMENSIONAL STABILITY, HIGH RESISTANCE AGAINST THE FORMATION OF STRESS CRACKS, LENGTH 400 MM, WIDTH 400 MM, THICKNESS 15 MM  THERMOLYN SILVERSHIELD FOR FABRICATING FLEXIBLE INNER SOCKETS IN LOWER LIMBS PROSTHETICS, ANTIBACTERIAL EFFECT, VERY HIGH FLEXIBILITY, LENGTH 400 MM, WIDTH 400 MM, THICKNESS 12 MM  THERMOLYN SILVERSHIELD FOR FABRICATING FLEXIBLE INNER SOCKETS IN LOWER LIMBS PROSTHETICS, ANTIBACTERIAL EFFECT, VERY HIGH FLEXIBILITY, LENGTH 400 MM, WIDTH 400 MM, THICKNESS 12 MM  THERMOLYN SILVERSHIELD FOR FABRICATING FLEXIBLE INNER SOCKETS IN LOWER LIMBS PROSTHETICS, ANTIBACTERIAL EFFECT, VERY HIGH FLEXIBILITY, LENGTH 400 MM, WIDTH 400 MM, WIDTH 400 MM, THICKNESS 12 MM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 200<br>200<br>200<br>200 |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|
| 1929 4224151022100 THERMOLYN RIGID FOR FABRICATING 15MM  THERMOLYN RIGID FOR FABRICATING 15MM  1930 4224151022100 THERMOLYN SILVERSHIELD 12MM  THERMOLYN SILVERSHIELD FOR FABRICATING FEXIBLE INNER SOCKETS IN LOWER LIMB PROSTHETICS, ANTIBACTERIAL EA ITEMIZED  THERMOLYN SILVERSHIELD FOR FABRICATING FEXIBLE INNER SOCKETS IN LOWER LIMB PROSTHETICS, ANTIBACTERIAL EFFECT, VERY HIGH FLEXIBLETY, LENGTH 400 MM, WIDTH 400 MM, THICKNESS 12 MM  THERMOLYN SILVERSHIELD FOR FABRICATING FEXIBLE INNER SOCKETS IN LOWER LIMB PROSTHETICS, ANTIBACTERIAL EAST SOCKETS IN LOWER LIMB PROSTHETICS, ANTIBACTER | 200                      |
| 1930 4224151020900 THERMOLYN SILVERSHIELD 12MM SOCKETS IN LOWER LIMB PROSTHETICS, ANTIBACTERIAL EA ITEMIZED MM, THICKNESS 12 MM THERMOLYN SILVERSHIELD FOR FABRICATING FLEXIBLE INNER SOCKETS IN LOWER LIMB PROSTHETICS, ANTIBACTERIAL EA ITEMIZED EAST SOCKETS IN LOWER LIMB PROSTHETICS, ANTIBACTERIAL EA ITEMIZED EAST SOCKETS IN LOWER LIMB PROSTHETICS, ANTIBACTERIAL EA ITEMIZED EAST SOCKETS IN LOWER LIMB PROSTHETICS, ANTIBACTERIAL EA ITEMIZED EAST SOCKETS IN LOWER LIMB PROSTHETICS, ANTIBACTERIAL EA ITEMIZED EAST SOCKETS IN LOWER LIMB PROSTHETICS, ANTIBACTERIAL EA ITEMIZED EAST SOCKETS IN LOWER LIMB PROSTHETICS, ANTIBACTERIAL EA ITEMIZED EAST SOCKETS IN LOWER LIMB PROSTHETICS, ANTIBACTERIAL EA ITEMIZED EAST SOCKETS IN LOWER LIMB PROSTHETICS, ANTIBACTERIAL EA ITEMIZED EAST SOCKETS IN LOWER LIMB PROSTHETICS, ANTIBACTERIAL EA ITEMIZED EAST SOCKETS IN LOWER LIMB PROSTHETICS, ANTIBACTERIAL EA ITEMIZED EAST SOCKETS IN LOWER LIMB PROSTHETICS, ANTIBACTERIAL EA ITEMIZED EAST SOCKETS IN LOWER LIMB PROSTHETICS, ANTIBACTERIAL EAST SOCKETS IN LOWER LIMB PROSTHETICS, ANTIBACTERI | 200                      |
| 1931 4224151021000 THERMOLYN SILVERSHIELD 16MM SOCKETS IN LOWER LIMB PROSTHETICS, ANTIBACTERIAL EA ITEMIZED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                          |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 200                      |
| THERMOLYN SILVERSHIELD FOR FABRICATING FLEXIBLE INNER  50CKETS IN LOWER LIMB PROSTHETICS, ANTIBACTERIAL  EFFECT, VERY HIGH FLEXIBLITY, LENGTH 400 MM, WIDTH 400  MM, THICKNESS 9 MM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                          |
| THERMOLYN SOFT FOR FABRICATING FLEXIBLE INNER PROSTHETIC SOCKETS IN LOWER LIMB PROSTHETICS, HIGH 1933 4224151021100 THERMOLYN SOFT FOR FABRICATING 10MM FLEXIBILITY, HIGH SURFACE QUALITY, CAN BE SUBSEQUENTLY EA ITEMIZED THERMOFORMED, COMFORTABLE TO WEAR, WASHABLE, LENGTH 400 MM, WIOTH 400 MM, THICKNESS 10 MM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 200                      |
| THERMOLYN SOFT FOR FABRICATING FLEXIBLE INNER PROSTHETIC SOCKETS IN LOWER LIMB PROSTHETICS, HIGH FLEXIBILITY, HIGH SURFACE QUALITY, CAN BE SUBSEQUENTLY THERMOFORMED, COMFORTABLE TO WEAR, WASHABLE, LENGTH 400 MM, WIOTH 400 MM, THICKNESS 12 MM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 200                      |
| THERMOLYN SOFT FOR FABRICATING FLEXIBLE INNER PROSTHETIC SOCKETS IN LOWER LIMB PROSTHETICS, HIGH FLEXIBLITY, HIGH SURFACE QUALITY, CAN BE SUBSEQUENTLY THERMOPORMED, COMPORTABLE TO WEAR, WASHABLE, LENGTH 400 MM, WIDTH 400 MM, THICKNESS 15 MM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 200                      |
| THERMOLYN SUPRA SOFT WITH SILCODE FOR FABRICATING HIGHLY FLEXIBLE SOFT-WALLED INNER SOCKETS FOR THE THIGH, VERY HIGH FLEXIBILITY, COMFORTABLE SOCKET BRIMS, HIGH SURFACE QUALITY, COMFORTABLE TO WEAR, EASY TO SAND, WASHABLE, LENGTH 400 MM, WIDTH 400 MM, THICKNESS 9 MM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 200                      |
| THERMOLYN SUPRA SOFT WITH SILCONE FOR FABRICATING HIGHLY FLEXIBLE SOFT-WALLED INNER SOCKETS FOR THE THIGHLY FLEXIBLE SOFT-WALLED INNER SOCKETS FOR THE THIGH, VERY HIGH FLEXIBLITY, COMFORTABLE SOCKET BRIMS, HIGH SURFACE QUALITY, COMFORTABLE TO WEAR, EASY TO SAND, WASHABLE, LENGTH 400 MM, WIDTH 400 MM, THICKNESS 12 MM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 200                      |
| THERMOLYN SUPRA SOFT, FOR FABRICATING HIGHLY FLEXIBLE SOFT-WALLED INNER SOCKETS FOR THE THIGH, VERY HIGH FLEXIBILITY AND MORE COMFORTABLE SOCKET BRIMS, HIGH SURFACE QUALITY, COMFORTABLE TO WEAR, WASHABLE, LENGTH 400 MM, WIDTH 400 MM, THICKNESS 10 MM MM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 200                      |
| THERMOLYN SUPRA SOFT, FOR FABRICATING HIGHLY FLEXBLE SOFT-VALLED INNER SOCKETS FOR THE THIGH, 1939 4224151021400 THERMOLYN SUPRA SOFT 12MM EVERY HIGH FLEXBILITY AND MORE COMPORTABLE SOCKET BRIMS, HIGH SURFACE QUALITY, COMFORTABLE TO WEAR, WASHABLE, LENGTH 400 MM, WIDTH 400 MM, THICKNESS 12 MM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 200                      |
| THERMOLYN SUPRA SOFT, FOR FABRICATING HIGHLY FLEXBLE SOFT-WALLED INNER SOCKETS FOR THE THIGH, VERY HIGH FLEXBILITY AND MORE COMPORTABLE SOCKET BRIMS, HIGH SURFACE QUALITY, COMFORTABLE TO WEAR, WASHABLE, LENGTH 400 MM, WIDTH 400 MM, THICKNESS 15 MM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 200                      |
| THERMOLYN, CLEAR FOR THE FABRICATION OF SELF- SUPPORTING CHECK SOCKETS, SHEET, TRANSPARENCY OF THE CHECK SOCKET TO FACILITATES PRECISE VERIFICATION OF THE EA ITEMIZED FIT AND SKIN, LENGTH 400 MM, WIDTH 400 MM, THICKNESS 10 MM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 200                      |
| THERMOLYN, CLEAR FOR THE FABRICATION OF SELF- SUPPORTING CHECK SOCKETS, SHEET, TRANSPARENCY OF THE  1942 4224151020400 THERMOLYN CLEAR FOR THE FABRICATION 12MM CHECK SOCKET TO FACILITATES PRECISE VERIFICATION OF THE EA ITEMIZED FIT AND SKIN, LENGTH 400 MM, WIDTH 400 MM, THICKNESS  12 MM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 200                      |
| THERMOLYN, CLEAR FOR THE FABRICATION OF SELF- SUPPORTING CHECK SOCKETS, SHEET, TRANSPARENCY OF THE SUPPORTING CHECK SOCKETS, SHEET, TRANSPARENCY OF THE CHECK SOCKET TO FACILITATES PRECISE VERIFICATION OF THE FIT AND SKIN, LENGTH 400 MM, WIDTH 400 MM, THICKNESS  15 MM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 200                      |
| THERMOLYN, CLEAR FOR THE FABRICATION OF SELF- SUPPORTING CHECK SOCKETS, SHEET, TRANSPARENCY OF THE CHECK SOCKET OF FACILITATES PRECISE VERIFICATION OF THE FIT AND SKIN, LENGTH 400 MM, WIDTH 400 MM, THICKNESS 20 MM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 200                      |
| THERMOLYN, CLEAR FOR THE FABRICATION OF SELF- SUPPORTING CHECK SOCKETS, SHEET, TRANSPARENCY OF THE CHECK SOCKET OF FACILITATES PRECISE VERIFICATION OF THE FIT AND SKIN, LENGTH 400 MM, WIDTH 400 MM, THICKNESS 8 MM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 200                      |
| 1946 4224151007600 THERMOLYN CLEAR ANTIBACT 400X400MMX8MM FABRICATION OF SELF - SUPPORTING CHECK SOCKETS, SHEET, EA ITEMIZED LENGTH 400 MM, WIDTH 400 MM, THICKNESS 8 MM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 100                      |

6/21/2022 Page 148 of 160

| 1947         | 4224151009000                  | THERMOLYN PP C 2000X1000X4MM                                               | THERMOLYN, PP - C, POSSIBLE, APPLICATIONS, ANKLE - FOOT - ORTHOSIS, KNEE - ANKLE - FOOT - ORTHOSIS, FOS, TLSOS, LENGTH 2000 MM, WIDTH, 1000 MM, THICKNESS, 4 MM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | EA         | ITEMIZED             | 100        |
|--------------|--------------------------------|----------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|----------------------|------------|
| 1948         | 4224151008800                  | THERMOLYN PP C 2000X1000X2MM                                               | THERMOLYN, PP - C, POSSIBLE, APPLICATIONS, ANKLE - FOOT -<br>ORTHOSIS, KNEE - ANKLE - FOOT - ORTHOSIS, FOS, TLSOS,<br>LENGTH, 2000 MM, WIDTH, 1000 MM, THICKNESS, 2 MM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | EA         | ITEMIZED             | 100        |
| 1949         | 4224151008900                  | THERMOLYN PP C 2000X1000X3MM                                               | THERMOLYN, PP - C, POSSIBLE, APPLICATIONS, ANKLE - FOOT -<br>ORTHOSIS, KNEE - ANKLE - FOOT - ORTHOSIS, FOS, TLSOS,<br>LENGTH, 2000 MM, WIDTH, 1000 MM, THICKNESS, 3 MM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | EA         | ITEMIZED             | 100        |
| 1950         | 4224151009100                  | THERMOLYN PP C 2000X1000X5MM                                               | THERMOLYN, PP - C, POSSIBLE, APPLICATIONS, ANKLE - FOOT -<br>ORTHOSIS, KNEE - ANKLE - FOOT - ORTHOSIS, FOS, TLSOS,<br>LENGTH, 2000 MM, WIDTH, 1000 MM, THICKNESS, 5 MM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | EA         | ITEMIZED             | 100        |
| 1951         | 4224200015100                  | THERMOPAPER CAUCASIAN 2000X800MM APPROX                                    | THERMOPAPER, CAUCASIAN OR EQUIVALENT, FOR DYEING SHEET MATERIALS, LENGTH 2000 X 800 MM, APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | EA         | ITEMIZED             | 100        |
| 1952         | 4224200015300                  | THERMOPAPER IMPRESSION 2000X800MM APPROX                                   | THERMOPAPER, IMPRESSION, FOR DYEING SHEET MATERIALS,<br>LENGTH 2000 X 800 MM, APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | EA         | ITEMIZED             | 100        |
| 1953         | 4224200015200                  | THERMOPAPER LCE PLANET 2000X800MM APPROX                                   | THERMOPAPER, LCE PLANET OR EQUIVALENT, FOR DYEING SHEET MATERIALS, LENGTH 2000 X 800 MM, APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | EA         | ITEMIZED             | 168        |
| 1954         | 4224200015400                  | THERMOPAPER MEPHISTO 2000X800MM APPROX                                     | THERMOPAPER, MEPHISTO OR EQUIVALENT, FOR DYEING SHEET MATERIALS, LENGTH 2000 X 800 MM, APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | EA         | ITEMIZED             | 100        |
| 1955         | 4224200015500                  | THERMOPAPER RODOPI 2000X800MM APPROX                                       | THERMOPAPER, RODOPI OR EQUIVALENT, FOR DYEING SHEET<br>MATERIALS, LENGTH 2000 X 800 MM, APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | EA         | ITEMIZED             | 100        |
| 1956         | 4224200019500                  | THERMOPLASTIC POLYURETHANE FLEXIBLE                                        | THERMOPLASTIC POLYURETHANE (TPU) FLEXIBLE SHORE<br>HARDNESS FABRICATION OF SOFT INTERFACE FOR<br>PROSTHETIC SOCKETS, LOWER AND UPPER EXTREMITY<br>ORTHOSES                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | ROL        | ITEMIZED             | 500        |
| 1957<br>1958 | 4224151006800<br>4224151006900 | THERMOPLASTIC ANKLE JOINT SIZE LARGE THERMOPLASTIC ANKLE JOINT SIZE MEDIUM | THERMOPLASTIC, ANKLE JOINT, SIZE LARGE THERMOPLASTIC, ANKLE JOINT, SIZE MEDIUM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | PAA<br>PAA | ITEMIZED<br>ITEMIZED | 100<br>100 |
| 1959         | 4224151007000                  | TAMARACK THERMOPLASTIC ANKLE JOINT PEDIA                                   | THERMOPLASTIC, ANKLE JOINT, SIZE MEDIOWI  THERMOPLASTIC, ANKLE JOINT, SIZE PEDIATRIC                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | PAA        | ITEMIZED             | 100        |
| 1960         | 4224200011600                  | THINNER QUICK DRY RUBBER CEMENT 800GM                                      | THINNER, FOR QUICK DRYING, RUBBER CEMENT, FOR BONDING, FLEXIBLE MATERIALS, NET CONTENTS, 800 GM, APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | EA         | ITEMIZED             | 100        |
| 1961         | 4224200011500                  | THINNER FOR RESIN 800GM APPROXIMATELY                                      | THINNER, FOR RESIN, NET CONTENTS, 800 GM, APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | EA         | ITEMIZED             | 100        |
| 1962         | 4224150707200                  | THOMAS SPLINT                                                              | LOW DENSITY THERMOPLASTIC DORSAL VALVE WITH THOMAS FITTING TOP MEDIAL PIECE FOR THUMB ABDUCTION REMOVABLE FASTENING TAPES THE ELASTIC REGULATES THE ACTIVE TENSION NECESSARY FOR THE PATIENT EXTENSION OF THE METACARPOPHALANGEAL JOINTS EXTENSION OF THE INTERPHALANGEAL JOINTS EXTENSION AND/OR CORRECTION OF LATERAL DEVIATION OF THE FINGERS THUMB ABDUCTION REHABILITATION OF THE TRAUMATIC HAND OR AFTER SURGERY PARESIS OF THE RADIAL NERVE RADIAL NERVE PASSING THE RADIAL NERVE PASSING OR PROLONGED PRESSURE ON THE RADIAL NERVE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | EA         | ITEMIZED             | 50         |
| 1963         | 4618221104900                  | TLSO OSTEO BRACE                                                           | THORACOLUMBOSACRAL ORTHOSIS (TLSO) OSTEO BRACE BREATHABLE AND LIGHTWEIGHT LINED FABRIC LATEX FREE HYPOALLERGENIC GARMENT EASY - TO - FIT SIGNIFICANT DEGREE OF UNLOADING STABILIZATION AND IMMOBILIZATION MUSCLE HYPOTONICITY TRAUMA DISC AND VERTEBRAL CRUSHING VERTEBRAL FRACTURES POSTURAL AND POST - SURGICAL REHABILITATION PREFORMED REMOVABLE PLATES MADE OF RESHAPEABLE THERMOPLASTIC LOCATED AT THE BACK AND THE FRONT AREA OF THE BRACE LATERAL MALLEABLE STAYS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | EA         | ITEMIZED             | 50         |
| 1964         | 4618221105300                  | THORACOLUMBOSACRAL ORTHOSIS TLSO                                           | THORACOLUMBOSACRAL ORTHOSIS (TLSO) SEMI-RIGID MADE OF HIGHLY BREATHABLE MATERIALS INCLUDES FOAMED SCAPULO - AXILLARY SUSPENDERS TO FACILITATE THE RETROPULSION OF SHOULDERS DESIGNED TO OBTAIN AN EFFECTIVE RESTRAINT CONTAINMENT AND UNLOADING OF THE SPINE LUMBASACAL PROCESSES (SPONDYLATTS SPONDYLATTHRITIS DISC PROTRUSIONS) OSSEPONDYLATHRITIS DISC PROTRUSIONS) OSSEPONDYLATTHRITIS DISC PROTRUSIONS OSSEPONDYLATHRITIS DISC | EA         | ITEMIZED             | 50         |
| 1965         | 4618221101100                  | TLSO OSTEOBRACE PREFORM REMOV PLATES MED                                   | TISO (THORACOLUMBOSACRAL ORTHOSIS) OSTEOBRACE PREFORMED REMOVABLE PLATES MADE OF RESHAPEABLE THERMOPLASTIC LOCATED AT THE BACK AND THE FRONT AREA OF THE BRACE LATERAL MALLEABLE STAYS BREATHABLE AND LIGHTWEIGHT LINED FABRIC LATEX FREE HYPOALLERGENIC GARMENT EASY - TO - FIT SIGNIFICANT DEGREE OF UNLOADING STABILIZATION AND IMMOBILIZATION MUSCLE HYPOTONICITY TRAUMA DISC AND VERTEBRAL CRUSHING VERTEBRAL FRACTURES POSTURAL AND POST - SURGICAL REHABILITATION SIZE WILL BE ON DEMAND                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | EA         | ITEMIZED             | 2500       |
| 1966         | 4618221101300                  | TLSO OSTEOBRACE PREFOR. REMOV: PLATES SM                                   | TISO (THORACOLUMBOSACRAL ORTHOSIS) OSTEOBRACE PREFORMED REMOVABLE PLATES MADE OF RESHAPEABLE THERMOPLASTIC LOCATED AT THE BACK AND THE FRONT AREA OF THE BRACE LATERAL MALLEABLE STAYS BREATHABLE AND LIGHTWEIGHT LINED FABRIC LATEX FREE HYPOALLERGENIC GARMEN TE ASY - TO - FIT SIGNIFICANT DEGREE OF UNLOADING STABILIZATION AND IMMOBILIZATION MUSCLE HYPOTONICITY TRAUMA DISC AND VERTEBRAL CRUSHING VERTEBRAL FRACTURES POSTURAL AND POST - SURGICAL REHABILITATION SIZE: SMALL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | EA         | ITEMIZED             | 1000       |

6/21/2022 Page 149 of 160

| 1807   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802   1802    |      |               |                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |    |          |      |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|---------------|------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|----------|------|
| 1986   4882710700                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 1967 | 4618221101400 | TLSO OSTEOBRACE PREFOR. REMOV. PLATES L  | PREFORMED REMOVABLE PLATES MADE OF RESHAPEABLE THERMOPLASTIC LOCATED AT THE BACK AND THE FRONT AREA OF THE BRACE LATERAL MALLEABLE STAYS BREATHABLE AND LIGHTWEIGHT LINED FABRIC LATEX FREE HYPOALLERGENIC GARMEN TEASY - TO - FIT SIGNIFICANT DEGREE OF UNLOADING STABILIZATION AND IMMOBILIZATION MUSCLE HYPOTONICITY TRAUMA DISC AND VERTEBRAL CRUSHING VERTEBRAL FRACTURES POSTURAL                                                                                                                                                                                                    | EA | ITEMIZED | 1000 |
| 1986                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 1968 | 4618221101500 | TLSO OSTEOBRACE PREFOR. REMOV. PLATES XL | PREFORMED REMOVABLE PLATES MADE OF RESHAPEABLE THERMOPLASTIC LOCATED AT THE BACK AND THE FRONT AREA OF THE BRACE LATERAL MALLEABLE STAYS BREATHABLE AND LIGHTWEIGHT LINED FABRIC LATEX FREE HYPOALLERGENIC GARMEN FASY: TO FIT SIGNIFICANT DEGREE OF UNLOADING STABILIZATION AND IMMOBILIZATION MUSCLE HYPOTONICITY TRAUMA DISC AND VERTEBRAL ERUSHING VERTEBRAL FRACTURES POSTURAL                                                                                                                                                                                                        | EA | ITEMIZED | 1000 |
| 1970   422400000000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 1969 | 4618221105800 | ORTHOSIS TLS CORSET W/ BOA CLOSURE       | ADJUSTMENT NON - TAPERED SIZE FROM EXTRA SMALL TO XXX-LARGE OVERLAPPINO ON THE FRONT FACE THE FLEXIBILITY OF THE MATERIAL MAKES IT EASY THE ADAPTATION TO MOST OF THE PATIENTS THE STRENGTH OF THE MATERIAL MAINTAINS THE STABLIZATION AND IMMOBILIZATION AND IS SEEN TO STABLIZATION AND IMMOBILIZATION CORRECTION OF THE MYPERLORDOSIS INTRA - ABDOMINAL COMPRESSION DISCHARGE OF THE LS SPINE CONTROL OF MOBILITY IN THE SAGITTAL FRONTAL AND LATERAL PLANES LUMBAR SPINE ALIMENTS CANAL STENOSIS                                                                                       | EA | ITEMIZED | 50   |
| 1972   422420003500                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 1970 | 4224200030600 | TOOLS KIT MEASUREMENTS THE TRANSFEMORAL  | TRANSFEMORAL, INCLUDING SPRING-TENSIONED MEASURING TAPE LENGTH 1500MM TWO-SIDED CM BOTH SIDES, CALLIPERS: MEASUREMENT RANGE 30 MM - 500 MM TO BE USED FOR DETERMINING THE LENGTH OF THE RESIDUAL LIMB FROM THE ISCHIAL TUBEROSITY TO THE RESIDUAL LIMB FROM THE ISCHIAL TUBEROSITY TO THE RESIDUAL LIMB END, AND CALLIPER TO TAKE BONY AND ANATOMIC MEASUREMENTS OF TRANSFEMORAL WITH SYNTHETIC MATERIAL WHICH IS PLEASANT ON THE SKIN, ADJUSTABLE GONIOMETER : DIMENSIONS (W X D X H) 250 X 20 X 125 MM, ROTATABLE LEVEL, ALUMINUM SOLE WITH INSET MAGNETS, HANDY, ADJUSTABLE GONIOMETER, | EA | ITEMIZED | 5    |
| 1972   422400039500   TORQUE WIRNCH WITH CONNECTION PIECE   THE MEMBER AND APPEARS ON THE SCALE TOTAL WIRNERS HE AND APPEARS | 1971 | 4224200036000 | TORPEDO LEVEL                            | ALUMINUM ALLOY, WITH HORIZONTAL AND VERTICAL LEVEL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | EA | ITEMIZED | 10   |
| 1974   4224170307000   TRANSFEMORAL SUSPENSION SLEEVE XI, RIGHT   TRANSFEMORAL SUSPENSION SLEEVE SIZE XX. LARGE RIGHT   TRANSFEMORAL SUSPENSION SLEEVE SIZE XX. LARGE RIGHT   TRY SQUARE SYSTEL ADVANSED, SIZE VX. LARGE RIGHT   TO 10 MM   TRY SQUARE SYSTEL ADVANSED, SIZE VX. LARGE RIGHT   TO 10 MM   TRY SQUARE SYSTEL ADVANSED, SIZE VX. LARGE RIGHT   TO 10 MM   TRY SQUARE SYSTEL ADVANSED, SIZE VX. LARGE RIGHT   TO 10 MM   TRY SQUARE SYSTEL ADVANSED, SIZE VX. LARGE RIGHT   TO 10 MM   TRY SQUARE SYSTEL ADVANSED, SIZE VX. LARGE RIGHT   TO 10 MM   TO  | 1972 | 4224200030500 | TORQUE WRENCH WITH CONNECTION PIECE      | THE HANDLE AND APPEARS ON THE SCALE, TOTAL WRENCH LENGTH 290 MM AND MEASUREMENT RANGE 1 - 25 NM,                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | EA | ITEMIZED | 10   |
| 1974   4224170307000   TRANSFEMORAL SUSPENSION SLEEVE XXI. RIGHT   TRANSFEMORAL NOPREME SUSPENSION SLEEVE SIZE XX- LAGE RIGHT   LAGE  | 1973 | 4224170306800 | TRANSFEMORAL SUSPENSION SLEEVE XL RIGHT  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | EA | ITEMIZED | 61   |
| 1975   422420036200   TRY SQUARE STEEL 20X130MM   SQUARE 90°, STEEL, GALVANISED, DIEC, ELENGTH 200                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 1974 | 4224170307000 | TRANSFEMORAL SUSPENSION SLEEVE XXL RIGHT | TRANSFEMORAL NEOPRENE SUSPENSION SLEEVE SIZE XX-                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | EA | ITEMIZED | 58   |
| 1976   4224171316800   TUBE ADAPTER STEEL DIA 30MM L200MM   2X XM MALUMINUM ALCY TUBE LENGTH 200 MM   EA   ITEMIZED   50                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 1975 | 4224200036200 | TRY SQUARE STEEL 200X130MM               | TRY SQUARE, AN ORTHOTICS WORKSHOP TOOL, STEEL SQUARE 90°, STEEL, GALVANISED, SIDE PIECE, LENGTH 200 X                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | EA | ITEMIZED | 10   |
| 1977   4224171316900   TUBE ADAPTER STEEL 30MM 440MM APPROX   X MM ALUMINUM ALLOY TUBE LENGTH 440 MM APPROXIMATELY   X MM ALUMINUM ALLOY TUBE LENGTH 440 MM APPROXIMATELY   X MM ALUMINUM ALLOY TUBE LENGTH 440 MM APPROXIMATELY   X MM ALUMINUM STSTEM HEIGHT: 97 MM APPROXIMATELY   X MM DIAMETER 30 MM WEIGHT: 100 FOR SOOT WEIGHT 107 100 KG   X MM ALUMINUM STSTEM HEIGHT: 23 MM DIAMETER: 30 MM WEIGHT: 100 FOR SOOT WEIGHT 107 100 KG   X MM ALUMINUM STSTEM HEIGHT: 27 MM DIAMETER: 30 MM WEIGHT: 100 FOR SOOT WEIGHT 107 100 KG   X MM ALUMINUM STSTEM HEIGHT: 27 MM DIAMETER: 30 MM WEIGHT: 100 FOR SOOT WEIGHT 107 100 KG   X MM ALUMINUM STSTEM HEIGHT: 27 MM DIAMETER: 30 MM WEIGHT: 107 LOOK KG   X MM ALUMINUM STSTEM HEIGHT: 27 MM DIAMETER: 30 MM WEIGHT: 275 FOR SOOT WEIGHT 107 TO 100 KG   X MM ALUMINUM STSTEM HEIGHT: 27 MM DIAMETER: 30 MM WEIGHT: 275 FOR SOOT WEIGHT 107 TO 100 KG   X MM ALUMINUM STSTEM HEIGHT: 27 MM DIAMETER: 30 MM WEIGHT: 275 FOR SOOT WEIGHT 107 TO 100 KG   X MM ALUMINUM STSTEM HEIGHT: 275 FOR SOOT WEIGHT 107 TO 100 KG   X MM ALUMINUM STSTEM HEIGHT: 275 FOR SOOT WEIGHT 107 TO 100 KG   X MM ALUMINUM STSTEM HEIGHT: 275 FOR SOOT WEIGHT 107 TO 100 KG   X MM ALUMINUM STSTEM HEIGHT: 275 FOR SOOT WEIGHT 107 TO 100 KG   X MM ALUMINUM STSTEM HEIGHT: 275 FOR SOOT WEIGHT 107 TO 100 KG   X MM ALUMINUM STSTEM HEIGHT: 275 FOR SOOT WEIGHT 107 TO 100 KG   X MM ALUMINUM STSTEM HEIGHT: 275 FOR SOOT WEIGHT 107 TO 100 KG   X MM ALUMINUM STSTEM HEIGHT: 275 FOR SOOT WEIGHT 107 TO 100 KG   X MM ALUMINUM STSTEM HEIGHT: 275 FOR SOOT WEIGHT 107 FOR SOOT ALUMINUM STSTEM HEIGHT: 275 FOR SOOT WEIGHT 107 FOR SOOT ALUMINUM STSTEM HEIGHT: 275 FOR SOOT WEIGHT 107 FOR SOOT ALUMINUM STSTEM HEIGHT: 275 FOR SOOT WEIGHT 107 FOR SOOT ALUMINUM STSTEM HEIGHT: 275 FOR SOOT WEIGHT 107 FOR SOOT ALUMINUM STSTEM HEIGHT: 275 FOR SOOT WEIGHT 107 FOR SOOT ALUMINUM STSTEM HEIGHT: 275 FOR SOOT WEIGHT 107 FOR SOOT ALUMINUM STSTEM HEIGHT: 275 FOR SOOT WEIGHT 107 FOR SOOT ALUMINUM STSTEM HEIGHT: 275 FOR SOOT WEIGHT 107 FOR SOOT ALUMINUM STSTEM HEIGHT: 275 FOR S | 1976 | 4224171316800 | TUBE ADAPTER S STEEL DIA 30MM L200MM     | TUBE ADAPTER STAINLESS STEEL 30 MM DIAMETER WITH 30 X 2 MM ALUMINUM ALLOY TUBE LENGTH 200 MM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | EA | ITEMIZED | 50   |
| 1978   4224171309000   TUBE ADAPTER TITANIUM 97 232MMX30MM 1606   WIGHT 190 TO 100 KG                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 1977 | 4224171316900 | TUBE ADAPTER S STEEL 30MM 440MM APPROX   | X 2 MM ALUMINUM ALLOY TUBE LENGTH 440 MM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | EA | ITEMIZED | 50   |
| 1979   4224171309100   TUBE ADAPTER TITANIUM 97 472MMX30MM 275G   MM MAXIMUM SYSTEM HEIGHT: 472 MM DIAMETER: 30 MM   EA   ITEMIZED   470                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 1978 | 4224171309000 | TUBE ADAPTER TITANIUM 97 232MMX30MM 160G | MM MAXIMUM SYSTEM HEIGHT: 232 MM DIAMETER: 30 MM WEIGHT: 160 G FOR BODY WEIGHT UP TO 100 KG                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | EA | ITEMIZED | 255  |
| 1980   4224171317100   TUBE ADAPTER ALUMINUM FOR CHILD. 260MM   ADAPTER, TUBE LENGTH 260 MM APPROXIMATELY WITH FOUR ADJUSTMENT SET SCREW S   TUBE ADAPTER, ALUMINUM, FOR CHILDREN, FOR FOOT ADAPTER, TUBE LENGTH 300 MM APPROXIMATELY WITH FOUR ADJUSTMENT SET SCREW S   TUBE ADAPTER ALUMINUM FOR CHILD. 300MM   TUBE ADAPTER, TUBE LENGTH 300 MM APPROXIMATELY WITH FOUR ADJUSTMENT SET SCREW S   TUBE ADAPTER, FOR CHILD. ANGLED 200MM   TUBE ADAPTER, FOR CHILD. ANGLED, FOR MODULAR HIP JOINT, TUBE LENGTH 200 MM APPROXIMATELY, WITH FOUR ADJUSTMENT SET SCREW S   TUBE ADAPTER, TITANIUM, 34 MM, PROXIMATELY, WITH FOUR ADJUSTMENT SET SCREW S   TUBE ADAPTER, TITANIUM, 34 MM, MAXIMUM 150 KG, LENGTH 270 MM, CE MARK OR EQUIVALENT   EA   ITEMIZED   50                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 1979 | 4224171309100 | TUBE ADAPTER TITANIUM 97 472MMX30MM 275G | MM MAXIMUM SYSTEM HEIGHT: 472 MM DIAMETER: 30 MM WEIGHT: 275 G FOR BODY WEIGHT UP TO 100 KG                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | EA | ITEMIZED | 470  |
| 1981   4224171317000   TUBE ADAPTER ALUMINUM FOR CHILD. 300MM   ADAPTER, TUBE LENGTH 300 MM APPROXIMATELY WITH FOUR ADJUSTMENT SET SCREWS   TUBE ADAPTER FOR CHILD. ANGLED 200MM   FOR CHILD. ANGLED 200MM   FOR CHILD. ANGLED 200MM   TUBE ADAPTER FOR CHILD. ANGLED 200MM   TUBE LENGTH 200 MM APPROXIMATELY, WITH FOUR ADJUSTMENT SET SCREWS   50                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 1980 | 4224171317100 | TUBE ADAPTER ALUMINUM FOR CHILD. 260MM   | ADAPTER, TUBE LENGTH 260 MM APPROXIMATELY WITH FOUR ADJUSTMENT SET SCREW S                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | EA | ITEMIZED | 50   |
| 1982   4224171317200                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 1981 | 4224171317000 | TUBE ADAPTER ALUMINUM FOR CHILD. 300MM   | ADAPTER, TUBE LENGTH 300 MM APPROXIMATELY WITH FOUR ADJUSTMENT SET SCREW S                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | EA | ITEMIZED | 50   |
| 1983   4224171317300                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 1982 | 4224171317200 | TUBE ADAPTER FOR CHILD. ANGLED 200MM     | JOINT, TUBE LENGTH 200 MM APPROXIMATELY, WITH FOUR ADJUSTMENT SET SCREW S                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | EA | ITEMIZED | 50   |
| 1985 422420030100 TUBE CLAMP ADAPTER TI 30MM DIA H33MM 75G  TUBE CLAMP ADAPTER TI TANIUM 30 MM DIAMETER WITH 4 ADJUSTMENT SET SCREW S ONE FILLISTER SCREW AND PLASTIC RING INNER DIAMETER 30 MM SYSTEM HEIGHT: 33 MM WEIGHT: 75 G FOR BODY WEIGHT UP TO 100 KG  TUBE CUTTER  TUBE CUTTER, AN ORTHOTICS WORKSHOP TOOL, ESPECIALLY COMPACT AND HANDY DESIGN, CUTTING WHEEL FOR ESPECIALLY SUNTABLE FOR STAINLESS STEEL FOR STAINLESS STEEL FOR STAINLESS STEEL FOR STAINLESS STEEL TUBE CUTTER  TUBE GUILD FOR SQUARE CUTTING LENGTH, 30 MM DIAMETER  TUBE GUILD, FOR SQUARE CUTTING LENGTH, 30 MM DIAMETER  TUBE ALUMINUM 250MM WEIGHT LIMIT 100KG  TUBE, ALUMINUM, LENGTH 250 MM, WEIGHT LIMIT, 100 KG EA ITEMIZED  TOBOLOGY TOBE ALUMINUM 250MM WEIGHT LIMIT 100KG  TUBE, ALUMINUM, LENGTH 250 MM, WEIGHT LIMIT, 100 KG EA ITEMIZED  TOBOLOGY TOBE ALUMINUM, LENGTH 250 MM, WEIGHT LIMIT, 100 KG EA ITEMIZED  TOBOLOGY TUBE ALUMINUM 250MM WEIGHT LIMIT 100KG                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 1983 | 4224171317300 | TUBE ADAPTER TITANIUM 34MM L= 282MM      | LENGTH 282 MM, CE MARK OR EQUIVALENT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | EA | ITEMIZED | 550  |
| 1985 422420030100 TUBE CLAMP ADAPTER TI 30MM DIA H33MM 75G ADJUSTMENT SET SCREW S ONE FILLISTER SCREW AND PLASTIC RING INNER DIAMETER 30 MM SYSTEM HEIGHT: 33 MM WEIGHT: 75 GF OR BODY WEIGHT UP TO 100 KG  TUBE CUTTER TUBE CUTTER TUBE CUTTER, AN ORTHOTICS WORKSHOP TOOL, ESPECIALLY COMPACT AND HANDY DESIGN, CUTTING WHEEL FOR ESPCIALLY LONG SERVICE LIVES AND ESPECIALLY SUITABLE FOR STAINLESS STEEL  1987 4224200016700 TUBE GUILD FOR SQUARE CUTTING 30MM DIAM TUBE GUILD, FOR SQUARE CUTTING LENGTH, 30 MM DIAMETER  1988 4224200023200 TUBE ALUMINUM 250MM WEIGHT LIMIT 100KG TUBE, ALUMINUM, LENGTH 250 MM, WEIGHT LIMIT, 100 KG EA ITEMIZED 50                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 1984 | 4224171317400 | TUBE ADAPTER TITANIUM 34MM L= 472MM      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | EA | ITEMIZED | 50   |
| 1986 4224200034800 TUBE CUTTER COMPACT AND HANDY DESIGN, CUTTING WHEEL FOR ESPECIALLY SUTABLE FOR STAINLESS STEEL  1987 4224200016700 TUBE GUILD FOR SQUARE CUTTING 30MM DIAM TUBE GUILD, FOR SQUARE CUTTING LENGTH, 30 MM DIAMETER  1988 4224200023200 TUBE ALUMINUM 250MM WEIGHT LIMIT 100KG TUBE, ALUMINUM, LENGTH 250 MM, WEIGHT LIMIT, 100 KG EA ITEMIZED 50                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 1985 | 4224200300100 | TUBE CLAMP ADAPTER TI 30MM DIA H33MM 75G | ADJUSTMENT SET SCREW S ONE FILLISTER SCREW AND PLASTIC RING INNER DIAMETER 30 MM SYSTEM HEIGHT: 33 MM WEIGHT: 75 G FOR BODY WEIGHT UP TO 100 KG                                                                                                                                                                                                                                                                                                                                                                                                                                            | EA | ITEMIZED | 1093 |
| 1987 4224200016700 TUBE GUILD FOR SQUARE CUTTING 30MM DIAM TUBE GUILD, FOR SQUARE CUTTING LENGTH, 30 MM DIAMETER  1988 4224200023200 TUBE ALUMINUM 250MM WEIGHT LIMIT 100KG TUBE, ALUMINUM, LENGTH 250 MM, WEIGHT LIMIT, 100 KG EA ITEMIZED 50                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 1986 | 4224200034800 | TUBE CUTTER                              | COMPACT AND HANDY DESIGN, CUTTING WHEEL FOR ESPECIALLY LONG SERVICE LIVES AND ESPECIALLY SUITABLE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | EA | ITEMIZED | 10   |
| 1988 422420023200 TUBE ALUMINUM 250MM WEIGHT LIMIT 100KG TUBE, ALUMINUM, LENGTH 250 MM, WEIGHT LIMIT, 100 KG EA ITEMIZED 50                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 1987 | 4224200016700 | TUBE GUILD FOR SQUARE CUTTING 30MM DIAM  | TUBE GUILD, FOR SQUARE CUTTING LENGTH, 30 MM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | EA | ITEMIZED | 1010 |
| 1989 4224200023300 TUBE ALUMINUM 400MM WEIGHT LIMIT 100KG TUBE, ALUMINUM, LENGTH 400 MM, WEIGHT LIMIT, 100 KG EA ITEMIZED 50                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 1988 | 4224200023200 | TUBE ALUMINUM 250MM WEIGHT LIMIT 100KG   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | EA | ITEMIZED | 50   |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 1989 | 4224200023300 | TUBE ALUMINUM 400MM WEIGHT LIMIT 100KG   | TUBE, ALUMINUM, LENGTH 400 MM, WEIGHT LIMIT, 100 KG                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | EA | ITEMIZED | 50   |

6/21/2022 Page 150 of 160

| 1990         | 4224170114500                  | TUBES SILICONE PROTECTION TUBE            | TUBES SILICONE PROTECTION TUBE, LIGHT AND FUNCTIONAL, MADE OF EXTRA - SOFT MEDICAL SILICONE, IT FITS TO BODY TEMPERATURE, WASHABLE, INTERDIGITAL SEPARATOR AND CUSHION, FACILITATES TOES AUGNMENT, PREVENTS THE FORMATION OF INTERDIGITAL CALLOSITIES, TOES CALLOSITIES, INTERDIGITAL CALLOSITIES                                                                                                                      | EA       | ITEMIZED             | 100      |
|--------------|--------------------------------|-------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----------------------|----------|
| 1991         | 4224200006300                  | TUBULAR RIVET STEEL DIA8MM L9M            | TUBULAR RIVET (SPEED RIVET), CAP CLOSED, LOWER PART OPEN, STEEL, WITH MALE AND FEMALE PARTS, HEAD DIAMETER 8 MM, LENGTH 9 M                                                                                                                                                                                                                                                                                            | EA       | ITEMIZED             | 1000     |
| 1992         | 4224170316500                  | UNLOADER BRACES FOR KNEE OSTEOARTHRITIS   | UNLOAD THE MEDIAL OR LATERAL COMPARTMENT OF THE KNEE, ALLOWS FOR ADJUSTMENT AND CONTROL IN SAGITTAL, CORONAL, AND TRANSVERSE PLANES OF THE KNEE, INTEGRAL ADHESION LAYERS, DESIGNED TO PREVENT MIGRATION OF THE ORTHOSIS, COST - EFFECTIVE, RELIEVES PAIN OF OSTEOARTHRITIS, PREVENTS FURTHER PROGRESSION OF OSTEOARTHRITIS, MILD TO MODERATE UNI - COMPARTMENTAL OSTEOARTHRITIS OF THE KNEE. SIZE S WILL BE ON DEMAND | EA       | ITEMIZED             | 50       |
| 1993         | 4224200012300                  | VACUUM FORMING TOOL FOR UPPER EXT. 26CM   | VACUUM, FORMING, TOOL, FOR UPPER EXTREMITY USED,<br>OUTER Q, 26 CM                                                                                                                                                                                                                                                                                                                                                     | EA       | ITEMIZED             | 10       |
| 1994         | 4224200006000                  | VALVE FOR FLEXIBLE SOCKETS 40MM 24MM      | VALVE FOR FLEXIBLE SOCKETS, FOR THE DISTAL CONNECTION BETWEEN SOCKET AND FRAME, FOR OUTSIDE DIAMETER 40MM, FOR HOLE 24MM DIAMETER                                                                                                                                                                                                                                                                                      | SET      | ITEMIZED             | 100      |
| 1995         | 4224200006100                  | VALVE SEAT W/ TUBE OD 40MM HOLE DIA 24MM  | VALVE, SEAT, WITH TUBE, FOR VALVE, WITH OUTSIDE<br>DIAMETER 40 MM AND HOLE DIAMETER 24 MM                                                                                                                                                                                                                                                                                                                              | EA       | ITEMIZED             | 213      |
| 1996         | 4412210902600                  | HOOK AND LOOP 25X400MM SKIN COLOR/WHITE   | VELCRO OR EQUIVALENT, HOOK AND LOOP, WIDTH 25 MM,<br>LENGTH 400 MM, SKIN COLOR/WHITE                                                                                                                                                                                                                                                                                                                                   | EA       | ITEMIZED             | 100      |
| 1997         | 4412210902800                  | HOOK AND LOOP 40X400MM SKIN COLOR/WHITE   | VELCRO OR EQUIVALENT, HOOK AND LOOP, WIDTH 40 MM,<br>LENGTH 400 MM, SKIN COLOR/WHITE                                                                                                                                                                                                                                                                                                                                   | EA       | ITEMIZED             | 100      |
| 1998         | 4224150505500                  | VELCRO STICKING COTTON STRAPS 50MMX5M     | VELCRO STICKING COTTON STRAPS, 50MM X 5M ROLL, THIN COTTON LINING WITH STICKING CRUTCHES FOR STRAPS                                                                                                                                                                                                                                                                                                                    | EA       | ITEMIZED             | 2200     |
| 1999         | 4224150505600                  | VELCRO FASTENING NYLON STRAP 13MMX25M     | VELCRO VELCOINS FASTENING NYLON STRAPS 13 MM X 25 M<br>ROLL FASTENERS WITH ACRYLIC ADHESIVE ON THE BACK                                                                                                                                                                                                                                                                                                                | EA       | ITEMIZED             | 2200     |
| 2000         | 4224200036400                  | VERTICAL FABRICATING JIG                  | VERTICAL FABRICATING JIG, AN ORTHOTICS WORKSHOP<br>TOOL, FOR ASSEMBLING A PROSTHESIS                                                                                                                                                                                                                                                                                                                                   | EA       | ITEMIZED             | 5        |
| 2001         | 4229680373300                  | VISE-GRIP PLIERS 220-250CM                | VISE-GRIP PLIERS, AN ORTHOTICS WORKSHOP TOOL, TOTAL LENGTH 220-250 MM                                                                                                                                                                                                                                                                                                                                                  | EA       | ITEMIZED             | 10       |
| 2002         | 4221150604900                  | WALKER FOR ORTHO DIABETIC PT LARGE LONG   | WALKER, AIR CAST OR EQUIVALENT, FOR ORTHO DIABETIC PATIENT, SIZE LARGE, LONG                                                                                                                                                                                                                                                                                                                                           | EA       | ITEMIZED             | 50       |
| 2003         | 4221150605000                  | WALKER FOR ORTHO DIABETIC PT LARGE SHORT  | WALKER, AIR CAST OR EQUIVALENT, FOR ORTHO DIABETIC PATIENT, SIZE LARGE, SHORT                                                                                                                                                                                                                                                                                                                                          | EA       | ITEMIZED             | 50       |
| 2004         | 4221150605100                  | WALKER FOR ORTHO DIABETIC PT MEDIUM LONG  | WALKER, AIR CAST OR EQUIVALENT, FOR ORTHO DIABETIC PATIENT, SIZE MEDIUM, LONG                                                                                                                                                                                                                                                                                                                                          | EA       | ITEMIZED             | 50       |
| 2005         | 4221150605200                  | WALKER FOR ORTHO DIABETIC PT MED SHORT    | WALKER, AIR CAST OR EQUIVALENT, FOR ORTHO DIABETIC PATIENT, SIZE MEDIUM, SHORT                                                                                                                                                                                                                                                                                                                                         | EA       | ITEMIZED             | 50       |
| 2006         | 4221150605300                  | WALKER FOR ORTHO DIABETIC PT SMALL LONG   | WALKER, AIR CAST OR EQUIVALENT, FOR ORTHO DIABETIC PATIENT, SIZE SMALL, LONG                                                                                                                                                                                                                                                                                                                                           | EA       | ITEMIZED             | 50       |
| 2007         | 4221150605400                  | WALKER FOR ORTHO DIABETIC PT SMALL SHORT  | WALKER, AIR CAST OR EQUIVALENT, FOR ORTHO DIABETIC PATIENT, SIZE SMALL, SHORT                                                                                                                                                                                                                                                                                                                                          | EA       | ITEMIZED             | 50       |
| 2008         | 4224152002100                  | WEBBING CAST W21MM GRAY ELASTIC 25M       | WEBBING ELASTIC W=21 MM GRAY WITH WHITE STRIPES ROLL OF 25 MT                                                                                                                                                                                                                                                                                                                                                          | EA       | ITEMIZED             | 63       |
| 2009         | 4224152003800                  | WEBBING ELASTIC 30MM GRAY WHITE STRIPES   | WEBBING ELASTIC WIDTH 30 MM GRAY WITH WHITE STRIPES  ROLL OF 25 METER                                                                                                                                                                                                                                                                                                                                                  | EA       | ITEMIZED             | 33       |
| 2010         | 4224152003900                  | WEBBING ELAS.35MM GRAY W/STRIPES 25M RL   | WEBBING ELASTIC WIDTH 35 MM GRAY WITH WHITE STRIPES  ROLL OF 25 METERS                                                                                                                                                                                                                                                                                                                                                 | EA       | ITEMIZED             | 10       |
| 2011         | 4224152004000                  | WEBBING ELASTIC W45MM GRAY ELASTIC        | WEBBING ELASTIC WIDTH 45 MM GRAY WITH WHITE STRIPES ROLL OF 25 METER                                                                                                                                                                                                                                                                                                                                                   | EA       | ITEMIZED             | 10       |
| 2012         | 4224152004600                  | WEBBING ELASTIC W20MM BEIGE W/WHITE 25M   | WEBBING, ELASTIC, WIDTH 20 MM, BEIGE, WITH WHITE STRIPES, ROLL OF 25 METER                                                                                                                                                                                                                                                                                                                                             | EA       | ITEMIZED             | 100      |
| 2013         | 4224152004700                  | WEBBING ELASTIC W35MM BEIGE W/WHITE 25M   | WEBBING, ELASTIC, WIDTH 35 MM, BEIGE, WITH WHITE STRIPES, ROLL OF 25 METER                                                                                                                                                                                                                                                                                                                                             | EA       | ITEMIZED             | 100      |
| 2014         | 4224152004300                  | WEBBING ELASTIC 35MM WHITE 25M ROLL       | WEBBING, ELASTIC, WIDTH 35 MM, WHITE, ROLL OF 25 METERS                                                                                                                                                                                                                                                                                                                                                                | EA       | ITEMIZED             | 200      |
| 2015         | 4224152004800                  | WEBBING ELASTIC 45MM BEIGE WHITE STRIPES  | WEBBING, ELASTIC, WIDTH 45 MM, BEIGE, WITH WHITE                                                                                                                                                                                                                                                                                                                                                                       | EA       | ITEMIZED             | 100      |
| 2016         | 4224152004200                  | WEBBING NON ELAS. 25MM WHITE ROLL OF 50M  | STRIPES, ROLL OF 25 METER WEBBING, NON - ELASTIC, WIDTH 25 MM, WHITE, ROLL OF 50 METER                                                                                                                                                                                                                                                                                                                                 | EA       | ITEMIZED             | 28       |
| 2017         | 4224152002800                  | CAST WEBBING L50M W30MM WHITE NONELASTIC  | WEBBING, NON ELASTIC, WIDTH 30 MM, WHITE, ROLL OF 50 METERS                                                                                                                                                                                                                                                                                                                                                            | EA       | ITEMIZED             | 47       |
| 2018         | 4224200032400                  | WOOD HEAD HAMMER                          | WOOD HEAD HAMMER, AN ORTHOTICS WORKSHOP TOOL                                                                                                                                                                                                                                                                                                                                                                           | EA       | ITEMIZED             | 10       |
| 2019         | 4224150400600                  | WOVEN CARBON FIBER STOCKINETTE 20MM 25M   | WOVEN CARBON FIBER STOCKINETTE FOR FABRICATION OF RIGID FRAME STRUTS CLASPS AND CONNECTION WIDTH 20 MM LENGTH /ROLL 25 METER APPROXIMATELY (AND ADDRESS TO STRUTTE FOR FABRICATION OF                                                                                                                                                                                                                                  | EA       | ITEMIZED             | 69       |
| 2020         | 4214280205000                  | LINER CASTING L10M W100MM WOVEN CARBON    | WOVEN CARBON FIBER STOCKINETTE, FOR FABRICATION OF<br>THIN -WALLED, HIGH-STRENGTH, WIDTH 100 MM,<br>LENGTH/ROLL 10-15 METER                                                                                                                                                                                                                                                                                            | ROL      | ITEMIZED             | 50       |
| 2021         | 4214280204900                  | LINER CASTING L11.0M W80MM WOVEN CARBON   | WOVEN CARBON FIBERGLASS STOCKINETTE FOR<br>FABRICATION OF THIN -WALLED, HIGH-STRENGTH, WIDTH 80<br>MM, LENGTH/ROLL 11 METER, APPROXIMATELY                                                                                                                                                                                                                                                                             | ROL      | ITEMIZED             | 60       |
| 2022         | 4224200019800                  | WOVEN POLY VINYL ALCOHOL 100MM 10-15M     | WOVEN POLY VINYL ALCOHOL BASED NSP STOCKINETTE, FOR<br>FABRICATION OF THIN -WALLED, HIGH-STRENGTH, WIDTH<br>100 MM, LENGTH/ROLL 10-15 METER                                                                                                                                                                                                                                                                            | ROL      | ITEMIZED             | 50       |
| 2023<br>2024 | 4224200031200<br>4224200037400 | YATES CLAMPS<br>SHUTTLE LOCK WITH PYRAMID | YATES CLAMPS, AN ORTHOTICS WORKSHOP TOOL<br>SHUTTLE LOCK WITH PYRAMID                                                                                                                                                                                                                                                                                                                                                  | EA<br>EA | ITEMIZED<br>ITEMIZED | 10<br>10 |
| 2025         | 4224200440300                  | LOCKING HI DENSITY LINER HD GEL 3MM 20CM  | LOCKING HIGH DENSITY GEL LINER WITH SEAMLESS KNITTED CONSTRUCTION, FOR ACTIVE PATIENTS, HD GEL FOR BETTER DEGREE OF CONTROL, APPROXIMATELY 3MM THICK - 20CM                                                                                                                                                                                                                                                            | EA       | ITEMIZED             | 10       |
| 2026         | 4224200440400                  | LOCKING HI DENSITY LINER HD GEL 3MM 24CM  | LOCKING HIGH DENSITY GEL LINER WITH SEAMLESS KNITTED<br>CONSTRUCTION, FOR ACTIVE PATIENTS, HD GEL FOR BETTER<br>DEGREE OF CONTROL, APPROXIMATELY 3MM THICK - 24CM                                                                                                                                                                                                                                                      | EA       | ITEMIZED             | 10       |
| 2027         | 4224200440500                  | LOCKING HI DENSITY LINER HD GEL 3MM 26CM  | LOCKING HIGH DENSITY GEL LINER WITH SEAMLESS KNITTED<br>CONSTRUCTION, FOR ACTIVE PATIENTS, HD GEL FOR BETTER<br>DEGREE OF CONTROL, APPROXIMATELY 3MM THICK - 26CM                                                                                                                                                                                                                                                      | EA       | ITEMIZED             | 10       |
| 2028         | 4224200440600                  | LOCKING HI DENSITY LINER HD GEL 3MM 28CM  | LOCKING HIGH DENSITY GEL LINER WITH SEAMLESS KNITTED CONSTRUCTION, FOR ACTIVE PATIENTS, HD GEL FOR BETTER DEGREE OF CONTROL, APPROXIMATELY 3MM THICK - 28CM                                                                                                                                                                                                                                                            | EA       | ITEMIZED             | 10       |
|              |                                |                                           | 1                                                                                                                                                                                                                                                                                                                                                                                                                      |          | •                    | •        |

6/21/2022 Page 151 of 160

| 2029 | 4224200440700 | LOCKING HI DENSITY LINER HD GEL 3MM 32CM | LOCKING HIGH DENSITY GEL LINER WITH SEAMLESS KNITTED<br>CONSTRUCTION, FOR ACTIVE PATIENTS, HD GEL FOR BETTER<br>DEGREE OF CONTROL, APPROXIMATELY 3MM THICK - 32CM                                                                                          | EA | ITEMIZED | 10 |
|------|---------------|------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|----------|----|
| 2030 | 4224200440800 | LOCKING HI DENSITY LINER HD GEL 3MM 38CM | LOCKING HIGH DENSITY GEL LINER WITH SEAMLESS KNITTED<br>CONSTRUCTION, FOR ACTIVE PATIENTS, HD GEL FOR BETTER<br>DEGREE OF CONTROL, APPROXIMATELY 3MM THICK - 38CM                                                                                          | EA | ITEMIZED | 10 |
| 2031 | 4224200440900 | LOCKING HI DENSITY LINER HD GEL 3MM 44CM | LOCKING HIGH DENSITY GEL LINER WITH SEAMLESS KNITTED CONSTRUCTION, FOR ACTIVE PATIENTS, HD GEL FOR BETTER DEGREE OF CONTROL, APPROXIMATELY 3MM THICK - 44CM                                                                                                | EA | ITEMIZED | 10 |
| 2032 | 4224200441000 | LOCKING HI DENSITY LINER HD GEL 6MM 20CM | LOCKING HIGH DENSITY GEL LINER WITH SEAMLESS KNITTED CONSTRUCTION, FOR ACTIVE PATIENTS, HD GEL FOR BETTER DEGREE OF CONTROL, APPROXIMATELY 6MM THICK - 20CM                                                                                                | EA | ITEMIZED | 10 |
| 2033 | 4224200441100 | LOCKING HI DENSITY LINER HD GEL 6MM 24CM | LOCKING HIGH DENSITY GEL LINER WITH SEAMLESS KNITTED CONSTRUCTION, FOR ACTIVE PATIENTS, HD GEL FOR BETTER DEGREE OF CONTROL, APPROXIMATELY 6MM THICK - 24CM                                                                                                | EA | ITEMIZED | 10 |
| 2034 | 4224200441200 | LOCKING HI DENSITY LINER HD GEL 6MM 26CM | LOCKING HIGH DENSITY GEL LINER WITH SEAMLESS KNITTED CONSTRUCTION, FOR ACTIVE PATIENTS, HD GEL FOR BETTER DEGREE OF CONTROL, APPROXIMATELY 6MM THICK - 26CM                                                                                                | EA | ITEMIZED | 10 |
| 2035 | 4224200441300 | LOCKING HI DENSITY LINER HD GEL 6MM 28CM | LOCKING HIGH DENSITY GEL LINER WITH SEAMLESS KNITTED CONSTRUCTION, FOR ACTIVE PATIENTS, HD GEL FOR BETTER DEGREE OF CONTROL, APPROXIMATELY 6MM THICK - 28CM                                                                                                | EA | ITEMIZED | 10 |
| 2036 | 4224200441400 | LOCKING HI DENSITY LINER HD GEL 6MM 32CM | LOCKING HIGH DENSITY GEL LINER WITH SEAMLESS KNITTED<br>CONSTRUCTION, FOR ACTIVE PATIENTS, HD GEL FOR BETTER<br>DEGREE OF CONTROL, APPROXIMATELY 6MM THICK - 32CM                                                                                          | EA | ITEMIZED | 10 |
| 2037 | 4224200441500 | LOCKING HI DENSITY LINER HD GEL 6MM 38CM | LOCKING HIGH DENSITY GEL LINER WITH SEAMLESS KNITTED<br>CONSTRUCTION, FOR ACTIVE PATIENTS, HD GEL FOR BETTER<br>DEGREE OF CONTROL, APPROXIMATELY 6MM THICK - 38CM                                                                                          | EA | ITEMIZED | 10 |
| 2038 | 4224200441600 | LOCKING HI DENSITY LINER HD GEL 6MM 44CM | LOCKING HIGH DENSITY GEL LINER WITH SEAMLESS KNITTED CONSTRUCTION, FOR ACTIVE PATIENTS, HD GEL FOR BETTER DEGREE OF CONTROL, APPROXIMATELY 6MM THICK - 44CM                                                                                                | EA | ITEMIZED | 10 |
| 2039 | 4224200431900 | CUSHION HI DENSITY GELLINER 3MM 20CM     | CUSHION HIGH DENSITY GEL LINER WITH SEAMLESS KNITTED CONSTRUCTION, FOR ACTIVE PATIENTS, HD GEL FOR BETTER DEGREE OF CONTROL, APPROXIMATELY 3MM THICK - 20CM                                                                                                | EA | ITEMIZED | 10 |
| 2040 | 4224200432000 | CUSHION HI DENSITY GEL LINER 3MM 24CM    | CUSHION HIGH DENSITY GEL LINER WITH SEAMLESS KNITTED CONSTRUCTION, FOR ACTIVE PATIENTS, HD GEL FOR BETTER DEGREE OF CONTROL, APPROXIMATELY 3MM THICK - 24CM                                                                                                | EA | ITEMIZED | 10 |
| 2041 | 4224200432100 | CUSHION HI DENSITY GEL LINER 3MM 26CM    | CUSHION HIGH DENSITY GEL LINER WITH SEAMLESS KNITTED CONSTRUCTION, FOR ACTIVE PATIENTS, HD GEL FOR BETTER DEGREE OF CONTROL, APPROXIMATELY 3MM THICK - 26CM                                                                                                | EA | ITEMIZED | 10 |
| 2042 | 4224200432200 | CUSHION HI DENSITY GEL LINER 3MM 28CM    | CUSHION HIGH DENSITY GEL LINER WITH SEAMLESS KNITTED CONSTRUCTION, FOR ACTIVE PATIENTS, HD GEL FOR BETTER DEGREE OF CONTROL, APPROXIMATELY 3MM THICK - 28CM                                                                                                | EA | ITEMIZED | 10 |
| 2043 | 4224200432300 | CUSHION HI DENSITY GEL LINER 3MM 32CM    | CUSHION HIGH DENSITY GEL LINER WITH SEAMLESS KNITTED CONSTRUCTION, FOR ACTIVE PATIENTS, HD GEL FOR BETTER DEGREE OF CONTROL, APPROXIMATELY 3MM THICK - 32CM                                                                                                | EA | ITEMIZED | 10 |
| 2044 | 4224200432400 | CUSHION HI DENSITY GEL LINER 3MM 38CM    | CUSHION HIGH DENSITY GEL LINER WITH SEAMLESS KNITTED CONSTRUCTION, FOR ACTIVE PATIENTS, HD GEL FOR BETTER DEGREE OF CONTROL, APPROXIMATELY 3MM THICK - 38CM                                                                                                | EA | ITEMIZED | 10 |
| 2045 | 4224200432500 | CUSHION HI DENSITY GELLINER 3MM 44CM     | CUSHION HIGH DENSITY GEL LINER WITH SEAMLESS KNITTED CONSTRUCTION, FOR ACTIVE PATIENTS, HD GEL FOR BETTER DEGREE OF CONTROL, APPROXIMATELY 3MM THICK - 44CM                                                                                                | EA | ITEMIZED | 10 |
| 2046 | 4224200432600 | CUSHION HI DENSITY GELLINER 6MM 20CM     | CUSHION HIGH DENSITY GEL LINER WITH SEAMLESS KNITTED CONSTRUCTION, FOR ACTIVE PATIENTS, HD GEL FOR BETTER DEGREE OF CONTROL, APPROXIMATELY 6MM THICK - 20CM                                                                                                | EA | ITEMIZED | 10 |
| 2047 | 4224200432700 | CUSHION HI DENSITY GEL LINER 6MM 24CM    | CUSHION HIGH DENSITY GEL LINER WITH SEAMLESS KNITTED CONSTRUCTION, FOR ACTIVE PATIENTS, HD GEL FOR BETTER DEGREE OF CONTROL, APPROXIMATELY 6MM THICK - 24CM                                                                                                | EA | ITEMIZED | 10 |
| 2048 | 4224200432800 | CUSHION HI DENSITY GEL LINER 6MM 26CM    | CUSHION HIGH DENSITY GEL LINER WITH SEAMLESS KNITTED CONSTRUCTION, FOR ACTIVE PATIENTS, HD GEL FOR BETTER DEGREE OF CONTROL, APPROXIMATELY 6MM THICK - 26CM                                                                                                | EA | ITEMIZED | 10 |
| 2049 | 4224200432900 | CUSHION HI DENSITY GEL LINER 6MM 28CM    | CUSHION HIGH DENSITY GEL LINER WITH SEAMLESS KNITTED CONSTRUCTION, FOR ACTIVE PATIENTS, HD GEL FOR BETTER DEGREE OF CONTROL, APPROXIMATELY 6MM THICK - 28CM                                                                                                | EA | ITEMIZED | 10 |
| 2050 | 4224200433000 | CUSHION HI DENSITY GEL LINER 6MM 32CM    | CUSHION HIGH DENSITY GEL LINER WITH SEAMLESS KNITTED CONSTRUCTION, FOR ACTIVE PATIENTS, HD GEL FOR BETTER DEGREE OF CONTROL, APPROXIMATELY 6MM THICK - 32CM                                                                                                | EA | ITEMIZED | 10 |
| 2051 | 4224200433100 | CUSHION HI DENSITY GEL LINER 6MM 38CM    | CUSHION HIGH DENSITY GEL LINER WITH SEAMLESS KNITTED CONSTRUCTION, FOR ACTIVE PATIENTS, HD GEL FOR BETTER DEGREE OF CONTROL, APPROXIMATELY 6MM THICK - 38CM                                                                                                | EA | ITEMIZED | 10 |
| 2052 | 4224200433200 | CUSHION HI DENSITY GEL LINER 6MM 44CM    | CUSHION HIGH DENSITY GEL LINER WITH SEAMLESS KNITTED CONSTRUCTION, FOR ACTIVE PATIENTS, HD GEL FOR BETTER DEGREE OF CONTROL, APPROXIMATELY 6MM THICK - 44CM                                                                                                | EA | ITEMIZED | 10 |
| 2053 | 4224200453900 | THERMOPLASTIC ELASTOMER SHEATH SMALL     | THERMOPLASTIC ELASTOMER (TPE) SHEATH, ELIMINATES SHEAR FORCES, FRICTION, AND PREVENTS ABRASIONS ON THE SKIN OF THE STUMP, ACCOMMODATES VOLUME FLUCTUATIONS OVER THE LIFE OF THE PROSTHESIS. CAN BE WORN UNDER SILICONE, GEL, AND PELITE LINERS. SIZE SMALL | EA | ITEMIZED | 10 |

6/21/2022 Page 152 of 160

| THERMOPLASTIC ELASTOMER (TPE) SHEATH, ELIMINATES SHEAR PREVENTS ABRASIONS ON THE SKIN OF THE STUMP, ACCOMMODATES VOLUME FLUCTUATIONS OVER THE LIFE OF THE PROSTHESIS. CAN BE WORN UNDER SILICONE, GEL, AND PEUTE LINERS. SIZE MEDIUM  THERMOPLASTIC ELASTOMER SHEATH MEDIUM  THERMOPLASTIC ELASTOMER SHEATH LARGE  THERMOPLASTIC ELASTOMER (TPE) SHEATH, ELIMINATES SHEAR PROCES, FRICTION, AND PREVENTS ABRASIONS ON THE SKIN OF THE STUMP, ACCOMMODATES VOLUME FLUCTUATIONS OVER THE LIFE OF THE PROSTHESIS. CAN BE WORN UNDER SILICONE, GEL, AND PEUTE LINERS. SIZE LARGE  THERMOPLASTIC ELASTOMER (TPE) SHEATH, ELIMINATES SHEAR PROCES, FRICTION, AND PREVENTS ABRASIONS ON THE SKIN OF THE STUMP, ACCOMMODATES VOLUME FLUCTUATIONS OVER THE LIFE OF THE PROSTHESIS. CAN BE WORN UNDER SILICONE, GEL, AND PEUTE LINERS. SIZE LARGE  THE SKIN OF THE STUMP, ACCOMMODATES VOLUME.  THE SKIN OF THE STUMP, ACCOMMODATE SUCCOME.  THE SKIN OF THE STUMP, ACCOMMODATE AND SUCCOMMODATE AND SUCCOMMODATE AND SUCCOMMODATE AND SUCCESS.  THE SKIN OF THE STUMP, ACCOMMODATE AND SUCCESS.  THE S | 10 10 10 10 10 10 10 10 10 10 10 10 |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|
| THERMOPLASTIC ELASTOMER (TPE) SHEATH, ELIMINATES SHEAR FORCES, FRICTION, AND PREVENTS ABRASIONS ON THE SKIN OF THE STUMP, ACCOMMODATES VOLUME EA ITEMIZED  2056 4224200037100 INTEGRAIR EXPULSION PUMP 5-8" MERCURY INTEGRATED DIAL CONTACT WHEN DONNING THE PROSTHESIS, VACUUM LEVEL APPROXIMATELY 5-8 INCHES OF MERCURY  2057 4224200037000 INTEGRAIR EXPULSION PUMP 10-13" MERCURY INTEGRATED AIR EXPULSION PUMP FOR ELEVATED VACUUM. ITS USE PROVIDES PATIENTS CONTINUOUS TOTAL CONTACT WHEN DONNING THE PROSTHESIS, VACUUM LEVEL APPROXIMATELY 5-8 INCHES OF MERCURY  2058 4224200037000 INTEGRAIRE DUMMY POSITIVE PROFILE LAMINATION THE PROSTHESIS, VACUUM LEVEL APPROXIMATELY 10-3 INCHES OF MERCURY  2058 4224200037200 INTEGRATED DUMMY POSITIVE PROFILE LAMINATION TO ACCOMMODATE ARE EXPULSION PUMP FOR ELEVATED VACUUM. INSTEGRATED DUMMY - POSITIVE PROFILE FOR SOCKET LAMINATION TO ACCOMMODATE ARE EXPULSION PUMP FOR ELEVATED VACUUM. INTEGRATED DUMMY - POSITIVE PROFILE FOR SOCKET LAMINATION TO ACCOMMODATE ARE EXPULSION PUMP EA ITEMIZED SPACE PLATE FOR INTEGRATED DUMMY - POSITIVE PROFILE FOR SOCKET LAMINATION TO ACCOMMODATE ARE EXPULSION PUMP EA ITEMIZED INTEGRATED DUMMY - POSITIVE PROFILE FOR SOCKET LAMINATION TO ACCOMMODATE ARE EXPULSION PUMP EA ITEMIZED CONTACT WHEN DONNING THE PROFILE FOR SOCKET LAMINATION TO ACCOMMODATE ARE EXPULSION PUMP EA ITEMIZED CONTACT WHEN DONNING THE PROFILE FOR SOCKET LAMINATION TO ACCOMMODATE ARE EXPULSION PUMP EA ITEMIZED CONTACT WHEN DONNING THE PROFILE FOR SOCKET LAMINATION TO ACCOMMODATE ARE EXPULSION PUMP EA ITEMIZED CONTACT WHEN DONNING THE PROFILE FOR SOCKET LAMINATION TO ACCOMMODATE ARE EXPULSION PUMP EA ITEMIZED CONTACT WHEN DONNING THE PROFILE FOR SOCKET LAMINATION TO ACCOMMODATE ARE EXPONENTED TO ACCOMMO | 10 10 10 10 10 10 10 10 10 10 10 10 |
| 2056 4224200037100 INTEGRAIR EXPULSION PUMP 5-8" MERCURY  ITS USE PROVIDES PATIENTS CONTINUOUS TOTAL CONTACT WHEN DONNING THE PROSTHESIS, VACUUM LEVEL APPROXIMATELY 5-8 INCHES OF MERCURY  INTEGRAIR EXPULSION PUMP 10-13" MERCURY  INTEGRATED AIR EXPULSION PUMP FOR ELEVATED VACUUM. ITS USE PROVIDES PATIENTS CONTINUOUS TOTAL CONTACT WHEN DONNING THE PROSTHESIS, VACUUM LEVEL EA ITEMIZED APPROXIMATELY 10-13 INCHES OF MERCURY  2058 4224200037200 INTEGRATED DUMMY POSITIVE PROFILE INTEGRATED DUMMY - POSITIVE PROFILE FOR SOCKET LAMINATION TO ACCOMMODATE AIR EXPULSION PUMP EA ITEMIZED APPROXIMATELY 10-13 INCHES OF MERCURY  2059 4224200037500 SPACER PLATE FOR INTEGRATED DUMMY SPACER PLATE FOR INTEGRATED DUMMY EA ITEMIZED DUMMY INTERCHANGEABLE LOCKING DEVICE TO TRANSITION TO ELEVATED VACUUM, REPLACES VACUUM PUMP EA ITEMIZED ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 16-M - 3MM THI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 16-M - 3MM THI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 16-M - 3MM THICKNESS INTERCHAPPOXIMATELY 20-M - 4ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 20-M - 4ANTI-BACTERI | 10 10 10 10 10 10 10 10 10 10       |
| 2057 4224200037000 INTEG AIR EXPULSION PUMP 10-13" MERCURY  ITS USE PROVIDES PATIENTS CONTINUOUS TOTAL CONTACT WHEN DONNING THE PROSTHESIS, VACUUM LEVEL APPROXIMATELY 10-13 INCHES OF MERCURY  2058 4224200037200 INTEGRATED DUMMY POSITIVE PROFILE LAMINATION TO ACCOMMODATE AIR EXPULSION PUMP EA ITEMIZED  2059 4224200037500 SPACER PLATE FOR INTEGRATED DUMMY SPACER PLATE FOR INTEGRATED DUMMY EA ITEMIZED  2060 4224200037300 INTERCHANGEABLE LOCKING DEV ELEVATED VAC  2061 4224200037300 INTERCHANGEABLE LOCKING DEV ELEVATED VAC  2061 422420045500 LOCKING TPE GEL LINER ANTIBACT 16CM 3MM  ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 16CM - BA ITEMIZED  2062 422420045700 LOCKING TPE GEL LINER ANTIBACT 20CM 3MM  LOCKING THERMOPLASTIC ELASTOMER (TPE) GEL LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 16CM - BA ITEMIZED  2062 422420045700 LOCKING TPE GEL LINER ANTIBACT 20CM 3MM  ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 20CM - BA ITEMIZED  2068 ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 20CM - BA ITEMIZED  2069 ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 20CM - BA ITEMIZED  2060 ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 20CM - BA ITEMIZED  2060 ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 20CM - BA ITEMIZED  2061 ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 20CM - BA ITEMIZED  2062 ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 20CM - BA ITEMIZED  2063 ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 20CM - BA ITEMIZED  2064 ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 20CM - BA ITEMIZED  2065 ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 20CM - BA ITEMIZED  2066 ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 20CM - BA ITEMIZED  2067 ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 20CM - BA ITEMIZED  2068 ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 20CM - BA ITEMIZED  2069 ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 20CM - BA ITEMIZED  2060 ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 20CM - BA ITEMIZED  2060 ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 20CM - BA ITEMIZED  2061 ANTI-BACTERIAL PROPERTIES SIZE APPROXIMAT | 10<br>0 10<br>0 10<br>0 10          |
| 2058 4224200037200 INTEGRATED DUMMY POSITIVE PROFILE  1 AMINATION TO ACCOMMODATE AIR EXPULSION PUMP  2059 4224200037500 SPACER PLATE FOR INTEGRATED DUMMY SPACER PLATE FOR INTEGRATED DUMMY  2060 4224200037300 INTERCHANGEABLE LOCKING DEV ELEVATED VAC  2061 422420045500 LOCKING TPE GEL LINER ANTIBACT 16CM 3MM  2061 422420045500 LOCKING TPE GEL LINER ANTIBACT 16CM 3MM  2062 422420045700 LOCKING TPE GEL LINER ANTIBACT 20CM 3MM  2063 422420045700 LOCKING TPE GEL LINER ANTIBACT 20CM 3MM  2064 422420045700 LOCKING TPE GEL LINER ANTIBACT 20CM 3MM  2065 AVECTOR AND ANTIBACT SIZE APPROXIMATELY 16CM - EA  2066 AVECTOR ANTIBACT SIZE APPROXIMATELY 16CM - EA  2067 AVECTOR ANTIBACT SIZE APPROXIMATELY 20CM - EA  2068 AVECTOR ANTIBACT SIZE APPROXIMATELY 20CM - EA  2069 AVECTOR ANTIBACT SIZE APPROXIMATELY 20CM - EA  2060 AVECTOR ANTIBACT SIZE APPROXIMATELY 20CM - EA  2061 AVECTOR ANTIBACT SIZE APPROXIMATELY 20CM - EA  2062 AVECTOR ANTIBACT SIZE APPROXIMATELY 20CM - EA  2063 AVECTOR ANTIBACT SIZE APPROXIMATELY 20CM - EA  2064 AVECTOR ANTIBACT SIZE APPROXIMATELY 20CM - EA  2065 AVECTOR ANTIBACT SIZE APPROXIMATELY 20CM - EA  2066 AVECTOR ANTIBACT SIZE APPROXIMATELY 20CM - EA  2067 AVECTOR ANTIBACT SIZE APPROXIMATELY 20CM - EA  2068 AVECTOR ANTIBACT SIZE APPROXIMATELY 20CM - EA  2068 AVECTOR ANTIBACT SIZE APPROXIMATELY 20CM - EA  2069 AVECTOR ANTIBACT SIZE APPROXIMATELY 20CM - EA  2060 AVECTOR ANTIBACT SIZE APPROXIMATELY 20CM - EA  2060 AVECTOR ANTIBACT SIZE APPROXIMATELY 20CM - EA  2061 AVECTOR AVEC | 10 10 10 10 10                      |
| 2059 422420037500 SPACER PLATE FOR INTEGRATED DUMMY SPACER PLATE FOR INTEGRATED DUMMY EA ITEMIZED 2060 4224200037300 INTERCHANGEABLE LOCKING DEV ELEVATED VAC  INTERCHANGEABLE LOCKING DEVICE TO TRANSITION TO ELEVATED VACUUM, REPLACES VACUUM PUMP 2061 422420045500 LOCKING TPE GEL LINER ANTIBACT 16CM 3MM ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 16CM-3MM THICKNESS 2062 422420045700 LOCKING TPE GEL LINER ANTIBACT 20CM 3MM ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 20CM-3MM THICKNESS 2064 422420045700 LOCKING TPE GEL LINER ANTIBACT 20CM 3MM ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 20CM-3MM THICKNESS 2065 422420045700 LOCKING TPE GEL LINER ANTIBACT 20CM 3MM ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 20CM-3MM THICKNESS 2067 422420045700 LOCKING TPE GEL LINER ANTIBACT 20CM 3MM ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 20CM-3MM THICKNESS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 10                                  |
| 2060 4224200037300 INTERCHANGEABLE LOCKING DEV ELEVATED VAC  INTERCHANGEABLE LOCKING DEVICE TO TRANSITION TO ELEVATED VACUUM, REPLACES VACUUM PUMP  2061 4224200445500 LOCKING TPE GEL LINER ANTIBACT 16CM 3MM  ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 16CM - EA ITEMIZED  2062 4224200445700 LOCKING TPE GEL LINER ANTIBACT 20CM 3MM  ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 16CM - EA ITEMIZED  LOCKING THERMOPLASTIC ELASTOMER (TPE) GEL LINER WITH  ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 20CM - EA ITEMIZED  3MM THICKNESS  ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 20CM - EA ITEMIZED  3MM THICKNESS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | ) 10                                |
| 2061 4224200445500 LOCKING TPE GEL LINER ANTIBACT 16CM 3MM ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 16CM - EA ITEMIZED 3MM THICKNESS LOCKING TPE GEL LINER ANTIBACT 20CM 3MM ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 16CM - EA ITEMIZED 10CKING THERMOPLASTIC ELASTOMER (TPE) GEL LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 20CM - EA ITEMIZED 3MM THICKNESS LOCKING THE GEL LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 20CM - EA ITEMIZED 3MM THICKNESS LOCKING THERMOPLASTIC ELASTOMER (TPE) GEL LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 20CM - EA ITEMIZED 3MM THICKNESS LOCKING THERMOPLASTIC ELASTOMER (TPE) GEL LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 20CM - EA ITEMIZED 3MM THICKNESS LOCKING THERMOPLASTIC ELASTOMER (TPE) GEL LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 20CM - EA ITEMIZED 3MM THICKNESS LOCKING THERMOPLASTIC ELASTOMER (TPE) GEL LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 20CM - EA ITEMIZED 3MM THICKNESS LOCKING THE PROPERTIES SIZE APPROXIMATELY 20CM - EA ITEMIZED 3MM THICKNESS LOCKING THE PROPERTIES SIZE APPROXIMATELY 20CM - EA ITEMIZED 3MM THICKNESS LOCKING THE PROPERTIES SIZE APPROXIMATELY 20CM - EA ITEMIZED 3MM THICKNESS LOCKING THE PROPERTIES SIZE APPROXIMATELY 20CM - EA ITEMIZED 3MM THICKNESS LOCKING THE PROPERTIES SIZE APPROXIMATELY 20CM - EA ITEMIZED 3MM THICKNESS LOCKING THE PROPERTIES SIZE APPROXIMATELY 20CM - EA ITEMIZED 3MM THICKNESS LOCKING THE PROPERTIES SIZE APPROXIMATELY 20CM - EA ITEMIZED 3MM THICKNESS LOCKING THE PROPERTIES SIZE APPROXIMATELY 20CM - EA ITEMIZED 3MM THICKNESS LOCKING THE PROPERTIES SIZE APPROXIMATELY 20CM - EA ITEMIZED 3MM THICKNESS LOCKING THE PROPERTIES SIZE APPROXIMATELY 20CM - EA ITEMIZED 20CM  |                                     |
| LOCKING THERMOPLASTIC ELASTOMER (TPE) GEL LINER WITH  ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 20CM - EA ITEMIZED  3MM THICKNESS  ITEMIZED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | ) 10                                |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                     |
| 2063 4224200445900 LOCKING TPE GEL LINER ANTIBACT 24CM 3MM ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 24CM - EA ITEMIZED 3MM THICKNESS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 10                                  |
| 2064 4224200446100 LOCKING TPE GEL LINER ANTIBACT 26CM 3MM ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 26CM - EA ITEMIZED 33MM THICKNESS 4224200446100 LOCKING TPE GEL LINER ANTIBACT 26CM 3MM ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 26CM - EA ITEMIZED 33MM THICKNESS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | ) 10                                |
| LOCKING THERMOPLASTIC ELASTOMER (TPE) GEL LINER WITH  2065 4224200446300 LOCKING TPE GEL LINER ANTIBACT 28CM 3MM ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 28CM - 3MM THICKNESS 3MM THICKNESS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 10                                  |
| 2066 4224200446500 LOCKING TPE GEL LINER ANTIBACT 32CM 3MM ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 32CM - EA ITEMIZED 3MM THICKNESS 4224200446500 LOCKING TPE GEL LINER ANTIBACT 32CM 3MM ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 32CM - EA ITEMIZED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | ) 10                                |
| 2067 4224200446700 LOCKING TPE GEL LINER ANTIBACT 38CM 3MM LOCKING THERMOPLASTIC ELASTOMER (TPE) GEL LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 38CM - EA ITEMIZED 3MM THICKNESS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 10                                  |
| 2068 4224200446900 LOCKING TPE GEL LINER ANTIBACT 44CM 3MM ANTI-BACTERIAL PROPERTIES IZE APPROXIMATELY 44CM - EA ITEMIZED 3MM THICKNESS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | ) 10                                |
| LOCKING THERMOPLASTIC ELASTOMER (TPE) GEL LINER WITH  2069 4224200445600 LOCKING TPE GEL LINER ANTIBACT 16CM 6MM ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 16CM - EA ITEMIZED  6MM THICKNESS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 10                                  |
| LOCKING THERMOPLASTIC ELASTOMER (TPE) GEL LINER WITH  2070 4224200445800 LOCKING TPE GEL LINER ANTIBACT 20CM 6MM ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 20CM - EA ITEMIZED 6MM THICKNESS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 10                                  |
| LOCKING THERMOPLASTIC ELASTOMER (TPE) GEL LINER WITH 2071 4224200446000 LOCKING TPE GEL LINER ANTIBACT 24CM 6MM ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 24CM - EA ITEMIZED  BY ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 24CM - EA ITEMIZED  CONTROL OF THE PROPERTIES SIZE APPROXIMATELY 24CM - EA ITEMIZED  CONTROL OF THE PROPERTIES SIZE APPROXIMATELY 24CM - EA ITEMIZED  CONTROL OF THE PROPERTIES SIZE APPROXIMATELY 24CM - EA ITEMIZED  CONTROL OF THE PROPERTIES SIZE APPROXIMATELY 24CM - EA ITEMIZED  CONTROL OF THE PROPERTIES SIZE APPROXIMATELY 24CM - EA ITEMIZED  CONTROL OF THE PROPERTIES SIZE APPROXIMATELY 24CM - EA ITEMIZED  CONTROL OF THE PROPERTIES SIZE APPROXIMATELY 24CM - EA ITEMIZED  CONTROL OF THE PROPERTIES SIZE APPROXIMATELY 24CM - EA ITEMIZED  CONTROL OF THE PROPERTIES SIZE APPROXIMATELY 24CM - EA ITEMIZED  CONTROL OF THE PROPERTIES SIZE APPROXIMATELY 24CM - EA ITEMIZED  CONTROL OF THE PROPERTIES SIZE APPROXIMATELY 24CM - EA ITEMIZED  CONTROL OF THE PROPERTIES SIZE APPROXIMATELY 24CM - EA ITEMIZED  CONTROL OF THE PROPERTIES SIZE APPROXIMATELY 24CM - EA ITEMIZED  CONTROL OF THE PROPERTIES SIZE APPROXIMATELY 24CM - EA ITEMIZED  CONTROL OF THE PROPERTIES SIZE APPROXIMATELY 24CM - EA ITEMIZED  CONTROL OF THE PROPERTIES SIZE APPROXIMATELY 24CM - EA ITEMIZED  CONTROL OF THE PROPERTIES SIZE APPROXIMATELY 24CM - EA ITEMIZED  CONTROL OF THE PROPERTIES SIZE APPROXIMATELY 24CM - EA ITEMIZED  CONTROL OF THE PROPERTIES SIZE APPROXIMATELY 24CM - EA ITEMIZED  CONTROL OF THE PROPERTIES SIZE APPROXIMATELY 24CM - EA ITEMIZED  CONTROL OF THE PROPERTIES SIZE APPROXIMATELY 24CM - EA ITEMIZED  CONTROL OF THE PROPERTIES SIZE APPROXIMATELY 24CM - EA ITEMIZED  CONTROL OF THE PROPERTIES SIZE APPROXIMATELY 24CM - EA ITEMIZED  CONTROL OF THE PROPERTIES SIZE APPROXIMATELY 24CM - EA ITEMIZED  CONTROL OF THE PROPERTIES SIZE APPROXIMATELY 24CM - EA ITEMIZED  CONTROL OF THE PROPERTIES SIZE APPROXIMATELY 24CM - EA ITEMIZED  CONTROL OF THE PROPERTIES SIZE APPROXIMATELY 24CM - EA ITEMIZED  CONTROL OF THE PROPERTIES SIZE APPROXIMATELY 2 | 10                                  |
| LOCKING THERMOPLASTIC ELASTOMER (TPE) GEL LINER WITH 2072 4224200446200 LOCKING TPE GEL LINER ANTIBACT 26CM 6MM ANTI-BACTERIAL PROPERTIES SUZE APPROXIMATELY 26CM - EA ITEMIZED 6MM THICKNESS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 10                                  |
| LOCKING THERMOPLASTIC ELASTOMER (TPE) GEL LINER WITH  2073 4224200446400 LOCKING TPE GEL LINER ANTIBACT 28CM 6MM ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 28CM - EA ITEMIZED  6MM THICKNESS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 10                                  |
| LOCKING THERMOPLASTIC ELASTOMER (TPE) GEL LINER WITH 2074 4224200446600 LOCKING TPE GEL LINER ANTIBACT 32CM 6MM ANTI-BACTERIAL PROPERTIES SUZE APPROXIMATELY 32CM - EA ITEMIZED 6MM THICKNESS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 10                                  |
| LOCKING THERMOPLASTIC ELASTOMER (TPE) GEL LINER WITH  2075 4224200446800 LOCKING TPE GEL LINER ANTIBACT 38CM 6MM ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 38CM - EA ITEMIZED  6MM THICKNESS  LOCKING THERMOPLASTIC ELASTOMER (TITEL CELL LINER WITH                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 10                                  |
| LOCKING THERMOPLASTIC ELASTOMER (TPE) GEL LINER WITH  2076 4224200447000 LOCKING TPE GEL LINER ANTIBACT 44CM 6MM ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 44CM - EA ITEMIZED  6MM THICKNESS  CUSHION THERMOPLASTIC ELASTOMER (TIPE) GEL LINER WITH                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 10                                  |
| CUSHION THERMOPLASTIC ELASTOMER (TPE) GEL LINER WITH  2077 4224200437100 CUSHION TPE GEL LINER ANTIBACTE 16CM 3MM ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 16CM - EA ITEMIZED  3 MM THICKNESS  CUSHION THERMOPLASTIC ELASTOMER (TIPE) GEL LINER WITH                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 10                                  |
| CUSHION THERMOPLASTIC ELASTOMER (TPE) GEL LINER WITH  2078 4224200437300 CUSHION TPE GEL LINER ANTIBACTE 20CM 3MM ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 20CM - EA ITEMIZED  3MM THICKNESS  CUSHION THERMOPLASTIC ELASTOMER (TPE) GEL LINER WITH                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 10                                  |
| CUSHION THERMOPLASTIC ELASTOMER (TPE) GEL LINER WITH  2079 4224200437500 CUSHION TPE GEL LINER ANTIBACTE 24CM 3MM ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 24CM - EA ITEMIZED  3MM THICKNESS  CUSHION THERMOPLASTIC ELASTOMER (TPE) GEL LINER WITH                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 10                                  |
| CUSHION THERMOPLASTIC ELASTOMER (TPE) GEL LINER WITH  2080 4224200437700 CUSHION TPE GEL LINER ANTIBACTE 26CM 3MM ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 26CM - EA ITEMIZED  3MM THICKNESS  CUSHION THERMOPLASTIC ELASTOMER (TPE) GEL LINER WITH                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 10                                  |
| CUSHION THERMOPLASTIC ELASTOMER (TPE) GEL LINER WITH  2081 4224200437900 CUSHION TPE GEL LINER ANTIBACTE 28CM 3MM ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 28CM - EA ITEMIZED  3MM THICKNESS  CUSHION THERMOPLASTIC ELASTOMER (TPE) GEL LINER WITH                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 10                                  |
| CUSHION THERMOPLASTIC ELASTOMER (TPE) GEL LINER WITH  2082 4224200438100 CUSHION TPE GEL LINER ANTIBACTE 32CM 3MM ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 32CM - EA ITEMIZED  3MM THICKNESS  CUSHION THERMOPLASTIC ELASTOMER (TIPE) GEL LINER WITH                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 10                                  |
| CUSHION THERMOPLASTIC ELASTOMER (TPE) GEL LINER WITH  2083 4224200438300 CUSHION TPE GEL LINER ANTIBACTE 38CM 3MM ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 38CM - EA ITEMIZED  3MM THICKNESS  CUSHION THERMOPLASTIC ELASTOMER (TPE) GEL LINER WITH                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 10                                  |
| CUSHION THERMOPLASTIC ELASTOMER (TPE) GEL LINER WITH  2084 4224200438500 CUSHION TPE GEL LINER ANTIBACTE 44CM 3MM ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 44CM - EA ITEMIZED  3MM THICKNESS  CUSHION THERMOPLASTIC ELASTOMER (TPE) GEL LINER WITH                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 10                                  |
| CUSHION THERMOPLASTIC ELASTOMER (TPE) GEL LINER WITH 2085 4224200437200 CUSHION TPE GEL LINER ANTIBACTE 16CM 6MM ANTI-BACTERIAL PROPERTIES SUZE APPROXIMATELY 16CM - EA ITEMIZED 6MM THICKNESS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                     |
| CUSHION THERMOPLASTIC ELASTOMER (TPE) GEL LINER WITH  2086 4224200437400 CUSHION TPE GEL LINER ANTIBACTE 20CM 6MM ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 20CM - EA ITEMIZED 6MM THICKNESS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 10                                  |

6/21/2022 Page 153 of 160

| 2087 | 4224200437600 | CUSHION TPE GEL LINER ANTIBACTE 24CM 6MM | CUSHION THERMOPLASTIC ELASTOMER (TPE) GEL LINER WITH<br>ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 24CM -<br>6MM THICKNESS | EA | ITEMIZED | 10 |
|------|---------------|------------------------------------------|------------------------------------------------------------------------------------------------------------------------------|----|----------|----|
| 2088 | 4224200437800 | CUSHION TPE GEL LINER ANTIBACTE 26CM 6MM | CUSHION THERMOPLASTIC ELASTOMER (TPE) GEL LINER WITH<br>ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 26CM -<br>6MM THICKNESS | EA | ITEMIZED | 10 |
| 2089 | 4224200438000 | CUSHION TPE GEL LINER ANTIBACTE 28CM 6MM | CUSHION THERMOPLASTIC ELASTOMER (TPE) GEL LINER WITH<br>ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 28CM -<br>6MM THICKNESS | EA | ITEMIZED | 10 |
| 2090 | 4224200438200 | CUSHION TPE GEL LINER ANTIBACTE 32CM 6MM | CUSHION THERMOPLASTIC ELASTOMER (TPE) GEL LINER WITH<br>ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 32CM -<br>6MM THICKNESS | EA | ITEMIZED | 10 |
| 2091 | 4224200438400 | CUSHION TPE GEL LINER ANTIBACTE 38CM 6MM | CUSHION THERMOPLASTIC ELASTOMER (TPE) GEL LINER WITH<br>ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 38CM -<br>6MM THICKNESS | EA | ITEMIZED | 10 |
| 2092 | 4224200438600 | CUSHION TPE GEL LINER ANTIBACTE 44CM 6MM | CUSHION THERMOPLASTIC ELASTOMER (TPE) GEL LINER WITH<br>ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 44CM -<br>6MM THICKNESS | EA | ITEMIZED | 10 |
| 2093 | 4224200441700 | LOCKING SILICONE LINER ANTIBACT 20CM 3MM | LOCKING SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 20CM - 3MM THICKNESS                                | EA | ITEMIZED | 10 |
| 2094 | 4224200441900 | LOCKING SILICONE LINER ANTIBACT 22CM 3MM | LOCKING SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 22CM - 3MM THICKNESS                                | EA | ITEMIZED | 10 |
| 2095 | 4224200442100 | LOCKING SILICONE LINER ANTIBACT 24CM 3MM | LOCKING SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 24CM - 3MM THICKNESS                                | EA | ITEMIZED | 10 |
| 2096 | 4224200442300 | LOCKING SILICONE LINER ANTIBACT 26CM 3MM | LOCKING SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 26CM - 3MM THICKNESS                                | EA | ITEMIZED | 10 |
| 2097 | 4224200442500 | LOCKING SILICONE LINER ANTIBACT 28CM 3MM | LOCKING SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 28CM - 3MM THICKNESS                                | EA | ITEMIZED | 10 |
| 2098 | 4224200442700 | LOCKING SILICONE LINER ANTIBACT 30CM 3MM | LOCKING SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 30CM - 3MM THICKNESS                                | EA | ITEMIZED | 10 |
| 2099 | 4224200442900 | LOCKING SILICONE LINER ANTIBACT 32CM 3MM | LOCKING SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES<br>SIZE APPROXIMATELY 32CM - 3MM THICKNESS                             | EA | ITEMIZED | 10 |
| 2100 | 4224200443100 | LOCKING SILICONE LINER ANTIBACT 35CM 3MM | LOCKING SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES<br>SIZE APPROXIMATELY 35CM - 3MM THICKNESS                             | EA | ITEMIZED | 10 |
| 2101 | 4224200443300 | LOCKING SILICONE LINER ANTIBACT 38CM 3MM | LOCKING SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 38CM - 3MM THICKNESS                                | EA | ITEMIZED | 10 |
| 2102 | 4224200443500 | LOCKING SILICONE LINER ANTIBACT 41CM 3MM | LOCKING SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 41CM - 3MM THICKNESS                                | EA | ITEMIZED | 10 |
| 2103 | 4224200443700 | LOCKING SILICONE LINER ANTIBACT 44CM 3MM | LOCKING SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 44CM - 3MM THICKNESS                                | EA | ITEMIZED | 10 |
| 2104 | 4224200441800 | LOCKING SILICONE LINER ANTIBACT 20CM 6MM | LOCKING SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 20CM - 6MM THICKNESS                                | EA | ITEMIZED | 10 |
| 2105 | 4224200442000 | LOCKING SILICONE LINER ANTIBACT 22CM 6MM | LOCKING SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 22CM - 6MM THICKNESS                                | EA | ITEMIZED | 10 |
| 2106 | 4224200442200 | LOCKING SILICONE LINER ANTIBACT 24CM 6MM | LOCKING SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 24CM - 6MM THICKNESS                                | EA | ITEMIZED | 10 |
| 2107 | 4224200442400 | LOCKING SILICONE LINER ANTIBACT 26CM 6MM | LOCKING SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 26CM - 6MM THICKNESS                                | EA | ITEMIZED | 10 |
| 2108 | 4224200442600 | LOCKING SILICONE LINER ANTIBACT 28CM 6MM | LOCKING SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 28CM - 6MM THICKNESS                                | EA | ITEMIZED | 10 |
| 2109 | 4224200442800 | LOCKING SILICONE LINER ANTIBACT 30CM 6MM | LOCKING SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 30CM - 6MM THICKNESS                                | EA | ITEMIZED | 10 |
| 2110 | 4224200443000 | LOCKING SILICONE LINER ANTIBACT 32CM 6MM | LOCKING SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 32CM - 6MM THICKNESS                                | EA | ITEMIZED | 10 |
| 2111 | 4224200443200 | LOCKING SILICONE LINER ANTIBACT 35CM 6MM | LOCKING SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 35CM - 6MM THICKNESS                                | EA | ITEMIZED | 10 |
| 2112 | 4224200443400 | LOCKING SILICONE LINER ANTIBACT 38CM 6MM | LOCKING SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES<br>SIZE APPROXIMATELY 38CM - 6MM THICKNESS                             | EA | ITEMIZED | 10 |
| 2113 | 4224200443600 | LOCKING SILICONE LINER ANTIBACT 41CM 6MM | LOCKING SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES<br>SIZE APPROXIMATELY 41CM - 6MM THICKNESS                             | EA | ITEMIZED | 10 |
| 2114 | 4224200443800 | LOCKING SILICONE LINER ANTIBACT 44CM 6MM | LOCKING SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES<br>SIZE APPROXIMATELY 44CM - 6MM THICKNESS                             | EA | ITEMIZED | 10 |
| 2115 | 4224200433300 | CUSHION SILICONE LINER ANTIBACT 20CM 3MM | CUSHION SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES<br>SIZE APPROXIMATELY 20CM - 3MM THICKNESS                             | EA | ITEMIZED | 10 |
| 2116 | 4224200433500 | CUSHION SILICONE LINER ANTIBACT 22CM 3MM | CUSHION SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 22CM - 3MM THICKNESS                                | EA | ITEMIZED | 10 |
| 2117 | 4224200433700 | CUSHION SILICONE LINER ANTIBACT 24CM 3MM | CUSHION SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES<br>SIZE APPROXIMATELY 24CM - 3MM THICKNESS                             | EA | ITEMIZED | 10 |
| 2118 | 4224200433900 | CUSHION SILICONE LINER ANTIBACT 26CM 3MM | CUSHION SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES<br>SIZE APPROXIMATELY 26CM - 3MM THICKNESS                             | EA | ITEMIZED | 10 |
| 2119 | 4224200434100 | CUSHION SILICONE LINER ANTIBACT 28CM 3MM | CUSHION SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES<br>SIZE APPROXIMATELY 28CM - 3MM THICKNESS                             | EA | ITEMIZED | 10 |
| 2120 | 4224200434300 | CUSHION SILICONE LINER ANTIBACT 30CM 3MM | CUSHION SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES<br>SIZE APPROXIMATELY 30CM - 3MM THICKNESS                             | EA | ITEMIZED | 10 |
| 2121 | 4224200434500 | CUSHION SILICONE LINER ANTIBACT 32CM 3MM | CUSHION SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 32CM - 3MM THICKNESS                                | EA | ITEMIZED | 10 |
|      |               |                                          |                                                                                                                              |    |          |    |

6/21/2022 Page 154 of 160

| 4224200434700 | CUSHION SILICONE LINER ANTIBACT 35CM 3MM                                                                                                                                                                                                                                                                             | CUSHION SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 35CM - 3MM THICKNESS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | EA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | ITEMIZED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 10                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|---------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 4224200434900 | CUSHION SILICONE LINER ANTIBACT 38CM 3MM                                                                                                                                                                                                                                                                             | CUSHION SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES<br>SIZE APPROXIMATELY 38CM - 3MM THICKNESS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | EA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | ITEMIZED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 10                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 4224200435100 | CUSHION SILICONE LINER ANTIBACT 41CM 3MM                                                                                                                                                                                                                                                                             | CUSHION SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES<br>SIZE APPROXIMATELY 41CM - 3MM THICKNESS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | EA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | ITEMIZED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 10                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 4224200435300 | CUSHION SILICONE LINER ANTIBACT 44CM 3MM                                                                                                                                                                                                                                                                             | CUSHION SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 44CM - 3MM THICKNESS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | EA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | ITEMIZED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 10                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 4224200433400 | CUSHION SILICONE LINER ANTIBACT 20CM 6MM                                                                                                                                                                                                                                                                             | CUSHION SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 20CM - 6MM THICKNESS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | EA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | ITEMIZED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 10                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 4224200433600 | CUSHION SILICONE LINER ANTIBACT 22CM 6MM                                                                                                                                                                                                                                                                             | CUSHION SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 22CM - 6MM THICKNESS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | EA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | ITEMIZED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 10                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 4224200433800 | CUSHION SILICONE LINER ANTIBACT 24CM 6MM                                                                                                                                                                                                                                                                             | CUSHION SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 24CM - 6MM THICKNESS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | EA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | ITEMIZED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 10                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 4224200434000 | CUSHION SILICONE LINER ANTIBACT 26CM 6MM                                                                                                                                                                                                                                                                             | CUSHION SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 26CM - 6MM THICKNESS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | EA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | ITEMIZED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 10                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 4224200434200 | CUSHION SILICONE LINER ANTIBACT 28CM 6MM                                                                                                                                                                                                                                                                             | CUSHION SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 28CM - 6MM THICKNESS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | EA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | ITEMIZED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 10                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 4224200434400 | CUSHION SILICONE LINER ANTIBACT 30CM 6MM                                                                                                                                                                                                                                                                             | CUSHION SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 30CM - 6MM THICKNESS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | EA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | ITEMIZED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 10                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 4224200434600 | CUSHION SILICONE LINER ANTIBACT 32CM 6MM                                                                                                                                                                                                                                                                             | CUSHION SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 32CM - 6MM THICKNESS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | EA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | ITEMIZED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 10                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 4224200434800 | CUSHION SILICONE LINER ANTIBACT 35CM 6MM                                                                                                                                                                                                                                                                             | CUSHION SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 35CM - 6MM THICKNESS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | EA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | ITEMIZED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 10                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 4224200435000 | CUSHION SILICONE LINER ANTIBACT 38CM 6MM                                                                                                                                                                                                                                                                             | CUSHION SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 38CM - 6MM THICKNESS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | EA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | ITEMIZED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 10                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 4224200435200 | CUSHION SILICONE LINER ANTIBACT 41CM 6MM                                                                                                                                                                                                                                                                             | CUSHION SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 41CM - 6MM THICKNESS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | EA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | ITEMIZED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 10                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 4224200435400 | CUSHION SILICONE LINER ANTIBACT 44CM 6MM                                                                                                                                                                                                                                                                             | CUSHION SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 44CM - 6MM THICKNESS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | EA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | ITEMIZED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 10                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 4224200447500 | SHOCK ABSORB SOCK SPACER NARROW 20-26CM                                                                                                                                                                                                                                                                              | SHOCK ABSORBING SOCK, SPACER FABRIC, PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION, MACHINE WASHABLE SIZE - NARROW - LENGTH APPROXIMATELY 2D-26CM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | EA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | ITEMIZED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 10                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 4224200447600 | SHOCK ABSORB SOCK SPACER NARROW 26-36CM                                                                                                                                                                                                                                                                              | SHOCK ABSORBING SOCK, SPACER FABRIC, PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION, MACHINE WASHABLE SIZE - NARROW - LENGTH APPROXIMATELY 26-36CM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | EA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | ITEMIZED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 10                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 4224200447700 | SHOCK ABSORB SOCK SPACER NARROW 36-46CM                                                                                                                                                                                                                                                                              | SHOCK ABSORBING SOCK, SPACER FABRIC, PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION, MACHINE WASHABLE SIZE - NARROW - LENGTH APPROXIMATELY 36-46CM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | EA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | ITEMIZED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 10                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 4224200447800 | SHOCK ABSORB SOCK SPACER NARROW 46-60CM                                                                                                                                                                                                                                                                              | SHOCK ABSORBING SOCK, SPACER FABRIC, PROVIDES  EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION, MACHINE WASHABLE SIZE - NARROW - LENGTH APPROXIMATELY 46-60CM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | EA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | ITEMIZED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 10                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 4224200447100 | SHOCK ABSORBING SOCK SPACER MED 20-26CM                                                                                                                                                                                                                                                                              | SHOCK ABSORBING SOCK, SPACER FABRIC, PROVIDES<br>EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION<br>PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION,<br>MACHINE WASHABLE SIZE - MEDIUM - LENGTH                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | EA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | ITEMIZED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 10                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 4224200447200 | SHOCK ABSORBING SOCK SPACER MED 26-36CM                                                                                                                                                                                                                                                                              | SHOCK ABSORBING SOCK, SPACER FABRIC, PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION, MACHINE WASHABLE SIZE - MEDIUM - LENGTH APPROXIMATELY 26-36CM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | EA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | ITEMIZED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 10                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 4224200447300 | SHOCK ABSORBING SOCK SPACER MED 36-46CM                                                                                                                                                                                                                                                                              | SHOCK ABSORBING SOCK, SPACER FABRIC, PROVIDES  EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION, MACHINE WASHABLE SIZE - MEDIUM - LENGTH APPROXIMATELY 36-46CM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | EA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | ITEMIZED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 10                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 4224200447400 | SHOCK ABSORBING SOCK SPACER MED 46-60CM                                                                                                                                                                                                                                                                              | SHOCK ABSORBING SOCK, SPACER FABRIC, PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION, MACHINE WASHABLE SIZE - MEDIUM - LENGTH APPROXIMATELY 46-60CM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | EA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | ITEMIZED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 10                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 4224200447900 | SHOCK ABSORBING SOCK SPACER WIDE 20-26CM                                                                                                                                                                                                                                                                             | SHOCK ABSORBING SOCK, SPACER FABRIC, PROVIDES<br>EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION<br>PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION,<br>MACHINE WASHABLE SIZE - WIDE - LENGTH APPROXIMATELY<br>20-26CM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | EA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | ITEMIZED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 10                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 4224200448000 | SHOCK ABSORBING SOCK SPACER WIDE 26-36CM                                                                                                                                                                                                                                                                             | SHOCK ABSORBING SOCK, SPACER FABRIC, PROVIDES<br>EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION<br>PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION,<br>MACHINE WASHABLE SIZE - WIDE - LENGTH APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | EA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | ITEMIZED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 10                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 4224200448100 | SHOCK ABSORBING SOCK SPACER WIDE 36-46CM                                                                                                                                                                                                                                                                             | SHOCK ABSORBING SOCK, SPACER FABRIC, PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION, MACHINE WASHABLE SIZE - WIDE - LENGTH APPROXIMATELY 36-46CM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | EA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | ITEMIZED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 10                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 4224200448200 | SHOCK ABSORBING SOCK SPACER WIDE 46-60CM                                                                                                                                                                                                                                                                             | SHOCK ABSORBING SOCK, SPACER FABRIC, PROVIDES<br>EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION<br>PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION,<br>MACHINE WASHABLE SIZE - WIDE - LENGTH APPROXIMATELY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | EA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | ITEMIZED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 10                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|               | 422420043500 4224200435300 4224200435300 4224200433600 4224200433600 4224200434000 4224200434200 422420043400 422420043400 4224200435000 422420043500 422420043500 4224200447500 4224200447500 4224200447500 422420044700 422420044700 422420044700 422420044700 422420044700 422420044700 422420044700 422420044700 | 4224200434900         CUSHION SILICONE LINER ANTIBACT 38CM 3MM           4224200435100         CUSHION SILICONE LINER ANTIBACT 41CM 3MM           4224200435300         CUSHION SILICONE LINER ANTIBACT 44CM 3MM           4224200433400         CUSHION SILICONE LINER ANTIBACT 20CM 6MM           4224200433800         CUSHION SILICONE LINER ANTIBACT 22CM 6MM           4224200434000         CUSHION SILICONE LINER ANTIBACT 26CM 6MM           4224200434000         CUSHION SILICONE LINER ANTIBACT 26CM 6MM           4224200434000         CUSHION SILICONE LINER ANTIBACT 30CM 6MM           4224200434600         CUSHION SILICONE LINER ANTIBACT 33CM 6MM           4224200435000         CUSHION SILICONE LINER ANTIBACT 35CM 6MM           4224200435000         CUSHION SILICONE LINER ANTIBACT 35CM 6MM           4224200435200         CUSHION SILICONE LINER ANTIBACT 44CM 6MM           4224200435400         CUSHION SILICONE LINER ANTIBACT 44CM 6MM           4224200435400         SHOCK ABSORB SOCK SPACER NARROW 20-26CM           4224200447500         SHOCK ABSORB SOCK SPACER NARROW 26-36CM           4224200447600         SHOCK ABSORB SOCK SPACER NARROW 36-46CM           4224200447800         SHOCK ABSORBING SOCK SPACER MED 26-36CM           4224200447300         SHOCK ABSORBING SOCK SPACER MED 36-46CM           4224200447900         SHOCK ABSORBING SOCK SPACER WED 36-46CM <td>422400043400 CUSHION SULCONE LINER ANTIBACT SIELM SIMM COSHION SULCONE LINER ANTIBACT SIELM SIMM CUSHION SULCONE L</td> <td>  14200064400   CUBINON BUCONE LINES AFTIBACT SECM BOM   CUBINO BUCONE LINES AFTIBACT SECM BOM</td> <td>  1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800</td> | 422400043400 CUSHION SULCONE LINER ANTIBACT SIELM SIMM COSHION SULCONE LINER ANTIBACT SIELM SIMM CUSHION SULCONE L | 14200064400   CUBINON BUCONE LINES AFTIBACT SECM BOM   CUBINO BUCONE LINES AFTIBACT SECM BOM | 1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800    1800 |

6/21/2022 Page 155 of 160

| 2149 | 4224200438700 | GEL SHOCK ABSORB LINER W/SPACER 16CM 3MM | GEL - SHOCK ABSORBING LINER, CONSTRUCTED WITH SPACER FABRIC, REDUCES SHOCK BY APPROXIMATELY 50% PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION. GOOD THERMAL REGULATION. SIZE APPROXIMATELY 16CM - 3MM THICKNESS                     | EA | ITEMIZED | 10 |
|------|---------------|------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|----------|----|
| 2150 | 4224200438900 | GEL SHOCK ABSORB LINER W/SPACER 20CM 3MM | GEL - SHOCK ABSORBING LINER, CONSTRUCTED WITH SPACER FABRIC, REDUCES SHOCK BY APPROXIMATELY 50% PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION. GOOD THERMAL REGULATION. SIZE APPROXIMATELY 20CM - 3MM THICKNESS                     | EA | ITEMIZED | 10 |
| 2151 | 4224200439100 | GEL SHOCK ABSORB LINER W/SPACER 24CM 3MM | GEL - SHOCK ABSORBING LINER, CONSTRUCTED WITH SPACER FABRIC, REDUCES SHOCK BY APPROXIMATELY 50% PROVIDES EXCELLENT AIR AND MOSITURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION. GOOD THERMAL REGULATION. SIZE APPROXIMATELY 24CM - 3MM THICKNESS                     | EA | ITEMIZED | 10 |
| 2152 | 4224200439300 | GEL SHOCK ABSORB LINER W/SPACER 26CM 3MM | GEL - SHOCK ABSORBING LINER, CONSTRUCTED WITH SPACER FABRIC, REDUCES SHOCK BY APPROXIMATELY 50% PROVIDES EXCELLENT AIR AND MOSITURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION. GOOD THERMAL REGULATION. SIZE APPROXIMATELY 26CM - 3MM THICKNESS                     | EA | ITEMIZED | 10 |
| 2153 | 4224200439500 | GEL SHOCK ABSORB LINER W/SPACER 28CM 3MM | GEL - SHOCK ABSORBING LINER, CONSTRUCTED WITH SPACER FABRIC, REDUCES SHOCK BY APPROXIMATELY 50% PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION. GOOD THERMAL REGULATION. SIZE APPROXIMATELY 28CM - 3MM THICKNESS                     | EA | ITEMIZED | 10 |
| 2154 | 4224200439700 | GEL SHOCK ABSORB LINER W/SPACER 32CM 3MM | GEL - SHOCK ABSORBING LINER, CONSTRUCTED WITH SPACER FABRIC, REDUCES SHOCK BY APPROXIMATELY 50% PROVIDES EXCELLENT AIR AND MOSITURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION. GOOD THERMAL REGULATION. SIZE APPROXIMATELY 32CM - 3MM THICKNESS                     | EA | ITEMIZED | 10 |
| 2155 | 4224200439900 | GEL SHOCK ABSORB LINER W/SPACER 38CM 3MM | GEL - SHOCK ABSORBING LINER, CONSTRUCTED WITH SPACER FABRIC, REDUCES SHOCK BY APPROXIMATELY 50% PROVIDES EXCELLENT AIR AND MOSITURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION. GOOD THERMAL REGULATION. SIZE APPROXIMATELY 38CM - 3MM THICKNESS                     | EA | ITEMIZED | 10 |
| 2156 | 4224200440100 | GEL SHOCK ABSORB LINER W/SPACER 44CM 3MM | GEL - SHOCK ABSORBING LINER, CONSTRUCTED WITH SPACER FABRIC, REDUCES SHOCK BY APPROXIMATELY 50% PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION. GOOD THERMAL REGULATION. SIZE APPROXIMATELY 44CM - 3MM THICKNESS                     | EA | ITEMIZED | 10 |
| 2157 | 4224200438800 | GEL SHOCK ABSORB LINER W/SPACER 16CM 6MM | GEL - SHOCK ABSORBING LINER, CONSTRUCTED WITH SPACER FABRIC, REDUCES SHOCK BY APPROXIMATELY 50% PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION. GOOD THERMAL REGULATION. SIZE APPROXIMATELY 16CM - 6MM THICKNESS                     | EA | ITEMIZED | 10 |
| 2158 | 4224200439000 | GEL SHOCK ABSORB LINER W/SPACER 20CM 6MM | GEL - SHOCK ABSORBING LINER, CONSTRUCTED WITH SPACER FABRIC, REDUCES SHOCK BY APPROXIMATELY 50% PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION. GOOD THERMAL REGULATION. SIZE APPROXIMATELY 20CM - 6MM THICKNESS                     | EA | ITEMIZED | 10 |
| 2159 | 4224200439200 | GEL SHOCK ABSORB LINER W/SPACER 24CM 6MM | GEL -SHOCK ABSORBING LINER, CONSTRUCTED WITH SPACER FABRIC, REDUCES SHOCK BY APPROXIMATELY 50% PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION. GOOD THERMAL REGULATION. SIZE APPROXIMATELY 24CM - 6MM THICKNESS                      | EA | ITEMIZED | 10 |
| 2160 | 4224200439400 | GEL SHOCK ABSORB LINER W/SPACER 26CM 6MM | GEL - SHOCK ABSORBING LINER, CONSTRUCTED WITH SPACER FABRIC, REDUCES SHOCK BY APPROXIMATELY 50% PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION. GOOD THERMAL REGULATION. SIZE APPROXIMATELY 26CM - 6MM THICKNESS                     | EA | ITEMIZED | 10 |
| 2161 | 4224200439600 | GEL SHOCK ABSORB LINER W/SPACER 28CM 6MM | GEL - SHOCK ABSORBING LINER, CONSTRUCTED WITH SPACER FABRIC, REDUCES SHOCK BY APPROXIMATELY 50% PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION. GOOD THERMAL REGULATION. SIZE APPROXIMATELY 28CM - 6MM THICKNESS                     | EA | ITEMIZED | 10 |
| 2162 | 4224200439800 | GEL SHOCK ABSORB LINER W/SPACER 32CM 6MM | GEL - SHOCK ABSORBING LINER, CONSTRUCTED WITH SPACER FABRIC, REDUCES SHOCK BY APPROXIMATELY 50% PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION. GOOD THERMAL REGULATION. SIZE APPROXIMATELY 32CM - 6MM THICKNESS                     | EA | ITEMIZED | 10 |
| 2163 | 4224200440000 | GEL SHOCK ABSORB LINER W/SPACER 38CM 6MM | GEL - SHOCK ABSORBING LINER, CONSTRUCTED WITH SPACER FABRIC, REDUCES SHOCK BY APPROXIMATELY 50% PROVIDES EXCELLENT AIR AND MOSITURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION. GOOD THERMAL REGULATION. SIZE APPROXIMATELY 38CM - 6MM THICKNESS                     | EA | ITEMIZED | 10 |
| 2164 | 4224200440200 | GEL SHOCK ABSORB LINER W/SPACER 44CM 6MM | GEL - SHOCK ABSORBING LINER, CONSTRUCTED WITH SPACER FABRIC, REDUCES SHOCK BY APPROXIMATELY 50% PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION. GOOD THERMAL REGULATION. SIZE APPROXIMATELY 44CM - 6MM THICKNESS                     | EA | ITEMIZED | 10 |
| 2165 | 4224200448300 | SILICONE SHOCK ABSORBING LINER 20CM 3MM  | SILICONE - SHOCK ABSORBING LINER, CONSTRUCTED WITH<br>SPACER FABRIC, REDUCES SHOCK BY APPROXIMATELY 50%<br>PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES,<br>CUSHION PERFORMANCE, GOOD FOR PRESSURE<br>DISTRIBUTION. GOOD THERMAL REGULATION. SIZE<br>APPROXIMATELY 20CM - 3MM THICKNESS | EA | ITEMIZED | 10 |

6/21/2022 Page 156 of 160

| 2166 | 4224200448500 | SILICONE SHOCK ABSORBING LINER 22CM 3MM | SILICONE - SHOCK ABSORBING LINER, CONSTRUCTED WITH SPACER FABRIC, REDUCES SHOCK BY APPROXIMATELY 50% PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION. GOOD THERMAL REGULATION. SIZE APPROXIMATELY 22CM - 3MM THICKNESS                | EA | ITEMIZED | 10 |
|------|---------------|-----------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|----------|----|
| 2167 | 4224200448700 | SILICONE SHOCK ABSORBING LINER 24CM 3MM | SILICONE - SHOCK ABSORBING LINER, CONSTRUCTED WITH<br>SPACER FABRIC, REDUCES SHOCK BY APPROXIMATELY 50%<br>PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES,<br>CUSHION PERFORMANCE, GOOD FOR PRESSURE<br>DISTRIBUTION. GOOD THERMAL REGULATION. SIZE<br>APPROXIMATELY 24CM - 3MM THICKNESS | EA | ITEMIZED | 10 |
| 2168 | 4224200448900 | SILICONE SHOCK ABSORBING LINER 26CM 3MM | SILICONE - SHOCK ABSORBING LINER, CONSTRUCTED WITH SPACER FABRIC, REDUCES SHOCK BY APPROXIMATELY 50% PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CLSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION. GOOD THERMAL REGULATION. SIZE APPROXIMATELY 26CM - 3MM THICKNESS                | EA | ITEMIZED | 10 |
| 2169 | 4224200449100 | SILICONE SHOCK ABSORBING LINER 28CM 3MM | SILICONE - SHOCK ABSORBING LINER, CONSTRUCTED WITH SPACER FABRIC, REDUCES SHOCK BY APPROXIMATELY 50% PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION. GOOD THERMAL REGULATION. SIZE APPROXIMATELY 28CM - 3MM THICKNESS                | EA | ITEMIZED | 10 |
| 2170 | 4224200449300 | SILICONE SHOCK ABSORBING LINER 30CM 3MM | SILICONE - SHOCK ABSORBING LINER, CONSTRUCTED WITH SPACER FABRIC, REDUCES SHOCK BY APPROXIMATELY 50% PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION. GOOD THERMAL REGULATION. SIZE APPROXIMATELY 30CM - 3MM THICKNESS                | EA | ITEMIZED | 10 |
| 2171 | 4224200449500 | SILICONE SHOCK ABSORBING LINER 32CM 3MM | SILICONE - SHOCK ABSORBING LINER, CONSTRUCTED WITH SPACER FABRIC, REDUCES SHOCK BY APPROXIMATELY 50% PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION. GOOD THERMAL REGULATION. SIZE APPROXIMATELY 32CM - 3MM THICKNESS                | EA | ITEMIZED | 10 |
| 2172 | 4224200449700 | SILICONE SHOCK ABSORBING LINER 35CM 3MM | SILICONE - SHOCK ABSORBING LINER, CONSTRUCTED WITH<br>SPACER FABRIC, REDUCES SHOCK BY APPROXIMATELY 50%<br>PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES,<br>CLSHION PERFORMANCE, GOOD FOR PRESSURE<br>DISTRIBUTION. GOOD THERMAL REGULATION. SIZE<br>APPROXIMATELY 35CM - 3MM THICKNESS | EA | ITEMIZED | 10 |
| 2173 | 4224200449900 | SILICONE SHOCK ABSORBING LINER 38CM 3MM | SILICONE - SHOCK ABSORBING LINER, CONSTRUCTED WITH SPACER FABRIC, REDUCES SHOCK BY APPROXIMATELY 50% PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION. GOOD THERMAR REGULATION. SIZE APPROXIMATELY 38CM - 3MM THICKNESS                | EA | ITEMIZED | 10 |
| 2174 | 4224200450100 | SILICONE SHOCK ABSORBING LINER 41CM 3MM | SILICONE - SHOCK ABSORBING LINER, CONSTRUCTED WITH SPACER FABRIC, REDUCES SHOCK BY APPROXIMATELY 50% PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION. GOOD THERMAL REGULATION. SIZE APPROXIMATELY 41CM - 3MM THICKNESS                | EA | ITEMIZED | 10 |
| 2175 | 4224200450300 | SILICONE SHOCK ABSORBING LINER 44CM 3MM | SILICONE - SHOCK ABSORBING LINER, CONSTRUCTED WITH SPACER FABRIC, REDUCES SHOCK BY APPROXIMATELY 50% PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CLSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION. GOOD THERMAR REGULATION. SIZE APPROXIMATELY 44CM - 3MM THICKNESS                | EA | ITEMIZED | 10 |
| 2176 | 4224200448400 | SILICONE SHOCK ABSORBING LINER 20CM 6MM | SILICONE - SHOCK ABSORBING LINER, CONSTRUCTED WITH SPACER FABRIC, REDUCES SHOCK BY APPROXIMATELY 50% PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION. GOOD THERMAL REGULATION. SIZE APPROXIMATELY 20CM - 6MM THICKNESS                | EA | ITEMIZED | 10 |
| 2177 | 4224200448600 | SILICONE SHOCK ABSORBING LINER 22CM 6MM | SILICONE - SHOCK ABSORBING LINER, CONSTRUCTED WITH SPACER FABRIC, REDUCES SHOCK BY APPROXIMATELY 50% PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION. GOOD THERMAI REGULATION. SIZE APPROXIMATELY 22CM - 6MM THICKNESS                | EA | ITEMIZED | 10 |
| 2178 | 4224200448800 | SILICONE SHOCK ABSORBING LINER 24CM 6MM | SILICONE - SHOCK ABSORBING LINER, CONSTRUCTED WITH<br>SPACER FABRIC, REDUCES SHOCK BY APPROXIMATELY 50%<br>PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES,<br>CUSHION PERFORMANCE, GOOD FOR PRESSURE<br>DISTRIBUTION. GOOD THERMAR REGULATION. SIZE<br>APPROXIMATELY 24CM - 6MM THICKNESS | EA | ITEMIZED | 10 |
| 2179 | 4224200449000 | SILICONE SHOCK ABSORBING LINER 26CM 6MM | SILICONE - SHOCK ABSORBING LINER, CONSTRUCTED WITH SPACER FABRIC, REDUCES SHOCK BY APPROXIMATELY 50% PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION. GOOD THERMAL REGULATION. SIZE APPROXIMATELY 26CM - 6MM THICKNESS                | EA | ITEMIZED | 10 |
| 2180 | 4224200449200 | SILICONE SHOCK ABSORBING LINER 28CM 6MM | SILICONE - SHOCK ABSORBING LINER, CONSTRUCTED WITH<br>SPACER FABRIC, REDUCES SHOCK BY APPROXIMATELY 50%<br>PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES,<br>CUSHION PERFORMANCE, GOOD FOR PRESSURE<br>DISTRIBUTION. GOOD THERMAL REGULATION. SIZE<br>APPROXIMATELY 28CM - 6MM THICKNESS | EA | ITEMIZED | 10 |
|      |               |                                         |                                                                                                                                                                                                                                                                                               |    |          |    |

6/21/2022 Page 157 of 160

| 2181 | 4224200449400 | SILICONE SHOCK ABSORBING LINER 30CM 6MM | SILICONE - SHOCK ABSORBING LINER, CONSTRUCTED WITH SPACER FABRIC, REDUCES SHOCK BY APPROXIMATELY 50% PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION. GOOD THERMAL REGULATION. SIZE APPROXIMATELY 30CM - 6MM THICKNESS | EA | ITEMIZED | 10 |
|------|---------------|-----------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|----------|----|
| 2182 | 4224200449600 | SILICONE SHOCK ABSORBING LINER 32CM 6MM | SILICONE - SHOCK ABSORBING LINER, CONSTRUCTED WITH SPACER FABRIC, REDUCES SHOCK BY APPROXIMATELY 50% PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION. GOOD THERMAL REQUIATION. SIZE APPROXIMATELY 32CM - 6MM THICKNESS | EA | ITEMIZED | 10 |
| 2183 | 4224200449800 | SILICONE SHOCK ABSORBING LINER 35CM 6MM | SILICONE - SHOCK ABSORBING LINER, CONSTRUCTED WITH SPACER FABRIC, REDUCES SHOCK BY APPROXIMATELY 50% PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION. GOOD THERMAL REGULATION. SIZE APPROXIMATELY 35CM - 6MM THICKNESS | EA | ITEMIZED | 10 |
| 2184 | 4224200450000 | SILICONE SHOCK ABSORBING LINER 38CM 6MM | SILICONE - SHOCK ABSORBING LINER, CONSTRUCTED WITH SPACER FABRIC, REDUCES SHOCK BY APPROXIMATELY 50% PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION. GOOD THERMAL REGULATION. SIZE APPROXIMATELY 38CM - 6MM THICKNESS | EA | ITEMIZED | 10 |
| 2185 | 4224200450200 | SILICONE SHOCK ABSORBING LINER 41CM 6MM | SILICONE - SHOCK ABSORBING LINER, CONSTRUCTED WITH SPACER FABRIC, REDUCES SHOCK BY APPROXIMATELY 50% PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION. GOOD THERMAL REGULATION. SIZE APPROXIMATELY 41CM - 6MM THICKNESS | EA | ITEMIZED | 10 |
| 2186 | 4224200450400 | SILICONE SHOCK ABSORBING LINER 44CM 6MM | SILICONE - SHOCK ABSORBING LINER, CONSTRUCTED WITH SPACER FABRIC, REDUCES SHOCK BY APPROXIMATELY 50% PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION. GOOD THERMAL REGULATION. SIZE APPROXIMATELY 44CM - 6MM THICKNESS | EA | ITEMIZED | 10 |
| 2187 | 4224200443900 | LOCKING TPE GEL LINER ANTIOXID 16CM 3MM | LOCKING THERMOPLASTIC ELASTOMER (TPE) GEL - LINER WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC, VASCULAR AND GERIATRIC PATIENTS SIZE APPROXIMATELY 16CM - 3MM THICKNESS                                                                                                          | EA | ITEMIZED | 10 |
| 2188 | 4224200444100 | LOCKING TPE GEL LINER ANTIOXID 20CM 3MM | LOCKING THERMOPLASTIC ELASTOMER (TPE) GEL - LINER WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC, VASCULAR AND GERIATRIC PATIENTS SIZE APPROXIMATELY 20CM - 3MM THICKNESS                                                                                                          | EA | ITEMIZED | 10 |
| 2189 | 4224200444300 | LOCKING TPE GEL LINER ANTIOXID 24CM 3MM | LOCKING THERMOPLASTIC ELASTOMER (TPE) GEL - LINER WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC, VASCULAR AND GERIATRIC PATIENTS SIZE APPROXIMATELY 24CM - 3MM THICKNESS                                                                                                          | EA | ITEMIZED | 10 |
| 2190 | 4224200444500 | LOCKING TPE GEL LINER ANTIOXID 26CM 3MM | LOCKING THERMOPLASTIC ELASTOMER (TPE) GEL - LINER<br>WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC, VASCULAR<br>AND GERIATRIC PATIENTS SIZE APPROXIMATELY 26CM - 3MM<br>THICKNESS                                                                                                 | EA | ITEMIZED | 10 |
| 2191 | 4224200444700 | LOCKING TPE GEL LINER ANTIOXID 28CM 3MM | LOCKING THERMOPLASTIC ELASTOMER (TPE) GEL - LINER<br>WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC, VASCULAR<br>AND GERIATRIC PATIENTS SIZE APPROXIMATELY 28CM - 3MM<br>THICKNESS                                                                                                 | EA | ITEMIZED | 10 |
| 2192 | 4224200444900 | LOCKING TPE GEL LINER ANTIOXID 32CM 3MM | LOCKING THERMOPLASTIC ELASTOMER (TPE) GEL - LINER<br>WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC, VASCULAR<br>AND GERIATRIC PATIENTS SIZE APPROXIMATELY 32CM - 3MM<br>THICKNESS                                                                                                 | EA | ITEMIZED | 10 |
| 2193 | 4224200445100 | LOCKING TPE GEL LINER ANTIOXID 38CM 3MM | LOCKING THERMOPLASTIC ELASTOMER (TPE) GEL - LINER<br>WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC, VASCULAR<br>AND GERIATRIC PATIENTS SIZE APPROXIMATELY 38CM - 3MM<br>THICKNESS                                                                                                 | EA | ITEMIZED | 10 |
| 2194 | 4224200445300 | LOCKING TPE GEL LINER ANTIOXID 44CM 3MM | LOCKING THERMOPLASTIC ELASTOMER (TPE) GEL - LINER<br>WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC, VASCULAR<br>AND GERIATRIC PATIENTS SIZE APPROXIMATELY 44CM - 3MM<br>THICKNESS                                                                                                 | EA | ITEMIZED | 10 |
| 2195 | 4224200444000 | LOCKING TPE GEL LINER ANTIOXID 16CM 6MM | LOCKING THERMOPLASTIC ELASTOMER (TPE) GEL - LINER<br>WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC, VASCULAR<br>AND GERIATRIC PATIENTS SIZE APPROXIMATELY 16CM - 6MM<br>THICKNESS                                                                                                 | EA | ITEMIZED | 10 |
| 2196 | 4224200444200 | LOCKING TPE GEL LINER ANTIOXID 20CM 6MM | LOCKING THERMOPLASTIC ELASTOMER (TPE) GEL - LINER WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC, VASCULAR AND GERIATRIC PATIENTS SIZE APPROXIMATELY 20CM - 6MM THICKNESS                                                                                                          | EA | ITEMIZED | 10 |
| 2197 | 4224200444400 | LOCKING TPE GEL LINER ANTIOXID 24CM 6MM | LOCKING THERMOPLASTIC ELASTOMER (TPE) GEL - LINER WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC, VASCULAR AND GERIATRIC PATIENTS SIZE APPROXIMATELY 24CM - 6MM THICKNESS                                                                                                          | EA | ITEMIZED | 10 |
| 2198 | 4224200444600 | LOCKING TPE GELLINER ANTIOXID 26CM 6MM  | LOCKING THERMOPLASTIC ELASTOMER (TPE) GEL - LINER<br>WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC, VASCULAR<br>AND GERIATRIC PATIENTS SIZE APPROXIMATELY 26CM - 6MM<br>THICKNESS                                                                                                 | EA | ITEMIZED | 10 |
| 2199 | 4224200444800 | LOCKING TPE GELLINER ANTIOXID 28CM 6MM  | LOCKING THERMOPLASTIC ELASTOMER (TPE) GEL - LINER WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC, VASCULAR AND GERIATRIC PATIENTS SIZE APPROXIMATELY 28CM - 6MM THICKNESS                                                                                                          | EA | ITEMIZED | 10 |
| 2200 | 4224200445000 | LOCKING TPE GEL LINER ANTIOXID 32CM 6MM | LOCKING THERMOPLASTIC ELASTOMER (TPE) GEL - LINER WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC, VASCULAR AND GERIATRIC PATIENTS SIZE APPROXIMATELY 32CM - 6MM THICKNESS                                                                                                          | EA | ITEMIZED | 10 |
| 2201 | 4224200445200 | LOCKING TPE GEL LINER ANTIOXID 38CM 6MM | LOCKING THERMOPLASTIC ELASTOMER (TPE) GEL - LINER<br>WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC, VASCULAR<br>AND GERIATRIC PATIENTS SIZE APPROXIMATELY 38CM - 6MM<br>THICKNESS                                                                                                 | EA | ITEMIZED | 10 |

6/21/2022 Page 158 of 160

| 445400 | LOCKING TPE GEL LINER ANTIOXID 44CM 6MM                                                                  | LOCKING THERMOPLASTIC ELASTOMER (TPE) GEL - LINER<br>WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC, VASCULAR<br>AND GERIATRIC PATIENTS SIZE APPROXIMATELY 44CM - 6MM<br>THICKNESS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | EA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | ITEMIZED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 10                                                                                 |
|--------|----------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|
| 452900 | TAPERD LOCK TPE LINER ANTIOXI 16CM 6X3MM                                                                 | TAPERED LOCKING THERMOPLASTIC ELASTOMER (TPE) GEL-<br>LINER WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC,<br>VASCULAR AND GERIATRIC PATIENTS SIZE APPROXIMATELY<br>16CM - 6MM FRONT 3MM REAR THICKNESS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | EA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | ITEMIZED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 10                                                                                 |
| 453000 | TAPERD LOCK TPE LINER ANTIOXI 20CM 6X3MM                                                                 | TAPERED LOCKING THERMOPLASTIC ELASTOMER (TPE) GEL-<br>LINER WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC,<br>VASCULAR AND GERIATRIC PATIENTS SIZE APPROXIMATELY<br>20CM - 6MM FRONT 3MM REAR THICKNESS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | EA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | ITEMIZED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 10                                                                                 |
| 453100 | TAPERD LOCK TPE LINER ANTIOXI 24CM 6X3MM                                                                 | TAPERED LOCKING THERMOPLASTIC ELASTOMER (TPE) GEL-<br>LINER WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC,<br>VASCULAR AND GERIATRIC PATIENTS SIZE APPROXIMATELY<br>24CM - 6MM FRONT 3MM REAR THICKNESS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | EA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | ITEMIZED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 10                                                                                 |
| 453200 | TAPERD LOCK TPE LINER ANTIOXI 26CM 6X3MM                                                                 | TAPERED LOCKING THERMOPLASTIC ELASTOMER (TPE) GEL-<br>LINER WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC,<br>VASCULAR AND GERIATRIC PATIENTS SIZE APPROXIMATELY<br>26CM - 6MM FRONT 3MM REAR THICKNESS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | EA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | ITEMIZED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 10                                                                                 |
| 453300 | TAPERD LOCK TPE LINER ANTIOXI 28CM 6X3MM                                                                 | TAPERED LOCKING THERMOPLASTIC ELASTOMER (TPE) GEL-<br>LINER WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC,<br>VASCULAR AND GERIATRIC PATIENTS SIZE APPROXIMATELY<br>28CM - 6MM FRONT 3MM REAR THICKNESS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | EA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | ITEMIZED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 10                                                                                 |
| 453400 | TAPERD LOCK TPE LINER ANTIOXI 32CM 6X3MM                                                                 | TAPERED LOCKING THERMOPLASTIC ELASTOMER (TPE) GEL-<br>LINER WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC,<br>VASCULAR AND GERIATRIC PATIENTS SIZE APPROXIMATELY<br>32CM - 6MM FRONT 3MM REAR THICKNESS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | EA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | ITEMIZED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 10                                                                                 |
| 453500 | TAPERD LOCK TPE LINER ANTIOXI 38CM 6X3MM                                                                 | TAPERED LOCKING THERMOPLASTIC ELASTOMER (TPE) GEL-<br>LINER WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC,<br>VASCULAR AND GERIATRIC PATIENTS SIZE APPROXIMATELY<br>38CM - 6MM FRONT 3MM REAR THICKNESS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | EA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | ITEMIZED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 10                                                                                 |
| 453600 | TAPERD LOCK TPE LINER ANTIOXI 44CM 6X3MM                                                                 | TAPERED LOCKING THERMOPLASTIC ELASTOMER (TPE) GEL-<br>LINER WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC,<br>VASCULAR AND GERIATRIC PATIENTS SIZE APPROXIMATELY<br>44CM - 6MM FRONT 3MM REAR THICKNESS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | EA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | ITEMIZED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 10                                                                                 |
| 452100 | TAPERED TPE GEL LINER ANTIOXD 16CM 6X3MM                                                                 | TAPERED CUSHION THERMOPLASTIC ELASTOMER (TPE) GEL-<br>LINER WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC,<br>VASCULAR AND GERIATRIC PATIENTS SIZE APPROXIMATELY<br>16CM - 6MM FRONT 3MM REAR THICKNESS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | EA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | ITEMIZED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 10                                                                                 |
| 452200 | TAPERED TPE GEL LINER ANTIOXD 20CM 6X3MM                                                                 | TAPERED CUSHION THERMOPLASTIC ELASTOMER (TPE) GEL-<br>LINER WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC,<br>VASCULAR AND GERIATRIC PATIENTS SIZE APPROXIMATELY<br>20CM - 6MM FRONT 3MM REAR THICKNESS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | EA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | ITEMIZED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 10                                                                                 |
| 452300 | TAPERED TPE GEL LINER ANTIOXD 24CM 6X3MM                                                                 | TAPERED CUSHION THERMOPLASTIC ELASTOMER (TPE) GEL-<br>LINER WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC,<br>VASCULAR AND GERIATRIC PATIENTS SIZE APPROXIMATELY<br>24CM - 6MM FRONT 3MM REAR THICKNESS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | EA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | ITEMIZED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 10                                                                                 |
| 452400 | TAPERED TPE GEL LINER ANTIOXD 26CM 6X3MM                                                                 | TAPERED CUSHION THERMOPLASTIC ELASTOMER (TPE) GEL-<br>LINER WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC,<br>VASCULAR AND GERIATRIC PATIENTS SIZE APPROXIMATELY<br>26CM - 6MM FRONT 3MM REAR THICKNESS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | EA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | ITEMIZED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 10                                                                                 |
| 452500 | TAPERED TPE GEL LINER ANTIOXD 28CM 6X3MM                                                                 | TAPERED CUSHION THERMOPLASTIC ELASTOMER (TPE) GEL-<br>LINER WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC,<br>VASCULAR AND GERIATRIC PATIENTS SIZE APPROXIMATELY<br>28CM - 6MM FRONT 3MM REAR THICKNESS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | EA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | ITEMIZED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 10                                                                                 |
| 452600 | TAPERED TPE GEL LINER ANTIOXD 32CM 6X3MM                                                                 | TAPERED CUSHION THERMOPLASTIC ELASTOMER (TPE) GEL-<br>LINER WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC,<br>VASCULAR AND GERIATRIC PATIENTS SIZE APPROXIMATELY<br>32CM - 6MM FRONT 3MM REAR THICKNESS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | EA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | ITEMIZED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 10                                                                                 |
| 452700 | TAPERED TPE GEL LINER ANTIOXD 38CM 6X3MM                                                                 | TAPERED CUSHION THERMOPLASTIC ELASTOMER (TPE) GEL-<br>LINER WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC,<br>VASCULAR AND GERIATRIC PATIENTS SIZE APPROXIMATELY<br>38CM - 6MM FRONT 3MM REAR THICKNESS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | EA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | ITEMIZED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 10                                                                                 |
| 452800 | TAPERED TPE GEL LINER ANTIOXD 44CM 6X3MM                                                                 | TAPERED CUSHION THERMOPLASTIC ELASTOMER (TPE) GEL-<br>LINER WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC,<br>VASCULAR AND GERIATRIC PATIENTS SIZE APPROXIMATELY<br>44CM - 6MM FRONT 3MM REAR THICKNESS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | EA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | ITEMIZED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 10                                                                                 |
| 435500 | CUSHION TPE GEL LINER ANTIOXID 16CM 3MM                                                                  | CUSHION THERMOPLASTIC ELASTOMER (TPE) GEL - LINER WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC, VASCULAR AND GERIATRIC PATIENTS SIZE APPROXIMATELY 16CM - 3MM THICKNESS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | EA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | ITEMIZED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 10                                                                                 |
| 435700 | CUSHION TPE GEL LINER ANTIOXID 20CM 3MM                                                                  | CUSHION THERMOPLASTIC ELASTOMER (TPE) GEL - LINER WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC, VASCULAR AND GERIATRIC PATIENTS SIZE APPROXIMATELY 20CM - 3MM THICKNESS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | EA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | ITEMIZED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 10                                                                                 |
| 435900 | CUSHION TPE GEL LINER ANTIOXID 24CM 3MM                                                                  | CUSHION THERMOPLASTIC ELASTOMER (TPE) GEL - LINER WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC, VASCULAR AND GERIATRIC PATIENTS SIZE APPROXIMATELY 24CM - 3MM THICKNESS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | EA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | ITEMIZED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 10                                                                                 |
| 436100 | CUSHION TPE GEL LINER ANTIOXID 26CM 3MM                                                                  | CUSHION THERMOPLASTIC ELASTOMER (TPE) GEL - LINER WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC, VASCULAR AND GERIATRIC PATIENTS SIZE APPROXIMATELY 26CM - 3MM THICKNESS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | EA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | ITEMIZED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 10                                                                                 |
| 436300 | CUSHION TPE GEL LINER ANTIOXID 28CM 3MM                                                                  | CUSHION THERMOPLASTIC ELASTOMER (TPE) GEL - LINER WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC, VASCULAR AND GERIATRIC PATIENTS SIZE APPROXIMATELY 28CM - 3MM THICKNESS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | EA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | ITEMIZED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 10                                                                                 |
|        | 452900 453000 453100 453200 453300 453400 453500 452200 452200 452400 452500 452500 435700 435700 436300 | TAPERD LOCK TPE LINER ANTIOXI 16CM 6X3MM  TAPERD LOCK TPE LINER ANTIOXI 20CM 6X3MM  TAPERD LOCK TPE LINER ANTIOXI 24CM 6X3MM  TAPERD LOCK TPE LINER ANTIOXI 26CM 6X3MM  TAPERD LOCK TPE LINER ANTIOXI 28CM 6X3MM  TAPERD LOCK TPE LINER ANTIOXI 32CM 6X3MM  TAPERD LOCK TPE LINER ANTIOXI 34CM 6X3MM  TAPERD TPE GEL LINER ANTIOXD 16CM 6X3MM  TAPERD TPE GEL LINER ANTIOXD 20CM 6X3MM  TAPERD TPE GEL LINER ANTIOXD 24CM 6X3MM  TAPERD TPE GEL LINER ANTIOXD 28CM 6X3MM  TAPERD TPE GEL LINER ANTIOXD 28CM 6X3MM  TAPERD TPE GEL LINER ANTIOXD 32CM 6X3MM  TAPERD TPE GEL LINER ANTIOXD 34CM 6X3MM  TAPERD TPE GEL LINER ANTIOXD 34CM 6X3MM  TAPERD TPE GEL LINER ANTIOXD 34CM 6X3MM  CUSHION TPE GEL LINER ANTIOXD 34CM 6X3MM  CUSHION TPE GEL LINER ANTIOXID 26CM 3MM  CUSHION TPE GEL LINER ANTIOXID 26CM 3MM | ADDITIONAL IPE DELINER ANTIQUE SECON GENERAL AND SECON GENERAL PROPERTY SECON FROM SEASON FROM THE SECON FOR LINES ANTIQUE SECON GENERAL PROPERTY SECON FROM SEASON FROM THE SECON FROM SEASON FROM SE | AND GERMANE ARTERISTS ESE APPROXIMATELY ACCUSATION TO A CONTROLLED THE LINES ANTION SIGN GERMAN CONTROLLED THE CONTROLLED ANTION SIGN GERMAN CONTROLLED THE CONTROLLED ANTION SIGN GERMAN CONTROLLED THE CONTROLLED ANTION SIGN GERMAN CONTROLLED ANTI | ACCESSION   THE LICENSHIP BLOCK THE LINES ANTIQUE SECK ASSISSABILITY ACCESS - SAME |

6/21/2022 Page 159 of 160

| 2224 | 4224200436500 | CUSHION TPE GEL LINER ANTIOXID 32CM 3MM  | CUSHION THERMOPLASTIC ELASTOMER (TPE) GEL - LINER<br>WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC, VASCULAR<br>AND GERIATRIC PATIENTS SIZE APPROXIMATELY 32CM - 3MM<br>THICKNESS | EA | ITEMIZED | 10  |
|------|---------------|------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|----------|-----|
| 2225 | 4224200436700 | CUSHION TPE GEL LINER ANTIOXID 38CM 3MM  | CUSHION THERMOPLASTIC ELASTOMER (TPE) GEL - LINER<br>WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC, VASCULAR<br>AND GERIATRIC PATIENTS SIZE APPROXIMATELY 38CM - 3MM<br>THICKNESS | EA | ITEMIZED | 10  |
| 2226 | 4224200436900 | CUSHION TPE GEL LINER ANTIOXID 44CM 3MM  | CUSHION THERMOPLASTIC ELASTOMER (TPE) GEL - LINER<br>WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC, VASCULAR<br>AND GERIATRIC PATIENTS SIZE APPROXIMATELY 44CM - 3MM<br>THICKNESS | EA | ITEMIZED | 10  |
| 2227 | 4224200435600 | CUSHION TPE GEL LINER ANTIOXID 16CM 6MM  | CUSHION THERMOPLASTIC ELASTOMER (TPE) GEL - LINER<br>WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC, VASCULAR<br>AND GERIATRIC PATIENTS SIZE APPROXIMATELY 16CM - 6MM<br>THICKNESS | EA | ITEMIZED | 10  |
| 2228 | 4224200435800 | CUSHION TPE GEL LINER ANTIOXID 20CM 6MM  | CUSHION THERMOPLASTIC ELASTOMER (TPE) GEL - LINER<br>WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC, VASCULAR<br>AND GERIATRIC PATIENTS SIZE APPROXIMATELY 20CM - 6MM<br>THICKNESS | EA | ITEMIZED | 10  |
| 2229 | 4224200436000 | CUSHION TPE GEL LINER ANTIOXID 24CM 6MM  | CUSHION THERMOPLASTIC ELASTOMER (TPE) GEL - LINER<br>WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC, VASCULAR<br>AND GERIATRIC PATIENTS SIZE APPROXIMATELY 24CM - 6MM<br>THICKNESS | EA | ITEMIZED | 10  |
| 2230 | 4224200436200 | CUSHION TPE GEL LINER ANTIOXID 26CM 6MM  | CUSHION THERMOPLASTIC ELASTOMER (TPE) GEL - LINER<br>WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC, VASCULAR<br>AND GERIATRIC PATIENTS SIZE APPROXIMATELY 26CM - 6MM<br>THICKNESS | EA | ITEMIZED | 10  |
| 2231 | 4224200436400 | CUSHION TPE GEL LINER ANTIOXID 28CM 6MM  | CUSHION THERMOPLASTIC ELASTOMER (TPE) GEL - LINER<br>WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC, VASCULAR<br>AND GERIATRIC PATIENTS SIZE APPROXIMATELY 28CM - 6MM<br>THICKNESS | EA | ITEMIZED | 10  |
| 2232 | 4224200436600 | CUSHION TPE GEL LINER ANTIOXID 32CM 6MM  | CUSHION THERMOPLASTIC ELASTOMER (TPE) GEL - LINER<br>WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC, VASCULAR<br>AND GERIATRIC PATIENTS SIZE APPROXIMATELY 32CM - 6MM<br>THICKNESS | EA | ITEMIZED | 10  |
| 2233 | 4224200436800 | CUSHION TPE GEL LINER ANTIOXID 38CM 6MM  | CUSHION THERMOPLASTIC ELASTOMER (TPE) GEL - LINER<br>WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC, VASCULAR<br>AND GERIATRIC PATIENTS SIZE APPROXIMATELY 38CM - 6MM<br>THICKNESS | EA | ITEMIZED | 10  |
| 2234 | 4224200437000 | CUSHION TPE GEL LINER ANTIOXID 44CM 6MM  | CUSHION THERMOPLASTIC ELASTOMER (TPE) GEL - LINER<br>WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC, VASCULAR<br>AND GERIATRIC PATIENTS SIZE APPROXIMATELY 44CM - 6MM<br>THICKNESS | EA | ITEMIZED | 10  |
| 2235 | 4224200450500 | SUSTAINABLE GEL LINER 70-75% 16CM 3MM    | SUSTAINABLE GEL LINER - 70-75%. RENEWABLE CONTENT,<br>MADE WITH ENVIRONMENTALLY RESPONSIBLE MATERIALS<br>SIZE APPROXIMATELY 16CM - 3MM THICKNESS                               | EA | ITEMIZED | 10  |
| 2236 | 4224200450700 | SUSTAINABLE GEL LINER 70-75% 20CM 3MM    | SUSTAINABLE GEL LINER - 70-75%. RENEWABLE CONTENT, MADE WITH ENVIRONMENTALLY RESPONSIBLE MATERIALS SIZE APPROXIMATELY 20CM - 3MM THICKNESS                                     | EA | ITEMIZED | 10  |
| 2237 | 4224200450900 | SUSTAINABLE GEL LINER 70-75% 24CM 3MM    | SUSTAINABLE GEL LINER - 70-75%. RENEWABLE CONTENT, MADE WITH ENVIRONMENTALLY RESPONSIBLE MATERIALS SIZE APPROXIMATELY 24CM - 3MM THICKNESS                                     | EA | ITEMIZED | 10  |
| 2238 | 4224200451100 | SUSTAINABLE GEL LINER 70-75% 26CM 3MM    | SUSTAINABLE GEL LINER - 70-75%. RENEWABLE CONTENT, MADE WITH ENVIRONMENTALLY RESPONSIBLE MATERIALS SIZE APPROXIMATELY 26CM - 3MM THICKNESS                                     | EA | ITEMIZED | 10  |
| 2239 | 4224200451300 | SUSTAINABLE GEL LINER 70-75% 28CM 3MM    | SUSTAINABLE GEL LINER - 70-75%. RENEWABLE CONTENT, MADE WITH ENVIRONMENTALLY RESPONSIBLE MATERIALS SIZE APPROXIMATELY 28CM - 3MM THICKNESS                                     | EA | ITEMIZED | 10  |
| 2240 | 4224200451500 | SUSTAINABLE GEL LINER 70-75% 32CM 3MM    | SUSTAINABLE GEL LINER - 70-75%. RENEWABLE CONTENT, MADE WITH ENVIRONMENTALLY RESPONSIBLE MATERIALS SIZE APPROXIMATELY 32CM - 3MM THICKNESS                                     | EA | ITEMIZED | 10  |
| 2241 | 4224200451700 | SUSTAINABLE GEL LINER 70-75% 38CM 3MM    | SUSTAINABLE GEL LINER - 70-75%. RENEWABLE CONTENT, MADE WITH ENVIRONMENTALLY RESPONSIBLE MATERIALS SIZE APPROXIMATELY 38CM - 3MM THICKNESS                                     | EA | ITEMIZED | 10  |
| 2242 | 4224200451900 | SUSTAINABLE GEL LINER 70-75% 44CM 3MM    | SUSTAINABLE GEL LINER - 70-75%. RENEWABLE CONTENT, MADE WITH ENVIRONMENTALLY RESPONSIBLE MATERIALS SIZE APPROXIMATELY 44CM - 3MM THICKNESS                                     | EA | ITEMIZED | 10  |
| 2243 | 4224200450600 | SUSTAINABLE GEL LINER 70-75% 16CM 6MM    | SUSTAINABLE GEL LINER - 70-75%. RENEWABLE CONTENT, MADE WITH ENVIRONMENTALLY RESPONSIBLE MATERIALS SIZE APPROXIMATELY 16CM - 6MM THICKNESS                                     | EA | ITEMIZED | 10  |
| 2244 | 4224200450800 | SUSTAINABLE GEL LINER 70-75% 20CM 6MM    | SUSTAINABLE GEL LINER - 70-75%. RENEWABLE CONTENT, MADE WITH ENVIRONMENTALLY RESPONSIBLE MATERIALS SIZE APPROXIMATELY 20CM - 6MM THICKNESS                                     | EA | ITEMIZED | 10  |
| 2245 | 4224200451000 | SUSTAINABLE GEL LINER 70-75% 24CM 6MM    | SUSTAINABLE GEL LINER - 70-75%. RENEWABLE CONTENT, MADE WITH ENVIRONMENTALLY RESPONSIBLE MATERIALS SIZE APPROXIMATELY 24CM - 6MM THICKNESS                                     | EA | ITEMIZED | 10  |
| 2246 | 4224200451200 | SUSTAINABLE GEL LINER 70-75% 26CM 6MM    | SUSTAINABLE GEL LINER - 70-75%. RENEWABLE CONTENT, MADE WITH ENVIRONMENTALLY RESPONSIBLE MATERIALS SIZE APPROXIMATELY 26CM - 6MM THICKNESS                                     | EA | ITEMIZED | 10  |
| 2247 | 4224200451400 | SUSTAINABLE GEL LINER 70-75% 28CM 6MM    | SUSTAINABLE GEL LINER - 70-75%. RENEWABLE CONTENT, MADE WITH ENVIRONMENTALLY RESPONSIBLE MATERIALS SIZE APPROXIMATELY 28CM - 6MM THICKNESS                                     | EA | ITEMIZED | 10  |
| 2248 | 4224200451600 | SUSTAINABLE GEL LINER 70-75% 32CM 6MM    | SUSTAINABLE GEL LINER - 70-75%. RENEWABLE CONTENT, MADE WITH ENVIRONMENTALLY RESPONSIBLE MATERIALS SIZE APPROXIMATELY 32CM - 6MM THICKNESS                                     | EA | ITEMIZED | 10  |
| 2249 | 4224200451800 | SUSTAINABLE GEL LINER 70-75% 38CM 6MM    | SUSTAINABLE GEL LINER - 70-75%. RENEWABLE CONTENT, MADE WITH ENVIRONMENTALLY RESPONSIBLE MATERIALS SIZE APPROXIMATELY 38CM - 6MM THICKNESS                                     | EA | ITEMIZED | 10  |
| 2250 | 4224200452000 | SUSTAINABLE GEL LINER 70-75% 44CM 6MM    | SUSTAINABLE GEL LINER - 70-75%. RENEWABLE CONTENT, MADE WITH ENVIRONMENTALLY RESPONSIBLE MATERIALS SIZE APPROXIMATELY 44CM - 6MM THICKNESS                                     | EA | ITEMIZED | 10  |
| 2251 | 4224200036900 | FILLAUER SHUTTLE LOCK GRN 1-1/2" PLUNGER | FILLAUER, SHUTTLE LOCK, CYLINDRICAL LOCK, DELRIN<br>MATERIAL, GREEN, WITH 1-1/2 INCH PLUNGER                                                                                   | EA | ITEMIZED | 100 |
| 2252 | 4224200036800 | FILLAUER PLUNGER 2IN WITH 1/4IN THREAD   | FILLAUER, PLUNGER 2 INCH, WITH 1/4 INCH THREAD, FOR<br>SHUTTLE LOCK CYLINDRICAL                                                                                                | EA | ITEMIZED | 100 |

6/21/2022 Page 160 of 160