ENDER NA	JMBER : NPT0050/2 AME : Prosthetics Or					,			Preliminary Result
SN 1	NUPCO Code 4224200016300	Item Description 2 - COMPONENT ADHESIVE SETTING TIME, 60 SECOND, IDEAL TO SECURE ADAPTER TO	GROUP	UOM each	Vendor No 400050	Vendor Name Al-EWAN MEDICAL COMPANY -Orig-	Manufacturer OSSUR	Catalog No FSX80015	Country
2	4224200152700	SOCKET DURING TRIAL FITTING 3 D SILICONE LINER FOR TRIANS - FEMORAL AMPUTEES, WITH DISTAL CONNECTION, WITH THE ANTIBACTERIAL ADDITIVE IN THE LINER MATERIAL PROTECTS THE LINER FROM BACTERIA AND THUS PREVENTS UNPLEASANT ODORS FROM DEVELOPING, COMPORT TO THE AMPUTEES WHO HAVE A LARGE AMOUNT OF SOFT TISSUE, THE ADAPTS BY INITIALLY TAPERING IN THE DISTAL AREA SO THAT SENSITIVE SOFT TISSUE IS GENTLY CUSHIONED AND NOT CONSTRICTED OR PUSHED UPWARDS. THE UPPER SECTION OF THE LINER IS CYLINDRICAL IN SHAPE, ROPP - SHAPED TEXTILE INLAY IN THE LINER'S FABRIC ACTS AS POSITIONISHOLD FOR ATTACHING THE LANYARD SYSTEM, SIZE 280 MM, APPROXIMATELY	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	6Y88=280	Germany
3	4224200112900	3 D SILICONE LINER FOR TRANS - FEMORAL AMPUTEES, WITH DISTAL CONNECTION, WITH THE ANTRACTERIAL ADDITIVE IN THE LINER MATERIAL PROTECTS THE LUNER FROM BACTERIA AND THUS PREVENTS UNPLEASANT ODORS FROM DEVELOPING, COMFORT TO THE AMPUTEES WHO HAVE A LARGE AMOUNT OF SOFT TISSUE, THE ADAPTS INITIALLY TAPERING IN THE DISTAL AREA SO THAT SENSITIVE SOFT TISSUE IS GENTLY CUSHIONED AND NOT CONSTRICTED OR PUSHED UPWARDS. THE UPPER SECTION OF THE LINER IS CYLINDRICAL IN SHAPE, DROP - SHAPED TEXTILE INLAY IN THE LINER'S FABRIC ACTS AS A POSITIONING AID FOR ATTACHING THE LANYARD SYSTEM, SIZE 320 MM, APPROXIMATELY	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	6Y88=320	Germany
4	4224200152800	3 D SILICONE LINER FOR TRANS - FEMORAL AMPUTEES, WITH DISTAL CONNECTION, WITH THE ANTIBACTERIAL ADDITIVE IN THE LINER MATERIAL PROTECTS THE LINER FROM BACTERIA AND THUS PREVENTS UNPLEASANT ODORS FROM DEVELOPING, COMPORT TO THE AMPUTEES WHO HAVE A LARGE AMOUNT OF SOFT TISSUE, THE ADAPTS BY INITIALLY TAPERING IN THE DISTAL AREA SO THAT SENSITIVES SOFT TISSUE IS GENTY CUSHONED AND NOT CONSTRICTED OR PUSHED UPWARDS. THE UPPER SECTION OF THE LINER IS CYLINDRICAL IN SHAPE, DROPSHAPED TEXTILE INLAY IN THE LINER'S FABRIC ACTS AS A POSITIONING AID FOR ATTACHING THE LAWAYRD SYSTEM, SUZ 340 MM, APPOXIMATELY	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	6Y88=340	Germany
5	4224200107200	3 D SILCONE LINER FOR TRANS FEMORAL AMPUTEES, WITH DISTAL CONNECTION, WITH THE ANTIBACTERIAL ADDITIVE IN THE LINER MATERIAL PROTECTS THE LINER FROM BACTERIA AND THUS PREVENTS UNPLEASANT ODORS FROM DEVELOPING, COMFORT TO THE AMPUTEES WHO HAVE A LARGE AMOUNT OF SOFT TISSUE, THE ADAPTS BY INITIALLY TAPERING IN THE DISTAL AREA SO THAT SENSITIVES SOFT TISSUE IS GENTY CUSHOMED AND NOT CONSTRICTED OR PUSHED UPWARDS. THE UPPER SECTION OF THE LINER IS CYLINDRICAL IN SHARP, DROP SHAPED TEXTILE INLAY IN THE LINER'S FABRIC ACTS AS A POSITIONING AID FOR ATTACHING THE LAWAYRD SYSTEM, 32E 360 MM, APPOXIMATELY	ITEMIZED	each	400571	AL Gaim Comm. Est Orig-	Ottobock	6Y88=360	Germany
6	4224200115200	3 D SILICONE LINER FOR TRANS - FEMORAL AMPUTEES, WITH DISTAL CONNECTION, WITH THE ANTIBACTERIAL ADDITIVE IN THE LINER MATERIAL PROTECTS THE LINER FROM BACTERIA. AND THUS PREVENTS UNRICEASANT DONES FROM DEVELOPING, COMPORT TO THE AMPUTEES WHO HAVE A LARGE AMOUNT OF SOFT TISSUE, THE ADAPTS BY INITIALLY TAPERING IN THE DISTAL AREA SO THAT SENSITIVE SOFT TISSUE IS GENTLY CUSHIONED AND NOT CONSTRICTED OR PUSHED UPWARDS. THE UPPER SECTION OF THE LINER IS CYLINDRICAL IN SHARP, DROP. SHAPED TEXTILE INLAY IN THE LINER'S FABRIC ACTS AS A POSITIONING AID FOR ATTACHING THE LAWAYRA OSYSTEM, SUZ 830 MM, APPOXIMATELY	ITEMIZED	each	400571	AL Gaim Comm. Est Orig-	Ottobock	6Y88=380	Germany
7	4224200115400	3 D SILICONE LINER FOR TRANS - FEMORAL AMPUTEES, WITH DISTAL CONNECTION, WITH THE ANTIBIACTERIAL ADDITIVE IN THE LINER MATERIAL PROTECTS THE LINER FROM BACTERIA. AND THUS PREVENTS UNRICEASANT DONES FROM DEVELOPING, COMPORT TO THE AMPUTEES WHO HAVE A LARGE AMOUNT OF SOFT TISSUE, THE ADAPTS BY INITIALLY TAPERING. IN THE DISTAL AREA SO THAT SENSITIVES SOFT TISSUE IS GENTLY CUSHONDE AND NOT CONSTRICTED OR PUSHED UPWARDS. THE UPPER SECTION OF THE LINER IS CYLIDRICAL IN SHARP, DROP. SHAPED TEXTILE INLAY IN THE LINER'S FABRIC ACTS AS A POSITIONING AID FOR ATTACHING THE LAWAYRA OSYSTEM, JUST 240 DMM, APPOXIMATELY	ITEMIZED	each	400571	AL Gaim Comm. Est Orig-	Ottobock	6Y88=400	Germany
8	4224200115600	3 D SILICONE LINER FOR TRANS - FEMORAL AMPUTEES, WITH DISTAL CONNECTION, WITH THE ANTIBACTERIAL ADDITIVE IN THE LINER MATERIAL PROTECTS THE LINER FROM BACTERIA. AND THUS PREVENTS UNRICEASANT DONES FROM DEVELOPING, COMPORT TO THE AMPUTEES WHO HAVE A LARGE AMOUNT OF SOFT TISSUE, THE ADAPTS BY INITIALLY. TAPERINIO, IT HE DISTAL AREA SO THAT SENSITIVES SOFT TISSUE IS GENTLY CUSHOMED AND NOT CONSTRICTED OR PUSHED UPWARDS, THE UPPER SECTION OF THE LINER IS CYLINDRICAL IN SHARP, DROP. SHAPED TEXTILE INLAY IN THE LINER'S FABRIC ACTS AS A POSITIONING AID FOR ATTACHING THE LAWAYRD SYSTEM, SUZE 458 DMM, APPOXIMATELY	ITEMIZED	each	400571	AL Gaim Comm. Est Orig-	Ottobock	6Y88=450	Germany
9	4224200300200	4 - HOLE MALE PYRAMID, ALUMINUM WITH STAINLESS STEEL INSERT, HEIGHT 23.5 MM, BUILD HEIGHT 9 MM, WEIGHT 62 GRAMS, WEIGHT CAPACITY IS UP TO 100 KG	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	OSSUR	A-233100	Mexico
10	4224200431700	A PROSTHETIC SOCKS (STRETCHABLE) DESIGNED TO BE WORN UNDER A SUSPENSION LINER NEXT TO THE SKIN. RELIEVES SKIN SHEAR IRRITATIONS AND IMPROVES COMFORT WITH LINERS. SIZE EXTRA SHORT	ITEMIZED	each	400504	Stars Tech Medical -Orig-	Ihle	22 000 011 20	Germany
11	4224200431800	A PROSTHETIC SOCKS (STRETCHABLE) DESIGNED TO BE WORN UNDER A SUSPENSION LINER NEXT TO THE SKIN. RELIEVES SKIN SHEAR IRRITATIONS AND IMPROVES COMFORT WITH	ITEMIZED	each	400504	Stars Tech Medical -Orig-	Ihle	22 000 011 35	Germany
12	4224170800100	LINERS. SIZE SHORT ABDUCTION PILLOW, DELUXE, SMALL, 14 INCHES ANKLE, 9 INCHES KNEE, 18 INCHES LENGTH, POLYFOAM WITH VINYL COVERING	ITEMIZED	each	400104	Al-Jeel Medical & Trading Co. Ltd -Orig-	DeRoyal	M60-076-S	USA
13	4224200261800	ABOVE EIBOW SILICONE COSMETIC PROSTHESIS FOR CHILDREN, CLUSTOM MADE FROM A MORE FLEXIBLE SILICONE TO STRETCH TO ALLOW GROWTH, FOR TRANS-HUMERAL COSMETIC PROSTHESIS, HIGH DEFINITION SILICONE. WITH MULTI-COLORED SKIN TONE AND ATTENTION TO DETAIL INCLUDING HAIRS, MOLES, AND FRECKLES, SILICONE NAILS WHICH CAN BE PAINTED WITH NAIL VARNISH BY USER, TO INCLUDE SUICONE SOCKET, COMPONENTS AND TEST PIECE IF REQUIRED	GROUP 1	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	Steeper	CSC28	United Kingdom
14	4224200214700	ABOVE ELBOW SILICONE COSMETIC PROSTHESIS, CUSTOM MADE, COMPLETE FOR TRANS- HUMERAL COSMETIC PROSTHESIS, INGH DEFINITION SILICONE WITH MULTI-COLORED KIN TONE AND ATTENTION TO DETAIL INCLUDING HAMES, MOLES, AND FRECKLES, SUICONE NAILS WHICH CAN BE PAINTED WITH NAIL VARNISH BY USER, TO INCLUDE SILICONE SOCKET, COMPONENTS AND TEST PIECE IF REQUIRED. INCLUDES - PATIENT ASSESSMENT AT CUSTOMERS PREMISES MEASURING, INCLUDED ALL REQUIRED MATERIALS / COMPONENTS, FOR ADULT	GROUP 1	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	Steeper	ASC28-LB	United Kingdom
15	4224200261600	ABOVE ELBOW SILICONE COSMETIC PROSTHESIS, CUSTOM MADE, FOR TRANS-HUMERAL COSMETIC PROSTHESIS, HIGH DEFINITION SILICONE WITH MULTI-COLORED SKIN TONE AND ATTENTION TO DETAIL INCLUDING HARS, MOLES, AND FRECKLES, SILICONE NAILS WHICH CAN BE PAINTED WITH NAIL VARNISH BY USER, TO INCLUDE SILICONE SOCKET, COMPONENTS AND TEST PIECE IF REQUIRED. FOR ADULTS	GROUP 1	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	Steeper	ASC28	United Kingdom
16	4224200261900	ABOVE ELBOW SILICONE COSMETIC PROSTHESS, FOR CHILDREN, CUSTOM MADE FROM A MORE FIELDRES SILICONE TO STRETCH TO ALLOW GROWTH, COMPLETE FOR TRANS-HUMERAL COSMETIC PROSTHESS, HIGH DEFINITION SILICONE WITH MULTI-COLORED SKN TONE AND ATTENTION TO DEFAIL INCLUDING HANGE, MOLES, AND FRECKLES, SILICONE MILLS WHICH CAN BE PAINTED WITH MAIL VARRIISH BY USER, TO INCLUDE SILICONE SOCKET, COMPONENTS AND TEST PIECE IF REQUIRED, INCLUDES - PATIENT ASSESSMENT AT CUSTOMERS PREMISES MEASURING, INCLUDED ALL REQUIRED MATERIALS / COMPONENTS	GROUP 1	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	Steeper	CSC28-LB	United Kingdom
17	4224200214800	BELOW ELBOW SILICONE COSMETIC PROSTHESIS, CUSTOM MADE, COMPLET FOR TRANS- RADIAL COSMETIC PROSTHESIS, INCHED FEINITION SILCONE WITH MULTI-COLORDES IN TONE AND ATTENTION TO DETAIL INCLUDING HAIRS, MOLES, AND FRECKLES, SILICONE NAILS WHICH CAN BE PAINTED WITH NAIL VARNISH BY USER, TO INCLUDE SILICONE SOCKET, COMPONENTS AND TEST PIECE IF REQUIRED, POR ADULT	GROUP 1	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	Steeper	ASC27-LB	United Kingdom
18	4224200261700	BELOW ELBOW SILCONE COSMETIC PROSTHESIS, CUSTOM MADE, FOR TRANS-RADIAL COSMETIC PROSTHESS, HIGH DEFINITION SILLCONE WITH MULTI-CLOIGNED SKIN TONE AND ATTENTION TO DETAIL INCLUDING HAIRS, MOLES, AND FRECKLES, SILLCONE NAILS WHICH CAN BE PAINTED WITH NAIL VARNISH BY USER, TO INCLUDE SILLCONE SOCKET AND TEST PIECE IF REQUIRED, FOR ADULTS	GROUP 1	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	Steeper	ASC27	United Kingdom
19	4224200601500	BELOW ELBOW SILICONE COSMETIC PROSTHESIS, FOR CHILDREN, CUSTOM MADE FROM A MORE FLEXIBLE SILICONE TO STRETCH TO ALLOW GROWTH, COMPLETE FOR TRANS-RADIAL COSMETIC PROSTHESIS, HIGH DEFINITION SILICONE WITH MULTI-COLORED SKIN TONE AND ATTENTION TO DETAIL INCLUDING HARS, MOLES, AND FRECKLES, SILICONE MAILS WHICH CAN BE PAINTED WITH NAIL VARNISH BY USER, TO INCLUDE SILICONE SOCKET, COMPONENTS AND TEST PIECE IF REQUIRED	GROUP 1	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	Steeper	CSC27-LB	United Kingdom
20	4224200601400	BELOW ELBOW SILICONE COSMETIC PROSTHESIS, FOR CHILDREN, CUSTOM MADE, FROM A MOBE FEXIBLE SILICONE TO STRETCH TO ALLOW GROWTH, FOR TRANS-RADIAL COSMETIC PROSTHESIS, HIGH DEFINITION SILICONE WITH MULTI-COLORED SIXIN TONE AND ATTENTION TO DETAIL INCLUDING HAIRS, MOLES, AND FRECKLES, SILICONE NAILS WHICH CAN BE PAINTED WITH NAIL VARNISH BY USER, TO INCLUDE SILICONE SOCKET AND TEST PIECE IF REQUIRED	GROUP 1	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	Steeper	CSC27	United Kingdom
21	4224200601600	CUSTOM MADE FROM A MORE FLEXIBLE SILICONE TO STRETCH TO ALLOW GROWTH, HIGH DEFINITION SILICONE FINGER FOR CHILDREN, MULTI-COLORED SKIN TONE AND ATTENTION TO DETAIL INCLUDING HAIRS, MOLES, AND FEEKLES, SILICONE MALIS WHICH CAN BE PAINTED WITH NAIL VARNISH BY THE USER TO INCLUDE SILICONE TEST PIECE IF REQUIRED	GROUP 1	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	Steeper	CSC71F	United Kingdom
22	4224200601700	CUSTOM MADE FROM A MORE FLEXIBLE SILICONE TO STRETCH TO ALLOW GROWTH, HIGH DEFINITION SILICONE FINERS FOR CHILDREN, WHERE PATENT REQUIRES 2 DIGITS), MICHITCHOLORED SKIN TONE AND ATTENTION TO DETAIL INCLUDINCH HAIRS, MOLES, AND FRECKLES, SILICONE NAILS WHICH CAN BE PAINTED WITH ANIL VARBINSH BY THE USER TO INCLUDE SILICONE TEST PIECE IF REQUIRED.	GROUP 1	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	Steeper	CSC71F=2	United Kingdom
23	4224200601800	CUSTOM MADE FROM A MORE FLEXIBLE SILICONE TO STRETCH TO ALLOW GROWTH, HIGH DEFINITION SILLCOME FIRENCES FOR CHILDERS, (WEIGHE FATIENT REQUIRES MORE THAN 3 DIGITS ON ONE HAND), MULTI-COLORED SKIN TONE AND ATTENTION TO DETAIL INCLUDING HAIRS, MOLES, AND FRECKLES, SILICONE NAILS WHICH CAR BE FAINTED WITH YAIL VARNISH BY THE USER TO INCLUDE SILICONE TEST PIECE IF REQUIRED	GROUP 1	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	Steeper	CSC71F=3	United Kingdom

	UMBER : NPT0050/2 AME : Prosthetics Or								Preliminary Resul
24	4224200214900	CUSTOM MADE HIGH DEFINITION SILICONE FINGER, MULTI-COLORED SKIN TONE AND ATTENTION TO DETAIL INCLUDING HAIRS, MOLES, AND FRECKLES, SILICONE NAILS WHICH CAN BE PAINTED WITH NAIL VARNISH BY THE USER TO INCLUDE SILICONE TEST PIECE IF REQUIRED, FOR ADULT	GROUP 1	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	Steeper	ASC71F	United Kingdom
25	4224200215000	CUSTOM MADE HIGH DEFINITION SILICONE FINGERS (WHERE PATIENT REQUIRES 2 DIGITS), MULTI-COLORED SKIN TONE AND ATTENTION TO DETAIL INCLUDING HAIRS, MOLES, AND FRECKLES, SILICONE NAILS WHICH CAN BE PAINTED WITH NAIL VARNISH BY THE USER TO INCLUDE SILICONE TEST PIECE IF REQUIRED, FOR ADULT	GROUP 1	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	Steeper	ASC71F=2	United Kingdom
26	4224200215100	CUSTOM MADE HIGH DEFINITION SILICONE FINGERS (WHERE PATIENT REQUIRES MORE THAN 3 DIGITS ON ONE HAND), MULTI-COLORED SIKN TONE AND ATTENTION TO DETAIL INCLUDING HAIRS, MOLES, AND FRECKLES, SILICONE NAILS WHICH CAN BE PAINTED WITH NAIL VARNISH BY THE USER TO INCLUDE SILICONE TEST PIECE IF REQUIRED, FOR ADULT	GROUP 1	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	Steeper	ASC71F=3	United Kingdom
27	4224200111900	CUSTOM MADE HIGH DEFINITION SILICONE TOE, MULTI-COLORED SKIN TONE AND ATTENTION TO DETAIL INCLUDING HARRS, MOLES, AND FRECKLES, SILICONE TOES NAILS WHICH CAN BE PAINTED WITH NAIL VARNISH BY THE USER, TO INCLUDE SILICONE FOOT BAND IF REQUIRED, TO INCLUDE SILICONE TEST PIECE IF REQUIRED, FOR ADULT	GROUP 1	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	Steeper	ASC71T	United Kingdom
28	4224200111200	CUSTOM MADE, BELOW KNEE, SILICONE, COSMETIC COVER FOR TRANS-TIBIAL PROSTHESIS. HIGH DEFINITION SILICONE WITH MULTI-COLORED SKIN TONE AND ATTENTION TO DETAIL HIGH COLUMNE HAISE, MOLES AND FRECKLES, SILICONE TO EN AILS WHICH CAN BE PAINTED HIM NAIL VARNISH BY PATIENT TO INCLUDE SILICONE TEST EACH IF REQUIRED, FOR ADULT	GROUP 1	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	Steeper	ASC25	United Kingdom
29	4224200114000	CUSTOM MADE, FULL LENGTH, SILCONE, COSMETIC COVER FOR TRANS-EMORAL PROSTHESIS, HIGH DEFINITION SILCONE WITH MULTI-COLORED SIXIN TONE AND ATTENTION TO DETAIL INCLUDING HAIRS, MOLES AND FRECKLES, SILCONE TOE NAILS WHICH CAN BE PAINTED WITH NAIL VARNISH BY PATIENT TO INCLUDE SILCONE TEST EACH IF REQUIRED, FOR ADULT	GROUP 1	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	Steeper	ASC25TF	United Kingdom
30	4224200111300	CUSTOM MADE, HALF LENGTH, SILLCONE, COSMETIC COVER FOR TRANS-FEMORAL PROSTHESIS, HIGH DEFINITION SILLCONE WITH MULTI-COLORED SIXIN TONE AND ATTENTION TO DETAIL INCLUDING HAIRS, MOLES AND FRECKLES, SILLCONE TOE NAILS WHICH CAN BE PAINTED WITH NAIL VARNISH BY PATIENT TO INCLUDE SILLCONE TEST EACH IF REQUIRED, FOR ADULT	GROUP 1	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	Steeper	ASC25TFHL	United Kingdom
31	4224200111500	SILICONE PARTIAL FOOT PROSTHESIS, CUSTOM MADE, HIGH DEFINITION WITH CARBON FOOT PLATE, MULTI-COLORED SKIN TONE, AND ATTENTION TO DETAIL INCLUDING HAIRS, MOLES, AND FRECKLES, SILICONE TOES NAILS WHICH CAN BE PAINTED WITH NAIL VARNISH BY THE USER TO INCLUDE SILICONE TEST PIECE IF REQUIRED, FOR ADULT	GROUP 1	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	Steeper	ASC29CF	United Kingdom
32	4224200111600	SILICONE PARTIAL FOOT PROSTHESIS, CUSTOM MADE, HIGH DEFINITION WITH MULTI- COLORED SKIN TONE AND ATTENTION TO DETAIL INCLUDING HAIRS, MOLES, AND FRECKLES, SILICONE TOES NAILS WHICH CAN BE PAINTED WITH NAIL VARNISH BY THE USER TO INCLUDE SILICONE TEST PIECE IF REQUIRED, FOR ADULT	GROUP 1	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	Steeper	ASC29	United Kingdom
33	4224200601900	SILCONE PARTIAL HAND PROSTHESIS FOR CHILDREN, CLISTOM MADE FROM A MORE FLEXIBLE SILCONE TO STRETCH TO ALLOW GROWTH, HIGH DEFINITION WITH MULTI- COLORED SKIN TOME, AND ATTENTION TO DETAIL INCLUDING HAIRS, MOLES, AND FRECKLES, SILICONE NAILS WHICH CAN BE PAINTED WITH NAIL VARNISH BY THE USER TO INCLUDE SILICONE TEST PIECE IF REQUIRED	GROUP 1	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	Steeper	CSC32	United Kingdom
34	4224200111800	SILICONE PARTIAL HAND PROSTHESIS, CUSTOM MADE, HIGH DEFINITION WITH MULTI- COLORED SKIN TONE, AND ATTENTION TO DETAIL INCLUDING HAIRS, MOLES, AND FRECKLES, SILICONE NAILS WHICH CAN BE PAINTED WITH NAIL VARNISH BY THE USER TO INCLUDE SILICONE TEST PIECE IF REQUIRED, FOR ADULT	GROUP 1	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	Steeper	ASC32	United Kingdom
35	4224171325300	ABOVE KNEE SEALING LINER WITH FIVE SEALING RING HEIGHTS, WITHOUT DISTAL CONCECTION, SKIH-PRIENDLY OLIS THAT HELP MINIMIZE DOOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING WHILE PROTECTING THE SILICONE, WITH A TEXTURE ON THE INSIDE ENSURES THAT THE LINER CONNECTS WELL TO THE RESIDUAL LINE WHITHOUT SEVILE FOR EASY DONNING AND DOFFING, NO-STRETCH MATRIX THE ENTIRE LENGTH OF LINER FOR REDUCED ELONGATION AND GOOD TISSUE MANAGEMENT, EASY TO BE CLEANED AND DRIED QUICKLY, STANDARD, SIZE 250 MM	ITEMIZED	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	OSSUR	I-TF67325	Iceland
36	4224171325400	ABOVE KNEE SEALING LINER WITH FIVE SEALING RING HEIGHTS, WITHOUT DISTAL CONNECTION, SKIN-FRIENDLY OILS THAT HELP MINIMIZE ODOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING WHILE PROTECTING THE SILICONE, WITH A TEXTURE ON THE INSIDE ENSURES THAT THE LINER CONNECTS WELL TO THE RESIDUAL LINEW WITHOUT SETVILE FOR EASY DONNING AND DOFFING, NO-STRETCH MATRIX THE ENTIRE LENGTH OF LINER FOR REDUCED ELONGATION AND GOOD TISSUE MANAGEMENT, EASY TO BE CLEANED AND DRIED QUICKLY, STANDARD, SIZE 265 MM	ITEMIZED	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	OSSUR	I-TF67326	Iceland
37	4224171325500	ABOVE KNEE SEALING LINER WITH FIVE SEALING RING HEIGHTS, WITHOUT DISTAL CONNECTION, SKM-REIRON(2) OIS THAT HELP MINIMIZE DOOR WHILE ASO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING WHILE PROTECTING THE SILICONE, WITH A TEXTURE ON THE INSIDE ENSURES THAT THE LINER CONNECTS WELL TO THE RESIDUAL LIMB WITHOUT STICKING, SLICK OUTER SURFACE WITHOUT TEXTILE FOR EASY DONNING AND DOFFING, NO-STRETCH MATRIX THE ENTIRE LENGTH OF LINER FOR REDUCED LONGATION AND GOOD TISSUE MANAGEMENT, EASY TO BE CLEANED AND DRIED QUICKLY,	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	OSSUR	I-TF67328	Iceland
38	4224171325600	ABOVE KNEE SEALING LINER WITH FIVE SEALING RING HEIGHTS, WITHOUT DISTAL CONNECTION, SKIN-FRIENDLY OILS THAT HELP MINIMIZE DOOR WHILE ALSO MAINTAINING SKIN HEALT HAAD PERVENTING BACTERIA FROM WILTIPLYING WHILE PROTECTING THE SILICONE, WITH A TEXTURE ON THE INSIDE ENSURES THAT THE LINER CONNECTS WELL TO THE RISDUAL LIMB WITHOUT STICKING, SLUCK OUTER SUBFACE WITHOUT TEXTILE FOR BAY DONNING AND DOFFING, NO-STRETCH MATRIX THE ENTIRE LENGTH OF LINER FOR REDUCED ELONGATION AND GOOD TISSUE MANAGEMENT, EASY TO BE CLEANED AND DRIED QUICKLY, STANDARD, SIZE 300 MM	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	OSSUR	I-TF67330	Iceland
39	4224171325700	ABOVE KNEE SEALING LINER WITH FIVE SEALING RING HEIGHTS, WITHOUT DISTAL CONNECTION, SKIN-FRIENDLY OILS THAT HELP MINIMIZE ODOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING WHILE PROTECTING THE SILICONE, WITH A TEXTURE ON THE INSIDE ENSURES THAT THE LINER CONNECTS WELL TO THE RESIDUAL LINEW WITHOUT SETVILE FOR EASY DONNING AND DOFFING, NO-STRETCH MATRIX THE ENTIRE LENGTH OF LINER FOR REDUCED ELONGATION AND GOOD TISSUE MANAGEMENT, EASY TO BE CLEANED AND DRIED QUICKLY, STANDARD, SIZE 220 MM	ITEMIZED	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	OSSUR	I-TF67332	Iceland
40	4224171325800	ABOVE KNEE SEALING LINER WITH FIVE SEALING RING HEIGHTS, WITHOUT DISTAL CONNECTION, SKIN-FRIENDLY OILS THAT HELP MINIMIZE DOOR WHILE ALSO MAINTAININ SKIN HEALTH AND PREVENTING BACTERIA FROM WILTIPLYING WHILE PROTECTING THE SILICONE, WITH A TEXTURE ON THE INSIDE ENSURES THAT THE LINER CONNECTS WELL TO THE RESIDUAL LINEW WITHOUT SKINE, SOLK OUTBOAT SURFACE WITHOUT TEXTILE FOR EASY DONNING AND DOFFING, NO-STRETCH MATRIX THE ENTIRE LENGTH OF LINER FOR REDUCED ELONGATION AND GOOD TISSUE MANAGEMENT, EASY TO BE CLEANED AND DRIED QUICKLY, STANDARD, SIZE 340 MM	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	OSSUR	I-TF67324	Iceland
41	4224171325900	ABOVE KNEE SEALING LINER WITH FIVE SEALING RING HEIGHTS, WITHOUT DISTAL CONNECTION, SKIN-PRIENDLY OILS THAT HELP MINIMIZE DODG WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM WILTIPLYING WHILE PROTECTING THE SILCONE, WITH A TEXTURE ON THE INSIDE ENSURES THAT THE LINER CONNECTS WELL TO THE RESIDUAL LIMB WITHOUT STICKING, SLICK OUTER SURFACE WITHOUT TEXTILE FOR EASY DONNING AND DOFFING, NO-STRETCH MATRIX THE ENTIRE LENGTH OF LINER FOR REDUCED ELONGATION AND GOOD TISSUE MANAGEMENT, EASY TO BE CLEANED AND DRIED QUICKLY, STANDARD, SIZE 360 MM	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	OSSUR	I-TF67336	Iceland
42	4224171326000	ABOVE KNEE SEALING LINE WITH FIVE SEALING RING HEIGHTS, WITHOUT DISTAL CONNECTION, SKIN-FRIENDLY OILS THAT HELP MINIMIZE DODG WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM WILTIPLYING WHILE PROTECTING THE SULCONE, WITH A TEXTURE ON THE INSIDE ENSURES THAT THE LINER CONNECTS WELL TO THE RESIDUAL LIMB WITHOUT STICKING, SLICK OUTER SURFACE WITHOUT TEXTILE FOR EASY DONNING AND DOFFING, NO-STRETCH MATRIX THE ENTIRE LENGTH OF LINER FOR REDUCED ELONGATION AND GOOD TISSUE MANAGEMENT, EASY TO BE CLEANED AND DRIED QUICKLY, STANDARD, SIZE 380 MM	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	OSSUR	I-TF67338	Iceland
43	4224171326100	A BOVE KNEE SEALING LINER WITH FIVE SEALING RING HEIGHTS, WITHOUT DISTAL CONNECTION, SKIN-FRIENDLY OILS THAT HELP MINIMIZE ODOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING WHILE PROTECTING THE SILICONE, WITH A TEXTURE ON THE INSIDE ENSURES THAT THE LINER CONNECTS WELL TO THE RESIDUAL LINEW WITHOUT SKINES, OWN CONTROL SUPPLY SHOWN OF THE PROPERTY OF THE SUPPLY	ITEMIZED	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	OSSUR	I-TF67340	Iceland
44	4224171326200	ABOVE KNEE SEALING LINER WITH FIVE SEALING RING HEIGHTS, WITHOUT DISTAL CONNECTION, SKIN-FRIENDLY OILS THAT HELP MINIMIZE ODOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING WHILE PROTECTING THE SILICONE, WITH A TEXTURE ON THE INSIDE ENSURES THAT THE LINER CONNECTS WELL TO THE RESIDUAL LINEW WITHOUT SETVILE FOR EASY DONNING AND DOFFING, NO-STRETCH MATRIX THE ENTIRE LENGTH OF LINER FOR REDUCED ELONGATION AND GOOD TISSUE MANAGEMENT, EASY TO BE CLEANED AND DRIED QUICKLY, STANDARD, SIZE 450 MM	ITEMIZED	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	OSSUR	I-TF67345	Iceland

	JMBER : NPT0050/2: AME : Prosthetics Or								Preliminary Result
45	4224171326300	ABOVE KNEE SEALING UNER WITH FIVE SEALING RING HEIGHTS, WITHOUT DISTAL CONNECTION, SKIN-FRENDLY OILS THAT HELP MINIMIZE DOOR WHILE ALSO MAINTAINING SKIN HEALTH AND PERVENTING BACTERIA FROM WILTIPLING WHILE PROTECTING THE SILLCONE, WITH A TEXTURE ON THE INSIDE ENSURES THAT THE LINER CONNECTS WELL TO THE RESIDUAL LIMB WITHOUT STICKING, SLICK OUTER SURFACE WITHOUT TEXTILE FOR EASY DONNING AND DOFFING, NO-STRETCH MATRIX THE ENTIRE LENGTH OF LINER FOR REDUCED ELONGATION AND GOOD TISSUE MANAGEMENT, EASY TO BE CLEANED AND DRIED QUICKLY, STANDARD, SIZE SOO MM	ITEMIZED	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	OSSUR	I-TF67350	Iceland
46	4224171326400	ABOVE KNEE SEALING LINER WITH FIVE SEALING RING HEIGHTS, WITHOUT DISTAL CONNECTION, SKINF-RIENDLY OILS THAT HELP MINIMIZE DOOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING WHILE PROTECTING THE SILICONE, WITH A TEXTURE ON THE INSIDE ENSURES THAT THE LINER CONNECTS WELL TO THE RESIDUAL LINEW WITHOUT SKING, SLICK OUTER SUPFACE WITHOUT TEXTILE FOR EASY DONNING AND DOFFING, NO-STRETCH MATRIX THE ENTIRE LENGTH OF LINER FOR REDUCED ELONGATION AND GOOD TISSUE MANAGEMENT, EASY TO BE CLEANED AND DRIED QUICKLY, STANDARD, SIZE SOM M	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	OSSUR	I-TF67355	Iceland
47	4224171326500	ABOVE KNEE SEALING LINER WITH FIVE SEALING RING HEIGHTS, WITHOUT DISTAL CONNECTION, SKIN-PERIKDLY OILS THAT HEIP MINIMIZE DOOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING WHILE PROTECTING THE SILCONE, WITH A TEXTURE ON THE INSIDE ENSURES THAT THE LINER CONNECTS WELL TO THE RESIDUAL LIMB WITHOUT STICKING, SLICK OUTER SURFACE WITHOUT TEXTILE FOR EASY DONNING AND DOFFING, NO-STRETCH MATRIX THE ENTIRE LENGTH OF LINER FOR REDUCED ELONGATION AND GOOD TISSUE MANAGEMENT, EASY TO BE CLEANED AND DRIED QUICKLY, CONICAL SIZE 250 MM	ITEMIZED	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	OSSUR	I-TF67825	Iceland
48	4224171326600	ABOVE KNEE SEALING LINER WITH FIVE SEALING RING HEIGHTS, WITHOUT DISTAL CONNECTION, SKIN-PRIENDLY OILS THAT HELP MINIMIZE DOOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING WHILE PROTECTING THE SLICLONE, WITH A TEXTURE ON THE INSIDE ENSURES THAT THE LINER CONNECTS WELL TO THE RESIDUAL LINEW WITHOUT STRICK, SLICK COUTER SUPFACE WITHOUT TEXTILE FOR EASY DONNING AND DOFFING, NO-STRETCH MATRIX THE ENTIRE LENGTH OF LINER FOR REDUCED ELONGATION AND GOOD TISSUE MANAGEMENT, EASY TO BE CLEANED AND DRIED QUICKLY, CONICAL, SIZE 265 MM	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY - Orig-	OSSUR	I-TF67826	Iceland
49	4224171326700	ABOVE KNEE SEALING LINER WITH FIVE SEALING RING HEIGHTS, WITHOUT DISTAL CONNECTION, SKW-REIRONIZ OIS THAT HELP MINIMIZE DOOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING WHILE PROTECTING THE SILICONE, WITH A TEXTURE ON THE INSIDE ENSURES THAT THE LINER CONNECTS WELL TO THE RESIDUAL LINEW WITHOUT STEKING, SLICK OUTERS USPEACE WITHOUT TEXTILE FOR EASY DONNING AND DOFFING, NO-STRETCH MATRIX THE ENTIRE LENGTH OF LINER FOR REDUCED ELONGATION AND GOOD TISSUE MANAGEMENT, EASY TO BE CLEANED AND DRIED QUICKLY, CONICAL, SIZE 280 MM	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	OSSUR	I-TF67828	Iceland
50	4224171326800	ABOVE KNEE SEALING LINER WITH FIVE SEALING RING HEIGHTS, WITHOUT DISTAL CONNECTION, SKM-PRENDLY OLS THAT HELP MINIMIZE DOOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING WHILE PROTECTING THE SILICONE, WITH A TEXTURE ON THE INSIDE ENSURES THAT THE LINER CONNECTS WELL TO THE RESIDUAL LINEW WITHOUT STEKKING, SUCK OUTER SUPRACE WITHOUT TEXTILE FOR EASY DONNING AND DOFFING, NO-STRETCH MATRIX THE ENTIRE LENGTH OF LINER FOR REDUCED ELONGATION AND GOOD TISSUE MANAGEMENT, EASY TO BE CLEANED AND DRIED QUICKLY, CONICAL, SIZE 300 MM	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	OSSUR	I-TF67830	Iceland
51	4224171326900	ABOVE KNEE SEALING LINER WITH FIVE SEALING RING HEIGHTS, WITHOUT DISTAL CONNECTION, SKM-PRENDLY OIS THAT HELP MINIMIZE DOOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING WHILE PROTECTING THE SILICONE, WITH A TEXTURE ON THE INSIDE ENSURES THAT THE LINER CONNECTS WELL TO THE RESIDUAL LINE WITHOUT STRICKING, SUCK OUTER SUPRACE WITHOUT TEXTILE FOR EASY DONNING AND DOFFING, NO-STRETCH MATRIX THE ENTIRE LENGTH OF LINER FOR REDUCED ELONGATION AND GOOD TISSUE MANAGEMENT, EASY TO BE CLEANED AND DRIED QUICKLY, CONICAL, SIZE 320 MM	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	OSSUR	I-TF67832	Iceland
52	4224171327000	ABOVE KNEE SEALING LINER WITH FIVE SEALING RING HEIGHTS, WITHOUT DISTAL CONNECTION, SKIN-FRIENDLY OILS THAT HELP MINIMIZE ODOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING WHILE PROTECTING THE SILICONE, WITH A TEXTURE ON THE INSIDE ENSURES THAT THE LINER CONNECTS WELL TO THE RESIDUAL LINEW WITHOUT STKILE FOR EASY DONNING AND DOFFING, NO-STRETCH MATRIX THE ENTIRE LENGTH OF LINER FOR REDUCED ELONGATION AND GOOD TISSUE MANAGEMENT, EASY TO BE CLEANED AND DRIED QUICKLY, CONICAL, SIZE 340 MM	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY - Orig-	OSSUR	I-TF67834	Iceland
53	4224171327100	ABOVE KNEE SEALING LINER WITH FIVE SEALING RING HEIGHTS, WITHOUT DISTAL CONCECTION, SKIM-PRIENDLY OILS THAT HELP MINIMIZE DOOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING WHILE PROTECTING THE SILICONE, WITH A TEXTURE ON THE INSIDE ENSURES THAT THE LINER CONNECTS WELL TO THE RESIDUAL LINE WHITHOUT STKINE, FOR EASY DONNING AND DOFFING, NO-STRETCH MATRIX THE ENTIRE LENGTH OF LINER FOR REDUCED ELONGATION AND GOOD TISSUE MANAGEMENT, EASY TO BE CLEANED AND DRIED QUICKLY, CONCAL, SIZE 360 MM	ITEMIZED	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	OSSUR	I-TF67836	Iceland
54	4224171327200	ABOVE KNEE SEALING LINER WITH FIVE SEALING RING HEIGHTS, WITHOUT DISTAL CONNECTION, SKIN-FRIENDLY OILS THAT HELP MINIMIZE DOOR WHILE ALSO MAINTAININ SKIN HEALTH AND PREVENTING BACTERIA FROM WILTIPLYING WHILE PROTECTING THE SILLONE, WITH A TEXTURE ON THE INSIDE ENSURES THAT THE LINER CONNECTS WELL TO THE RESIDUAL LIMB WITHOUT STKING, SLUC OUTER SURFACE WITHOUT TEXTILE FOR EASY DONNING AND DOFFING, NO-STRETCH MATRIX THE ENTIRE LENGTH OF LINER FOR REDUCED ELONGATION AND GOOD TISSUE MANAGEMENT, EASY TO BE CLEANED AND DRIED QUICKLY, CONICAL, SIZE 380 MM	ITEMIZED	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	OSSUR	I-TF67838	Iceland
55	4224171311500	ABOVE KNEE SEALING LINER WITH TWO SEALING RING HEIGHTS, WITHOUT DISTAL CONNECTION, WITH THE ANTI - BACTERIAL PROPERTIES AND SKIN - FRIENDLY OILS THAT HELP MINIMIZE DOOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPIVING WHILE PROTECTING THE SILICONE, WITH A TEXTURE ON THE INSIDE ENSURES THAT THE HERE CONNECTS WELL TO THE RESIDIAL LIMB WITHOUT SICKING, SUCK SURSES SURFACE WITHOUT TEXTILE FOR EASY DONNING AND DOFFING, NO - STRETCH MATRIX THE ENTIRE LENGTH OF IRMER FOR REDUCED ELIONATION AND GOOD TISSUE MANAGEMENT, EASY TO BE CLEANED AND DRIED QUICKLY, SIZE 420 MM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	6Y110=400x10	Germany
56	4224171311600	ABOVE KNEE SEALING LINER WITH TWO SEALING RING HEIGHTS, WITHOUT DISTAL CONNECTION, WITH THE ARTH SACTERIAL PROPERTIES AND SKIN - FRIENDLY DIST THAT HELP MINIMIZE DOOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPIVING WHILE PROTECTING THE SILICONE, WITH A TEXTURE ON THE INSIDE ENSURES THAT THE HEIGHT CONNECTS WELL OT THE RESIDIAL LIMB WITHOUT SICKING, SLUCK OFFICE SURFACE WITHOUT TEXTILE FOR EASY DONNING AND DOFFING, NO - STRETCH MATRIX THE ENTIRE LENGTH OF LINER FOR REDUCED ELLONGATION AND GOOD TISSUE MANAGEMENT, EASY TO BE CLEANED AND DRIFE QUICKLY, SIZE 450 MM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	6Y110=450x10	Germany
57	4224171311700	ABOVE KNEE SEALING LINER WITH TWO SEALING RING HEIGHTS, WITHOUT DISTAL CONNECTION, WITH THE ANTI - BACTERIAL PROPERTIES AND SKIN - FRIENDLY OILS THAT HELP MINIMIZE DOOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPIVING WHILE PROTECTING THE SILICONE, WITH A TEXTURE ON THE INSIDE ENSURES THAT THE HERE CONNECTS WELL TO THE RESIDIAL LIMB WITHOUT SICKING, SLICK OSURES SURFACE WITHOUT TEXTILE FOR EASY DONNING AND DOFFING, NO - STRETCH MATRIX THE ENTIRE LENGTH OF LINER FOR REDUCED ELONGATION AND GOOD TISSUE MANAGEMENT, EASY TO BE CLEANED AND DRIFE QUICKLY, SIZE SOM DMM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	6Y110=500x10	Germany
58	4224171311800	ABOVE KNEE SEALING LINER WITH TWO SEALING RING HEIGHTS, WITHOUT DISTAL CONNECTION, WITH THE ARTH - BACTERIAL PROPERTIES AND SKIN - FRIENDLY DIST THAT HELP MINIMIZE DODG WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING WHILE PROTECTING THE SILICONE, WITH A TEXTURE ON THE INSIDE ENSURES THAT THE LINER CONNECTS WELL OT THE RESIDIAL LIMB WITHOUT STICKING, SUKE OUTER SUFFACE WITHOUT TEXTILE FOR EASY DONNING AND DOFFING, NO - STRETCH MATRIX THE ENTIRE LENGTH OF LINER FOR REDUCED ELONGATION AND GOOD TISSUE MANAGEMENT, EASY TO BE CLEANED AND DRIFE OUTCKLY, SIZE SSO MM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	6Y110=550x10	Germany
59	4224171311900	ABOVE KNEE SEALING LINER WITH TWO SEALING RING HEIGHTS, WITHOUT DISTAL CONNECTION, WITH THE ANTI- BACTERIAL PROPERTIES AND SKIN - FRIENDLY DIST THAT HELP MINIMIZE DOOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPIVING WHILE PROTECTING THE SILICONE, WITH A TEXTURE ON THE INSIDE ENSURES THAT THE LINER CONNECTS WELL TO THE RESIDIAL LINEM WITHOUT SICKING, SUCK OFFICE SURFACE WITHOUT TEXTILE FOR EASY DONNING AND DOFFING, NO - STRETCH MATRIX THE ENTIRE LENGTH OF LINER FOR REDUCED ELONGATION AND GOOD TISSUE MANAGEMENT, EASY TO BE CLEANED AND DRIED QUICKLY, SIZE 360 MM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	6Y110=360x10	Germany
60	4224171312100	ABOVE KNEE SEALING LINER WITH TWO SEALING RING HEIGHTS, WITHOUT DISTAL CONNECTION, WITH THE ARTH SACTERIAL PROPERTIES AND SKIN - FRIENDLY DIST THAT HELP MINIMIZE DOOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPIVING WHILE PROTECTING THE SILICONE, WITH A TEXTURE ON THE INSIDE ENSURES THAT THE HEIGHT CONNECTS WELL TO THE RESIDIAL LIMB WITHOUT STEKING, SLICE SUFFER SUBFACE WITHOUT TEXTILE FOR EASY DONNING AND DOFFING, NO - STRETCH MATRIX THE ENTIRE LENGTH OF LINER FOR REDUCED ELONGATION AND GOOD TISSUE MANAGEMENT, EASY TO BE CLEANED AND DRIFT QUICKLY, SIZE 340 MM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	6Y110=340x10	Germany

The company of the		AME : Prosthetics Ort								Preliminary Resul
Description of the Acceptance of The Secription of The Secriptio	61	4224171312200	CONNECTION, WITH THE ANTI - BACTERIAL PROPERTIES AND SKIN - FRIENDLY DUST HATA THEIR MINIMIZE DODS WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING WHILE PROTECTING THE SILLCONE, WITH A TEXTURE ON THE INSIDE ENSURES THAT THE LINER CONNECTS WELL TO THE RESIDUAL LIMB WITHOUT STICKING, SLICK OUTER SURFACE WITHOUT TEXTILE FOR REAY DOMINION AND DOFFINS, ON - STRETCH MATKIET HE ENTIRE LENGTH OF LINER FOR REDUCED LENGATION AND GOOD TISSUE MANAGEMENT, EASY TO BE CLEANED AND DRIFE QUICKLY, SIZE 320 MM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	6Y110=320x10	Germany
Control Cont	62	4224171315800	CONNECTION, WITH THE ANTI - BACTERIAL PROPERTIES AND SKIN - FRIENDLY OILS THAT HELP MINIMIZE DODR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPHING WHILE PROTECTING THE SILLCONE, WITH A TEXTURE ON THE INISIDE ENSURES THAT THE LINER CONNECTS WELL TO THE RESIDUAL LIMB WITHOUT STICKING, SLICK OUTER SURFACE WITHOUT TEXTILE FOR EASY DONNING AND DOFFING, NO - STRETCH MATRIX THE ENTIRE LENGTH OF LINER FOR REDUCED LENGATION AND GOOD TISSUE MANAGEMENT, EASY TO BE CLEANED AND DRIFE QUICKLY, SIZE 300 MMM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	6Y110=300x10	Germany
April 1998 Company	63	4224171315900	CONNECTION, WITH THE ANTI- BACTERIAL PROPERTIES AND SKIN - FRIENDLY OILS THAT HELP MINIMIZE DODR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPHYING WHILE PROTECTING THE SILLCONE, WITH A TEXTURE ON THE INSIDE ENSURES THAT THE LINER CONNECTS WELL TO THE RESIDUAL LIMB WITHOUT STICKING, SLICK OUTER SURFACE WITHOUT TEXTILE FOR EASY DONNING AND DOFFING, NO - STRETCH MATRIX THE ENTIRE LENGTH OF LINER FOR REDUCED LONGATION AND GOOD TISSUE MANAGEMENT, EASY TO BE CLEANED AND DRIFE QUICKLY, SIZE 286 MM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	6Y110=280x10	Germany
CONTRICTION DE PROPRIE DE PROPR	64	4224171316000	CONNECTION, WITH THE ANTI - BACTERIAL PROPERTIES AND SKIN - FRIENDLY DUS THAT HELP MINIMIZE ODOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING WHILE PROTECTING THE SILICONE, WITH A TEXTURE ON THE INSIDE ENSURES THAT THE LINER CONNECTS WELL TO THE RESIDUAL LIMB WITHOUT STICKING, SUCK OUTER SUFFACE WITHOUT TEXTILE FOR EASY DONNING AND DOFFING, NO - STRETCH MATRIX THE ENTRE LENGTH OF LINER FOR REDUCED ELONGATION AND GOOD TISSUE MANAGEMENT,	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	6Y110=380x10	Germany
Colonomia Colo	65	4224200006700	COMPONENTS WITH PYRAMID ADAPTER AND ALSO ALLOWS A TRANSLATION ADJUSTMENT MEDIALLY OR LATERALLY IN THE FRONTAL PLANE OR DORSALLY OR VENTRALLY IN THE SAGITTAL PLANE HEIGHT SO MM APPROXIMATELY TITANIUM SYSTEM HEIGHT: 1212 MM WEIGHT: 225 GRAMS APPROXIMATELY FOR BODY WEIGHT UP TO 100 KG	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	4R104=75	Germany
Applications Appl	66	4224200503900	FOR CONNECTION BETWEEN TWO PYRAMID ADAPTERS SYSTEM HEIGHT: 112 MM WEIGHT:	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	4R72=75	China
Company Comp	67	4224200504000	ADAPTER DOUBLE TITANIUM ABOVE AND BELOW WITH FOUR EACH ADJUSTMENT SCREW S FOR CONNECTION BETWEEN TWO PYRAMID ADAPTERS SYSTEM HEIGHT: 82 MM WEIGHT: 95 GRAMS FOR BODY WEIGHT UP TO 150 KG	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	4R72=45	China
ACCORDING CONTROL CO	68	4224200503800	FOR CONNECTION BETWEEN TWO PYRAMID ADAPTERS SYSTEM HEIGHT: 97 MM WEIGHT:	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	4R72=60	China
Column	69	4224200021900	ADAPTER, 4 - HOLE, THREADED TOP, WITH 20/20 OFFSET, ALUMINUM, HEIGHT 22 MM, BUILD	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	4R170=1	Germany
WINDSONSON WINDSONSON WINDSONSON WINDSONSON WINDSON WI	70	4224200508500	ADAPTER, DOUBLE WITH PYRAMID, TITANIUM, FUNCTIONAL HEIGHT, 3 O MM APPROXIMATELY	ITEMIZED	each	400571		Ottobock	4R78	Germany
WINDSTORM WIND	71	4224200510300	WEIGHT 76 GRAMS, WEIGHT CAPACITY IS UP TO 100 KG	ITEMIZED	each	400569		Proteor SAS	1K207-045	France
Month Mont	71	4224200510300	WEIGHT 76 GRAMS, WEIGHT CAPACITY IS UP TO 100 KG	ITEMIZED	each	400451		STREIFENEDER	10A50/A45	Germany
19 124-000-0000 ADMITE, COURT, EARLY, TOWN, COURT OF THE STATE O	72	4224200510400	WEIGHT 88 GRAMS, WEIGHT CAPACITY IS UP TO 100 KG	ITEMIZED	each	400792	Orig-	WAGNER	2W025-3-60	Germany
March Marc	73	4224200510500	WEIGHT 100 GRAMS, WEIGHT CAPACITY IS UP TO 100 KG	ITEMIZED	each	400792		WAGNER	2W025-3-75	Germany
242 242	73	4224200510500	WEIGHT 100 GRAMS, WEIGHT CAPACITY IS UP TO 100 KG	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	10A50/A75	Germany
25 242,0000,000 ADMPTER, REINAL SPEED, CHARLES STEEL, PERADO SPEED, TEMPORAL SPEED S	74	4224200300000	FOR CONNECTION BETWEEN TWO PYRAMID ADAPTERS, SYSTEM HEIGHT: 69 MM, WEIGHT:	ITEMIZED	items (Pieces)	400571	AL Gaim Comm. EstOrig-	Ottobock	4R72=32	China
242,000,000,000 ADMITER FEMALE, DOUBLE, 12 MM, ALLEMAND, FEMALE STAME, TEMALED SALE, ALLEMAND, SALE, ALL	75	4224200509700	ADAPTER, EURO 4 - HOLE, ALUMINUM, HEIGHT 11 MM, BUILD HEIGHT 11 MM, WEIGHT 70	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	4R95	Germany
WASHINGTON WASHINGT SEGRAMS, WIGHT COMMAND CAME CUTTO DEC CAMCILLID	76	4224200510200	ADAPTER, FEMALE, DOUBLE, 32 MM, ALUMINUM, HEIGHT 32 MM, BUILD HEIGHT 32 MM,	ITEMIZED	each	400569		Proteor SAS	1K207-032-HD	France
25 25-200050000 LINCTING OME, BUILD FOOD TO LOOM, WEIGHT 200 AMAN, W	76	4224200510200		ITEMIZED	each	400792		WAGNER	2W025-3-32	Germany
27.2 22.4230051000 Light's 60 MM, BUD MIGHT 20 MM, WEGHT 125 GRAMS, WIGHT CARD TYS UP TO	77	4224200510000	LENGTH 60 MM, BUILD HEIGHT 100 MM, WEIGHT 86 GRAMS, WEIGHT CAPACITY IS UP TO 100 KG	CANCELLED	CANCELLED	CANCELLED		CANCELLED	CANCELLED	CANCELLED
27 22/200509000 STANLES STEEL, PERIOR OF JOS JAM, WEIGHT STEEL STEEL, PERIOR STEEL S	78	4224200510100	LENGTH 60 MM, BUILD HEIGHT 200 MM, WEIGHT 153 GRAMS, WEIGHT CAPACITY IS UP TO 100 KG	ITEMIZED	each	400415	CareTechniques -Orig-	Uniprox	A3-Al200	Germany
### 424/40051000 **ADAPTER, SOCKE, POTA JUNIORNAY STEEL PRANSH DISERT AND PROSECT WITH FOUR ADJUSTMENT STEELING STEEL PRANSH DISERT ADJUSTMENT STEELING	79	4224200510900	STAINLESS STEEL, HEIGHT 40 MM, BUILD HEIGHT 24 MM, WEIGHT 153 GRAMS, WEIGHT CAPACITY IS UP TO 125 KG	ITEMIZED	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	OSSUR	A-554700	Mexico
81 42240009900 HEGHT 77 MM, AND CAMPER CUTT O 70 MM, BUILD HEIGHT 63 MM, WEIGHT 68 GRAMS, WEIGHT CAMPERT IN UTID 100 KG	80	4224200510600	MM, BUILD HEIGHT 12 MM, WEIGHT 84 GRAMS, WEIGHT CAPACITY IS UP TO 100 KG	ITEMIZED	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	OSSUR	A-533100	Mexico
### 242400510700 ADAPTER, SOCIET POT ALLIMINALIAN, WITH STANKINESS STEEL PPRAMID INSERT, HIGHET 25 MM, AUGUST 100 BOX MM, WIGHET 200 MM, WIGH 200 M	81	4224200509900	HEIGHT 77 MM, AND CAN BE CUT TO 70 MM, BUILD HEIGHT 63 MM, WEIGHT 86 GRAMS,	ITEMIZED	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	OSSUR	A-433120	Mexico
SAME	82	4224200510700	ADAPTER, SACH FOOT, ALUMINUM, WITH STAINLESS STEEL, PYRAMID INSERT, HEIGHT 25	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	2R8=M10	China
SEANS, WEIGHT CAPACITY IS UP TO JOD KE ### ALZ2400059800 ADAPTER, SINGLE, MALE, PROFIT, AUMINIUM WITH STANLESS STEEL PPRAMID INSERT, ### ALZ2400059800 ADAPTER, SINGLE, MALE, PROFIT, AUMINIUM WITH STANLESS STEEL PPRAMID INSERT, ### ALZ2400059800 ADAPTER, SOCKET WITH FOUR ADJUSTMENT SET SCREWS, TITANIUM ### ALZ2400059800 ADAPTER, SOCKET WITH FOUR ADJUSTMENT SET SCREWS, TITANIUM ### ALZ2400059800 ADAPTER, SOCKET WITH FOUR ADJUSTMENT SET SCREWS, TITANIUM ### ALZ2400059800 ADAPTER, SOCKET WITH FOUR ADJUSTMENT SET SCREWS, TITANIUM ### ALZ2400059800 ADAPTER, SOCKET WITH FOUR ADJUSTMENT SET SCREWS, TITANIUM ### ALZ2400059800 ADAPTER, SOCKET, FOUR ADJUSTMENT SET SCREWS, TITANIUM ### ALZ2400059800 ADAPTER, SOCKET, MITH FOUR ADJUSTMENT SET SCREWS ### ALZ2400059900 ADAPTER, SOCKET, MITH FOUR ADJUSTMENT SET SCREWS ### ALZ2400059900 ADAPTER, SOCKET, MITH FOUR ADJUSTMENT SET SCREWS ### ALZ2400059900 ADAPTER, SOCKET, MITH FOUR ADJUSTMENT SET SCREWS ### ALZ2400059900 ADAPTER, SOCKET, MITH FOUR ADJUSTMENT SET SCREWS ### ALZ2400059900 ADAPTER, SOCKET, MITH FOUR ADJUSTMENT SET SCREWS ### ALZ2400059900 ADAPTER, SOCKET, MITH FOUR ADJUSTMENT SET SCREWS ### ALZ2400059900 ADAPTER, SOCKET, MITH FOUR ADJUSTMENT SET SCREWS ### ALZ2400059900 ADAPTER, TUBE CLAMP, FEMALE, TITANIUM, MOVABLE, 3M MM ### ALZ2400059900 ADAPTER, TUBE CLAMP, FEMALE, TITANIUM, MOVABLE, 3M MM ### ALZ2400059900 ADAPTER, TUBE CLAMP, FEMALE, TITANIUM, MOVABLE, 3M MM ### ALZ2400059900 ADAPTER, TUBE CLAMP, FEMALE, TITANIUM, MOVABLE, 3M MM ### ALZ2400059900 ADAPTER, TUBE CLAMP, FEMALE, TITANIUM, MOVABLE, 3M MM ### ALZ2400059900 ADAPTER, TUBE CLAMP, FEMALE, TITANIUM, MOVABLE, 3M MM ### ALZ2400059900 ADAPTER, TUBE CLAMP, FEMALE, TITANIUM, MOVABLE, 3M MM ### ALZ2400059900 ADAPTER, TUBE CLAMP, FEMALE, TITANIUM, MOVABLE, 3M MM ### ALZ2400059900 ADAPTER, TUBE CLAMP, FEMALE, TITANIUM, MOVABLE, 3M MM ### ALZ2400059900 ADAPTER, TUBE CLAMP, FEMALE, TITANIUM, MOVABLE, 3M MM ### ALZ2400059900 ADAPTER, TUBE CLAMP, FEMALE, TITANIUM,	83	4224200510800	GRAMS, WEIGHT CAPACITY IS UP TO 100 KG	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	10A43/T60	Germany
84 222405598800 HEGHT 50 MM, BUILD HEGHT 35 MM, WEGHT GORDANS, WEGHT CAPACITY IS UP TO 100 ITEMIZED each 400550 Al-EWAN MEDICAL CO-ORG. STAND G 1218T MEDICAL CO-ORG. STAND G 1220A MEDICAL CO-ORG. STAND G STAND G MEDICAL CO-ORG. STAND G STAND G STAND G MEDICAL CO-ORG. STAND G	83	4224200510800	GRAMS, WEIGHT CAPACITY IS UP TO 100 KG	ITEMIZED	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	OSSUR	A-645210	Mexico
85 822400508000 ADAPTER, SOCKET WITH FOUR ADUSTMENT SET SCREW S, TITANIUM TIENAZED each 400571 AL Gaim Comm. Est Orig. Ottobook 4855	84	4224200509800	HEIGHT 50 MM, BUILD HEIGHT 35.5 MM, WEIGHT 60 GRAMS, WEIGHT CAPACITY IS UP TO 100	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	OSSUR	A-433110	Mexico
86 4219103000000			ADAPTER, SOCKET WITH FOUR ADJUSTMENT SET SCREW S, TITANIUM							South Korea Germany
88	86	4219180300600	ADAPTER, SOCKET, FOR CHILDREN, WITH FOUR ADJUSTMENT SET SCREW S	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	4R60	Germany South Korea
### ADAPTER, TUBE CLAMP, FEMALE, ITAINUM, MOVABLE, 34 MM ### ADAPTER, TUBE CLAMP, FEMALE, TITANUM, MOVABLE, 34 MM ### ADAPTER, TUBE CLAMP, FEMALE, TUBE, ADAPTER, TUBE CLAMP, FEMALE, TUBE, ADAPTER, ADAPTER			ADAPTER, SOCKET, ROTATABLE, TITANIUM, APPLICATION AS FOR SOCKET ADAPTER, WITH				AL Gaim Comm. EstOrig-			Germany
4224270706900 AIR WALKER WITH PATENTED PNEUMATIC SYSTEM, PADDED WITH SOFT LINERS AND EASY TO FIT SMILL SYSTEM, PADDED WITH SOFT LINERS AND EASY TO FIT, EXTRA SMALL, LOW PROFILE 4224170706900 AIR WALKER WITH PATENTED PNEUMATIC SYSTEM, PADDED WITH SOFT LINERS AND EASY TO FIT, EXTRA SMALL, LOW PROFILE 4224170706900 AIR WALKER WITH PATENTED PNEUMATIC SYSTEM, PADDED WITH SOFT LINERS AND EASY TO FIT, EXTRA SMALL, STANDARD 4224170706900 AIR WALKER WITH PATENTED PNEUMATIC SYSTEM, PADDED WITH SOFT LINERS AND EASY TO FIT, LARGE, LOW PROFILE 4224170706900 AIR WALKER WITH PATENTED PNEUMATIC SYSTEM, PADDED WITH SOFT LINERS AND EASY TO FIT SMILED 4224170706900 AIR WALKER WITH PATENTED PNEUMATIC SYSTEM, PADDED WITH SOFT LINERS AND EASY TO FIT SMILED 4224170706900 AIR WALKER WITH PATENTED PNEUMATIC SYST	90	4224200508600	ADAPTER, TUBE CLAMP, FEMALE, TITANIUM, MOVABLE, 34 MM	ITEMIZED	each	400571	DUPLICATED DESCRIPTION AL Gaim Comm. EstOrig-	Ottobock	4R88	CANCELLED Germany Germany
ADAPTER, TUBE CLAMP, PEDIATRIC ITEMIZED each 400468 ALMAFSAL MEDICAL CO-Orig. ST AND G P212A 93 4224170706700 AIR WALKER WITH PATENTED PNEUMATIC SYSTEM PADDED WITH SOFT LINERS AND EASY TO FIT EXTRA-LARGE LOW PROFILE 94 4224170706800 AIR WALKER WITH PATENTED PNEUMATIC SYSTEM, PADDED WITH SOFT LINERS AND EASY TO FIT EXTRA-LARGE LOW PROFILE 95 4224170706800 AIR WALKER WITH PATENTED PNEUMATIC SYSTEM, PADDED WITH SOFT LINERS AND EASY TO FIT EXTRA-LARGE UNITH SOFT LINERS AND EASY TO FIT EXTRA-LARGE UNITH PATENTED PNEUMATIC SYSTEM, PADDED WITH SOFT LINERS AND EASY TO FIT EXAMPLE, STANDARD 96 4224170706800 AIR WALKER WITH PATENTED PNEUMATIC SYSTEM, PADDED WITH SOFT LINERS AND EASY TO FIT SMALL, STANDARD 97 4224170706500 AIR WALKER WITH PATENTED PNEUMATIC SYSTEM, PADDED WITH SOFT LINERS AND EASY TO FIT SMALL, STANDARD 98 4224170706500 AIR WALKER WITH PATENTED PNEUMATIC SYSTEM, PADDED WITH SOFT LINERS AND EASY TO FIT, EXTRA SMALL, LOW PROFILE 99 4224170706500 AIR WALKER WITH PATENTED PNEUMATIC SYSTEM, PADDED WITH SOFT LINERS AND EASY TO FIT, EXTRA SMALL, LOW PROFILE 98 4224170706500 AIR WALKER WITH PATENTED PNEUMATIC SYSTEM, PADDED WITH SOFT LINERS AND EASY TO FIT, EXTRA SMALL, LOW PROFILE 99 4224170706500 AIR WALKER WITH PATENTED PNEUMATIC SYSTEM, PADDED WITH SOFT LINERS AND EASY TO FIT, EXTRA SMALL, STANDARD 99 4224170706500 AIR WALKER WITH PATENTED PNEUMATIC SYSTEM, PADDED WITH SOFT LINERS AND EASY TO FIT, EXTRA SMALL, STANDARD 99 4224170706500 AIR WALKER WITH PATENTED PNEUMATIC SYSTEM, PADDED WITH SOFT LINERS AND EASY TO FIT, LARGE, LOW PROFILE 99 4224170706500 AIR WALKER WITH PATENTED PNEUMATIC SYSTEM, PADDED WITH SOFT LINERS AND EASY TO FIT LINES AND EASY TO			ADAPTER, TUBE CLAMP, FOR CHILDREN WITH UPPER PYRAMID AND LOWER TUBE CLAMP							Germany
93 4224170706700 FIT EXTRA-LARGE LOW PROFILE ITEMIZED each 400619 Hospital Care Company -Orig-MEDICAL PRODUCTS CO., FT-018 (XL) 94 4224170706800 AIR WALKER WITH PATENTED PNEUMATIC SYSTEM, PADDED WITH SOFT LINERS AND EASY TO FIT MEDICAL PRODUCTS CO., FT-021 (XL) 95 4224170706800 AIR WALKER WITH PATENTED PNEUMATIC SYSTEM, PADDED WITH SOFT LINERS AND EASY TO FIT MEDIUM LOW PROFILE 96 4224170706400 AIR WALKER WITH PATENTED PNEUMATIC SYSTEM, PADDED WITH SOFT LINERS AND EASY TO FIT MEDIUM LOW PROFILE 97 4224170706500 AIR WALKER WITH PATENTED PNEUMATIC SYSTEM, PADDED WITH SOFT LINERS AND EASY TO FIT MEDIUM LOW PROFILE 98 4224170706500 AIR WALKER WITH PATENTED PNEUMATIC SYSTEM, PADDED WITH SOFT LINERS AND EASY TO FIT, EXTRA SMALL, LOW PROFILE 99 4224170706500 AIR WALKER WITH PATENTED PNEUMATIC SYSTEM, PADDED WITH SOFT LINERS AND EASY TO FIT, EXTRA SMALL, LOW PROFILE 99 4224170706500 AIR WALKER WITH PATENTED PNEUMATIC SYSTEM, PADDED WITH SOFT LINERS AND EASY TO FIT, EXTRA SMALL, STANDARD 99 4224170706500 AIR WALKER WITH PATENTED PNEUMATIC SYSTEM, PADDED WITH SOFT LINERS AND EASY TO FIT, EXTRA SMALL, STANDARD 99 4224170706500 AIR WALKER WITH PATENTED PNEUMATIC SYSTEM, PADDED WITH SOFT LINERS AND EASY TO FIT, LARGE, LOW PROFILE 99 4224170706500 AIR WALKER WITH PATENTED PNEUMATIC SYSTEM, PADDED WITH SOFT LINERS AND EASY TO FIT, LARGE, LOW PROFILE 100 4224170706500 AIR WALKER WITH PATENTED PNEUMATIC SYSTEM, PADDED WITH SOFT LINERS AND EASY TO FIT MIZED 101 4224170706500 AIR WALKER WITH PATENTED PNEUMATIC SYSTEM, PADDED WITH SOFT LINERS AND EASY TO FIT MIZED 102 4224170706500 AIR WALKER WITH PATENTED PNEUMATIC SYSTEM, PADDED WITH SOFT LINERS AND EASY TO FIT MIZED 103 4224170706500 AIR WALKER WITH PATENTED PNEUMATIC SYSTEM, PADDED WITH SOFT LINERS AND EASY TO FIT MIZED 104 4224170706500 AIR WALKER WITH PATENTED PNEUMATIC SYSTEM, PADDED WITH SOFT LINERS AND EASY TO FIT MIZED 105 4224170706500 AIR WALKER WITH PATENTED PNEUMATIC SYSTEM, PADDED WITH SOFT LINERS AND EASY TO FIT MIZED 106 4224170706500 AIR WALKER W			ADAPTER, TUBE CLAMP, PEDIATRIC							South Korea
95 4224170706000 AIR WALKER WITH PATENTED PNEUMATIC SYSTEM, PADDED WITH SOFT LINERS AND EASY TO FIT SMITH SOFT LINERS AND EASY TO FIT, EXTRA SMALL, LOW PROPILE 98 4224170705900 AIR WALKER WITH PATENTED PNEUMATIC SYSTEM, PADDED WITH SOFT LINERS AND EASY TO FIT, EXTRA SMALL, STANDARD 99 4224170705900 AIR WALKER WITH PATENTED PNEUMATIC SYSTEM, PADDED WITH SOFT LINERS AND EASY TO FIT, EXTRA SMALL, STANDARD 99 4224170706200 AIR WALKER WITH PATENTED PNEUMATIC SYSTEM, PADDED WITH SOFT LINERS AND EASY TO FIT, LARGE, LOW PROPILE 100 4224170706200 AIR WALKER WITH PATENTED PNEUMATIC SYSTEM, PADDED WITH SOFT LINERS AND EASY TO FIT, LARGE, LOW PROPILE 100 4224170706200 AIR WALKER WITH PATENTED PNEUMATIC SYSTEM, PADDED WITH SOFT LINERS AND EASY TO FIT, LARGE, LOW PROPILE 100 4224170706200 AIR WALKER WITH PATENTED PNEUMATIC SYSTEM, PADDED WITH SOFT LINERS AND EASY TO FIT LINERS AND EASY			FIT EXTRA-LARGE LOW PROFILE					MEDICAL PRODUCTS CO.,		China
96 4224170706400 AIR WALKER WITH PATENTED PNEUMATIC SYSTEM, PADDED WITH SOFT LINERS AND EASY TO FIFE LYTING SAND EASY TO			FIT EXTRA-LARGE STANDARD					MEDICAL PRODUCTS CO.,		China
96 4224170706400 FIT SMALL, STANDARD ITEMIZED each 400619 Hospital Care Company -Orig- MEDICAL PRODUCTS CO., FT-021 (S) 97 4224170706500 AIR WALKER WITH PATENTED PNEUMATIC SYSTEM, PADDED WITH SOFT LINERS AND EASY TO ITEMIZED each 400619 Hospital Care Company -Orig- MEDICAL PRODUCTS CO., FT-018 (XS) 98 4224170705900 AIR WALKER WITH PATENTED PNEUMATIC SYSTEM, PADDED WITH SOFT LINERS AND EASY TO ITEMIZED each 400619 Hospital Care Company -Orig- MEDICAL PRODUCTS CO., FT-018 (XS) PONGGUAN SUPERCARE MEDICAL PRODUCTS CO., FT-018 (LS) 99 4224170706200 AIR WALKER WITH PATENTED PNEUMATIC SYSTEM, PADDED WITH SOFT LINERS AND EASY TO ITEMIZED each 400619 Hospital Care Company -Orig- MEDICAL PRODUCTS CO., FT-018 (LS) PONGGUAN SUPERCARE MEDICAL PRODU	95	4224170706000	FIT MEDIUM LOW PROFILE	ITEMIZED	each	400619	Hospital Care Company -Orig-	MEDICAL PRODUCTS CO.,	FT-018 (M)	China
98 4224170706200 AIR WALKER WITH PATENTED PREUMATIC SYSTEM, PADDED WITH SOFT LINERS AND EASY TO FT. LARGE, LOW PROPILE 11 EMIZED each 400619 Hospital Care Company -Orig- MEDICAL PRODUCTS CO., FT-018 (L) 12 A224170706200 AIR WALKER WITH PATENTED PREUMATIC SYSTEM, PADDED WITH SOFT LINERS AND EASY TO FT. LARGE, LOW PROPILE 10 A224170706200 AIR WALKER WITH PATENTED PREUMATIC SYSTEM, PADDED WITH SOFT LINERS AND EASY TO TEMIZED each 400619 Hospital Care Company -Orig- MEDICAL PRODUCTS CO., FT-018 (L) 10 A224170706200 AIR WALKER WITH PATENTED PNEUMATIC SYSTEM, PADDED WITH SOFT LINERS AND EASY TO TEMIZED each 400619 Hospital Care Company -Orig- MEDICAL PRODUCTS CO., FT-018 (L) 10 A224170706200 AIR WALKER WITH PATENTED PNEUMATIC SYSTEM, PADDED WITH SOFT LINERS AND EASY TO TEMIZED each 400619 Hospital Care Company -Orig- MEDICAL PRODUCTS CO., FT-018 (L) 10 A224170706200 AIR WALKER WITH PATENTED PNEUMATIC SYSTEM, PADDED WITH SOFT LINERS AND EASY TO TEMIZED each 400619 Hospital Care Company -Orig- MEDICAL PRODUCTS CO., FT-018 (L) 10 A224170706200 AIR WALKER WITH PATENTED PNEUMATIC SYSTEM, PADDED WITH SOFT LINERS AND EASY TO TEMIZED each 400619 Hospital Care Company -Orig- MEDICAL PRODUCTS CO., FT-018 (L) 10 DONGGUAN SUPERCARE MEDICAL PRODUCTS CO., FT-018 (L) 11 DONGGUAN SUPERCARE MEDICAL PRODUCTS CO., FT-018 (L) 12 DONGGUAN SUPERCARE MEDICAL PRODUCTS CO., FT-018 (L) 13 DONGGUAN SUPERCARE MEDICAL PRODUCTS CO., FT-018 (L) 14 DONGGUAN SUPERCARE MEDICAL PRODUCTS CO., FT-018 (L) 15 DONGGUAN SUPERCARE MEDICAL PRODUCTS CO., FT-018 (L) 16 DONGGUAN SUPERCARE MEDICAL PRODUCTS CO., FT-018 (L) 17 DONGGUAN SUPERCARE MEDICAL PRODUCTS CO., FT-018 (L) 18 DONGGUAN SUPERCARE MEDICAL PRODUCTS CO., FT-018 (L) 18 DONGGUAN SUPERCARE MEDICAL PRODUCTS CO., FT-018 (L) 18 DONGGUAN SUPERCARE MEDICAL PRODUCTS CO.	96		FIT SMALL, STANDARD		each	400619	Hospital Care Company -Orig-	MEDICAL PRODUCTS CO.,	FT-021 (S)	China
98 4224170705900 FIT, EXTRA SMALL, STANDARD ITEMIZED each 400619 Hospital Care Company -Orig- MEDICAL PRODUCTS CO., F1-021 (X.) 99 4224170706200 AIR WALKER WITH PATENTED PNEUMATIC SYSTEM, PADDED WITH SOFT LINERS AND EASY TO ITEMIZED each 400619 Hospital Care Company -Orig- MEDICAL PRODUCTS CO., F1-018 (L) 100 4224170706200 AIR WALKER WITH PATENTED PNEUMATIC SYSTEM, PADDED WITH SOFT LINERS AND EASY TO ITEMIZED acre. 400619 Hospital Care Company -Orig- MEDICAL PRODUCTS CO., F1-018 (L) 101 4224170706200 AIR WALKER WITH PATENTED PNEUMATIC SYSTEM, PADDED WITH SOFT LINERS AND EASY TO ITEMIZED acre. 400619 Hospital Care Company -Orig- DONGGUAN SUPERCARE ET 0.01 (L)	97	4224170706500	FIT, EXTRA SMALL, LOW PROFILE	ITEMIZED	each	400619	Hospital Care Company -Orig-	MEDICAL PRODUCTS CO.,	FT-018 (XS)	China
99 422417/JOB200 FIT, LARGE, LOW PROFILE TEMIZED each 400619 HOSPITAL CARE COMPANY - OTIGE MEDICAL PRODUCTS CO., F1-US (U) 100 422417/JOB200 AIR WALKER WITH PATENTED PNEUMATIC SYSTEM, PADDED WITH SOFT LINES AND EASY TO TEMIZED AND EA	98	4224170705900	FIT, EXTRA SMALL, STANDARD	ITEMIZED	each	400619	Hospital Care Company -Orig-	MEDICAL PRODUCTS CO.,	FT-021 (XS)	China
	99	4224170706200	FIT, LARGE, LOW PROFILE	ITEMIZED	each	400619	Hospital Care Company -Orig-	MEDICAL PRODUCTS CO.,	FT-018 (L)	China
	100	4224170706600		ITEMIZED	each	400619	Hospital Care Company -Orig-		FT-021 (L)	China

TENDER NA	AME : Prosthetics Or	thosis Supplies							
101	4224170706300	AIR WALKER WITH PATENTED PNEUMATIC SYSTEM, PADDED WITH SOFT LINERS AND EASY TO FIT, MEDIUM, STANDARD	ITEMIZED	each	400619	Hospital Care Company -Orig-	DONGGUAN SUPERCARE MEDICAL PRODUCTS CO.,	FT-021 (M)	China
102	4224170706100	AIR WALKER WITH PATENTED PNEUMATIC SYSTEM, PADDED WITH SOFT LINERS AND EASY TO FIT, SMALL, LOW PROFILE	ITEMIZED	each	400619	Hospital Care Company -Orig-	DONGGUAN SUPERCARE MEDICAL PRODUCTS CO.,	FT-018 (S)	China
103	4224170119400	ANATOMICAL CONFORMATION IT INCORPORATES CUSHION PAD FOR 1ST TOE METATARSAL STRAP RULED ON THE 5 TH METATARSAL FOR THE CONTROL OF THE CORRECTIVE PRESSURE METATARSAL STRAP ON THE 1ST METATARSAL ANATOMY AND RETROCAPITAL IT INCORPORATES COMPORT PAD ON THE 5 TH METATARSAL ANATOMY AND RETROCAPITAL IT INCORPORATES COMPORT PAD ON THE 5 TH METATARSAL ANATOMY AND RETROCAPITAL IN WITH SOFT VELOUR MICRO VELCRO CLOSURE THE APPLICATION OF LOW INTENSITY FORCES EXERTED BY THE ORTHOSIS THROUGH THREE POINTS TO SUPPORT PLACES THE BIG TOC EXCORDING TO ITS ANSI CORRECTION IF SOFT PADAGES AND STRENG HOSE OF A STRENG AND EXTENSION MUSCLES OF THE FIRST TOE THIS EFFECT ASSED ON A CONSTANT AND CONTROLLED LOW INTENSITY PRESSURE FAVORS THE GRADUAL ALIGNMENT OF THE DEVIATION OF THE TOE DECREASING THE BUNION AND ACHIEVING MAXIMUM TISSUE AND JOINT NORMALIZATION CONSERVATIVE TREATMENT OF HALLLY VALGUS SWICHT BUNION ALIGNER POST - OPERATIVE HALLUX VALGUS SIZE S ACCORDING TO SHOE SIZE LARGE/LEFT	iTEMIZED	each	400792	massas al-watania for medical servi - Orig-	ELIFE	E-HV001-LL	China
104	4224170119500	ANATOMICAL CONFORMATION IT INCORPORATES CUSHION PAD FOR 1ST TOE METATARSAL STRAP RULED ON THE 5 TH METATARSAL FOR THE CONTROL OF THE CORRECTIVE PRESSURE METATARSAL STRAP ON THE 1ST METATARSAL ANATOMY AND RETROCAPITAL IT INCORPORATES COMPORT PAD ON THE 5 TH METATARSAL ANATOMY AND RETROCAPITAL IT INCORPORATES COMPORTED ON THE 5 TH METATARSAL ANATOMY AND RETROCAPITAL IT IN WITH STEP FOR VEILOUR MICRO VEILOR OLDSURE THE APPLICATION OF LOW INTERSITY FORCES EXCORDING TO THE ORTHOSIS THROUGH THEE POINTS OF SUPPORT PLACE BIGT TOE ACCORDING TO ITS ANS CORRECTIONS OF SOMEWHAT THE METATARSOPHALANGEAL ALIGNMENT GENERATES A SIGNIFICANT ELONGATION EFFOR THE FERROR AND EXTENSOR MUSICES OF THE FIRST TOE THIS EFFCET BASED OFFICE AND EXTENSOR MUSICES OF THE FIRST TOE THIS EFFCET BASED ONE A CONSTANT AND CONTROL FOR THE DEVIATION OF THE TOE DECREASING THE METATARSOP MAJAKIMAN TISSUE AND JOINT NORMALIZATION CONSERVATIVE TREATMENT OF HALLUX VALGUS NIGHT BUNION ALIGONER POST - OPERATIVE HALLUX VALGUS SIZE S ACCORDING TO SHOE SIZE MEDIUM/LEFT	ITEMIZED	each	400792	massas al-watania for medical servi - Orig-	ELIFE	E-HV001-ML	China
105	4224170119600	ANATOMICAL CONFORMATION IT INCORPORATES CUSHION PAD FOR 1ST TOE METATARSAL STRAP RULED ON THE 5 TH METATARSAL FOR THE CONTROL OF THE CORRECTIVE PRESSURE METATARSAL STRAP ON THE 1ST METATARSAL ANATOMY AND RETROCAPITAL IT INCORPORATES COMPORT PAD ON THE 5 TH METATARSAL ANAFOR THERMOPLASTIC AND WITH SOFT VELOUR MICRO VELCRO CLOSURE THE APPLICATION OF LOW INTENSITY FORCES EXERTED BY THE ORTHOUS THROUGHT HISRE POINTS OF SUPPORT PLACES THE BIG TOE ACCORDING TO ITS AXIS CORRECTING ITS DEVATION IN VALGUS (BUNION) AND ACHIEVING THE METATARSOPHALANGEAL ALIGNMENT GENERATES A SIGNIFICANT ELONGATION EFFECT ON THE ELEXOR AND EXTENSION MUSCLES OF THE FIRST TOTE THIS EFFECT BASED ON A CONSTANT AND CONTROLLED LOW INTENSITY PRESSURE FAVORS THE GRADUAL ALIGNMENT OF THE COPIA OF THE THE PART OF THE HISR TOT OF THIS UNION AND ACHIEVING MAXIMUM INSUE AND JOINT NORMALIZATION CONSERVATIVE TREATMENT OF HALLUX VALGUS NIGHT BUNION ALIGNER POST - OPERATIVE HALLUX VALGUS SIZE S ACCORDING TO SHOE SIZE SMALL/RIGHT	itemized	each	400792	massas al-watania for medical servi - Orig-	ELIFE	E-HV001-SR	China
106	4224170119700	ANATOMICAL CONFORMATION IT INCORPORATES CUSHION PAD FOR 1ST TOE METATARSAL STRAP RULED ON THE 5 TH METATARSAL FOR THE CONTROL OF THE CORRECTIVE PRESSURE METATARSAL STRAP ON THE 1ST METATARSAL ANATOMY AND RETROCAPITAL IT INCORPORATES COMPORT FAD ON THE 5 TH METATARSAL MADGE OF THERMOPLASTIC AND WITH SOFT VELOUM NICHO SUCKEON CLOSUBLE THE APPLICATION OF LOW INTENSITY FORCES ELERED BY THE ORTHOSS THROUGH THREE POINTS OF SUPPORT PLACES THE BIG TOCE ACCORDING TO TIS ANS CORRECTION OF TWACH STRANGE TO THE ACCORDING TO TIS ANS CORRECTION OF TWACH STRANGE TO THE FLEXOR AND EXTENSION MUSCLES OF THE FIRST TOE THIS EFFECT BASED ON A CONSTANT AND CONTROLLED LOW INTENSITY PRESSURE FAVORS THE GRADULAL ALIGNMENT OF THE DEVIATION OF THE TOE DECREASING THE BUNION AND ACHIEVING MAXIMUM TISSUE AND JOINT NORMALIZATION CONSERVATIVE TREATMENT OF THALLE VALGUES MICHT BUNION ALIGNMENT BUNION AND ACHIEVING MAXIMUM TISSUE AND JOINT NORMALIZATION CONSERVATIVE TREATMENT OF THALLE VALGUES MICHT BUNION ALIGNER POST - OPERATIVE HALLUX VALGUS SICE'S ACCORDING TO SHOE SIZE LARGE/RIGHT	ITEMIZED	each	400792	massas al-watania for medical servi - Orig-	ELIFE	E-HV001-LR	China
107	4224170119800	ANATOMICAL CONFORMATION IT INCORPORATES CUSHION PAD FOR 1ST TOE METATARSAL STRAP RULED ON THE 5 TH METATARSAL FOR THE CONTROL OF THE CORRECTIVE PRESSURE METATARSAL STRAP ON THE 15 TM ETATARSAL ANATOMY AND RETROCAPITAL IT INCORPORATES COMFORT PAD ON THE 5 TH METATARSAL MADE OF THERMOPLASTIC AND WITH SOFT VELOUR MICRO VELCRO CLOSURE THE APPLICATION OF LOW INTENSITY FORCES EXERTED BY THE ORTHOSIS THROUGH THREE POINTS OF SUPPORT PLACES THE BIG TOE ACCORDING TO ITS ANS CORRECTING ITS DEVIATION IN VALIGUS (BUNION) AND ACHIEVING THE METATARSOPHALANGEAL ALIGNMENT GENERATES A SIGNIFICANT ELONGATION EFFECT ON THE FLEXOR AND EXTENSOR MUSCLES OF THE FIRST TOE THIS EFFECT BASED ON A CONSTANT AND CONTROLLED LOW INTENSITY PRESSURE FAVORS THE GRADUAL ALIGNMENT OF THE DEVIATION OF THE TOE VIGHTOM OF THE TOE VIGHTOM OF THE TOE VIGHTOM OF AND ACHIEVING MAXIMUM TISSUE AND JOINT NORMALIZATION CONSERVATIVE TREATMENT OF HALLUX VALIGUS NICHT BUNION ALIGNER POST - OPERATIVE HALLUX VALIGUS SIZE S ACCORDING TO SHOE SIZE MEDIUM/RIGHT	ITEMIZED	each	400792	massas al-watania for medical servi - Orig-	ELIFE	E-HV001-MR	China
108	4224170119900	ANATOMICAL CONFORMATION IT INCORPORATES CUSHION PAD FOR 1ST TOE METATARSAL STRAP RULED ON THE 5 TH METATARSAL FOR THE CONTROL OF THE CORRECTIVE PRESSURE METATARSAL STRAP ON THE 1ST METATARSAL ANATOMY AND RETROCAPITAL IT INCORPORATES COMPORT PAD ON THE 5 TH METATARSAL ANATOMY AND RETROCAPITAL IT INCORPORATES COMPORTED ON THE 5 TH METATARSAL ANATOMY AND RETROCAPITAL IN DIVIT HOSP OF VELOUR DICTION OF LOOK HER THE APPLICATION OF LOW INTENSITY FORCES EXERTED BY CHOOKING TO SITE OF THE PROPERTY	ITEMIZED	each	400792	massas al-watania for medical servi - Orig-	ELIFE	E-HV001-SL	China
109	4224200005600	ANGLE TUBE ADAPTER TITANIUM WITH APPROXIMATELY 10 DEGREES INNER DIAMETER 30 MM SYSTEM HEIGHT: 34 MM WEIGHT: 85 GRAMS FOR BODY WEIGHT UP TO 100 KG	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	4R56	Germany
109	4224200005600 4224200004200	ANGLE TUBE ADAPTER TITANIUM WITH APPROXIMATELY 10 DEGREES INNER DIAMETER 30 MM SYSTEM HEIGHT: 34 MM WEIGHT: 85 GRAMS FOR BODY WEIGHT UP TO 100 KG ANGLE TUBE ADAPTER TITANIUM WITH APPROXIMATELY 20 DEGREES INNER DIAMETER 30	ITEMIZED	each each	400468	ALMAFSAL MEDICAL CO -Orig-	ST AND G	1213T 4R56=1	South Korea
110	422420004200 4224200136800	MM SYSTEM HEIGHT: 34 MM WEIGHT: 85 GRAMS FOR BODY WEIGHT UP TO 100 KG ANNEA LAIGMENT, SWIND DOSFIEEDION - ROUGHTY DYS (RESTEM INNIMIM) TOE CLEARANCE INCREASED RANGE OF MOTION HIGHER GROUND COMPULANCE ANNIE ADJUSTS TO THE HEEL HEIGHT OR BAREFOOT SITUATION FI USER, STAIR ADAPTATION, INCREASED KINEE FLEXION AND INCREASED KINEE MOMENT, RAMP ADAPTATION, RELAX/CHAIR EXIT, PASTER TERRAIN ADAPTATION, ATOMATIC CYCLING RECOGNITION, STANDBY, WEATHERPROOF, MORE DYNAMIC AND MORE E NERGY RETURN, APP TO ADJUST SETTINGS SUCH AS ANKIE ALIGNMENT, RELAX MODE, CHAIR EXIT MODE AND STANDBY, MORE COMPATIBLE WITH FUNCTIONS OF THE FEET AND MORE ANATOMACL DESIGN INCREASED, SAFETY BY DECREASED LIKELYHOOD OF TRIPPING AND FALLING MORE NATTURAL GAIT AND LESS SOUND SIDE LOADING INCREASE SAFETY BY STRONGER CONNECTION TO THE SURFACE, FREEDOM IN CHOICE OF FOOTWEAR, MORE NATURAL STAIR ASCENT AND DESCENT, MORE NATURAL MOVEMENTS, LESS THINNING BEFORE WALKING, FASTER ADAPTATION TO CHANGES, MORE NATURAL WALKING AND IESS THINKING, FOOT CAN WITHSTAND	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobook	PSX01XYYZ	Germany Iceland
111	4224200136800	CONDENSATION, HUMIDITY AND FOG, SPILLING WATE ANKLE ALIGAMENT, SWING DOSSIFEKION - ROUGHLY 70% GREATER MINIMUM TOE CLEARANCE INCREASED BANGE OF MOTION HIGHER GROUND COMPULANCE ANKLE ADJUSTS TO THE HEEL HEIGHT OR BAREFOOT STIUATION OF USER, STAIR ADAPTATION, INCREASED KNEE FLEXION AND INCREASED KNEE MOMENT, RAMP ADAPTATION, RELAX/CHAIR EXIT, FASTER TERRAIN ADAPTATION, AUTOMATIC CYCLING RECOGNITION, STANDBY, WEATHERPROOF, MORE DYNAMIC AND MORE ENREY RETURN, APP TO ADJUST SETTINGS SUCH AS ANKLE ALIGNMENT, RELAX MODE, CHAIR EXIT MODE AND STANDBY, MORE COMPATIBLE WITH FUNCTIONS OF THE FEET AND MORE ANATOMICAL DESIGN INCREASED, SAFETY BY DECREASED LIKELYHOOD OF TRIPPING AND FALLING MORE NATTURAL GAIT AND LESS SOUNDS SIDE LOADING INCREASE SAFETY BY STRONGER CONNECTION TO THE SURFACE, FREEDOM IN CHOICE OF FOOTWEAR, MORE NATURAL STAIR ASCENT AND DESCENT, MORE NATURAL MOVEMENTS, LESS THINKING BEFORE WALKING, FASTER ADAPTATION TO CHANGES, MORE NATURAL WALKING AND LESS THINKING, FOOT CAN WITHSTAND CONDENSATION, HUMIDITY AND FOG, SPILLING WATE	iTEMIZED	Kit	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	Proteor SAS	F14-N2	France

	AME : Prosthetics Or								Preliminary Resul
112	4224150901100	ANKLE FOOT ORTHOSIS, RIGID, POLYPROPYLENE, 4 MM, FULL INSOLE NERVES OF THE POSTERIOR AREA PROVIDET THE NECESSARY SUPPORT AND AT THE SAME TIME IS WEIGHTLESS, PLANTAR ZONC HARACTERIZED BY ANCH CONFORMATION, EASY ADAPTATION DUE TO ITS ANATOMICAL DESIGN, VERY RESISTANT PADDING IN CALF AREA, ASSISTS DORSIFEKION IN THE EQUINE FOOT, SUEZ 83 - 37, LEFT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Anaya Orthopedic Industries (Ortho Techn	OT9020-SL	Saudi Arabia
113	4224150901200	ANKLE FOOT ORTHOSIS, RIGID, POLYRPOPYLENE, 4 MM, FULL INSIGE RERVES OF THE POSTERIOR AREA PROVIDE THE NECESSARY SUPPORT AND AT THE SAME TIME IS WEIGHTLESS, PLANTAR ZONE CHARACTERIZED BY ARCH CONFORMATION, EASY ADAPTATION DUE TO ITS ANATOMICAL DESIGN, YERY RESISTANT PADDING IN CALF AREA, ASSISTS DORSIFLEXION IN THE EQUINE FOOT, SUEZ 37 - 39, LEFT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Anaya Orthopedic Industries (Ortho Techn	OT9020-ML	Saudi Arabia
114	4224150901300	ANUE FOOT ORTHOUS, RIGID, POLYPROPYLENE, 4 MM, FULL INSOLE NERVES OF THE POSTERIOR AREA PROVIDE THE NECESSARY SUPPORT AND AT THE SAME TIME IS WEIGHTLESS, PLANTAR ZONE CHARACTERIZED BY ARCH CONFORMATION, EASY ADAPTATION DUE TO ITS ANATOMICAL DESIGN, VERY RESISTANT PADDING IN CALF AREA, ASSISTS DOSSIFIEKTION IN THE EQUINE FOOT, SUE 37 -38, RIGHT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Anaya Orthopedic Industries (Ortho Techn	OT9020-MR	Saudi Arabia
115	4224170644700	ANKLE FOOT ORTHOSIS, RIGID, POLYRPOPYLENE, 4 MM, FULL INSOLE NERVES OF THE POSTERIOR AREA PROVIDE THE NECESSARY SUPPORTA AND AT THE SAME TIME IS WEIGHTLESS, PLANTAR ZONE CHARACTERIZED BY ARCH CONFORMATION, EASY ADAPTATION DUE TO ITS ANATOMICAL DESIGN, VERY RESISTANT PADDING IN CALF AREA, ASSISTS DORSIFIERION IN THE EQUINE FOOT, SIZE 41-44, RIGHT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Anaya Orthopedic Industries (Ortho Techn	OT9020-XLR	Saudi Arabia
116	4224170644800	ANKLE FOOT ORTHOSIS, RIGID, POLYPROPYLENE, 4 MM, FULL INSOLE NERVES OF THE POSTERIOR AREA PROVIDE THE NECESSARY DUPPORT AND AT THE SAME TIME IS WEIGHTLESS, PLANTAR ZONE CHARACTERIZED BY ARCH CONFORMATION, EASY ADAPTATION DUE TO ITS ANATOMICAL DESIGN, VERY RESISTANT PADDING IN CALF AREA, ASSISTS DORSIFLEXION IN THE EQUINE FOOT, SIZE 39 -44.15	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Anaya Orthopedic Industries (Ortho Techn	OT9020-LL	Saudi Arabia
117	4224170644900	ANKLE FOOT ORTHOSIS, RIGID, POLYPROPYLENE, 4 MM, FULL INSOLE NERVES OF THE POSTERIOR AREA PROVIDE THE NECESSARY DUPPORT AND AT THE SAME TIME IS WEIGHTLESS, PLANTAR ZONE CHARACTERIZED BY ARCH CONFORMATION, EASY ADAPTATION DUE TO ITS ANATOMICAL DESIGN, VERY RESISTANT PADDING IN CALF AREA, ASSISTS DORSIFLEKION IN THE EQUINE FOOT, SUE 39 -44, RIGHT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Anaya Orthopedic Industries (Ortho Techn	OT9020-LR	Saudi Arabia
118	4224170645000	ANKE FOOT ORTHOSIS, RIGID, POLYPROPYLENE, 4 MM, PULL INSOLE NERVES OF THE POSTERIOR AREA PROVIDE THE NECESSARY SUPPORT AND AT THE SAME TIME IS WEIGHTLESS, PLANTAR ZONE CHARACTERIZED BY ARCH CONFORMATION, EASY ADAPTATION DUE TO ITS ANATOMICAL DESIGN, VERY RESISTANT PADDING IN CALF AREA, ASSISTS DORSIFIEXION IN THE EQUINE FOOT, SIZE 41: 44, LEFT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Anaya Orthopedic Industries (Ortho Techn	OT9020-XLL	Saudi Arabia
119	4618220703000	AMKE IMMOBILIZER WITH STEEL SPUNTS, CONTAINS SHAPED STEEL SPUNTS, RELEASING MALLEGULS, EXCELLENT COMPORT, FOAM MATERIAL, ADJUSTMENT ON FOREFOOT AND SUPRAIMALEGUAR, CLOSURE AND ADJUSTMENT MADE OF VELCRO, IMMOBILIZATION, ANTIALGIC THERAPEUTIC HEAT, INJURIES TO JOINTS WITHOUT FRACTURE, ANTERIOR FIBULAR LIGAMENT SPRAINS AND PERONEUS: - CALCANUE, POSTOPERATIVE, PROTECTION REGARDING TENDINOUS PLASTIES	ITEMIZED	each	400468	ALMAFSAL MEDICAL CO -Orig-	CONWELL	5912	South Korea
120	4618220700100	ANKE STABILIZER WITH LATERAL SPLINTS, MADE OF INELASTIC TECHNICAL FABRIC OF 3 D TECHNOLOGY, ADJUSTMENT BY LACES, LATERAL ELASTIC STRAP FOR "8 INCHES BANDAGE THAT ALLOWS THE CONTROL OF THE VARUS/VALGUS, SPRAIN OF LIGAMENTS CHRONIC LIGAMENT LAXITY, JOINT CAPSULE INJURY, CHRONIC JOINT INSTABILITY, RECURRENCE PREVENTION, TRAUMA, STABILIZING TREATMENT AFTER PROLONGED IMMOBILIZATION, POST - SURGICAL, SIZE: EXTRA LARGE	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	OSSUR	B-212000005	China
121	4618220700200	ANKE STABILIZER WITH LATERAL SPLINTS, MADE OF INELASTIC TECHNICAL FABRIC OF 3 D TECHNOLOGY, ADJUSTMENT BY LACES, LATERAL ELASTIC STRAP FOR "8 INCHES BANDAGE THAT ALLOWS THE CONTROL OF THE VARUS/VALGUS, SPRAIN OF LIGAMENTS CHRONIC LIGAMENT LAXITY, JOINT CAPSULE INJURY, CHRONIC JOINT INSTABILITY, RECURRENCE PREVENTION, TRAUMA, STABILIZING TREATMENT AFTER PROLONGED IMMOBILIZATION, POST - SURGICAL, SIZE MEDIUM	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	OSSUR	B-212000003	China
122	4618220703600	ANKE STABILIZER WITH LATERAL SPLINTS, MADE OF INELASTIC TECHNICAL FABRIC OF 3 D TECHNOLOGY, ADJUSTMENT BY LACES, LATERAL ELASTIC STRAP FOR "8 INCHES BANDAGE THAT ALLOWS THE CONTROL OF THE VARUS/VALGUS, SPRAIN OF LIGAMENTS CHRONIC LIGAMENT LAXITY, JOINT CAPSULE INJURY, CHRONIC JOINT INSTABILITY, RECURRENCE PREVENTION, TRAUMA, STABILIZING TREATMENT AFTER PROLONGED IMMOBILIZATION, POST - SURGICAL, SIZE SMALL	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	OSSUR	B-212000002	China
123	4618220700000	ANKE STABILIZER WITH LATERAL SPLINTS, MADE OF INELASTIC TECHNICAL FABRIC OF 3 D TECHNOLOGY, ADJUSTMENT BY LACES, LATERAL ELASTIC STRAP FOR "8 INCHES BANDAGE THAT ALLOWS THE CONTROL OF THE VARUS/VALGUS, SPRAIN OF LIGAMENTS, CHRONIC LIGAMENT LAXITY, JOINT CAPSULE INJURY, CHRONIC JOINT INSTABILITY, RECURRENCE PREVENTION TRAUMA STABILIZING TREATMENT AFTER PROLONGED IMMOBILIZATION, POST SURGICAL, SIZE: LARGE	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	OSSUR	B-212000004	China
124	4224200021100	ANKLE, DINT, ADJUSTABLE RANGE - OF - MOTION, WITH ANATOMICAL AXIS ALIGNMENT, AVAILABLE IN BIACA OR ININISHEDE STAINLESS STEEL, EASY TO FABRICATE, MATCHES CONTOURS, AND CO - AXIAL ALIGNMENT, OF THE ANATOMICAL ANKLE LOINT, PLANTAR FLEXION RANGE OF BOT MOTION, IS LIMITED CORSILEVON RANGE OF BROTION, IS LIMITED, CAN BE CONFIGURED, TO PROVIDE FREE MOTION, OR NO MOTION, DESIGN TO BE STRONG AND STABLE, MEDIAL/LATERAL CONTROL MOTION, LIMITING DOSIFIEZION AND/OR PLANTAR FLEXION MOTION ADJUSTMENT	CANCELLED	CANCELLED	CANCELLED	CANCELLED NOT MATCHING THE DESCRIPTION	CANCELLED	CANCELLED	CANCELLED
125	4224200148700	ANKLE-FOOT ORTHOSIS, PEDIATRIC, LIGHT CARBON FIBER, ADJUSTABLE SHELL, MEDIUM, LEFT, HEIGHT 26 CM, FOOT LENGTH 18 CM	CANCELLED	CANCELLED	CANCELLED	CANCELLED NOT MATCHING THE DESCRIPTION	CANCELLED	CANCELLED	CANCELLED
126	4224200148800	ANKLE-FOOT ORTHOSIS, PEDIATRIC, LIGHT CARBON FIBER, ADJUSTABLE SHELL, MEDIUM, RIGHT, HEIGHT 26 CM, FOOT LENGTH 18 CM	CANCELLED	CANCELLED	CANCELLED	CANCELLED NOT MATCHING THE DESCRIPTION	CANCELLED	CANCELLED	CANCELLED
127	4224151016000	ANTIBACTERIAL THERMOLYN PP - H OR EQUIVALENT DYNAMIC ANKLE FOOT ORTHOSIS (DAFO) AND ANKLE SEVEN LENGTH 2000 MM WIDTH 1000 MM THICKNESS 6 MM ANTIBACTERIAL THERMOLYN, PE 200 OR EQUIVALENT, FOR TLSO, LENGTH 2000 MM, WIDTH	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	616T20=2000X6	Germany
128	4224151015400 4224151015500	1000 MM, THICKNESS 3 MM ANTIBACTERIAL THERMOLYN, PE 200 OR EQUIVALENT, FOR TLSO, LENGTH 2000 MM, WIDTH	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	616T95=3 616T95=6	Germany
130	4224151015500	1000 MM, THICKNESS 6 MM ANTIBACTERIAL THERMOLYN, PETG OR EQUIVALENT, CLEAR, FOR TRANSFEMORAL FITTINGS	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	616T183=3	Germany
131	4224151015600	WITH/WITHOUT LINERS, HIGHLY TRANSPARENT, BREAK RESISTANT SIZE WILL BE ON DEMAND ANTIBACTERIAL THERMOLYN, PETG OR EQUIVALENT, CLEAR, FOR TRANSFEMORAL FITTINGS WITH/WITHOUT LINERS, HIGHLY TRANSPARENT, BREAK RESISTANT, LENGTH 400 MM,	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	616T183=5	
		WITHOUT LINERS, RIGHLT TRANSPARENT, BREAK RESISTANT, LENGTH 400 WWW, HICKNESS 5 MM ANTIBACTERIAL THERMOLYN, PP - H OR EQUIVALENT, DYNAMIC ANKLE FOOT ORTHOSIS AND							Germany
132	4224151015800 4224151015900	ANKLE SEVEN, LENGTH 2000 MM, WIDTH 1000 MM, THICKNESS 4 MM ANTIBACTERIAL THERMOLYN, PP. 10 REQUIVALENT, DYNAMIC ANKLE FOOT ORTHOSIS AND ANKLE SEVEN, LENGTH 2000 MM, WIDTH 1000 MM, THICKNESS 5 MM	ITEMIZED	each	400571 400571	AL Gaim Comm. EstOrig-	Ottobock	616T20=2000X4 616T20=2000X5	Germany
134	4224200030700	ANKLE SEVEN, LENGTH ZOUD MINI, WIDTH JOUD MINI, THICKNESS 5 MINI ANVILS, AN ORTHOTICS WORKSHOP TOOL, HIGH-GRADE STEEL WHICH FEATURES HIGH HARDNESS AND DURABILITY, DIMENSIONS WXH 500 X 190 MINI, ITS EXCELLENT FOR RIVETING, FLATTENING AND FORMING METAL, WEIGHT 40-80 KG	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	735A3=35	Germany
135	4618160900000	ARCH SUPPORT FULL-LENGTH SIZE LARGE 39 - 41	ITEMIZED	each	400792	massas al-watania for medical servi - Orig-	JIANXING	IS101C-40	China
136 137	4618160900100 4618160900200	ARCH SUPPORT, HIGH DENSITY, FULL LENGTH, SIZE: LARGE (39-41), PAIR ARCH SUPPORT, HIGH DENSITY, FULL LENGTH, SIZE: MEDIUM (37-39), PAIR	ITEMIZED ITEMIZED	Pair Pair	400050 400050	AI-EWAN MEDICAL COMPANY -Orig- AI-EWAN MEDICAL COMPANY -Orig-	Steeper Steeper	ASHDFLA-L ASHDFLA-M	Taiwan Taiwan
137 138 139	4618160900200 4618160900300 4618160900400	ARCH SUPPORT, HIGH DENSITY, FULL LENGTH, SIZE: MEDIUM (37-39), PAIR ARCH SUPPORT, HIGH DENSITY, FULL LENGTH, SIZE: SMALL (35-37), PAIR ARCH SUPPORT, HIGH DENSITY, FULL LENGTH, SIZE: XX-LARGE (44-46), PAIR	ITEMIZED ITEMIZED	Pair Pair Pair	400050 400050 400050	AI-EWAN MEDICAL COMPANY -Orig- AI-EWAN MEDICAL COMPANY -Orig- AI-EWAN MEDICAL COMPANY -Orig-	Steeper Steeper Steeper	ASHDFLA-S ASHDFLA-XXL	Taiwan Taiwan Taiwan
140 141	4618160900500 4618160900600	ARCH SUPPORT, HIGH DENSITY, FULL LENGTH, X-LARGE, (41-44) ARCH SUPPORT, MEDIUM DENSITY, FULL LENGTH, SIZE MEDIUM (37-39), PAIR	ITEMIZED ITEMIZED	Pair Pair	400050 400050	AI-EWAN MEDICAL COMPANY -Orig- AI-EWAN MEDICAL COMPANY -Orig-	Steeper Steeper	ASHDFLA-XL ASMDFLA-M	Taiwan Taiwan
142	4618160900700 4618160900800	ARCH SUPPORT, MEDIUM DENSITY, FULL LENGTH, SIZE SMALL (35-37), PAIR ARCH SUPPORT, MEDIUM DENSITY, FULL LENGTH, SIZE: EXTRA LARGE (41-44) ADDITIONAL SERVICE AND	ITEMIZED ITEMIZED	Pair Pair	400050 400050	AI-EWAN MEDICAL COMPANY -Orig-	Steeper Steeper	ASMDFLA-S ASMDFLA-XL	Taiwan Taiwan
144 145 146	4618160901000 4618160900900 4618160901100	ARCH SUPPORT, MEDIUM DENSITY, FULL LENGTH, SIZE: LARGE (39-41), PAIR ARCH SUPPORT, MEDIUM DENSITY, FULL LENGTH, SIZE: XX- LARGE (44-46), PAIR ARCH SUPPORT, PEDIATRIC, HIGH DENSITY, FULL LENGTH, SIZE: 18, PAIR	ITEMIZED ITEMIZED ITEMIZED	Pair Pair Pair	400050 400050 400050	Al-EWAN MEDICAL COMPANY - Orig- Al-EWAN MEDICAL COMPANY - Orig- Al-EWAN MEDICAL COMPANY - Orig-	Steeper Steeper Steeper	ASMDFLA-L ASMDFLA-XXL ASPHDFL18	Taiwan Taiwan Taiwan
147 148	4618160901300 4618160908100	ARCH SUPPORT, PEDIATRIC, HIGH DENSITY, FULL LENGTH, SIZE: 20, PAIR ARCH SUPPORT, PEDIATRIC, HIGH DENSITY, FULL LENGTH, SIZE: 22, PAIR	ITEMIZED ITEMIZED	Pair Pair	400050 400050	Al-EWAN MEDICAL COMPANY -Orig- Al-EWAN MEDICAL COMPANY -Orig-	Steeper Steeper	ASPHDFL20 ASPHDFL22	Taiwan Taiwan
149 150 151	4224170606600 4618160901500 4224170611100	ARCH SUPPORT, PEDIATRIC, HIGH DENSITY, FULL LENGTH, SIZE: 23 ARCH SUPPORT, PEDIATRIC, HIGH DENSITY, FULL LENGTH, SIZE: 24, PAIR ARCH SUPPORT, PEDIATRIC, HIGH DENSITY, FULL LENGTH, SIZE: 26	ITEMIZED ITEMIZED ITEMIZED	SET Pair Pair	400050 400050 400050	AI-EWAN MEDICAL COMPANY -Orig- AI-EWAN MEDICAL COMPANY -Orig- AI-EWAN MEDICAL COMPANY -Orig-	Steeper Steeper Steeper	ASPHDFL23 ASPHDFL24 ASPHDFL26	Taiwan Taiwan Taiwan
151 152 153	4224170611100 4618160901700 4224170610900	ARCH SUPPORT, PEDIATRIC, HIGH DENSITY, FULL LENGTH, SIZE: 26 ARCH SUPPORT, PEDIATRIC, HIGH DENSITY, FULL LENGTH, SIZE: 27, PAIR ARCH SUPPORT, PEDIATRIC, HIGH DENSITY, FULL LENGTH, SIZE: 28	ITEMIZED ITEMIZED	Pair Pair Pair	400050 400050 400050	AI-EWAN MEDICAL COMPANY -Orig- AI-EWAN MEDICAL COMPANY -Orig- AI-EWAN MEDICAL COMPANY -Orig-	Steeper Steeper Steeper	ASPHDFL26 ASPHDFL27 ASPHDFL28	Taiwan Taiwan Taiwan
154 155	4224170616300 4224170606400 4224170611000	ARCH SUPPORT, PEDIATRIC, HIGH DENSITY, FULL LENGTH, SIZE: 29 ARCH SUPPORT, PEDIATRIC, HIGH DENSITY, FULL LENGTH, SIZE: 30	ITEMIZED ITEMIZED	SET Pair	400050 400050	Al-EWAN MEDICAL COMPANY -Orig- Al-EWAN MEDICAL COMPANY -Orig-	Steeper Steeper	ASPHDFL29 ASPHDFL30	Taiwan Taiwan
156 157	4618160901800 4618160901900	ARCH SUPPORT, PEDIATRIC, HIGH DENSITY, FULL LENGTH, SIZE: 31, PAIR ARCH SUPPORT, PEDIATRIC, HIGH DENSITY, FULL LENGTH, SIZE: 32, PAIR	ITEMIZED ITEMIZED	Pair Pair	400050 400050	AI-EWAN MEDICAL COMPANY -Orig- AI-EWAN MEDICAL COMPANY -Orig-	Steeper Steeper	ASPHDFL31 ASPHDFL32	Taiwan Taiwan
158 159	4224170606300 4224170611200	ARCH SUPPORT, PEDIATRIC, HIGH DENSITY, FULL LENGTH, SIZE: 33 ARCH SUPPORT, PEDIATRIC, HIGH DENSITY, FULL LENGTH, SIZE: 34	ITEMIZED ITEMIZED	SET Pair	400050 400050	Al-EWAN MEDICAL COMPANY -Orig- Al-EWAN MEDICAL COMPANY -Orig-	Steeper Steeper	ASPHDFL33 ASPHDFL34	Taiwan Taiwan
160 161	4618160901200 4618160901400	ARCH SUPPORT, PEDIATRIC, HIGH DENSITY, FULL LENGTH, SIZE: 19, PAIR ARCH SUPPORT, PEDIATRIC, HIGH DENSITY, FULL LENGTH, SIZE: 21, PAIR	ITEMIZED ITEMIZED	Pair Pair	400050 400050	AI-EWAN MEDICAL COMPANY -Orig-	Steeper Steeper	ASPHDFL19 ASPHDFL21	Taiwan Taiwan
162 163 163	4618160901600 4618160902000 4618160902000	ARCH SUPPORT, PEDIATRIC, HIGH DENSITY, FULL LENGTH, SIZE: 25, PAIR ARCH SUPPORT, PEDIATRIC, HIGH DENSITY, FULL LENGTH, SIZE: 35, PAIR ARCH SUPPORT, PEDIATRIC, HIGH DENSITY, FULL LENGTH, SIZE: 35, PAIR	ITEMIZED ITEMIZED ITEMIZED	Pair Pair Pair	400050 400050 400035	AI-EWAN MEDICAL COMPANY -Orig- AI-EWAN MEDICAL COMPANY -Orig- ZIMMO TRADING Company LTD -Orig-	Steeper Steeper A.ALGEOS LTD	ASPHDFL25 ASPHDFL35 SB2973	Taiwan Taiwan Taiwan
164	4224200213800	AUTOMATIC ELBOW JOINT, 8 LOCK POSITIONS, ADOLESCENT, ELBOW SIZE 64 MM, FLESH PINK	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	Steeper	C07375PK	United Kingdom
165	4224200242000	AUTOMATIC ELBOW JOINT, 8 LOCK POSITIONS, ADOLESCENT, ELBOW SIZE 64 MM, SUN TAN	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	Steeper	C07375ST	United Kingdom
166	4224200213900 4224200214000	AUTOMATIC ELBOW JOINT, 8 LOCK POSITIONS, ADULT, ELBOW SIZE 70 MM, FLESH PINK	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	Steeper	C0737331 C07286PK	United Kingdom

TENDER NA	JMBER : NPT0050/2 AME : Prosthetics Or								Preliminary Result
168 169	4224200214200 4224200214300	AUTOMATIC ELBOW JOINT, 8 LOCK POSITIONS, CHILD, ELBOW SIZE 58 MM, FLESH PINK AUTOMATIC ELBOW JOINT, 8 LOCK POSITIONS, CHILD, ELBOW SIZE 58 MM, SUN TAN	ITEMIZED ITEMIZED	each each	400050 400050	AI-EWAN MEDICAL COMPANY -Orig-	Steeper Steeper	B11185PK B11185ST	United Kingdom
170	4224200214400	AUTOMATIC LOCK EXTERNAL ELBOW JOINTS, STAINLESS STEEL, LEFT MEDIAL	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	Steeper	C12693	United Kingdom United Kingdom
171 172	4224200214500 4224200214600	AUTOMATIC LOCK EXTERNAL ELBOW JOINTS, STAINLESS STEEL, LEFT/RIGHT LATERAL AUTOMATIC LOCK EXTERNAL ELBOW JOINTS, STAINLESS STEEL, RIGHT MEDIAL	ITEMIZED ITEMIZED	each each	400050 400050	AI-EWAN MEDICAL COMPANY -Orig- AI-EWAN MEDICAL COMPANY -Orig-	Steeper Steeper	B01197 C12623	United Kingdom United Kingdom
173	4224200033500	AVIATION SNIPS SHEAR, STEEL, AN ORTHOTICS WORKSHOP TOOL	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	AFT-INTERNATIONAL	6076211000	Germany
174	4224200004800	B.K. MODULAR KIT WITH INNER TUBE ADAPTOR AND TUBE CLAMP ADAPTOR, DIAMETER: 34 MM (TITANIUM), FOR BODY WEIGHT UP TO 150 KG.	ITEMIZED	Kit	400571	AL Gaim Comm. EstOrig-	Ottobock	2R102	Germany
175	4224200032200	BALL-PEEN HAMMER, AN ORTHOTICS WORKSHOP TOOL, DOUBLE CHANNEL, HEMISPHERIC/FLAT-ROUND, WITH SHAFT	ITEMIZED	each	400415	CareTechniques -Orig-	ATP	651 W 001.250	Switzerland
176	4224171307500	BANDAGE THIGH SUPPORT WITH NEOPRENE ADHESIVE STRIP IS USED TO INSTALL THE TRANSFEMORAL PROSTHESIS AND REDUCTION OF ROTATION MOVEMENTS SIZE HIP CIRCUMFERENCE 60 - 74 CM RIGHT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	21B37=R1	Estonia
177	4224171308100	BANDAGE THIGH SUPPORT WITH NEOPRENE ADHESIVE STRIP IS USED TO INSTALL THE TRANSFEMORAL PROSTHESIS AND REDUCTION OF ROTATION MOVEMENTS SIZE: HIP CIRCUMFERENCE 86 - 100 CM RIGHT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	21B37=R4	Estonia
178 178	4224150601700 4224150601700	BANDAGE, PLASTER OF PARIS (P.O.P), SLOW SETTING, 10 CM X 2 METER, APPROXIMATELY BANDAGE, PLASTER OF PARIS (P.O.P), SLOW SETTING, 10 CM X 2 METER, APPROXIMATELY	ITEMIZED ITEMIZED	each each	400571 400415	AL Gaim Comm. EstOrig- CareTechniques -Orig-	Ottobock ATP	699G3=10-10 00 M 35.10	Germany Switzerland
179	4224150601800	BANDAGE, PLASTER OF PARIS (P.O.P), SLOW SETTING, 12 CM X 2 METERS, APPROXIMATELY	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	699G3=12-10	Germany
180	4224150601900	BANDAGE, PLASTER OF PARIS (P.O.P), SLOW SETTING, 15 CM X 2 METERS, APPROXIMATELY	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	699G3=15-10	Germany
181	4224150602000	BANDAGE, PLASTER OF PARIS (P.O.P), SLOW SETTING, 20 CM X 2 METERS, APPROXIMATELY	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	699G3=20-10	Germany
182 183	4224150606600 4224150602200	BANDAGE, PLASTER OF PARIS (P.O.P.), SLOW SETTING, 6 CM X 2 METERS, APPROXIMATELY BANDAGE, PLASTER OF PARIS (P.O.P.), SLOW SETTING, 8 CM X 2 METERS, APPROXIMATELY	ITEMIZED ITEMIZED	each each	400571 400571	AL Gaim Comm. EstOrig- AL Gaim Comm. EstOrig-	Ottobock Ottobock	699G3=6-10 699G3=8-10	Germany Germany
183	4224150602200 4224171308000	BANDAGE, PLASTER OF PARIS (P.O.P.), SLOW SETTING, 8 CM X 2 METERS, APPROXIMATELY BANDAGE, THIGH, SUPPORT, WITH NEOPRENE ADHESIVE STRIP, IS USED TO INSTALL THE TRANSFERMORAL PROSTHESIS AND REDUCTION OF ROTATION MOVEMENTS, SIZE: HIP	ITEMIZED	each	400451 400571	Farabi Trading Establishment -Orig- AL Gaim Comm. EstOrig-	STREIFENEDER Ottobock	99P4/8 21B37=L4	Germany Estonia
		CIRCUMFERENCE 86 - 100 CM, LEFT BANDAGE, THIGH, SUPPORT, WITH NEOPRENE, ADHESIVE STRIP, IS USED TO INSTALL THE							
185	4224171307600	TRANSFEMORAL PROSTHESIS AND REDUCTION OF ROTATION MOVEMENTS, SIZE: HIP CIRCUMFERENCE 66 - 80 CM, LEFT BANDAGE, THIGH, SUPPORT, WITH NEOPRENE, ADMESIVE STRIP, IS USED TO INSTALL THE	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	21B37=L2	Estonia
186	4224171307700	TRANSFEMORAL PROSTHESIS AND REDUCTION OF ROTATION MOVEMENTS, SIZE: HIP CIRCUMFERENCE 66 - 80 CM, RIGHT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	21B37=R2	Estonia
187	4224171307800	BANDAGE, THIGH, SUPPORT, WITH NEOPRENE, ADMESIVE STRIP, IS USED TO INSTALL THE TRANSFEMORAL PROSTHESIS AND REDUCTION OF ROTATION MOVEMENTS, SIZE: HIP CIRCUMFERENCE 76 - 90 CM, LEFT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	21B37=L3	Estonia
188	4224171307900	BANDAGE, THIGH, SUPPORT, WITH NEOPRENE, ADHESIVE STRIP, IS USED TO INSTALL THE TRANSFEMORAL PROSTHESIS AND REDUCTION OF ROTATION MOVEMENTS, SIZE: HIP CIRCUMFERENCE 76 - 90 CM, RIGHT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	21B37=R3	Estonia
189	4224171307400	BANDAGE, THIGH, SUPPORT, WITH NEOPRENE, ADHESIVE STRIP, IS USED TO INSTALL THE TRANSFEMORAL PROSTHESIS AND REDUCTION OF ROTATION MOVEMENTS, SIZE: HIP CIRCUMFERENCE, 60 - 74 CM, LEFT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	21B37=L1	Estonia
190 191	4412161800000 4224200009100	BARNSLEY OR EQUIVALENT, LEATHER SHEARS, WITH SERRATED EDGE, 8 INCHES LONG BATTERY CONNECTION CABLE, FOR CONNECTION BATTERY, WITH THE DISTRIBUTER	ITEMIZED ITEMIZED	each each	400451 400571	Farabi Trading Establishment -Orig- AL Gaim Comm. EstOrig-	STREIFENEDER Ottobock	166P21/180 13E188=200	Germany Austria
192	4224200504400	BELOW KNEE SILICONE LINER SOCKET WITH DISTAL CONNECTION WITH HIGH SHOCK ASSORPTION WITH THE ANTI - BACTERIAL PROPERTIES AND SKIN - FRIENDLY OILS THAT HELP MINIMIZE DOOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING WHILE PROTECTING THE SILICONE WITH THE SPECIAL TEXTILE COVER MAKES THE LINER EASY TO PUT ON AND TAKE OPF INTERIOR TEXTURE GENTLE ON THE SKIN WHEN DONNING AND OPFINITE HE LINER EASY TO CLEAN STERLIZATION SIZE 210 MM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	6Y75=210	Germany
193	4224200504500	BELOW KNEE SILCONE LINES OVER THIS HISTAL CONNECTION WITH HIGH SHOCK ABSORPTION WITH THE ANTI-BACTERIAL PROPERTIES AND SKIN-FRIENDLY OILS THAT HELP MINIMIZE ODOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING WHILE PROTECTING THE SILICONE WITH THE SPECIAL TEXTILE COVER MAKES THE LINER EASY TO PUT ON AND TAKE OFF INTERIOR TEXTURE GENTLE ON THE SKIN WHEN DONNING AND DOFFING THE LINER EASY TO CLEAN STERILIZATION SIZE 220 MM APPROXIMATELY	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	6Y75=220	Germany
194	4224200504600	BELOW KNEE SILICONE LINER SOCKET WITH DISTAL CONNECTION WITH HIGH SHOCK ABSORPTION WITH HAGH ANTI - BACTERIAL PROPERTIES AND SKIN - FRIENDLY OILS THAT HELP MINIMIZE DON'THE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING WHILE PROTECTING THE SILICONE WITH THE SPECIAL TEXTILE COVER MAKES THE LINER EASY TO PUT ON AND TAKE OFF INTERIOR TEXTURE GENTLE ON THE SKIN WHEN DONNING AND DOFFING THE LINER EASY TO CLEAN STERRILIZATION SIZE 235 MM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	6Y75=235	Germany
195	4224200504700	BELOW KNEE SILICONE LINER SOCKET WITH DISTAL CONNECTION WITH HIGH SHOCK ABSORPTION WITH THE ANTI- BACTERIAL PROPERTIES AND SKIN - FRIENDLY OILS THAT HELP MINIMIZE ODOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING WHILE PROTECTING THE SILLCONE WITH THE SPECIAL TEXTILE COVER MAKES THE LINER EASY TO PUT ON AND TAKE OFF INTERIOR TEXTURE GENTLE ON THE SKIN WHEN DONNING AND DOFFING THE LINER EASY TO CLEAN STERILIZATION SIZE 250 MM APPROXIMATELY	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	6Y75=250	Germany
196	4224200504800	BELOW KNEE SILLCONE LINER SOCKET WITH DISTAL CONNECTION WITH HIGH SHOCK ABSORPTION WITH THE ANTI - BACTERIAL PROPERTIES AND SKIN - FRIENDLY DIS THAT HELP MINIMIZE DOOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING WHILE PROTECTING THE SILLCONE WITH THE SPECIAL TEXTILE COVER MAKES THE LINER REAYY TO PUT ON AND TAKE OF PRINTERIOR TEXTURE GENTLE ON THE SKIN WHEN DONNING AND DOFFING THE LINER REAYY TO CLEAN STERILIZATION SIZE 265 MM APPROXIMATELY	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	6Y75=265	Germany
197	4224200505100	BELOW KNEE SILLCONE LINER SOCKET WITH DISTAL CONNECTION, WITH HIGH SHOCK ABSORPTION WITH THE ANT! — BACTERIAL PROPERTIES AND SKIN. FRIENDLY OILS THAT HELP MINIMIZE ODOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING WHILE PROTECTING THE SILLCONE WITH THE SPECIAL TEXTILE COVER MAKES. THE LINER RASY TO PUT ON AND TAKE DEF, INTERIOR TEXTURE GENTLE ON THE SKIN WHEN DONNING AND DOFFING THE LINER, EASY TO CLEAN STERILIZATION, SIZE 320 MM APPROXIMATELY	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	6Y75=320	Germany
198	4224200504300	BELOW KNEE SILCONE LINER SOCKET, WITH DISTAL CONNECTION, WITH HIGH SHOCK ABSORPTION, WITH THE ANT I BACTERIAL PROPERTIES AND SKIN. FIRENDY OILS THATH FLEP MINIMIZE ODOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING, WHILE PROTECTING THE SILCONE WITH THE SPECIAL TEXTILE COVER, MAKES THE LINER EASY TO PUT ON AND TAKE OFF, INTERIOR TEXTURE GENTLE ON THE SKIN WHEN DONNING AND DOFFING THE LINER, EASY TO CLEAN STERILIZATION, SIZE 200 MM APPROXIMATELY	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	6Y75=200	Germany
199	4224200504900	BELOW KNEE SILCONE LINER SOCKET, WITH DISTAL CONNECTION, WITH HIGH SHOCK ABSORPTION, WITH THE ANT I BACTERIAL PROPERTIES AND SKIN. FRIENDIY OILS THATH FLEP MINIMIZE ODOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING, WHILE PROTECTING THE SILCONE WITH THE SPECIAL TEXTILE COVER, MAKES THE LINER EASY TO PUT ON AND TAKE OFF, INTERIOR TEXTURE GENTLE ON THE SKIN WHEN DONNING AND DOFFING THE LINER, EASY TO CLEAN STERILIZATION, SIZE 280 MM APPROXIMATELY	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	6Y75=280	Germany
200	4224200505000	BELOW KNEE SILCONE LINER SOCKET, WITH DISTAL CONNECTION, WITH HIGH SHOCK ABSORPTION, WITH THE ANTI - BACTERIAL PROPERTIES AND SKIN. FIRENDY OIL STHATH FLEP MINIMIZE ODOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPIVING, WHILE PROTECTING THE SILCONE WITH THE SPECIAL TEXTILE COVER, MAKES THE LINER EASY TO PUT ON AND TAKE OFF, INTERIOR TEXTURE GENTLE ON THE SKIN WHEN DONNING AND DOFFING THE LINER, EASY TO CLEAN STERILIZATION, SIZE 300 MM, APPROXIMATELY	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	6Y75=300	Germany
201	4224200505200	BELOW KNEE SILCONE LINER SOCKET, WITH DISTAL CONNECTION, WITH HIGH SHOCK ABSORPTION, WITH THE ANTI- BACTERIAL PROPERTIES AND SKIN. FRIENDIY OILS THAT HELP MINIMIZE ODOR WHILE ALSO MAINTANING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPIVING, WHILE PROTECTING THE SILCONE WITH THE SPECIAL TEXTILE COVER, MAKES THE LINER EASY TO PUT ON AND TAKE OFF, INTERIOR TEXTURE GENTLE ON THE SKIN WHEN DONNING AND DOFFING THE LINER, EASY TO CLEAN STERILIZATION, SIZE 340 MM APPROXIMATELY	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	6Y75=340	Germany
202	4224200505300	BELOW KNEE SILCONE LINER SOCKET, WITH DISTAL CONNECTION, WITH HIGH SHOCK ABSORPTION, WITH THE ANT I BACTERIAL PROPERTIES AND SKIN. FIRENDY OIL STHATH FLEP MINIMIZE ODOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING, WHILE PROTECTING THE SILLCONE WITH THE SPECIAL TEXTILE COVER, MAKES THE LINER EASY TO PUT ON AND TAKE OFF, INTERIOR TEXTURE GENTLE ON THE SKIN WHEN DONNING AND DOFFING THE LINER, EASY TO CLEAR STERILIZATION, SIZE 360 MM APPROXIMATELY	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	6Y75=360	Germany
203	4224200505400	BELOW KNEE SILCONE LINER SOCKET, WITH DISTAL CONNECTION, WITH HIGH SHOCK ABSORPTION, WITH THE ANT I BACTERIAL PROPERTIES AND SKIN. FIRENDY OILS THATH FLEP MINIMIZE ODOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING, WHILE PROTECTING THE SILCONE WITH THE SPECIAL TEXTILE COVER, MAKES THE LINER EASY TO PUT ON AND TAKE OFF, INTERIOR TEXTURE GENTLE ON THE SKIN WHEN DONNING AND DOFFING THE LINER, EASY TO CLEAN STERILIZATION, SIZE 380 MM APPROXIMATELY	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	6Y75=380	Germany

	ME : Prosthetics Or								Preliminary Result
204	4224200505500	BELOW KNEE SILICONE LINER SOCKET, WITH DISTAL CONNECTION, WITH HIGH SHOCK ABSORPTION, WITH THE ANTI- BACTERIAL PROPERTIES AND SKIN - FRIENDLY OILS THAT HELP MINIMIZE ODOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING, WHILE PROTECTIONS THE SILICONE WITH THE SPECIAL TEXTILE COVER, MAKES THE LINER EASY TO PUT ON AND TAKE OFF, INTERIOR TEXTURE GENTLE ON THE SKIN WHEN DONNING AND DOFFING THE LINER, EASY TO CLEAN STERILIZATION, SIZE 400 MM APPROXIMATELY	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	6Y75=400	Germany
205	4224171327300	BELOW KNEE SOCKET KIT OFF-THE-SHELF PRODUCT, MOLDABLE PROSTHETIC SOCKET, MAXIMUM COMFORT BY ACCOMMODATING VOLUME, MOLDABLE PROSTHETIC SOCKET THAT ALLOWS PROSTHETICS TO RESHAPE MULTIPLE TIMES TO FIT A WEARER'S RESIDUAL	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation
206	4224200030800	LIMB CHANGES CUSTOM FIT (NOT CUSTOM MADE) BENCH VISES WITH SURFACE-HARDENED CLAMPING JAWS, AN ORTHOITS WORKSHOP TOOL, ADJUSTABLE, HARDENED GUIDE RAIL, HARDENED ANVIL, MOUNTING DEVICE FOR JAW PROTECTORS, MEASURING SCALE FOR QUICK PRE-ADJUSTMENT OF THE CLAMPING WIDTH, ROUND, STABLE, FORGED VICE BASE, WITHOUT MOUNTING MATERIALS, JAW WIDTH 140-160 MM, HOLE SPACING 140-160 MM, WEIGHT 15-20 KG	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	704B1=140	Germany
207	4224200035100	BENDING FORK, AN ORTHOTICS WORKSHOP TOOL, FOR SHAPING OF STEELS, METALS PLATE AND ORTHOTICS BRACES	ITEMIZED	each	400415	CareTechniques -Orig-	ATP	664 W 003.6X4 6073069002	Switzerland
208	4224200034900	BENDING IRONS KIT, AN ORTHOTICS WORKSHOP TOOL, FOR SHAPING OF STEELS, METAL PLATE AND ORTHOTICS BRACES	ITEMIZED	Kit	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	AFT-INTERNATIONAL	6073069002 6073069001 6073069003	Germany
209	4218260000400	BEST BLUE CHROME LAMP LINING, THICKNESS: 0.81.0 MM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	99060	Portugal
210	4218260000400 4224150708000	BEST BLUE CHROME LAMP LINING, THICKNESS: 0.81.0 MM "BILATERAL FOOD TRYHOSIS, WITH ADJUSTABLE CONNECTING BAB, BEN'IS BROWNE SPLINT, WITH STRAIGHT LAST BOOT, SIZE 11, WITH ADJUSTABLE AND MOBILE FOOT PLATES TO CONTROL FOOT ROTATION, SET ADDITIONALLY; FULL GRAIN COW/CALF SOFT LEATHER UPPER; SOFT PADDING AROUND HEEL CUFFS; FULL GRAIN COW LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; REMOVABLE CORK INLAY; SOFT TONGUE TO ASSIST SHOED ASSI	ITEMIZED	each SET	400035 400571	ZIMMO TRADING Company LTD -Orig- AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	OA4030 2296-BAR=11	Taiwan Portugal
211	4224150708100	"BILATERAL FOOT ORTHOSIS, WITH ADJUSTABLE CONNECTING BAR, DENIS BROWNE SPLINT, WITH STRAIGHT LAST BOOT, SIZE 12, WITH ADJUSTABLE AND MOBILE FOOT PLATE TO CONTROL FOOT ROTATION, SET ADDITIONALLY; FULL GRAIN COW/CALF SOFT LEATHER UPPER; SOFT PADDING AROUND HEEL CUFFS; FULL GRAIN COW LEATHER INSOLE; FASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; REMOVABLE CORK INLAY; SOFT TONGUE TO ASSIST SHOE FIT	ITEMIZED	SET	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2296-BAR=12	Portugal
212	4224150708200	"BILATERAL FOOT ORTHOSIS, WITH ADJUSTABLE CONNECTING BAR, DENIS BROWNE SPLINT, WITH STRAGE HAST BOOT, SIZE 133, WITH ADJUSTABLE ADNI DOBLE FOOT PICATE TO CONTROL FOOT ROTATION, SET ADDITIONALLY; FULL GRAIN COW/CALF SOFT LEATHER UPPER; SOFT PADDING AROUND HEEL CUFFS; FULL GRAIN COW LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; REMOVABLE CORK INLAY; SOFT TONGUE TO ASSIST SHOE FIT	ITEMIZED	SET	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2296-BAR=13.5	Portugal
213	4224150708300	"BILATERAL FOOT ORTHOSIS, WITH ADJUSTABLE CONNECTING BAR, DENIS BROWNE SPLINT, WITH STRAGGHT LAST BOOT, SIZE 14.5, WITH ADJUSTABLE AND MOBILE FOOT PLATES TO CONTROL FOOT ROTATION, SET ADDITIONALLY; FULL GRAIN COW/CALF SOFT LEATHER UPPER; SOFT PADDING AROUND HEEL CUFFS; FULL GRAIN COW LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; REMOVABLE CORK INLAY; SOFT TONGUE TO ASSIST SHOE FIT"	ITEMIZED	SET	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2296-BAR=14.5	Portugal
213	4224150708300	"BILATERAL FOOT ORTHOSIS, WITH ADJUSTABLE CONNECTING BAR, DENIS BROWNE SPLINT, WITH STRAIGHT LAST BOOT, SIZE 14.5, WITH ADJUSTABLE AND MOBILE FOOT PLATES TO CONTROL FOOT ROTATION, SET ADDITIONALLY; PULL GRAIN COW/CALF SOFT LEATHER UPPER; SOFT PADDING AROUND HEEL CUPFS; PULL GRAIN COW LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; REMOVABLE CORK INLAY; SOFT TONGUE TO ASSIST SHOP EIT!	ITEMIZED	SET	400050	AI-EWAN MEDICAL COMPANY -Orig-	EMO	M11 AL - FC100L KIT-14.5	Spain
214	4224150708400	"BILATERAL FOOT ORTHOSIS, WITH ADJUSTABLE CONNECTING BAR, DENIS BROWNE SPUNT, WITH STRAIGHT LAST BOOT, SIZE 15.5, WITH ADJUSTABLE AND MOBILE FOOT PLATES TO CONTROL FOOT ROTATION, SET ADDITIONALLY; FULL GRAIN COW/CALF SOFT LEATHER UPPER; SOFT PADDING AROUND HEEL CUFFS; FULL GRAIN COW LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; REMOVABLE CORK INLAY; SOFT TONGUE TO ASSIST SHOE FIT"	ITEMIZED	SET	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2296-BAR=15.5	Portugal
214	4224150708400	"BILATERAL FOOT ORTHOSIS, WITH ADJUSTABLE CONNECTING BAR, DENIS BROWNE SPLINT, WITH STRAIGHT LAST BOOT, SIZE 1.5.5, WITH ADJUSTABLE AND MOBILE FOOT PLATES TO CONTROL FOOT ROTATION, SET ADDITIONALLY, FULL GRAIN COW/CAF SOFT LEATHER UPPER; SOFT PADDING AROUND HEEL CUFFS; FULL GRAIN COW LEATHER INSOLE; EASILY REMOVABLE CAN LAD ADAPTABLE SOLE-UNIT; REMOVABLE CORK INLAY; SOFT TONGUE TO ASSIST SHORE FIT"	ITEMIZED	SET	400050	Al-EWAN MEDICAL COMPANY -Orig-	ЕМО	M11 AL - FC100L KIT-15.5	Spain
215	4224150708500	"BILATERAL FOOT ORTHOSIS, WITH ADJUSTABLE CONNECTING BAR, DENIS BROWNE SPUNT, WITH STRAIGHT LAST BOOT, SIZE 16, WITH ADJUSTABLE AND MOBILE FOOT PLATES TO CONTROL FOOT ROTATION, SET ADDITIONALLY; FULL GRAIN COW/CALF SOFT LEATHER UPPER; SOFT PADDING AROUND HEEL CUFFS; FULL GRAIN COW LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; REMOVABLE CORK INLAY; SOFT TONGUE TO ASSIST SHOE FIT"	ITEMIZED	SET	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2296-BAR=16	Portugal
215	4224150708500	"BILATERAL FOOT ORTHOSIS, WITH ADJUSTABLE CONNECTING BAR, DENIS BROWNE SPLINT, WITH STRAIGHT LAST BOOT, SIZE 16, WITH ADJUSTABLE AND MOBILE FOOT PLATES TO CONTROL FOOT ROTATION, SET ADDITIONALLY; FULL GRAIN COW/CALF SOFT LEATHER UPPER; SOFT PADDING AROUND HEEL CUFFS; FULL GRAIN COW LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; REMOVABLE CORK INLAY; SOFT TONGUE TO ASSIST SHORE FIT!"	ITEMIZED	SET	400050	AI-EWAN MEDICAL COMPANY -Orig-	EMO	M11 AL - FC100L KIT-16	Spain
216	4224150708600	"BILATERAL FOOT ORTHOSIS, WITH ADJUSTABLE CONNECTING BAR, DENIS BROWNE SPUNT, WITH STRAIGHT LAST BOOT, SIZE 17, WITH ADJUSTABLE AND MOBILE FOOT PLATES TO CONTROL FOOT ROTATION, SET ADDITIONALLY; FULL GRAIN COW/CALF SOFT LEATHER UPPER; SOFT PADDING AROUND HEEL CUFFS; FULL GRAIN COW LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; REMOVABLE COK! INLAY; SOFT TONGUE TO ASSIST SHORE FIT."	ITEMIZED	SET	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2296-BAR=17	Portugal
216	4224150708600	"BILATERAL FOOT ORTHOSIS, WITH ADJUSTABLE CONNECTING BAR, DENIS BROWNE SPLINT, WITH STRAIGHT LAST BOOT, SIZE 17, WITH ADJUSTABLE AND MOBILE FOOT PLATES TO CONTROL FOOT ROTATION, SET ADDITIONALLY, FULL GRAIN COWICALS SOFT LEATHER UPPER; SOFT PADDING AROUND HEEL CUFFS; FULL GRAIN COW LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-JUNT; REMOVABLE COK INLAY; SOFT TONGUE TO ASSIST SHORE FIT."	ITEMIZED	SET	400050	AI-EWAN MEDICAL COMPANY -Orig-	EMO	M11 AL - FC100L KIT-17	Spain
217	4224150708700	"BILATERAL FOOT ORTHOSIS, WITH ADJUSTABLE CONNECTING BAR, DENIS BROWNE SPLINT, WITH STRAIGHT LAST BOOT, SIZE 17.5, WITH ADJUSTABLE AND MOBILE FOOT PLATES TO CONTROL FOOT ROTATION, SET ADDITIONALLY, FULL GRAIN COWICALS SOFT LEATHER UPPER; SOFT PADDING AROUND HEEL CUFFS; FULL GRAIN COW LEATHER INSOLE; EASILY REMOVABLE CAN LAD ADAPTABLE SOLE-UNIT; REMOVABLE COK INLAY; SOFT TONGUE TO ASSIST SHORE FIT!"	ITEMIZED	SET	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2296-BAR=17.5	Portugal
217	4224150708700	"BILATERAL FOOT ORTHOSIS, WITH ADJUSTABLE CONNECTING BAR, DENIS BROWNE SPLINT, WITH STRAIGHT LAST BOOT, SIZE 17.5, WITH ADJUSTABLE AND MOBILE FOOT PLATES TO CONTROL FOOT ROTATION, SET ADDITIONALLY; FULL GRAIN COW/CAF SOFT LEATHER UPPER; SOFT PADDING AROUND HEEL CUFFS; FULL GRAIN COW LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; REMOVABLE CORK INLAY; SOFT TONGUE TO ASSIST SHORE FIT"	ITEMIZED	SET	400050	AI-EWAN MEDICAL COMPANY -Orig-	EMO	M11 AL - FC100L KIT- 17.5	Spain
218	4224150708800	"BILATERAL FOOT ORTHOSIS, WITH ADJUSTABLE CONNECTING BAR, DENIS BROWNE SPLINT, WITH STRAIGHT LAST BOOT, SIZE 18, WITH ADJUSTABLE AND MOBILE FOOT PLATES TO CONTROL FOOT ROTATION, SET ADDITIONALLY, FULL GRAIN COW,CAF SOFT LEATHER UPPER; SOFT PADDING AROUND HEEL CUFFS; FULL GRAIN COW LEATHER INSOLE; EASILY REMOVABLE CAND ADAPTABLE SOLE-UNIT; REMOVABLE COK INLAY; SOFT TONGUE TO ASSIST SHORE FIT?	ITEMIZED	SET	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2296-BAR=18	Portugal
218	4224150708800	"BILATERAL FOOT ORTHOSIS, WITH ADJUSTABLE CONNECTING BAR, DENIS BROWNE SPLINT, WITH STRAIGHT LAST BOOT, SIZE 18, WITH ADJUSTABLE AND MOBILE FOOT PLATES TO CONTROL FOOT ROTATION, ST ADDITIONALLY, FULL GRAIN COW,CAF SOFT LEATHER UPPER; SOFT PADDING AROUND HEEL CUFFS; FULL GRAIN COW LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; REMOVABLE COK INLAY; SOFT TONGUE TO ASSIST SHORE FIT."	ITEMIZED	SET	400050	AI-EWAN MEDICAL COMPANY -Orig-	EMO	M11 AL - FC100L KIT-18	Spain
219	4224150709100	"BILATERAL FOOT ORTHOSIS, WITH ADJUSTABLE CONNECTING BAR, DENIS BROWNE SPLINT, WITH STRAIGHT LAST BOOT, SIZE 18.5, WITH ADJUSTABLE AND MOBILE FOOT PLATES TO CONTROL FOOT ROTATION, ST ADDITIONALLY, FULL GRAIN COW, CALF SOFT LEATHER UPPER; SOFT PADDING AROUND HEEL CUFFS; FULL GRAIN COW LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; REMOVABLE CON INLAY; SOFT TOMGUE TO ASSIST SHORE ITO	ITEMIZED	SET	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2296-BAR=18.5	Portugal
219	4224150709100	"BILATERAL FOOT ORTHOSIS, WITH ADJUSTABLE CONNECTING BAR, DENIS BROWNE SPUNT, WITH STRAIGHT LAST BOOT, SIZE 18.5, WITH ADJUSTABLE AND MOBILE FOOT PLATES TO CONTROL FOOT ROTATION, SET ADDITIONALLY; FULL GRAIN COW/CALF SOFT LEATHER UPPER; SOFT PADDING AROUND HEEL CUFFS; FULL GRAIN COW LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; REMOVABLE CORK INLAY; SOFT TONGUE TO ASSIST SHOE FIT"	ITEMIZED	SET	400050	AI-EWAN MEDICAL COMPANY -Orig-	ЕМО	M11 AL - FC100L KIT-18.5	Spain
220	4224150708900	"BILATERAL FOOT ORTHOSIS, WITH ADJUSTABLE CONNECTING BAR, DENIS BROWNE SPLINT, WITH STRAIGHT LAST BOOT, SIZE 19.5, WITH ADJUSTABLE AND MOBILE FOOT PLATES TO CONTROL FOOT ROTATION, SET ADDITIONALLY; FULL GRAIN COW/CALF SOFT LEATHER UPPER; SOFT PADDING AROUND HEEL CUFFS; FULL GRAIN COW LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE—UNIT; REMOVABLE CORK INLAY; SOFT TONGUE TO ASSIST SHOF FIT!	ITEMIZED	SET	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2296-BAR=19.5	Portugal

TENDER NA	AME : Prosthetics Or	z thosis Supplies							Preliminary Result
220	4224150708900	"BILATERAL FOOT ORTHOSIS, WITH ADJUSTABLE CONNECTING BAR, DENIS BROWNE SPLINT, WITH STRAIGHT LAST BOOT, SIZE 19.5, WITH ADJUSTABLE AND MOBILE FOOT PLATES TO CONTROL FOOT ROTATION, SET ADDITIONALLY : PLUL GRAIN COVICALS FOST LEATHER UPPER; SOFT PADDITING AROUND HEL CUFFS; FULL GRAIN COVICALS FOST LEATHER UPPER; SOFT PADDITING AROUND HEL CUFFS; FULL GRAIN COVI LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; REMOVABLE TORK INLAY; SOFT TOMIGUE TO ASSIST SHOFT ASSIST SHOFT WITH ADDITIONAL PROPERTY OF THE PROPERTY OF	ITEMIZED	SET	400050	Al-EWAN MEDICAL COMPANY -Orig-	ЕМО	M11 AL - FC100L KIT-19.5	Spain
221	4224150709000	"BILATERAL FOOT ORTHOSIS, WITH ADJUSTABLE CONNECTING BAR, DENIS BROWNE SPLINT, WITH STRAIGHT LAST BOOT, SIZE 20, WITH ADJUSTABLE AND MOBILE FOOT PLATES TO CONTROL FOOT ROTATION, SET ADDITIONALLY; FULL GRAIN COW/CALF SOFT LEATHER UPPER; SOFT FADDING AROUND HEEL CUPFS; FULL GRAIN COW LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; REMOVABLE CORK INLAY; SOFT TONGUE TO ASSIST SHOP FIT"	ITEMIZED	SET	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2296-BAR=20	Portugal
221	4224150709000	"BILATERAL FOOT ORTHOSIS, WITH ADJUSTABLE CONNECTING BAR, DENIS BROWNE SPLINT, WITH STRAIGHT LAST BOOT, SIZE 2D, WITH ADJUSTABLE AND MOBILE FOOT PLATES TO CONTROL FOOT ROTATION, SET ADDITIONALLY; FULL GRAIN COW/CALF SOFT LEATHER UPPER; SOFT FADDING AROUND HEEL CUPFS; FULL GRAIN COW LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; REMOVABLE CORK INLAY; SOFT TONGUE TO ASSIST SHOP ETIT	ITEMIZED	SET	400050	Al-EWAN MEDICAL COMPANY -Orig-	EMO	M11 AL - FC100L KIT -20	Spain
222	4224200134000	BIOMETRIC, HYDRAULIC, ANKLE, WITH SLIT TOE CARBON FIBER FOOT MODULE, INDEPENDENT HYDRAULIC CONTROL OF PLANTAR AND DORSIFLEXION, SIDE AND SIZE TO PATIENT'S SPECIFICATION	ITEMIZED	each	400623	Badael LLC -Orig-	Blatchford	ECxxxxxS	United Kingdom
222	4224200134000	BIOMETRIC, HYDRAULIC, ANKLE, WITH SLIT TOE CARBON FIBER FOOT MODULE, INDEPENDENT HYDRAULIC CONTROL OF PLANTAR AND DORSIFIEXION, SIDE AND SIZE TO PATIENT'S SPECIFICATION	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	Proteor SAS	ROM-00	France
223	4224200111000	BIONIC PROSTHETIC LEG SYSTEM, MICROPROCESSOR, SENSOR AND CONTROL TECHNOLOGY WEEK, SAFELY WALKING BACKWARDS, TUBE ADAPTER ALUMINUM WITH CONNECTION CABLE, CLIMBING WITH COMPLETION CABLE, CLIMBING WITH COMPLETION CABLE, CLIMBING WITH COMPLETION CABLE, CLIMBING WITH COMPLETION CABLE, CLIMBING STAILS, RELEVES THE ENTIRE MUSCLUOSKELETAL SYSTEM, THE STAIRS AND DOSTACLES, FUNCTION PROVIDES MORE FREEDOM IN EVERYDAY LIFE, THE SENSOR DATA ARE UPDATED. AND EVALUATED 100 TIMES FOR SECOND, GYROSOP AND THE ACCELERATION SENSORS ALLOW THE ACCELERATION AND POSITION OF THE KNEE JOIN, WITH THE HYDRAULIC UNIT CONTROLS FOR THE KNEE JOINT THE FLEXION AND EXTENSION RESISTANCES ARE CONTROLLED INDEPENDENTLY OF ONE ANOTHER BY TWO CONTROL VALVES. USERS CAN CHOOSE BETWEEN TWO STANCE FUNCTIONS AND THEREBY INFLUENCE THE STABILITY UP TO FIVE MODES CAN BE SET FOR INDIVIDUAL NEEDS AT WORK OR LEISURE FOR EXAMPLE TO CONTROL THE DISIDED KNEE FLEXION, THE WALK-TO-BUN FUNCTION MAKES IT POSSIBLE TO CONTROL THE DESIRED KNEE FLEXION, THE WALK-TO-BUN FUNCTION MAKES IT POSSIBLE TO SWITCH QUITE.	ITEMIZED	SET	400571	AL Gaim Comm. EstOrig-	Ottobock	381-3, 2R20, SP- 381-3-3, 1C40=*side*size, 2C4=*si de*size,6460876= EN, 4K57, 4R72=*,60X5, 4X258, 4X1=V1.4, 4R116,4X46, 4R44=T, 4X889=1, 4X259	Austria
224	4224200113900	BIONIC PROSTHETIC LEG SYSTEM, MICROPROCESSOR, SENSOR AND CONTROL TECHNOLOGY WEEK, SAFELY WALKING BACKWANDS, TUBE ADAPTER ALUMINIUM WITH CONNECTION CABLE, CLIMBING WITH COMPLETO ACCESSORIES INCLUDING PROGRAM AND TRAINING, KNEE JOINT SHOULD ALSO INCLUDE, CLIMBING STAINS, WALKING BACKWARDS AND OVERCOMING OSSTACLES, RELEVES THE ENTIRE MUSCULOSKELETAL SYSTEM, THE STAIRS AND DISTACLES FUNCTION PROVIDES MORE FREEDOM IN EVERYDAY LIFE, THE SENSOR DATA ARE UPDATED AND EVALUATED 100 TIMES FER SECOND, GYROSOP AND THE ACCELERATION SENSORS ALLOW THE ACCELERATION AND POSITION OF THE KNEE JOIN, WITH THE HYDRAULIC UNIT CONTROLS FOR THE KNEE JOINT THE FELSION AND EXTENSION RESISTANCES ARE CONTROLLED INDEPENDENTLY OF ONE ANOTHER BY TWO CONTROL VALVES. USERS CAN CHOOSE RETWENT TWO STANCE FUNCTIONS AND THE FERE Y INCLUDE THE STAIRLITY, UP TO FIVE MODES CAN BE SET FOR INDIVIDUAL NEEDS AT WORK OR LEISURE, FOR EXAMPLE TO CONTROL THE DESIRED KNEE FLEXION, THE WALK-TO-RUN FUNCTION MAKES IT POSSIBLE TO SWITCH ON MAKES IT POSSIBLE TO SWITCH ON THE PROSEDURE.	ITEMIZED	Kit	400571	AL Gaim Comm. EstOrig-	Ottobock	3B1-3 + 2R20 + SP- 3B1-3=3 + 1C40="side"size + 2C4 = "side"size + 6460876=E N + 4R57 + 4R72=" + 60X5 + 4X258 + 4X1=V1.0 + 4R116 +4X46 + 4R44ET + 4X889=1 + 4X259	Austria
225	4218260000500	BLACK SHADE, FULL CHROME, SIDE 13/4 MM APPROXIMATELY	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	99061	Portugal
225 226	4218260000500 4224160201300	BLACK SHADE, FULL CHROME, SIDE 13/4 MM APPROXIMATELY BLADE, CAST, CUTTER, SEGMENT SAW BLADE, COMPATIBLE WITH HOSPITAL DEVICE	ITEMIZED ITEMIZED	each each	400035 400571	ZIMMO TRADING Company LTD -Orig- AL Gaim Comm. EstOrig-	A.ALGEOS LTD Ottobock	OA4170 756Y62	United Kingdom Germany
226 227	4224160201300 4224160002000	BLADE, CAST, CUTTER, SEGMENT SAW BLADE, COMPATIBLE WITH HOSPITAL DEVICE	ITEMIZED ITEMIZED	each	400451 400415	Farabi Trading Establishment -Orig-	STREIFENEDER ATP	159P4/65 225 W 101	Germany
228	4224200013700	BLADE, JIG SAW, FOR PLASTICS, LENGTH 50 MM, TEETH 2.0 MM, APPROXIMATELY BLADE, JIG SAW, FOR STEEL SHEET, LENGTH 50 MM, TEETH 1.2 MM, APPROXIMATELY	ITEMIZED	each each	400571	CareTechniques -Orig- AL Gaim Comm. EstOrig-	Ottobock	756Y19=3	Switzerland Germany
229	4224160002100 4323261400600	BLADE, JIG SAW, FOR WOOD, LENGTH 75 MM, TEETH 3.0 MM, APPROXIMATELY BLOCK, POLYURETHANE, FOR CAD CAM, COMPATIBLE WITH CANFIT PLUS VISUAL CAM, 7.2	No Quotation	each No Quotation	400571 No Quotation	AL Gaim Comm. EstOrig- No Quotation	Ottobock No Quotation	756Y19=1 No Quotation	Germany No Quotation
		OR EQUIVALENT, FOR ANKLE FOOT ORTHOSIS BLOCK, POLYURETHANE, FOR CAD CAM, COMPATIBLE WITH CANFIT PLUS VISUAL CAM, 7.2							
231	4323261400700	OR EQUIVALENT, FOR KNEE ANKLE FOOT ORTHOSIS BLOCK, POLYURETHANE, FOR CAD CAM, COMPATIBLE WITH CANFIT –PLUS VISUAL CAM, 7.2	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation
232	4323261400400	OR EQUIVALENT, FOR SPINAL ORTHOSIS, LONG BLOCK, POLYURETHANE, FOR CAD CAM, COMPATIBLE WITH CANFIT -PLUS VISUAL CAM, 7.2	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation
233	4323261400500	OR EQUIVALENT, FOR SPINAL ORTHOSIS, SHORT	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation
234	4323261400300	BLOCK, POLYURETHANE, FOR CAD CAM, COMPATIBLE WITH CANFIT –PLUS VISUAL CAM, 7.2 OR EQUIVALENT, FOR TRANS - FEMORAL SOCKET	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation
235	4323261400200	BLOCK, POLYURETHANE, FOR CAD CAM, COMPATIBLE WITH CANFIT –PLUS VISUAL CAM, 7.2 OR EQUIVALENT, FOR TRANS - FEMORAL SOCKET, SMALL SIZE	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation
236	4323261400100	BLOCK, POLYURETHANE, FOR CAD CAM, COMPATIBLE WITH CANFIT –PLUS VISUAL CAM, 7.2 OR EQUIVALENT, FOR TRANS - TIBIAL SOCKET	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation
237	4323261400000	BLOCK, POLYURETHANE, FOR CAD CAM, COMPATIBLE WITH CANFIT –PLUS VISUAL CAM, 7.2 OR EQUIVALENT, FOR TRANS – TIBIAL SOCKET, SMALL SIZE	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation
238	4229300100600	BODY CALIPER FOR SIT CAST, FOR MEASURING BODY SEGMENT, SCALE RANGE 600 MM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	743S1=S	Germany
239	4229300100500 4229300100500	BODY CALIPER, FOR MEASURING BODY SEGMENT, SCALE RANGE 600 MM BODY CALIPER, FOR MEASURING BODY SEGMENT, SCALE RANGE 600 MM	ITEMIZED	each each	400571 400569	AL Gaim Comm. EstOrig- MEDICAL CARE ALLIANCE COMPANY -	Ottobock AFT-INTERNATIONAL	743S1=60 6078110011	Germany
240	4224170113000	"BOOT, ORTHOPEDIC, FULL GRAIN COW/CALF LEATHER, PLAIN FRONTED WITH SEAM FREE VAMPS PADDED COLLARS, BOOT HEIGHT APPROXIMATELY 125 MM, LACING, FEMALE, LAST SIZE UX 10.5, BLACX; SOFT PADDING AROUND THE COLLAR FOR A BETTER HIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; FASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT 5. SUPFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STROMS TOE-CAP FOR PROTECTION OF THE TOSE; SEXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; FIRM HEEL COUNTER"	ITEMIZED	Pair	400571	Orig- Orig- AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3320-9800=10.5	Portugal
241	4224170113100	"BOOT, ORTHOPEDIC, FULL GRAIN COW/CLAF LEATHER, PLAIN FROMTED WITH SEAM FREE VAMPS PADDED COLLARS, BOOT HEIGHT APPROXIMATELY 125 MM, LACING, FEMALE, LAST SIZE UK 11, BLACK; SOFT PADDING AROUND THE COLLAR FOR A BETTER RIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; EASILY FOR EMOVABLE AND ADAPTRAILE (HARD-WEARING) SOLE-UNIT 5. SUPFICIENT TOE-SPING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMPORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOR FOR THE SHORT STRONG TOE-CAP	ITEMIZED	Pair	400571	AL Galm Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3320-9800=11	Portugal
242	4224170113200	"BOOT, ORTHOPEDIC, FULL GRAIN COW/CALF LEATHER, PLAIN FRONTED WITH SEAM FREE VAMPS PADDED COLLARS, BOOT HEIGHT APPROXIMATELY 125 MM, LACING, FEMALE, LAST SEE VALS 15, BLACK; SOFT PADIONS AROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT 5. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF, REMOVABLE FROFILED CORK INLY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMPORT. SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; FIRM HEEL COUNTER"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3320-9800=10.6	Portugal
243	4224170113300	BOOT, ORTHOPEDIC, FULL GRAIN COW/CALF LEATHER, PLAIN FRONTED WITH SEAM FREE VAMPS PADDED COLLARS, BOOT HEIGHT APPROXIMATELY 125 MM, LACING, FEMALE, LAST SIZE LUX 12, BLACK; SOFT PADDING AROUND THE COLLAR FOR A BETTER RIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKE; FULL GRAIN LEATHER INSOIL; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT 5. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF, REMOVABLE PROFILED CORN INAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKE FOR MORE COMPORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; FIRM HEEL COUNTER*	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3320-9800=12	Portugal
244	4224170111700	"BOOT, ORTHOPEDIC, FULL GRAIN COW/CALF LEATHER, PLAIN FRONTED WITH SEAM FREE VAMPS PADDED COLLARS, BOOT HEIGHT APPROXIMATELY 125 MM, LACING, FEMALE, LAST SIZE UX 3.5, BLACK; SOFT PADDING AROUND THE COLLAR FOR A BETTER RIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTRAILE (HARO-WEARING) SOLE-JUNT 5. SUFFICIENT TOE-SPINE OF EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMPORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FONCE THROUGH PADDING TO MOULD	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3650-9800=3.5	Portugal

TENDER NA	AME : Prosthetics Ort	hosis Supplies							
245	4224170111800	"BOOT, ORTHOPEDIC, FULL GRAIN COW/CALF LEATHER, PLAIN FRONTED WITH SEAM FREE VAMMS PADDED COLLARS, BOOT HEIGHT APPROXIMATELY 125 MM, LACING, FEMALE, LAST SIZE UK 4, BLACK; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG STHFENER TO SUPPORT THE ANKE; FULL GRAIN LEATHER INSOLE; FABLY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-JUHT 5. SUFFICIENT TO: SPRING FOR EASY ROLL-OFF, REMOVABLE PROFILED CORK INLY, HIGH TO: BOAND STRONG TO: CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; FIRM HEEL COUNTER"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3650-9800=4	Portugal
246	4224170111900	"BOOT, ORTHOPEDIC, FULL GRAIN COW/CALF LEATHER, PLAIN FRONTED WITH SEAM FREE YAMNES PADDED COLLARS, BOOT HEIGHT APPROXIMATELY 125 MM, LACING, FEMALE, LAST SIZE UK 4.5, BLACK; SOFT PADDING AROUND THE COLLAR FOR A BETTER HIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER WISOLE; SASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-JUHT 5. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF, FEMOVABLE FROFILED CORK INLY; HIGH TOE-BOX AND STROMS TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHORE FIRM HEEL COUNTY.	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3650-9800=4.5	Portugal
247	4224170112800	"BOOT, ORTHOPEDIC, FULL GRAIN COW/CALF LEATHER, PLAIN FRONTED WITH SEAM FREE VAMPS PADDED COLLARS, BOOT HEIGHT APPROXIMATELY 125 MM, LACING, FEMALE, LAST SIZE UK S, BLACK, SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; SASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-JUHT 5. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF, REMOVABLE FROEILED CORK INLY, HIGH TOE-BOAND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FAUNGS FOR MAXIMUM ACCESSBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOR ROUND THE FOOT; FIRM HEEL COUNTER"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3650-9800=5	Portugal
248	4224170112000	"BOOT, ORTHOPEDIC, FULL GRAIN COW/CALF LEATHER, PLAIN FRONTED WITH SEAM FREE VAMPS PADDED COLLARS, BOOT HEIGHT APPROXIMATELY 125 MM, LACING, FEMALE, LAST SIZE UK S.5, BLACK, SOFT ADDING AROUND THE COLLAR FOR A BETTER RIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-JUNIT S. SUFFICIENT TO: SPRING FOR EASY ROLL-OFF, REMOVABLE FROFILED CORK INLY, HIGH TO: BOX AND STRONG TO: CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMPORT, SOFT TONGUE PADDING TO MOULD THE SHOE FOR MORE COMPORT.	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3650-9800=5.5	Portugal
249	4224170112100	"BOOT, ORTHOPEDIC, FULL GRAIN COW/CALF LEATHER, PLAIN FRONTED WITH SEAM FREE VAMPS PADDED COLLARS, BOOT HEIGHT APPROXIMATELY 125 MM, LACING, FEMALE, LAST SIZE LKE, BLACK; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; A HIGH LAND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-JUNIT 5. SUFFICIENT TO: SPRING FOR EASY ROLL-OFF, REMOVABLE FROFILED CORK INLY; HIGH TO: BOX, AND STRONG TO: C-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMPORT. SOFT TONGUE PADDING TO MOULD THE SHOE FOR MORE COMPORT.	ITEMIZED	Pair	400571	AL Gaim Comm. Est - Orig-	Piedro International B.V. (Foot-Facts Ld	3650-9800=6	Portugal
250	4224170112200	"BOOT, ORTHOPEDIC, FULL GRAIN COW/CALF LEATHER, PLAIN FRONTED WITH SEAM FREE VAMPS PADDED COLLARS, BOOT HEIGHT APPROXIMATELY 125 MM, LACING, FEMALE, LAST SIZE UK 6.5, BLACK; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-JUNIT 5. SUFFICIENT TO: SPRING FOR EASY ROLL-OFF, REMOVABLE PROFILED CORK INLAY; HIGH TO: BOX, AND STRONG TO: CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMPORT. SOFT TONGUE PADDING TO MOULD THE SHORE FOR MORE COMPORT.	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3650-9800=6.5	Portugal
251	4224170112300	"BOOT, ORTHOPEDIC, FULL GRAIN COW/CALF LEATHER, PLAIN FRONTED WITH SEAM FREE VAMPS PADDED COLLARS, BOOT HEIGHT APPROXIMATELY 125 MM, LACING, FEMALE, LAST SIZE UK, 7, BLACK; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-JUHT S. SUFFICIENT TO:SPRING FOR EASY ROLL-OFF, FREMOVABLE FROHEDE CORK INLY; HIGH TO:B-GX-AND STRONG TO:C-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; FIRM HEEL COUNTER"	ITEMIZED	Pair	400571	AL Gaim Comm. Est. «Orig-	Piedro International B.V. (Foot-Facts Ld	3650-9800=7	Portugal
252	4224170112400	"BOOT, ORTHOPEDIC, FULL GRAIN COW/CALF LEATHER, PLAIN FRONTED WITH SEAM FREE VAMPS PADDED COLLARS, BOOT HEIGHT APPROXIMATELY 125 MM, LACING, FEMALE, LAST SIZE UK 7.5, BLACK; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG STIFFEMER TO SUPPORT THE ANNEL; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-JUHTS S.UFFICIENT TO:SPRING FOR FASY ROLL-OF MOVEMON STROME OTO-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANNEL FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; FIRM HEEL COUNTER"	ITEMIZED	Pair	400571	AL Gaim Comm. Est «Orig-	Piedro International B.V. (Foot-Facts Ld	3650-9800=7.5	Portugal
253	4224170112500	"BOOT, ORTHOPEDIC, FULL GRAIN COW/CALF LEATHER, PLAIN FRONTED WITH SEAM FREE VAMMS PADDED COLLARS, BOOT HEIGHT APPROXIMATELY 125 MM, LACING, FEMALE, LAST SIZE UK 8, BLACK; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG STIFFEMER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-JUHTS S.UFFICIENT TO:SPRING FOR FASY ROLL-OF MOVEMON STROM FOR TO:C-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; FIRM HEEL COUNTER"	ITEMIZED	Pair	400571	AL Gaim Comm. Est «Orig-	Piedro International B.V. (Foot-Facts Ld	3650-9800=8	Portugal
254	4224170112600	"BOOT, ORTHOPEDIC, FULL GRAIN COW/CALF LEATHER, PLAIN FRONTED WITH SEAM FREE YAMNES PADDED COLLARS, BOOT HEIGHT APPROXIMATELY 125 MM, LACING, FEMALE, LAST SIZE UK 8.5, BLACK; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG STIFFEMER TO SUPPORT THE ANKE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-JUHT 5. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF, REMOVABLE ROPCHED CORK INLY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FAUNCS FOR MAXIMUM ACCESSBUILTY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; FIRM HEEL COUNTER"	ITEMIZED	Pair	400571	AL Gaim Comm. Est «Orig-	Piedro International B.V. (Foot-Facts Ld	3650-9800=8.5	Portugal
255	4224170112700	"BOOT, ORTHOPEDIC, FULL GRAIN COW/CALF LEATHER, PLAIN FRONTED WITH SEAM FREE VAMPS PADDED COLLARS, BOOT HEIGHT APPROXIMATELY 125 MM, LACING, FEMALE, LAST SIZE UKS, BLACK; SOFT PADDING AROUND THE COLLAR FOR A BETTER HTT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-JUHT 5. SUFFICIENT TO-SPRING FOR EASY ROLL-OFF, REMOVABLE PROFILED CORK INLY, HIGH TO-SEAM OSTRONG TO-CAP FOR PROTECTION OF THE TOES; EXTENDED FAUNCS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOR ROUND THE FOOT; FIRM HEEL COUNTER"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3650-9800=9	Portugal
256	4224170112900	"BOOT, ORTHOPEDIC, FULL GRAIN COW/CALF LEATHER, PLAIN FRONTED WITH SEAM FREE VAMPS PADDED COLLARS, BOOT HEIGHT APPROXIMATELY 125 MM, LACING, GENTS, LAST SIZE UX 10, BLACK; SOFT PADDING AROUND THE COLLAR FOR A BETTER RIT; A HIGHD AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-JUNIT 5. SUFFICIENT TO: SPRING FOR EASY ROLL-OFF, REMOVABLE PROFILED CORK INLAY; HIGH TO: BEOX, AND STRONG TO: C-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; FIRM HEEL COUNTER"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3320-9800=10	Portugal
257	4224170113400	"BOOT, ORTHOPPOIC, FULL GRAIN COW/CALF LEATHER, PLAIN FRONTEO WITH SEAM FREE VAMPS PADDED COLLARS, BOOT HEIGHT APPROXIMATELY 12S MM, LACING, GENTS, LAST SIZE UK.S, BLACK; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT 5. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMPORT, SOFT TONGUE PADDING TO MOULD THE SHOLE FOR MORE COMPORT.	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3320-9800=5	Portugal

TENDER N	AME : Prosthetics Or	chosis Supplies							
258	4224170113500	"BOOT, ORTHOPEDIC, FULL GRAIN COW/CALF LEATHER, PLAIN FRONTED WITH SEAM FREE VAMPS PADDED COLLARS, BOOT HEIGHT APPROXIMATELY 125 MM, LACING, GENTS, LAST SIZE URS 5., BLACK; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ARKLE; FULL GRAIN LEATHER INSOLE; LEASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-JUNT 5. SUFFICIENT TOE-SPRING FOR FASY ROLL-OFF; REMOVABLE PROFILED CORK, INJAY; HIGHT TOE-DOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOR FOUND THE FOOT; FIRM HELE COUNTER"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3320-9800=5.5	Portugal
259	4224170113600	"BOOT, ORTHOPEDIC, FULL GRAIN COW/CALF LEATHER, PLAIN FRONTED WITH SEAM FREE VAMPS PADDED COLLARS, BOOT HEIGHT APPROXIMATELY 125 MM, LACING, GENTS, LAST SIZE UK 6 BLACK; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-JUNT 5. SUFFICIENT TOE-SPRING FOR FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE MILE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOR ROUND THE FOOT; FIRM HEEL COUNTER"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3320-9800=6	Portugal
260	4224170113700	"BOOT, ORTHOPEDIC, FULL GRAIN COW/CALF LEATHER, PLAIN FRONTED WITH SEAM FREE VAMPS PADDED COLLARS, BOOT HEIGHT APPROXIMATELY 125 MM, LACING, GENTS, LAST SIZE UK 6.5, BLACK; SOFT PADIDING AROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER HISOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT 5. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMPORT; SOFT TOMOUGH PADDING TO MOULD THE SHOLE FOR MORE COMPORT; SOFT TOMOUGH PADDING TO MOULD THE SHOLE ROUND THE FOOT; FIRM HEEL COUNTER"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3320-9800=6.5	Portugal
261	4224170113800	"BOOT, ORTHOPEDIC, FULL GRAIN COW/CALF LEATHER, PLAIN FRONTED WITH SEAM FREE VAMMS PADDED COLLARS, BOOT HEIGHT APPROXIMATELY 125 MM, LACING, GENTS, LAST SIZE UK, 7, BLACK; SOFT PADIONS AGROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-JUNT 5. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLY; HIGH TOT-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MOSE COMPORT; SOFT TOMOUR PADDING TO MOULD THE SHOE FOR MOSE COMPORT; SOFT TOMOUR PADDING TO MOULD THE SHOE FOR MOSE COMPORTS; SOFT TOMOUR PADDING TO MOULD THE SHOE ROUND THE FACILE FOR MOSE COMPORTS; SOFT TOMOUR PADDING TO MOULD	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3320-9800=7	Portugal
262	4224170113900	"BOOT, ORTHOPEDIC, FULL GRAIN COW/CALF LEATHER, PLAIN FRONTED WITH SEAM FREE VAMPS PADDED COLLARS, BOOT HEIGHT APPROXIMATELY 125 MM, LACING, GENTS, LAST SIZE UK 7.5, BLACK; SOFT PADIOING AROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOL; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-JUNT 5. SUFFICIENT TOE-SPRING FOR FASY ROLL-OFF; REMOVABLE PROFILED CORK INALY; HIGH TOE-SOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; FIRM HELE COUNTER; APPROXIMATELY 125MM IN HEIGHT"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3320-9800=7.5	Portugal
263	4224170114000	"BOOT, ORTHOPEDIC, FULL GRAIN COW/CALF LEATHER, PLAIN FRONTED WITH SEAM FREE VAMPS PADDED COLLARS, BOOT HEIGHT APPROXIMATELY 125 MM, LACING, GENTS, LAST SIZE UK 8, BLACK, SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-JUNT 5. SUFFICIENT TOE-SPRING FOR FASY ROLL-OFF, SEMOVABLE BROFILED CORK INALY; HIGH TOE-SOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; FIRM HEEL COUNTER; APPROXIMATELY 125MM IN HEIGHT	ITEMIZED	Pair	400571	AL Galm Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3320-9800=8	Portugal
264	4224170114100	"BOOT, ORTHOPEDIC, FULL GRAIN COW/CALF LEATHER, PLAIN FRONTED WITH SEAM FREE VAMPS PADDED COLLARS, BOOT HEIGHT APPROXIMATELY 125 MM, LACING, GENTS, LAST SIZE UK 8.5, BLACK; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-JUTT 5. SUFFICIENT TOE-SPRING FOR FASY ROLL-ORD FACING SOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMPORT; SOFT TONGUE PADDING TO MOULD THE SHOE FOR MORE COMPORT; SOFT TONGUE PADDING TO MOULD THE FOOT; FIRM MEEL COUNTER; APPROXIMATELY 125MM IN HEIGHT"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3320-9800=8.5	Portugal
265	4224170114200	"BOOT, ORTHOPEDIC, FULL GRAIN COW/CALF LEATHER, PLAIN FRONTED WITH SEAM FREE VAMPS PADDED COLLARS, BOOT HEIGHT APPROXIMATELY 125 MM, LACING, GENTS, LAST SIZE UK, 9, BLACK; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-JUNT 5. SUFFICIENT TOE-SPRING FOR FASY ROLL-OFF; REMOVABLE PROFILED CORK INJAY; HIGH TOT-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMPORT; SOFT TOMOUR PADDING TO MOULD THE SHOE ROUND THE FOOT; FIRM MEEL COUNTER; APPROXIMATELY 125MM IN HEIGHT"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3320-9800=9	Portugal
266	4224170114300	"BOOT, ORTHOPEDIC, FULL GRAIN COW/CALF LEATHER, PLAIN FRONTED WITH SEAM FREE VAMPS PADDED COLLARS, BOOT HEIGHT APPROXIMATELY 125 MM, LACING, GENTS, LAST SIZE UK 9, 5, BLACK; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-JUNT 5. SUFFICIENT TOE-SPRING FOR FASY ROLL-OFF; REMOVABLE PROFILED CORK INALY; HIGH TOE-SOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; FIRM HEEL COUNTER; APPROXIMATELY 125MM IN HEIGHT	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3320-9800=9.5	Portugal
267	4224170638800	BOOT, TARSO MEDIUS OR EQUIVALENT, SURGICAL, STRAIGHT, BLACK, PAIR, ADULT, SIZE 10.5 ; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND SCHTRA-LONG STIFFENER TO SUPPORT ANDLE; FULL LEATHER INSOLE; FASHLY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; HIGH AND EXTENDED CORSET STIFFENERS	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2808-A-9800=10.5	Portugal
267	4224170638800	BOOT, TARSO MEDIUS OR EQUIVALENT, SURGICAL, STRAIGHT, BLACK, PAIR, ADULT, SIZE 10.5 ; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA-LONG STIFFENER TO SUPPORT ANKE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; HIGH AND EXTENDED CORSET STIFFENERS	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	ЕМО	M12-10.5	Spain
268	4224170637000	BOOT, TARSO MEDIUS OR EQUIVALENT, SURGICAL, STRAIGHT, BLACK, PAIR, ADULT, SIZE 7.5; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRALONG STIFFENER TO SUPPORT ANKIE; FULL LEATHER INSOLE; £ASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; HIGH AND EXTENDED CORSET STIFFENERS	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2808-A-9800=7.5	Portugal
268	4224170637000	BOOT, TARSO MEDIUS OR EQUIVALENT, SURGICAL, STRAIGHT, BLACK, PAIR, ADULT, SIZE 7.5; SOFT PADDING AROUND HELE CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA- LONG STIFERENER TO SUPPORT ANKLE; FULL EATHER INSOLE; ESAILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; HIGH AND EXTENDED CORSET STIFERERS	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	ЕМО	M12- 7.5	Spain
269	4224170637100	BOOT, TARSO MEDIUS OR EQUIVALENT, SURGICAL, STRAIGHT, BLACK, PAIR, ADULT, SIZE 8.5; SOFT PADDING AROUND HELE CUFFS; MADE FROM COW/CALE LEATHER; A HIGH AND EXTRA- LONG STIFENER TO SUPPORT ANKLE; FULL EATHER INSOLE; ESAILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; HIGH AND EXTENDED CORSET STIFENERS	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2808-A-9800=8.5	Portugal
269	4224170637100	BOOT, TARSO MEDIUS OR EQUIVALENT, SURGICAL, STRAIGHT, BLACK, PAIR, ADULT, SIZE 8.5; SOFT PADDING AROUND HELE CUFFS; MADE FROM COW/CALE LEATHER; A HIGH AND EXTRAL LONG STIFENER TO SUPPORT ANKLE; FULL EATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; HIGH AND EXTENDED CORSET STIFENERS	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	EMO	M12-8.5	Spain
270	4224170637200	BOOT, TARSO MEDIUS OR EQUIVALENT, SURGICAL, STRAIGHT, BLACK, PAIR, ADULT, SIZE 9.5; SOFT PADDING AROUND HELE CUFFS; MADE FROM COW/CALE LEATHER; A HIGH AND EXTRA- LIONS STIFENER TO SUPPORT ANKLE; FULL EATHER INSOLE; ESAILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; HIGH AND EXTENDED CORSET STIFENERS	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2808-A-9800=9.5	Portugal

	IMBER : NP10050/2								Preliminary Resul
270	4224170637200	BOOT, TARSO MEDIUS OR EQUIVALENT, SURGICAL, STRAIGHT, BLACK, PAIR, ADULT, SIZE 9.5; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA- LONG STIFEENER TO SUPPORT ANKLE; FICH LEATHER INSICE; ESALY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; HIGH AND EXTENDED CORSET STIFFENERS	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	ЕМО	M12-9.5	Spain
271	4224170638300	BOOT, TARSO MEDIUS OR EQUIVALENT, SURGICAL, STRAIGHT, BLACK, PAIR, BOYS, SIZE 5.5; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKEE; FULL LEATHER INSIDE; E-SAILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; HIGH AND EXTENDED CORSET STIFFENERS.	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2808-B-9800=5.5	Portugal
271	4224170638300	BOOT, TARSO MEDIUS OR EQUIVALENT, SURGICAL, STRAIGHT, BLACK, PAIR, BDYS, SIZE 5.5; SOFT PADDING AROUND HELE CUPFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRAL CONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; HIGH AND EXTENDED CORSET STIFFENERS	ITEMIZED	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	EMO	M12-5.5	Spain
272	4224170638200	BOOT, TARSO MEDIUS OR EQUIVALENT, SURGICAL, STRAIGHT, BLACE, PAIR, BOYS, SIZE 7; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKIE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; HIGH AND EXTENDED CORSET STIFFENERS	ITEMIZED	each	400571	AL Gaim Comm. Est Orig-	Piedro International B.V. (Foot-Facts Ld	2808-B-9800=7	Portugal
272	4224170638200	BOOT, TARSO MEDIUS OR EQUIVALENT, SURGICAL, STRAIGHT, BLACE, PAIR, BOYS, SIZE 7; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA- LONG STIFFENER TO SUPPORT ANKE; FEUL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOT! HIGH AND EXTENDED CORSET STIFFENERS	ITEMIZED	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	EMO	M12-7	Spain
273	4224170638600	BOOT, TARSO MEDIUS OR EQUIVALENT, SURGICAL, STRAIGHT, BLACK, PAIR, FOR BOYS, SIZE 3,5, SOFT PADING AROUND HEEL CUFES; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA-LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; HIGH AND EXTENDED CORSET STIFFENERS	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2808-B-9800=3.5	Portugal
273	4224170638600	BOOT, TARSO MEDIUS OR EQUIVALENT, SURGICAL, STRAIGHT, BLACK, PAIR, FOR BOYS, SIZE 3.5; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA-LONG STIFFENER TO SUPPORT ANNEL; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; HIGH AND EXTENDED CORSET STIFFENERS	ITEMIZED	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	EMO	M12-3.5	Spain
274	4224170638900	BOOT, TARSO MEDIUS OR EQUIVALENT, SURGICAL, STRAIGHT, BLACK, PAIR, FOR BOYS, SIZE 4.5; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA-LONG STIFFENER TO SUPPORT ANNEE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; HIGH AND EXTENDED CORSET STIFFENERS	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2808-B-9800=4.5	Portugal
274	4224170638900	BOOT, TARSO MEDIUS OR EQUIVALENT, SURGICAL, STRAIGHT, BLACK, PAIR, FOR BOYS, SIZE 4.5; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA-LONG STIFFENER TO SUPPORT ANKE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; HIGH AND EXTENDED CORSET STIFFENERS	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	EMO	M12-4.5	Spain
275	4224170637300	BOOT, TARSO MEDIUS OR EQUIVALENT, SURGICAL, STRAIGHT, BLACK, PAIR, FOR BOYS, SIZE 6.5; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA-LONG STIFFENER TO SUPPORT ANNEE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; HIGH AND EXTENDED CORSET STIFFENERS	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2808-B-9800=6.5	Portugal
275	4224170637300	BOOT, TARSO MEDIUS OR EQUIVALENT, SURGICAL, STRAIGHT, BLACK, PAIR, FOR BOYS, SIZE 6.5; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA-LONG STIFFENER TO SUPPORT ANKE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK, INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; HIGH AND EXTENDED CORSET STIFFENERS	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	EMO	M12-6.5	Spain
276	4224170638700	BOOT, TARSO MEDIUS OR EQUIVALENT, SURGICAL, STRAIGHT, BLACK, PAR, INFANT, SIZE 3.5; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO SASTIST SHOE FIT; HIGH AND EXTENDED CORSET STIFFENERS	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2808-I-9800=3.5	Portugal
277	4224170638400	BOOT, TARSO MEDIUS OR EQUIVALENT, SURGICAL, STRAIGHT, BLACK, PAIR, INFANT, SIZE 4.5; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA- LONG STIFFENER TO SUPPORT ANKE; FEUL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; HIGH AND EXTENDED CORSET STIFFENERS	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2808-I-9800=4.5	Portugal
278	4224170639000	BOOT, TARSO MEDIUS OR EQUIVALENT, SURGICAL, STRAIGHT, BLACK, PAR, INFANT, SIZE 5.5; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA- LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; HIGH AND EXTENDED CORSET STIFFENERS.	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2808-I-9800=5.5	Portugal
279	4224170639200	BOOT, TARSO MEDIUS OR EQUIVALENT, SURGICAL, STRAIGHT, BLACK, PAR, INFANT, SIZE 6.5; SOFT PADDING AROUND HEEL CUFFS, MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA- LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; HIGH AND EXTENDED CORSET STIFFENERS	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2808-I-9800=6.5	Portugal
280	4224170639100	BOOT, TARSO MEDIUS OR EQUIVALENT, SURGICAL, STRAIGHT, BLACK, PAIR, INFANT, SIZE 7.5; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CAL LEATHER; A HIGH AND EXTRA- LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSIDE; E, EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; HIGH AND EXTENDED CORSET STIFFENERS	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2808-I-9800=7.5	Portugal
280	4224170639100	BOOT, TARSO MEDIUS OR EQUIVALENT, SURGICAL, STRAIGHT, BLACK, PAIR, INFANT, SIZE 7.5; SOFT PADDING AROUND NEEL CUPFS; MADE FROM COW/CAF LEATHER; A HIGH AND EXTRA- LONG STIFERENT OS SUPPORT ANNIE; FIVEL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; HIGH AND EXTENDED CORSET STIFFENERS	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	EMO	M12-7.5	Spain
281	4224170637700	BOOT, TARSO MEDIUS OR EQUIVALENT, SURGICAL, STRAIGHT, BROWN, PAIR, ADULT, SIZE 10.5; SOFT PADDING AROUND HEEL CUPFS; MADE FROM COW/CAF LEATHER; A HIGH AND EXTRA-LONG STIFFENER TO SUPPORT ANKIE; FJILL LEATHER INSOEL; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; HIGH AND EXTENDED CORSET STIFFENERS	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2808-A-1501=10.5	Portugal
282	4224170637400	BOOT, TARSO MEDIUS OR EQUIVALENT, SURGICAL, STRAIGHT, BROWN, PAIR, ADULT, SIZE 7.5 ; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALE LEATHER; A, HIGH AND EXTRA-LONG STIFFENER TO SUPPORT ANKIE; FULL LEATHER RNSOLE; ÉSALIY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; HIGH AND EXTENDED CORSET STIFFENERS	ITEMIZED	each	400571	AL Gaim Comm. Est Orig-	Piedro International B.V. (Foot-Facts Ld	2808-A-1501=7.5	Portugal
283	4224170637500	BOOT, TARSO MEDIUS OR EQUIVALENT, SURGICAL, STRAIGHT, BROWN, PAIR, ADULT, SIZE 8.5 ; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A, HIGH AND EXTRA-LONG STIFFENER TO SUPPORT ANKE; FIVE LEATHER RINSCIE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; HIGH AND EXTENDED CORSET STIFFENERS.	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2808-A-1501=8.5	Portugal
284	4224170637600	BOOT, TARSO MEDIUS OR EQUIVALENT, SURGICAL, STRAIGHT, BROWN, PAIR, ADULT, SIZE 9.5 ; SOFT PADDING AROUND HEEL CUFFS; MADE FROM CONVCALE LEATHER; A, HIGH AND EXTRA-LONG STIFFENER TO SUPPORT ANKIE; FIVEL LEATHER INSOLE; ÉSALIY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; HIGH AND EXTENDED CORSET STIFFENERS	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2808-A-1501=9.5	Portugal
285	4224170637800	BOOT, TARSO MEDIUS OR EQUIVALENT, SURGICAL, STRAIGHT, BROWN, PAIR, BOYS, SIZE 3.5; SOFT PADDING AROUND HEEL CUPFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA- LONG STIFERENT OS SUPPORT ANKLE; FULL LEATHER INSIDE; E, EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; HIGH AND EXTENDED CORSET STIFFENERS.	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2808-B-1501=3.5	Portugal

ENDER NO	ME : Prosthetics Or								Preliminary Result
286	4224170637900	BOOT, TARSO MEDIUS OR EQUIVALENT, SURGICAL, STRAIGHT, BROWN, PAIR, BOYS, SIZE 4.5; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA LONG STIFEREN TO SUPPORT ANNEE; FULL ELEATHER INSIDE; E, SAILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; HIGH AND EXTENDED CORSET STIFFENERS.	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2808-B-1501=4.5	Portugal
287	4224170638000	BOOT, TARSO MEDIUS OR EQUIVALENT, SURGICAL, STRAIGHT, BROWN, PAIR, BOYS, SIZE 6.5; SOFT PADDING AROUND HELE CUFFS; MADE FROM COW/FLAT LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; HIGH AND EXTENDED CORSET STIFFENERS	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2808-B-1501=6.5	Portugal
288	4224170638100	BOOT, TARSO MEDIUS OR EQUIVALENT, SURGICAL, STRAIGHT, BROWN, PAIR, BOYS, SIZE 7; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; HIGH AND EXTENDED CORSET STIFFENERS	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2808-B-1501=7	Portugal
289	4224170638500	BOOT, TARSO MEDIUS OR EQUIVALENT, SURGICAL, STRAIGHT, BROWN, PAIR, FOR BOYS, SIZE 5.5, SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA-LONG STIFFENER TO SUPPORT ANNUE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; HIGH AND EXTENDED CORSET STIFFENERS	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2808-B-1501=5.5	Portugal
290	4224170639300	BOOT, TARSO MEDIUS OR EQUIVALENT, SURGICAL, STRAIGHT, BROWN, PAIR, INFANT, SIZE 3.5; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA-LONG STIFFENER TO SUPPORT ANKE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOFT; HIGH AND EXTENDED CORSET STIFFENERS	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2808-1-1501=3.5	Portugal
291	4224170639400	"BOOT, TARSO MEDIUS OR EQUIVALENT, SURGICAL, STRAIGHT, BROWN, PAIR, INFANT, SIZE A5, SOFT PADIONG AROUND HEEL CUFES; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA-LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOTE IT; HIGH AND EXTENDED CORSET STIFFENERS"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2808-1-1501=4.5	Portugal
292	4224170639500	"BOOT, TARSO MEDIUS OR EQUIVALENT, SURGICAL, STRAIGHT, BROWN, PAIR, INFANT, SIZE 5.5; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA-LONG STIFFENER TO SUPPORT ANNEL; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOTE IT; HIGH AND EXTENDED CORSET STIFFENERS"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2808-I-1501=5.5	Portugal
293	4224170639600	BOOT, TARSO MEDIUS OR EQUIVALENT, SURGICAL, STRAIGHT, BROWN, PAIR, INFANT, SIZE 6.5; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA-LONG STIFFENER TO SUPPORT ANNEL; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHORE IT; HIGH AND EXTENDED CORSET STIFFENERS	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2808-I-1501=6.5	Portugal
294	4224170639700	BOOT, TARSO MEDIUS OR EQUIVALENT, SURGICAL, STRAIGHT, BROWN, PAIR, INFANT, SIZE 7.5, SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA-LONG STIFFENER TO SUPPORT ANNUE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOT FIT; HIGH AND EXTENDED CORSET STIFFENERS	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2808-I-1501=7.5	Portugal
295	4224170636400	BOOT, TARSO OR EQUIVALENT, BLACK, PAIR, FOR MEN, SIZE: 10, MEDIUM; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CAFE LEATHER; A HIGH AND EXTRA-LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; HIGH AND EXTENDED CORSET STIFFENERS	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2808-A-9800=10	Portugal
295	4224170636400	BOOT, TARSO OR EQUIVALENT, BLACK, PAIR, FOR MEN, SIZE: 10, MEDIUM; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CAFE LEATHER; A HIGH AND EXTRA-LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; HIGH AND EXTENDED CORSET STIFFENERS	ITEMIZED	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	EMO	M12-10	Spain
296	4224170636500	BOOT, TARSO OR EQUIVALENT, BLACK, PAIR, FOR MEN, SIZE: 11, MEDIUM; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CAFE LEATHER; A HIGH AND EXTRA-LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; HIGH AND EXTENDED CORSET STIFFENERS	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2808-A-9800=11	Portugal
296	4224170636500	BOOT, TARSO OR EQUIVALENT, BLACK, PAIR, FOR MEN, SIZE: 11, MEDIUM; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CAFE LEATHER; A HIGH AND EXTRA-LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; HIGH AND EXTENDED CORSET STIFFENERS	ITEMIZED	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	EMO	M12-11	Spain
297	4224170636600	BOOT, TARSO OR EQUIVALENT, BLACK, PAIR, FOR MEN, SIZE: 12, MEDIUM; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CAFE LEATHER; A HIGH AND EXTRA-LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; HIGH AND EXTENDED CORSET STIFFENERS	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2808-A-9800=12	Portugal
297	4224170636600	BOOT, TARSO OR EQUIVALENT, BLACK, PAIR, FOR MEN, SIZE: 12, MEDIUM; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CAFE LEATHER; A HIGH AND EXTRA-LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; HIGH AND EXTENDED CORSET STIFFENERS	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	EMO	M12-12	Spain
298	4224170636800	BOOT, TARSO OR EQUIVALENT, BLACK, PAIR, FOR MEN, SIZE: 7, MEDIUM; SOFT PADDING AROUND HEEL CUPFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA-LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; HIGH AND EXTENDED CORSET STIFFENERS	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2808-A-9800=7	Portugal
299	4224170636700	BOOT, TARSO OR EQUIVALENT, BLACK, PAIR, FOR MEN, SIZE: 8, MEDIUM; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CAFE LEATHER; A HIGH AND EXTRA-LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; HIGH AND EXTENDED CORSET STIFFENERS	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2808-A-9800=8	Portugal
299	4224170636700	BOOT, TARSO OR EQUIVALENT, BLACK, PAIR, FOR MEN, SIZE: 8, MEDIUM; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA-LONG SIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; HIGH AND EXTENDED CORSET STIFFENERS	ITEMIZED	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	ЕМО	M12-8	Spain
300	4224170636900	BOOT, TARSO OR EQUIVALENT, BLACK, PAIR, FOR MEN, SIZE: 9, MEDIUM; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALE LEATHER; A HIGH AND EXTRA-LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-JUNT; GOOD TOE SPRING; REMOVABLE CORK INAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; HIGH AND EXTENDED CORSET STIFFENERS	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2808-A-9800=9	Portugal
301	4224170629400	"BOOTS, OPEN TOE, FOR FOOT ABDUCTION SPLINT, STRAIGHT, LAST, SIZE 0; SOFT PADDING AROUND THE COLLAR FOR ABETTER IT; MADE FROM COW/CALE LEATHER, SPECIAL EXTENDES STREPENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; REMOVABLE PROFILED CORK INLAY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; NAVICULAR STRAP"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2296-9900=0	Portugal
301	4224170629400	"BOOTS, OPEN TOE, FOR FOOT ABDUCTION SPLINT, STRAIGHT, LAST, SIZE 0; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; MADE FROM COW/CALE LEATHER; SPECIAL EXTENSED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; REMOVABLE PROFILED CORK INLAY; EXTRA PADDING AROUND THE ANXLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; NAVICULAR STRAP"	ITEMIZED	Pair	400050	Al-EWAN MEDICAL COMPANY -Orig-	EMO	M11AL-0	Spain
302	4224170629500	"BOOTS, OPEN TOE, FOR FOOT ABDUCTION SPUNT, STRAIGHT, LAST, SUZE 03; SOFT PADDING AROUND THE COLLAR FOR A BETTER HT; MADE FROM COW/CALF LEATHER; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; REMOVABLE PROFILED CORK INLAY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONIGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; NAVICULAR STRAP"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2296-9900=00	Portugal

	JMBER : NPT0050/23 AME : Prosthetics Or								Preliminary Result
302	4224170629500	"BOOTS, OPEN TOE, FOR FOOT ABDUCTION SPLINT, STRAIGHT, LAST, SIZE 00; SOFT PADDING AROUND THE COLLAR FOR A BETTER HT; MADE FROM COW/CALF LEATHER; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; REMOVABLE PROFILED CORK INLAY; EXTRA PADDING AROUND THE ANNLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOUD THE SHOE ROUND THE FOOT; NAVICULAR STRAP"	ITEMIZED	Pair	400050	Al-EWAN MEDICAL COMPANY -Orig-	EMO	M11AL-00	Spain
303	4224170629600	"BOOTS, OPEN TOE, FOR FOOT ABDUCTION SPUNT, STRAIGHT, LAST, SUE DOD; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; MADE FROM COW/CALF LEATHER; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; REMOVABLE PROFILED CORK INLAY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; NAVICULAR STRAP"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2296-9900=000	Portugal
303	4224170629600	"BOOTS, O'EN TOE, FOR FOOT ABDUCTION SPUNT, STRAIGHT, LAST, SIZE DOD; SOT PADDING AROUND THE COLLAR FOR A BETTER FIT; MADE FROM COW/CALF LEATHER; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; REMOVABLE PROFILED CORK INLAY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; NAVICULAR STRAP"	ITEMIZED	Pair	400050	Al-EWAN MEDICAL COMPANY -Orig-	EMO	M11AL-000	Spain
304	4224170629700	"BOOTS, OPEN TOE, FOR FOOT ABDUCTION SPLINT, STRAIGHT, LAST, SIZE 0000; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; MADE FROM COW/CALF LEATHER; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; REMOVABLE PROFILED CORK INLAY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; NAVICULAR STRAP"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2296-9900=0000	Portugal
304	4224170629700	"BOOTS, OPEN TOE, FOR FOOT ABDUCTION SPLINT, STRAIGHT, LAST, SIZE 0000; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; MADE FROM COW/CALF LEATHER; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; REMOVABLE PROFILED CORK INLAY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; NAVICULAR STRAP"	ITEMIZED	Pair	400050	Al-EWAN MEDICAL COMPANY -Orig-	EMO	M11AL-0000	Spain
305	4224170629800	"BOOTS, OPEN TOE, FOR FOOT ABDUCTION SPINT, STRAIGHT, LAST, SIZE 1; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; MADE FROM COW/CALF LEATHER; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; REMOVABLE PROFILED CORK INLAY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; NAVICULAR STRAP"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2296-9900=1	Portugal
305	4224170629800	"BOOTS, OPEN TOE, FOR FOOT ABDUCTION SPUNT, STRAIGHT, LAST, SIZE 1; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; MADE FROM COW/CALF LEATHER; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; REMOVABLE PROFILED CORK INLAY; EXTRA PADDING AROUND THE ANNLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; NAVICULAR STRAP"	ITEMIZED	Pair	400050	Al-EWAN MEDICAL COMPANY -Orig-	EMO	M11AL-1	Spain
306	4224170629900	"BOOTS, OPEN TOE, FOR FOOT ABDUCTION SPUNT, STRAIGHT, LAST, SIZE 1.5; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; MADE FROM COW/CALF LEATHER; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; REMOVABLE PROFILED CORK INLAY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; NAVICULAR STRAP"	ITEMIZED	Pair	400571	AL Gaim Comm. Est Orig-	Piedro International B.V. (Foot-Facts Ld	2296-9900=1.5	Portugal
306	4224170629900	"BOOTS, OPEN TOE, FOR FOOT ABDUCTION SPLINT, STRAIGHT, LAST, SIZE 1.5; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; MADE FROM COW/CALF LEATHER; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; REMOVABLE PROFILED CORK INLAY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; NAVICULAR STRAP"	ITEMIZED	Pair	400050	Al-EWAN MEDICAL COMPANY -Orig-	EMO	M11AL-1.5	Spain
307	4224170630000	"BOOTS, OPEN TOE, FOR FOOT ABDUCTION SPLINT, STRAIGHT, LAST, SIZE 2; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; MADE FROM COW/CALF LEATHER; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; REMOVABLE PROFILED CORK INLAY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; NAVICULAR STRAP"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2296-9900=2	Portugal
307	4224170630000	"BOOTS, OPEN TOE, FOR FOOT ABDUCTION SPLINT, STRAIGHT, LAST, SIZE 2; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; MADE FROM COW/CALF LEATHER; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; REMOVABLE PROFILED CORK INLAY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; NAVICULAR STRAP"	ITEMIZED	Pair	400050	Al-EWAN MEDICAL COMPANY -Orig-	ЕМО	M11AL-2	Spain
308	4224170630100	"BOOTS, OPEN TOE, FOR FOOT ABDUCTION SPUNT, STRAIGHT, LAST, SIZE 2.5; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; MADE FROM COW/CALF LEATHER; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; REMOVABLE PROFILED CORK INLAY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; NAVICULAR STRAP"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2296-9900=2.5	Portugal
308	4224170630100	"BOOTS, OPEN TOE, FOR FOOT ABDUCTION SPUNT, STRAIGHT, LAST, SIZE 2.5; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; MADE FROM COW/CALF LEATHER; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; REMOVABLE PROFILED COSK INLAY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; NAVICULAR STRAP"	ITEMIZED	Pair	400050	Al-EWAN MEDICAL COMPANY -Orig-	ЕМО	M11AL	Spain
309	4224170630200	"BOOTS, OPEN TOE, FOR FOOT ABDUCTION SPINT, STRAIGHT, LAST, SIZE 3; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; MADE FROM COW/CALF LEATHER; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; REMOVABLE PROFILED CORK INLAY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; NAVICULAR STRAP"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2296-9900=3	Portugal
309	4224170630200	"BOOTS, OPEN TOE, FOR FOOT ABDUCTION SPLINT, STRAIGHT, LAST, SIZE 3; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; MADE FROM COW/CALF LEATHER; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; REMOVABLE PROFILED CORK INLAY; EXTRA PADDING AROUND THE ANNLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; NAVICULAR STRAP"	ITEMIZED	Pair	400050	Al-EWAN MEDICAL COMPANY -Orig-	ЕМО	M11AL	Spain
310	4224170630300	"BOOTS, OPEN TOE, FOR FOOT ABDUCTION SPLINT, STRAIGHT, LAST, SZE 3.5; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; MADE FROM COW/CALF LEATHER; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; BEMOVABLE PROFILED CORK INLAY; EXTRA PADDING AROUND THE ANNLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; NAVICULAR STRAP"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2296-9900=3.5	Portugal
310	4224170630300	"BOOTS, OPEN TOE, FOR FOOT ABDUCTION SPUNT, STRAIGHT, LAST, SIZE 3.5; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; MADE FROM COW/CALF LEATHER; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; REMOVABLE PROFILED CORK INLAY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; NAVICULAR STRAP"	ITEMIZED	Pair	400050	Al-EWAN MEDICAL COMPANY -Orig-	ЕМО	M11AL	Spain
311	4224170630400	"BOOTS, OPEN TOE, FOR FOOT ABDUCTION SPLINT, STRAIGHT, LAST, SIZE 4; SOFT PADDING AROUND THE COLLAR FOR A BETTER IT; MADE FROM COW/CALE LEATHER; SPECIAL EXTENDES STREEPERE WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; REMOVABLE PROFILED CORK INLAY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; NAVICULAR STRAP"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2296-9900=4	Portugal
311	4224170630400	"BOOTS, OPEN TOE, FOR FOOT ABDUCTION SPLINT, STRAIGHT, LAST, SIZE 4; SOFT PADDING AROUND THE COLLAR FOR A BETTER HT; MADE FROM COW/CALE LEATHER; SPECIAL EXTENDES STREEPERE WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; REMOVABLE PROFILED CORK INLAY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOUD THE SHOE ROUND THE FOOT; NAVICULAR STRAP"	ITEMIZED	Pair	400050	AI-EWAN MEDICAL COMPANY -Orig-	ЕМО	M11AL	Spain
312	4224170630500	"BOOTS, OPEN TOE, FOR FOOT ABDUCTION SPUINT, STRAIGHT, LAST, SIZE 4.5; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; MADE FROM COW/CALE LEATHER; SPECIAL EXTENDED STREEMER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; REMOVABLE PROFILED CORK INLAY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; NAVICULAR STRAP"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2296-9900=4.5	Portugal
312	4224170630500	"BOOTS, OPEN TOE, FOR FOOT ABDUCTION SPLINT, STRAIGHT, LAST, SIZE 4.5; SOFT PADDING AROUND THE COLUMN FOR A BETTER FIT; MADE FROM COW/CALE LEATHER; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; BEMOVABLE PROFILED CORK INLAY; EXTRA PADDING AROUND THE ANNLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; NAVICULAR STRAP"	ITEMIZED	Pair	400050	AI-EWAN MEDICAL COMPANY -Orig-	EMO	M11AL	Spain
313	4224170630600	"BOOTS, OPEN TOE, FOR FOOT ABDUCTION SPLINT, STRAIGHT, LAST, SIZE 5; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; MADE FROM COW/CALE LEATHER; SPECIAL EXTENDES STREEMER WITH CUNEVE DWALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; REMOVABLE PROFILED CORK INLAY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONSOLE PADDING TO MOULD THE SHOE ROUND THE FOOT; NANICULAR STRAP"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2296-9900=5	Portugal

	UMBER : NPT0050/2 AME : Prosthetics Or								Preliminary Resul
313	4224170630600	"BOOTS, OPEN TOE, FOR FOOT ABDUCTION SPLINT, STRAIGHT, LAST, SIZE 5; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; MADE FROM COW/CALF LEATHER; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; REMOVABLE PROFILED CORK INLAY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; NAVICULAR STRAP"	ITEMIZED	Pair	400050	Al-EWAN MEDICAL COMPANY -Orig-	ЕМО	M11AL	Spain
314	4224170630700	"BOOTS, OPEN TOE, FOR FOOT ABDUCTION SPINIT, STRAIGHT, LAST, SIZE 5.5; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; MADE FROM COW/CALF LEATHER; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FICH LIG GAIN LEATHER INSOLE; REMOVABLE PROFILED CORK INLAY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE THAD FINE SHOP ROUND THE FOOT; NAN/CULLAR STRAP"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2296-9900=5.5	Portugal
314	4224170630700	"BOOTS, OPEN TOE, FOR FOOT ABDUCTION SPUNT, STRAIGHT, LAST, SIZE 5.5; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; MADE FROM COW/CALF LEATHER; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; REMOVABLE PROFILED CORK INLAY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; NAVICULAR STRAP"	ITEMIZED	Pair	400050	Al-EWAN MEDICAL COMPANY -Orig-	EMO	M11AL	Spain
315	4224170630800	"BOOTS, OPEN TOE, FOR FOOT ABDUCTION SPLINT, STRAIGHT, LAST, SIZE 6; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; MADE FROM COW/CALF LEATHER; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; REMOVABLE PROFILED CORK INLAY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; NAVICULAR STRAP"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2296-9900=6	Portugal
315	4224170630800	"BOOTS, OPEN TOE, FOR FOOT ABDUCTION SPLINT, STRAIGHT, LAST, SIZE 6; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; MADE FROM COW/CALF LEATHER; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; REMOVABLE PROFILED CORK INLAY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; NAVICULAR STRAP"	ITEMIZED	Pair	400050	Al-EWAN MEDICAL COMPANY -Orig-	ЕМО	M11AL	Spain
316	4224170630900	"BOOTS, OPEN TOE, FOR FOOT ABDUCTION SPLINT, STRAIGHT, LAST, SIZE 7; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; MADE FROM COW/CAL LEATHER; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; REMOVABLE PROFILED CORK INLAY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; NAVICULAR STRAP"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2296-9900=7	Portugal
316	4224170630900	"BOOTS, OPEN TOE, FOR FOOT ABDUCTION SPLINT, STRAIGHT, LAST, SIZE 7; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; MADE FROM COW/CALF LEATHER; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; REMOVABLE PROFILED CORK INLAY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; NAVICULAR STRAP"	ITEMIZED	Pair	400050	Al-EWAN MEDICAL COMPANY -Orig-	ЕМО	M11AL	Spain
317	4224170631000	"BOOTS, OPEN TOE, FOR FOOT ABDUCTION SPLINT, STRAIGHT, LAST, SIZE 8; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; MADE FROM COW/CALF LEATHER; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; REMOVABLE PROFILED CORK INLAY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; NAVICULAR STRAP"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2296-9900=8	Portugal
317	4224170631000	"BOOTS, OPEN TOE, FOR FOOT ABDUCTION SPLINT, STRAIGHT, LAST, SIZE 8; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; MADE FROM COW/CALF LEATHER; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; REMOVABLE PROFILED CORK INLAY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; NAVICULAR STRAP"	ITEMIZED	Pair	400050	Al-EWAN MEDICAL COMPANY -Orig-	ЕМО	M11AL	Spain
318	4224170631100	"BOOTS, OPEN TOE, FOR FOOT ABDUCTION SPLINT, STRAIGHT, LAST, SIZE 9; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; MADE FROM COW/CALF LEATHER; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; REMOVABLE PROFILED CORK INLAY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; NAVICULAR STRAP"	ITEMIZED	Pair	400571	AL Gaim Comm. Est Orig-	Piedro International B.V. (Foot-Facts Ld	2296-9900=9	Portugal
318	4224170631100	"BOOTS, OPEN TOE, FOR FOOT ABDUCTION SPLINT, STRAIGHT, LAST, SIZE 9; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; MADE FROM COW/CALF LEATHER; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; REMOVABLE PROFILED CORK INLAY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; NAVICULAR STRAP"	ITEMIZED	Pair	400050	Al-EWAN MEDICAL COMPANY -Orig-	ЕМО	M11AL	Spain
319	4224170631500	"BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO- PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRA PLAYS, YEZ IR, BLUE COLOR; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CAEL FLATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE; STITCH DOWN CONSTRUCTION; HEEL AND RIGHD SHAND.	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2577-5600=18	Portugal
320	4224170631600	"BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO- PHYSIOLOGICAL CONDITIONS SUCH AS CEREBAR PLAISY, SIZE B, PURPLE COLOR; SOFT PADDING AROUND HEEL CLIFE; MADE FROM COW/CALE LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHAND.	ITEMIZED	Pair	400571	AL Gaim Comm. Est Orig-	Piedro International B.V. (Foot-Facts Ld	2579-2000=18	Portugal
321	4224170631700	"BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO- PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRA PLAYS, SIZE 19, BLUE COLOR; SOOT PADDING AROUND HEEL CLIFE; MADE FROM COW/CALE LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHAND.	ITEMIZED	Pair	400571	AL Gaim Comm. Est Orig-	Piedro International B.V. (Foot-Facts Ld	2577-5600=19	Portugal
322	4224170631800	"BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO- PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRA PLASY, SIZE 19, PURPLE COLOR; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CAE LEATHER; A HIGH AND EXTRA LONG STIFEFNER TO SUPPORT ANKLE; FULL EATHER INSOL! E. EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE RIT; ADAPTABLE; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHAND.	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2579-2000=19	Portugal
323	4224170631900	"BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO- PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRA PLAYS, SIZE 20, BLUE COLOR; SOOT PADDING AROUND HEEL CLIFE; MADE FROM COW/CALE LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHAND.	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2577-5600=20	Portugal
324	4224170632000	"BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO- PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRA PLASY, SIZE O, PURPLE COLOR; SOFT PADDING AROUND HEEL CLIFE; MADE FROM COW/CALE LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE; STITCH DOWN CONSTRUCTION; HELD LAND RIGID SHAND.	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2579-2000=20	Portugal
325	4224170632100	"BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO- PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRA PLAYS, SIZE 21, BULE COLOR; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CAE LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHAND.	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2577-5600=21	Portugal
326	4224170632300	"BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO- PHYSIOLOGICAL CONDITIONS SUCH AS CERBBAR PALSY, SIZE 21, MIX COLOR; SOFP PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL EATHER INSOLE; FASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE; STITCH DOWN CONSTRUCTION; HEEL AND RIGIOS SHANK"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2587-0078=21	Portugal
327	4224170632200	"BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO- PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRAL PALSY, SIZE 21, PURPLE COLOR; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE, ; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2579-2000=21	Portugal

TENDER NA	AME : Prosthetics Or								Preliminary Result
328	4224170632400	"BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO- PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRAL PALSY, SIZE 22, BLUE COLOR; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA LONG STIFETHER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSICT SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK?	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2577-5600=22	Portugal
329	4224170632500	"BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO- PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRAN PLAYS, YSE 22, PURPLE COLOR; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CAF LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKE; FIULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE, STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANCE.	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2579-2000=22	Portugal
330	4224170632600	"BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO- PHYSIGLOGICAL CONDITIONS SUCH AS CEREBRAL PALYS, IZE 22, TWO COLOURS COLOR; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK!	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2587-0098=22	Portugal
331	4224170632700	"BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO- PHYSIOLOGICAL CONDITIONS SUCH AS CREBRAN PLAYS, 52E 28, BLACK COLOR; SOFT PADDING AROUND HEEL CUFES, MADE FROM COW/CAF LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK NIAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE ET; ADAPTABLE, STITCH DOWN CONSTRUCTION; HEEL AND RIG GOS SHANC;	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2577-9800=23	Portugal
332	4224170632800	"BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO- PHYSICLOGIAC CONDITIONS SUCH AS CEREBRA PLAYS, SIZE 23, BULE COLOR; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA CONG STIFEENER TO SUPPORT ANNUE; FILL LEATHER INSIDE; E-SALY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE, STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANC;	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2577-5600=23	Portugal
333	4224170632900	"BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO- PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRAL PASY, SIZE 23, PURPLE COLOR; SOFT PADDING AROUND HEEL CUFES; MADE FROM COW/CAF LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE, STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHAME?	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2579-2000=23	Portugal
334	4224170633000	"BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO- PHYSICLOGIAC CONDITIONS SUCH AS CEREBRAP ADLST, SEZ #2, BLUE COLOR; SOTT PADDING AROUND HEEL CUFES; MADE FROM COW/CAF LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGLE TO ASSIST SHOE FIT; ADAPTABLE, STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK!	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2577-5600=24	Portugal
335	4224170633200	"BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO- PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRAL PASY, SEZ E4, MIX COLOR; SOFT FADDING AROUND HEEL CUFFS; MADE FROM COW/CAFE LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANUE; FILL LEATHER INDEE; E-SELIY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONIGUE TO ASSIST SHOE HIT; ADAPTABLE; STITCH DOWN CONSTRUCTION;	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2587-0078=24	Portugal
336	4224170633100	"BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO- PHYSIOLOGICAL CONDITIONS SUCH AS CERBEAN PLAYS, YEZ ZE A, PURPLE COLOR; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CAF LEATHER; A HIGH AND EXTRA LONG STIFFENR TO SUPPORT ANKLE; FULL LEATHER INSOLE; FASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE, ; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANCE.	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2579-2000=24	Portugal
337	4224170633300	"BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO- PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRAY PLAYS, 52E 25, BLACK COLOR; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALE LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; ¿EASLY REMOVABLE ANK ADAPTABLE SOLE-UNIT; GOOD TO SERMIG; REMOVABLE CORK INCX; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE, ; STITCH DOWN CONSTRUCTION; HEEL AND RIGIO SHANK!	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2577-9800=25	Portugal
338	4224170633400	"BOOTS, STABILITY FOR CHILDERN, WHO NEED SHOES WITH MORE SUPPORT, NEURO- PHYSIOLOGICAL CONDTIONS SUCH AS CEREBRAL BALLY, SIZE 25, BLUE COLOR; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANNEE; FULL LEATHER INSOLE; EASLY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOS PERNIES, REMOVABLE CORK INACY, HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE, ; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANE?	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2577-5600=25	Portugal
339	4224170633500	"BOOTS, STABILITY FOR CHILDERN, WHO NEED SHOES WITH MORE SUPPORT, NEURO- PHYSIOLOGICAL CONDITIONS SUCH AS CEREBAN PLASY, SIZE 25, PURPLE COLOR, SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE ANK DAPPTABLE SOLE-UNIT; GOOD TOS FERNIES, REMOVABLE CORK INCX; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE, STITCH DOWN CONSTRUCTION; HELE AND RIGIO SHANCE.	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2579-2000=25	Portugal
340	4224170633600	"BOOTS, STABILITY FOR CHILDERN, WHO NEED SHOES WITH MORE SUPPORT, NEURO- PHYSIOLOGICAL CONDITIONS BUCH AS CEREBRAY PLAYS, 152 E.8, PLACK COLOR; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANNEE; FULL LEATHER INSDUE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOS ESPRING; REMOVABLE CORK INCX; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGIO SHANCE.	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2577-9800=26	Portugal
341	4224170633700	"BOOTS, STABILITY FOR CHILDERN, WHO NEED SHOES WITH MORE SUPPORT, NEURO- PHYSIOLOGICAL CONDTIONS SUCH AS CEREBRAL BALLY, SIZE 26, BLUE COLOR; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANNEE; FULL LEATHER INSDUE; ¿EASLY REMOVABLE CANK ADAPTABLE SOLE-UNIT; GOOD TOS PERNIES, REMOVABLE CANK INACY, HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE, ; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANCE.	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2577-5600=26	Portugal
342	4224170633800	"BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO- PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRAL PALLY, SIZE 26, PURPLE COLOR; SOFT PADDINGS AROUND HEEL CUPFS; MADE FROM COW/CAST LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKEE; FULL LEATHER INSDUE; EASILY REMOVABLE CANK DADAPTABLE SOLE-UNIT; GOOD TOS ESPRING; REMOVABLE CORK INCX; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE, ; STITCH DOWN CONSTRUCTION; HEEL AND RIGIO SHANCE.	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2579-2000=26	Portugal
343	4224170633900	"BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO- PHOSIOLOGICAL CONDITIONS SUCH A SCREBBAL PALSY, 32E 27, BLACK COLOR; SOFT PADDING AROUND HEEL CUFFS; MADE FROM CONVICATE LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE CAN LOADAFTABLE SOLE-UNIT; GOOD TOS EPRING; REMOVABLE CAN LIAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HELE AND RIGID SHAME."	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2577-9800=27	Portugal
344	4224170634000	"BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO- PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRAL PALSY, SIZE 27, PURPIEC COLOR; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CAF LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE, STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK!	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2579-2000=27	Portugal
345	4224170634100	"BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO- PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRAY PLAYS, SZE 28, BLACK COLOR; SOFT PADDING ARQUIND HEEL CUFES; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA LONG STIFEREN TO SUPPORT ANNUE; FILL LEATHER INSIDE; E-SALY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSEST SHOE FIT; ADAPTABLE, STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHAME.	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2577-9800=28	Portugal

	JMBER : NPT0050/22 AME : Prosthetics Ort								Preliminary Resul
346	4224170634200	"BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO- PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRAL PALSY, SIZE 28, BLUE COLOR; SOFT PADDING AROUND HELL CUFFS; MADE FROM COW/CASE LEATHER; A HIGH AND EXTRA LONG STIFERENT OS SUPPORT ANKLE; FULL LEATHER INSIDE; E, FASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TGE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE, STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK!	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2577-5600=28	Portugal
347	4224170634300	"BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO- PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRAL PALSY, SIZE 28, PURPLE COLOR; SOFT PADDING AROUND WELL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; TO FULL LEATHER INSOLE; FASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE, ; STITCH DOWN CONSTRUCTION; HELE AND RIGIO SHANCE.	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2579-2000=28	Portugal
348	4224170634400	"BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO- PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRAY PALSY, SEZ 29, BLACK COLOR; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALE LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; ¿EASILY REMOVABLE ANK ADAPTABLE SOLE-UNIT; GOOD TOS SPRING; REMOVABLE CORK INCY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGLE TO ASSIST SHOE FIT; ADAPTABLE, ; STITCH DOWN CONSTRUCTION; HEEL AND RIGIO SHANCE.	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2577-9800=29	Portugal
349	4224170634500	"BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO- PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRA PLAISY, SIZE 29, BULE COLOR; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; ¿EASILY REMOVABLE CANK DADAPTABLE SOLE-UNIT; GOOD TO SERMICS, FERMOVABLE CORK INCX; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE, ; STITCH DOWN CONSTRUCTION; HEEL AND RIGIO SHAME!	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2577-5600=29	Portugal
350	4224170634600	"BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO- PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRAL PALSY, SIZE 29, PURPLE COLOR; SOFT PADDING AROUND WELL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA LONG STIFFENR TO SUPPORT ANKLE; TO FULL LEATHER INSOLE; FASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE, ; STITCH DOWN CONSTRUCTION; HELE AND RIGIO SHANCE.	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2579-2000=29	Portugal
351	4224170634700	"BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO- PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRAY PLAYS, SZE 30, BLACK COLOR; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKE; FULL LEATHER INSOLE; FASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE, STITCH DOWN CONSTRUCTION; HEEL AND RIGIO SHANCE.	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2577-9800=30	Portugal
352	4224170634800	"BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO- PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRAL PALLY, SIZE 30, BLUE COLOR; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSDUE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOS ESPRING; REMOVABLE CORK INACY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE, STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANC!	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2577-5600=30	Portugal
353	4224170631200	"BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO- PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRAL PALSY, SIZE 30, PURPLE COLOR; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSDUE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOS PSIRNIG; REMOVABLE CORK INACY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE, STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK?	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2579-2000=30	Portugal
354	4224170634900	"BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO- PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRA PLAYS, YSE 23, PLACK COLOR; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; ¿EASILY REMOVABLE ANK DAPPTABLE SOLE-UNIT; GOOD TOS FSRING; REMOVABLE CORK INCX; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSET SHOE FIT; ADAPTABLE, ; STITCH DOWN CONSTRUCTION; HEEL AND RIGIO SHANCE.	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2577-9800=31	Portugal
355	4224170635000	"BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO- PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRAL PALLY, SIZE 31, BLUE COLOR; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSDUE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TO SEPRING; REMOVABLE CANK INACY, HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE, ; STITCH DOWN CONSTRUCTION; HEEL AND RIGIO SHANCY.	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2577-5600=31	Portugal
356	4224170631300	"BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO- PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRAL PALLY, SIZE 31, PURPLE COLOR; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSDUE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TO SEPRING; REMOVABLE CANK INACY, HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE, STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK!	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2579-2000=31	Portugal
357	4224170635200	"BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO- PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRAL PALSY, SIZE 32, BLUE COLOR; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSDUE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TO SEPRING; REMOVABLE CORK INACY, HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE, STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK?	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2577-5600=32	Portugal
358	4224170635100	"BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO- PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRAY PALSY, SIZE 32, BLACK COLOR; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TO SERMICS, FERMOVABLE CORK INCX; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGLE TO ASSIST SHOE FIT; ADAPTABLE, STITCH DOWN CONSTRUCTION; HEEL AND RIGIO SHANCE.	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2577-9800=32	Portugal
359	4224170631400	"BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO- PHYSIOLOGICAL CONDITIONS SUCH AS CERBEAN PLAYS, YSE 28, PURPLE COLOR; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; FASILY REMOVABLE ANK ADAPTABLE SOLE-UNIT; GOOD TO SERMIC; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE, STITCH DOWN CONSTRUCTION; HEEL AND RIGIO SHANCE.	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2579-2000=32	Portugal
360	4224170635300	"BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO- PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRAL PALSY, SIZE 33, BLACK COLOR; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSDUE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOS ESPRING; REMOVABLE CORK INCX; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSET SHOE FIT; ADAPTABLE, STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHAME;	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2577-9800=33	Portugal
361	4224170635400	"BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO- PHOSIOLOGICAL CONDITIONS SUCH AS CEREBRAL PALSY, SIZE 33, BLUE COLOR; SOFT PHODING AROUND HELE CUEPS; MADE FROM CONVCAF LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TO SEPRING; REMOVABLE CANK LIVAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HELE AND RIGID SHAME?	ITEMIZED	Pair	400571	AL Gaim Comm. Est Orig-	Piedro International B.V. (Foot-Facts Ld	2577-5600=33	Portugal
362	4224170635500	"BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO- PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRAL PALLY, SIZE 33, PURPLE COLOR; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TO SERMIG; REMOVABLE CORK INCX; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGLE TO ASSIST SHOE FIT; ADAPTABLE, STITCH DOWN CONSTRUCTION; HEEL AND RIGIO SHANK!	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2579-2000=33	Portugal
363	4224170635600	"BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO. PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRAL PALSY, SIZE 34, BLACK COLOR; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; ¿EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOS SPRING; REMOVABLE CORK INCY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGLE TO ASSIST SHOE FIT; ADAPTABLE, ; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK!	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2577-9800=34	Portugal

	JMBER : NPT0050/2: AME : Prosthetics Or								Preliminary Result
364	4224170635700	"BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO- PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRAL PALSY, SIZE 34, BLUE COLOR; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK!	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2577-5600=34	Portugal
365	4224170635800	"BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO- PHYSIOLOGICAL CONDITIONS SUCH AS CEREBAN PLAYS, YEZ 84, PURPLE COLOR; SOFT PADDING ARQUIND HEEL CUFFS; MADE FROM COW/CAF LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE, STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHAME.	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2579-2000=34	Portugal
366	4224170635900	"BOOTS, STABILITY FOR CHILDERN, WHO NEED SHOES WITH MORE SUPPORT, NEURO- PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRAY PLAYS, SZE 35, BLACK COLOR; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; ¿FASILY REMOVABLE ANK DAPPTABLE SOLE-UNIT; GOOD TO SERNING; REMOVABLE CORK INCY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSET SHOE FIT; ADAPTABLE, STITCH DOWN CONSTRUCTION; HEEL AND RIGIO SHANK!	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2577-9800=35	Portugal
367	4224170636100	"BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO- PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRAL PALSY, SIZE 36, BLACK COLOR; SOFT PADDINGS AROUND HEEL CUPFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOS PSIRNIG; REMOVABLE CONK INCY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE, STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK?	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2577-9800=36	Portugal
368	4224170636000	"BOOTS, STABILITY FOR CHILDERN, WHO NEED SHOES WITH MORE SUPPORT, NEURO- PHYSIOLOGICAL CONDITIONS SUCH AS CEREBAN PLAYS, YEZE 36, PURPLE COLOR, SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TO SERMINS; REMOVABLE CORK INACY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGLE TO ASSIST SHOE FIT; ADAPTABLE, STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHAME.	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2579-2000=35	Portugal
369	4224170636200	"BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO- PHYSICIOGICAL CONDITIONS SUCH AS CEREBRA BALST, VARILS, OR VAIGLIS INSTABILITY, PAINFUL OR PRESSURE, SENSITIVE FEET, ATTACHMENT OF EXTERNAL BRACING, SUCH AS USED IN THE SMART WALKER, ORTHO, BLACK, BLUE, RED, SIZE IS; SOFT PADDING AROUND HEEL CUFFS; MADE FROM COW/CLAF LEATHER; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; FASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHAN!"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2587-0078=18	Portugal
370	4224170636300	"BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO- PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRAL PALSY, VARUS, OR VALGUS INSTABILITY, PAINFUL OR PRESSURE, SENSITHE FEET, ATTACHMENT OF EXTERNAL BRACING, SUCH AS USED IN THE SMART WALKER, ORTHO, MIX COLORS, SUZ 20; SOFT PADDING AROUND HEEL UFFS; MADE FROM COW/CALF LEATHER; A HIGH AND EXTRA LONG STIFENRER TO SUPPORT ANKLE; PILL LEATHER INSOLE; FASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLY; HIGH TOE BOX; STROMG TOE CAP, SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2587-0078=20	Portugal
371	4224170908100	"BOOTS, STABILITY FOR CHILDREN, WHO NEED SHOES WITH MORE SUPPORT, NEURO- PHYSIOLOGICAL CONDITIONS SUCH AS CEREBRAI PALSY, VARUS, OR VALGUS INSTABILITY, PAINFUL OR PRESSURE, SENSITHE FEET, ATTACHMENT OF EXTERNAL BRACING, SUCH AS USED IN THE SMART WALKER, ORTHO, MIX COLORS, SIZE 19; SOFT PADDING AROUND HELE UFFS; MADE RFOOM COW/CALF LEATHER; A HIGH AND EXTRA LONG STFENRER TO SUPPORT ANKLE; PILL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-HUNT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STROMG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2587-0078=19	Portugal
372	4618221102900	BRACE FOR IDIOPATHIC SCOLIOSIS SIZE: ADOLESCENT A1 HIPS: 94 WAIST: 62 XIPHOID: 76 ASIS: 27	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	ALLARD	15A1	Ireland
373	4618221103100	BRACE FOR IDIOPATHIC SCOLIOSIS SIZE: ADOLESCENT A2 A HIPS: 96 WAIST: 66 XIPHOID: 75 ASIS: 25	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	ALLARD	15A2	Ireland
374	4618221103000	BRACE FOR IDIOPATHIC SCOLIOSIS SIZE: ADOLESCENT A2 HIPS: 94 WAIST: 70 XIPHOID: 84 ASIS: 26	ITEMIZED	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	ALLARD	15A2A	Ireland
375	4618221103200	BRACE LSO (LUMBAR SACRAL ORTHOSIS) FOR POST - OPERATIVE SPINAL IMMOBILIZATION AND COMPRESSION FRACTURES BINAULY FOR ASY DONNING INIO - I.O. PORVIDES ABDOMINAL COMPRESSION POSITIONING PREVENTS MIGRATION ADJUSTABLE A/P CONTROL REMOVABLE WASHABLE LINER 1/8 INCH HIGH-DESITY POLYTHYLENE SIZE 1 HIP CIRCULATION 30 INCHES - 34 INCHES	CANCELLED	CANCELLED	CANCELLED	CANCELLED NOT MATCHING THE DESCRIPTION, NO SAMPLE PROVIDED	CANCELLED	CANCELLED	CANCELLED
376	4618221103300	BRACE LSO (LUMBAR SACRAL ORTHOSIS) FOR POST - OPERATIVE SPINAL IMMOBILIZATION AND COMPRESSION FRACTURES BINAULY FOR ASY DONNING LIDO - LOC PROVIDES ABDOMINAL COMPRESSION POSITIONING PREVENTS MIGRATION ADJUSTABLE A/P CONTROL REMOVABLE WASHABLE LINER 1/8 INCH HIGH-DENSITY POLYETHYLENE SIZE 2 HIP GRULLATION 34 INCHES - 37 INCHES	CANCELLED	CANCELLED	CANCELLED	CANCELLED NOT MATCHING THE DESCRIPTION, NO SAMPLE PROVIDED	CANCELLED	CANCELLED	CANCELLED
377	4618221103500	BRACE LSO (LUMBAR SACRAL ORTHOSIS) FOR POST - OPERATIVE SPINAL IMMOBILIZATION AND COMPRESSION FRACTURES BINAULY E OR ASY DONNING LIDO - LOC PROVIDES ABDOMINAL COMPRESSION POSITIONING PREVENTS MIGRATION ADJUSTABLE A/P CONTROL REMOVABLE WASHABLE LINER 1/8 INCH HIGH-DENSITY POLYETHYLENE SIZE 3 S HIP CIRCULATION 37 INCHES - ALI INCHES SHORT I	CANCELLED	CANCELLED	CANCELLED	CANCELLED NOT MATCHING THE DESCRIPTION, NO SAMPLE PROVIDED	CANCELLED	CANCELLED	CANCELLED
378	4618221103700	BRACE LSO (LUMBAR SACRAL ORTHOSIS) FOR POST - OPERATIVE SPINAL IMMOBILIZATION AND COMPRESSION FRACTURES BINAUYE FOR EASY POMNING LIO. I OLE PROVIDES ABDOMINAL COMPRESSION POSITIONING PREVENTS MIGRATION ADJUSTABLE A/P CONTROL REMOVABLE WASHABLE LINER 1/8 INCH HIGH-DENSITY POLYETHYLENE SIZE A P HIP CIRCULATION 41 INCHES - 43 INCHES PENDOLIQUES ABDOMEN	CANCELLED	CANCELLED	CANCELLED	CANCELLED NOT MATCHING THE DESCRIPTION, NO SAMPLE PROVIDED	CANCELLED	CANCELLED	CANCELLED
379	4618221103800	BRACE LSO (LUMBAR SACRAL ORTHOSIS) FOR POST - OPERATIVE SPINAL IMMOBILIZATION AND COMPRESSION FRACTURES BINAULY E OR ASY DONNING LIIO - LOC PROVIDES ABDOMINAL COMPRESSION POSITIONING PREVENTS MIGRATION ADJUSTABLE A/P CONTROL REMOVABLE WASHABLE LINER 1/8 INCH HIGH-DENSITY POLYETHYLENE SIZE 4 S HIP CIRCULATION 41 LINCHES - SI NICHES SHORT	CANCELLED	CANCELLED	CANCELLED	CANCELLED NOT MATCHING THE DESCRIPTION, NO SAMPLE PROVIDED	CANCELLED	CANCELLED	CANCELLED
380	4618221104000	BRACE LSO (LUMBAR SACRAL ORTHOSIS) FOR POST - OPERATIVE SPINAL IMMOBILIZATION AND COMPRESSION FRACTURES BINAULY FOR RESY DONNING IND - IOL POR POVIDED ABDOMINAL COMPRESSION POSITIONING PREVENTS MIGRATION ADJUSTABLE A/P CONTROL REMOVABLE WASHABLE LINER 1/8 INCH HIGH-DENSITY POLYETHYLENE SIZE 5 P HIP CIRCULATION 43 INCHES - 49 INCHES PENDULOUS ABDOMEN	CANCELLED	CANCELLED	CANCELLED	CANCELLED NOT MATCHING THE DESCRIPTION, NO SAMPLE PROVIDED	CANCELLED	CANCELLED	CANCELLED
381	4618221104700	BRACE OSTEOPOROSIS THERAPY BACK INCLASTIC LIGHTWISIGHT AND HIGHLY BREATHABLE FABRIC SCAPULOXALILARY STRAPS THAT FACILITATE THE RETROPULSION OF THE SHOULDES EASILY ADJUSTABLE WIDE LOOPS FOR EASY PLACEMENT MICRO VELCEO CLOSURE OSTEOPOROSIS DEGENERATIVE PROCESSES DEGENERATIVE DISCOPATHIES MUSCLE HYPOTONIA OSTEOPOROTIC FRACTURE LOW BACK PAIN AND BACK PAIN POSTURAL REHABILITATION POST - OPERATIVE LIGHTWEIGHT CONFORMAL ALUMINUM SPLINT POSTERIOR FOR SPINE POSTURE CONTROL	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Orthomerica Products Inc.	3257.01	USA
381	4618221104700	BRACE OSTEOPOROISS THERAPY BACK INCLASTIC LIGHTWISEINT AND HIGHLY BREATHABLE FABRIC SCAPULOXULLARY STRAPS THAT FACILITACH THE RETROPULSION OF THE SHOULDERS EASILY ADJUSTABLE. WIDE LOOPS FOR EASY PLACEMENT MICRO VELCRO CLOSURE OSTEOPOROISS DEGENERATIVE PROCESSES DEGENERATIVE DISCOPATHIES MUSCLE HYPOTONIA DISTEOPOROITE FRACTURE LOW BACK PAIN AND BACK PAIN POSTURAL REHABILITATION POST - OPERATIVE LIGHTWISHOT CONFORMAL ALUMINUM SPLINT POSTERIOR FOR SIFNE POSTURE CONTROL	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	EMO	SPK108	Spain
382	4618221102300	BRACE TLSO (THORACIC LUMBAR SACRAL ORTHOSIS) FOR POST - OPERATIVE SPINAL IMMOBILIZATION AND COMPRESSION FARCURES BINALY FOR RESY DOWNING LIO-LOC PROVIDES ABDOMINAL COMPRESSION FOSITIONING PREVENTS MIGRATION ADJUSTABLE A/P CONTROL REMOVABLE 1/8 INCH HIGH-DENSITY POLYETHYLENE SIZE 4 HIP CIRCUMFERENCE 41 INCHES - 43 INCHES - 43 INCHES - 43 INCHES - 45 INCHES - 54 INC	ITEMIZED	each	400104	Al-Jeel Medical & Trading Co. Ltd -Orig-	DeRoyal	UPT4633-15	Dominican Rep.
382	4618221102300	BRACE TLSO [THORACIC LUMBARS SACRAL ORTHOSIS] FOR POST - OPERATIVE SPINAL IMMOBILIZATION AND COMPRESSION FRACTURES BUXILVE FOR RASY DONNING ILIO - LOC PROVIDES ABDOMINAL COMPRESSION POSITIONING PREVENTS MIGRATION ADJUSTABLE A/P CONTROL REMOVABLE 1/8 INCH HIGH-DENSITY POLYETHYLENE SIZE 4 HIP CIRCUMFERENCE 41 INCHES - 451 INCHES -	ITEMIZED	each	400216	Medical Lights Trading Company -Orig-	ORTEC ORTHOSIS TECNOLOGY	G3TLSO XXL	China
383	4618221102500	BRACE TLSO [THORACIC LUMBARS SACRAL ORTHOSIS] FOR POST - OPERATIVE SPINAL IMMOBILIZATION AND COMPRESSION FRACTURES. BINALYE FOR EASY DONNING LID - LOC PROVIDES ABDOMINAL COMPRESSION POSITIONING PREVENTS MIGRATION ADJUSTABLE A/P CONTROL REMOVABLE WASHABLE 1/8 INCHES HIGH-DENSITY POLYETHYLENE SIZE 3 HIP CIRC 37 INCH - 41 INCH	ITEMIZED	each	400104	Al-Jeel Medical & Trading Co. Ltd -Orig-	DeRoyal	UPT4533-15	Dominican Rep.
383	4618221102500	BRACE TLSO (THORACIC LUMBARS SACRAL ORTHOSIS) FOR POST - OPERATIVE SPINAL IMMOBILIZATION AND COMPRESSION FRACTURES. BIVALVE FOR EASY DONNING ILIO - LOC PROVIDES ABDOMINAL COMPRESSION POSITIONING PREVENTS MIGRATION ADJUSTABLE A/P CONTROL REMOVABLE WASHABLE 1/8 INCHES HIGH-DENSITY POLYETHYLENE SIZE 3 HIP CIRC 37 INCH - 41 INCH	ITEMIZED	each	400216	Medical Lights Trading Company -Orig-	ORTEC ORTHOSIS TECNOLOGY	G3TLSO XL	South Korea

	ME : Prosthetics Or								Preliminary Resul
384	4618221102700	BRACE TISO (THORACIC LUMBAR SACRAL ORTHOSIS) FOR POST - OPERATIVE SPINAL IMMOBILIZATION AND COMPRESSION FRACTURES. BIVALIVE FOR EASY DONNING ILIO - LOC PROVIDES ABDOMINAL COMPRESSION POSITIONING PREVENTS MIGRATION ADJUSTABLE A/P CONTROL REMOVABLE WASHABLE LINER 1/8 HIGH-DENSITY POLYETHYLENE. SIZE 5 HIP CIRC 45" - 49"	ITEMIZED	each	400104	Al-Jeel Medical & Trading Co. Ltd -Orig-	DeRoyal	UPT4733-15	Dominican Rep.
384	4618221102700	BRACE TLSO (THORACIC LUMBARS SACRAL ORTHOSIS) FOR POST - OPERATIVE SPINAL MMOBILIZATION AND COMPRESSION FRACTURES. BIVALVE FOR EASY DONNING ILIO-LOC PROVIDES ABDOMINAL COMPRESSION POSITIONING PREVENTS MIGRATION ADJUSTABLE A/P CONTROL REMOVABLE WASHABLE LINER 1/8 HIGH-DENSITY POLYETHYLENE. SIZE 5 HIP CIRC 45 "- 4,9" in 1911.	ITEMIZED	each	400216	Medical Lights Trading Company -Orig-	ORTEC ORTHOSIS TECNOLOGY	G3TLSO XXXL	South Korea
385	4618221102800	BRACE TLSO (THORACIC LUMBAR SACRAL ORTHOSIS) FOR POST - OPERATIVE SPINAL IMMOBILIZATION AND COMPRESSION FRACTURES. BIVALVE FOR EASY DONNING ILIO - LOC	ITEMIZED	each	400104	Al-Jeel Medical & Trading Co. Ltd -Orig-	DeRoyal		Dominican Rep.
385	4618221102800	PROVIDES ABDOMINAL COMPRESSION POSITIONING PREVENTS MIGRATION SIZE 2 BRACE TLSO (THORACIC LUMBAR SACRAL ORTHOSIS) FOR POST - OPERATIVE SPINAL IMMOBILIZATION AND COMPRESSION FRACTURES. BIVALVE FOR EASY DONNING IILO - LOC PROVIDES ABDOMINAL COMPRESSION POSITIONING PREVENTS MIGRATION SIZE 2	ITEMIZED	each	400216	Medical Lights Trading Company -Orig-	ORTEC ORTHOSIS TECNOLOGY	G3TLSO L	South Korea
386	4618221108100	BRACE TLSO FOR POST-OPERATIVE SPINAL IMMOBILIZATION AND COMPRESSION FRACTURES, BIVALVE FOR EASY DONNING WITH STERNAL PIECE (SPK) AND SHOULDER STRAPS, PROVIDES ABDOMINAL COMPRESSION POSTIONING PREVENTS MIGRATION AUDISTABLE A/P CONTROL REMOVABLE 1/8 INCH HIGH DENSITY POLYETHYLENE, SIZE SMALL	ITEMIZED	each	400415	CareTechniques -Orig-	DIO	11-1585-2	France
386	4618221108100	BRACE TLSO FOR POST-OPERATIVE SPINAL IMMOBILIZATION AND COMPRESSION FRACTURES, BIVALVE FOR EASY DONNING WITH STERNAL PIECE (SPK) AND SHOULDER STRAPS, PROVIDES ABDOMINAL COMPRESSION POSTIONING PREVENTS MIGRATION AUDISTABLE A/P CONTROL REMOVABLE 1/8 INCH HIGH DENSITY POLYETHYLENE, SIZE SMALL	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	ЕМО	CDL737	Spain
387	4618221108200	BRACE TLSO FOR POST-OPERATIVE SPINAL IMMOBILIZATION AND COMPRESSION FRACTURES, BIVALVE FOR EASY DONNING WITH STERNAL PIECE (SPK) AND SHOULDER STRAPS, PROVIDES ABDOMINAL COMPRESSION POSTIONING PREVENTS MIGRATION AUSTRA	ITEMIZED	each	400415	CareTechniques -Orig-	OIO	11-1585-3	France
387	4618221108200	BRACE TLSO FOR POST-OPERATIVE SPINAL IMMOBILIZATION AND COMPRESSION FRACTURES, BIVALVE FOR EASY DONNING WITH STERNAL PIECE (SPK) AND SHOULDER STRAPS, PROVIDES ABDOMINAL COMPRESSION POSTIONING PREVENTS MIGRATION AUDISTABLE A/P CONTROL REMOVABLE 1/8 INCH HIGH DENSITY POLYETHYLENE, SIZE MEDIUM	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	EMO	CDL737	Spain
388	4618221108300	BRACE TLSO FOR POST-OPERATIVE SPINAL IMMOBILIZATION AND COMPRESSION FRACTURES, BIVALVE FOR EASY DONNING WITH STERNAL PIECE (SPK) AND SHOULDER STRAPS, PROVIDES ABDOMINAL COMPRESSION POSTIONING PREVENTS MIGRATION AUDISTABLE A/P CONTROL REMOVABLE 1/8 INCH HIGH DENSITY POLYETHYLENE, SIZE LARGE	ITEMIZED	each	400415	CareTechniques -Orig-	OIO	11-1585-4	France
388	4618221108300	BRACE TLSO FOR POST-OPERATIVE SPINAL IMMOBILIZATION AND COMPRESSION FRACTURES, BIVALVE FOR EASY DONNING WITH STERNAL PIECE (SPK) AND SHOULDER STRAPS, PROVIDES ABDOMINAL COMPRESSION POSITIONING PREVENTS MIGRATION ADJUSTABLE A/P CONTROL REMOVABLE 1/8 INCH HIGH DENSITY POLYETHYLENE, SIZE LARGE	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	EMO	CDL737	Spain
389	4618221108400	BRACE TLSO FOR POST-OPERATIVE SPINAL IMMOBILIZATION AND COMPRESSION FRACTURES, BIVALVE FOR EASY DONNING WITH STERNAL PIECE (SPI) AND SHOULDES STRAPS, PROVIDES ABDOMINAL COMPRESSION POSITIONING PREVENTS MIGRATION ADJUSTABLE A/P CONTROL REMOVABLE 1/8 INCH HIGH DENSITY POLYETHYLENE, SIZE X-LARGE	ITEMIZED	each	400415	CareTechniques -Orig-	DJO	11-1585-5	France
389	4618221108400	BRACE TLSO FOR POST-OPERATIVE SPINAL IMMOBILIZATION AND COMPRESSION FRACTURES, BIVALVE FOR EASY DONNING WITH STERNAL PIECE (SPI) AND SHOULDES STRAPS, PROVIDES ABDOMINAL COMPRESSION POSITIONING PREVENTS MIGRATION ADJUSTABLE A/P CONTROL REMOVABLE 1/8 INCH HIGH DENSITY POLYETHYLENE, SIZE X-LARGE	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	EMO	CDL737	Spain
390	4618221108500	BRACE TLSO FOR POST-OPERATIVE SPINAL IMMOBILIZATION AND COMPRESSION FRACTURES, BIVALVE FOR EASY DONNING WITH STERNAL PIECE (PSI) NOS HOULDES TRATS, PROVIDES ABDOMINAL COMPRESSION POSITIONING PREVENTS MIGRATION ADJUSTABLE A/P CONTROL REMOVABLE 1/8 INCH HIGH DENSITY POLYETHYLENE, SIZE XX-LARGE	ITEMIZED	each	400415	CareTechniques -Orig-	DJO	11-1585-6	France
390	4618221108500	BRACE TLSO FOR POST-OPERATIVE SPINAL IMMOBILIZATION AND COMPRESSION FRACTURES, BIVALVE FOR EASY DONNING WITH STERNAL PIECE (SPK) AND SHOULDER STRAPS, PROVIDES ABDOMINAL COMPRESSION POSTIONING PREVENTS MIGRATION AUDITABLE A/P CONTROL REMOVABLE 1/8 INCH HIGH DENSITY POLYETHYLENE, SIZE XX-LARGE	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	EMO	CDL737	Spain
391	4618221102200	BRACE TLSO FOR POST-OPERATIVE SPINAL IMMOBILIZATION AND COMPRESSION FRACTURES, BIVALVE FOR EASY DONNING, SIZE 1	ITEMIZED	Pair	400216	Medical Lights Trading Company -Orig-	ORTEC ORTHOSIS TECNOLOGY	G3TLSO S	South Korea
391	4618221102200	BRACE TLSO FOR POST-OPERATIVE SPINAL IMMOBILIZATION AND COMPRESSION FRACTURES, BIVALVE FOR EASY DONNING, SIZE 1	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Anaya Orthopedic Industries (Ortho Techn	OT9015	Saudi Arabia
392	4618220704600	BRACE, CALCANEUS, UNLOADING INTERNAL LINING WITH SLRY TOUCH THAT PREVENTS SUPPING WHILE ACTS AS CUSHIONING, ADJUSTABLE AND REMOVABLE FITTING TAPES, CUSHIONS THE IMPACT DURING THE STANCE PHASE, DESIGNED FOR THE FUNCTIONAL TREATMENT OF EACH SECTION IN EASY ADAPTATION MATERIAL, TRIM AND FIT FUNCTIONAL TREATMENT OF UNLOADING FOR PRACTURES OF THE CALCANEUS AND TALLY, DESIGNED FOR THE UNLOADING FOR PRACTURES OF THE CALCANEUS AND TALLY, DESIGNED FOR THE UNLOADING FOR PRACTURES OF THE CALCANEUS AND TALLY, DESIGNED FOR THE UNLOADING FOR REACTURES OF THE CALCANEUS AND TALLY, DESIGNED FOR THE UNLOADING FOR HEEL AREA, MAKES THE SUPPORT EFFECT IN A GAITER, PTB TYPE	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	EMO	FTB50	Spain
393	4224170001300	BRACE, MERMAID TAIL, PASSIVE CORRECTIVE ORTHOSIS, COMPOSED OF TWO MEDIAL LEAFLETS, JOINED TOGETHER AND THAT FIT ON THE PATIENTS TWO LEGS, THREE ADJUSTABLE, FASTENING FOINTS, USING VELCRO AT THE LEVEL OF THICH, KINE AND CALF, MADE OF THERMOPLEASTIC, LINEO WITH BREATHABLE FORM MATERIAL, NICHET CORRECTION OF DEVIATIONS, IN VARUS OR VALGUS OF THE KINEE, CORRECTION OF ROTATIONAL ATTITUDES, OF THE TIBIA, COMPORTABLE BRACES AND LATES FREE, CENU - VARUS, GENU- VALGO, TIBIA RDO, OR COUNTAILENT	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	EMO	FC700	Spain
394	4618221106200	BRACE, SCOLIOSIS, STANDARDIZED SYMMETRICAL MODULES, THAT ARE CUSTOMIZED FOR EACH INDIVIDUAL PATENT, THE BOSTON BRACE SYSTEM, FOR THE TREATMENT OF ADOLESCENT IDIOPATHIC SCOLIOSIS, IS PERHAPS THE MOST WIDELY USED SYSTEM, IN THE WORD AND FOLLOWS A PROVEN AND DETAILED, SET OF CONSTRUCTION, PRINCIPLES, WHICH MAKE IT EASILY TRANSPORTABLE, (I.E. ALLOWS FOR CONSISTENCY OF DESIGN IN ALL LOCATIONS, BY FOLLOWING THESE WELL DOCUMENTED PRINCIPLES, LIGHTWHIGHT CONSTRUCTION, WITH WELL DOCUMENTED EVIDENCE OF RESULTS, BRACE FABRICATION, AND DESIGN CYCLE TIME IS SHORT, THEREFORE PATIENT WILL BE SUPPLIED VERY SOON AFTER INITIAL CLINICAL APPOINTMENT, NO CASTING OF PATIENT NECESSARY, ONLY A SMALL NUMBER OF MEASUREMENTS REQUIRED AND SO LESS DISCOMPORT TO THE PATIENT DURING THAT PHASE, ADOLESCENT IDIOPATHIC SCOLIOSIS (ASI), FOR CURVES BETWEEN 25 AND 45 DEGREES (MEASURED BY TE COBB METHOD) AND CURVE APEX UP TO T7, WITH DOCUMENTED PROGRESSION AND A DEGREE OF FLEXIBILITY, SCOLIOSIS BRACE FOR CHILDREN BREAST SILICONE PROSTHESIS, WITH COVER PROTECTION, SIZE - 10 (105 MM,	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	ALLARD	15JX+8805 (JUV),	Ireland
395	4224200014200	BREAST SILICONE PROSTHESIS, WITH COVER PROTECTION, SIZE - 10 (105 MM, APPROXIMATELY), TEARDROP SHAPE WITH BRA, OPEN TWO SIDES BREAST SILICONE PROSTHESIS, WITH COVER PROTECTION, SIZE - 11, (110 MM,	ITEMIZED	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	EMO	PM1100	Spain
396	4224200014300	APPROXIMATELY), EARDROP SHAPE WITH BRA, OPEN TWO SIDES BREAST SILICONE PROSTHESIS, WITH COVER PROTECTION, SIZE - 13 (120 MM,	ITEMIZED	each	400050	ALEWAN MEDICAL COMPANY -Orig-	EMO	PM1100	Spain
397 398	4224200014000 4224200014100	APPROXIMATELY), TEARDROP SHAPE WITH BRA, OPEN TWO SIDES BREAST SILICONE PROSTHESIS, WITH COVER PROTECTION, SIZE - 5, (80 MM,	ITEMIZED	each each	400050 400050	AI-EWAN MEDICAL COMPANY -Orig-	EMO EMO	PM1100 PM1100	Spain Spain
398	4224200014100	APPROXIMATELY), TEARDROP SHAPE WITH BRA, OPEN TWO SIDES BREAST SILICONE PROSTHESIS, WITH COVER PROTECTION, SIZE - 7, (90 MM,	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	EMO	PM1100	Spain
400	4224200014500	APPROXIMATELY), TEARDROP SHAPE WITH BRA, OPEN TWO SIDES BREAST SILICONE PROSTRESIS, WITH COVER PROTECTION, SIZE - 8, (95 MM, APPROXIMATELY), TEARDROP SHAPE WITH BRA, OPEN TWO SIDES	ITEMIZED	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	EMO	PM1100	Spain
401	4224200014600	APPROXIMATELY), TEARDROP SHAPE WITH BRA, OPEN TWO SIDES BREAST SILICONE PROSTHESIS, WITH COVER PROTECTION, SIZE - 9, (100 MM, APPROXIMATELY), TEARDROP SHAPE WITH BRA, OPEN TWO SIDES	ITEMIZED	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	EMO	PM1100	Spain
402	4224200016000	BREATHE, CUSHION, SILLCORD, SILCARE OR EQUIVALENT, BELOW KINEE LINER LASER PERFORATED ALONG THE LENGTH AND DISTAL END TO PERMIT AIR AND MOISTURE TO ESCAPE, IMPROVE COMFORT AND REDUCES SWEATING, SIZE 5 WILL BE ON DEMAND BREATHE, LOCKING, SILLCORE, SILCARE OR EQUIVALENT, BELOW KINEE LINER LASER	ITEMIZED	each	400005	Qomel Company -Orig-	UNIPROX	SC40-AIR	Germany
403	4224200016100	PERFORATED ALONG THE LENGTH AND DISTAL END TO PERMIT AIR AND MOISTURE TO ESCAPE, IMPROVE COMFORT AND REDUCES SWEATING, SIZE S WILL BE ON DEMAND	ITEMIZED	each	400005	Qomel Company -Orig-	UNIPROX	S40-AIR	Germany
404	4224200031100	C CLAMPS, AN ORTHOTICS WORKSHOP TOOL, CLAMPING ARM MADE OF MALLEABLE IRON, PROFILED STEEL SLIDE RAIL, WOODEN HANDLE, JAW OPENING 180-220 MM, WORKING RADIUS 100 MM, WEIGHT 1-3 KG	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	712A1=200	Germany
405	4224200004500	CALF LEATHER, BLACK, FOR SHOE MAKING, BEST QUALITY	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	99033-9800	Portugal
406	4224200505600	CAP SCREW, STAINLESS STEEL, WITH SERRATED LOCK WASHER AND FLAT WASHER, SIZE: M 10 X 60, FOR FOOT ADAPTER, COMPLETE SET	ITEMIZED	SET	400571	AL Gaim Comm. EstOrig-	Ottobock	2D7=M10	Germany
407	4224170001800	CAP, SILCONE, TOE, SILCONES PROTECTION TUBE, LIGHT, AND FUNCTIONAL, MADE OF EXTRA: A SOFT MEDICAL SILLOOR, IF IRST TO BODY TEMPERATURE, WASHABLE, INTERDIGITAL SEPARATOR AND CUSHION, FACILITATES TOES ALIGNMENT, PREVENTS THE FORMATION OF INTERDIGITAL CALLOSITIES, INTERDIGITAL	ITEMIZED	each	400619	Hospital Care Company -Orig-	DONGGUAN SUPERCARE MEDICAL PRODUCTS CO.,	GL-017 (C)	China
408	4224200019600	CARBON 3D PRINTING FILAMENT 1.75MM, 500-1000 G	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation

	AME : Prosthetics Or								Preliminary Result
409	4224170705400	CARBON ANKLE SEVEN SPRINGS FOR ANKLE - FOOT - ORTHOSIS GENERATE ENERGY DURING HEEL STRIKE UP TO 80 KG BODY WEIGHT, NORMAL ACTIVITY LEVEL, 30 MM SPRING WIDTH	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	17CF1=L/R3	Germany
410	4224170705200	CARBON ANKLE SEVEN, SPRINGS FOR ANKLE - FOOT - ORTHOSIS GENERATE ENERGY DURING HEEL STRIKE UP TO 10 KG BODY WEIGHT, NORMAL ACTIVITY LEVEL, 22 MM SPRING WIDTH	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	17CF1=L/R12	Germany
411	4224170705500	CARBON ANKLE SEVEN, SPRINGS FOR ANKLE - FOOT - ORTHOSIS GENERATE ENERGY DURING HEEL STRIKE, UP TO 20 KG BODY WEIGHT, NORMAL ACTIVITY LEVEL, 22 MM SPRING WIDTH	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	17CF1=L11	Germany
412	4224170705800	CARBON ANKLE SEVEN, SPRINGS FOR ANKLE - FOOT - ORTHOSIS GENERATE ENERGY DURING HEEL STRIKE, UP TO 30 KG BODY WEIGHT, NORMAL ACTIVITY LEVEL, 25 MM SPRING WIDTH	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	17CF1=L9	Germany
413	4224170705700	CARBON ANKLE SEVEN, SPRINGS FOR ANKLE - FOOT - ORTHOSIS GENERATE ENERGY DURING HEEL STRIKE, UP TO 40 KG BODY WEIGHT, NORMAL ACTIVITY LEVEL, 25 MM SPRING WIDTH	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	17CF1=L8	Germany
414	4224170705600	CARBON ANKLE SEVEN, SPRINGS FOR ANKLE - FOOT - ORTHOSIS GENERATE ENERGY DURING HEEL STRIKE, UP TO 60 KG BODY WEIGHT, NORMAL ACTIVITY LEVEL, 30 MM SPRING WIDTH	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	17CF1=L5	Germany
415	4224170705300	CARBON ANKLE SEVEN, SPRINGS FOR ANKLE-FOOT-ORTHOSIS GENERATE ENERGY DURING HEEL STRIKE UP TO 100 KG BODY WEIGHT, NORMAL ACTIVITY LEVEL, 30 MM SPRING WIDTH	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Ottobock	17CF1=L/R1	Germany
416 417	4224171310400 4224171310000	CARBON FIBER WEBBING CARBON FIBERGLASS WEBBING UNIDIRECTIONAL WIDTH 100 MM LENGTH /ROLL 50 METERS	ITEMIZED CANCELLED	each	400415 CANCELLED	CareTechniques -Orig- CANCELLED	Uniprox	MG227-050 CANCELLED	Germany
418	4224171309600	APPROXIMATELY CARBON FIBERGLASS WEBBING UNIDIRECTIONAL WIDTH 19 MM LENGTH /ROLL 50 METERS	CANCELLED	CANCELLED	CANCELLED	NOT MATCHING THE DESCRIPTION CANCELLED	CANCELLED	CANCELLED	CANCELLED
		APPROXIMATELY CARBON FIBERGLASS WEBBING UNIDIRECTIONAL WIDTH 25 MM LENGTH /ROLL 50 METERS				NOT MATCHING THE DESCRIPTION			
419	4224171309700	APPROXIMATELY	ITEMIZED	each	400005	Qomel Company -Orig- CANCELLED	UNIPROX	MG243-25	Germany
420	4224171309800	CARBON FIBERGLASS WEBBING UNIDIRECTIONAL WIDTH 50 MM LENGTH /ROLL 50 METERS APPROXIMATELY CARBON FIBERGLASS WEBBING UNIDIRECTIONAL WIDTH 75 MM LENGTH /ROLL 50 METERS	CANCELLED	CANCELLED	CANCELLED	NOT MATCHING THE DESCRIPTION, NO SAMPLE PROVIDED	CANCELLED	CANCELLED	CANCELLED
421	4224171309900	APPROXIMATELY	ITEMIZED	each	400005	Qomel Company -Orig-	UNIPROX	MG241-75	Germany
422	4224171310100	CARBON UD STOCKINETTE FOR AXIAL REINFORCEMENT BENDING FORCES OF THIN - WALLED, HIGH - STRENGTH, LAMINATES SIZE 100 X 5	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	616H20=100x5	Germany
422	4224171310100	CARBON UD STOCKINETTE FOR AXIAL REINFORCEMENT BENDING FORCES OF THIN - WALLED, HIGH - STRENGTH, LAMINATES SIZE 100 X 5	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	95P7/100	Germany
423	4224171310200	CARBON UD STOCKINETTE FOR AXIAL REINFORCEMENT BENDING FORCES OF THIN - WALLED, HIGH - STRENGTH, LAMINATES SIZE 40 X 5	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	616H20=40x5	Germany
423	4224171310200	CARBON UD STOCKINETTE FOR AXIAL REINFORCEMENT BENDING FORCES OF THIN - WALLED, HIGH - STRENGTH, LAMINATES SIZE 40 X 5	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	95P7/40	Germany
424	4224171310300	CARBON UD STOCKINETTE FOR AXIAL REINFORCEMENT BENDING FORCES OF THIN - WALLED,	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	616H20=70x5	Germany
425	4224171309400	HIGH - STRENGTH, LAMINATES SIZE 70 X 5 CARBON, FIBERGLASS, WEBBING, WIDTH 25 MM, LENGTH 50 METERS APPROXIMATELY	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	616H11=25x50	Germany
426	4224171309500	CARBON, FIBERGLASS, WEBBING, WIDTH 50 MM, LENGTH 50 METERS APPROXIMATELY CAST SIT, A PROSTHETIC SYSTEM WITH AIR PUMP, USING FOR ASSISTANCE DURING ABOVE	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	616H11=50x50	Germany
427 428	4224150010500 4224150100600	KNEE CASTING, ALL BRIMS SIZE MUST BE INCLUDE CAST, SHOE, LARGE, 11 INCHES - 12 INCHES, OPEN TOE	No Quotation ITEMIZED	No Quotation Pair	No Quotation 400104	No Quotation Al-Jeel Medical & Trading Co. Ltd -Orig-	No Quotation DeRoyal	No Quotation 2004-04	No Quotation Vietnam
428	4224150100600	CAST, SHOE, LARGE, 11 INCHES - 12 INCHES, OPEN TOE	ITEMIZED	Pair	400104	Hospital Care Company -Orig-	DONGGUAN SUPERCARE MEDICAL PRODUCTS CO.,	FT-038 (L)	China
429	4224150100700	CAST, SHOE, MEDIUM, 10-10 1/2 INCHES, OPEN TOE	ITEMIZED	Pair	400104	Al-Jeel Medical & Trading Co. Ltd -Orig-	DeRoyal	2004-03	Vietnam
429	4224150100700	CAST, SHOE, MEDIUM, 10-10 1/2 INCHES, OPEN TOE	ITEMIZED	Pair	400619	Hospital Care Company -Orig-	DONGGUAN SUPERCARE MEDICAL PRODUCTS CO.,	FT-038 (M)	China
430	4224150100800	CAST, SHOE, MEDIUM/LARGE, 10 1/2 INCHES - 11 INCHES, OPEN TOE	ITEMIZED	Pair	400619	Hospital Care Company -Orig-	DONGGUAN SUPERCARE MEDICAL PRODUCTS CO.,	FT-038 (M/L)	China
431	4224200034000	CENTER PUNCH KIT, AN ORTHOTICS WORKSHOP TOOL, STEEL, OCTAGONAL SHAFT, PAINTED CERVICAL SPINE IMMOBILIZATION, PROVIDE CERVICAL SPINE CONTROL, CONTROLS ROTATION AND	ITEMIZED	Kit	400571	AL Gaim Comm. EstOrig-	Ottobock	742K1	Germany
432	4224180309500	LATERAL BENDING OF CERVICAL SPINE, PINLESS NON-INVASIVE SYSTEM POSITIONING OF STRUCTURALLY STABLE SPINE FOLLOWING COMPLICATIONS OF STANDARD HALD IMMOBILIZATION, POSTOPERATIVE POSITIONING FOLLOWING STERNOCLEIDOMASTOID RELEASE FOR CONGENTAL MUSCULAR TORTICOLLIS REDUCTION OF C1-C2 ROTARY INSTABILITY	ITEMIZED	each	400509	Orient Medical Solution EstOrig-	ORTEC	MINERVA 1	South Korea
433	4224180309600	CERVICAL SUPPORT, MINERVA OR EQUIVALENT, TO SUPPORT AND STABILIZE CERVICAL SPINE AND UPPER THORACIC SPINE, SIZE PEDIATRIC, 23 - 28 CM	ITEMIZED	each	400104	Al-Jeel Medical & Trading Co. Ltd -Orig-	DeRoyal	11256000	USA
434	4224180309800	CERVICAL SUPPORT, MINERVA OR EQUIVALENT, TO SUPPORT AND STABILIZE CERVICAL SPINE AND UPPER THORACIC SPINE, SIZE REGULAR, 330 - 410 MM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Anaya Orthopedic Industries (Ortho Techn	OT9013-R	Saudi Arabia
434	4224180309800	CERVICAL SUPPORT, MINERVA OR EQUIVALENT, TO SUPPORT AND STABILIZE CERVICAL SPINE AND UPPER THORACIC SPINE, SIZE REGULAR, 330 - 410 MM	ITEMIZED	each	400104	Al-Jeel Medical & Trading Co. Ltd -Orig-	DeRoyal	11226000	USA
435	4224180309700	CERVICAL SUPPORT, MINERVA OR EQUIVALENT, TO SUPPORT AND STABILIZE CERVICAL SPINE AND UPPER THORACIC SPINE, SIZE SMALL, 280 - 330 MM	ITEMIZED	each	400104	Al-Jeel Medical & Trading Co. Ltd -Orig-	DeRoyal	11216000	USA
435	4224180309700	CERVICAL SUPPORT, MINERVA OR EQUIVALENT, TO SUPPORT AND STABILIZE CERVICAL SPINE AND UPPER THORACIC SPINE, SIZE SMALL, 280 - 330 MM	ITEMIZED	each	400005	Qomel Company -Orig-	TRULIFE	A193SM	USA
436	4224200013000	CHAMOIS LEATHER, ULTRA SOFT, TRIMMED, SIZE BY FEET	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Piedro International B.V.	99069	Portugal
437	4224200012700	CHARGER, FOR MYOENERGY, INTEGRAL BATTERY SYSTEM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	(Foot-Facts Ld Ottobock	757L35	Austria
438	4224171400000	CHROME LINING, CORDOVAN OR EQUIVALENT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	99063	Portugal
438	4224171400000	CHROME LINING, CORDOVAN OR EQUIVALENT CLAMP, 4 - HOLE TUBE, ALUMINUM, HEIGHT 38 MM, BUILD HEIGHT 4 MM, WEIGHT 52	ITEMIZED	each	400035	ZIMMO TRADING Company LTD -Orig-	A.ALGEOS LTD	OA5225	United Kingdom
439	4224200300500	GRAMS, WEIGHT CAPACITY IS UP TO 100 KG CLAMP, FEMALE, PYRAMID TUBE, ALUMINUM, HEIGHT 50 MM, BUILD HEIGHT 16 MM,	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	4R69	Germany
440	4224200300400	WEIGHT 64 GRAMS, WEIGHT CAPACITY IS UPTO 100 KG CLAMP, FEMALE, PYRAMID TUBE, ALUMINUM, HEIGHT 50 MM, BUILD HEIGHT 16 MM,	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	11A11/A	Germany
440	4224200300400	WEIGHT 64 GRAMS, WEIGHT CAPACITY IS UPTO 100 KG CLAMP, FEMALE, PYRAMID, TUBE, WITH 14 MM OFFSET, ALUMINUM, HEIGHT 69 MM, BUILD	ITEMIZED	each	400468	ALMAFSAL MEDICAL CO -Orig-	ST AND G	1212A	South Korea
441	4224200300600	HEIGHT 35 MM, WEIGHT 135 GRAMS, WEIGHT CAPACITY IS UP TO 100 KG	ITEMIZED	each	400468	ALMAFSAL MEDICAL CO -Orig-	ST AND G	1222A	South Korea
442	4224200300300	CLAMP, MALE, PYRAMID, TUBE, ALUMINUM, WITH STAINLESS STEEL, INSERT, HEIGHT 56 MM, BUILD HEIGHT 41.5 MM, WEIGHT 62 GRAMS, WEIGHT CAPACITY IS UPTO 100 KG	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	11A15/A	Germany
443	4224171318300	CLEANER TUBE, FOR PROSTHETIC GLOVE CLEANING CLICK VALVE WITH SAFETY SHACKLE, FEATURES A MULTI - OPTION SAFETY LEASH TO AVOID	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	640F13	Germany
444	4224200015900	LOSING THE UPPER VALVE PART, CONICAL SHAPE FOR EASY INSERTION IN THE LOWER VALVE PART, THE CLICK OFFERS ALDIDE FEEDBACK FOR PROPER VALVE POSITIONING, RISK OF HEMATOMA IS ALLEVIATED, THANKS TO LATERAL AIR EXHAUST OPENINGS AND A FLUSH INSIDE SOCKET SURFACE, STRAIGHTFORWARD AND TIME - SAVING INSTALLATION, GOOD COSMETIC ASPECT FOR TRANSFEMORAL AMPUTATION	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	21Y21	Germany
445	4224171310800	CLOTH, PROSTHETIC DEVICE, W1200MM, CARBON FIBER, FOR LOCALIZED AND HIGH STRENGTH LAMINATE REINFORCEMENT	ITEMIZED	items (Pieces)	400571	AL Gaim Comm. EstOrig-	Ottobock	616G12=1	Germany
446	4218260000600	COGNAC, SHADE FULL CHROME SIDE, 13/4 MM APPROXIMATELY	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	99062	Portugal
447	4224200035900	COMBINATION SQUARE, AN ORTHOTICS WORKSHOP TOOL, WITH A SPIRIT LEVEL	No Quotation	No Quotation	No Quotation	No Quotation	(Foot-Facts Ld No Quotation	No Quotation	No Quotation
448	4224200032700	COMBINATION WRENCH, STEEL, AN ORTHOTICS WORKSHOP TOOL	CANCELLED	CANCELLED	CANCELLED	CANCELLED DUPLICATED DESCRIPTION	CANCELLED	CANCELLED	CANCELLED
449	4224200031500	COMBINATION PLIERS, AN ORTHOTICS WORKSHOP TOOL, SIDE PIECE WITH PVC COATING, LENGTH 140-160 MM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	706C1=160	Germany
450	4224200124200	COMFORTABLE CARBON FOOT WITH BIOMECHANICS, WITH FOOTSHELL AND COSMESIS CONNECTION CAP, INCLUDES A SEPARATE BIG TOE AND CONNECTS THE FOREFOOT AND THE HELS SPRING TO FORM A COMPILET SYSTEM, TRIANGULAR TECHNOLOGY, SAFETY MALKING ON UNEVEN SURFACES, AN INTERCONNECTED, LINEAR SPRING DESIGN PROVIDES THE LEVEL OF MIDSTANCE SUPPORT NEEDED FOR ACTIVITIES WHERE RESPONSIVENESS IS ESSENTIAL, FOR PATIENTS WITH LIMITED CLEARANCE, ROBUST TITANIUM ADAPTER, CUSTOMIZABLE SHOCK, ABSORPTION WITH TWO DIFFERENT HELE WEDGE OPTIONS, SUITABLE FOR A BROAD RANGE OF APPICATION, FROM EVERYDAY LIFE TO DEMANDING PROFESSIONS AND EVEN LEISURE SPORTS, WATER AND CORROSION - RESISTANT, SIZE 24, LEFT -	ITEMIZED	each	400623	Badael LLC -Orig-	Blatchford	EL24LxxS	United Kingdom
451	4224200124400	COMFORTABLE CARBON FOOT WITH BIOMECHANICS, WITH FOOTSHELL AND COSMESIS CONNECTION CAP, INCLUDES A SEPARATE BIG TOE AND CONNECTS THE FOREFOOT AND THE HELS SPRING TO FORM A COMPILET SYSTEM, TRIANGULAR TECHNOLOGY, SAFETY MALKING ON UNEVEN SURFACES, AN INTERCONNECTED, LINEAR SPRING DESIGN PROVIDES THE LEVEL OF MIDSTANICE SUPPORT NEEDED FOR ACTIVITIES WHERE RESPONSIVENESS IS ESSENTIAL, FOR PATIENTS WITH LIMITED CLEARANCE, ROBUST TITANIUM ADAPTER, CUSTOMIZABLE SHOCK ABSORPTION WITH TWO DIFFERENT HEEL WEDGE OPTIONS, SUITABLE FOR A BROAD RANGE OF APPICATION, FROM EVERYDAY LIFE TO DEMANDING PROFESSIONS AND EVEN LEISURE SPORTS, WATER AND CORROSION - RESISTANT, SIZE 25, LEFT	ITEMIZED	each	400623	Badael LLC -Orig-	Blatchford	EL25LxxS	United Kingdom

TENDER NA	AME : Prosthetics Ort	hosis Supplies							
452	4224200124600	COMFORTABLE CARBON FOOT WITH BIOMECHANICS, WITH FOOTSHELL AND COSMESIS CONNECTION CAP, INCLUDES A SEPARATE BIG TOE AND CONNECTS THE FOREFOOT AND THE HELES.PRING TO FORM A COMPILET SYSTEM, TRIANGULAR TECHNICOMY, SAFETY WALKING ON UNEVEN SUBFACES, AN INTERCONNECTED, LINEAR SPRING DESIGN PROVIDES THE LEVEL OF MIDSTANCE SUPPORT NEEDED FOR ACTIVITIES WHERE RESPONSIVENESS IS ESSENTIAL, FOR PATIENTS WITH LIMITED CLEARANCE, ROBUST TITANIUM ADAPTER, CUSTOMIZBALE SHOCK ABSORPTION WITH TWO DIFFERENT HELE WEDGE OPTIONS, SUITABLE FOR A BROAD RANGE OF ADMICATION, FROM VEVENDAY LIES TO DEMANDING PROFESSIONS AND EVEN LEISURE SPORTS, WATER AND CORROSION - RESISTANT, SIZE 26, LEFT	ITEMIZED	each	400623	Badael LLC -Orig-	Blatchford	EL26LxxS	United Kingdom
453	4224200124800	COMFORTABLE CARBON FOOT WITH BIOMECHANICS, WITH FOOTSHELL AND COSMESIS CONNECTION CAP, INCLUDES A SEPARATE BIG TOE AND CONNECTS THE FOREFOOT AND THE HELE SPRING TO FORM A COMPILET SYSTEM, TRIANGULAR TECHNOLOGY, SAFETY WALKING ON UNEVEN SUBFACES, AN INTERCONNECTED, LINEAR SPRING DESIGN PROVIDES THE LEVEL OF MIDSTANCE SUPPORT NEEDED FOR ACTIVITIES WHERE RESPONSIVENESS IS ESSENTIAL, ORD PATIENTS WITH LIMITED CLEARANCE, ROBUST TITANIUM ADAPTER, CUSTOMIZBALE SHOCK, ABSORPTION WITH TWO DIFFERENT HELE WEDGE OPTIONS, SUITABLE FOR A BROAD RANGE OF APPICATION, FROM VERTOWAL THE OF THE PROPESSIONS AND EVEN LEISURE SPORTS, WATER AND CORROSION - RESISTANT, SIZE 27, LEFT	ITEMIZED	each	400623	Badael LLC -Orig-	Blatchford	EL27LxxS	United Kingdom
454	4224200125200	COMFORTABLE CARBON FOOT WITH BIOMECHANICS, WITH FOOTSHELL AND COSMESIS CONNECTION CAP, INCLUDES A SEPARATE BIGT OF AND CONNECTS THE FOREFOOT AND THE RELES.PRING TO FORM A COMPILET SYSTEM, TRIANGULAR TECHNICOMY, SAFETY WALKING ON UNEVEN SUBFACES, AN INTERCONNECTED, LINEAR SPRING DESIGN PROVIDES THE LEVEL OF MIDSTANCE SUPPORT NEEDED FOR ACTIVITIES WHERE RESPONSIVENESS IS ESSENTIAL, FOR PATIENTS WITH LIMITED CLEARANCE, ROBUST TITANIUM ADAPTER, CUSTOMIZBALE SHOCK ABSORPTION WITH TWO DIFFERENT HEEL WEDGE OPTIONS, SUITABLE FOR A BROAD RANGE OF ADMICATION, FOR VERYOAV LIEF TO DEMANDING PROFESSIONS AND EVEN LEISURE SPORTS, WATER AND CORROSION - RESISTANT, SIZE 29, LEFT	ITEMIZED	each	400623	Badael LLC -Orig-	Blatchford	EL29LxxS	United Kingdom
455 456	4224160001700 4224160001800	CONICAL, PLASTIC, DRILL, DIAMETER 14 MM CONICAL, SANDING, DRUM, THREAD, 5/8 INCHES, LENGTH 60 MM, DIAMETER 36/22 MM	ITEMIZED	each each	400571 400571	AL Gaim Comm. EstOrig- AL Gaim Comm. EstOrig-	Ottobock Ottobock	726W9=14 749Z9=5/8	Germany Germany
456	4224160001800	CONICAL, SANDING, DRUM, THREAD, 5/8 INCHES, LENGTH 60 MM, DIAMETER 36/22 MM	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	161P80/A	Germany
457 457	4224160001900 4224160001900	CONICAL, SANDING, DRUM, THREAD, M16, LENGTH 60 MM, DIAMETER 36/22 MM CONICAL, SANDING, DRUM, THREAD, M16, LENGTH 60 MM, DIAMETER 36/22 MM	ITEMIZED	each each	400571 400451	AL Gaim Comm. EstOrig- Farabi Trading Establishment -Orig-	Ottobock STREIFENEDER	749Z9=M16 161P80	Germany Germany
458	4224200406600	CONNECTION PIECE FOR COSMETIC FOAM, PERLON CONNECTION, 1	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	99B15=1	Italy
459 460	4224200406700 4224200406800	CONNECTION PIECE FOR COSMETIC FOAM, PERLON CONNECTION, 2 CONNECTION PIECE FOR COSMETIC FOAM, PERLON CONNECTION, 3	ITEMIZED	each each	400571 400571	AL Gaim Comm. EstOrig- AL Gaim Comm. EstOrig-	Ottobock Ottobock	99B15=2 99B15=3	Italy Italy
461	4224200010300	CONNECTION PLATE, GLUED TO THE COSMETIC FOAM COVER AND SNAPPED ONTO THE ADAPTER	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	2R14	Germany
462	4224171300300	CONNECTOR, TUBE EXTENSION FOR CABLE, DIAMETER 3/8 INCHES	ITEMIZED	items (Pieces)	400050	AI-EWAN MEDICAL COMPANY -Orig-	becker	400-10X	USA
463	4224171300400	CONNECTOR, TUBE EXTENSION FOR CABLE, DIAMETER 5/16 INCHES	ITEMIZED	items (Pieces)	400050	Al-EWAN MEDICAL COMPANY -Orig-	becker	400-10A	USA
464	4224200012900	CONTROL ELEMENT, FOR ASSEMBLY BETWEEN THE OUTER AND INNER PROSTHETIC SOCKET	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	9X52	Austria
465	4618221101200	CONTROLS FLEXION OF THE SPINE, MAKE ANGULAR ADJUSTMENTS OF THE THORACIC AND PELVIC MODULES MODULAR DESIGN STABILIZES SPINE, ENCOURAGES SAGITTAL POSTURAL REALIGNMENT REDUCE PAIN, HYPER EXTENSION BRACE, SIZE: SMALL, MEDIUM CORDLESS HAND DRILL 18 VOLT, AN ORTHOTICS WORKSHOP TOOL, WORK ON	CANCELLED	CANCELLED	CANCELLED	CANCELLED NO SAMPLE PROVIDED	CANCELLED	CANCELLED	CANCELLED
466	4224200034400	RECHARGEABLE BATTERIES, ALLOWING THE USER TO INSERT A BATTERY PACK AND	ITEMIZED	Kit	400571	AL Gaim Comm. EstOrig-	Ottobock	756B16=1-1	Germany
467	4224200033800	INSTANTLY HAVE AN OPERATING DRILL WITHOUT A POWER CABLE CODDLESS JIGAM, AN ORTHOTICS WORKSHOP TOOD, 4-STAGE PENDULIUM STROKE, KNOB HANDLE, ELECTRONICS INCLUDE CHOICE OF PROPER STROKE FOR RESPECTIVE MATERIAL, FACE QUICK-CLAMPING SYSTEM FOR CHANGING SAW BLADES WITHOUT THE NEED FOR TOOLS, QUICK-ADJUSTIMENT SYSTEM FOR 45" BEVEL CUTS, STABLE ALUMINUM CAST BASE PLATE FOR PRECISION WORK, METAL CHIP BLOWER, IDLE SPEED 450 - 3, 000 MIN-1, STROKE DEPTH 26 ML	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	AFT-INTERNATIONAL	6026050040	Germany
468	4224170641200	CORRECTOR ORTHOSIS FOR HALLUX VALGUS ANATOMICAL CONFORMATION IT INCORPORATES CUSHION PAD FOR 1ST TOE METATARSAL STRAP RULEO ON THE 5 TH METATARSALS FOR THE CONTROL OF THE CORRECTIVE PRESSURE METATARSAL STRAP ON THE 1ST METATARSAL ANATOMY AND RETROCAPITAL IT INCORPORATES COMFORT PAD ON THE 1ST METATARSAL ANATOMY AND RETROCAPITAL IT INCORPORATES COMFORT PAD ON THE 5 TH METATARSAL MADE OF THERMOPLASTIC AND WITH SOFT VELOUR MICRO VELCON CLOSURE OR EQUIVALENT THE APPLICATION OF LOW INTENSITY PORCES EXERTED BY THE ORTHOSIS THROUGH THREE POINTS OF SUPPORT PLACES THE BIG TOE ACCORDING TO ITS ANS CORRECTION GITS DEVAUTION IN AVAILOGE (BUINDIO) AND ACHIEVING THE METATARSOPHALANGEAL ALIGNMENT GENERATES A SIGNIFICANT ELONGATION EFFECT ON THE FLEXOR AND EXTENSOR MUSCLES OF THE FIRST TOE THIS EFFECT BASED ON A CONSTANT AND CONTROLLED LOW INTENSITY PRESSURE FAVORS THE GRADUAL ALIGNMENT OF THE DEVIATION OF THE TOE DECREASING THE BUNION AND ACHIEVING MAXIMUM TISSUE AND JOINT NORMALIZATION CONSERVATIVE TREATMENT OF THALLUX VALGUS NIGHT BUNION ALIGNER POST - OPERATIVE HALLUX VALGUS	ITEMIZED	each	400216	Medical Lights Trading Company -Orig-	ABLETECH ORTHOPEDICS CR	64002	China
469	4224180001300	CORSET LSO (LUMBOSACRAL ORTHOSIS) HOOK AND LOOP CLOSURE ALLOWS ADJUSTMENTS FOR FLUCTUATIONS IN SOFT TISSUE MASS PADDING INCREASES COMFORT SIZE LARGE	ITEMIZED	each	400619	Hospital Care Company -Orig-	ASCENT MEDITECH LTD	OC 2001 (L)	India
469	4224180001300	CORSET LSO (LUMBOSACRAL ORTHOSIS) HOOK AND LOOP CLOSURE ALLOWS ADJUSTMENTS FOR FLUCTUATIONS IN SOFT TISSUE MASS PADDING INCREASES COMFORT SIZE LARGE	ITEMIZED	each	400104	Al-Jeel Medical & Trading Co. Ltd -Orig-	DeRoyal	13850007	Dominican Rep.
470	4224180001400	CORSET LSO (LUMBOSACRAL ORTHOSIS) HOOK AND LOOP CLOSURE ALLOWS ADJUSTMENTS FOR FLUCTUATIONS IN SOFT TISSUE MASS PADDING INCREASES COMFORT SIZE MEDIUM CORSET LSO (LUMBOSACRAL ORTHOSIS) HOOK AND LOOP CLOSURE ALLOWS ADJUSTMENTS	ITEMIZED	each	400619	Hospital Care Company -Orig-	ASCENT MEDITECH LTD	OC 2001 (M)	India
470	4224180001400 4224180001500	FOR FLUCTUATIONS IN SOFT TISSUE MASS PADDING INCREASES COMFORT SIZE MEDIUM CORSET LSO (LUMBOSACRAL ORTHOSIS) HOOK AND LOOP CLOSURE ALLOWS ADJUSTMENTS CORSET LSO (LUMBOSACRAL ORTHOSIS) HOOK AND LOOP CLOSURE ALLOWS ADJUSTMENTS	ITEMIZED	each	400104	Al-Jeel Medical & Trading Co. Ltd -Orig-	DeRoyal	13850067	Dominican Rep.
		FOR FLUCTUATIONS IN SOFT TISSUE MASS PADDING INCREASES COMFORT SIZE SMALL		each		Hospital Care Company -Orig-	ASCENT MEDITECH LTD	OC 2001 (S)	India
472 472	4224200220700 4224200220700	COSMETIC FOAM HAND SIZE 5 1/2 INCHES LEFT COSMETIC FOAM HAND SIZE 5 1/2 INCHES LEFT	ITEMIZED ITEMIZED	each each	400050 400571	Al-EWAN MEDICAL COMPANY -Orig- AL Gaim Comm. EstOrig-	Steeper Ottobock	B11079 8S9=*L	United Kingdom France
473	4224200220800	COSMETIC FOAM HAND SIZE 5 1/2 INCHES RIGHT	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	Steeper	B11080	United Kingdom
473 474	4224200220800 4224200221700	COSMETIC FOAM HAND SIZE 5 1/2 INCHES RIGHT COSMETIC FOAM HAND SIZE 6 1/2 INCHES LEFT	ITEMIZED ITEMIZED	each each	400571 400050	AL Gaim Comm. EstOrig- Al-EWAN MEDICAL COMPANY -Orig-	Ottobock Steeper	8S9=*R B11073	France United Kingdom
474 475	4224200221700 4224200221500	COSMETIC FOAM HAND SIZE 6 1/2 INCHES LEFT COSMETIC FOAM HAND SIZE 6 1/4 INCHES LEFT	ITEMIZED ITEMIZED	each each	400571 400050	AL Gaim Comm. EstOrig- Al-EWAN MEDICAL COMPANY -Orig-	Ottobock Steeper	8S9=*L B11075	France United Kingdom
475	4224200221500	COSMETIC FOAM HAND SIZE 6 1/4 INCHES LEFT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	8S9=*L	France
476 476	4224200221600 4224200221600	COSMETIC FOAM HAND SIZE 6 1/4 INCHES RIGHT COSMETIC FOAM HAND SIZE 6 1/4 INCHES RIGHT	ITEMIZED ITEMIZED	each each	400050 400571	Al-EWAN MEDICAL COMPANY -Orig- AL Gaim Comm. EstOrig-	Steeper Ottobock	B11076 8S9=*R	United Kingdom France
477 477	4224200221300 4224200221300	COSMETIC FOAM HAND SIZE 6 1/8 INCHES LEFT COSMETIC FOAM HAND SIZE 6 1/8 INCHES LEFT	ITEMIZED	each each	400050 400571	AI-EWAN MEDICAL COMPANY -Orig- AL Gaim Comm. EstOrig-	Steeper Ottobock	B11077 8S9=*L	United Kingdom France
478	4224200221900 4224200221900	COSMETIC FOAM HAND SIZE 6 3/4 INCHES LEFT	ITEMIZED ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	Steeper	FHL7	United Kingdom
478 479	4224200222000	COSMETIC FOAM HAND SIZE 6 3/4 INCHES LEFT COSMETIC FOAM HAND SIZE 6 3/4 INCHES RIGHT	ITEMIZED	each each	400571 400050	AL Gaim Comm. EstOrig- Al-EWAN MEDICAL COMPANY -Orig-	Ottobock Steeper	8S8=*L FHL8	France United Kingdom
479 480	4224200222000 4224200222400	COSMETIC FOAM HAND SIZE 6 3/4 INCHES RIGHT COSMETIC FOAM HAND SIZE 6 7/8 INCHES RIGHT	ITEMIZED	each each	400571 400050	AL Gaim Comm. EstOrig- Al-EWAN MEDICAL COMPANY -Orig-	Ottobock Steeper	8S8=*R B11068	France United Kingdom
480 481	4224200222400	COSMETIC FOAM HAND SIZE 6 7/8 INCHES RIGHT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	8S8=*R	France
481	4224200223300 4224200223300	COSMETIC FOAM HAND SIZE 7 1/2 INCHES LEFT COSMETIC FOAM HAND SIZE 7 1/2 INCHES LEFT	ITEMIZED ITEMIZED	each each	400050 400571	AI-EWAN MEDICAL COMPANY -Orig- AL Gaim Comm. EstOrig-	Steeper Ottobock	B11061 8S8=*L	United Kingdom France
482 482	4224200223400 4224200223400	COSMETIC FOAM HAND SIZE 7 1/2 INCHES RIGHT COSMETIC FOAM HAND SIZE 7 1/2 INCHES RIGHT	ITEMIZED ITEMIZED	each each	400050 400571	Al-EWAN MEDICAL COMPANY -Orig- AL Gaim Comm. EstOrig-	Steeper Ottobock	B11062 8S8=*R	United Kingdom France
483	4224200222700	COSMETIC FOAM HAND SIZE 7 1/4 INCHES LEFT	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	Steeper	FHL5	United Kingdom
483 484	4224200222700 4224200222800	COSMETIC FOAM HAND SIZE 7 1/4 INCHES LEFT COSMETIC FOAM HAND SIZE 7 1/4 INCHES RIGHT	ITEMIZED ITEMIZED	each each	400571 400050	AL Gaim Comm. EstOrig- Al-EWAN MEDICAL COMPANY -Orig-	Ottobock Steeper	8S8=*L FHL6	France United Kingdom
484 485	4224200222800 4224200223200	COSMETIC FOAM HAND SIZE 7 1/4 INCHES RIGHT COSMETIC FOAM HAND SIZE 7 3/8 INCHES RIGHT	ITEMIZED	each each	400571 400050	AL Gaim Comm. EstOrig- Al-EWAN MEDICAL COMPANY -Orig-	Ottobock Steeper	8S8=*R B11066	France United Kingdom
485	4224200223200	COSMETIC FOAM HAND SIZE 7 3/8 INCHES RIGHT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	8S8=*R	France
486 486	4224200223500 4224200223500	COSMETIC FOAM HAND SIZE 7 7/8 INCHES LEFT COSMETIC FOAM HAND SIZE 7 7/8 INCHES LEFT	ITEMIZED ITEMIZED	each each	400050 400571	AI-EWAN MEDICAL COMPANY -Orig- AL Gaim Comm. EstOrig-	Steeper Ottobock	FHL21 8S7=*L	United Kingdom France
487 487	4224200223600 4224200223600	COSMETIC FOAM HAND SIZE 7 7/8 INCHES RIGHT COSMETIC FOAM HAND SIZE 7 7/8 INCHES RIGHT	ITEMIZED ITEMIZED	each each	400050 400571	Al-EWAN MEDICAL COMPANY -Orig- AL Gaim Comm. EstOrig-	Steeper Ottobock	FHL22 8S7=*R	United Kingdom France
488	4224200224100	COSMETIC FOAM HAND SIZE 8 1/4 INCHES LEFT	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	Steeper	FHL1	United Kingdom
488 489	4224200224100 4224200224200	COSMETIC FOAM HAND SIZE 8 1/4 INCHES LEFT COSMETIC FOAM HAND SIZE 8 1/4 INCHES RIGHT	ITEMIZED ITEMIZED	each each	400571 400050	AL Gaim Comm. EstOrig- Al-EWAN MEDICAL COMPANY -Orig-	Ottobock Steeper	8S7=*L FHL2	France United Kingdom
489 490	4224200224200 4224200224500	COSMETIC FOAM HAND SIZE 8 1/4 INCHES RIGHT COSMETIC FOAM HAND SIZE 8 5/8 INCHES LEFT	ITEMIZED ITEMIZED	each each	400571 400050	AL Gaim Comm. EstOrig- Al-EWAN MEDICAL COMPANY -Orig-	Ottobock Steeper	8S7=*R B11053	France United Kingdom
490	4224200224500	COSMETIC FOAM HAND SIZE 8 5/8 INCHES LEFT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	8S7=*L	France
491 491	4224200224600 4224200224600	COSMETIC FOAM HAND SIZE 8 5/8 INCHES RIGHT COSMETIC FOAM HAND SIZE 8 5/8 INCHES RIGHT	ITEMIZED	each each	400050 400571	Al-EWAN MEDICAL COMPANY -Orig- AL Gaim Comm. EstOrig-	Steeper Ottobock	B11054 8S7=*R	United Kingdom France
492 492	4224200224400 4224200224400	COSMETIC FOAM HAND, SIZE 8 1/4 INCHES, RIGHT, WITH EXTENDED WIRE COSMETIC FOAM HAND, SIZE 8 1/4 INCHES, RIGHT, WITH EXTENDED WIRE	ITEMIZED ITEMIZED	each each	400050 400571	AI-EWAN MEDICAL COMPANY -Orig- AL Gaim Comm. EstOrig-	Steeper Ottobock	FHEXL2 8S7=*R	United Kingdom France
472	72272UU2244UU								
493	4224200220500	COSMETIC, FOAM, HAND, SIZE 5, LEFT	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	Steeper	B11081	United Kingdom
493 494 495 495	4224200220500 4224200220600 4224200222100 4224200222100	COSMETIC, FOAM, HAND, SIZE 5, IEFT COSMETIC, FOAM, HAND, SIZE 5, RIGHT COSMETIC, FOAM, HAND, SIZE 6 3/4 INCHES, IEFT, WITH EXTENDED WIRE COSMETIC, FOAM, HAND, SIZE 6 3/4 INCHES, IEFT, WITH EXTENDED WIRE	ITEMIZED ITEMIZED ITEMIZED ITEMIZED	each each	400050 400050 400050 400571	AI-EWAN MEDICAL COMPANY -Orig- AI-EWAN MEDICAL COMPANY -Orig- AI-EWAN MEDICAL COMPANY -Orig-	Steeper Steeper Steeper Ottobock	B11081 B11082 FHEXL7 8S8=*L	United Kingdom United Kingdom United Kingdom

			DER NUMBER : NPT0050/22 DER NAME : Prosthetics Orthosis Supplies Preliminary Result									
496	4224200222200	COSMETIC, FOAM, HAND, SIZE 6 3/4 INCHES, RIGHT, WITH EXTENDED WIRE	ITEMIZED	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	Steeper	FHEXL8	United Kingdom			
496 497	4224200222200 4224200221200	COSMETIC, FOAM, HAND, SIZE 6 3/4 INCHES, RIGHT, WITH EXTENDED WIRE COSMETIC, FOAM, HAND, SIZE 6, RIGHT	ITEMIZED ITEMIZED	each each	400571 400050	AL Gaim Comm. EstOrig- Al-EWAN MEDICAL COMPANY -Orig-	Ottobock Steeper	8S8=*R B11078	France United Kingdom			
497 498	4224200221200 4224200222900	COSMETIC, FOAM, HAND, SIZE 6, RIGHT COSMETIC, FOAM, HAND, SIZE 7 1/4 INCHES, LEFT, WITH EXTENDED WIRE	ITEMIZED	each each	400571 400050	AL Gaim Comm. EstOrig- Al-EWAN MEDICAL COMPANY -Orig-	Ottobock Steeper	8S9=*R FHEXL5	France United Kingdom			
498 499	4224200222900 4224200223000	COSMETIC, FOAM, HAND, SIZE 7 1/4 INCHES, LEFT, WITH EXTENDED WIRE COSMETIC, FOAM, HAND, SIZE 7 1/4 INCHES, RIGHT, WITH EXTENDED WIRE	ITEMIZED	each each	400571 400050	AL Gaim Comm. EstOrig- Al-EWAN MEDICAL COMPANY -Orig-	Ottobock Steeper	8S8=*L FHEXL6	France United Kingdom			
499 500	4224200223000 4224200224300	COSMETIC, FOAM, HAND, SIZE 7 1/4 INCHES, RIGHT, WITH EXTENDED WIRE COSMETIC, FOAM, HAND, SIZE 8 1/4 INCHES, LEFT, WITH EXTENDED WIRE	ITEMIZED	each each	400571 400050	AL Gaim Comm. EstOrig- Al-EWAN MEDICAL COMPANY -Orig-	Ottobock Steeper	8S8=*R FHEXL1	France United Kingdom			
500 501	4224200224300 4224200223900	COSMETIC, FOAM, HAND, SIZE 8 1/4 INCHES, LEFT, WITH EXTENDED WIRE COSMETIC, FOAM, HAND, SIZE 8, LEFT	ITEMIZED ITEMIZED	each each	400571 400050	AL Gaim Comm. EstOrig- Al-EWAN MEDICAL COMPANY -Orig-	Ottobock Steeper	8S7=*L B11057	France United Kingdom			
501	4224200223900	COSMETIC, FOAM, HAND, SIZE 8, LEFT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	8S7=*L	France			
502 502	4224200223700 4224200223700	COSMETIC, FOAM, HAND, SIZE 8, LEFT, WITH EXTENDED WIRE COSMETIC, FOAM, HAND, SIZE 8, LEFT, WITH EXTENDED WIRE	ITEMIZED ITEMIZED	each each	400050 400571	Al-EWAN MEDICAL COMPANY -Orig- AL Gaim Comm. EstOrig-	Steeper Ottobock	B11089 8S7=*L	United Kingdom France			
503	4224200012800	COUTALLAR, FOR SYSTEM DESIGN, FOR CHILDREN, 7 PROGRAMS, LEFT AND RIGHT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	9E420=L+ 9E420=R	Austria			
504 505	4224171202500 4224171202400	COVER, FOAM, PEDIATRIC, ABOVE KNEE, TRANSFEMORAL COVER, FOAM, PEDIATRIC, BELOW KNEE, TRANSTIBIAL	ITEMIZED	each each	400571 400571	AL Gaim Comm. EstOrig- AL Gaim Comm. EstOrig-	Ottobock Ottobock	3R48 6R7	Germany Germany			
506	4224200013100	COW, ORTHOPEDIC, SIDE LEATHER, 0.8 - 1 MM, BLACK, BY FEET	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	99071	Portugal			
506 507	4224200013100 4224200013200	COW, ORTHOPEDIC, SIDE LEATHER, 0.8 - 1 MM, BLACK, BY FEET COW, ORTHOPEDIC, SIDE LEATHER, 0.8 - 1 MM, PEACH, BY FEET	ITEMIZED	each each	400035 400035	ZIMMO TRADING Company LTD -Orig- ZIMMO TRADING Company LTD -Orig-	A.ALGEOS LTD A.ALGEOS LTD	OA4904 OA4902	United Kingdom United Kingdom			
508	4224200013300	COW, ORTHOPEDIC, SIDE LEATHER, 0.8 - 1 MM, YELLOW, BY FEET CUP, SILICONE, FOR USE ON CONICAL STUMPS THAT REQUIRE VOLUME BUILD - UP DISTAL	ITEMIZED	each	400035	ZIMMO TRADING Company LTD -Orig-	A.ALGEOS LTD	OA4900	United Kingdom			
509	4224200407000	CUP, SIZE: 26 CM CUP, SILICONE, FOR USE ON CONICAL STUMPS, THAT REQUIRE VOLUME BUILD - UP DISTAL	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	OSSUR	I-300026	Iceland			
510 511	4224200406900 4229680220600	CUP, SIZE 24 CM CUPS, CALIBRATED, MEASURING CUPS, 100 ML	ITEMIZED	each each	400050 400571	Al-EWAN MEDICAL COMPANY -Orig- AL Gaim Comm. EstOrig-	OSSUR	I-300024 642B2=100	Iceland Poland			
512 512	4224171306000 4224171306000	CUPS, CALIBRATED, MEASURING CUPS, 200 ML CUPS, CALIBRATED, MEASURING CUPS, 200 ML	ITEMIZED ITEMIZED	items (Pieces) items (Pieces)	400571 400451	AL Gaim Comm. EstOrig- Farabi Trading Establishment -Orig-	Ottobock STREIFENEDER	642B2=200 164P6/180	Poland Germany			
513	4810180400000	CUPS, CALIBRATED, MEASURING CUPS, 400 ML CUPS, CALIBRATED, MEASURING CUPS, 400 ML CUSTOM FITTED. DEPENDING ON RESIDUAL LIMB. COMBINATION OF QUICK GRIPS APP	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	642B2=400	Poland			
514	4224200136100	CONTROL AND GRIP CHIPS PROXIMITY CONTROL, COMPACT SOLUTION, MUSCLE CONTROL USES SPECIFIC MUSCLE SIGNALS CALLED TRIGGERS TO INSTRUCT THE HAND TO ACTIVATE A SPECIFIC GRIP, WARI - GRIP OR EQUIVALENT FEATURE FOR ADDITIONAL GRIP STRENSTH, AUTO - GRAS OR EQUIVALENT - ANTI DROP SAFETY REATURE TO REVENT OBJECTS FROM SUPPING, BOOST SPEED AND STRENSTH UP TO 30%, COMPORTABLE RIT FOR REACH USER, SOLUTION MATCHES USERS RESIDUAL LIMB, QUICK ACCESS TO MOST USED GRIPS AND ACTIVITIES, COMPACT AND LOW KEY, NATURAL MOVEMENT, STRENSTH AND GRIP PAUDISTED DEPENDING ON THE ACTIVITY, HOLDING GLASS OR OTHER SUPPER'S SURFACES IS NOT AN ISSUE (COMBINED WITH COMPAUNT GRIPS), MATURAL MOVEMENT, PARTIAL HAND LOSS OR ABSENCE LOW TO MODERATE IMPACT LEVEL, FULLY CUSTOMIZED PROSTHESIS, REPLACEMENT FOR I TO 5 DIGITS, UP TO 32 GRIPS AVAILABLE, SELF - CONTAINED WRISTBANDH HOUSES BATTERIES AND MICROPROCCESSOR, DIGITS MOVE INDEPENDENTLY AND	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	Steeper	TBX50040PK5 i- digit Quantum 5 Digit	United Kingdom			
515	4224200136200	CUSTOM FITTED, DEPENDING ON RESIDUAL LIMB, QUICK GRIPS APP CONTROL, COMPACT SOLUTION, MUSCLE CONTROL USES SPECIFIC MUSCLE SIGNALS CALLED TRIGGERS TO INSTRUCT THE HAND TO ACTIVATE A SPECIFIC GRIP, COMPORTRABLE IT FOR EACH USER, SOLUTION MATCHES USERS RESIDUAL LIMB, QUICK ACCESS TO MOST USED GRIPS AND ACTIVITIES, COMPACT AND LOW KEY, NATURAL MOVEMENT PARTIAL HAND LOSS OR ABSCENCE LOWT OM MODERATE IMPACT LEVEL, FLULY CUSTOMIZED PROSTRESIS, REPLACEMENT FOR 1 TO 5 DIGITS, UP TO 12 GRIPS AVAILABLE, SELF - CONTAINED WRISTBAND HOUSES BATTERIES AND MICROPROCESSOR, DIGITS MOVE INDEPENDENTLY AND WORKIN WITH REMAINING FINCERS	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	Steeper	TBX50038PK5 i- digit Access 5 Digit	United Kingdom			
516	4224200262400	CUSTOM FITTED, FIVE DIGIT, DEPENDING ON RESIDUAL LIMB, COMBINATION OF QUICK GRIPS APP CONTROL AND GRIP CHIPS PROXIMITY CONTROL, COMPACT SQUITION, MUSCLE CONTROL USES SPECIFIC MUSCLE SIGNALS CALLED TRIGGERS TO INSTRUCT THE HAND TO ACTIVATE A SPECIFIC GRIP, VARI-GRIP OR EQUIVALENT FEATURE FOR ADDITIONAL GRIP STERNOTH, AUTO-GRAS OR EQUIVALENT AND TROPS PAFETY FEATURE TO PREVENT OBJECTS FROM SUPPING, BOOST SPEED AND STRENGTH HUP TO 30%, COMPORTABLE FIT FOR EACH USES, SOLUTION MATCHES USERS RESIDUAL LIMB, QUICK ACCESS TO MOST USED GRIPS AND ACTIVITIES, COMPACT AND LOW KEY, NATURAL MOVEMENT, STRENGTH AND GRIP ADJUSTED DEPENDING ON THE ACTIVITY, HOLDING GLASS OR OTHER SUPPER'S VIGATEGES IS NOT AN ISSUE (COMBINED WITH COMPLIANT GRIPS), NATURAL MOVEMENT, PARTIAL HAND LOSS OR ABSENCE LOW TO MODERATE IMPACT LEVEL, FULLY CUSTOMIZED PROSTHESIS, UP TO 32 GRIPS AVAILABLE, SELF-CONTAINED WISTEMD MUSCS BATTERIERS AND MICROPROCESSOR, DIGITS MOVE INDEPENDENTLY	ITEMIZED	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	Steeper	TBX50040PK5 i- digit Quantum 5 Digit	United Kingdom			
517	4224200262300	CUSTOM FITTED, FOUR DIGIT, DEPENDING ON RESIDUAL LIMB, COMBINATION OF QUICK REIRS APP CONTROL AND GRIP CHIPS PROXIMITY CONTROL. COMPACT SOLUTION, MUSCLE CONTROL USES SPECIFIC MUSCLE SIGNALS CALLED TRIGGERS TO INSTRUCT THE HAND TO ACTIVATE A SPECIFIC GRIP, VARI-GRIP OR EQUIVALENT FEATURE FOR RADDITIONAL GRIP STERNOTH, AUTO-GRAS OR EQUIVALENT THE FATURE FOR PEVENT OBJECTS FROM SUPPING, BOOST SPEED AND STRENGTH UP TO 30%, COMFORTABLE FIT FOR EACH USES, SOLUTION MATCHES USERS RESIDUAL LIMB, QUICK ACCESS TO MOST USED GRIPS AND ACTIVITIES, COMPACT AND LOW KEY, NATURAL MOVEMENT, STRENGTH AND GRIP ADJUSTED DEPENDING ON THE ACTIVITY, HOLDING GLASS OR OTHER SUPPERY SURFACES IS NOT AN ISSUE (COMBINED WITH COMPLIANT GRIPS), NATURAL MOVEMENT, PARTIAL HAND LOSS OR ABSENCE LOW TO MODERATE IMPACT LEVEL, FULLY CUSTOMIZED PROSTHESIS, UP TO 32 GRIPS AVAILABLE, SELF-CONTAINED WRISTEAMN HOUSES BATTERIES AND MICROPROCESSOR, DIGITS MOVE INDEPENDENTLY	ITEMIZED	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	Steeper	TBX50032PK4 i- digit Quantum 4 Digit	United Kingdom			
518	4224200262000	CUSTOM FITTED, ONE DIGIT, DEPENDING ON RESIDUAL LIMB, COMBINATION OF QUICK GRIPS APP CONTROL AND GRIP CHIPS PROXIMITY CONTROL, COMPACT SOLUTION, MUSCLE CONTROL USES SPECIFIC MUSCLE SIGNALS CALIDE TRIGGERS TO INSTRUCT THE HAND TO ACTIVATE A SPECIFIC GRIP, VARI-GRIP OR EQUIVALENT FEATURE FOR ADDITIONAL GRIP STRENGTH, AUTO-GRAS OR EQUIVALENT—ANT DROP SAFETY FEATURE TO PREVENT OBJECTS FROM SUPPING, BOOST SPEED AND STRENGTH UP TO 30%, COMFORTABLE FIT FOR EACH USER, SOLUTION MATCHES USERS RESIDUAL LIMB, QUICK ACCESS TO MOST USED GRIPS AND ACTIVITIES, COMPACT AND LOW KEY, NATURAL MOVEMENT, STRENGTH AND GRIP ADJUSTED DEPENDING ON THE ACTIVITY, HOLDING GLASS OR OTHER SUPPERY SURFACES IS NOT AN ISSUE (COMBINED WITH COMPILANT GRIPS), NATURAL MOVEMENT, PARTIAL HAND LOSS OR ABSENCE LOW TO MODERATE IMPACT LEVEL, FULLY CUSTOMIZED PROSTHESIS, UP TO 32 GRIPS AVAILABLE, SELF-CONTAINED WRISTEAMN HOUSES BATTERIES AND MICROPROCESSOR, DIGITS MOVE INDEPENDENTLY	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	Steeper	TBX50008PK1 i- digit Quantum 1 Digit	United Kingdom			
519	4224200262200	CUSTOM FITTED, THREE DIGIT, DEPENDING ON RESIDUAL LIMB, COMBINATION OF QUICK GRIPS APP CONTROL AND GRIP CHIPS PROXIMITY CONTROL, COMPACT SOLUTION, MUSCLE CONTROL USES SPECIFIC MUSCLE SIGNALS CALLED TRIGGERS TO INSTRUCT THE HAND TO ACTIVATE A SPECIFIC GRIP, VARI-GRIP OR EQUIVALENT FEATURE FOR ADDITIONAL GRIP STERNOTH, AUTO-GRAS OR EQUIVALENT AND TROPOS PAFETY FEATURE TO PREVENT OBJECTS FROM SUPPING, BOOST SPEED AND STRENGTH UP TO 30%, COMPACTABLE FIT FOR EACH STRENGTH OF THE COMPACT AND LOW KEY, NATURAL MOVEMENT, STRENGTH AND GRIP ADJUSTED DEPENDING ON THE ACTIVITY, HOLDING GLASS OR OTHER SUPPERY SURFACES IS NOT AN ISSUE (COMBINED WITH COMPLIANT GRIPS), NATURAL MOVEMENT, PARTIAL HAND LOSS OR ABSENCE LOW TO MODERATE IMPACT LEVEL, FULLY CUSTOMIZED PROSTHESIS, UP TO 32 GRIPS AVAILABLE, SELF-CONTAINED WRISTRAND HOUSES BATTERIES AND MICROPROCESSOR, DIGITS MOVE INDEPENDENTLY	itemized	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	Steeper	TBX50024PK3 i- digit Quantum 3 Digit	United Kingdom			
520		CUSTOM FITTED, TWO DIGIT, DEPENDING ON RESIDUAL LIMB, COMBINATION OF QUICK GRIPS APP CONTROL AND GRIP CHIPS PROXIMITY CONTROL, COMPACT SOLUTION, MUSCLE CONTROL USES SPECIFIC MUSCLE SIGNALS CALLED TRIGGERS TO INSTRUCT THE HAND TO ACTIVATE A SPECIFIC GRIP, VARL-GRIP OR EQUIVALENT FEATURE FOR ADDITIONAL GRIP STRENGTH, AUTO-GRAS OR EQUIVALENT ANTI DROP SAFETY FEATURE FOR PREVENT OBJECTS FROM SUPPING, BOOST SPEED AND STRENGTH UP TO 30%, COMFORTABLE FIT FOR EACH USER, SOLUTION MATCHES USERS RESIDUAL LIMB, QUICK ACCESS TO MOST USED GRIPS AND ACTIVITIES, COMPACT AND LOW KEY, NATURAL MOVEMENT, STRENGTH AND GRIP ADJUSTED DEPENDING ON THE ACTIVITY, HOLDING GLASS OR OTHER SUPPERV SURFACES IS NOT AN ISSUE (COMBINED WITH COMPLIANT GRIPS), NATURAL MOVEMENT, TRENGTH AND LOSS OR ABSENCE LOW TO MODERATE IMPACT LEVEL, FULLY CUSTOMIZED PROSTHESIS, UP TO 32 GRIPS AVAILABLE, SELF-CONTAINED WRISTBAND HOUSES BATTERIES AND MICROPROCESSOR, DIGITS MOVE INDEPENDENTLY.	ITEMIZED	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	Steeper	TBX50016PK2 i-digit Quantum 2 Digit	United Kingdom			
521	4224170656100	ORTHOTIC WALKERS/TOTAL CONTACT BRACE, INNER DIABETIC PADDING DACRON FELT, WHITE COLOR, FILLING MATERIAL FOR LAMINATION, WIDTH 1000 MM,	ITEMIZED	each	400792	Orig-	WAGNER	MC-2018	Germany			
522	4224150205400	APPROXIMATELY DEEP FORMING LAMINATION KIT, AN ORTHOTICS AND PROSTHETICS METAL FRAME, FOR	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	616G6=1x1	Germany			
523	4224200019100	LAMINATING CASTING AND TEST SOCKETS BY VACUUM TECHNOLOGY, FOR LOWER LIMBS DEEP FORMING LAMINATION KIT, AN ORTHOTICS AND PROSTHETICS METAL FRAME, FOR	ITEMIZED	Kit	400571	AL Gaim Comm. EstOrig-	Ottobock	755T4=360	Germany			
524	4224200019200	LAMINATING CASTING AND TEST SOCKETS BY VACUUM TECHNOLOGY, FOR UPPER LIMBS	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation			

TENDER NA	AME : Prosthetics Ort	hosis Supplies							Preliminary Result
525	4224170613700	"DIABETIC LADIES SANDAL, THERMO COMFORT WITH FLEXIBLE LINING REDUCE PRESSURE OPEN TOE, COLOR BLACK/BEIGE, SIZE 35, REMOVABLE INSOLES, WEIGHTLESS, BREATHABLE ANKLE BACK STRAP, BIG OPENING IOBAETIC REFUMATISM, SENSITIVE FEET, PAINUL OF HALLUX VALGUS, BUNION, HAMMER, AND CLAW TOES SIZE 35; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NOM-BINDING UPPERS THAT ENSURE THAT THESE IN OP RESSURE ON THE FOOT; JUGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE SHOES CONSONM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS"	CANCELLED	CANCELLED	CANCELLED	CANCELLED NOT MATCHING THE DESCRIPTION, NO SAMPLE PROVIDED	CANCELLED	CANCELLED	CANCELLED
526	4224170613800	"DIABETIC LADIES SANDAL, THERMO COMFORT WITH FLEXIBLE LINING REDUCE PRESSURE OPEN TOE, COLOR BLACK/BEIGE, SIZE 36, REMOVABLE INSOLES, WEIGHTLESS, BREATHABLE AMKLE BACK STARP, BIG OPENING DIABETIC REHWAITSMS, SENSTHEY EFET, PAINUL OF HALLUX VALGUS, BUNION, HAMMER, AND CLAW TOES SIZE 36; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; JUGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS"	CANCELLED	CANCELLED	CANCELLED	CANCELLED NOT MATCHING THE DESCRIPTION, NO SAMPLE PROVIDED	CANCELLED	CANCELLED	CANCELLED
527	4224170613900	"DIABETIC LADIES SANDAL, THERMO COMFORT WITH FLEXIBLE LINING REDUCE PRESSURE OPEN TOE, COLOR BLACK/BEIGE, SIZE 37, REMOVABLE INSOLES, WEIGHTLESS, BREATHABLE ANKLE BACK STRAP, BIG OPENING DIABETIC REPUMATISM, SENSITIVE FEET, PAINFUL OF HALLUX VALGUS, BUNION, HAMMER, AND CILAW TOES SIZE 37; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDES OA SNOTTO CAUSE IRRITATION; NOM-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; JUGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS"	CANCELLED	CANCELLED	CANCELLED	CANCELLED NOT MATCHING THE DESCRIPTION, NO SAMPLE PROVIDED	CANCELLED	CANCELLED	CANCELLED
528	4224170614000	"DIABETIC LADIES SANDAL, THERMO COMFORT WITH FLEXIBLE LINING REDUCE PRESSURE OPEN TOE, COLOR BLACK/BEIGE, SIZE 38, REMOVABLE INSOLES, WEIGHTLESS, BREATHABLE ANKLE BACK STRAP, BIG OPENING DIABETIC REPUMATISM, SENSITIVE FEET, PAINFUL OF HALLUX VALGUS, BUNION, HAMMER, AND CILAW TOES SIZE 38; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDES OA SNOTTO CAUSE IRRITATION; NOM-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; JUGHTWEIGHT, CUSHIONING SODES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE SHOES CONSORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS"	CANCELLED	CANCELLED	CANCELLED	CANCELLED NOT MATCHING THE DESCRIPTION, NO SAMPLE PROVIDED	CANCELLED	CANCELLED	CANCELLED
529	4224170614100	"DIABETIC LADIES SANDAL, THERMO COMFORT WITH FLEXIBLE LINING REDUCE PRESSURE OPEN TOE, COLOR BLACK/BEIGE, SIZE 39, REMOVABLE INSOLES, WEIGHTLESS, BREATHABLE AMELE BACK STARP, BIG OPENING DIABETIC REHWAITSMS., SENSITIVE FEET, PAINFUL OF HALLUX VALGUS, BUNION, HAMMER, AND CLAW TOES SIZE 39; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDES OA SNOTTO CAUSE IRRITATION; NON-BINDING UPPERS THAT RENSURE THAT THERE IS NO PRESSURE ON THE FOOT; JUGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS"	CANCELLED	CANCELLED	CANCELLED	CANCELLED NOT MATCHING THE DESCRIPTION, NO SAMPLE PROVIDED	CANCELLED	CANCELLED	CANCELLED
530	4224170614200	"DIABETIC LADIES SANDAL, THERMO COMFORT WITH FLEXIBLE LINING REDUCE PRESSURE OPEN TOE, COLOR BLACK/BEIGE, SIZE 40, REMOVABLE INSOLES, WEIGHTLESS, BREATHABLE AMKLE BACK STAP, BIG OPENING DIABETIC REPUMATISM, SENSTINE FEET, PAINFUL OF HALLUX VALGUS, BUNNON, HAMMER, AND CLAW TOES SIZE 40; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; JIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS"	CANCELLED	CANCELLED	CANCELLED	CANCELLED NOT MATCHING THE DESCRIPTION, NO SAMPLE PROVIDED	CANCELLED	CANCELLED	CANCELLED
531	4224170614300	"DIABETIC LADIES SANDAL, THERMO COMFORT WITH FLEXIBLE LINING REDUCE PRESSURE OPEN TOE, COLOR BLACK/BEIGE, SIZE 41, REMOVABLE INSOLES, WEIGHTLESS, BREATHABLE AMKLE BACK STAP, BIG OPENING DIABETIC REPUMATISM, SENSTIME FEET, PAINGLE OF HALLUX VALGUS, BUNNON, HAMMER, AND CLAW TOES SIZE 41; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; JIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS"	CANCELLED	CANCELLED	CANCELLED	CANCELLED NOT MATCHING THE DESCRIPTION, NO SAMPLE PROVIDED	CANCELLED	CANCELLED	CANCELLED
532	4224170625300	"DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LUNING, NEOPERNE VAMP PADDED COLLARS THROUGH WEGGE SOLE UNIT, BLACK, YELGRO OR EQUIVALENT, FEAMLE, LAST SIZE UL 3.5; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MARTERIAL IS USED. STROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE. FOR THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE. FOR COMMODATE THACK OR THOTH CHESTET; A DOES TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MORITY AND STABILITY, AND REDUCE MAPACES ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHORE SONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS"	ITEMIZED	Pair	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	EXTRO Style S.r.l.	TECNICA AVOLA 35	Italy
533	4224170622800	"DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LUNING, NEOPRENE VAMP PADDED COLLARS THROUGH WEGGE SOLE UNIT, BLACK, YELGO OR EQUIVALENT, FEMALE, LAST SIZE UK 4; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED, TROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MERCHANDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT HERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE FROM THE FOOT AND ACCOMMODATE THICK ORTHOTIC MERTS; A DEEP TOE BOX THAT PROVIDES FATER ADOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWRIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHORES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS"	ITEMIZED	Pair	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	EXTRO Style S.r.l.	TECNICA AVOLA 36	Italy
534	4224170622900	"DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MCLESKIN LINING, NEOPERSU VAMP PADDED COLLARS THROUGH WEGGE SOLE LUNT, BLACK, YELGRO OR EQUIVALENT, FERMAE, LAST SIZE UK AS, 50 NIY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED. ; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DESENT PROTUCES OS AN TOT OCAUSE IRRITATION, NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE, FEE IT AND CAN ACCOMMODATE THAT CONTINUE MERST; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STRIBLITY, AND REDUCE MIRACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS"	ITEMIZED	Pair	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	EXTRO Style S.r.l.	TECNICA AVOLA 37	Italy
535	4224170623000	"DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LUINING, NEOPRENE VAMP PADDED COLLARS THROUGH WEGGE SOLE LUIT, BLACK, YELGO OR EQUIVACHT, FEANGL, EAST SIZE W.S.; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DEMOSTED THE THEORY THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DEMOSTED THAT PROTIDED SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE. FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TO BE BOX THAT PROVIDES EXTRA BOOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS"	ITEMIZED	Pair	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	EXTRO Style S.r.l.	TECNICA AVOLA 38	Italy

TENDER NA	AME : Prosthetics Ort	nosis Supplies							
536	4224170623100	"DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LUNING, NEOPERNE VAMP PADDED COLLARS THROUGH WEDGE SOLE LUNIT, BLACK, YELGOO RE GUIVALENT, FERMAE, LAST SIZE W. S.5.; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED. ; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DESONT PROTUCE SO AS NOT TO CAUSE IRRITATION, NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE. FOR THAT OF COMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHORE CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS."	ITEMIZED	Pair	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	EXTRO Style S.r.l.	TECNICA AVOLA 39	Italy
537	4224170623200	"DIABETIC SHOES, SPECIFICATION, SOFT COW/CAIL FLATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, NEOPRENE VAMP PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, VELCRO OR EQUIVALENT, FEMALE, LAST SIZE UK 6; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED. TO PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHINGS THAT DOESN'T PROTIBULES ON AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DETIN DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC MERETS; A DEEP TOE BOX THAT PROVIDES AFTER A ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOPES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS"	ITEMIZED	Pair	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	EXTRO Style S.r.l.	TECNICA AVOLA 40	Italy
538	4224170623300	"DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIR LINING, NEOPRENE WAMP PADDED COLLARS THROUGH WEDGE SOLE LUNT, BLACK, VELKOR OR EQUIVALENT, FEMALE, LEAT SIZE UK 6.5; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED. FROTECTURE THERIOR THAT IS MADE FROM SOFT MATERIALA MOS TITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THEMSE IS NO PRESSURE ON THE GOOT; STATA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOPS CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS"	ITEMIZED	Pair	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	EXTRO Style S.r.l.	TECNICA AVOLA 41	Italy
539	4224170623400	"DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, NEDPRENE VAMP PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, VECKO OR EQUIVALENT, FENALE, LAST JAZE UR 7.7, ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTEIDLE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC MERETS; A DEEP TOE BOX THAT PROVIDES AFTER A ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STETCHABLE UPPERS; STETCHABLE SHORES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS"	ITEMIZED	Pair	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	EXTRO Style S.r.l.	TECNICA AVOLA 42	Italy
540	4224170623500	"DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, NEOPRENE VAMP PADDED COLLARS THROUGH WEDGE SOLE LUNTI, BLACK, VELCOR OR EQUIVALENT, FEAME, LEAT SIZE UX.75; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED. ; PROTECTIVE INTERIOR THAT IS AMDE FROM SOFT MATERIALA MOS TITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION, NON-BINDING UPPERS THAT ENSURE THAT THIS IS NO PRESSURE ON THE FOOT AND THE FOOT ; STETA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE HT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOST USED CHAPTER WITH A PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE OUT ; STETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HER POINTS.	ITEMIZED	Pair	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	EXTRO Style S.r.l.	TECNICA AVOLA 43	Italy
541	4224170623600	"DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, NEOPRENE VAMP PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, VELGEO OR EQUIVALENT, FEMALE, LAST SEE UR S; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED. PROTECTIVE INTERIOR THAT IS MOME FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTECTIVE INTERIOR THAT IS MOME FROM SOFT MATERIAL, AND STITCHING THAT DESIGN. THE PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES A PRESSURE OTHET OF MOVEMENT AND AND VOIDO PRESSURE OT THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS, STRETCHABLE SHOES CONFORM TO THE COUNTS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS.	ITEMIZED	Pair	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	EXTRO Style S.r.l.	TECNICA AVOLA 44	Italy
542	4224170623700	"DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, NEOPERNE VAMP PADDED COLLARS THROUGH WEDGE SOLE LUNT, BLACK, VELCRO OR EQUIVALENT, FERMALE, LAST SIZE W. 85, 50 NMY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED. PROTECTIVE INTERIOR THAT IS AMDE FROM SOFT MATERIAL AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION, NON-BINDING UPPERS THAT ENSURE THAT THEMES IS NO PRESSURE ON THE FOOT THAT THEMES THAT THEMES AND PRESSURE-BREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVINCES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE SOLE SILIGHTWEIGHT, CUSHIONING SOLES THAT FACULTATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT, STRETCHABLE UPPERS, STRETCHABLES MOSE CONFORM TO THE COUNTING OT THE TOOT AND HELD FELINIMATE PROVINCES TOWNS	ITEMIZED	Pair	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	EXTRO Style S.r.l.	TECNICA AVOLA 45	Italy
543	4224170623800	"DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, NEOPRENE VAMP PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, VECKOO OR EQUIVALENT, FEMALE, LAST JEZE US 9, JONN COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED. SPECIFICIAN ENTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DEOS. YP PROTECTIVE INFERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOES. YP PROTECTIVE INFERIOR THAT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DETITY DESIGN THAT PROVIDES A PRESSURE. FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS."	ITEMIZED	Pair	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	EXTRO Style S.r.l.	TECNICA AVOLA 46	Italy
544	4224170623900	"DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LUNING, NEOPERNE VAMP PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, VELCRO OR EQUIVALENT, GENTS, LAST SIZE UK 10; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOEST PROTIDUED SO AND TOT CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; SETTICHABLE SHORES STERCHABLE SHORES SON FOR TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS"	ITEMIZED	Pair	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	EXTRO Style S.r.l.	ENERGY LUIGI 46	Italy
545	4224170624000	"DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, NEOPRENE VAMP PADDED COLLARS THROUGH WEDGE SOLE LUIT, BLACK, VELCEO OR EQUIVABLIT, GENTS, LAST SIZE UK 10.5; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE RENOW SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRIUDES OAS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS"	ITEMIZED	Pair	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	EXTRO Style S.r.l.	ENERGY LUIGI 47	Italy

TENDER NA	AME : Prosthetics Or	thosis Supplies							
546	4224170624100	"DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, NEOPERNE VAMP PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, YELGOO RE GOULABLET, GENTS, LAST SEZE UK 11; 30.1V COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DESMIT PROTUDES A NOT TO CAUSE IRRITATION; SHOH BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT, EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURFFREF IT HAD CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA BOOMFOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FRACILITATE MOBILITY AND STABILITY, AND REDUCE MIPPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS"	ITEMIZED	Pair	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	EXTRO Style S.r.l.	ENERGY LUIGI 48	Italy
547	4224170624200	"DIABETIC SHOES, SPECIFICATION, SOFT COW/CAIF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, NOOPENE VAMP PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, VELCRO OR EQUIVALENT, GENTS, LAST SIZE UK 11.5; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE OF THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC MESTS; A DEEP TOE BOX THAT PROVIDES FATER A ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOPES CONFORM TO THE CONTOURS OF THE FOOT STRETCHABLE UPPERS; STRETCHABLE SHOPES CONFORM TO THE	ITEMIZED	Pair	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	EXTRO Style S.r.l.	ENERGY LUIGI 49	Italy
548	4224170624300	"DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, NEOPRENE VAMP PADDED COLLARS THROUGH WEDGE SOLE UNTI, BLACK, VELKOO OR EQUIVALENT, GENTS, LAST SIZE UX 12; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED. PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MERCHING UPGES THAT ENSURE THAT THERE IS NO PRESSURE OF THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC MISSETTS; A DEEP TOE BOX THAT PROVIDES FATER A GOOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWRIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOPES CONFORM TO THE CONTOURS OF THE FOOT STRETCHABLE UPPERS; STRETCHABLE SHOPES CONFORM TO THE	ITEMIZED	Pair	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	EXTRO Style S.r.l.	ENERGY LUIGI 50	Italy
549	4224170624400	"DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, NEOPRENE VAMP PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, VECKO OR EQUIVALENT, GENTS, LAST SIZE UKS.5; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITICHING THAT DOESN'T PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITICHING THAT DOESN'T PROTECTIVE INTERIOR THAT TO CAUSE IRRITATION; NON-BINDINIS UPPERS THAT ENSURE THAT THERE IS NO PRESSURE OF THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC MESTS; A DEEP TOE BOX THAT PROVIDES FATER AROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWRIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOPES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS"	ITEMIZED	Pair	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	EXTRO Style S.r.l.	ENERGY LUIGI 38	Italy
550	4224170624500	"DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, NEOPRENE VAMP PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, VELGRO OR EQUIVALENT, GENTS, LAST SEE UK 6; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED. THE PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STROMES THAT ENSURE THAT PRESIDE TO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT PRESIDE THAT PROVIDES A PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELMIMATE PRESSURE POINTS"	ITEMIZED	Pair	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	EXTRO Style S.r.l.	ENERGY LUIGI 39	Italy
551	4224170624600	"DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LUNING, NEOPRENE VAMP PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, VECKOO OR EQUIVALENT, GENTS, LAST SEZ UEK AS, 5; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED. Y PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOES OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED. Y PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STRONG UPERS THAT ENSURE THAT PRECISE OR SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE FROM THE OFFICE OF THE SHORT THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS"	ITEMIZED	Pair	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	EXTRO Style S.r.i.	ENERGY LUIGI 40	Italy
552	4224170624700	"DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LUNING, NEOPRENE VAMP PADDED COLLARS THROUGH WEGGE SOLE UNTI, BLACK, VELGRO OR SEQUILABLET, GENTS, LAST SIZE UX 7, 30H. YOW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED. Y PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOES, Y PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOES, Y PROTECTIVE INTERIOR THAT SHOW FROM SERVING PROTECTIVE TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE OF THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE. FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MCVEMENT AND AVOIDES PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS"	ITEMIZED	Pair	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	EXTRO Style S.r.I.	ENERGY LUIGI 41	Italy
553	4224170624800	"DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LUNING, NEOPERNE VAMP PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, VELERO OR EQUIVALENT, GENTS, LAST SIZE UK 7.5; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTUDED SO AN OTT OF CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMOBATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWRIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS"	ITEMIZED	Pair	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	EXTRO Style S.r.l.	ENERGY LUIGI 42	Italy
554	4224170624900	"DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LUNING, NEOPERNE VAMP PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, VELCRO OR EQUIVALENT, GENTS, LAST SIZE UK 8; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTUDUE SO AN OTT OF CAUSE RIGHTATON; NON-RINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE SUPPRES, STRETCHABLE SHORES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS"	ITEMIZED	Pair	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	EXTRO Style S.r.l.	ENERGY LUIGI 43	Italy
555	4224170625000	"DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LUNING, INCOPRENE VAMP PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, VELGEO OR EQUIVALENT, CERT, LOST SELVER AS; SOLV COVENTATE OF BUSED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE OS AND TO TO CAUSE INITIATION; SON BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURF FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA BOOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE MIPPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS"	ITEMIZED	Pair	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	EXTRO Style S.r.l.	ENERGY LUIGI 44	Italy

TENDER NA	AME : Prosthetics Ort	thosis Supplies							
556	4224170625100	"DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LUNING, NEOPERNE VAMP PADDED COLLARS THROUGH WEDGE SOLE UNTI, BLACK, VELGOR OR EQUIVALENT, GENTS, LAST SEE US 9; 90 NIT COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DESMIT PROTUDES A NOT TO CAUSE IRRITATION; NO-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT, EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURFFREF FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERT; S. DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWIGHT, USHINGHING SOLES THAT ACLUITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHORE CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS"	ITEMIZED	Pair	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	EXTRO Style S.r.l.	ENERGY LUIGI 45	Italy
557	4224170625200	"DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, NEOPRENE VAMP PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, VECKO OR EQUIVALENT, GENTS, LAST SIZE UK 5.5; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED. THORTECTIVE METERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTECTIVE INTERIOR THAT DAME FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTECTIVE METERSOR THAT END SEND FROM THE SHORT SHAP THE SHORT THAT SHOW IN THE SHORT SHAP THE SHAP THAT SHAP THAT SHAP THE SHAP THAT SHAP THE SHAP THAT SHAP THE SHAP THAT SHAP THE SHAP THAT SHAP THAT SHAP THAT SHAP THAT SHAP THAT SHAP THE SHAP THAT SHAP T	ITEMIZED	Pair	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	EXTRO Style S.r.l.	ENERGY LUIGI 46	Italy
558	4224170625400	"DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, LACE CLOSING, FEMALE, LAST SELVE US AS; ON LYOW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED, PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTICUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TO BE DOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STEETCHABLE FORS CONSORTING TO THE CONTOURS OF THE FOOT; STRETCHABLE UPPERS; STEETCHABLE FORSE SHOES CONFORM TO THE CONTOURS OF	ITEMIZED	Pair	400214	International Medical Supplies Co -Orig-	DUNA s.r.l	WW04 LENI_3.5	Italy
559	4224170625500	"DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, PADDED COLLARS THROUGH WEDGE SOLE LINIT, BLACK, LACE COISING, FRANKE, LAST SIZE UR 4; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PRANTS OF THE SHOE WHERE THIS MATERIAL IS USED. PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND SITCHING HAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESION THAT PROVIDES A PRESSURE FARE HIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES STRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWICHERIC, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOSS CONORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS"	ITEMIZED	Pair	400214	International Medical Supplies Co -Orig-	DUNA s.r.I	WW04 LENI_4	Italy
560	4224170625600	"DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, LAC CLOSING, FEMALE, LAST SEEW LAS 5, SIN CYON LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED. PROTECTIVE WITHERIOR THAT IS AMDE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE OF THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE ON THE TOTS. LIGHTWEIGHT, AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT; AND HELP ELIMINATE PRESSURE FORMST	ITEMIZED	Pair	400214	International Medical Supplies Co - Orig-	DUNA s.r.i	WW04 LENI_4.5	Italy
561	4224170625700	"DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, LOC LOSING, FEAMLE, LAST SIZE URS, SO INCY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED, PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL AND SITCHING HAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESION THAT PROVIDES A PRESSURE FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE MMACTS ON THE FOOT; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP PLININATE PRESSURE POINTS'	ITEMIZED	Pair	400214	International Medical Supplies Co -Orig-	DUNA s.r.1	WW04 LENI_5	italy
562	4224170625800	"DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, LACE CLOSING, FEMALE, LAST SEEVE US 5.5, SON YOW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED, PROTECTIVE UITERIOR THATS IN AMDE FROM SOFT MATERIAL AND STITCHING THAT DOESN'T PROTECUDE SO AS NOT TO CAUSE RIBITATION; KOM-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE OF THE FOOT; EXTEN DEPHI DESIGN THAT PROVIDES A PRESSURE FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND STOUDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIGNING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HEIP ELIMINATES PRESSURE FORM TO THE CONTOURS OF	ITEMIZED	Pair	400214	International Medical Supplies Co -Orig-	DUNA s.r.I	WW04 LENI_5.5	Italy
563	4224170625900	"DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, LAC CIOSING, FEAMLE, LAST SIZE UR, SO INVL COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED. PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL AND SITCHING HAT DOESN'T PROTRUGE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT OESN'T PROTRUGE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT OESN'T PROTRUGE SO AND TO ALL COMMONOATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE MMPACTS ON THE FOOT; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELD FLIMINATE PRESSURE POINTS'	ITEMIZED	Pair	400214	International Medical Supplies Co -Orig-	DUNA s.r.I	WW04 LENI_6	Italy
564	4224170626000	"DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LUNING, PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, LACE CLOSING, FEMALE, LACT SIZE UK 6.5; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTEUDE ON AS NOT TO CAUSE BRIATIATION; MON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-REE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TO BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOSE; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STEETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS"	ITEMIZED	Pair	400214	International Medical Supplies Co -Orig-	DUNA s.r.I	WW04 LENI_6.5	italy
565	4224170626100	"DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, LCCE CLOSING, FEAMLE, LAST SIZE UZ', SONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MOLESKING HAT THESE IN O PRESSURE ON THE FOOT, EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TO BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACULTATE MOBILITY AND STABILITY, AND REDUCE IMPACTS OF THE FOOT STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS"	ITEMIZED	Pair	400214	International Medical Supplies Co -Orig-	DUNA s.r.i	WW04 LENI_7	Italy

I ENDER NA	AME : Prosthetics Or	thosis Supplies							
566	4224170626200	"DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, LACE CLOSING, FEMALE, LACT SIZE UK 7.5; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTEUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE, FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOSS CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS"	ITEMIZED	Pair	400214	International Medical Supplies Co -Orig-	DUNA s.r.l	WW04 LENI_7.5	Italy
567	4224170626300	"DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, LACE CLOSING, FEMALE, LAST SIZE UR, S. ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED, PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL AND SITCHINEN THAT DOESN'T PROTUGE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES EXTRA ROOM. FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THAT PROVIDES EXTRA ROOM. FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE MARCTS ON THE FOOT; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP CHIMITATE PRESSURE POINTS'	ITEMIZED	Pair	400214	International Medical Supplies Co -Orig-	DUNA s.r.1	WW04 LENI_8	Italy
568	4224170626400	"DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, LACE CLOSING, FEMALE, LAST SIZE UK 8.5.; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTELUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT PENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE, FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TO BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS'	ITEMIZED	Pair	400214	International Medical Supplies Co -Orig-	DUNA s.r.l	WW04 LENI_8.5	Italy
569	4224170626500	"DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, LCC LOSINIG, FEMALE, LAST SZE UR, 9 ; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DEST PROTTRUES OAS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHORIC INSERTS; A DEEP TO BE DX THAT PROVIDES EXTRA ROOM. FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS"	ITEMIZED	Pair	400214	International Medical Supplies Co -Orig-	DUNA s.r.l	WW04 LENI_9	Italy
570	4224170626600	"DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, LACE COISING, GENTS, LAST SZEE UK 10; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED, PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL AND SITCHING HAT DOESN'T PROTUGE SO A SHOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESION THAT PROVIDES A PRESSURE THERE BIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDED SPESSURE ON THE TOST; LIGHTWEIGHT, CUSHONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS'	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3310-9800=10	Portugal
571	4224170626700	"DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, LACE CLOSING, GENTS, LAST SIZE VIA 50, SONY FOW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED, PROTECTIVE UNTERIOR THAT IS AMDE FROM SOFT MATERIAL, AND SITTCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE TOT ES OFT ADDET HOS SIGN THAT PROVIDES A PRESSURE ON THE TOT SET OF THE STAND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOSS CONTORN TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS*	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3310-9800=10.5	Portugal
572	4224170626800	"DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LUNING, PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, LAC CLOSING, GENTS, LAST SZEE UR IJ; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; IGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3310-9800=11	Portugal
573	4224170626900	"DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, LACE CLOSING, GENTS, LAST SIZE WIL 11.5, ONLY OWN LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PRATS OF THE SHOE WHERE THIS MATERIAL IS USED, PROTECTIVE UITERIOR THAT IS MADE FROM SOFT MATERIAL, AND SITCHING THAT DOESMY PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE TOT ESTATE DEPTH DESIGN THAT PROVIDES A PRESSURE ON THE TOD SOME ADDICAN ACCOMMODATE THICK ORTHOTIC MISERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATED RESSISURE FORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATED RESSISURE FORM TO THE CONTOURS OF	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3310-9800=11.5	Portugal
574	4224170627000	"DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LUNING, PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, LACE CLOSING, GENTS, LAST SIZE UK 12; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED. ; PROTECTIVE INTERIOR THAT IS MADE ROOM SOFT MATERIAL, AND STITCHING THAT DOESMYT PROTRUDE SO AS NOT TO CAUSE RIRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TO BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3310-9800=12	Portugal
575	4224170627100	"DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, LACE CLOSING, GENTS, LAST SUZE UT, O'NUT COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED, PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTTRUDE SO A S NOT TO CAUSE IRRITATION, NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-REE HT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEET DE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY, AND STABILITY, AND REPOLIE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3310-9800=7	Portugal

TENDER NA	AME : Prosthetics Ort	hosis Supplies							
576	4224170627200	"DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, LACE CLOSING, GERTJ, LAST SZEU KT. 5; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MASTERIAL, AND STITCHING THAT DOESMY TPROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-REE HT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEET DOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS"	ITEMIZED	Pair	400571	AL Galm Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3310-9800=7.5	Portugal
577	4224170627400	"DIABETIC SHOES, SPECIFICATION, SOFT COW/CASE LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, PADDED COLLASS THROUGH WEDGE SOLE UNIT, BLACK, LACE CLOSING, GENTS, LAST SIZE UK 8.5; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED. PROTECTIVE MITERIOR THAT IS MADE FROM SOFT MATERIAL AND SITCHINEN THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESION THAT PROVIDES A PRESSURE THAT REVIOUSE A PRESSURE STRAR BORM ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES STRAR DOOM FOR TOE MOVEMENT AND AVOIDOR SPRESSURE ON THE TOES; LIGHTWICHERT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONOR MOT OTHE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS"	ITEMIZED	Pair	400571	AL Gaim Comm. Est Orig-	Piedro International B.V. (Foot-Facts Ld	3310-9800=8.5	Portugal
578	4224170627500	"DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, PADDED COLLARS THROUGH WEDGE SOLE LINIT, BLACK, LACE CLOSING, GENTS, LAST SIZE UK 9; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED. PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND SITCHING HAT DOESN'T PROTUGE SO AS NOT TO CAUSE, IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESION THAT PROVIDES A PRESSURE FARE HIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES STRAR DOWN FOR TOE MOVEMENT AND AVOIDOR PRESSURE ON THE TOES; LIGHTWISTIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONOR TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS'	ITEMIZED	Pair	400571	AL Gaim Comm. Est Orig-	Piedro International B.V. (Foot-Facts Ld	3310-9800=9	Portugal
579	4224170627600	"DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, LAC LOCIOSING, EGHTS, LACT SIZE UN S.5; DIVL COW LEATHER OT BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED, PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND SITCHING HAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE FARE EIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM. FOR TOE MOVEMENT AND AVOIDOR SPRESSURE ON THE TE TOS; LIGHTWISTEGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS TS STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND OF THE FOOT THE FOO	ITEMIZED	Pair	400571	AL Gaim Comm. Est Orig-	Piedro International B.V. (Foot-Facts Ld	3310-9800=9.5	Portugal
580	4224170627700	"DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, VELCRO CLOSING, FEMALE, LAST ASE US U. 3.5, DOILY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED. PROTECTIVE WITH INTERIOR THAT IS AMODE FROM SOFT MATERIAL AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE OF THE THE FOOT; EXTEN DEPTH DESIGN THAT PROVIDES A PRESSURE OTHER FOR THE FOOT; EXTEN ADDITION SOFT OF BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHT WEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPARTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE FOR THE TOTAL CONFORM THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE FOR THE TOTAL CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE FOR THE TOTAL CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE FOR THE TOTAL CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE FOR THE TOTAL CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE FORM TO THE CONTOURS OF	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro international B.V. (Foot-Facts Ld	3335-9800=3.5	Portugal
581	4224170627800	"DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, VELCRO CLOSING, FERMALE, LAST SIZE UK 4; A) DUTY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED. PROTECTIVE UNFRIGHT THAT IS AMDE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTBUDE SO AS NOT TO CAUSE IRRITATION; MON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE POOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE FREE FIT AND CANA ACCOMMODATE THICK ORTHOTIC INSENTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TICE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LICHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPRACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF	ITEMIZED	Pair	400571	AL Galm Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3335-9800=4	Portugal
582	4224170627900	"DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, VELCRO CLOSING, FEMALE, LAST SIZE UK. 45; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED. ; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTECTIVE OF AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESION THAT PROVIDES A PRESSURE-FREE FIT AND CAM ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR MOVEMENT AND AVOIDS PRESSURE ON THE TOS; LIGHTWRIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-∓acts Ld	3335-9800=4.5	Portugal
583	4224170628000	"DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, VELCRO CLOSING, FEMALE, LAST SIZE UK S.; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTELUDE OAS NOT TO CAUSE IRRITATION, NON-BINDING UPPERS THAT TENSE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAM ACCOMMODATE HICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LICHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT, AND HELP ELIMINATE PRESSURE FORMS?	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro international B.V. (Foot-Facts Ld	3335-9800=5	Portugal
584	4224170628100	"DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, VELCRO CLOSING, FEMALE, LAST SIZE UK S.5; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTELUDE OAS NOT TO CAUGE BRIETIATION; NON-BINNING UPPERS THAT TENSIZE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAM ACCOMMODATE HICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LICHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STEETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro international B.V. (Foot-Facts Ld	3335-9800=5.5	Portugal
585	4224170628200	"DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, VELROR CLOSING, FERMALE, LAST SIZE W. 6; DONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DESITY PROTICUPS OA SNOTT OCAUSE IRRITATION, NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CANA CCOMMODALET HICK ORTHOTIC INSERTS; JA DEEP TO BE DOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILETY AND THE TOM THE TOM THE STATE OF THE TOM THE TOM THE TOM THE TOM THE STATE OF THE TOM	ITEMIZED	Pair	400571	AL Galm Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3335-9800=6	Portugal

TENDER NA	AME : Prosthetics Or	thosis Supplies							
586	4224170628300	"DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, VELCRO CLOSING, FEMALE, LAST SIZE UK 6.5; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTELUDE OA AS NOT TO CAUSE IRRIATION, NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-REE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TO BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STEETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro international B.V. (Foot-Facts Ld	3335-9800=6.5	Portugal
587	4224170628400	"DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, VELCRO CLOSING, FEMALE, LAST SIZE UK 7; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF A LID ARTS OF THE SHOE WHERE THIS MATERIAL IS USED. PROTECTIVE WITERIOR THAT IS MADE FROM SOFT MATERIAL AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE OR THE THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE FOR THE TOWN OF A DESSURE OR THE TOWN OF A DESSURE OR THE TOWN OF A DESSURE OR THE TOWN OF SUPPLY LICENSE WITE AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES, LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STEETCHABLE SHOES CONCORN TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS"	ITEMIZED	Pair	400571	AL Galm Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3335-9800=7	Portugal
588	4224170628500	"DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, VELCRO CLOSING, FEMALE, LAST JAZE UR 7.5; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED, PROTECTIVE WITERIOR THAT IS AMDE FROM SOFT MATERIAL AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE ON THE TOT SEXTER AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES, LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STEETCHABLE FORS CONSOR TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3335-9800=7.5	Portugal
589	4224170628600	"DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, VELCRO CLOSING, FEMALE, LAST JAZE UR. 85; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED, PROTECTIVE WITH INTERIOR THAT IS AMDE FROM SOFT MATERIAL AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE THE FOOT; EXTRE DEPTH DESIGN THAT PROVIDES A PRESSURE ON THE TOT SEXTED ADDITION OF THE STITCH OF THE STATE	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3335-9800=8.5	Portugal
590	4224170628700	"DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, VELERO CLOSING, FERMALE, LAST SIZE US 9; ONLY COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED, PROTECTIVE UNITRICION THAT IS AMDE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE TOT EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE ON THE TOT SENDER THAT PROVIDES AND AD ALL ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE FORMS.	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3335-9800=9	Portugal
591	4224170628800	"DIABETIC SHOES, SPECIFICATION, SOFT COW/CALF LEATHER WITH SEAMLESS CHAMOIS LEATHER OR MOLESKIN LINING, PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, VELCRO CLOSING, GENTS, LAST SEZE URS, SOLV COW LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED, PROTECTIVE INTERIOR THAT IS AMDE FROM SOFT MATERIAL AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE ON THE TOT SECOND CONTROL OF THE STANDARD AND ACOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE SHOES CONFORM TO THE CONTIONS OF THE FOOT AND HELP PEURS.	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3310-9800=8	Portugal
592	4224170611300	"DIABETIC SHOES, WIDE FITTING, FULL GRAIN COW/CALF SOFT LEATHER UPPER, VELCRO CLOSURE, SOFT HIGH-QUALITY ANTIBACTERIAL BREATHABLE DIABETIC LINING WITHOUT SEAMS. SOFT HELE COUNTER, LIGHT WEIGHT REMOVABLE INSIGES WITH AN ERGONOMIC DESIGN, SIZE 37; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENGURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH BESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEPT TO BE DOESN'THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOST; LIGHTWEIGHT, CUSHIONING SOLES THAT FACULTATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS'	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3335-9800-37	Portugal
593	4224170611400	"DIABETIC SHOES, WIDE FITTING, FULL GRAIN COW/CALF SOFT LEATHER UPPER, VELCRO CLOSURE, SOFT HIGH-QUALITY ANTIBACTERIAL BREATHABLE DIABETIC LINING WITHOUT SEAMS. SOFT HELE COUNTER, LIGHT WEIGHT REMOVABLE INSIGES WITH AN ERGONOMIC DESIGN, SIZE 38; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTUCE SO AS NOT CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DETHIN DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHT WEIGHT, CUSHIONING SOLES THAT FACULTATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES ONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS'	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3335-9800-38	Portugal
594	4224170611500	"DIABETIC SHOES, WIDE FITTING, FULL GRAIN COW/CALF SOFT LEATHER UPPER, VELCRO CLOSDRE, SOFT HIGH-QUALITY ANTIBACTERIAL BREATHABLE DIABETIC LINING WITHOUT SEAMS. SOFT HELE COUNTER, LIGHT WEIGHT REMOVABLE INSOLES WITH AN ERGONOMIC DESIGN, SIZE 39; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTUCE SO A SHOTT OC CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FEE FIT AND CAN ACCOMMODATE THAT CORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHT WEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPRACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES ONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS'	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3335-9800-39	Portugal
595	4224170611600	"DIABETIC SHOES, WIDE FITTING, FULL GRAIN COW/CALF SOFT LEATHER UPPER, VELCRO CLOSURE, SOFT HIGH-QUALITY ANTIBACTERIAL BREATHABLE DIABETIC LINING WITHOUT DESAMS. SOFT HELE COUNTER, LIGHT WEIGHT REMOVABLE INSOLES WITH AN ERGONOMIC DESIGN, SIZE 40; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTUCE SO A SOTT OC CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FEE IT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS'	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3335-9800-40	Portugal

TENDER NA	AME : Prosthetics Or	thosis Supplies							
596	4224170611700	"DIABETIC SHOES, WIDE FITTING, FULL GRAIN COW/CALF SOFT LEATHER UPPER, VELCRO CLOSURE, SOFT HIGH-QUALITY ANTIBACTERIAL BREATHABLE DIABETIC LINING WITHOUT SEAMS, SOFT HELE COUNTER, LIGHT WEIGHT REMOVABLE INSOLES WITH AN ERGONOMIC DESIGN, SIZE 41; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STREAM OF THAT DOESN'T PROTERUS OS A NOTT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES SETTA ROOM FOR TOO THE WORLD THAT DEVINE SETTA ROOM FOR TOO MOVEMENT AND AVOIDS PRESSURE ON THE TOST; LIGHTWEIGHT, CUSHIONING SOLES THAT FACULTATE MOBILITY AND STABILITY, AND EDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP EURINATE PRESSURE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP EUMINATE PRESSURE POINTS"	ITEMIZED	Pair	400571	AL Gaim Comm. Est -Orig-	Piedro International B.V. (Foot-Facts Ld	3335-9800-41	Portugal
597	4224170611800	"DIABETIC SHOES, WIDE FITTING, FULL GRAIN COW/CALF SOFT LEATHER UPPER, VELCRO CLOSURE, SOFT HIGH-QUALITY ANTIBACTERIAL BREATHABLE DIABETIC LINING WITHOUT SEAMS. SOFT HELE COUNTER, LIGHT WEIGHT REMOVABLE INSIGES WITH AN ERGONOMIC DESIGN, SIZE 42; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES SETTAR ROOM FOR TO KNOWEMENT AND AVOIDS PRESSURE ON THE TOST; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP EURINATE PRESSURE FOR	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3335-9800-42	Portugal
598	4224170611900	"DIABETIC SHOES, WIDE FITTING, FULL GRAIN COW/CALF SOFT LEATHER UPPER, VELCRO CLOSURE, SOFT HIGH-QUALITY ANTIBACTERIAL BREATHABLE DIABETIC LINING WITHOUT SAMS. SOFT HELE COUNTER, LIGHT WEIGHT REMOVABLE INSIGES WITH AN ERGONOMIC DESIGN, SIZE 43; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES SETTANDED CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEPTH DESIGN STATE PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOST; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3335-9800-43	Portugal
599	4224170612000	"DIABETIC SHOES, WIDE FITTING, FULL GRAIN COW/CALF SOFT LEATHER UPPER, VELCRO CLOSURE, SOFT HIGH-QUALITY ANTIBACTERIAL BREATHABLE DIABETIC LINING WITHOUT SEAMS. SOFT HELE COUNTER, LIGHT WEIGHT REMOVABLE INSIGES WITH AN ERGONOMIC DESIGN, SIZE 44; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTUCE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES S EXTRA ROOM FOR TO KNOWLENGT AND AVOIDS PRESSURE ON THE TOST; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3335-9800-44	Portugal
600	4224170612100	"DIABETIC SHOES, WIDE FITTING, FULL GRAIN COW/CALF SOFT LEATHER UPPER, VELCRO CLOSURE, SOFT HIGH-QUALITY ANTIBACTERIAL BREATHABLE DIABETIC LINING WITHOUT SAMS. SOFT HELE COUNTER, LIGHT WEIGHT REMOVABLE INSIGES WITH AN ERGONOMIC DESIGN, SIZE 45; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES SETTANDED CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEPT DOESNOT THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOST; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE COTOTORS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS'	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3335-9800-45	Portugal
601	4224170612200	"DIABETIC SHOES, WIDE FITTING, FULL GRAIN COW/CALF SOFT LEATHER UPPER, VELCRO CLOSURE, SOFT HIGH-QUALITY ANTIBACTERIAL BREATHABLE DIABETIC LINING WITHOUT SEAMS, SOFT HEEL COUNTER, LIGHT WEIGHT REMOVABLE INSOLES WITH AN ERGONOMIC DESIGN, SIZE 46; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRIDE SO AS NOT TO CAUSE BIRRITATION; NON-BINDING UPPERS THAT ENJURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES SETTA ROOM FOR TO KNOWLENGTH, AND AVOIDS PRESSURE ON THE TOOT; STEAM OF THE FOOT SETS AND AVOIDS PRESSURE ON THE TOOT; STEAT SOME OF THE FOOT; STEAT FACILITATE MOBILITY AND STABILITY, AND EXCLUSIVE IMPACTS ON THE FOOT; STEATCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS'	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3335-9800-46	Portugal
602	4224170615000	DIABETIC SPECIFICATION SANDALS, FOR WOMEN, FULL GRAIN LEATHER UPPER, VELCRO FASTENINGS OR EQUIVALENT, STIFF BOAT-SHAPED OUTSOLE, EXTRA DEEP FIT FOR ACCOMMODATION OF MOULDED INSOLES, BLACK, SIZE EU 32 (PAIR), REMOVABLE INSOLES, WEIGHTLESS, BREATHABLE ANDLE BOAC STARE, BIG OPENING, DIABETIC RHEUMATISM, SENSITIVE FEET, PAINFUL OF HALLUX VALGUS, BUNION, HAMMER AND CLAW TOES; PROTECTIVE INTERIOR THAT IS MODE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STREILTY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE SHOSE CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS	CANCELLED	CANCELLED	CANCELLED	CANCELLED NOT MATCHING THE DESCRIPTION	CANCELLED	CANCELLED	CANCELLED
603	4224170615100	"DIABETIC SPECIFICATION SANDALS, FOR WOMEN, FULL GRAIN LEATHER UPPER, VELCRO FASTENINGS OR EQUIVALENT, STIFF BOAT-SHAPED OUTSOLE, EXTRA DEEP FIF FOR ACCOMMODATION OF MOUIDDE INSOLES, BLACK, SIZE EU 36 [PRIB, REMOVABLE INSOLES, WEIGHTLESS, BREATHABLE ANKLE BACK STRAP, BIG OPENING, DIABETIC RHEUMATISM, SENSITIVE FEET, PRINTELL OF HALLUX VALGUS, BUNION, HAMMER AND CLAW TOES; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THREE IS NO PRESSURE ON THE FOOT; LICHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS'	ITEMIZED	Pair	400050	Al-EWAN MEDICAL COMPANY -Orig-	EMO	M4320V	Spain
604	4224170615200	"DIABETIC SPECIFICATION SANDALS, FOR WOMEN, FULL GRAIN LEATHER UPPER, VELCRO FASTENINGS OR EQUIVALENT, STIFE BOAT-SHAPE OUTSTOBE, EYETA DEEP FIF OR ACCOMMODATION OF MOULDED INSOLES, BLACK, SIZE EU 37 (PAIR), REMOVABLE INSOLES, WEIGHTESS, BREATHABLE ANKLE BACK STRAP, BIG OPENING, DIABETIC RHEUMATISM, SENSTIVE FEET, PAINFUL OF HAULUX VALGUS, BUNNON, HAMMER AND CLAW TOES; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTEIUDE SO AN OTT O CAUSE IRRITATION; NON-BINNING UPPER THAT DESIZE THAT THERE IS NO PRESSURE ON THE FOOT; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITAT HORSILT WAS THAT THE PROPERTY OF THE FOOT; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STREILLY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE SHOTES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS'	ITEMIZED	Pair	400050	Al-EWAN MEDICAL COMPANY -Orig-	EMO	M4320V	Spain
605	4224170615300	"DIABETIC SPECIFICATION SANDALS, FOR WOMEN, FULL GRAIN LEATHER UPPER, VELCRO FASTENINGS OR EQUIVALENT, STIFE BOAT-SHAPED OUTSOLE, EXTRA DEEP FIT FOR ACCOMMODATION OF MOULDED INSOLES, BLACK, SZE EU 38 (PAIR), REMOVABLE INSOLES, WEIGHTLESS, BREATHABLE ANKLE BACK STRAP, BIG OPENING, DIABETIC RHEUMATISM, SENSITIVE FEET, PAINFUL OF HALLUX VALGUS, BUNION, HAMMER AND CLAW TOES; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO RESSURE ON THE FOOT; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS'	ITEMIZED	Pair	400050	AI-EWAN MEDICAL COMPANY -Orig-	EMO	M4320V	Spain
606	4224170615400	"DIABETIC SPECIFICATION SANDALS, FOR WOMEN, FULL GRAIN LEATHER UPPER, VELCRO FASTENINGS OR EQUIVALENT, STIFF BOAT-SHAPED OUTSOLE, EXTRA DEEP FIT FOR ACCOMMODATION OF MOULDED INSOLES, BLACK, SIZE EU 39 (PRIB), REMOVABLE INSOLES, WEIGHTLESS, BREATHABLE ANKLE BACK STRAP, BIG OPENING, DIABETIC RIEUMATISM, SENSITIVE FEET, PAINFUL OF HALLEY VALCUS, BUNION, HAMMER AND CLAW TOES; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AN OTT O CAUSE RIRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; SICH THOUGHT, CUSHONING SOLES THAT FACILITATE MOBILITY AND STREILTY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE SHOSS CONFORM TO THE CONTOURS OF THE FOOT STRETCHABLE SHOSS CONFORM TO THE CONTOURS OF THE FOOT AND HE PLEIMINATE PRESSURE POINTS'	ITEMIZED	Pair	400050	AI-EWAN MEDICAL COMPANY -Orig-	EMO	M4320V	Spain

TENDER NA	AME : Prosthetics Ort	hosis Supplies							Freimmary Nesure
607	4224170615500	"DIABETIC SPECIFICATION SANDALS, FOR WOMEN, FULL GRAIN LEATHER UPPER, VELCRO FASTENINGS OR EQUIVALENT, STIFE BOAT-SHAPED OUTSOLE, EXTRA DEEP FIT FOR ACCOMMODATION OF MOULDED INSOLES, BLACK, SIZE EU 40 (PAIR), REMOVABLE INSOLES, WEIGHTLESS, BREATHABLE ANKLE BACK STRAP, BIG OPENING, DIABETIC RHEUMATISM, SENSITIVE FEET, PAINFUL OF HALLUX VALGUS, BUNION, HAMMER AND CLAW TOES; POTTECTIVE INTERIOR THAT IS MOBE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTUCTURE OF AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STREILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS'	ITEMIZED	Pair	400050	AI-EWAN MEDICAL COMPANY -Orig-	ЕМО	M4320V	Spain
608	4224170615600	"DIABETIC SPECIFICATION SANDALS, FOR WOMEN, FULL GRAIN LEATHER UPPER, VELCRO FASTENINGS OR EQUIVALENT, SITHE BOAT-SHAPED OUTSOLE, EXTRA DEEP FIT FOR ACCOMMODATION OF MOULDED INSOLES, BLACK, SIZE EU 41 [PAIR], REMOVABLE INSOLES, WEIGHTLESS, BREATHABLE ANKLE BACK STARP, BIG OPENING, DIABETIC RIFLUMATISM, SENSITIVE FEET, PAINFUL OF HALLUX VALCUS, BUINON, HAMMER AND CLAW TOES; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTUDUE SO AN OTT O CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; LIGHTWEIGHT, CUSHIONING SOLES THAT TACILITATE MOBILITY AND STREILITY, AND STITCHABLE SHOSS CONFORM TO THE CONTOURS OF THE FOOT STRETCHABLE SHOSS CONFORM TO THE CONTOURS OF THE FOOT AND THE POST STRETCHABLE SHOSS	ITEMIZED	Pair	400050	Al-EWAN MEDICAL COMPANY -Orig-	ЕМО	M4320V	Spain
609	4224170615700	"DIABETIC SPECIFICATION SANDALS, FOR WOMEN, FULL GRAIN LEATHER UPPER, VELCRO FASTENINGS OR EQUIVALENT, STIFE BOAT-SHAPED OUTSOLE, EXTRA DEEP FIT FOR ACCOMMODATION OF MOULDED INSOLES, BLOCK, SZE EU 42 [PARIS, REMOVABLE INSOLES, WEIGHTLESS, BREATHABLE ANKLE BACK STRAP, BIG OPENING, DIABETIC RHEUMATISM, SENSITIVE FEET, PAINFUL OF HAULUS VALCUS, BUINON, HAMMER AND CLAW TOES; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTEIUDE SO AN OTH TO CAUSE RIRITATION; AND-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; JUGHTWEIGHT, CUSHIONING SOLES THAT TACILITATE MOBILITY AND STREILTY, AND STITCHING THAT FACILITATE MOBILITY AND STREILTY, AND BEDUCE IMPACTS ON THE FOOT; STRETCHABLE SHOSS CONFORM TO THE CONTOURS OF THE FOOT AND THE PLANT PRESCURE POINTS"	CANCELLED	CANCELLED	CANCELLED	CANCELLED NOT MATCHING THE DESCRIPTION	CANCELLED	CANCELLED	CANCELLED
610	4221150601300	DIABETIC WALKER, OFF LOADING WALKER OR ANY EQUIVALENT, LOW PROFILE ROCKER BOTTOM, WITH ACTIVE OFFLOADING INSOLE, SIZE EXTRA LARGE	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	OSSUR	B-242500005	China
610	4221150601300	DIABETIC WALKER, OFF LOADING WALKER OR ANY EQUIVALENT, LOW PROFILE ROCKER BOTTOM, WITH ACTIVE OFFLOADING INSOLE, SIZE EXTRA LARGE	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Orthomerica Products Inc.	137.04	USA
611	4221150601400	DIABETIC WALKER, OFF LOADING WALKER OR ANY EQUIVALENT, LOW PROFILE ROCKER BOTTOM, WITH ACTIVE OFFLOADING INSOLE, SIZE EXTRA SMALL	ITEMIZED	each	400504	Stars Tech Medical -Orig-	DARCO	FXS0-PW0	China
612	4221150601000	BOTTOM, WITH ACTIVE OFFLOADING INSUE, SIZE EXTRA SMALL DIABETIC WALKER, OFF LOADING WALKER OR ANY EQUIVALENT, LOW PROFILE ROCKER BOTTOM, WITH ACTIVE OFFLOADING INSOLE, SIZE LARGE	ITEMIZED	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	OSSUR	B-242500004	China
612	4221150601000	DIABETIC WALKER, OFF LOADING WALKER OR ANY EQUIVALENT, LOW PROFILE ROCKER	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Orthomerica Products	137.03	USA
613	4221150601100	BOTTOM, WITH ACTIVE OFFLOADING INSOLE, SIZE LARGE DIABETIC WALKER, OFF LOADING WALKER OR ANY EQUIVALENT, LOW PROFILE ROCKER	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	Inc. OSSUR	B-242500003	China
613	4221150601100	BOTTOM, WITH ACTIVE OFFLOADING INSOLE, SIZE MEDIUM DIABETIC WALKER, OFF LOADING WALKER OR ANY EQUIVALENT, LOW PROFILE ROCKER	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Orthomerica Products	137.02	USA
614	4221150601100	BOTTOM, WITH ACTIVE OFFLOADING INSOLE, SIZE MEDIUM DIABETIC WALKER, OFF LOADING WALKER OR ANY EQUIVALENT, LOW PROFILE ROCKER	ITEMIZED	each	400571	Al-EWAN MEDICAL COMPANY -Orig-	Inc. OSSUR	B-242500002	China
		BOTTOM, WITH ACTIVE OFFLOADING INSOLE, SIZE SMALL DIABETIC WALKER, OFF LOADING WALKER OR ANY EQUIVALENT, LOW PROFILE ROCKER		***			Orthomerica Products		
614	4221150601200	BOTTOM, WITH ACTIVE OFFLOADING INSOLE, SIZE SMALL DIAGONAL-CUTTING AND SIDE-CUTTING PLIERS, AN ORTHOTICS WORKSHOP TOOL, SIDE	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Inc.	137.01	USA
615	4224200031800	PIECE WITH PVC COATING, FOR HARD WIRE, LENGTH 160-200 MM DIAL LOCK STRAP, NON ELASTIC, SELF LOCKING MAGNETIC BUCKLE FOR EASY OPERATION, 38	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	706Z6=160	Germany
616	4224200019700	MM WIDTH, RATED TO 80KG, ADJUSTABLE HOOK AND LOOP CLOSURE	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation
617	4224200019900	DIRECT SOCKET LAMINATION SYSTEM, TRANSFEMORAL AMPUTES OF ALL PATIENT ACTIVITY LEVELS, WITH USE OF THE DIRECT SOCKET MATERIALS, TOOLS, BRIM, THE MATERIAL ARE PROVIDED IN KIT WHERE EACH KIT PROVIDES ALL THE CONSUMABLES NEEDED TO FABRICATE ONE SOCKET	GROUP 2	Kit	400050	Al-EWAN MEDICAL COMPANY -Orig-	OSSUR	M-500300	Iceland
618 619	4224200029900 4224200030000	DIRECT SOCKET MATERIAL, GLASS FIBER, LARGE DISTAL CONNECTOR, SIZE 7 INCH DIRECT SOCKET MATERIAL, GLASS FIBER, LARGE DISTAL CONNECTOR, SIZE 9 INCH	GROUP 2 GROUP 2	each each	400050 400050	AI-EWAN MEDICAL COMPANY -Orig- AI-EWAN MEDICAL COMPANY -Orig-	OSSUR OSSUR	M-501117 M-501119	Iceland Iceland
620 621	4224200029700 4224200029800	DIRECT SOCKET MATERIAL, GLASS FIBER, STANDARD DISTAL CONNECTOR, SIZE 5 INCH DIRECT SOCKET MATERIAL, GLASS FIBER, STANDARD DISTAL CONNECTOR, SIZE 7 INCH	GROUP 2 GROUP 2	each each	400050 400050	AI-EWAN MEDICAL COMPANY -Orig- AI-EWAN MEDICAL COMPANY -Orig-	OSSUR OSSUR	M-500105 M-500107	Iceland Iceland
622	4224150901400	DORSIFLEXION ASSIST FLEXURE JOINT, TAMARACK OR EQUIVALENT, THE BIASED DESIGN PROVIDES MOTION, ASSIST POWER SIMILAR TO TRADITIONAL METAL DORSI-ASSIST ANKLE	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Ottobock	17AF10=L-DA-LT	Germany
622	4224150901400	JOINTS, 75 DUROMETER, LARGE SIZE DORSIFIEXION ASSIST FIEXURE JOINT, TAMARACK OR EQUIVALENT, THE BIASED DESIGN PROVIDES MOTION, ASSIST POWER SIMILAR TO TRADITIONAL METAL DORSI-ASSIST ANKLE JOINTS, 75 DUROMETER, LARGE SIZE	ITEMIZED	Pair	400050	Al-EWAN MEDICAL COMPANY -Orig-	becker	742-L-75	USA
623	4224150901500	DORSIFLEXION ASSIST FLEXURE JOINT, TAMARACK OR EQUIVALENT, THE BIASED DESIGN PROVIDES MOTION, ASSIST POWER SIMILAR TO TRADITIONAL METAL DORSI-ASSIST ANKLE	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Ottobock	17AF10=M-DA-LT	Germany
623	4224150901500	JOINTS, 75 DUROMETER, MEDIUM SIZE DORSIFIEXION ASSIST IERURE JOINT, TAMARACK OR EQUIVALENT, THE BIASED DESIGN PROVIDES MOTION, ASSIST POWER SIMILAR TO TRADITIONAL METAL DORSI-ASSIST ANKLE	ITEMIZED	Pair	400050	AI-EWAN MEDICAL COMPANY -Orig-	becker	742-M-75	USA
624	4224150901600	JOINTS, 75 DUROMETER, MEDIUM SIZE DORSIFLEXION ASSIST FLEXURE JOINT, TAMARACK OR EQUIVALENT, THE BIASED DESIGN PROVIDES MOTION, ASSIST POWER SIMILAR TO TRADITIONAL METAL DORSI-ASSIST ANKLE	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Ottobock	17AF10=L-DA-MD	Germany
624	4224150901600	JOINTS, 85 DUROMETER, LARGE SIZE DORSIFLEXION ASSIST FLEXURE JOINT, TAMARACK OR EQUIVALENT, THE BIASED DESIGN PROVIDES MOTION, ASSIST POWER SIMILAR TO TRADITIONAL METAL DORSI-ASSIST ANKLE	ITEMIZED	Pair	400050	AI-EWAN MEDICAL COMPANY -Orig-	becker	742-L-85	USA
625	4224150901700	JOINTS, 85 DUROMETER, LARGE SIZE DORSIFLEXION ASSIST FLEXURE JOINT, TAMARACK OR EQUIVALENT, THE BIASED DESIGN PROVIDES MOTION, ASSIST POWER SIMILAR TO TRADITIONAL METAL DORSI-ASSIST ANKLE	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Ottobock	17AF10=M-DA-MD	Germany
625	4224150901700	JOINTS, 85 DUROMETER, MEDIUM SIZE DORSIFIEXION ASSIST FLEXURE JOINT, TAMARACK OR EQUIVALENT, THE BIASED DESIGN PROVIDES MOTION, ASSIST POWER SIMILAR TO TRADITIONAL METAL DORSI-ASSIST ANKLE	ITEMIZED	Pair	400050	Al-EWAN MEDICAL COMPANY -Orig-	becker	742-M-85	USA
626	4224150901800	JOINTS, 85 DUROMETER, MEDIUM SIZE DORSIFIERION ASSIST FIEXURE JOINT, TAMARACK OR EQUIVALENT, THE BIASED DESIGN PROVIDES MOTION, ASSIST POWER SIMILAR TO TRADITIONAL METAL DORSI-ASSIST ANKLE JOINTS, 85 DUROMETER, SMALL SIZE	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Ottobock	17AF10=S-DA-MD	Germany
626	4224150901800	JUNIS, 85 DUROMETER, SMALL SIZE DORSIFLEXION ASSIST FLEXURE JOINT, TAMARACK OR EQUIVALENT, THE BIASED DESIGN PROVIDES MOTION, ASSIST POWER SIMILAR TO TRADITIONAL METAL DORSI-ASSIST ANKLE JOINTS, 85 DUROMETER, SMALL SIZE	ITEMIZED	Pair	400050	Al-EWAN MEDICAL COMPANY -Orig-	becker	742-P-85	USA
627	4224171310500	DOUBLE - SIDED ADHESIVE TAPE FOR ADHERING INNER SOCKET TO OUTER FRAME, TRANSPARENT, LENGTH 50 METERS, WIDTH 19 MM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	633D5=19	Germany
628	4224200006500	DOUBLE ADAPTER MALE/MALE 32 MM STAINLESS STEEL SYSTEM HEIGHT: 32 MM WEIGHT: 95 GRAMS FOR BODY WEIGHT UP TO 150 KG	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	4R76	Germany
629	4224200007200	DOUBLE ADAPTER TITANIUM MALE/FEMALE SYSTEM HEIGHT: 36 MM WEIGHT: 115 GRAMS FOR BODY WEIGHT UP TO 150 KG	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	4R84	China
630	4224171312300	DOUBLE FACE P.V.C. TAPE, W=19 MM, LENGTH 55 METER APPROXIMATELY	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY -	BEIL Kunststoffproduktions-	27051	Germany
		DOUBLE TUBULAR RIVET (SPEED RIVET), CAP AND LOWER PART CLOSED, IRON NICKEL				Orig-	und Handelsg		·
631	4224152003100	PLATED, 11 MM X 9 MM DOUBLE TUBULAR RIVET (SPEED RIVET), CAP AND LOWER PART CLOSED, IRON NICKEL	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	504H3=11-1000	Italy
632	4224152003000	PLATED, 13 MM X 12 MM DOUBLE TUBULAR RIVET (SPEED RIVET), CAP AND LOWER PART CLOSED, IRON NICKEL	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	504H3=13-1000	Italy
633	4224152003200	PLATED, 9 MM X 9 MM DRAW KNIFE FOR MODIFICATION PURPOSES, AN ORTHOTICS WORKSHOP TOOL, STEEL	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	504H3=7-1000	Italy
634	4224200033200	DRAW KNIFE FOR MODIFICATION PURPOSES, AN ORTHOTICS WORKSHOP TOOL, STEEL DRAW KNIFE FOR MODIFICATION PURPOSES, AN ORTHOTICS WORKSHOP TOOL, STEEL	ITEMIZED	each	400571	AL Gaim Comm. EstOrig- MEDICAL CARE ALLIANCE COMPANY -	Ottobock	718H12	Germany
634	4224200033200	BLADE, WITH WOODEN HANDLE	ITEMIZED	each	400569	Orig-	AFT-INTERNATIONAL	6040080695	Germany
635	4224200034600	DRILL BITS KIT, AN ORTHOTICS WORKSHOP TOOL, USING FOR CUT AND MAKE HOLE FOR METAL SURFACES DRILL BITS KIT AN ORTHOTICS WORKSHOP TOOL, USING FOR CUT AND MAKE HOLE FOR	ITEMIZED	Kit	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	AFT-INTERNATIONAL	6077020000	Germany
635	4224200034600	DRILL BITS KIT, AN ORTHOTICS WORKSHOP TOOL, USING FOR CUT AND MAKE HOLE FOR METAL SURFACES	ITEMIZED	Kit	400571	AL Gaim Comm. EstOrig-	Ottobock	724S9=1-5.9	China
636	4224200034700	DRILL BITS KIT, AN ORTHOTICS WORKSHOP TOOL, USING FOR CUT AND MAKE HOLE FOR STEEL SURFACES	ITEMIZED	Kit	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	AFT-INTERNATIONAL	6077020200	Germany
637	4224200034500	DRILL BITS KIT, AN ORTHOTICS WORKSHOP TOOL, USING FOR CUT AND MAKE HOLE FOR WOOD SURFACES	ITEMIZED	Kit	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	AFT-INTERNATIONAL	D6077020000	Germany
637	4224200034500	DRILL BITS KIT, AN ORTHOTICS WORKSHOP TOOL, USING FOR CUT AND MAKE HOLE FOR WOOD SURFACES	ITEMIZED	Kit	400571	AL Gaim Comm. EstOrig-	Ottobock	724S9=1-13	China
638	4229170102700	DRILL, CONICAL, PLASTIC, DIAMETER 20 MM	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	AFT-INTERNATIONAL	6076209000	Germany
639	4229170102800	DRILL, CONICAL, PLASTIC, DIAMETER 30 MM	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	AFT-INTERNATIONAL	6076209003	Germany
639	4229170102800	DRILL, CONICAL, PLASTIC, DIAMETER 30 MM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	726W9=30	Germany
640	4229170102600	DRILL, SET, HSS DIN 338 OR EQUIVALENT, CLOCKWISE CUTTING WITH CYLINDRICAL, SHAFT DIAMETER, 1-1 MM, INCREASING BY 0.5 MM INCREMENTS, 19 EACH IN STEEL CASE	ITEMIZED	SET	400571	AL Gaim Comm. EstOrig-	Ottobock	72459=1-10	China
641 641	4224200013400 4224200013400	DUMMIES, FOR FIXING OF TAMARACK OR EQUIVALENT, ANKLE JOINT, SIZE: LARGE DUMMIES, FOR FIXING OF TAMARACK OR EQUIVALENT, ANKLE JOINT, SIZE: LARGE	ITEMIZED ITEMIZED	Pair Pair	400571 400050	AL Gaim Comm. EstOrig- Al-EWAN MEDICAL COMPANY -Orig-	Ottobock becker	17AF10A=DY-L 741-L	Germany USA
642	4224200013500	DUMMIES, FOR FIXING OF TAMARACK OR EQUIVALENT, ANKLE JOINT, SIZE: MEDIUM	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Ottobock	17AF10A=DY-M	Germany

	JMBER : NPT0050/22 IME : Prosthetics Ort								Preliminary Resul
642 643	4224200013500 4224200013600	DUMMIES, FOR FIXING OF TAMARACK OR EQUIVALENT, ANKLE JOINT, SIZE: MEDIUM DUMMIES, FOR FIXING OF TAMARACK OR EQUIVALENT, ANKLE JOINT, SIZE: PEDIATRIC	ITEMIZED ITEMIZED	Pair Pair	400050 400571	Al-EWAN MEDICAL COMPANY -Orig- AL Gaim Comm. EstOrig-	becker Ottobock	741-M 17AF10A=DY-S	USA Germany
643	4224200013600 4224200107400	DUMMIES, FOR FIXING OF TAMARACK OR EQUIVALENT, ANKLE JOINT, SIZE: PEDIATRIC DYNAMIC ANKLE FOOT ORTHOSIS, LEFT, FOOT SIZE 103/4 INCHES, FOOT PLATE 101/4 INCHES, HEIGHT AT THICKEST PART OF CALE 131/4 INCHES - 1-5 INCHES, PROXIMAL STRAP 141/4 INCHES, HEEL HIEHEHT 3/F. NICHES APPROXIMATELY, CARBON FIBER INCORPORATED LIGHTWEIGHT ENERGY RETURN WITH TEXTILE COVER TO PREVENT SKIN CONTACT	CANCELLED	Pair CANCELLED	400050 CANCELLED	Al-EWAN MEDICAL COMPANY - Orig- CANCELLED NOT MATCHING THE DESCRIPTION, NO SAMPLE PROVIDED	becker CANCELLED	741-P CANCELLED	CANCELLED
645	4224200107500	DYNAMIC ANKLE FOOT ORTHOSIS, LEFT, FOOT SIZE 11 1/2 INCHES, FOOT PLATE 11 INCHES, HIGHET AT THICKEST PART OF CALF 14 1/4 INCHES-13 3/4 INCHES, PROXIMAL STRAP 15 INCHES, HEE LIEGHT 37; INCHES, PROXIMAL STRAP 15 INCHES, HEE LIEGHT 37; INCHES, PROXIMATELY, CARBON FIBER INCORPORATED LIGHTWEIGHT ENERGY RETURN WITH TEXTILE COVER TO PREVENT SKIN CONTACT	CANCELLED	CANCELLED	CANCELLED	CANCELLED NOT MATCHING THE DESCRIPTION, NO SAMPLE PROVIDED	CANCELLED	CANCELLED	CANCELLED
646	4224170701400	DYNAMIC ANKLE FOOT ORTHOSIS, PREFABRICATED DYNAMIC ANKLE FOOT ORTHOSIS FOR PEDIATRIC (TOE WALKING, PLANTER FLEXION STABILITY, CORRECT PRONATION/SUPINATION) EACH ONE IS 2 EACH AND THREE COLORS "BLUE, PINK, WHITE", SIZE S FROM 4 INCHES LEFT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Anaya Orthopedic Industries (Ortho Techn	OT9028-400L	Saudi Arabia
647	4224170701500	DYNAMIC ANKLE FOOT ORTHOSIS, PREFABRICATED DYNAMIC ANKLE FOOT ORTHOSIS FOR PEDIATRIC (TOE WALKING, PLANTER FLEXION STABILITY, CORRECT PRONATION/SUPINATION), EACH ONE IS 2 PIECE AND THREE COLORS "BLUE, PINK, WHITE", SIZE S FROM 4 INCHES, RIGHT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Anaya Orthopedic Industries (Ortho Techn	OT9028-400R	Saudi Arabia
648	4224170701600	DYNAMIC ANKLE FOOT ORTHOSIS, PREFABRICATED DYNAMIC ANKLE FOOT ORTHOSIS FOR PEDIATRIC (TOE WALKING, PLANTER FLEWON STABILITY, CORRECT PRONATION/SUPINATION), EACH ONE IS 2 PIECE AND THREE COLORS "BLUE, PINK, WHITE", SIZE S FROM 4.25 INCHES, LEFT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Anaya Orthopedic Industries (Ortho Techn	OT9028-425L	Saudi Arabia
649	4224170701700	DYNAMIC ANKLE FOOT ORTHOSIS, PREFABRICATED DYNAMIC ANKLE FOOT ORTHOSIS FOR PEDIATRIC (TOE WALKING, PLANTER FLEXON STABILITY, CORRECT PRONATION/SUPINATION), EACH ONE IS 2 PIECE AND THREE COLORS "BLUE, PINK, WHITE", SIZE S FROM 4.25 INCHES, RIGHT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Anaya Orthopedic Industries (Ortho Techn	OT9028-425R	Saudi Arabia
650	4224170701800	DYNAMIC ANKLE FOOT ORTHOSIS, PREFABRICATED DYNAMIC ANKLE FOOT ORTHOSIS FOR PEDIATRIC (TOE WALKING, PLANTER FLEXION STABILITY, CORRECT PRONATION/SUPINATION), EACH ONE IS 2 PIECE AND THREE COLORS "BLUE, PINK, WHITE", SIZE S FROM 4.5 INCHES, LEFT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Anaya Orthopedic Industries (Ortho Techn	OT9028-450L	Saudi Arabia
651	4224170701900	DYNAMIC ANKLE FOOT ORTHOSIS, PREFABRICATED DYNAMIC ANKLE FOOT ORTHOSIS FOR PEDIATRIC (TOE WALKING, PLANTER FLEXION STABILITY, CORRECT PRONATION/SUPINATION), EACH ONE IS 2 PIECE AND THREE COLORS "BLUE, PINK, WHITE", SIZE S FROM 4.5 INCHES, RIGHT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Anaya Orthopedic Industries (Ortho Techn	OT9028-450R	Saudi Arabia
652	4224170702000	DYNAMIC ANKLE FOOT ORTHOSIS, PREFABRICATED DYNAMIC ANKLE FOOT ORTHOSIS FOR PEDIATRIC (TOE WALKING, PLANTER FLEXION STABILITY, CORRECT PRONATION/SUPINATION), EACH ONE IS 2 PIECE AND THREE COLORS "BILLE, PINK, WHITE", SIZE S FROM 4.75 INCHES, LEFT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Anaya Orthopedic Industries (Ortho Techn	OT9028-475L	Saudi Arabia
653	4224170702100	DYNAMIC ANKLE FOOT ORTHOSIS, PREFABRICATED DYNAMIC ANKLE FOOT ORTHOSIS FOR PEDIATRIC (TOE WALKING, PLANTER FLEXION STABILITY, CORRECT PRONATION/SUPINATION), EACH ONE IS 2 PIECE AND THREE COLORS "BILUE, PINK, WHITE", SIZE S FROM 4.75 INCHES, RIGHT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Anaya Orthopedic Industries (Ortho Techn	OT9028-475R	Saudi Arabia
654	4224170702200	DYNAMIC ANKLE FOOT ORTHOSIS, PREFABRICATED DYNAMIC ANKLE FOOT ORTHOSIS FOR PEDIATRIC (TOE WALKING, PLANTER FLEXION STABILITY, CORRECT PRONATION), UPINATION), EACH ONE IS 2 PIECE AND THREE COLORS "BLUE, PINK, WHITE", SIZE S FROM 5 INCHES, LEFT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Anaya Orthopedic Industries (Ortho Techn	OT9028-500L	Saudi Arabia
655	4224170702300	DYNAMIC ANKLE FOOT ORTHOSIS, PREFABRICATED DYNAMIC ANKLE FOOT ORTHOSIS FOR PEDIATRIC (TOE WALKING, PLANTER FLEXION STABILITY, CORRECT PRONATION), UPINATION), EACH ONE IS 2 PIECE AND THREE COLORS "BLUE, PINK, WHITE", SIZE S FROM S INCHES, RIGHT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Anaya Orthopedic Industries (Ortho Techn	OT9028-500R	Saudi Arabia
656	4224170702400	DYNAMIC ANKLE FOOT ORTHOSIS, PREFABRICATED DYNAMIC ANKLE FOOT ORTHOSIS FOR PEDIATRIC (TOE WALKING, PLANTER FLEXION STABILITY, CORRECT PRONATION/SUPINATION), EACH ONE IS 2 PIECE AND THREE COLORS "BILUE, PINK, WHITE", SIZE 5 FROM 5.25 INCHES, LEFT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Anaya Orthopedic Industries (Ortho Techn	OT9028-525L	Saudi Arabia
657	4224170702500	DYNAMIC ANKLE FOOT ORTHOSIS, PREFABRICATED DYNAMIC ANKLE FOOT ORTHOSIS FOR PEDIATRIC (TOE WALKING, PLANTER FLEXION STABILITY, CORRECT PRONATION/SUPINATION), EACH ONE IS 2 PIECE AND THREE COLORS "BILUE, PINK, WHITE", SIZE S FROM 5.25 INCHES, RIGHT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Anaya Orthopedic Industries (Ortho Techn	OT9028-525R	Saudi Arabia
658	4224170702600	DYNAMIC ANKLE FOOT ORTHOSIS, PREFABRICATED DYNAMIC ANKLE FOOT ORTHOSIS FOR PEDIATRIC (TOE WALKING, PLANTER FLEXION STABILITY, CORRECT PRONATION/SUPINATION), EACH ONE IS 2 PIECE AND THREE COLORS "BLUE, PINK, WHITE", SIZE S FROM 5.5 INCHES, LEFT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Anaya Orthopedic Industries (Ortho Techn	OT9028-550L	Saudi Arabia
659	4224170702700	DYNAMIC ANKLE FOOT ORTHOSIS, PREFABRICATED DYNAMIC ANKLE FOOT ORTHOSIS FOR PEDIATRIC (TOE WALKING, PLANTER FLEXION STABILITY, CORRECT PRONATION/SUPINATION), EACH ONE IS 2 PIECE AND THREE COLORS "BILLE, HINK, WHITE", SIZE S FROM 5.5 INCHES, RIGHT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Anaya Orthopedic Industries (Ortho Techn	OT9028-550R	Saudi Arabia
660	4224170702800	DYNAMIC ANKLE FOOT ORTHOSIS, PREFABRICATED DYNAMIC ANKLE FOOT ORTHOSIS FOR PEDIATRIC (TOE WALKING, PLANTER FLEXION STABILITY, CORRECT PRONATION/SUPINATION), EACH ONE IS 2 PIECE AND THREE COLORS "BILUE, PINK, WHITE", SIZE 5 FROM 5.75 INCHES, LEFT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Anaya Orthopedic Industries (Ortho Techn	OT9028-575L	Saudi Arabia
661	4224170702900	DYNAMIC ANKLE FOOT ORTHOSIS, PREFABRICATED DYNAMIC ANKLE FOOT ORTHOSIS FOR PEDIATRIC (TOE WALKING, PLANTER FLEXION STABILITY, CORRECT PRONATION/SUPINATION), EACH ONE IS 2 PIECE AND THREE COLORS "BILUE, PINK, WHITE", SIZE 5 FROM 5.75 INCHES, RIGHT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Anaya Orthopedic Industries (Ortho Techn	OT9028-575R	Saudi Arabia
662	4224170703100	DYNAMIC ANKLE FOOT ORTHOSIS, PREFABRICATED DYNAMIC ANKLE FOOT ORTHOSIS FOR PEDIATRIC (TOE WALKING, PLANTER FLEXION STABILITY, CORRECT PRONATION/SUPINATION), EACH ONE IS 2 PIECE AND THREE COLORS "BLUE, PINK, WHITE", SIZE S FROM 6 INCHES, LEFT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Anaya Orthopedic Industries (Ortho Techn	OT9028-600L	Saudi Arabia
663	4224170703000	DYNAMIC ANKLE FOOT ORTHOSIS, PREFABRICATED DYNAMIC ANKLE FOOT ORTHOSIS FOR PEDIATRIC (TOE WALKING, PLANTER FLEXION STABILITY, CORRECT PRONATION/SUPINATION), EACH ONE IS 2 PIECE AND THREE COLORS "BLUE, PINK, WHITE", SIZE S FROM 6 INCHES, RIGHT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Anaya Orthopedic Industries (Ortho Techn	OT9028-600R	Saudi Arabia
664	4224170703200	DYNAMIC ANKLE FOOT ORTHOSIS, PREFABRICATED DYNAMIC ANKLE FOOT ORTHOSIS FOR PEDIATRIC (TOE WALKING, PLANTER FLEXION STABILITY, CORRECT PRONATION/SUPINATION), EACH ONE IS 2 PIECE AND THREE COLORS "BILUE, PINK, WHITE", SIZE 5 FROM 6.25 INCHES, LEFT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Anaya Orthopedic Industries (Ortho Techn	OT9028-625L	Saudi Arabia
665	4224170703300	DYNAMIC ANKLE FOOT ORTHOSIS, PREFABRICATED DYNAMIC ANKLE FOOT ORTHOSIS FOR PEDIATRIC (TOE WALKING, PLANTER FLEXION STABILITY, CORRECT PRONATION/SUPINATION), EACH ONE IS 2 PIECE AND THREE COLORS "BLUE, PINK, WHITE", SIZE 5 FROM 6.25 INCHES, RIGHT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Anaya Orthopedic Industries (Ortho Techn	OT9028-625R	Saudi Arabia
666	4224170703500	DYNAMIC ANKLE FOOT ORTHOSIS, PREFABRICATED DYNAMIC ANKLE FOOT ORTHOSIS FOR PEDIATRIC (TOE WALKING, PLANTER FLEXION STABILITY, CORRECT PRONATION), EACH ONE IS 2 PIECE AND THREE COLORS "BLUE, PINK, WHITE", SIZE S FROM 6.5 INCHES, LET	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Anaya Orthopedic Industries (Ortho Techn	OT9028-650L	Saudi Arabia
667	4224170703400	DYNAMIC ANKLE FOOT ORTHOSIS, PREFABRICATED DYNAMIC ANKLE FOOT ORTHOSIS FOR PEDIATRIC (TOE WALKING, PLANTER FLEXION STABILITY, CORRECT PRONATION/SUPINATION), EACH ONE IS 2 PIECE AND THREE COLORS "BILLE, PINK, WHITE", SIZE S FROM 6.5 INCHES, RIGHT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Anaya Orthopedic Industries (Ortho Techn	OT9028-650R	Saudi Arabia
668	4224170703600	DYNAMIC ANKLE FOOT ORTHOSIS, PREFABRICATED DYNAMIC ANKLE FOOT ORTHOSIS FOR PEDIATRIC (TOE WALKING, PLANTER FLEXION STABILITY, CORRECT PRONATION/SUPINATION), EACH ONE IS 2 PIECE AND THREE COLORS "BLUE, PINK, WHITE", SIZE S FROM 6.75 INCHES, LEFT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Anaya Orthopedic Industries (Ortho Techn	OT9028-675L	Saudi Arabia
669	4224170703700	DYNAMIC ANKLE FOOT ORTHOSIS, PREFABRICATED DYNAMIC ANKLE FOOT ORTHOSIS FOR PEDIATRIC (TIDE WALKING, PLANTER REXION STABILITY, CORRECT PRONATION/SUPINATION), EACH ONE IS 2 PIECE AND THREE COLORS "BILLE", PINK, WHITE", SIZE S FROM 6.75 INCHES, RIGHT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Anaya Orthopedic Industries (Ortho Techn	OT9028-675R	Saudi Arabia
670	4224170703900	DYNAMIC ANKLE FOOT ORTHOSIS, PREFABRICATED DYNAMIC ANKLE FOOT ORTHOSIS FOR PEDIATRIC (TOE WALKING, PLANTER FLEXION STABILITY, CORRECT PRONATION/SUPINATION), EACH ONE IS 2 PIECE AND THREE COLORS "BLUE, PINK, WHITE", SIZE S FROM 7 INCHES, LEFT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Anaya Orthopedic Industries (Ortho Techn	OT9028-700L	Saudi Arabia
671	4224170703800	DYNAMIC ANKLE FOOT ORTHOSIS, PREFABRICATED DYNAMIC ANKLE FOOT ORTHOSIS FOR PEDIATRIC (TOE WALKING, PLANTER FLEXION STABILITY, CORRECT PRONATION/SUPINATION), EACH ONE IS 2 PIECE AND THREE COLORS "BLUE, PINK, WHITE", SIZE S FROM 7 INCHES, RIGHT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Anaya Orthopedic Industries (Ortho Techn	OT9028-700R	Saudi Arabia
672	4224170704000	DYNAMIC ANKLE FOOT ORTHOSIS, PREFABRICATED DYNAMIC ANKLE FOOT ORTHOSIS FOR PEDIATRIC (TOE WALKING, PLANTER FLEXION STABILITY, CORRECT PRONATION/SUPINATION), EACH ONE IS 2 PIECE AND THREE COLORS "BILLE, PINK, WHITE", SIZE S FROM 7.25 INCHES, LEFT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Anaya Orthopedic Industries (Ortho Techn	OT9028-725L	Saudi Arabia
673	4224170704100	DYNAMIC ANKLE FOOT ORTHOSIS, PREFABRICATED DYNAMIC ANKLE FOOT ORTHOSIS FOR PEDIATRIC (TOE WALKING, PLANTER FLEXION STABILITY, CORRECT PRONATION/SUPINATION), EACH ONE IS 2 PIECE AND THREE COLORS "BILUE, PINK, WHITE", SIZE S FROM 7.25 INCHES, RIGHT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Anaya Orthopedic Industries (Ortho Techn	OT9028-725R	Saudi Arabia
674	4224170704300	DYNAMIC ANKLE FOOT ORTHOSIS, PREFABRICATED DYNAMIC ANKLE FOOT ORTHOSIS FOR PEDIATRIC (TOE WALKING, PLANTER FLEXION STABILITY, CORRECT PRONATION/SUPINATION), EACH ONE IS 2 PIECE AND THREE COLORS "BLUE, PINK, WHITE", SIZE S FROM 7.5 INCHES, LEFT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Anaya Orthopedic Industries (Ortho Techn	OT9028-750L	Saudi Arabia
						-			

	UMBER : NPT0050/2 AME : Prosthetics Or								Preliminary Resul
675	4224170704200	DYNAMIC ANKLE FOOT ORTHOSIS, PREFABRICATED DYNAMIC ANKLE FOOT ORTHOSIS FOR PEDIATRIC (TOE WALKING, PLANTER FLEXION STABILITY, CORRECT PRONATION/SUPINATION), EACH ONE IS 2 PIECE AND THREE COLORS "BLUE, PINK, WHITE", SIZE 5 FROM 7.5 INCHES, RIGHT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Anaya Orthopedic Industries (Ortho Techn	OT9028-750R	Saudi Arabia
676	4224170704400	DYNAMIC ANKLE FOOT ORTHOSIS, PREFABRICATED DYNAMIC ANKLE FOOT ORTHOSIS FOR PEDIATRIC (TOE WALKING, PLANTER FLEXION STABILITY, CORRECT PRONATION/SUPINATION), EACH ONE IS 2 PIECE AND THREE COLORS "BLUE, FINK, WHITE", SIZE S FROM 7.75 INCHES, LEFT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Anaya Orthopedic Industries (Ortho Techn	OT9028-775L	Saudi Arabia
677	4224170704500	DYNAMIC ANKLE FOOT ORTHOSIS, PREFABRICATED DYNAMIC ANKLE FOOT ORTHOSIS FOR PEDIATRIC (TOE WALKING, PLANTER FLEXION STABILITY, CORRECT PRONATION/SUPINATION), EACH ONE IS 2 PIECE AND THREE COLORS "BLUE, PINK, WHITE", SIZE S FROM 7.75 INCHES, RICHT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Anaya Orthopedic Industries (Ortho Techn	OT9028-775R	Saudi Arabia
678	4224170704700	DYNAMIC ANKLE FOOT ORTHOSIS, PREFABRICATED DYNAMIC ANKLE FOOT ORTHOSIS FOR PEDIATRIC (TOE WALKING, PLANTER FLEXION STABILITY, CORRECT PRONATION/SUPINATION), EACH ONE IS 2 PIECE AND THREE COLORS "BLUE, PINK, WHITE", SIZE S FROM 8 INCHES, LEFT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Anaya Orthopedic Industries (Ortho Techn	OT9028-800L	Saudi Arabia
679	4224170704600	DYNAMIC ANKLE FOOT ORTHOSIS, PREFABRICATED DYNAMIC ANKLE FOOT ORTHOSIS FOR PEDIATRIC (TOE WALKING, PLANTER FLEXION STABILITY, CORRECT PRONATION/SUPINATION), EACH ONE IS 2 PIECE AND THREE COLORS "BLUE, PINK, WHITE", SIZE S FROM 8 INCHES, RIGHT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Anaya Orthopedic Industries (Ortho Techn	OT9028-800R	Saudi Arabia
680	4224170704800	DYNAMIC ANKLE FOOT ORTHOSIS, PREFARRICATED DYNAMIC ANKLE FOOT ORTHOSIS FOR PEDIATRIC (TOE WALKING, PLANTER FLEXION STABILITY, CORRECT PRONATION/SUPINATION), EACH ONE IS 2 PIECE AND THREE COLORS "BLUE, PINK, WHITE", SIZE S FROM 8.25 INCHES, LEFT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Anaya Orthopedic Industries (Ortho Techn	OT9028-825L	Saudi Arabia
681	4224170704900	DYNAMIC ANKLE FOOT ORTHOSIS, PREFABRICATED DYNAMIC ANKLE FOOT ORTHOSIS FOR PEDIATRIC (TOE WALKING, PLANTER FLEXION STABILITY, CORRECT PRONATION/SUPINATION), EACH ONE IS 2 PIECE AND THREE COLORS "BLUE, PINK, WHITE", SIZE S FROM 8.25 INCHES, RIGHT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Anaya Orthopedic Industries (Ortho Techn	OT9028-825R	Saudi Arabia
682	4224170705000	DYNAMIC ANKLE FOOT ORTHOSIS, PREFABRICATED DYNAMIC ANKLE FOOT ORTHOSIS FOR PEDIATRIC (TOE WALKING, PLANTER FLEXION STABILITY, CORRECT PRONATION/SUPINATION), EACH ONE IS 2 PIECE AND THREE COLORS "BLUE, PINK, WHITE", SIZE S FROM 8.5 INCHES, LEFT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Anaya Orthopedic Industries (Ortho Techn	OT9028-850L	Saudi Arabia
683	4224170705100	DYNAMIC ANKLE FOOT ORTHOSIS, PREFABRICATED DYNAMIC ANKLE FOOT ORTHOSIS FOR PEDIATRIC (TOE WALKING, PLANTER FLEXION STABILITY, CORRECT PRONATION/SUPINATION), EACH ONE IS 2 PIECE AND THREE COLORS "BULLE, PINK, WHITE", SIZE 5 FROM 8.5 INCHES, RIGHT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Anaya Orthopedic Industries (Ortho Techn	OT9028-850R	Saudi Arabia
684	4224200107600	DYNAMIC ANKLE FOOT ORTHOSIS, RIGHT, FOOT SIZE 10 3/4 INCHES, FOOT PLATE 10 1/4 INCHES, HEIGHT AT THICKEST PART OF CALF 13 1/4 INCH-15 INCHES, PROXIMAL STRAP 14 1/4 INCHES, HEEL HEIGHT 3/5 INCHES APPROXIMATELY, CARBON FIBER INCORPORATED LIGHTWEIGHT ENERGY RETURN WITH TEXTILE COVER TO PREVENT SKIN CONTACT	ITEMIZED	items (Pieces)	400050	Al-EWAN MEDICAL COMPANY -Orig-	Camp Scandinavia/Allard Int	389202012	Sweden
684	4224200107600	DYNAMIC ANKLE FOOT ORTHOSIS, RIGHT, FOOT SIZE 10 3/4 INCHES, FOOT PLATE 10 1/4 INCHES, HEIGHT AT THICKEST PART OF CALF 13 1/4 INCHES, INCHES, PROXIMAL STRAP 14 1/4 INCHES, HEEL HEIGHT 3/5 INCHES APPROXIMATELY, CARBON FIBER INCORPORATED LIGHTWEIGHT ENERGY RETURN WITH TEXTILE COVER TO PREVENT SKIN CONTACT	ITEMIZED	items (Pieces)	400571	AL Gaim Comm. EstOrig-	Ottobock	28U24=R42-45	China
685	4224200107700	DYNAMIC ANKLE FOOT ORTHOSIS, RIGHT, FOOT SIZE 10 INCHES FOOT PLATE 93/4 INCHES, HEIGHT AT THICKEST PART OF CAE 12 1/2 INCHES - 14 1/4 INCHES, PROXIMAL STRAP 131/4 INCHES, HEIGHT AT SINCHES, PREVIATELY, CARBON FIRER INCORPORATED LIGHTWEIGHT ENERGY RETURN WITH TEXTILE COVER TO PREVENT SKIN CONTACT	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	Camp Scandinavia/Allard Int	389202011	Sweden
685	4224200107700	DYNAMIC ANKLE FOOT ORTHOSIS, RIGHT, FOOT SIZE 10 INCHES FOOT PLATE 93/4 INCHES, HEIGHT AT THICKEST PART OF CALF 12.1/2 INCHES - 14.1/4 INCHES, PROXIMAL STRAP 131/4 INCHES, HELE HIGHT 3/5 INCHES APPROXIMATELY, CARBON FIREN INCORPORATED LIGHTWEIGHT ENERGY RETURN WITH TEXTILE COVER TO PREVENT SKIN CONTACT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	28U24=R39-42	China
686	4224200107800	DYNAMIC ANKLE FOOT ORTHOSIS, RIGHT, FOOT SIZE 11 1/2 INCHES, FOOT PLATE 11 INCHES, HEIGHT AT THICKEST PART OF CALF 14 1/4 INCHES-15 3/4 INCHES, FROXIMAL STRAP 15 INCHES, HEL HEIGHT 3/5 INCHES, APPROXIMATELY, CARBON FRIER INCORPORATED LIGHTWEIGHT ENERGY RETURN WITH TEXTLE COVER TO PREVENT SKIN CONTACT	CANCELLED	CANCELLED	CANCELLED	CANCELLED NOT MATCHING THE DESCRIPTION, NO SAMPLE PROVIDED	CANCELLED	CANCELLED	CANCELLED
687	4224200120200	DYNAMIC FOOT FOR CHILDREN, SIZE 14, LEFT, SUPPLIED WITH FOOT ADAPTER AND SCREW CONNECTION, TUBE ADAPTER, TUBE CLAMP ADAPTER, SOCKET ADAPTER, COSMETIC FOAM, AND PERLON STOCKINGS	ITEMIZED	SET	400571	AL Gaim Comm. EstOrig-	Ottobock	1K10=L14, 2R40=2, 2R41=2, 4R66, 4R60, 6R7, 99B22=*	Germany
688	4224200121000	DYNAMIC FOOT FOR CHILDREN, SIZE 14, RIGHT, SUPPLIED WITH FOOT ADAPTER AND SCREW CONNECTION, TUBE ADAPTER, TUBE CLAMP ADAPTER, SOCKET ADAPTER, COSMETIC FOAM, AND PERLON STOCKINGS	ITEMIZED	SET	400571	AL Gaim Comm. EstOrig-	Ottobock	1K10=R14, 2R40=2, 2R41=2, 4R66, 4R60, 6R7, 99B22=*	Germany
689	4224200120300	DYNAMIC FOOT FOR CHILDREN, SIZE 15, LEFT, SUPPLIED WITH FOOT ADAPTER AND SCREW CONNECTION, TUBE ADAPTER, TUBE CLAMP ADAPTER, SOCKET ADAPTER, COSMETIC FOAM, AND PERLON STOCKINGS	ITEMIZED	SET	400571	AL Gaim Comm. EstOrig-	Ottobock	1K10=L15, 2R40=2, 2R41=2, 4R66, 4R60, 6R7, 99B22=*	Germany
690	4224200121100	DYNAMIC FOOT FOR CHILDREN, SIZE 15, RIGHT, SUPPLIED WITH FOOT ADAPTER AND SCREW CONNECTION, TUBE ADAPTER, TUBE CLAMP ADAPTER, SOCKET ADAPTER, COSMETIC FOAM, AND PERLON STOCKINGS	ITEMIZED	SET	400571	AL Gaim Comm. EstOrig-	Ottobock	1K10=R15, 2R40=2, 2R41=2, 4R66, 4R60, 6R7, 99B22=*	Germany
691	4224200120400	DYNAMIC FOOT FOR CHILDREN, SIZE 16, LEFT, SUPPLIED WITH FOOT ADAPTER AND SCREW CONNECTION, TUBE ADAPTER, TUBE CLAMP ADAPTER, SOCKET ADAPTER, COSMETIC FOAM, AND PERLON STOCKINGS	ITEMIZED	SET	400571	AL Gaim Comm. EstOrig-	Ottobock	1K10=L16, 2R40=2, 2R41=2, 4R66, 4R60, 6R7, 99B22=*	Germany
692	4224200121200	DYNAMIC FOOT FOR CHILDREN, SIZE 16, RIGHT, SUPPLIED WITH FOOT ADAPTER AND SCREW CONNECTION, TUBE ADAPTER, TUBE CLAMP ADAPTER, SOCKET ADAPTER, AND COSMETIC FOAM	ITEMIZED	SET	400571	AL Gaim Comm. EstOrig-	Ottobock	1K10=R16, 2R40=2, 2R41=2, 4R66, 4R60, 6R7, 99B22=*	Germany
693	4224200120500	DYNAMIC FOOT FOR CHILDREN, SIZE 17, LEFT, SUPPLIED WITH FOOT ADAPTER AND SCREW CONNECTION, TUBE ADAPTER, TUBE CLAMP ADAPTER, SOCKET ADAPTER, COSMETIC FOAM AND PERLON STOCKINGS	ITEMIZED	SET	400571	AL Gaim Comm. EstOrig-	Ottobock	1K10=L17, 2R40=2, 2R41=2, 4R66, 4R60, 6R7, 99B22=*	Germany
694	4224200121300	DYNAMIC FOOT FOR CHILDREN, SIZE 17, RIGHT, SUPPLIED WITH FOOT ADAPTER AND SCREW CONNECTION, TUBE ADAPTER, TUBE CLAMP ADAPTER, SOCKET ADAPTER, COSMETIC FOAM AND PERLON STOCKINGS	ITEMIZED	SET	400571	AL Gaim Comm. EstOrig-	Ottobock	1K10=R17, 2R40=2, 2R41=2, 4R66, 4R60, 6R7, 99B22=*	Germany
695	4224200120600	DYNAMIC FOOT FOR CHILDREN, SIZE 18, LEFT. SUPPLIED WITH FOOT ADAPTER AND SCREW CONNECTION, TUBE ADAPTER, TUBE CLAMP ADAPTER, SOCKET ADAPTER, COSMETIC FOAM AND PERLON STOCKINGS	ITEMIZED	SET	400571	AL Gaim Comm. EstOrig-	Ottobock	1K10=L18, 2R40=1, 2R41=1, 4R66, 4R60, 6R7, 99B22=*	Germany
696	4224200121400	DYNAMIC FOOT FOR CHILDREN, SIZE 18, RIGHT. SUPPLIED WITH FOOT ADAPTER AND SCREW CONNECTION, TUBE ADAPTER, TUBE CLAMP ADAPTER, SOCKET ADAPTER, COSMETIC FOAM AND PERLON STOCKINGS	ITEMIZED	SET	400571	AL Gaim Comm. EstOrig-	Ottobock	1K10=R18, 2R40=1, 2R41=1, 4R66, 4R60, 6R7, 99B22=*	Germany
697	4224200120700	DYNAMIC FOOT FOR CHILDREN, SIZE 19, LEFT. SUPPLIED WITH FOOT ADAPTER AND SCREW CONNECTION, TUBE ADAPTER, TUBE CLAMP ADAPTER, SOCKET ADAPTER, COSMETIC FOAM AND PERLON STOCKINGS	ITEMIZED	SET	400571	AL Gaim Comm. EstOrig-	Ottobock	1K10=L19, 2R40=1, 2R41=1, 4R66, 4R60, 6R7, 99B22=*	Germany
698	4224200121500	DYNAMIC FOOT FOR CHILDREN, SIZE 19, RIGHT. SUPPLIED WITH FOOT ADAPTER AND SCREW CONNECTION, TUBE ADAPTER, TUBE CLAMP ADAPTER, SOCKET ADAPTER, COSMETIC FOAM AND PERLON STOCKINGS	ITEMIZED	SET	400571	AL Gaim Comm. EstOrig-	Ottobock	1K10=R19, 2R40=1, 2R41=1, 4R66, 4R60, 6R7, 99B22=*	Germany
699	4224200120800	DYNAMIC FOOT FOR CHILDREN, SIZE 20, LEFT. SUPPLIED WITH FOOT ADAPTER AND SCREW CONNECTION, TUBE ADAPTER, TUBE CLAMP ADAPTER, SOCKET ADAPTER, COSMETIC FOAM AND PERLON STOCKINGS	ITEMIZED	SET	400571	AL Gaim Comm. EstOrig-	Ottobock	1K10=L20, 2R40=1, 2R41=1, 4R66, 4R60, 6R7, 99B22=*	Germany
700	4224200121600	DYNAMIC FOOT FOR CHILDREN, SIZE 20, RIGHT. SUPPLIED WITH FOOT ADAPTER AND SCREW CONNECTION, TUBE ADAPTER, TUBE CLAMP ADAPTER, SOCKET ADAPTER, COSMETIC FOAM, AND PERLON STOCKINGS	ITEMIZED	SET	400571	AL Gaim Comm. EstOrig-	Ottobock	1K10=R20, 2R40=1, 2R41=1, 4R66, 4R60, 6R7, 99B22=*	Germany
701	4224200120900	DYNAMIC FOOT FOR CHILDREN, SIZE 21, LEFT. SUPPLIED WITH FOOT ADAPTER AND SCREW CONNECTION, TUBE ADAPTER, TUBE CLAMP ADAPTER, SOCKET ADAPTER, COSMETIC FOAM, AND PERLON STOCKINGS	ITEMIZED	SET	400571	AL Gaim Comm. EstOrig-	Ottobock	1K10=L21, 2R40=1, 2R41=1, 4R66, 4R60, 6R7, 99B22=*	Germany
702	4224200121700	DYNAMIC FOOT FOR CHILDREN, SIZE 21, RIGHT, SUPPLIED WITH FOOT ADAPTER AND SCREW CONNECTION, TUBE ADAPTER, TUBE CLAMP ADAPTER, SOCKET ADAPTER, COSMETIC FOAM, AND PERLON STOCKINGS	ITEMIZED	SET	400571	AL Gaim Comm. EstOrig-	Ottobock	1K10=R21, 2R40=1, 2R41=1, 4R66, 4R60, 6R7, 99B22=*	Germany
703	4224200107900	DYNAMIC FOOT FOR NEW, WITH INNER FEIXIBLE FOOT, DORSAL REINFORCEMENT, MEDIUM DENSITY HEEL AND RESEMBLES THE NATURAL FOOT SHAPE WITH SMOOTH SURFACE, SHAPED TOES AND SANDAL TOE, COMPORTABLE HEEL STRIKE AND A SMOOTHER MORE DYNAMIC, HEEL HEIGHT 10 MM, LEFT, MEN, SIZE 22 CM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1D10=L22-0-W/4	Germany
704	4224200108000	DYNAMIC FOOT FOR MEN, WITH INNER FEIXIBLE FOOT, DORSAL REINFORCEMENT, MEDIUM DENSITY HEEL AND RESEMBLES THE NATURAL FOOT SHAPE WITH SMOOTH SURFACE, SHAPED TOES AND SANDAL TOE, COMFORTABLE HEEL STRIKE AND A SMOOTHER MORE DYNAMIC, HEEL HEIGHT 10 MM, LEFT, MEN, SIZE 23 CM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1D10=L23-0-W/4	Germany

	AME : Prosthetics Or								Preliminary Resul
705	4224200108600	DYNAMIC FOOT FOR MEN, WITH INNER FLEXIBLE FOOT, DORSAL REINFORCEMENT, MEDIUM DENSITY HEEL AND RESEMBLES THE NATURAL FOOT SHAPE WITH SMOOTH SUBFACE, SHAPED TOES AND SANDAL TOE, COMFORTABLE HEEL STRIKE AND A SMOOTHER MORE DYNAMIC, HEEL HEIGHT 10 MM, LEFT, MEN, SIZE 24 CM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1D10=L24-0-W/4	Germany
706	4224200108700	DYNAMIC FOOT FOR MEN, WITH INNER FLEXIBLE FOOT, DORSAL REINFORCEMENT, MEDIUM DENSITY HEEL AND RESEMBLES THE NATURAL FOOT SHAPE WITH SMOOTH SUBFACE, SHAPED TOES AND SANDAL TOE, COMFORTABLE HEEL STRIKE AND A SMOOTHER MORE DYNAMIC, HEEL HEIGHT 10 MM, LEFT, MEN, SIZE 25 CM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1D10=L25-0-W/4	Germany
707	4224200108100	DYNAMIC FOOT FOR MEN, WITH INNER FLEXIBLE FOOT, DORSAL REINFORCEMENT, MEDIUM DENSITY HEEL AND RESEMBLES THE NATURAL FOOT SHAPE WITH SMOOTH SUBFACE, SHAPED TOES AND SANDAL TOE, COMFORTABLE HEEL STRIKE AND A SMOOTHER MORE DYNAMIC, HEEL HEIGHT 10 MM, LEFT, MEN, SIZE 26 CM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1D10=L26-0-W/4	Germany
708	4224200108800	DYNAMIC FOOT FOR MEN, WITH INNER FLEXIBLE FOOT, DORSAL REINFORCEMENT, MEDIUM DENSITY HEEL AND RESEMBLES THE NATURAL FOOT SHAPE WITH SMOOTH SURFACE, SHAPED TOES AND SANDAL TOE, COMFORTABLE HEEL STRIKE AND A SMOOTHER MORE DYNAMIC, HEEL HEIGHT 10 MM, LEFT, MEN, SIZE 27 CM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1D10=L27-0-W/4	Germany
709	4224200108200	DYNAMIC FOOT FOR MEN, WITH INNER FLEXIBLE FOOT, DORSAL REINFORCEMENT, MEDIUM DENSITY HEEL AND RESEMBLES THE NATURAL FOOT SHAPE WITH SMOOTH SURFACE, SHAPED TOES AND SANDAL TOE, COMFORTABLE HEEL STRIKE AND A SMOOTHER MORE DYNAMIC, HEEL HEIGHT 10 MM, LEFT, MEN, SIZE 28 CM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1D10=L28-0-W/4	Germany
710	4224200108900	DYNAMIC FOOT FOR MEN, WITH INNER FLEXIBLE FOOT, DORSAL REINFORCEMENT, MEDIUM DENSITY HEEL AND RESEMBLES THE NATURAL FOOT SHAPE WITH SMOOTH SURFACE, SHAPED TOES AND SANDAL TOE, COMFORTABLE HEEL STRIKE AND A SMOOTHER MORE DYNAMIC, HEEL HEIGHT 10 MM, RIGHT, MEN, SIZE 22 CM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1D10=R22-0-W/4	Germany
711	4224200109000	DYNAMIC FOOT FOR MEN, WITH INNER FLEXIBLE FOOT, DORSAL REINFORCEMENT, MEDIUM DENSITY HEEL AND RESEMBLES THE NATURAL FOOT SHAPE WITH SMOOTHS SURFACE, SHAPED TOES AND SANDAL TOE, COMPORTABLE HEEL STRIKE AND A SMOOTHER MORE DYNAMIC, HEEL HEIGHT 10 MM, RIGHT, MEN, SIZE 23 CM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1D10=R23-0-W/4	Germany
712	4224200108300	DYNAMIC FOOT FOR MEN, WITH INNER FIEXIBLE FOOT, DORSAL REINFORCEMENT, MEDIUM DENSITY HEEL AND RESEMBLES THE NATURAL FOOT SHAPE WITH SMOOTH SURFACE, SHAPED TOES AND SANDAL TOE, COMFORTABLE HELS TRIKE AND A SMOOTHER MORE DYNAMIC, HEEL HEIGHT 10 MM, RIGHT, MEN, SIZE 24 CM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1D10=R24-0-W/4	Germany
713	4224200108400	DYNAMIC FOOT FOR MEN, WITH INNER FLEXIBLE FOOT, DORSAL REINFORCEMENT, MEDIUM DENSITY HEEL AND RESEMBLES THE NATURAL FOOT SHAPE WITH SMOOTH SURFACE, SHAPED TOES AND SANDAL TOE, COMPORTABLE HEEL STRIKE AND A SMOOTHER MORE DYNAMIC, HEEL HEIGHT 10 MM, RIGHT, MEN, SIZE 25 CM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1D10=R25-0-W/4	Germany
714	4224200108500	DYNAMIC FOOT FOR MEN, WITH INNER FLEXIBLE FOOT, DORSAL REINFORCEMENT, MEDIUM DENSITY HEEL AND RESEMBLES THE NATURAL FOOT SHAPE WITH SMOOTH SURFACE, SHAPE TOES AND SANDAL TOE, COMPORTABLE HEEL STRIKE AND A SMOOTHER MORE DYNAMIC, HEEL HEIGHT 10 MM, RIGHT, MEN, SIZE 26 CM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1D10=R26-0-W/4	Germany
715	4224200110800	DYNAMIC FOOT FOR MEN, WITH INNER FLEXIBLE FOOT, DORSAL REINFORCEMENT, MEDIUM DENSITY HEEL AND RESEMBLES THE NATURAL FOOT SHAPE WITH SMOOTH SURFACE, SHAPED TOES AND SANDAL TOE, COMPORTABLE HEEL STRIKE AND A SMOOTHER MORE DYNAMIC, HEEL HEIGHT 10 MM, RIGHT, MEN, SIZE 27 CM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1D10=R27-0-W/4	Germany
716	4224200109100	DYNAMIC FOOT FOR MEN, WITH INNER FLEXIBLE FOOT, DORSAL REINFORCEMENT, MEDIUM DENSITY HEEL AND RESEMBLES THE NATURAL FOOT SHAPE WITH SMOOTH SURFACE, SHAPE TOES AND SANDAL TOE, COMFORTABLE HEEL STRIKE AND A SMOOTHER MORE DYNAMIC, HEEL HEIGHT 10 MM, RIGHT, MEN, SIZE 28 CM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1D10=R28-0-W/4	Germany
717	4224170201900	DYNAMIC HIP ALIGNMENT ORTHOSIS, UNIQUE DESIGN ALLOWS BIOMECHANICALLY APPROPRIATE MOTION, CONTROLLED VARIABLE ABDUCTION, TRANSFERS ADDUCTOR TONE PROXIMALLY TO ACHIEVE MORE POSTURAL POSTITIONING, TRI - PALNAR FUNCTION FOR PROPER CLOSED CHAIN MUSCLE FUNCTION, CONTROLS AMOUNT OF ADDUCTION FOR IMPROVED SITTING, STANDING, AND IF AMBUATORY ALSO WALKING FUNCTIONS, ENCOURAGES GREATER TRUNK EXTENSION FOR IMPROVED POSTURAL POSTITIONING, IMPROVED POSTURAL POSTITIONING, IMPROVED SITTING FOR THE MEDICAL PROPERTY OF THE	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	Camp Scandinavia/Allard Int	288520001	Spain
718	4224170639800	DYNAMIC WALK, LIGHTWEIGHT, MOLDABLE CARBON FIBER, COMPOSITE OPEN HEEL WITH PADDING KIT, LARGE, LEFT	CANCELLED	CANCELLED	CANCELLED	CANCELLED NOT MATCHING THE DESCRIPTION, NO SAMPLE PROVIDED CANCELLED	CANCELLED	CANCELLED	CANCELLED
719	4224170639900	DYNAMIC WALK, LIGHTWEIGHT, MOLDABLE CARBON FIBER, COMPOSITE OPEN HEEL WITH PADDING KIT, LARGE, RIGHT	CANCELLED	CANCELLED	CANCELLED	NOT MATCHING THE DESCRIPTION, NO SAMPLE PROVIDED CANCELLED	CANCELLED	CANCELLED	CANCELLED
720	4224170640000	DYNAMIC WALK, LIGHTWEIGHT, MOLDABLE CARBON FIBER, COMPOSITE OPEN HEEL WITH PADDING KIT, MEDIUM, LEFT	CANCELLED	CANCELLED	CANCELLED	NOT MATCHING THE DESCRIPTION, NO SAMPLE PROVIDED CANCELLED	CANCELLED	CANCELLED	CANCELLED
721	4224170640100	DYNAMIC WALK, LIGHTWEIGHT, MOLDABLE CARBON FIBER, COMPOSITE OPEN HEEL WITH PADDING KIT, MEDIUM, RIGHT	CANCELLED	CANCELLED	CANCELLED	NOT MATCHING THE DESCRIPTION, NO SAMPLE PROVIDED CANCELLED	CANCELLED	CANCELLED	CANCELLED
722	4224170640200	DYNAMIC WALK, LIGHTWEIGHT, MOLDABLE CARBON FIBER, COMPOSITE OPEN HEEL WITH PADDING KIT, SMALL, LEFT	CANCELLED	CANCELLED	CANCELLED	NOT MATCHING THE DESCRIPTION, NO SAMPLE PROVIDED CANCELLED	CANCELLED	CANCELLED	CANCELLED
723	4224170640300	DYNAMIC WALK, LIGHTWEIGHT, MOLDABLE CARBON FIBER, COMPOSITE OPEN HEEL WITH PADDING KIT, SMALL, RIGHT	CANCELLED	CANCELLED	CANCELLED	NOT MATCHING THE DESCRIPTION, NO SAMPLE PROVIDED	CANCELLED	CANCELLED	CANCELLED
724	4224170640400	DYNAMIC WALK, LIGHTWEIGHT, MOLDABLE CARBON FIBER, COMPOSITE OPEN HEEL WITH PADDING KIT, WIDE ANKLE, LARGE, LEFT	ITEMIZED	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	Camp Scandinavia/Allard Int	389601013	Sweden
724	4224170640400	DYNAMIC WALK, LIGHTWEIGHT, MOLDABLE CARBON FIBER, COMPOSITE OPEN HEEL WITH PADDING KIT, WIDE ANKLE, LARGE, LEFT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	28U11=L42-45	China
725	4224170640500	DYNAMIC WALK, LIGHTWEIGHT, MOLDABLE CARBON FIBER, COMPOSITE OPEN HEEL WITH PADDING KIT, WIDE ANKLE, LARGE, RIGHT DYNAMIC WALK, LIGHTWEIGHT, MOLDABLE CARBON FIBER, COMPOSITE OPEN HEEL WITH	ITEMIZED	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	Camp Scandinavia/Allard Int	389602013	Sweden
725	4224170640500	PADDING KIT, WIDE ANKLE, LARGE, RIGHT DYNAMIC WALK, LIGHTWEIGHT, MOLDABLE CARBON FIBER, COMPOSITE OPEN HEEL WITH DYNAMIC WALK, LIGHTWEIGHT, MOLDABLE CARBON FIBER, COMPOSITE OPEN HEEL WITH	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock Camp Scandinavia/Allard	28U11=R42-45	China
726	4224170640600	PADDING KIT, WIDE ANKLE, MEDIUM, LEFT DYNAMIC WALK, LIGHTWEIGHT, MOLDABLE CARBON FIBER, COMPOSITE OPEN HEEL WITH	ITEMIZED	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	Int	389601012	Sweden
726	4224170640600	PADDING KIT, WIDE ANKLE, MEDIUM, LEFT DYNAMIC WALK, LIGHTWEIGHT, MOLDABLE CARBON FIBER, COMPOSITE OPEN HEEL WITH	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock Camp Scandinavia/Allard	28U11=L39-42	China
727	4224170640700	PADDING KIT, WIDE ANKLE, MEDIUM, RIGHT DYNAMIC WALK, LIGHTWEIGHT, MOLDABLE CARBON FIBER, COMPOSITE OPEN HEEL WITH	ITEMIZED	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	Int	389602012	Sweden
727	4224170640700	PADDING KIT, WIDE ANKLE, MEDIUM, RIGHT DYNAMIC WALK, LIGHTWEIGHT, MOLDABLE CARBON FIBER, COMPOSITE OPEN HEEL WITH	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock Camp Scandinavia/Allard	28U11=R39-42	China
728	4224170640800 4224170640800	PADDING KIT, WIDE ANKLE, SMALL, LEFT DYNAMIC WALK, LIGHTWEIGHT, MOLDABLE CARBON FIBER, COMPOSITE OPEN HEEL WITH	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	Int	389601011	Sweden
728	4224170640800	PADDING KIT, WIDE ANKLE, SMALL, LEFT DYNAMIC WALK, LIGHTWEIGHT, MOLDABLE CARBON FIBER, COMPOSITE OPEN HEEL WITH	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock Camp Scandinavia/Allard	28U11=L36-39 389602011	China
729	4224170640900	PADDING KIT, WIDE ANKLE, SMALL, RIGHT DYNAMIC WALK, LIGHTWEIGHT, MOLDABLE CARBON FIBER, COMPOSITE OPEN HEEL WITH	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Int Ottobock	28U11=R36-39	China
730	4224200134700	PADDING KIT, WIDE ANKE, SMALL, RIGHT EARLIER/LATER STANCE RELEASE LATER MORE SAFETY NORMAL SAFETY AND DYNAMICS EARLIER MORE DYNAMICS STANCE PHASE STABILITY LOW VOLUNTARY CONTROL REQUIRED MID SWING SHORTENING FOR BETTER TO CLEARANCE ADJUSTABLE EXTENSION TO OPTIMIZE EXTENSION SPEED ADJUSTABLE STANCE SETTIMES FOR INDIVIDUAL DSERS NEED FOR STABILITY INCREASED STABILITY LESS EFFORT AND MORE CONFIDENCE DURING WALKING REDUCED RISK OF TRIPS AND FALLS SAFER WALKING AD MORDE CONFIDENCE TRANSFEMORAL LOW TO MODERATE IMPACT LEVEL MAX USER WEIGHT 136 KG. K LEVEL: K 1 AND K 2 ADJUSTABLE GEOMETRY WITH STANCE RELEASE SETTING 4 - BAR GEOMETRY INTEGRATED EXTENSION SPRING	CANCELLED	CANCELLED	CANCELLED	CANCELLED NOT MATCHING THE DESCRIPTION	CANCELLED	CANCELLED	CANCELLED
731	4224171319200	EASY PROTH FOR TRANSFEMORAL PROSTHESIS WASHABLE SIZE: DOUBLE EXTRA-LARGE (XX- LARGE)	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	OC1560=XXL	Tunisia
732 733	4224171319100 4224171318800	EASY PROTH FOR TRANSFEMORAL PROSTHESIS WASHABLE SIZE: EXTRA-LARGE (XL) EASY PROTH, FOR TRANSFEMORAL PROSTHESIS, WASHABLE, SIZE: LARGE	ITEMIZED ITEMIZED	each each	400571 400468	AL Gaim Comm. EstOrig- ALMAFSAL MEDICAL CO -Orig-	Ottobock ST AND G	OC1560=XL 3213-L	Tunisia South Korea
733 734	4224171318800 4224171318800 4224171318900	EASY PROTH, FOR TRANSFEMORAL PROSTHESIS, WASHABLE, SIZE: LARGE EASY PROTH, FOR TRANSFEMORAL PROSTHESIS, WASHABLE, SIZE: MEDIUM	ITEMIZED ITEMIZED	each each	400571 400468	AL Gaim Comm. EstOrig- ALMAFSAL MEDICAL CO -Orig-	Ottobock ST AND G	OC1560=L 3213-M	Tunisia South Korea
734 735	4224171318900 4224171319000	EASY PROTH, FOR TRANSFEMORAL PROSTHESIS, WASHABLE, SIZE: MEDIUM EASY PROTH, FOR TRANSFEMORAL PROSTHESIS, WASHABLE, SIZE: MEDIUM EASY PROTH, FOR TRANSFEMORAL PROSTHESIS, WASHABLE, SIZE: SMALL	ITEMIZED ITEMIZED	each each	400571 400468	AL Gaim Comm. EstOrig- ALMAFSAL MEDICAL CO -Orig-	Ottobock ST AND G	OC1560=M 3213-S	Tunisia South Korea
735	4224171319000	EASY PROTH, FOR TRANSFEMORAL PROSTHESIS, WASHABLE, SIZE: SMALL	ITEMIZED	each	400571	AL Gaim Comm. EstOrig- CANCELLED	Ottobock	OC1560=S	Tunisia
736	4224200430200	EASY PROTH, FOR TRANSFEMORAL PROSTHESIS, WASHABLE, UNIVERSAL SIZE ECCENTRIC ADAPTER TITANIUM APPLICATION AS FOR SOCKET ADAPTER WITH ADJUSTMENT	CANCELLED	CANCELLED	CANCELLED	NO SAMPLE PROVIDED	CANCELLED	CANCELLED	CANCELLED
737	4224200005700 4224200005800	PYRAMID AXIALLY OFFSET APPROXIMATELY 7 MM SYSTEM HEIGHT: 11 MM WEIGHT: 60 GRAMS FOR BODY WEIGHT UP TO 150 KG. ECCENTRIC ADAPTER TITANIUM APPLICATION AS FOR SOCKET ADAPTER WITH ADJUSTMENT PYRAMID DIAGONALLY OFFSET APPROXIMATELY 5 MM SYSTEM HEIGHT: 11 MM WEIGHT: 60	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	4R73=A 4R73=D	Germany
738	4224200005800	PYRAMID DIAGONALLY OFFSET APPROXIMATELY 5 MM SYSTEM HEIGHT: 11 MM WEIGHT: 60 GRAMS FOR BODY WEIGHT UP TO 150 KG. ELASTIC FABRIC SOCKS, COOLMAX OR EQUIVALENT, WITH INNER POLYMER GEL COATING FOR TRANSTIBIAL AMPUTATION SOCKS, LENGTH 300 MM, GEL LENGTH 250 MM, DISTAL	CANCELLED	CANCELLED	4005/1 CANCELLED	CANCELLED NOT MATCHING THE DESCRIPTION, NO		4R/3=D CANCELLED	CANCELLED
		CIRCUMFERENCE 120 - 260 MM, PROXIMAL CIRCUMFERENCE 280 - 420 MM, APPROXIMATELY				SAMPLE PROVIDED			

TENDER NA	ME : Prosthetics Ort	hosis Supplies							
740	4224200401800	ELASTIC FABRIC SOCKS, COOLMAX OR EQUIVALENT, WITH INNER POLYMER GEL COATING FOR TRANSTIBIAL AMPUTATION SOCKS, LENGTH 400 MM, GEL LENGTH 300 MM, DISTAL CIRCUMFERENCE 120 - 260 MM, PROXIMAL CIRCUMFERENCE 280 - 450 MM, APPROXIMATELY	CANCELLED	CANCELLED	CANCELLED	CANCELLED NOT MATCHING THE DESCRIPTION, NO SAMPLE PROVIDED	CANCELLED	CANCELLED	CANCELLED
741	4224200401100	ELASTIC NYLON SOCKS, WITH INNER POLYMER GEL COATING FOR TRANSTIBIA AMPUTATION, SOCKS LENGTH 500 MM, GEL LENGTH 330 MM, DISTAL CIRCUMFERENCE 270 - 400 MM, PROXIMAL CIRCUMFERENCE 270 - 450 MM, APPROXIMATELY	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	26A10/7	Germany
741	4224200401100	ELASTIC NYLON SOCKS, WITH INNER POLYMER GEL COATING FOR TRANSTIBIA AMPUTATION, SOCKS LENGTH 500 MM, GEL LENGTH 330 MM, DISTAL CIRCUMFERENCE 270 - 400 MM, PROXIMAL CIRCUMFERENCE 270 - 450 MM, APPROXIMATELY	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	453D7=7	Germany
742	4224200400600	ELASTIC NYLON SOCKS, WITH INNER POLYMER GEL COATING FOR TRANSTIBIAL AMPUTATION, SOCKS LENGTH 400 MM, GEL LENGTH 200 MM, ISTAL CIRCUMFERENCE 160 - 220 MM, PROXIMAL CIRCUMFERENCE 160 - 250 MM, APPROXIMATELY	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	453D7=1	Germany
743	4224200401000	ELASTIC NYLON SOCKS, WITH INNER POLYMER GEL COATING FOR TRANSTIBIAL AMPUTATION, SOCKS LENGTH 450 MM, GEL LENGTH 250 MM, DISTAL CIRCUMFERENCE 200 - 310 MM, PROXIMAL CIRCUMFERENCE 200 - 350 MM, APPROXIMATELY	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	26A10/3	Germany
743	4224200401000	ELASTIC NYLON SOCKS, WITH INNER POLYMER GEL COATING FOR TRANSTIBIAL AMPUTATION, SOCKS LENGTH 450 MM, GEL LENGTH 250 MM, DISTAL CIRCUMFERENCE 200 - 310 MM, PROXIMAL CIRCUMFERENCE 200 - 350 MM, APPROXIMATELY	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	453D7=3	Germany
744	4224200400700	ELASTIC NYLON SOCKS, WITH INNER POLYMER GEL COATING FOR TRANSTIBIAL AMPUTATION, SOCKS LENGTH 450 MM, GEL LENGTH 250 MM, DISTAL CIRCUMFERENCE 230 - 350 MM, PROXIMAL CIRCUMFERENCE 230 - 400 MM, APPROXIMATELY	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	26A10/5	Germany
744	4224200400700	ELASTIC NYLON SOCKS, WITH INNER POLYMER GEL COATING FOR TRANSTIBIAL AMPUTATION, SOCKS LENGTH 450 MM, GEL LENGTH 250 MM, DISTAL CIRCUMFERENCE 230 - 350 MM, PROXIMAL CIRCUMFERENCE 230 - 400 MM, APPROXIMATELY	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	453D7=5	Germany
745	4224151008700	ELASTIC THERMO - FORMING SHEET, STREIFYFLEX COLOR, NEON YELLOW, THICKNESS 2 MM, SIZE: 1.115 X 900 MM ELBOW COMPONENT WITH CABLE LOCK, AND AUTOMATIC FOR ARM BALANCE SUITABLE FOR	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	111P273/2	Germany
746	4224200215900	ALL AMPUTATION LEVELS AND FOR ELBOW DISARTICULATION FOR HAND, SIZE 63/4 - 71/4	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	12K42=45	Austria
747	4224200216000 4224200217200	ELBOW COMPONENT WITH CABLE LOCK, AND AUTOMATIC FOR ARM BALANCE SUITABLE FOR ALL AMPUTATION LEVELS AND FOR ELBOW DISARTICULATION FOR HAND, SIZE 73/4 - 8 ELBOW EXTENSION ORTHOSIS, DESIGNED FOR USE WITH INDIVIDUALS WITH ELBOW FLEXION	ITEMIZED	each	400571	AL Gaim Comm. EstOrig- massas al-watania for medical servi -	Ottobock	12K42=50 E-EL090-L	Austria
749	4224200217200	CONTRACTURES PROVIDES ACTIVE SERIAL, ADULT LARGE SIZE ELBOW EXTENSION ORTHOSIS, DESIGNED FOR USE WITH INDIVIDUALS WITH ELBOW FLEXION	CANCELLED	CANCELLED	CANCELLED	Orig- CANCELLED	CANCELLED	CANCELLED	CANCELLED
750	4224200220100	CONTRACTURES PROVIDES ACTIVE SERIAL, ADULT MEDIUM SIZE ELBOW EXTENSION ORTHOSIS, DESIGNED FOR USE WITH INDIVIDUALS WITH ELBOW FLEXION	CANCELLED	CANCELLED	CANCELLED	NOT MATCHING THE DESCRIPTION CANCELLED	CANCELLED	CANCELLED	CANCELLED
751	4224200225100	CONTRACTURES PROVIDES ACTIVE SERIAL, ADULT SMALL SIZE ELBOW JOINT COMPATIBLE WITH PASSIVE CABLE-CONTROLLED AND MYOELECTRIC ARM	ITEMIZED	each	400571	NOT MATCHING THE DESCRIPTION AL Gaim Comm. EstOrig-	Ottobock	12K12	Germany
/51	42242UU2158UU	PROSTHESIS SYSTEM FOR CHILDREN WRIST CONNECTION DIAMETER 34 MM ELBOW JOINT FACELIFT (MICROPROCESSOR-CONTROLLED ELBOW JOINT WITH ADJUSTABLE	HEIWIZED	edul	4005/1	AC Gond Comm. ESTUFIg-	OLLOBOCK	12012	Germany
752	4224200215500	FRICTION) WITH CONTINUOUS GEARING, HIGH LIFTING AND HOLDING FORCE, LOW NOISE LEVEL, NO NOISE AT ALL DRINGS FRES WINK, NATURAL FREE SWING BEHAVIOUR AND ACTIVE LEBOW COMPONENT WITH LIFTING LOAD CAPACITY OF (6 KG, THE ARM STORES ENERGY WHEN THE ARM IS EXTENDED AND REUSES IT TO PROVIDE SMOOTH FLEXION, CLOSE TO THE NATURAL MOVEMENTS OF THE HUMAN ARM, WITH INTEGRATED LI-HON BATTERY, WITH HIGH PERFORMANCE. FOREARM LAMINATION RING 45 MM, INCLUDES: ELECTRIC ROTATOR FOR POWER-DRIVEN ROTATION WITH ANGLE OF ROTATION 360°, AND SYSTEM ELECTRIC HAND WITH GUIVEN DEVINEY TO WITH COMPLETE ACCESSORIES INCLUDING PROGRAM AND TRAINING, SYEAS WARRANTY, SIZE, SIDE AND COLOR WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL. INCLUDES - PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, INCLUDES AL REQUIRED MATERIALS/COMPONENTS TO FABRICA.	ITEMIZED	Kit	400571	AL Gaim Comm. EstOrig-	Ottoback	12K100N=45 + SP- 12K100N=3 + 10S17 + 10S1=45 + 8E38=9* + 8S11* + 2x 13E129=660 0 ElbowSoft & TrainingService (Fitting)	Austria
753	4224200215600	ELBOW JOINT FACELIST (MICROPROCESSOR-CONTROLLED ELBOW JOINT WITH ADJUSTABLE PRICTION) WITH CONTINUOUS CEARING, HIGH LIFING AND HOLDING FORCE, LOW NOISE LEVEL, NO NOISE AT ALL DUBING FREE SWING, NATURAL REFE SWING BEHAVOUR AND ACTIVE ELBOW COMPONENT WITH LISTING LOAD CAPACITY OF IC ROS, THE ARM STORES ENERGY WHEN THE ARM IS EXTENDED AND REUSES IT TO PROVIDE SMOOTH FLEXION, CLOSE TO THE NATURAL MOVEMENTS OF THE HUMAN ARM, WITH INTEGRATED LI-ION BATTERY, WITH HIGH PERFORMANCE FOREARM LAMINISTION RINGS OM MI, INCLUDES ELECTRIC ROTATOR FOR POWER-DRIVEN ROTATION WITH ANGLE OF ROTATION 360°, AND SYSTEM ELECTRIC HOLD WITH DISCONDENCEY WISTS UNIT, PROPORTIONAL SPEED 15 – 300 MM/SEC, OPENING WIDTH 100 MM, COSMETIC GLOVE, WITH COMPLETE ACCESSORIES INCLUDING PROGRAM AND TRAINING, 3 YEARS WARRANTY, SIZE, SIDE AND COLOR WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL.	ITEMIZED	SET	400571	AL Gaim Comm. EstOrig-	Ottobock	12K100N=50 + SP- 12K100N=3 + 10S17 + 10S1=50 + 8E38=9* + 8S11* + 2x 13E20 2=60 + 2X 13E129=6600 + ElbowSoft & Training	Austria
754	4224200215700	ELBOW JOINT FACELIST (MICROPROCESSOR-CONTROLLED ELBOW JOINT WITH ADJUSTABLE FIRETION), WITH CONTINUOUS GEARING, HIGH LIFING AND HOLDING FORCE, LOW NOISE LEVEL, NO NOISE AT ALL DURING FREE SWING, NATURAL FREE SWING BEHAVIOUR AND ACTIVE ELBOW COMPONENT WITH LIFING LOAD CAPACITY OF (6 Kg), THE ARM STORES SHERGY WHICH THE ARM IS SETENDED AND REUSES IT TO PROVIDE SMOOTH FLEXION, CLOSE TO THE NATURAL MOVEMENTS OF THE HUMAN ARM, WITH INTEGRATED IL-ION BATTERY, WITH HIGH PERFORMANCE. FOREARM LAMINISTION RINGS OM MICLIDES: ELECTIC ROLTATOR FOR POWER DRIVEN BOTATION WITH ANGLE OF ROTATION 360°, AND SYSTEM ELECTRIC HAND WITH DURING SECONDECT WHIST UNIT, PROPROSTIONAL SPEED 15 – 300 MM/SEC, OPENING WIDTH 100 MM, COSMETIC GLOVE, WITH COMPLETE ACCESSORIES INCLUDING PROCRAM AND TRAINING. SYSTEM STATEMENT, SIZE, SIDE AND COLOR WILL BE SPECIFY WHEN ORDREDEF OR EACH PATIENT MONIFICAL INCLUDES 7 APICENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, INCLUDES ALL REQUIRED MATERIALS/COMPONENTS TO FABRICA.	ITEMIZED	Kit	400571	AL Gaim Comm. EstOrig-	Ottobock	12K100N=50 + SP- 12K100N=3 + 10S17 + 10S1=50 + 8238=9* + 8S11* + 2x 13E20 2=60 + 2X 13E129=G600 + ElbowSoft & TrainingService (Fitting)	Austria
755	4224200036300	ELECTRONIC WEIGHING SCALES OF MATERIAL IN A CONTAINER, AN ORTHOTICS WORKSHOP TOOL, SUITABLE FOR BATTERY AND MAINS OPERATION, ROBUST DESIGN, CAN BE TARED, TOTAL WEIGHT IS DISPLAYED AFTER THE WEIGHT IS REMOVED FROM THE SCALE FAN, DIMENSIONS (W X D X H) 140-250 X 200-240 X 60-90 MM, WEIGHING RANGE UP TO 6000 G	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	AFT-INTERNATIONAL	6025910005	Germany
756 757	4224200217500 4224200217400	ELECTRONIC, HAND, CHILDREN, 5 - 10 YEARS OLD, RIGHT ELECTRONIC, HAND, CHILDREN, BETWEEN 1.5 - 3 YEARS OLD, RIGHT	ITEMIZED ITEMIZED	each each	400571 400571	AL Gaim Comm. EstOrig- AL Gaim Comm. EstOrig-	Ottobock Ottobock	8E51=R6 8E51=R5	Austria Austria
758	4224200217300	ELECTRONIC, HAND, CHILDREN, BETWEEN 5 - 10 YEARS OLD, LEFT ELECTRONICALLY CONTROLLED SYSTEM KNEE JOINT WITH A LOCKED STANCE PHASE AND	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	8E51=L6 17B203=R +	Austria
759	4224200111400	FREE SWING THROUGH PHASE KIT INCLUDES ALL COMPONENTS, TRAINING, AND CERTIFICATION FOR CPO AND TECHNICIANS, SECURED STANCE PHASE FREE SWING THROUGH PHASE AND FREE SWING THROUGH SWING ALLOCKED STANCE PHASE AND	ITEMIZED	SET	400571	AL Gaim Comm. EstOrig-	Ottobock	17B206 + 17LS3=16 (4 pcs.) + 17LA3N (2 pcs.) 17B203=L +	Germany
760	4224200110900	FREE SWING-THROUGH PHASE, KIT INCLUDES ALL COMPONENTS, TRAINING AND CERTIFICATION FOR CPO AND TECHNICIANS, SECURED STANCE PHASE, FREE SWING THROUGH PHASE, ELECTRONICALLY, LEFT	ITEMIZED	SET	400571	AL Gaim Comm. EstOrig-	Ottobock	17B203=L+ 17B206 + 17LS3=16 (4 pcs.) + 17LA3N (2 pcs.)	Germany
761	4224200111100	ELECTRONICALLY CONTROLLED SYSTEM MINE JOINT WITH A LOCKED STANCE PHASE AND FREE SWING-THROUGH PHASE. KIT INCLUDES ALL COMPONENTS, TRAINING AND CERTIFICATION FOR CPO AND TECHNICIANS. SECURED STANCE PHASE - FREE SWING- THROUGH PHASE ELECTRONICALLY, LEFT, INCLUDES - PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, INCLUDES ALL REQUIRED MATERIALS/COMPONENTS TO FABRICATE PROSTHESIS, DELINERY, FITTING BY CERTIFIED ORTHOTIST IN MULTIFIE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP.	ITEMIZED	Kit	400571	AL Gaim Comm. EstOrig-	Ottobock	17B203=L + 17B206 + 17LS3=16 (4 pcs.) + 17LA3N (2 pcs.) + Service (fitting)	Germany
762	4224200031700	END-CUTTING PLIERS, AN ORTHOTICS WORKSHOP TOOL, INDUCTIVELY HARDENED CUTTING, SIDE PIECE WITH PVC COATING, FOR HARD WIRE, LENGTH 160-200 MMG	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	706K1=210	Germany
763	4224170643200	EXTERNAL FOOT DROP BRACE, ANKLE FOOT ORTHOSIS (ANKLE - FOOT - ORTHOSIS), CAN BE FIT EXTERNALLY ON HIGH HIKING FOOTWEAR, WINTER OR SAFETY BOOTS CAN BE ADJUSTED, RIGHT + LEFT, SZE (SMALL, MEDIUM, LARGE, LARGE, MADE FROM HIGHLY DURABLE THERMOPLASTIC (LIMITED WARRANTY OF 2 YEARS), IT ATTACHES TO THE OUTSIDE OF FOOTWEAR AND IS QUICKLY AND EASILY INTERCHANGEABLE FROM SHOE TO SHOE FABRIC FOR LAMINATION, BLUE FOREST, FABRIC BOG REINFORCEMENT OF LAMINATION	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	REH4MAT Slawomir Wronski	AM-OSS-21/CCA	Poland
764	4224150000900	RESIN, WIDTH 20 CM X LENGTH 150 CM APPROXIMATELY	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	8T81/M	Germany
764	4224150000900	FABRIC FOR LAMINATION, BLUE FOREST, FABRIC BAG FOR REINFORCEMENT OF LAMINATION RESIN, WIDTH 20 CM X LENGTH 150 CM APPROXIMATELY	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	623S62=20	Italy
765	4412211900100	FASTENER, SELF ADHESIVE, HOOK, VELCRO OR EQUIVALENT, 30 MM, WIDTH, BROWN, 25 METER/ROLL	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation
766	4412211900200	FASTENER, SELF ADHESIVE, HOOK, VELCRO OR EQUIVALENT, GREY WHITE, 30 MM, WIDTH, 25 METER/ROLL	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation
767	4412211900300	FASTENER, SELF ADHESIVE, HOOK, VELCRO OR EQUIVALENT, WHITE, 25 MM, WIDTH, 25 METER/ROLL	ITEMIZED	each	400035	ZIMMO TRADING Company LTD -Orig-	A.ALGEOS LTD	LA3874/5	United Kingdom
768	4412211900400	FASTENER, SELF ADHESIVE, HOOK, VELCRO OR EQUIVALENT, WHITE, 30 MM, WIDTH 25 METER/ROLL	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation
769	4412211900000	FASTENER, SELF ADHESIVE, HOOK, VELCRO OR EQUIVALENT, WHITE, 50 MM, WIDTH 25 METER/ROLL	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	623Z8=W50	China
770	4224200512500	FEMALE PYLON, SHORT, MADE OF STAINLESS STEEL, WITH ALUMINUM, LENGTH 250 MM, WEIGHT LIMIT 100 KG	CANCELLED	CANCELLED	CANCELLED	CANCELLED DUPLICATED DESCRIPTION	CANCELLED	CANCELLED	CANCELLED
771	4224200512600	FEMALE PYLON, SHORT, MADE OF STAINLESS STEEL, WITH ALUMINUM, LENGTH 400 MM, WEIGHT LIMIT 100 KG	CANCELLED	CANCELLED	CANCELLED	CANCELLED DUPLICATED DESCRIPTION	CANCELLED	CANCELLED	CANCELLED
		WEIGHT LIWIT 100 KG				DOF LICATED DESCRIPTION			

Mathematical	TENDER NA	ME : Prosthetics Or								Preliminary Result
100 100	772	4214280204800		ITEMIZED	Role	400571	AL Gaim Comm. EstOrig-	Ottobock	616G3=10	Germany
	772	4214280204800	FIBERGLASS STOCKINETTE, HIGH ELASTICITY, TWO WAY STRETCH, WIDTH 100 MM,	ITEMIZED	Role	400005	Oomel Company -Orig-	LINIPROX	MG217-100	Germany
10 10 10 10 10 10 10 10										
March Marc										
10 10 10 10 10 10 10 10	773	4214280204700	LENGTH/ROLL 12.5 METER, APPROXIMATELY	ITEMIZED	Role	400005	Qomel Company -Orig-	UNIPROX	MG217-120	Germany
10 10 10 10 10 10 10 10	774	4224200019300		No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation
100 100	775	4224200035200	FIXTURE FOR BENDING BANDS, AN ORTHOTICS WORKSHOP TOOL, FOR BRACES AN ORTHOTICS FOR SHAPING OF STEELS AND METALS PLATE	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	71152	Germany
1982 1982	776	4224200035300	FLAT SURFORM FILE, AN ORTHOTICS WORKSHOP TOOL, FOR SHAPING OF CASTING AND	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	716Y2	United Kingdom
Company Comp	776	4224200035300	FLAT SURFORM FILE, AN ORTHOTICS WORKSHOP TOOL, FOR SHAPING OF CASTING AND	ITEMIZED	each	400569		AET-INTERNATIONAL	6074132003	Germany
March Marc										
	777	4224200005000		ITEMIZED	oneh	400560			2200	
March Marc	///	4224200003000	·	TTEIVILZED	eacii	400369	Orig-		2509	Germany
	778	4231155203800		ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	627B5=25	Netherlands
19 19 19 19 19 19 19 19	779	4224200019000		CANCELLED	CANCELLED	CANCELLED		CANCELLED	CANCELLED	CANCELLED
10 10 10 10 10 10 10 10			FOAM COVER COSMETIC PURE FLEXIBLE FOAM SLIGHTLY PREFORMED TAN COLOR 30							
10 10 10 10 10 10 10 10	780	4224171200800		ITEMIZED	each	400569		Proteor SAS	1G16-G44	France
10										
10	780	4224171200800	DEGREES KNEE FLEXION WITH CENTER HOLE PROXIMALLY TO FLAME RESISTANCE FOR	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	3R24=L44	Germany
10 10 10 10 10 10 10 10										
10 10 10 10 10 10 10 10	781	4224200033000		ITEMIZED	Kit	400569		AFT-INTERNATIONAL	6075000720	Germany
Mathematical Math	781	4224200033000	FOLD UP POCKET HEX KEY KIT, AN ORTHOTICS WORKSHOP TOOL, STEEL, INCLUDES HOLDER,	ITEMIZED	Kit	400571		Ottobock	709S16=2	Germany
March Marc	782	4224200110700		ITEMIZED	each	400571		Ottobock	2R40=2	Germany
19 19 19 19 19 19 19 19	782	4224200110700	FOOT ADAPTER FOR SACH AND DYNAMIC FOOT FOR CHILDREN WITH M6 THREAD	ITEMIZED	each	400792		WAGNER	2K065-3-M6	Germany
10 10 10 10 10 10 10 10	783	4224200004600		ITEMIZED	each	400468	- 5	ST AND G	1231T	South Korea
100 100	783		FOOT ADAPTER TITANIUM WITH CAP SCREW (FOOT BOLT) FOR ALL DYNAMIC AND SACH FEET						2R31=M10	
## AUTOMOTION OF SQL 125 IN THE PROPERTY OF TH							-			,
Management Man			BOLT SIZE M8 THREAD WEIGHT: 70 GRAMS FOR BODY WEIGHT UP TO 125 KG							
Page			FOOT ADAPTER, FOR SACH AND DYNAMIC FOOT, FOR CHILDREN WITH M8 THREAD							
MIDDITION OF COMMENT CONTINUENCE AND CONTINUENCE AND ADMINISTRATION OF COMMENT CONTINUENCE AND ADMINISTRATION OF CONTINUENCE AND ADMINIS	786	4224200133600	ROBUST AND DURABLE WITH LOW CLEARANCE RESISTANT AGAINST DUST DIRT AND SPLASH WATER CARRON SPRING THE CARRON SPRING THE CREEKS VIEW OF CHEST RICH FOR PROVIDES IMPROVED CONFORMANCE ON UNEVER TERRAN FOR SASE STADINING AND WALKING THE HEEL FOAM OFFERS A COMFORTABLE AND SAVE HEEL STRIKE TOE INSERT PRE—INSTALLED IN THE FOOTSHELL SERVES TO EXTEND THE LENGTH OF THE FOREFOOT SUPPORTING DIFFERS WALKING SPEED LOW PROPILE FOOTSHELL FOR EASY ACCESS TO ADUSTISMENT SCREW'S AND CONVENIENT INSTALLATION ALIGNMENT MARKS ON THE FOOTSHELL AND CONVECTION CONVECTION.	ITEMIZED	each	400569		Proteor SAS	1A500	France
Profession Pro	786	4224200133600	ROBUST AND DURABLE WITH LOW CLEARANCE RESISTANT AGAINST DUST DIRT AND SPIASH WATER CARBON SPRING THE CARBON SPRING OFFERS HIGH FOREOTO STABLITY AND FERFACE AND THE CARBON SPRING OFFERS HIGH FOREOTO STABLITY AND FERFACE OF THE PROVIDES IMPROVED CONFORMANCE ON UNEVEN TERRAIN FOR SAFE STANDING AND WALKING THE HELE FOR OFFERS A COMPORTABLE AND SAVE HELE STRIKE TO ENSERT FOR. INSTALLED IN THE FOOTSHELL SERVES TO EXTEND THE ENDETH OF THE FOREFOOT SUPPORTING DIFFERENT WALKING SPEEDS LOW PROFILE FOOTSHELL FOR EASY ACCESS TO ADJUSTMENT SCREW S AND CONVENIENT INSTALLATION ALIGNMENT MARKS ON THE FOOTSHELL AND CONNECTION CAP ALLOW AN EASY BENCH ALIGNMENT MAXIMUM BODY WEIGHT: 125 KG FOOT SIZE S: 22 CMT O 28 CM.	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1C10=R28-4-P/4N	Germany
178 2220033500 This FT ALGRED TO THE SPECIAL NEED OF YOURS (PROCEEDED FLOOR SPECIAL NEED OF YOURS) (PROCEED FLOOR SPECIAL	787	4224200150600	THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEARERS IT HAS A NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING UP TO 45 KG. LEFT SIZE 12	ITEMIZED	each	400569		Proteor SAS	1A51-G12	France
Process Proc	787	4224200150600	THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEARERS IT HAS A NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1S30=L12	Germany
Foot SACK (SUBJECT TO 19 SPECIAL MANUAL LOCKING POST SACK (SUBJECT MANUAL THE MANUAL TO 19 SPECIAL MANUAL THE MANUAL TH	788	4224200150700	THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEARERS IT HAS A NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING	ITEMIZED	each	400569		Proteor SAS	1A51-G13	France
Foot Section (South American Components)	788	4224200150700	FOOT SACH (SOLID ANKLE CUSHION HEEL) CHILD A ROBUST CHILDREN'S PROSTHETIC FOOT THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEARERS IT HAS A NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1530=L13	Germany
THAT IS TAUDRED TO THE SPECIAL NEEDS OF YOUNG PROSTHESS WEARREST HIAS A NATURAL -LOOKING POOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOSS WEGHING UP TO 45 KG. LEFT SUZ 15	789	4224200151000	THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEARERS IT HAS A NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING	ITEMIZED	each	400569		Proteor SAS	1A51-G14	France
THAT IS TRAIGED TO THE SPECIAL REED OF YOUNG PROSTHESS WEARES IT HAS A NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOSS WEIGHING UP TO 48 KG. LEFT SZE 15 France	789	4224200151000	THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEARERS IT HAS A NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING UP TO 45 KG. LEFT SIZE 14	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1K30=L14	Germany
THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESS WARRES IT HAS A NUTURAL - LOONING FOOT SACH SOLD ANKIE CUSHOM PROSTHESS WARRES IT HAS A NUTURAL - LOONING FOOT SACH SOLD ANKIE CUSHOM REGULA NEEDS OF YOUNG PROSTHESS WARRES IT HAS A NUTURAL - LOONING FOOT SACH SOLD ANKIE CUSHOM REGULA NEEDS OF YOUNG PROSTHESS WARRES IT HAS A NUTURAL - LOONING FOOT SACH SOLD ANKIE CUSHOM REGULA NEEDS OF YOUNG PROSTHESS WARRES IT HAS A NUTURAL - LOONING FOOT SACH SOLD ANKIE CUSHOM REGULA NEEDS OF YOUNG PROSTHESS WARRES IT HAS A NUTURAL - LOONING FOOT SACH SOLD ANKIE CUSHOM REGULA NEEDS OF YOUNG PROSTHESS WARRES IT HAS A NUTURAL - LOONING FOOT SACH SOLD ANKIE CUSHOM REGULA NEEDS OF YOUNG PROSTHESS WARRES IT HAS A NUTURAL - LOONING FOOT SACH SOLD ANKIE CUSHOM REGULA NEEDS OF YOUNG PROSTHESS WARRES IT HAS A NUTURAL - LOONING FOOT SACH SOLD ANKIE CUSHOM REGULA NEEDS OF YOUNG PROSTHESS WARRES IT HAS A NUTURAL - LOONING FOOT SACH SOLD ANKIE CUSHOM REGULA NEEDS OF YOUNG PROSTHESS WARRES IT HAS A NUTURAL - LOONING FOOT SACH SOLD ANKIE CUSHOM REGULA NEEDS OF YOUNG PROSTHESS WARRES IT HAS A NUTURAL - LOONING FOOT SACH SOLD ANKIE CUSHOM REGULA NEEDS OF YOUNG PROSTHESS WARRES IT HAS A NUTURAL - LOONING FOOT SACH SOLD ANKIE CUSHOM REGULA NEEDS OF YOUNG PROSTHESS WARRES IT HAS A NUTURAL - LOONING FOOT SACH SOLD ANKIE CUSHOM REGULA NEEDS OF YOUNG PROSTHESS WARRES IT HAS A NUTURAL - LOONING FOOT SACH SOLD ANKIE CUSHOM REGULA NEEDS OF YOUNG PROSTHESS WARRES IT HAS A NUTURAL - LOONING FOOT SACH SOLD ANKIE CUSHOM REGULA NEEDS OF YOUNG PROSTHESS WARRES IT HAS A NUTURAL - LOONING FOOT SACH SOLD ANKIE CUSHOM REGULA NEEDS OF YOUNG PROSTHESS WARRES IT HAS A NUTURAL - LOONING FOOT SACH SOLD ANKIE CUSHOM REGULA NEEDS OF YOUNG PROSTHESS WARRES IT HAS A NUTURAL - LOONING FOOT SACH SOLD ANKIE CUSHOM REGULA NEEDS OF YOUNG PROSTHESS WARRES IT HAS A NUTURAL - LOONING FOOT SACH SOLD ANKIE CUSHOM REGULA NEEDS OF YOUNG PROSTHESS WARRES IT HAS A NUTURAL - LOONING FOOT SACH SOLD ANKIE CUSHOM REGULA NEEDS OF YOUNG PROSTHESS WARRES IT HAS A NUTURAL - LOONING F	790	4224200151100	THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEARERS IT HAS A NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING UP TO 45 KG. LEFT SIZE 15	ITEMIZED	each	400569		Proteor SAS	1A51-G15	France
FOOT SACH (SOLID ANKLE CUSHION NEEL) CHILD A ROBUST CHILDREN'S PROSTHEETIC FOOT THAT IT STAULORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEARREST IT HAS A NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING UP TO 45 KG. LEFT SIZE 16	790	4224200151100	THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEARERS IT HAS A NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1K30=L15	Germany
FOOT SACH (SOLID ANKE CUSHION HEEL) CHILD A ROBUST CHILDREN'S PROSTHETIC FOOT THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEARERS IT HAS A NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING UP TO 4 SK. LET SIZE 16 FOOT SACH (SOLID ANKE CUSHION HEEL) CHILD A ROBUST CHILDREN'S PROSTHETIC FOOT THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEARERS IT HAS A NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING UP TO 4 SK. LET SIZE 17 FOOT SACH (SOLID ANKE CUSHION HEEL) CHILD A ROBUST CHILDREN'S PROSTHETIC FOOT THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEARERS IT HAS A NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SUBTRACE AND SHAPED TOES WEIGHING UP TO 4 SK. LET SIZE 17 FOOT SACH (SOLID ANKE CUSHION HEEL) CHILD A ROBUST CHILDREN'S PROSTHETIC FOOT THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEARERS IT HAS A NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SUBTRACE AND SHAPED TOES WEIGHING UP TO 4 SK. LET SIZE 17 FOOT SACH (SOLID ANKE CUSHION HEEL) CHILD A ROBUST CHILDREN'S PROSTHETIC FOOT THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEARERS IT HAS A NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SUBTRACE AND SHAPED TOES WEIGHING UP TO 4 SK. LET SIZE 18 FOOT SACH (SOLID ANKE CUSHION HEEL) CHILD A ROBUST CHILDREN'S PROSTHETIC FOOT THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEARERS IT HAS A NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SUBTRACE AND SHAPED TOES WEIGHING UP TO 4 SK. LET SIZE 18 FOOT SACH (SOLID ANKE CUSHION HEEL) CHILD A ROBUST CHILDREN'S PROSTHETIC FOOT THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEARERS IT HAS A NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SUBTRACE AND SHAPED TOES WEIGHING UP TO 4 SK. LET SIZE 18 FOOT SACH (SOLID ANKE CUSHION HEEL) CHILD A ROBUST CHILDREN'S PROSTHETIC FOOT THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEARERS IT HAS A NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SUBTRACE AND SHAPED TOES WEIGHING UP TO 4 SK. LET SIZE 18 FOOT SAC	791	4224200151200	FOOT SACH (SOLID ANKLE CUSHION HEEL) CHILD A ROBUST CHILDREN'S PROSTHETIC FOOT THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEARERS IT HAS A NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING	ITEMIZED	each	400569		Proteor SAS	1A51-G16	France
FOOT SACH (SOLID ANKE CUSHION HEEL) CHILD A ROBUST CHILDREN'S PROSTHETIC FOOT THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEARERS IT HAS A NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING FOOT SACH (SOLID ANKE CUSHION HEEL) CHILD A ROBUST CHILDREN'S PROSTHETIC FOOT THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEARRS IT HAS A NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING UP TO 45 KG. LEFT SIZE 17 FOOT SACH (SOLID ANKE CUSHION HEEL) CHILD A ROBUST CHILDREN'S PROSTHETIC FOOT THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEARRS IT HAS A NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING UP TO 45 KG. LEFT SIZE 18 FOOT SACH (SOLID ANKE CUSHION HEEL) CHILD A ROBUST CHILDREN'S PROSTHETIC FOOT THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEARRS IT HAS A NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING UP TO 45 KG. LEFT SIZE 18 FOOT SACH (SOLID ANKE CUSHION HEEL) CHILD A ROBUST CHILDREN'S PROSTHETIC FOOT THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEARRS IT HAS A NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING UP TO 45 KG. LEFT SIZE 18 FOOT SACH (SOLID ANKE CUSHION HEEL) CHILD A ROBUST CHILDREN'S PROSTHETIC FOOT THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEARRS IT HAS A NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING UP TO 45 KG. LEFT SIZE 18 FOOT SACH (SOLID ANKE CUSHION HEEL) CHILD A ROBUST CHILDREN'S PROSTHETIC FOOT THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEARRS IT HAS A NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING UP TO 45 KG. LEFT SIZE 18 FOOT SACH (SOLID ANKE CUSHION HEEL) CHILD A ROBUST CHILDREN'S PROSTHETIC FOOT THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEARRS IT HAS A NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES	791	4224200151200	FOOT SACH (SOLID ANKLE CUSHION HEEL) CHILD A ROBUST CHILDREN'S PROSTHETIC FOOT THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEARERS IT HAS A NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1K30=L16	Germany
FOOT SACH (SOLID ANKE CUSHION HEEL) CHILD A ROBUST CHILDREN'S PROSTHETIC FOOT THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEARERS IT HAS A NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING UP TO 45 KG. LEFT SIZE 17 FOOT SACH (SOLID ANKE CUSHION HEEL) CHILD A ROBUST CHILDREN'S PROSTHETIC FOOT THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEARERS IT HAS A NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING UP TO 45 KG. LEFT SIZE 18 FOOT SACH (SOLID ANKE CUSHION HEEL) CHILD A ROBUST CHILDREN'S PROSTHETIC FOOT THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEARERS IT HAS A NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING UP TO 45 KG. LEFT SIZE 18 FOOT SACH (SOLID ANKE CUSHION HEEL) CHILD A ROBUST CHILDREN'S PROSTHETIC FOOT THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEARERS IT HAS A NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING UP TO 45 KG. LEFT SIZE 18 FOOT SACH (SOLID ANKE CUSHION HEEL) CHILD A ROBUST CHILDREN'S PROSTHETIC FOOT THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEARERS IT HAS A NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING UP TO 45 KG. LEFT SIZE 18 FOOT SACH (SOLID ANKE CUSHION HEEL) CHILD A ROBUST CHILDREN'S PROSTHETIC FOOT THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEARERS IT HAS A NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING UP TO 45 KG. LEFT SIZE 18 FOOT SACH (SOLID ANKE CUSHION HEEL) CHILD A ROBUST CHILDREN'S PROSTHETIC FOOT THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEARERS IT HAS A NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING UP TO 45 KG. LEFT SIZE 18 FOOT SACH (SOLID ANKE CUSHION HEEL) CHILD A ROBUST CHILDREN'S PROSTHETIC FOOT THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHETIC FOOT THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHETIC FOOT THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PRO	792	4224200151300	FOOT SACH (SOLID ANKLE CUSHION HEEL) CHILD A ROBUST CHILDREN'S PROSTHETIC FOOT THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEARERS IT HAS A NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING	ITEMIZED	each	400569		Proteor SAS	1A51-G17	France
FOOT SACH (SOLID ANKE CUSHION NEEL) CHILD A ROBUST CHILDREN'S PROSTHETIC FOOT THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEARERS IT HAS A NATURAL - LOCKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING UP TO 4S KG. LEFT SIZE 18 FOOT SACH (SOLID ANKE CUSHION HEEL) CHILD A ROBUST CHILDREN'S PROSTHETIC FOOT THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEARERS IT HAS A NATURAL - LOCKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING UP TO 4S KG. LEFT SIZE 18 FOOT SACH (SOLID ANKE CUSHION HEEL) CHILD A ROBUST CHILDREN'S PROSTHETIC FOOT THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHETIC FOOT THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHETIC FOOT THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHETIC FOOT THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHETIC FOOT THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHETIC FOOT THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHETIC FOOT THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHETIC FOOT THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHETIC FOOT THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHETIC FOOT THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHETIC FOOT THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHETIC FOOT THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHETIC FOOT THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHETIC FOOT THAT IS TAILORED TO THAT A SMOOTH SUBFACE AND SHAPED TOES WEIGHING THAT IS TAILORED TO THAT A SMOOTH SUBFACE AND SHAPED TOES WEIGHING THAT IS TAILORED TO THA	792	4224200151300	FOOT SACH (SOLID ANKLE CUSHION HEEL) CHILD A ROBUST CHILDREN'S PROSTHETIC FOOT THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEARERS IT HAS A NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1K30=L17	Germany
FOOT SACH (SOLID ANKE CUSHION HEEL) CHILD A ROBUST CHILDREN'S PROSTHETIC FOOT THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEIGHING NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING UP TO 4 SK., LET SIZE 18 FOOT SACH (SOLID ANKE CUSHION HEEL) CHILD A ROBUST CHILDREN'S PROSTHETIC FOOT THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEARERS IT HAS A NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEARERS IT HAS A NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING THAT IS TAILORED TO THIS PSECIAL NEEDS OF YOUNG PROSTHESES WEARERS IT HAS A NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING THAT IS TAILORED TO THIS PSECIAL NEEDS OF YOUNG PROSTHESES WEARERS IT HAS A NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING THEMIZED POOT SACH (SOLID ANKE CUSHION HEEL) CHILD A ROBUST CHILDREN'S PROSTHETIC FOOT THAT IS TAILORED TO THIS PSECIAL NEEDS OF YOUNG PROSTHESES WEARERS IT HAS A NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING THEMIZED POOT SACH (SOLID ANKE CUSHION HEEL) CHILD A ROBUST CHILDREN'S PROSTHETIC FOOT THAT IS TAILORED TO THIS PSECIAL NEEDS OF YOUNG PROSTHESES WEARERS IT HAS A NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING THE MICROSIC OF THE PSECIAL NEEDS OF YOUNG PROSTHESES WEARERS IT HAS A NOT WE WE WE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING THE MICROSIC OF THE PSECIAL NEEDS OF YOUNG PROSTHESES WEARERS IT HAS A NOT WE WE WE WE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING THE MICROSIC OF THE PSECIAL NEEDS OF YOUNG PROSTHESES WEAR SHAPED TOES WEIGHING THE MICROSIC OF THE PSECIAL NEEDS OF YOUNG PROSTHESES WEAR SHAPED TOES WEIGHING THE MICROSIC OF THE PSECIAL NEEDS OF YOUNG PROSTHESES WE	793	4224200149100	FOOT SACH (SOLID ANKLE CUSHION HEEL) CHILD A ROBUST CHILDREN'S PROSTHETIC FOOT THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEARERS IT HAS A NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING	ITEMIZED	each	400569		Proteor SAS	1A51-G18	France
FOOT SACH (SOUID ANKLE LUSHION NEEL) CHILD A ROBUST CHILDREWS PROSTHETIC FOOT THAT STALORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEARERS IT HAS A NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING WITH A SMOOTH SURFACE WITH A SMOOTH SURFACE WITH SURFACE	793	4224200149100	FOOT SACH (SOLID ANKLE CUSHION HEEL) CHILD A ROBUST CHILDREN'S PROSTHETIC FOOT THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEARERS IT HAS A NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1K30=L18	Germany
	794	4224200149300	FOOT SACH (SOLID ANKLE CUSHION HEEL) CHILD A ROBUST CHILDREN'S PROSTHETIC FOOT THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEARERS IT HAS A NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING	ITEMIZED	each	400468	ALMAFSAL MEDICAL CO -Orig-	ST AND G	1105-19L	South Korea

	JMBER : NPT0050/22 AME : Prosthetics Ort								Preliminary Result
794	4224200149300	FOOT SACH (SOLID ANKLE CUSHION HEEL) CHILD A ROBUST CHILDREN'S PROSTHETIC FOOT THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEARERS IT HAS A NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING UP TO 45 KG. LEFT SIZE 19	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	Proteor SAS	1A51-G19	France
795	4224200149500	FOOT SACH (SOLID ANKLE CUSHION HEEL) CHILD A ROBUST CHILDREN'S PROSTHETIC FOOT THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEARRES IT HAS A NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING UP TO 45 KG. LEFT SIZE 20	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	Proteor SAS	1A51-G20	France
795	4224200149500	FOOT SACH (SOLID ANKLE CUSHION HEEL) CHILD A ROBUST CHILDREN'S PROSTHETIC FOOT THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEARRES IT HAS A NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING UP TO 45 KG. LEFT SIZE 20	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1K30=L20	Germany
796	4224200149700	FOOT SACH (SOLID ANKLE CUSHION HEEL) CHILD A ROBUST CHILDREN'S PROSTHETIC FOOT THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEARERS IT HAS A NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING UP TO 45 KG. LEFT SIZE 21	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1K30=L21	Germany
797	4224200149900	FOOT SACH (SOLID ANKLE CUSHION HEEL) CHILD A ROBUST CHILDREN'S PROSTHETIC FOOT THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEARERS IT HAS A NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING UP TO 45 KG. RICHIT SIZE 18 FOOT SACH (SOLID ANKLE CUSHION HEEL) CHILD ROBUST CHILDREN'S PROSTHETIC FOOT	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	Proteor SAS	1A51-D18	France
797	4224200149900	POUT SACH (SOLID ANKLE CUSHION NELL) CHILLD A KOURD'S CHILDMEN'S PIKOS HE ILE POUT THAT IT STALLORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEARREST HAS A NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING UP TO 45 KG. RIGHT SIZES FOR THE STANDARD OF THE S	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1K30=R18	Germany
798	4224200150100	THAT IS TALLORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEARREST HAS A NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING UP TO 45 KG. RIGHT SIZE J. FOOT SACH (SOLID ANKLE CUSHION HEEL) CHILD A ROBUST CHILDREN'S PROSTHETIC FOOT	ITEMIZED	each	400468	ALMAFSAL MEDICAL CO -Orig-	ST AND G	1105-19R	South Korea
798	4224200150100	THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEARERS IT HAS A NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING UP TO 45 KG. RIGHT SIZE 19 FOOT SACH (SOLID ANKLE CUSHION HEEL) CHILD A ROBUST CHILDREN'S PROSTHETIC FOOT	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	Proteor SAS	1A51-D19	France
799	4224200150800	THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEARERS IT HAS A NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING UP TO 45 KG. RIGHT SIZE 12 FOOT SACH (SOLID ANKLE CUSHION HEEL) CHILD A ROBUST CHILDREN'S PROSTHETIC FOOT	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	Proteor SAS	1A51-D12	France
799	4224200150800	THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEARERS IT HAS A NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING UP TO 45 KG. RIGHT SIZE 12 FOOT SACH (SOLID ANKLE CUSHION HEEL) CHILD A ROBUST CHILDREN'S PROSTHETIC FOOT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1S30=R12	Germany
800	4224200150900	THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEARERS IT HAS A NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING UP TO 45 KG. RIGHT SIZE 13 FOOT SACH (SOLID ANKLE CUSHION HEEL) CHILD A ROBUST CHILDREN'S PROSTHETIC FOOT	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	Proteor SAS	1A51-D13	France
800	4224200150900	THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEARERS IT HAS A NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING UP TO 45 KG. RIGHT SIZE 13 FOOT SACH (SOLID ANKLE CUSHION HEEL) CHILD A ROBUST CHILDREN'S PROSTHETIC FOOT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1S30=R13	Germany
801	4224200151400	THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEARERS IT HAS A NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING UP TO 45 KG. RIGHT SIZE 14 FOOT SACH (SOLID ANKLE CUSHION HEEL) CHILD A ROBUST CHILDREN'S PROSTHETIC FOOT	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	Proteor SAS	1A51-D14	France
801	4224200151400	THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEARERS IT HAS A NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING UP TO 45 KG. RIGHT SIZE 14 FOOT SACH (SOLID ANKLE CUSHION HEEL) CHILD A ROBUST CHILDREN'S PROSTHETIC FOOT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1K30=R14	Germany
802	4224200151500	THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEARERS IT HAS A NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING UP TO 45 KG. RIGHT SIZE 15 FOOT SACH (SOLID ANKLE CUSHION HEEL) CHILD A ROBUST CHILDREN'S PROSTHETIC FOOT	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	Proteor SAS	1A51-D15	France
802	4224200151500	THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEARERS IT HAS A NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING UP TO 45 KG. RIGHT SIZE 15 FOOT SACH (SOLID ANKLE CUSHION HEEL) CHILD A ROBUST CHILDREN'S PROSTHETIC FOOT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1K30=R15	Germany
803	4224200151600	THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEARERS IT HAS A NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING UP TO 45 KG. RIGHT SIZE 16 FOOT SACH (SOLID ANKLE CUSHION HEEL) CHILD A ROBUST CHILDREN'S PROSTHETIC FOOT	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	Proteor SAS	1A51-D16	France
803	4224200151600	THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEARERS IT HAS A NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING UP TO 45 KG. RIGHT SIZE 16 FOOT SACH (SOLID ANKLE CUSHION HEEL) CHILD A ROBUST CHILDREN'S PROSTHETIC FOOT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1K30=R16	Germany
804	4224200151700	THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEARERS IT HAS A NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING UP TO 45 KG. RIGHT SIZE 17 FOOT SACH (SOLID ANKLE CUSHION HEEL) CHILD A ROBUST CHILDREN'S PROSTHETIC FOOT	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	Proteor SAS	1A51-D17	France
804	4224200151700	THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEARERS IT HAS A NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING UP TO 45 KG. RIGHT SIZE 17 FOOT SACH (SOLID ANKLE CUSHION HEEL) CHILD A ROBUST CHILDREN'S PROSTHETIC FOOT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1K30=R17	Germany
805	4224200150300	THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEARERS IT HAS A NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING UP TO 45 KG. RIGHT SIZE 20 FOOT SACH (SOLID ANKLE CUSHION HEEL) CHILD A ROBUST CHILDREN'S PROSTHETIC FOOT	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	Proteor SAS	1A51-D20	France
805	4224200150300	THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEARERS IT HAS A NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING UP TO 45 KG. RIGHT SIZE 20 FOOT SACH (SOLID ANKLE CUSHION HEEL) CHILD A ROBUST CHILDREN'S PROSTHETIC FOOT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1K30=R20	Germany
806	4224200150500	THAT IS TAILORED TO THE SPECIAL NEEDS OF YOUNG PROSTHESES WEARERS IT HAS A NATURAL - LOOKING FOOT SHAPE WITH A SMOOTH SURFACE AND SHAPED TOES WEIGHING UP TO 45 KG. RIGHT SIZE 21	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock ABLETECH ORTHOPEDICS	1K30=R21	Germany
807	4225170700900	FOOT, DROP SYSTEM, CUFF STRAP, LARGE	ITEMIZED	each	400216	Medical Lights Trading Company -Orig-	CR ABLETECH ORTHOPEDICS	62018 L	China
808	4225170700800	FOOT, DROP SYSTEM, CUFF STRAP, MEDIUM	ITEMIZED	each	400216	Medical Lights Trading Company -Orig-	CR ABLETECH ORTHOPEDICS	62018 M	China
809	4225170700700 4224200151800	FOOT, DROP, SYSTEM, CUFF STRAP, SMALL FOOT, DYNAMIC, IS A PROSTHETIC FOOT WITH GOOD FOREFOOT DYNAMICS FOR USERS IN MOBILITY GRADES I - 2, THE FOOT COMES WITH AN ASSEMBLED TITANIUM ADAPTER AND IS APPROVED FOR A BODY WEIGHT OF UP TO 150 KG, NATURAL - LOOKING DESIGN WITH A	ITEMIZED	each	400216	Medical Lights Trading Company -Orig-	CR Ottobock	62018 S 1K10=R18 +	China Germany
		SMOOTH SURFACE, SHAPED TOES, AND AN ABDUCTED BIG TOE, FOR CHILDREN, RIGHT, SIZE 18 FOOT, DYNAMIC, IS A PROSTHETIC FOOT WITH GOOD FOREFOOT DYNAMICS FOR USERS IN MOBILITY GRADES 1 - 2, THE FOOT COMES WITH AN ASSEMBLED TITANIUM ADAPTER AND IS					, , , , , , , , , , , , , , , , , , , ,	2R40=1	,
811	4224200151900	APPROVED FOR A BODY WEIGHT OF UP TO 150 KG, NATURAL - LOOKING DESIGN WITH A SMOOTH SURFACE, SHAPED TOES, AND AN ABDUCTED BIG TOE, FOR CHILDREN, RIGHT, SIZE 19 FOOT, DYNAMIC, IS A PROSTHETIC FOOT WITH GOOD FOREFOOT DYNAMICS FOR USERS IN	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1K10=R19, 2R40=1	Germany
812	4224200152000	MOBILITY GRADES 1 - 2, THE FOOT COMES WITH AN ASSEMBLED TITANIUM ADAPTER AND IS APPROVED FOR A BODY WEIGHT OF UP TO 150 KG, NATURAL - LOOKING DESIGN WITH A SMOOTH SURFACE, SHAPED TOES, AND AN ABDUCTED BIG TOE, FOR CHILDREN, RIGHT, SIZE 20	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1K10=R20, 2R40=1	Germany
813	4224200152100	FOOT, DYNAMIC, IS A PROSTHETIC FOOT WITH GOOD FOREFOOT DYNAMICS FOR USERS IN MOBILITY GRADES 1 - 2, THE FOOT COMES WITH AN ASSEMBLED TITANIUM ADAPTER AND IS APPROVED FOR A BODY WEIGHT OF UP TO 150 KG, NATURAL - LOOKING DESIGN WITH A SMOOTH SURFACE, SHAPED TOES, AND AN ABDUCTED BIG TOE, FOR CHILDREN, RIGHT, SIZE 21	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1K10=R21, 2R40=1	Germany
814	4224200152200	FOOT, DYNAMIC, IS A PROSTHETIC FOOT WITH GOOD FOREFOOT DYNAMICS FOR USESS IN MOBILITY GRADES 1 - 2, THE FOOT COMES WITH AN ASSEMBLED THANIUM ADAPTER AND IS APPROVED FOR A BODY WEIGHT OF UP TO 150 KG, NATURAL - LOOKING DESIGN WITH A SMOOTH SURFACE, SHAPED TOES, AND AN ABDUCTED BIG TOE, FOR CHILDREN, LEFT, SIZE 18	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1K10=L18, 2R40=1	Germany
815	4224200152300	FOOT, DYNAMIC, IS A PROSTHETIC FOOT WITH GOOD FOREFOOT DYNAMICS FOR USERS IN MOBILITY GRADES 1 - 2, THE FOOT COMES WITH AN ASSEMBLED TITANIUM ADAPTER AND IS APPROVED FOR A BODY WEIGHT OF UP TO 150 KG, NATURAL - LOCKING DESIGN WITH A SMOOTH SURFACE, SHAPED TOES, AND AN ABDUCTED BIG TOE, FOR CHILDREN, LEFT, SIZE 19	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1K10=L19, 2R40=1	Germany

TENDER NA	ME : Prosthetics Or	thosis Supplies							
816	4224200152400	FOOT, DYNAMIC, IS A PROSTHETIC FOOT WITH GOOD FOREFOOT DYNAMICS FOR USERS IN MOBILITY GRADES 1 - 2, THE FOOT COMES WITH AN ASSEMBLED TITANIUM ADAPTER AND IS APPROVED FOR A BODY WIEHERT OF UP TO 150 KG, NATURAL - LOOKING DESIGN WITH AS MOOTH SURFACE, SHAPED TOES, AND AN ABDUCTED BIG TOE, FOR CHILDREN, LEFT, SIZE 20	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1K10=L20, 2R40=1	Germany
817	4224200152500	FOOT, DYNAMIC, IS A PROSTHETIC FOOT WITH GOOD FOREFOOT DYNAMICS FOR USERS IN MOBILITY GRADES 1 - 2, THE FOOT COMES WITH AN ASSEMBLED TITANIUM ADAPTER AND IS APPROVED FOR A BODY WEIGHT OF UP TO 150 KG, NATURAL - LOCKING DESIGN WITH A SMOOTH SURFACE, SHAPED TOES, AND AN ABDUCTED BIG TOE, FOR CHILDREN, LEFT, SIZE 21	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1K10=L21, 2R40=1	Germany
818	4224200152600	FOOT, DYNAMIC, IS A PROSTHETIC FOOT WITH GOOD FOREFOOT DYNAMICS FOR USERS IN MOBILITY GRADES 1 - 2, THE FOOT COMES WITH AN ASSEMBLED TITANIUM ADAPTER AND IS APPROVED FOR A BODY WEIGHT OF UP TO 150 KG, NATURAL - LOOKING DESIGN WITH A SMOOTH SURFACE, SHAPED TOES, AND AN ABDUCTED BIG TOE, FOR CHILDREN, RIGHT, SIZE 14	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1K10=R14, 2R40=2	Germany
819	4224200149200	FOOT, DYNAMIC, IS A PROSTHETIC FOOT WITH GOOD FOREFOOT DYNAMICS FOR USERS IN MOBILITY GRADES 1 - 2, THE FOOT COMES WITH AN ASSEMBLED TITANIUM ADAPTER AND IS APPROVED FOR A BODY WEIGHT OF UP TO 150 KG, ATURAL - LOOKING DESIGN WITH A SMOOTH SURFACE, SHAPED TOES, AND AN ABDUCTED BIG TOE, FOR CHILDREN, RIGHT, SIZE 15	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1K10=R15, 2R40=2	Germany
820	4224200149400	FOOT, DYNAMIC, IS A PROSTHETIC FOOT WITH GOOD FOREFOOT DYNAMICS FOR USERS IN MOBILITY GRADES 1 - 2, THE FOOT COMES WITH AN ASSEMBLED TITANIUM ADAPTER AND IS APPROVED FOR A BODY WEIGHT OF UP TO 150 KG, ATURAL - LOOKING DESIGN WITH A SMOOTH SURFACE, SHAPED TOES, AND AN ABDUCTED BIG TOE, FOR CHILDREN, RIGHT, SIZE 16	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1K10=R16, 2R40=2	Germany
821	4224200149600	FOOT, DYNAMIC, IS A PROSTHETIC FOOT WITH GOOD FOREFOOT DYNAMICS FOR USERS IN MOBILITY GRADES I - 2, THE FOOT COMES WITH AN ASSEMBLED TITANIUM ADAPTER AND IS APPROVED FOR A BODY WEIGHT OF UP TO 150 KG, NATURAL - LOOKING DESIGN WITH A SMOOTH SURFACE, SHAPED TOES, AND AN ABDUCTED BIG TOE, FOR CHILDREN, RIGHT, SIZE 17	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1K10=R17, 2R40=2	Germany
822	4224200149800	FOOT, DYNAMIC, IS A PROSTHETIC FOOT WITH GOOD FOREFOOT DYNAMICS FOR USERS IN MOBILITY GRADES 1 - 2, THE FOOT COMES WITH AN ASSEMBLED TITANIUM ADAPTER AND IS APPROVED FOR A BODY WEIGHT OF UP TO 150 KG, ATURAL - LOOKING DESIGN WITH AS MOOTH SURFACE, SHAPED TOES, AND AN ABDUCTED BIG TOE, FOR CHILDREN, LEFT, SIZE 14	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1K10=L14, 2R40=2	Germany
823	4224200150000	FOOT, DYNAMIC, IS A PROSTHETIC FOOT WITH GOOD FOREFOOT DYNAMICS FOR USERS IN MOBILITY GRADES 1 - 2, THE FOOT COMES WITH AN ASSEMBLED TITANIUM ADAPTER AND IS APPROVED FOR A BODY WEIGHT OF UP TO 150 KG, NATURAL - LOOKING DESIGN WITH A SMOOTH SURFACE, SHAPED TOES, AND AN ABDUCTED BIG TOE, FOR CHILDREN, LEFT, SIZE 15	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1K10=L15, 2R40=2	Germany
824	4224200150200	FOOT, DYNAMIC, IS A PROSTHETIC FOOT WITH GOOD FOREFOOT DYNAMICS FOR USERS IN MOBILITY GRADES 1 - 2, THE FOOT COMES WITH AN ASSEMBLED TITANIUM ADAPTER AND IS APPROVED FOR A BODY WIEHER OF UP TO 150 KG, NATURAL - LOOKING DESIGN WITH A SMOOTH SURFACE, SHAPED TOES, AND AN ABDUCTED BIG TOE, FOR CHILDREN, LEFT, SIZE 16	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1K10=L16, 2R40=2	Germany
825	4224200150400	FOOT, DYNAMIC, IS A PROSTHETIC FOOT WITH GOOD FOREFOOT DYNAMICS FOR USERS IN MOBILITY GRADES 1 - 2, THE FOOT COMES WITH AN ASSEMBLED TITANIUM ADAPTER AND IS APPROVED FOR A BODY WEIGHT OF UP TO 150 KG, ATURAL - LOOKING DESIGN WITH A SMOOTH SURFACE, SHAPED TOES, AND AN ABDUCTED BIG TOE, FOR CHILDREN, LEFT, SIZE 17	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1K10=L17, 2R40=2	Germany
826	4224171319300	FOOT, IMPRESSION, FOR TAKING FOOTPRINTS, FOR ORTHOPEDIC DEVICES, FOR FABRICATING INSOLES, THICKNESS, 50 MM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	699S1=25-5	Germany
827	4224200133500	FOOT, MICROPROCESSOR, COMPLETE THE PROSTHETIC FOOT OFFERS A HIGH LEVEL OF SECURITY ALONG WITH INGRESSED ADAPTABILITY AND A MORE ANTURAL MOTION SEQUENCE, THE UNIQUE 4-AXIS DESIGN DURING FOOT ROLLOVER, THE FOUR AXES CAUSE THE ANKLE JOINT TO PLANTAR FLEX (FOOT LOWERING) WHICH HELPS KEEP THE BODY'S CENTRE OF GRAVITY FROM LOWERING DURING WALKING, THIS ENABLES A MORE EVEN AND MORE NATURAL GAIT PATTERN WHILE PREVENTING TIRING COMPENSATING MOVEMENTS WITH HYDRAULI CRALITIME CONTROL, THEEREFOR, ADJUSTS TISSLE IMMEDIATELY TO THE USER'S WALKING SPEED AND GROUND CONDITIONS WHETHER ON SLOPES, STAIRS, OR VARYING TERRAIN, WHEN STITING THE COMPLIET FOOT LOWERS TISSLE TO THE FLOOR MHICH PROVIDES RELIEF FOR THE RESIDUAL LIMB BECAUSE OF ITS AUTOMATIC HEEL HEIGHT ADJUSTMENT THE HEEL, HEIGHT TO YOUR SHOES WHATEVER THE OCCASION THE FOOT ADJUSTS ITSELF AUTOMATICALLY TO A WIDE RANGE OF SITUATIONS USING THE CONVENIENT COCKPIT APPLICATION.	ITEMIZED	Kit	400571	AL Gaim Comm. EstOrig-	Ottobock	181-2=* + 2C101 + 4G872=* + 2C7=* + SP-1b1-2=6	Austria
828	4224200145400	FOOT, SACH ISOUD ANKIE CUSHION HEEL), PROSTHETIC FOOT, HAS A NATURAL SHAPE WITH A SMOOTH SURFACE SHAPED TOES AND A SANDAL TOE AND TO COMBINATION OF A FIBERGLASS, REINFORCED FLASTIC CORE AND FUNCTIONAL FOAM, THE FOOT IS DESIGNED FOR USE IN MODULAR AND EXOSKELETAL PROSTHESIS, BODY WEIGHT OF UP TO 125 KG, MEN, JO MAM TOES, LEFF, 13ZE: 21	CANCELLED	CANCELLED	CANCELLED	CANCELLED DUPLICATED DESCRIPTION	CANCELLED	CANCELLED	CANCELLED
829	4224200145500	FOOT, SACH SOLID ANKLE CUSHION HEEL), PROSTHETIC FOOT, HAS A NATURAL SHAPE WITH A SMOOTH SUBFACE, SHAPE FOOTS, AND A SANDAL TOE, COMBINATION OF A FIBERGIASS, REINFORCED PLASTIC CORE, AND FUNCTIONAL FOAM, THE FOOT IS DESIGNED FOR USE IN MODULAR AND EXOSKELETAL PROSTHESIS, BODY WEIGHT OF UP TO 125 KG., MEN, 10 MM TOES, LEFT, SIZE ZZ	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	30A27/22L	Germany
830	4224200145600	FOOT, SACH SOLID ANKLE CUSHION HEEL), PROSTHETIC FOOT, HAS A NATURAL SHAPE WITH A SMOOTH SUBFACE, SHAPE TO LES, AND A SANDAL TOE, COMBINATION OF A FIBERGIATS, REINFORCED PLASTIC CORE, AND FUNCTIONAL FOAM, THE FOOT IS DESIGNED FOR USE IN MODULAR AND EXOSKELETAL PROSTHESIS, BODY WEIGHT OF UP TO 125 KG., MEN, 10 MM TOES, LEFT, SIZE 23	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	30A27/23L	Germany
831	4224200145700	FOOT, SACH (SOLID ANKLE CUSHION HEEL), PROSTHETIC FOOT, HAS A NATURAL SHAPE WITH A SMOOTH SURFACE, SHAPED TOES, AND A SANDAL TOE, COMBINATION OF A FIBERGLASS, REINFORCED PLASTIC CORE, AND FUNCTIONAL FOAM, THE FOOT IS DESIGNED FOR USE IN MODULAR AND EXOSKELETAL PROSTHESIS, BODY WEIGHT OF UP TO 125 KG., MEN, 10 MM TOES, LEFT, SIZE 24 FOOT, SACH (SOLID ANKLE CUSHION HEEL), PROSTHETIC FOOT, HAS A NATURAL SHAPE WITH	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	30A27/24L	Germany
832	4224200145800	A SMOOTH SURFACE, SHAPED TOES, AND A SANDAL TOE, COMBINATION OF A FIBERGLASS, REINFORCED PLASTIC CORE, AND FUNCTIONAL FOAM, THE FOOT IS DESIGNED FOR USE IN MODULAR AND EXOSKELETAL PROSTHESIS, BODY WEIGHT OF UP TO 125 KG., MEN, 10 MM TOES, LEFT, SIZE 25	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	30A27/25L	Germany
833	4224200145900	FOOT, SACH SOLID ANKLE CUSHION HEEL), PROSTHETIC FOOT, HAS A NATURAL SHAPE WITH A SMOOTH SUBARCE, SHAPE TOES, AND A SANDAL TOE, COMBINATION OF A FIBERGLASS, REINFORCED PLASTIC CORE, AND FUNCTIONAL FOAM, THE FOOT IS DESIGNED FOR USE IN MODULAR AND EXOSKELETAL PROSTHESIS, BODY WEIGHT OF UP TO 125 KG., MEN, 10 MM TOES, LETT, SIZE 26	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1S101=L26-0-W/4	Germany
833	4224200145900	FOOT, SACH SOLID ANKLE CUSHION HEEL), PROSTHETIC FOOT, HAS A NATURAL SHAPE WITH A SMOOTH SUBFACE, SHAPE TO LES, AND A SANDAL TOE, COMBINATION OF A FIBERGIATS, REINFORCED PLASTIC CORE, AND FUNCTIONAL FOAM, THE FOOT IS DESIGNED FOR USE IN MODULAR AND EXOSKELETAL PROSTHESIS, BODY WEIGHT OF UP TO 125 KG., MEN, 10 MM TOES, LEFT, SIZE Z 6	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	Proteor SAS	1A111-G26	France
834	4224200146000	FOOT, SACH SOLID ANKLE CUSHION HEEL), PROSTHETIC FOOT, HAS A NATURAL SHAPE WITH A SMOOTH SUBARCE, SHAPE TOES, AND A SANDAL TOE, COMBINATION OF A FIBERGLASS, REINFORCED PLASTIC CORE, AND FUNCTIONAL FOAM, THE FOOT IS DESIGNED FOR USE IN MODULAR AND EXOSKELETAL PROSTHESIS, BODY WEIGHT OF UP TO 125 KG., MEN, 10 MM TOES, LETT, SIZE 27	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	15101=L27-0-W/4	Germany
834	4224200146000	FOOT, SACH SOLID ANKLE CUSHION HEEL), PROSTHETIC FOOT, HAS A NATURAL SHAPE WITH A SMOOTH SUBARCE, SHAPE TO LES, AND A SANDAL TOE, COMBINATION OF A FIBERGIATS, REINFORCED PLASTIC CORE, AND FUNCTIONAL FOAM, THE FOOT IS DESIGNED FOR USE IN MODULAR AND EXOSKELETAL PROSTHESIS, BODY WEIGHT OF UP TO 125 KG., MEN, 10 MM TOES, LEFT, SIZE 27	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	Proteor SAS	1A111-G27	France
835	4224200146100	FOOT, SACH SOLID ANKLE CUSHION HEEL, PROSTHETIC FOOT, HAS A NATURAL SHAPE WITH A SMOOTH SUBFACE, SHAPE DOTOS, AND A SANDAUT TOE, COMBINATION OF A FIBERGLASS, REINFORCED PLASTIC CORE, AND FUNCTIONAL FOAM, THE FOOT IS DESIGNED FOR USE IN MODULAR AND EXOSKELETAL PROSTHESIS, DOTY WEIGHT OF UP TO 125 KG., MEN, 10 MM TOES, LEFT, SIZE 28	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1S101=L28-0-W/4	Germany
835	4224200146100	FOOT, SACH SOLID ANKLE CUSHION HEEL), PROSTHETIC FOOT, HAS A NATURAL SHAPE WITH A SMOOTH SUBFACE, SHAPE TOES, AND A SANDAL TOE, COMBINATION OF A FIBERGLASS, REINFORCED PLASTIC CORE, AND FUNCTIONAL FOAM, THE FOOT IS DESIGNED FOR USE IN MODULAR AND EXOSKELETAL PROSTHESIS, BODY WEIGHT OF UP TO 125 KG., MEN, 10 MM TOES, LEFT, SIZE 28	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	Proteor SAS	1A111-G28	France
836	4224200146200	FOOT, SACH SOULD ANKLE CUSHION HEEL), PROSTHETIC FOOT, HAS A NATURAL SHAPE WITH A SMOOTH SUBFACE, SHAPE TO FOS, AND A SANDAT OTE, COMBINATION OF A FIBERGLASS, REINFORCED PLASTIC CORE, AND FUNCTIONAL FOAM, THE FOOT IS DESIGNED FOR USE IN MODULAR AND EXOSKELETAL PROSTHESIS, BODY WEIGHT OF UP TO 125 KG, MEN, 10 MM TOES, RIGHT, SIZE 21	ITEMIZED	each	400468	ALMAFSAL MEDICAL CO -Orig-	ST AND G	1102-21R	South Korea
837	4224200146300	FOOT, SACH SOULD ANKLE CUSHION HEEL, PROSTHETIC FOOT, HAS A NATURAL SHAPE WITH A SMOOTH SUBFACE, SHAPE TOES, AND A SANDAL TOE, COMBINATION OF A FIBERGLASS, REINFORCED PLASTIC CORE, AND FUNCTIONAL FOAM, THE FOOT IS DESIGNED FOR USE IN MODULAR AND EXOSKELETAL PROSTHESIS, BODY WEIGHT OF UP TO 125 KG, MEN, 10 MM TOES, RIGHT, SIZE 22.	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	30A27/22R	Germany

	JMBER : NPT0050/2: AME : Prosthetics Or								Preliminary Result
838	4224200146400	FOOT, SACH (SOLID ANKLE CUSHION HEEL), PROSTHETIC FOOT, HAS A NATURAL SHAPE WITH A SMOOTH SURFACE, SHAPED TOES, AND A SANDAL TOE, COMBINATION OF A FIBERGLASS, REINFORCED PLASTIC CORE, AND FUNCTIONAL FOAM, THE FOOT IS DESIGNED FOR USE IN MODULAR AND EXOSKELETAL PROSTHESIS, BODY WEIGHT OF UP TO 125 KG., MEN, 10 MM TOES, RIGHT, SIZE 23	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	30A27/23R	Germany
839	4224200146500	FOOT, SACH SOULD ANKLE CUSHION HEEL, PROSTHETIC FOOT, HAS A NATURAL SHAPE WITH A SMOOTH SURFACE, SHAPED TOES, AND A SANDALT TOE, COMBINATION OF A FIBERGLASS, REINFORCED PLASTIC CORE, AND FUNCTIONAL FOAM, THE FOOT IS DESIGNED FOR USE IN MODULAR AND EXOSKELETAL PROSTHESIS, BODY WEIGHT OF UP TO 125 KG, MEN, 10 MM TOES, RIGHT, SIZE 24	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	30A27/24R	Germany
840	4224200146600	FOOT, SACH SOULD ANKIE CUSHION HEEL), PROSTHETIC FOOT, HAS A NATURAL SHAPE WITH A SMOOTH SURFACE, SHAPED TOES, AND A SANDAL TOE, COMBINATION OF A FIBERGLASS, REINFORCED PLASTIC CORE, AND FUNCTIONAL FOAM, THE FOOT IS DESIGNED FOR USE IN MODULAR AND EXOSKELETAL PROSTHESIS, BODY WEIGHT OF UP TO 125 KG, MEN, 10 MM TOES, RIGHT, SIZE 25	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	30A27/25R	Germany
841	4224200146700	FOOT, SACH SOULD ANKLE CUSHION HEEL, PROSTHETIC FOOT, HAS A NATURAL SHAPE WITH A SMOOTH SURFACE, SHAPED TOES, AND A SANDALT TOE, COMBINATION OF A FIBERGLASS, REINFORCED PLASTIC CORE, AND FUNCTIONAL FOAM, THE FOOT IS DESIGNED FOR USE IN MODULAR AND EXOSKELETAL PROSTHESIS, BODY WEIGHT OF UP TO 125 KG, MEN, 10 MM TOES, RIGHT, SIZE 26	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1S101=R26-0-W/4	Germany
841	4224200146700	FOOT, SACH (SOLID ANKLE CUSHION HEEL), PROSTHETIC FOOT, HAS A NATURAL SHAPE WITH A SMODITH SURFACE, SHAPED TOES, AND A SANDAL TOE, COMBINATION OF A FIBERGLASS, REINFORCED PLASTIC CORE, AND FUNCTIONAL FORM, THE FOOT IS DESIGNED FOR USE IN MODULAR AND EXOSKELETAL PROSTHESIS, BODY WEIGHT OF UP TO 125 KG, MEN, 10 MM TOES, RIGHT, SIZE 26	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	Proteor SAS	1A111-D26	France
842	4224200146800	FOOT, SACH (SOLID ANKLE CUSHION HEEL), PROSTHETIC FOOT, HAS A NATURAL SHAPE WITH A SMODITH SURFACE, SHAPED TOES, AND A SANDAL TOE, COMBINATION OF A FIBERGLASS, REINFORCED PLASTIC CORE, AND FUNCTIONAL FOAM, THE FOOT IS DESIGNED FOR USE IN MODULAR AND EXOSKELETAL PROSTHESIS, BODY WEIGHT OF UP TO 125 KG, MEN, 10 MM TOES, RIGHT, SIZE 27	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1S101=R27-0-W/4	Germany
842	4224200146800	FOOT, SACH (SOLID ANKLE CUSHION HEEL), PROSTHETIC FOOT, HAS A NATURAL SHAPE WITH A SMOOTH SURFACE, SHAPED TOES, AND A SANDAL TOE, COMBINATION OF A FIBERGLASS, REINFORCED PLASTIC CORE, AND FUNCTIONAL FOOM, THE FOOT IS DESIGNED FOR USE IN MODULAR AND EXOSKELETAL PROSTHESIS, BODY WEIGHT OF UP TO 125 KG., MEN, 10 MM TOES, RIGHT, SIZE 27	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	Proteor SAS	1A111-D27	France
843	4224200146900	FOOT, SACH (SOLID ANKLE CUSHION HEEL), PROSTHETIC FOOT, HAS A NATURAL SHAPE WITH A SMODITH SURFACE, SHAPED TOES, AND A SANDAL TOE, COMBINATION OF A FIBERGLASS, REINFORCED PLASTIC CORE, AND FUNCTIONAL FOAM, THE FOOT IS DESIGNED FOR USE IN MODULAR AND EXOSKELETAL PROSTHESIS, BODY WEIGHT OF UP TO 125 KG, MEN, 10 MM TOES, RIGHT, SIZE 28	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1S101=R28-0-W/4	Germany
843	4224200146900	FOOT, SACH (SOLID ANKLE CUSHION HEEL), PROSTHETIC FOOT, HAS A NATURAL SHAPE WITH A SMODIT SURFACE, SHAPED TOES, AND A SANDAL TOE, COMBINATION OF A FIBERGLASS, REINFORCED PLASTIC CORE, AND FUNCTIONAL FOOM, THE FOOT IS DESIGNED FOR USE IN MODULAR AND EXOSKELETAL PROSTHESIS, BODY WEIGHT OF UP TO 125 KG, MEN, 10 MM TOES, RIGHT, SIZE 28	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	Proteor SAS	1A111-D28	France
844	4224200147000	FOOT, SINGLE AXIS, 10 MM HEEL HEIGHT, HAVE A NATURAL SHAPE, SMOOTH SURFACE, AND SHAPED TOES TO ACHIEVE A SECURE STANCE QUICKLY, THEY ARE ESPECIALLY SUITABLE FOR TRANSFEMORAL FITTINGS, BODY WEIGHT OF UP TO 100 KG MEN, LEFT, SIZE 22	ITEMIZED	each	400468	ALMAFSAL MEDICAL CO -Orig-	ST AND G	1101-22L	South Korea
844	4224200147000	FOOT, SINGLE AXIS, 10 MM HEEL HEIGHT, HAVE A NATURAL SHAPE, SMOOTH SURFACE, AND SHAPED TOES TO ACHIEVE A SECURE STANCE QUICKLY, THEY ARE ESPECIALLY SUITABLE FOR TRANSFEMORAL FITTINGS, BODY WEIGHT OF UP TO 100 KG MEN, LEFT, SIZE 22	ITEMIZED	each	400792	massas al-watania for medical servi - Orig-	ST&G CORPORATION	1101-L22	China
845	4224200147100	FOOT, SINGLE AXIS, 10 MM HEEL HEIGHT, HAVE A NATURAL SHAPE, SMOOTH SURFACE, AND SHAPED TOES TO ACHIEVE A SECURE STANCE QUICKLY, THEY ARE ESPECIALLY SUITABLE FOR TRANSFEMORAL FITTINGS, BODY WEIGHT OF UP TO 100 KG MEN, LEFT, SIZE 23	ITEMIZED	each	400468	ALMAFSAL MEDICAL CO -Orig-	ST AND G	1101-23L	South Korea
845	4224200147100	FOOT, SINGLE AXIS, 10 MM HEEL HEIGHT, HAVE A NATURAL SHAPE, SMOOTH SURFACE, AND SHAPED TOES TO ACHIEVE A SECURE STANCE QUICKLY, THEY ARE ESPECIALLY SUITABLE FOR TRANSFEMORAL FITTINGS, BODY WEIGHT OF UP TO 100 KG MEN, LEFT, SIZE 23	ITEMIZED	each	400792	massas al-watania for medical servi - Orig-	ST&G CORPORATION	1101-L23	China
846	4224200147200	FOOT, SINGLE AXIS, 10 MM HEEL HEIGHT, HAVE A NATURAL SHAPE, SMOOTH SURFACE, AND SHAPED TOES TO ACHIEVE A SECURE STANCE QUICKLY, THEY ARE ESPECIALLY SUITABLE FOR TRANSFEMORAL FITTINGS, BODY WEIGHT OF UP TO 100 KG MEN, LEFT, SIZE 24	ITEMIZED	each	400468	ALMAFSAL MEDICAL CO -Orig-	ST AND G	1101-24L	South Korea
846	4224200147200	FOOT, SINGLE AXIS, 10 MM HEEL HEIGHT, HAVE A NATURAL SHAPE, SMOOTH SURFACE, AND SHAPED TOES TO ACHIEVE A SECURE STANCE QUICKLY, THEY ARE ESPECIALLY SUITABLE FOR TRANSFEMORAL FITTINGS, BODY WEIGHT OF UP TO 100 KG MEN, LEFT, SIZE 24	ITEMIZED	each	400792	massas al-watania for medical servi - Orig-	ST&G CORPORATION	1101-L24	China
847	4224200147300	FOOT, SINGLE AXIS, 10 MM HEEL HEIGHT, HAVE A NATURAL SHAPE, SMOOTH SURFACE, AND SHAPED TOES TO ACHIEVE A SECURE STANCE QUICKLY, THEY ARE ESPECIALLY SUITABLE FOR TRANSFEMORAL FITTINGS, BODY WEIGHT OF UP TO 100 KG MEN, LEFT, SIZE 25	ITEMIZED	each	400468	ALMAFSAL MEDICAL CO -Orig-	ST AND G	1101-25L	South Korea
847	4224200147300	FOOT, SINGLE AXIS, 10 MM HEEL HEIGHT, HAVE A NATURAL SHAPE, SMOOTH SURFACE, AND SHAPED TOES TO ACHIEVE A SECURE STANCE QUICKLY, THEY ARE ESPECIALLY SUITABLE FOR TRANSFEMORAL FITTINGS, BODY WEIGHT OF UP TO 100 KG MEN, LEFT, SIZE 25	ITEMIZED	each	400792	massas al-watania for medical servi - Orig-	ST&G CORPORATION	1101-L25	China
848	4224200147400	FOOT, SINGLE AXIS, 10 MM HEEL HEIGHT, HAVE A NATURAL SHAPE, SMOOTH SURFACE, AND SHAPED TOES TO ACHIEVE A SECURE STANCE QUICKLY, THEY ARE ESPECIALLY SUITABLE FOR TRANSFEMORAL FITTINGS, BODY WEIGHT OF UP TO 100 KG MEN, LEFT, SIZE 26	ITEMIZED	each	400468	ALMAFSAL MEDICAL CO -Orig-	ST AND G	1101-26L	South Korea
848	4224200147400	FOOT, SINGLE AXIS, 10 MM HEEL HEIGHT, HAVE A NATURAL SHAPE, SMOOTH SURFACE, AND SHAPED TOES TO ACHEVE A SECURE STANCE QUICKLY, THEY ARE ESPECIALLY SUITABLE FOR TRANSFEMORAL FITTINGS, BODY WEIGHT OF UP TO 100 KG MEN, LEFT, SIZE 26	ITEMIZED	each	400792	massas al-watania for medical servi - Orig-	ST&G CORPORATION	1101-L26	China
849	4224200147500	FOOT, SINGLE AXIS, 10 MM HEEL HEIGHT, HAVE A NATURAL SHAPE, SMOOTH SURFACE, AND SHAPED TOES TO ACHIEVE A SECURE STANCE QUICKLY, THEY ARE ESPECIALLY SUITABLE FOR TRANSFEMORAL FITTINGS, BODY WEIGHT OF UP TO 100 KG MEN, LEFT, SIZE 27	ITEMIZED	each	400468	ALMAFSAL MEDICAL CO -Orig-	ST AND G	1101-27L	South Korea
849	4224200147500	FOOT, SINGLE AXIS, 10 MM HEEL HEIGHT, HAVE A NATURAL SHAPE, SMOOTH SURFACE, AND SHAPED TOES TO ACHIEVE A SECURE STANCE QUICKLY, THEY ARE ESPECIALLY SUITABLE FOR TRANSFEMORAL FITTINGS, BODY WEIGHT OF UP TO 100 KG MEN, LEFT, SIZE 27	ITEMIZED	each	400792	massas al-watania for medical servi - Orig-	ST&G CORPORATION	1101-L27	China
850	4224200147600	FOOT, SINGLE AXIS, 10 MM HEEL HEIGHT, HAVE A NATURAL SHAPE, SMOOTH SURFACE, AND SHAPED TOES TO ACHIEVE A SECURE STANCE QUICKLY, THEY ARE ESPECIALLY SUITABLE FOR TRANSFEMORAL FITTINGS, BODY WEIGHT OF UP TO 100 KG MEN, LEFT, SIZE 28	ITEMIZED	each	400468	ALMAFSAL MEDICAL CO -Orig-	ST AND G	1101-28L	South Korea
850	4224200147600	FOOT, SINGLE AXIS, 10 MM HEEL HEIGHT, HAVE A NATURAL SHAPE, SMOOTH SURFACE, AND SHAPED TOES TO ACHIEVE A SECURE STANCE QUICKLY, THEY ARE ESPECIALLY SUITABLE FOR TRANSFEMORAL FITTINGS, BODY WEIGHT OF UP TO 100 KG MEN, LEFT, SIZE 28	ITEMIZED	each	400792	massas al-watania for medical servi - Orig-	ST&G CORPORATION	1101-L28	China
851	4224200147700	FOOT, SINGLE AXIS, 10 MM HEEL HEIGHT, HAVE A NATURAL SHAPE, SMOOTH SURFACE, AND SHAPED TOES TO ACHIEVE A SECURE STANCE QUICKLY, THEY ARE ESPECIALLY SUITABLE FOR TRANSFEMORAL FITTINGS, BODY WEIGHT OF UP TO 100 KG MEN, RIGHT, SIZE 21	ITEMIZED	each	400468	ALMAFSAL MEDICAL CO -Orig-	ST AND G	11101-21R	South Korea
851	4224200147700	FOOT, SINGLE AXIS, 10 MM HEEL HEIGHT, HAVE A NATURAL SHAPE, SMOOTH SURFACE, AND SHAPED TOES TO ACHIEVE A SECURE STANCE QUICKLY, THEY ARE ESPECIALLY SUITABLE FOR TRANSFEMORAL FITTINGS, BODY WEIGHT OF UP TO 100 KG MEN, RIGHT, SIZE 21	ITEMIZED	each	400792	massas al-watania for medical servi - Orig-	ST&G CORPORATION	1101-R21	China
852	4224200147800	FOOT, SINGLE AXIS, 10 MM HEEL HEIGHT, HAVE A NATURAL SHAPE, SMOOTH SURFACE, AND SHAPED TOES TO ACHIEVE A SECURE STANCE QUICKLY, THEY ARE ESPECIALLY SUITABLE FOR TRANSFEMORAL FITTINGS, BODY WEIGHT OF UP TO 100 KG MEN, RIGHT, SIZE 22	ITEMIZED	each	400468	ALMAFSAL MEDICAL CO -Orig-	ST AND G	1101-22R	South Korea
852	4224200147800	FOOT, SINGLE AXIS, 10 MM HEEL HEIGHT, HAVE A NATURAL SHAPE, SMOOTH SURFACE, AND SHAPED TOES TO ACHIEVE A SECURE STANCE QUICKLY, THEY ARE ESPECIALLY SUITABLE FOR TRANSFEMORAL FITTINGS, BODY WEIGHT OF UP TO 100 KG MEN, RIGHT, SIZE 22	ITEMIZED	each	400792	massas al-watania for medical servi - Orig-	ST&G CORPORATION	1101-R22	China
853	4224200147900	FOOT, SINGLE AXIS, 10 MM HEEL HEIGHT, HAVE A NATURAL SHAPE, SMOOTH SURFACE, AND SHAPED TOES TO ACHIEVE A SECURE STANCE QUICKLY, THEY ARE ESPECIALLY SUITABLE FOR TRANSFEMORAL FITTINGS, BODY WEIGHT OF UP TO 100 KG MEN, RIGHT, SIZE 23	ITEMIZED	each	400468	ALMAFSAL MEDICAL CO -Orig-	ST AND G	1101-23R	South Korea
853	4224200147900	FOOT, SINGLE AXIS, 10 MM HEEL HEIGHT, HAVE A NATURAL SHAPE, SMOOTH SURFACE, AND SHAPED TOES TO ACHIEVE A SECURE STANCE QUICKLY, THEY ARE ESPECIALLY SUITABLE FOR TRANSFEMORAL FITTINGS, BODY WEIGHT OF UP TO 100 KG MEN, RIGHT, SIZE 23	ITEMIZED	each	400792	massas al-watania for medical servi - Orig-	ST&G CORPORATION	1101-R23	China
854	4224200148000	FOOT, SINGLE AXIS, 10 MM HEEL HEIGHT, HAVE A NATURAL SHAPE, SMOOTH SURFACE, AND SHAPED TOES TO ACHIEVE A SECURE STANCE QUICKLY, THEY ARE ESPECIALLY SUITABLE FOR TRANSFEMORAL FITTINGS, BODY WEIGHT OF UP TO 100 KG MEN, RIGHT, SIZE 24	ITEMIZED	each	400468	ALMAFSAL MEDICAL CO -Orig-	ST AND G	1101-24R	South Korea

ENDER NA	ME : Prosthetics Ort								Preliminary Result
854	4224200148000	FOOT, SINGLE AXIS, 10 MM HEEL HEIGHT, HAVE A NATURAL SHAPE, SMOOTH SURFACE, AND SHAPED TOES TO ACHIEVE A SECURE STANCE QUICKLY, THEY ARE ESPECIALLY SUITABLE FOR TRANSFEMORAL FITTINGS, BODY WEIGHT OF UP TO 100 KG MEN, RIGHT, SIZE 24	ITEMIZED	each	400792	massas al-watania for medical servi - Orig-	ST&G CORPORATION	1101-R24	China
855	4224200148100	FOOT, SINGLE AXIS, 10 MM HEEL HEIGHT, HAVE A NATURAL SHAPE, SMOOTH SURFACE, AND SHAPED TOES TO ACHIEVE A SECURE STANCE QUICKLY, THEY ARE ESPECIALLY SUITABLE FOR TRANSFEMORAL FITTINGS, BODY WEIGHT OF UP TO 100 KG MEN, RIGHT, SIZE 25	ITEMIZED	each	400468	ALMAFSAL MEDICAL CO -Orig-	ST AND G	1101-25R	South Korea
855	4224200148100	FOOT, SINGLE AXIS, 10 MM HEEL HEIGHT, HAVE A NATURAL SHAPE, SMOOTH SURFACE, AND SHAPED TOES TO ACHIEVE A SECURE STANCE QUICKLY, THEY ARE ESPECIALLY SUITABLE FOR TRANSFEMORAL FITTINGS, BODY WEIGHT OF UP TO 100 KG MEN, RIGHT, SIZE 25	ITEMIZED	each	400792	massas al-watania for medical servi - Orig-	ST&G CORPORATION	1101-R25	China
856	4224200148200	FOOT, SINGLE AXIS, 10 MM HEEL HEIGHT, HAVE A NATURAL SHAPE, SMOOTH SURFACE, AND SHAPED TOES TO ACHIEVE A SECURE STANCE QUICKLY, THEY ARE ESPECIALLY SUITABLE FOR TRANSFEMORAL FITTINGS, BODY WEIGHT OF UP TO 100 KG MEN, RIGHT, SIZE 26	ITEMIZED	each	400468	ALMAFSAL MEDICAL CO -Orig-	ST AND G	1101-26R	South Korea
856	4224200148200	FOOT, SINGLE AXIS, 10 MM HEEL HEIGHT, HAVE A NATURAL SHAPE, SMOOTH SURFACE, AND SHAPED TOES TO ACHIEVE A SECURE STANCE QUICKLY, THEY ARE ESPECIALLY SUITABLE FOR TRANSFEMORAL FITTINGS, BODY WEIGHT OF UP TO 100 KG MEN, RIGHT, SIZE 26	ITEMIZED	each	400792	massas al-watania for medical servi - Orig-	ST&G CORPORATION	1101-R26	China
857	4224200148300	FOOT, SINGLE AXIS, 10 MM HEEL HEIGHT, HAVE A NATURAL SHAPE, SMOOTH SURFACE, AND SHAPED TOES TO ACHIEVE A SECURE STANCE QUICKLY, THEY ARE ESPECIALLY SUITABLE FOR TRANSFEMORAL FITTINGS, BODY WEIGHT OF UP TO 100 KG MEN, RIGHT, SIZE 27	ITEMIZED	each	400468	ALMAFSAL MEDICAL CO -Orig-	ST AND G	1101-27R	South Korea
857	4224200148300	FOOT, SINGLE AXIS, 10 MM HEEL HEIGHT, HAVE A NATURAL SHAPE, SMOOTH SURFACE, AND SHAPED TOES TO ACHIEVE A SECURE STANCE QUICKLY, THEY ARE ESPECIALLY SUITABLE FOR TRANSFEMORAL FITTINGS, BODY WEIGHT OF UP TO 100 KG MEN, RIGHT, SIZE 27	ITEMIZED	each	400792	massas al-watania for medical servi - Orig-	ST&G CORPORATION	1101-R27	China
858	4224200148400	FOOT, SINGLE AXIS, 10 MM HEEL HEIGHT, HAVE A NATURAL SHAPE, SMOOTH SURFACE, AND SHAPED TOES TO ACHIEVE A SECURE STANCE QUICKLY, THEY ARE ESPECIALLY SUITABLE FOR TRANSFEMORAL FITTINGS, BODY WEIGHT OF UP TO 100 KG MEN, RIGHT, SIZE 28	ITEMIZED	each	400468	ALMAFSAL MEDICAL CO -Orig-	ST AND G	1101-28R	South Korea
858	4224200148400	FOOT, SINGLE AXIS, 10 MM HEEL HEIGHT, HAVE A NATURAL SHAPE, SMOOTH SURFACE, AND SHAPED TOES TO ACHIEVE A SECURE STANCE QUICKLY, THEY ARE ESPECIALLY SUITABLE FOR TRANSFEMORAL FITTINGS, BODY WEIGHT OF UP TO 100 KG MEN, RIGHT, SIZE 28	ITEMIZED	each	400792	massas al-watania for medical servi - Orig-	ST&G CORPORATION	1101-R28	China
859	4224200117000	FREE WALK, KNEE ANKLE FOOT ORTHOSIS, FREE SWING PHASE SECURE STANCE PHASE, SMOOTH GAIT PATTERN, LIGHT TWEIGHT, THIN, AND STABLE, SUITABLE FOR A WEIGHT OF UP	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	becker	UTX-SWING	USA
859	4224200117000	TO 120 KILOGRAMS/265 POUNDS, UNILLATERAL JOINT BAR FREE WALK, KNEE ANKLE FOOT ORTHOSIS, FREE SWING PHASE SECURE STANCE PHASE, SMOOTH GAIT PATTERN, LIGHTWEIGHT, THIN, AND STABLE, SUITABLE FOR A WEIGHT OF UP TO 120 KILOGRAMS/265 POUNDS, UNILATERAL JOINT BAR	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	170K1=*side-120- *colour	Germany
860	4224200262800	FUNCTIONAL PROSTHETIC DEVICE FOR AMPUTATION PROXIMAL TO METACABPAL, CUSTOM MADE OF MACHINED ALUMINIUM, SULCON TIPS, RATED UP TO 200 ISS, BUILT FOR DISCISSION TO 3 FOR FUNCTION. VARYING DEGREE OF FLEXION AND EXTENSION POSSIBLE. CUSTOM DESIGNED AND BUILT TO PATIENT S'PECIFICATIONS, TRAINING FOR EVALUATION AND MEASUREMENT INCLUDED	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation
861	4224200262700	FUNCTIONAL THUMB PROSTHESIS DEVICE, CUSTOM MADE PROXIMAL THUMB AMPUTATION. ALLOWS OPPOSITION FUNCTION RESTORATION. CUSTOM DESIGNED MADE FOR INDIVIDUAL PERSON SPECIFICATION. STAINLESS STEEL CONSTRUCTION SILICON TIP APPLICABLE, TRAINING FOR EVALUATION AND MEASUREMENT INCLUDED	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation
862	4224170119300	GEL, PROTECTIVE BUNION PROTECTOR WITH ELASTIC FABRIC, THE GEL GLOVE IS MADE OF AN ELASTIC FABRIC WITH AN INNER CUSHION PROTECTING THE HALLUX VALGUS AREA, DISCHARGE OF THE LATERAL HALLUX VALGUS, PROTECTION OF BUNION FRICTION, AND LATERAL PRESSURES, LATERAL PROTECTOR OF HALLUS VALGUS (BUNION), HALLUX VALGUS BURSTIS, GOUT IN FOOT	ITEMIZED	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	EMO	PG510	Spain
863	4224170114900	GEL, PROTECTIVE ELASTIC BAND WITH METATARSAL PAD AND BUNION PROTECTOR WITH ELASTIC FABRIC, THIS IS MADE OF AN HYPOALLERGENIC FABRIC WHICH IS VERY ELASTIC AND SOFT IF INCORPORATES A LARGE PROTECTIVE GEL PAD THAT COVERS THE BUNION AND THE METATARSAL AREA DAMPING AND UPLOADING OF THE METATARSAL HEADS, PREVENTS FICITION AND CHAFING, PROVIDES A CONSTANT MASSAGE ON SOFT ITSUES AND LOTS, LATERAL DISCHARGE OF HALLUX VALGUS, PROTECTS THE BUNION FORM FRICTION AND LATERAL PRESSURES, HALLUX VALGUS, BUNION WITH RELEF OF THE METATARSAL ZONE, METATARSAL OVERLOADS, METATARSAL CALLED AND THE PROPERTY OF THE METATARSAL ZONE,	ITEMIZED	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	EMO	PG515	Spain
864	4224170115000	GEL, PROTECTIVE ELASTIC TUBE WITH LATERAL GEL PAD, WITH ELASTIC FABRIC GEL SPARATOR THAT PREVENTS THE OVERLAPPING OF THE FIRST AND SECOND TOES, RELIEVING PAIN AND ALICAMICT HET TOES CORRECTLY. THE TUBULAR KEEPS THE SEPARATOR IN ITS CORRECT POSITION ALLOWING DAY AND/OR NIGHT USE, ALIGNS THE TOES, REDUCES FRICTION AND IRRITATION BETWEEN ADJACENT OR OVERLAPPING TOES, PROTECTS AMORTIGUE, HYDRATES SUPERIMPOSITION OF THE 1ST FINGER AND THE 2ND FINGER, HALLUX VALGUS POSTOPERATIVE	ITEMIZED	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	ЕМО	PG524	Spain
865	4224170114600	GEL, PROTECTIVE TUBE WITH ELASTIC FABRIC, THE ELASTIC FABRIC, COVERS THE PROTECTIVE GEL, IT CAN BE CUT AND SHOTENED IN ORDER TO FIT YOUR TO EV, MSAHABLE, AND REUSABLE, LENGTH IS 7.5 CM, CONTAINS 2 UNITS, PROTECTS, HYDRATES, SOFTENS CALLUSES, REDUCES FRICTION AND PRESSURE ON THE SKIN, RELIEVES PAIN, SCRATCHES, CALLUSES, HELOMAS	ITEMIZED	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	EMO	PG111	Spain
866	4224170114700	GEL, PROTECTIVE TUBE, CLOSED WITH LASTIC FABRIC, OFFERS PROTECTION AGAINST INURIES ON THE SURFACE OF THE TOE SPECIALLY IN THE PAIL REAGE, LEAGTH IS 60 MM, IT IS WASHABLE AND BEUSABLE, CONTAINS 1 UNIT, PROTECTS YUDRATES RELIEVES PRESSURE AND FRICTION BETWEEN TOES, PROTECTION FOR PARTIALLY AMPUTATED TOES, PROTECTION OF TOE SURFACE LESIONS, INTERDICITAL CALLUSES, HAMMER TOES, SUPERIMPOSED OR INFRAMMOSED, KERATOTIC LESIONS, PARTIALLY AMPUTATED TOES, CUTAMEOUS, OR UNREGULAR PROBLEMS DUE TO PRIVESS, INSROWM NAILS.	ITEMIZED	each	400216	Medical Lights Trading Company -Orig-	ABLETECH ORTHOPEDICS CR	64003	China
866	4224170114700	GEL, PROTECTIVE TUBE, CLOSED WITH ELASTIC FABRIC, OFFERS PROTECTION AGAINST INURIES ON THE SURFACE OF THE OS PECIALLY IN THE PAIL REAR, ELROSTH IS 60 MM, IT IS WASHABLE AND BEUSABLE, CONTAINS 1 UNIT, PROTECTS YUDRATES RELIEVES PRESSURE AND FRICTION BETWEEN DOSS, PROTECTION OF PARTIALLY AMPUTATED TOSS, PROTECTION OF TOE SURFACE LESIONS, INTERDIGITAL CALLUSES, HAMMER TOES, SUPERIMPOSED OR INFRAMMPOSED, KERATOTIC LESIONS, PARTIALLY AMPUTATED TOES, CUTANEOUS, OR UNREGULAR PROBLEMS DUE TO DRYNESS, INSROWM NAILS.	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	ЕМО	PG112	Spain
867	4224170114800	GEL, PROTECTIVE, ELASTIC BAND, WITH METATARSAL PAD, WITH ELASTIC FABRIC, EASY TO USE IN ALL TYPES OF FOOTWARE, ITS HEART: SHAPPE GEL DESSIG NENDIRES CUSHONING THE METATARSAL PART CLOSEST TO THE TOES, THE STITCHING BETWEEN THE FIRST AND SECOND TOE CAN BE UNSEEN DAMPING AND UNLOADING OF THE METATARSAL CAUSED BY WALKING AND IMMEDIATELY REDUCES PAIN, PROVIDES A CONSTANT MASSAGE ON SOFT TISSUES AND JOINTS, RELIEF OF THE METATARSAL ZONE, METATARSAL OVERLOADS, METATARSAL CALLUSES	ITEMIZED	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	ЕМО	PG423	Spain
868	4224200195600	GEOMETRIC KNEE, PEDIATRIC FOUR BAR, MANUAL LOCK, CAN BE CONVERTED FOR FREE MOTION, VARIABLE FRICTION, EXTENSION ASSIST, WEIGHT UP TO 40-60 KG	ITEMIZED	each	400468	ALMAFSAL MEDICAL CO -Orig-	ST AND G	P313	South Korea
869	4224200134500	GEOMETRIC LOCK STANCE FLEXION CAN BE ADJUSTED MINICKING KNEE FLEXION DUBING EARLY STANCE WIND SWING SHORTENING - FOR BETTER TOE CLEARANCE SWING CONTROL ADJUSTMENT TO ACCOMMODATE TO CHANGES IN WALKING SPEED APPLICABLE TO LONG TF OR KD USERS ENHANCED STABILITY OVER 4 - BAR SYSTEMS AND REDUCING SHOCK AND STRESS ON THE RESIDUAL LIMB LESS HIP EXTENDED ACTION FOR KEE STABILIZATION CANNOT RELEASE UNITL. TO LOAD IS APPLIED PREVENTS HIP - HIKING REDUCES GAIT DEVALTIONS MULTI- SPEED WALKING GOOD COSMETIC RESULTS FOR AMPITEES TRANSFEMORAL AND KNEE DISARTICULATION AMPUTEES MULTI SPEED WALKERS MODERATE TO HIGH WHACH TWAL USER WEIGHT 100 KGK - LEVEL: X 3 AND K 47 - AMIS DESIGN 3 - VALVE HYDRAULUS SWING CONTROL LOW PROFILE AND BUILD HEIGHT	ITEMIZED	each	400571	AL Galm Comm. EstOrig-	Ottobock	3R46	Germany
870	4224200011900	GLUE FOR LEATHER, NET CONTENTS 650 GM, APPROXIMATELY	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	636W17	Germany
871	4224200220400	GRIP, COMPLIANT WITH PROPORTIONAL CONTROL, INDIVIDUALLY MOTORIZED DIGITS WITH COMPLIANT GIRP AND STALL OUT ABILTY, MANUALLY ROTATABLE THIMBE THAT CAN BE POSITIONED BETWEEN LATERAL AND GRIP, OPPOSITIONAL MODE FOR CREATING DIFFERENT GRIP POSITIONS, APP CONTROL, PROVIDES INSTANT ACCESS TO QUICK GRIPS" AT THE TOUCH OF AN ICON OR EQUIVALENT, MUSICE CONTROL USES SPECIFIC MUSICE SIGNALS CALLED TRIGGERS TO INSTRUCT THE HAND TO ACTIVATE A SPECIFIC GRIP, 12 DIFFERENT AUTOMATED GIRP OPTIONS AVAILABLE, DIGITS SPEC CAN BE INCREASED BY UP TO 30%, AUTO-GRASP" OR EQUIVALENT, ANTI DROP SAFETY FEATURE TO PREVENT OBJECTS FROM SLIPPING, (LOGIC APP COMPATIBLE) FOR OVERVIEW OF USAGE, SETTINGS, AND STATUS, MULTIPLE COVENING OPTIONS AVAILABLE TO SUIT INDIVIDUAL HESTYLES, INCREASES CARRY LOAD BY 50 %, NATURAL AND SECURE GRIP SOR DAY TO DAY USE, BETTER GRIP, AND MORE SECURE GRIP POPTIONS, QUICK WAY TO CONTROL THE DEVICE, ADJUSTED TO THE USERS STRENGTH AND PREFERENCE, DIFFERENT WAYS TO CONTROL THE DEVICE, ADJUSTED TO THE USERS	ITEMIZED	Kit	400571	AL Gaim Comm. EstOrig-	Ottoback	8E71=*+ SP-8E7=3 + 13E190 + 2x 13E202=60 + 2x 13E129=6600 + 757835=5 + 757L35	Austria
872	4224200033700	HACKSAW TO CUT METAL, AN ORTHOTICS WORKSHOP TOOL, STEEL, WITH PLASTIC HANDLE	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	70853	China
873	4224200035400	HALT-ROUND SURFORM FILE, AN ORTHOTICS WORKSHOP TOOL, FOR SHAPING OF CASTING AND MODIFICATION PURPOSE	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	716Y3	United Kingdom
873	4224200035400	HALT-ROUND SURFORM FILE, AN ORTHOTICS WORKSHOP TOOL, FOR SHAPING OF CASTING AND MODIFICATION PURPOSE	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	AFT-INTERNATIONAL	6074132005	Germany

Mathematical Math	TENDER NA	AME : Prosthetics Ort	hosis Supplies							
Manufacture	874	4224200033600	HAND BEVERLY SHEAR, AN ORTHOTICS WORKSHOP TOOL, FOR CUTTING METAL PLATES	ITEMIZED	each	400569		AFT-INTERNATIONAL	6020200105	Germany
Column	875	4618220800100	HARD INSOLES. FOR FLAT FOOT THAT IS FLEXIBLE AT THE TOP SIDE. SIZE 36	CANCELLED	CANCELLED	CANCELLED	CANCELLED	CANCELLED	CANCELLED	CANCELLED
	0.0									
	876	4618220800200	HARD INSOLES, FOR FLAT FOOT THAT IS FLEXIBLE AT THE TOE SIDE, SIZE 37	CANCELLED	CANCELLED	CANCELLED	NOT MATCHING THE DESCRIPTION	CANCELLED	CANCELLED	CANCELLED
Mathematical Math	877	4618220800300	HARD INSOLES, FOR FLAT FOOT THAT IS FLEXIBLE AT THE TOE SIDE, SIZE 38	CANCELLED	CANCELLED	CANCELLED		CANCELLED	CANCELLED	CANCELLED
10 10 10 10 10 10 10 10	878	4618220800400	HARD INSOLES, FOR FLAT FOOT THAT IS FLEXIBLE AT THE TOE SIDE, SIZE 39	CANCELLED	CANCELLED	CANCELLED	CANCELLED	CANCELLED	CANCELLED	CANCELLED
Column	070					CANCELLED				
	8/9	4018220800300	HARD INSOLES, FOR FEAT FOOT THAT IS FLEXIBLE AT THE TOE SIDE, SIZE 40	CANCELLED	CANCELLED	CANCELLED		CANCELLED	CANCELLED	CANCELLED
March Marc	880	4618220800600	HARD INSOLES, FOR FLAT FOOT THAT IS FLEXIBLE AT THE TOE SIDE, SIZE 41	CANCELLED	CANCELLED	CANCELLED	NOT MATCHING THE DESCRIPTION	CANCELLED	CANCELLED	CANCELLED
Mathematical Math	881	4618220800700	HARD INSOLES, FOR FLAT FOOT THAT IS FLEXIBLE AT THE TOE SIDE, SIZE 42	CANCELLED	CANCELLED	CANCELLED		CANCELLED	CANCELLED	CANCELLED
19	882	4618220800800	HARD INSOLES. FOR FLAT FOOT THAT IS FLEXIBLE AT THE TOE SIDE. SIZE 43	CANCELLED	CANCELLED	CANCELLED	CANCELLED	CANCELLED	CANCELLED	CANCELLED
19										
March Marc	883	4618220800900		CANCELLED	CANCELLED	CANCELLED	NOT MATCHING THE DESCRIPTION	CANCELLED	CANCELLED	CANCELLED
March Marc	884	4224171316700	ADULT, COMPLETE	ITEMIZED	SET	400571	AL Gaim Comm. EstOrig-	Ottobock	21A36=1	Germany
March Marc	885	4224171316600		ITEMIZED	SET	400571	AL Gaim Comm. EstOrig-	Ottobock	21A35=1	Germany
Column	886	4618230600000	HARNESS, PAVLIK WITH SOFT INNER LINING AND HOOK - AND - LOOP FASTENERS FOR SECURE	ITEMIZED	each	400035	ZIMMO TRADING Company LTD -Orig-	A.ALGEOS LTD	BT1468	Taiwan
March Marc										
Company	886	4618230600000	ADJUSTMENT, SIZE LARGE	HEMIZED	eacn	400792	Orig-	ELIFE	E-PH801-L	China
March Marc	887	4224170201000	ADJUSTMENT, SIZE MEDIUM	ITEMIZED	each	400035		A.ALGEOS LTD	BT1466	Taiwan
March Common	887	4224170201000		ITEMIZED	each	400792		ELIFE	E-PH801-M	China
March Controlled Controll	888	4224170201100	HARNESS, PAVLIK WITH SOFT INNER LINING AND HOOK - AND - LOOP FASTENERS FOR SECURE	ITEMIZED	each	400035		A.ALGEOS LTD	BT1464	Taiwan
18 CANADON	000	4224170201100		ITEMATED	ooch	400702	massas al-watania for medical servi -	EUEE	E DU001 C	China
March Controlled March Controlled										
Mile			HEEL RELIEF ORTHOSIS, USED TO DYNAMICALLY CORRECT AND PREVENT FOOT AND ANKLE					Orthomerica Products		
10 100,000										
Controlled			CONTRACTURES, PREVENTS MUSCULAR ATROPHY, SHOE SIZE 40 - 43, RIGHT		each			Inc.		
ACTION ACCRETICATION ACTION ACCRETICATION	892	4224170616300	CONTRACTURES, PREVENTS MUSCULAR ATROPHY, SHOE SIZE 43 - 46, RIGHT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Inc.	3533	USA
Section Company Comp	893	4221150900300		ITEMIZED	each	400571	AL Gaim Comm. EstOrig-		783.90S	USA
1975 1975	894	4221150900900	HELMET, FLEXIBLE PROTECTIVE, FABRICATED FROM A FLEXIBLE PLASTIC WITH ANTI -	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Orthomerica Products	783.92S	USA
			HELMET, FLEXIBLE PROTECTIVE, FABRICATED FROM A FLEXIBLE PLASTIC WITH ANTI -							
			BACTERIAL PADDING, SIZE 46 - 48 CM, APPROXIMATELY				-	Inc.		
10 111000000 111000000 111000000 111000000 111000000 111000000 111000000 1110000000 1110000000 1110000000 11100000000	896	4221150901000	BACTERIAL PADDING, SIZE 51 - 53 CM, APPROXIMATELY	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Inc.	783.935	USA
1985 1985	897	4221150900500		ITEMIZED	each	400571	AL Gaim Comm. EstOrig-		783.94S	USA
1999 2011/2009/2000 2011/2009/2009/2009/2009/2009/2009/2009/	898	4221150900600	HELMET, FLEXIBLE PROTECTIVE, FABRICATED FROM A FLEXIBLE PLASTIC WITH ANTI -	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-		783.95S	USA
1906 12711091101 1904	900	4221150900700	HELMET, FLEXIBLE PROTECTIVE, FABRICATED FROM A FLEXIBLE PLASTIC WITH ANTI -	ITEMIZED	each	400571	Al Gaim Comm. EstOrig.		792 065	AZIL
Dec. Common					***					
10 10 10 10 10 10 10 10	900	4221150901100	BACTERIAL PADDING, SIZE 61 - 64 CM, APPROXIMATELY	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-		783.975	USA
2021-007-007-00-00-00-00-00-00-00-00-00-00-0	901	4221150900800		ITEMIZED	each	400571	AL Gaim Comm. EstOrig-		783.98S	USA
								Anava Orthonedic		
200 222-200-2000 ALLANDAM ADDITIONS TO THE PARTY COLORS AND EXPORTED MINES OF THE PARTY CO	902	4224150700500		ITEMIZED	each	400571	AL Gaim Comm. EstOrig-		OT9035-XS	Saudi Arabia
200 222-200-2000 ALLANDAM ADDITIONS TO THE PARTY COLORS AND EXPORTED MINES OF THE PARTY CO			HID ADDITION DRACE DEDIATRIC ADMISTABLE DOLVDDODVI ENELLICHTWEICHT WITH							
## PARCED CORD AND TRAINING CORD FOR THE CONTROLLED WITHOUT STATE AND THE CORD TO CORD THE CO	903	4224150700600	ALUMINUM ADJUSTMENT SCREW ALLOWS ABDUCTION 40 TO 180 DEGREE ANTIBACTERIAL	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-		OT9035-L	Saudi Arabia
			VOLARA FOAM LINING DOES NOT RETAIN MOISTURE EASY TO CLEAN LARGE					(-11-		
Worksharpson Work	004	422.4450700700		ITEMATER		400574	Al Calm Carrey Est. Onla	Anaya Orthopedic	OT0025 M	Carrell Assets
250 42543700000 ALMANIANA AND STRAIN TESTER ALLOYS ARROUND TO 130 DOTS OF A WITHOUT COME AND	904	4224150700700		TEMIZED	eacn	400571	AL Gaim Comm. EstOrig-	Industries (Ortho Techn	U19035-IVI	Saudi Arabia
250 42543700000 ALMANIANA AND STRAIN TESTER ALLOYS ARROUND TO 130 DOTS OF A WITHOUT COME AND			HIP ARDUCTION BRACE PEDIATRIC ADJUSTABLE POLYPROPYLENE LIGHTWEIGHT WITH							
WOULDAY-ROW INSINED ON NOT RETAIN MOST PLAN FOR THE MAN DISTORT CLANS MAIL IN PROPERTY OF THE MAN DISTORT CLANS	905	4224150700800	ALUMINUM ADJUSTMENT SCREW ALLOWS ABDUCTION 40 TO 180 DEGREE ANTIBACTERIAL	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-		OT9035-S	Saudi Arabia
200 422417003000 ALMANDA ADDISTRIANT SCREW ALLOWS ADDISTRIANT SCREWARD STORE AND STORE ADDISTRIANT SCREWARD STORE AND STORE ADDISTRIANT SCREWARD AND			VOLARA FOAM LINING DOES NOT RETAIN MOISTURE EASY TO CLEAN SMALL							
VOLUME FORM INNERODES FOR TEXTINA MOSTRIE LEST TO CLEAN SIZE CHARL AREE 1977 4224130703600 PREPAIRS CONTINUES, FOR CONTINUES, COLUMN TO LOW, WITH THE CHILD STATES CARRIED ON WALKING, COLUMN TO THE PERAIS COLUM	005	422.4450700000		ITEMATER		400574	Al Calm Carrey Est. Onla	Anaya Orthopedic	OTODAE VI	Carrell Assets
200 42471070200 19100FT STRANGER, RESTRESS REGISTRATION, PREVENTION, AND TREATMENT OF TEP 115MAZED each 400216 Medical Lights Trading Company, One ALETTICA GENERAL COLUMN 10000 1	906	4224150700900		HEMIZED	eacn	4005/1	AL Gaim Comm. EstOrig-		019035-XL	Saudi Arabia
	907	4224150702800		ITEMIZED	each	400571	Al Gaim Comm. Est "Orig.	Ottoback	28120	Germany
1000 4224170031800										
100 1242170031500 100058100 (RSTABLITO OF THE IP DORT, SIZE LAGGE, RIGHT 178MZED 188MZED 189MZED RESTRICTS ORTHOR PREVENTION, AND TREATMENT OF THE IP DORT STABLEZER, RESTRICTS ORTHOR, PREVENTION, AND TREATMENT OF THE IP DORT STABLEZER, RESTRICTS ORTHOR, PREVENTION, AND TREATMENT OF THE IP DORT STABLEZER, RESTRICTS ORTHOR, PREVENTION, AND TREATMENT OF THE IP DORT STABLEZER, RESTRICTS ORTHOR, PREVENTION, AND TREATMENT OF THE IP DORT STABLEZER, RESTRICTS ORTHOR, PREVENTION, AND TREATMENT OF THE IP DORT STABLEZER, RESTRICTS ORTHOR, PREVENTION, AND TREATMENT OF THE IP DORT STABLEZER, RESTRICTS ORTHOR, PREVENTION, AND TREATMENT OF THE IP DORT STABLEZER, RESTRICTS ORTHOR, PREVENTION, AND TREATMENT OF THE IP DORT STABLEZER, RESTRICTS ORTHOR, PREVENTION, AND TREATMENT OF THE IP DORT STABLEZER, RESTRICTS ORTHOR, PREVENTION, AND TREATMENT OF THE IP DORT STABLEZER, RESTRICTS ORTHOR, PREVENTION, AND TREATMENT OF THE IP DORT STABLEZER, RESTRICTS ORTHOR, PREVENTION, AND TREATMENT OF THE IP DORT STABLEZER, RESTRICTS ORTHOR, AND TREATMENT OF THE IP DORT STABLEZER, RESTRICTS ORTHOR, AND TREATMENT OF THE IP DORT STABLEZER, RESTRICTS ORTHOR, PREVENTION, AND TREATMENT OF THE IP DORT STABLEZER, RESTRICTS ORTHOR, AND TREATMENT OF THE IP DORT STABLEZER, RESTRICTS ORTHOR, AND TREATMENT OF THE IP DORT STABLEZER, RESTRICTS ORTHOR, AND TREATMENT OF THE IP DORT STABLEZER, RESTRICTS ORTHOR, AND TREATMENT OF THE IP DORT STABLEZER, RESTRICTS ORTHOR, AND TREATMENT OF THE IP DORT STABLEZER, RESTRICTS ORTHOR, AND TREATMENT OF THE IP DORT STABLEZER, RESTRICTS ORTHOR, AND TREATMENT OF THE IP DORT STABLEZER, RESTRICTS ORTHOR, AND TREATMENT OF THE IP DORT STABLEZER, RESTRICTS ORTHOR, AND TREATMENT OF THE IP DORT STABLEZER, RESTRICTS ORTHOR, AND TREATMENT ORTHOR DORTHORS ORTHOR DORTHORS ORTHOR DORTHORS ORTHOR AND TREATMENT ORTHOR DORTHORS ORTHOR DORTHORS ORTHOR DORTHORS ORTHOR DORTHORS ORTHOR	908	4224170201400	LOOSENING INSTABILITY OF THE HIP JOINT, SIZE LARGE, LEFT	ITEMIZED	each	400216	Medical Lights Trading Company -Orig-	CR	26101	China
PROPRESENTATION PROVINCE TRANSPORT RESTRICTS ROTATION, PREVENTION, AND TRANSPORTED FEED TEMEZED each 400216 Medical Lights Trading Company, Ong ARTIFCTO GRITOPEDICS 26101 China Chi	909	4224170201500		ITEMIZED	each	400216	Medical Lights Trading Company -Orig-		26101	China
11	910	4224170201800	HIP JOINT STABILIZER, RESTRICTS ROTATION, PREVENTION, AND TREATMENT OF TEP	ITEMIZED	each	400216	Medical Lights Trading Company -Orig-	ABLETECH ORTHOPEDICS	26101	China
1912 4224170013100 MP JOINT STREAM, TO THE INFORMATION AND TRAINMENT OF TEP TEMIZED each 400216 Medical lights Trading Company-Original Part		4224170201600	HIP JOINT STABILIZER, RESTRICTS ROTATION, PREVENTION, AND TREATMENT OF TEP					ABLETECH ORTHOPEDICS		China
222417021700					***					
1913 122400131800	912	4224170201300	LOOSENING INSTABILITY OF THE HIP JOINT, SIZE SMALL, LEFT	ITEMIZED	each	400216	Medical Lights Trading Company -Orig-	CR	26101	China
HP-IONT SYSTEM COMPONENTS, THE HIP JOINT HAS BEEN TESTED AND APPROVED EXCLUSIVE FOR SYSTEM COMPONENTS, FLEXION ANGLE 330 DEGREE, MAXIMUM BODY WEIGHT 100 NG, LEFT	913	4224170201700		ITEMIZED	each	400216	Medical Lights Trading Company -Orig-		26101	China
SYSTEM COMPONENTS, FLEIDON ANGEL 330 DEGREE, MAXIMUM BODY WEIGHT 100 KG, LEFT			HIP JOINT SYSTEM, THE HIP JOINT HAS BEEN TESTED AND APPROVED EXCLUSIVELY FOR							
HIP JOINT SYSTEM, THE HIP JOINT HAS BEEN TESTED AND APPROVED EXCLUSIVELY FOR COMBINATION WITH THE MICROPROCESSOR, RIKE (FORM AND THE CORRESPONDING SYSTEM COMPONENTS, JECKON AND EDGERE, MANIMAN BODY WEIGHT 100 KG, MICHAEL STEEL	914	4224200131800	the state of the s	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	7E10=L	Germany
915 42,24,2013,19,00 SYSTEM COMPONENTS, FLEXION ANGLE 130 DEGREE, MAXIMUM BODY WEIGHT 100 KG, BIGHT MOMOGRAPOLISTIC MATERIAL, WITH HIGH RIGIDITY, WORKING TEMIZED each 400035 ZIMMO TRADING Company LTD -Orig: A.A.GEOS LTD TA0652 Spain TEMIZED each 400035 ZIMMO TRADING Company LTD -Orig: A.A.GEOS LTD TA0652 Spain TEMIZED Each 400451 Farabi Trading Establishment -Orig: STREIFENEDER 60760/30H Germany Germa			HIP JOINT SYSTEM, THE HIP JOINT HAS BEEN TESTED AND APPROVED EXCLUSIVELY FOR							
SIGHT SIGH	915	4224200131900		ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	7E10=R	Germany
915 4412210902700 HOOK AND LOOP, VELCRO OR EQUIVALENT, WIDTH 30 MM, LENGTH 400 MM, SKIN COLOR/WHITE Farabi Trading Establishment-Orig- COLOR/WHITE Farabi Trading Establishmen			RIGHT							
917 4412210902700 HOOK AND LOOP, VELCRO OR EQUIVALENT, WIDTH 30 MM, LENGTH 400 MM, SKIN CLORA/WHITE each 400451 Farabi Trading Establishment -Orig- Ottobock 21Y78=30-0 Belgium 17	916	4224151008300		ITEMIZED	each	400035	ZIMMO TRADING Company LTD -Orig-	A.ALGEOS LTD	TA0652	Spain
917	917	4412210902700	HOOK AND LOOP, VELCRO OR EQUIVALENT, WIDTH 30 MM, LENGTH 400 MM, SKIN	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	60T60/30H	Germany
OCOCR/WHITE 1918 4412210900700 HOOK AND PILE CLOSURE WITH LOOP, WIDTH 35 MM, LENGTH 380 MM, BLUE, VELCRO OR EQUIVALENT CONVENTION OF WIDTH 25 MM, LENGTH 380 MM, BLUE, VELCRO OR ITEMIZED 1920 4412210900800 HOOK AND PILE CLOSURE WITH LOOP, WIDTH 25 MM, LENGTH 380 MM, WHITE, VELCRO OR EQUIVALENT CONVENTION OF WIDTH 25 MM, LENGTH 380 MM, WHITE, VELCRO OR EQUIVALENT CONVENTION OF WIDTH 25 MM, LENGTH 380 MM, WHITE, VELCRO OR EQUIVALENT CONVENTION OR WIDTH 25 MM, LENGTH 380 MM, WHITE, VELCRO OR EQUIVALENT CONVENTION OR WIDTH 25 MM, LENGTH 380 MM, WHITE, VELCRO OR EQUIVALENT CONVENTION OR WIDTH 25 MM, LENGTH 380 MM, WHITE, VELCRO OR EQUIVALENT CONVENTION OR WIDTH 25 MM, LENGTH 380 MM, WHITE, VELCRO OR EQUIVALENT CONVENTION OR WIDTH 25 MM, LENGTH 380 MM, BLUE, VELCRO OR EQUIVALENT CONVENTION OR WIDTH 25 MM, LENGTH 380 MM, BLUE, VELCRO OR EQUIVALENT CONVENTION OR WIDTH 25 MM, LENGTH 380 MM, BLUE, VELCRO OR EQUIVALENT CONVENTION OR WIDTH 25 MM, LENGTH 380 MM, WHITE, VELCRO OR EQUIVALENT CONVENTION OR WIDTH 25 MM, LENGTH 380 MM, WHITE, VELCRO OR EQUIVALENT CONVENTION OR WIDTH 25 MM, LENGTH 380 MM, WHITE, VELCRO OR EQUIVALENT CONVENTION OR WIDTH 25 MM, LENGTH 380 MM, WHITE, VELCRO OR EQUIVALENT CONVENTION OR WIDTH 25 MM, LENGTH 380 MM, BLUE, VELCRO OR EQUIVALENT CONVENTION OR WIDTH 25 MM, LENGTH 380 MM, BLUE, VELCRO OR EQUIVALENT CONVENTION OR WIDTH 25 MM, LENGTH 380 MM, BLUE, VELCRO OR EQUIVALENT CONVENTION OR WIDTH 25 MM, LENGTH 380 MM, WHITE, VELCRO OR EQUIVALENT CONVENTION OR WIDTH 25 MM, LENGTH 380 MM, WHITE, VELCRO OR EQUIVALENT CONVENTION OR WIDTH 25 MM, LENGTH 380 MM, WHITE, VELCRO OR EQUIVALENT CONVENTION OR WIDTH 25 MM, LENGTH 380 MM, WHITE, VELCRO OR EQUIVALENT CONVENTION OR WIDTH 25 MM, LENGTH 380 MM, WHITE, VELCRO OR EQUIVALENT CONVENTION OR CONVENTION OR WIDTH 25 MM, LENGTH 380 MM, WHITE, VELCRO OR EQUIVALENT CONVENTION OR CONVEN	917	4412210902700	HOOK AND LOOP, VELCRO OR EQUIVALENT, WIDTH 30 MM, LENGTH 400 MM, SKIN	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	21Y78=30-0	Belgium
EQUIVALENT 11EMIZED 12 4412210900800 10 HOOK AND PILE CLOSURE WITH LOOP, WIDTH 25 MM, LENGTH 380 MM, RED, VELCRO OR EQUIVALENT 12 4412210901800 10 HOOK AND PILE CLOSURE WITH LOOP, WIDTH 25 MM, LENGTH 380 MM, WHITE, VELCRO OR EQUIVALENT 12 4412210901800 13 4412210901800 14 4412210901800 14 4412210901800 14 4412210901800 15 400451 16 400451 17 400451 18 400451										
### PAIR PROPRIES OF TRAINING			EQUIVALENT							
921 4412210901000 HOOK AND PILE CLOSURE WITH LOOP, WIDTH 30 MM, LENGTH 380 MM, BLUE, VELCRO OR EQUIVALENT (TEMIZED SET 400451 Farabi Trading Establishment -Orig- STREIFENEDER 60170/308 Germany (Farabi Trading E	919	4412210900800	EQUIVALENT	ITEMIZED	SET	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	60T70/25R	Germany
921 4412210901000 HOOK AND PILE CLOSURE WITH LOOP, WIDTH 35 MM, LENGTH 380 MM, BLUE, VELCRO OR EQUIVALENT (FIRMIZED SET 400451 Farabi Trading Establishment -Orig- STREIFENEDER 60770/308 Germany (FIRMIZED SET 400451 Farabi Trading Establishment -Orig- STREIFENEDER 60770/308 Germany (FIRMIZED SET 400451 Farabi Trading Establishment -Orig- STREIFENEDER 60770/308 Germany (FIRMIZED SET 400451 Farabi Trading Establishment -Orig- STREIFENEDER 60770/308 Germany (FIRMIZED SET 400451 Farabi Trading Establishment -Orig- STREIFENEDER 60770/308 Germany (FIRMIZED SET 400451 Farabi Trading Establishment -Orig- STREIFENEDER 60770/308 Germany (FIRMIZED SET 400451 Farabi Trading Establishment -Orig- STREIFENEDER 60770/308 Germany (FIRMIZED SET 400451 Farabi Trading Establishment -Orig- STREIFENEDER 60770/308 Germany (FIRMIZED SET 400451 Farabi Trading Establishment -Orig- STREIFENEDER 60770/308 Germany (FIRMIZED SET 400451 Farabi Trading Establishment -Orig- STREIFENEDER 60770/308 Germany (FIRMIZED SET 400451 Farabi Trading Establishment -Orig- STREIFENEDER 60770/308 Germany (FIRMIZED SET 400451 Farabi Trading Establishment -Orig- STREIFENEDER 60770/308 Germany (FIRMIZED SET 400451 Farabi Trading Establishment -Orig- STREIFENEDER 60770/308 Germany (FIRMIZED SET 400451 Farabi Trading Establishment -Orig- STREIFENEDER 60770/308 Germany (FIRMIZED SET 400451 Farabi Trading Establishment -Orig- STREIFENEDER 60770/308 Germany (FIRMIZED SET 400451 Farabi Trading Establishment -Orig- STREIFENEDER 60770/308 Germany (FIRMIZED SET 400451 Farabi Trading Establishment -Orig- STREIFENEDER 60770/308 Germany (FIRMIZED SET 400451 Farabi Trading Establishment -Orig- STREIFENEDER 60770/308 Germany (FIRMIZED SET 400451 Farabi Trading Establishment -Orig- STREIFENEDER 60770/308 Germany (FIRMIZED SET 400451 Farabi Trading Establishment -Orig- STREIFENEDER 60770/308 Germany (FIRMIZED SET 400451 Farabi Trading Establishment -Orig- STREIFENEDER 60770/308 Germany (FIRMIZED SET 400451 Farabi Trading Establishment -Orig- STREIFENEDER 60770/308 Germany (FIR	920	4412210900900	EQUIVALENT	ITEMIZED	SET	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	60T70/25W	Germany
922 4412210901100 HOOK AND PILE CLOSURE WITH LOOP, WIDTH 30 MM, LENGTH 380 MM, RED, VELCRO OR EQUIVALENT (FIRMIZED SET 400451 Farabi Trading Establishment -Orig- STREIFENEDER 60770/30R Germany (FIRMIZED SET 400451 Farabi Trading Establishment -Orig- STREIFENEDER 60770/30R Germany (FIRMIZED SET 400451 Farabi Trading Establishment -Orig- STREIFENEDER 60770/30R Germany (FIRMIZED SET 400451 Farabi Trading Establishment -Orig- STREIFENEDER 60770/30R Germany (FIRMIZED SET 400451 Farabi Trading Establishment -Orig- STREIFENEDER 60770/30R Germany (FIRMIZED SET 400451 Farabi Trading Establishment -Orig- STREIFENEDER 60770/30R Germany (FIRMIZED SET 400451 Farabi Trading Establishment -Orig- STREIFENEDER 60770/30R Germany (FIRMIZED SET 400451 Farabi Trading Establishment -Orig- STREIFENEDER 60770/30R Germany (FIRMIZED SET 400451 Farabi Trading Establishment -Orig- STREIFENEDER 60770/30R Germany (FIRMIZED SET 400451 Farabi Trading Establishment -Orig- STREIFENEDER 60770/30R Germany (FIRMIZED SET 400451 Farabi Trading Establishment -Orig- STREIFENEDER 60770/30R Germany (FIRMIZED SET 400451 Farabi Trading Establishment -Orig- STREIFENEDER 60770/30R Germany (FIRMIZED SET 400451 Farabi Trading Establishment -Orig- STREIFENEDER 60770/30R Germany (FIRMIZED SET 400451 Farabi Trading Establishment -Orig- STREIFENEDER 60770/30R Germany (FIRMIZED SET 400451 Farabi Trading Establishment -Orig- STREIFENEDER 60770/30R Germany (FIRMIZED SET 400451 Farabi Trading Establishment -Orig- STREIFENEDER 60770/30R Germany (FIRMIZED SET 400451 Farabi Trading Establishment -Orig- STREIFENEDER 60770/30R Germany (FIRMIZED SET 400451 Farabi Trading Establishment -Orig- STREIFENEDER 60770/30R Germany (FIRMIZED SET 400451 Farabi Trading Establishment -Orig- STREIFENEDER 60770/30R Germany (FIRMIZED SET 400451 Farabi Trading Establishment -Orig- STREIFENEDER 60770/30R Germany (FIRMIZED SET 400451 Farabi Trading Establishment -Orig- STREIFENEDER 60770/30R Germany (FIRMIZED SET 400451 Farabi Trading Establishment -Orig- STREIFENEDER 60770/30R Germany (FIRM	921	4412210901000	HOOK AND PILE CLOSURE WITH LOOP, WIDTH 30 MM, LENGTH 380 MM, BLUE, VELCRO OR	ITEMIZED	SET	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	60T70/30B	Germany
923 4412210901200 HOOK AND PILE CLOSURE WITH LOOP, WIDTH 30 MM, ENGTH 380 MM, WHITE, VELCRO OR EQUIVALENT EQUIVALENT STREIFENEDER MILES SET HOOKS AND PILE CLOSURE WITH LOOP, WIDTH 35 MM, LENGTH 380 MM, WHITE, VELCRO OR ITEMIZED SET HOOKS AND PILE CLOSURE WITH LOOP, WIDTH 35 MM, LENGTH 380 MM, BLUE, VELCRO OR ITEMIZED SET HOOK AND PILE CLOSURE WITH LOOP, WIDTH 35 MM, LENGTH 380 MM, RED, VELCRO OR ITEMIZED SET HOOK AND PILE CLOSURE WITH LOOP, WIDTH 35 MM, LENGTH 380 MM, RED, VELCRO OR ITEMIZED SET HOOK AND PILE CLOSURE WITH LOOP, WIDTH 35 MM, LENGTH 380 MM, WHITE, VELCRO OR ITEMIZED SET HOOK AND PILE CLOSURE WITH LOOP, WIDTH 35 MM, LENGTH 380 MM, WHITE, VELCRO OR ITEMIZED SET HOOK AND PILE CLOSURE WITH LOOP, WIDTH 35 MM, LENGTH 380 MM, WHITE, VELCRO OR ITEMIZED SET HOOK AND PILE CLOSURE WITH LOOP, WIDTH 35 MM, LENGTH 380 MM, WHITE, VELCRO OR ITEMIZED SET HOOK AND PILE CLOSURE, W-50 MM, SALMON (VELCRO OR EQUIVALENT, ROLL 25 METERS) 928 4412210901500 HOOK AND PILE CLOSURE, WIDTH 20 MM, BLUE, VELCRO OR EQUIVALENT, ROLL 25 METERS TEMIZED each HOOS ZIMMO TRADING Company LTD-Orig. ALGEOS LTD LA3806/J United Kingdom HOOK AND PILE CLOSURE, WIDTH 20 MM, SALMON (VELCRO OR EQUIVALENT, ROLL 25 METERS) 929 4412210901500 HOOK AND PILE CLOSURE, WIDTH 20 MM, SALMON (VELCRO OR EQUIVALENT, ROLL 25 METERS) 15 MILES OF THE PILES	922	4412210901100	HOOK AND PILE CLOSURE WITH LOOP, WIDTH 30 MM, LENGTH 380 MM, RED, VELCRO OR	ITEMIZED	SET	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	60T70/30R	Germany
923 4412210901300 HOOK AND PILE CLOSURE WITH LOOP, WIDTH 35 MM, LENGTH 380 MM, BLUE, VELCRO OR EQUIVALENT ITEMIZED SET 400451 Farabi Trading Establishment -Orig- STREIFENEDER 60170/388 Germany										
925 4412210901500 HOOK AND PILE CLOSURE WITH LOOP, WIDTH 35 MM, LENGTH 380 MM, RED, VELCRO OR ITEMIZED SET 400451 Farabi Trading Establishment-Orig- STREIFENEDER 60770/388 Germany 926 4412210901400 HOOK AND PILE CLOSURE WITH LOOP, WIDTH 35 MM, LENGTH 380 MM, WHITE, VELCRO OR ITEMIZED SET 400451 Farabi Trading Establishment-Orig- STREIFENEDER 60770/38W Germany 927 4224152002600 HOOK AND PILE CLOSURE, W-50 MM, SALMON (VELCRO OR EDUNALENT, ROLL 25 M TEMIZED each 400035 ZIMMO TRADING Company LTD-Orig- A.ALGEOS LTD LA3864/3 United kingdom 928 4412210901500 HOOK AND PILE CLOSURE, WIDTH 20 MM, BLUE, VELCRO OR EQUIVALENT, ROLL 25 METERS 929 4412210901500 HOOK AND PILE CLOSURE, WIDTH 20 MM, BLUE, VELCRO OR EQUIVALENT, ROLL 25 METERS 930 44122109001500 HOOK AND PILE CLOSURE, WIDTH 20 MM, BLUE, VELCRO OR EQUIVALENT, ROLL 25 METERS 940 44122109001500 HOOK AND PILE CLOSURE, WIDTH 20 MM, BLUE, VELCRO OR EQUIVALENT, ROLL 25 METERS 941 44122109001500 HOOK AND PILE CLOSURE, WIDTH 20 MM, BLUE, VELCRO OR EQUIVALENT, ROLL 25 METERS 942 44122109001500 HOOK AND PILE CLOSURE, WIDTH 20 MM, SALMON (VELCRO OR EQUIVALENT, ROLL 25 METERS) 943 44122109001500 HOOK AND PILE CLOSURE, WIDTH 20 MM, SALMON (VELCRO OR EQUIVALENT), ROLL 25 METERS) 944 44122109001500 HOOK AND PILE CLOSURE, WIDTH 20 MM, SALMON (VELCRO OR EQUIVALENT), ROLL 25 METERS) 955 4400451 Farabi Trading Establishment-Orig- STREIFENDER 60770/38R Germany 156 4400451 Farabi Trading Establishment-Orig- STREIFENDER 60770/38R GERMANY 157 440451 Farabi Trading Establishment-Orig- STREIFENDER 60770/38R GERMANY 157 440			EQUIVALENT						,	
925 4412210901400 HOOK AND PILE CLOSURE, WIDTH 20 MM, SALMON (VELCRO OR EQUIVALENT, ROLL 25 METERS) 926 4412210901400 HOOK AND PILE CLOSURE, WIDTH 20 MM, SALMON (VELCRO OR EQUIVALENT, ROLL 25 METERS) 927 4224152002600 HOOK AND PILE CLOSURE, WIDTH 20 MM, SALMON (VELCRO OR EQUIVALENT, ROLL 25 METERS) 928 4412210901600 HOOK AND PILE CLOSURE, WIDTH 20 MM, SALMON (VELCRO OR EQUIVALENT, ROLL 25 METERS) 929 4412210901600 HOOK AND PILE CLOSURE, WIDTH 20 MM, SALMON (VELCRO OR EQUIVALENT, ROLL 25 METERS) 930 4412210901600 HOOK AND PILE CLOSURE, WIDTH 20 MM, SALMON (VELCRO OR EQUIVALENT, ROLL 25 METERS) 940 4412210901600 HOOK AND PILE CLOSURE, WIDTH 20 MM, SALMON (VELCRO OR EQUIVALENT, ROLL 25 METERS) 951 400451 Farabi Trading Establishment-Orig- 975 5TREFFENDER 60170/38W Germany 1079/38W German	924	4412210901300	EQUIVALENT	ITEMIZED	SET	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	60T70/38B	Germany
926 4412210901400 HOOK AND PILE CLOSURE WITH LOOP, WIDTH 35 MM, LENGTH 380 MM, WHITE, VELCRO OR ITEMIZED SET 400451 Farabi Trading Establishment -Orig- STREIFENEDER 60770/38W Germany 927 4224152002600 HOOK AND PILE CLOSURE, W-50 MM, SALMON (VELCRO) ROLL 25 M ITEMIZED each 400035 ZIMMO TRADING Company LTD -Orig- A.ALGEOS LTD LA3864/3 United Kingdom 928 4412210901600 HOOK AND PILE CLOSURE, WIDTH 20 MM, BLUE, VELCRO OR EQUIVALENT, ROLL 25 METERS ITEMIZED each 400035 ZIMMO TRADING Company LTD -Orig- A.ALGEOS LTD LA3802/1 United Kingdom 929 4412210900100 HOOK AND PILE CLOSURE, WIDTH 20 MM, SALMON (VELCRO OR EQUIVALENT), ROLL 25 ITEMIZED each 400035 ZIMMO TRADING Company LTD -Orig- A.ALGEOS LTD LA3802/1 United Kingdom 930 4412210900100 HOOK AND PILE CLOSURE, WIDTH 20 MM, SALMON (VELCRO OR EQUIVALENT), ROLL 25 ITEMIZED each 400035 ZIMMO TRADING Company LTD -Orig- A.ALGEOS LTD LA3802/1 United Kingdom	925	4412210901500		ITEMIZED	SET	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	60T70/38R	Germany
927 4224152002600 HOOK AND PILE CLOSURE, WIDTH 20 MM, BLUE, VELCRO OR EQUIVALENT, ROLL 25 METERS ITEMIZED each 400035 ZIMMO TRADING Company LTD -Orig: A.ALGEOS LTD LA3864/3 United Kingdom 928 4412210901600 HOOK AND PILE CLOSURE, WIDTH 20 MM, BLUE, VELCRO OR EQUIVALENT, ROLL 25 METERS ITEMIZED each 400035 ZIMMO TRADING Company LTD -Orig: A.ALGEOS LTD LA3802/1 United Kingdom 929 4412210900300 HOOK AND PILE CLOSURE, WIDTH 20 MM, SALMON (VELCRO OR EQUIVALENT), ROLL 25 ITEMIZED each 400035 ZIMMO TRADING Company LTD -Orig: A.ALGEOS LTD LA3802/1 United Kingdom 939 4412210900300 HOOK AND PILE CLOSURE, WIDTH 20 MM, SALMON (VELCRO OR EQUIVALENT), ROLL 25 ITEMIZED each 400035 ZIMMO TRADING Company LTD -Orig: A.ALGEOS LTD LA3802/1 United Kingdom 939 4412210900300 HOOK AND PILE CLOSURE, WIDTH 20 MM, SALMON (VELCRO OR EQUIVALENT), ROLL 25 ITEMIZED each 400035 ZIMMO TRADING Company LTD -Orig: A.ALGEOS LTD LA4020/1 United Kingdom 939 4412210900300 HOOK AND PILE CLOSURE, WIDTH 20 MM, SALMON (VELCRO OR EQUIVALENT), ROLL 25 ITEMIZED each 400035 ZIMMO TRADING Company LTD -Orig: A.ALGEOS LTD LA4020/1 United Kingdom 939 4412210900300 HOOK AND PILE CLOSURE, WIDTH 20 MM, SALMON (VELCRO OR EQUIVALENT), ROLL 25 ITEMIZED each 400035 ZIMMO TRADING Company LTD -Orig: A.ALGEOS LTD LA4020/1 United Kingdom 939 4412210900300 HOOK AND PILE CLOSURE, WIDTH 20 MM, SALMON (VELCRO OR EQUIVALENT), ROLL 25 ITEMIZED each 400035 ZIMMO TRADING Company LTD -Orig: A.ALGEOS LTD LA4020/1 United Kingdom 939 4412210900300 HOOK AND PILE CLOSURE, WIDTH 20 MM, SALMON (VELCRO OR EQUIVALENT), ROLL 25 ITEMIZED each 400035 ZIMMO TRADING COMPANY LTD -Orig: A.ALGEOS LTD LA4020/1 United Kingdom 939 4412210900300 HOOK AND PILE CLOSURE, WIDTH 20 MM, SALMON (VELCRO OR EQUIVALENT), ROLL 25 ITEMIZED each 400035 ZIMMO TRADING COMPANY LTD -ORIG: A.ALGEOS LTD LA4020/1 United Kingdom 939 4412210900300 HOOK AND PILE CLOSURE, WIDTH 20 MM, SALMON (VELCRO OR EQUIVALENT), ROLL 25 ITEMIZED each 400035 ZIMMO TRADING COMPANY LTD -ORIGINA (VELCRO OR EQUIVALENT), ROLL 25 ITEMIZED each 400	926	4412210901400	HOOK AND PILE CLOSURE WITH LOOP, WIDTH 35 MM, LENGTH 380 MM, WHITE, VELCRO OR	ITEMIZED	SET	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	60T70/38W	Germany
928 4412210901600 HOOK AND PILE CLOSURE, WIDTH 20 MM, BLUE, VELCRO OR EQUIVALENT, ROLL 25 METERS ITEMIZED each 400035 ZIMMO TRADING Company LTD -Orig- A.ALGEOS LTD LA3802/1 United Kingdom 939 4412210900300 HOOK AND PILE CLOSURE, WIDTH 20 MM, SALMON (VELCRO OR EQUIVALENT), ROLL 25 ITEMIZED each 400035 ZIMMO TRADING Company LTD -Orig- A.ALGEOS LTD LA3802/1 United Kingdom										United Kingdom
	928	4412210901600	HOOK AND PILE CLOSURE, WIDTH 20 MM, BLUE, VELCRO OR EQUIVALENT, ROLL 25 METERS	ITEMIZED	each	400035	ZIMMO TRADING Company LTD -Orig-	A.ALGEOS LTD	LA3802/1	United Kingdom
METERS	929	4412210900300		ITEMIZED	each	400035	ZIMMO TRADING Company LTD -Orig-	A.ALGEOS LTD	LA4020/1	United Kingdom
			METERS							

:NDER NAI	ME : Prosthetics Ort	hosis Supplies							
930	4412210900400	HOOK AND PILE CLOSURE, WIDTH 20 MM, WHITE (VELCRO OR EQUIVALENT), ROLL 25 METERS	ITEMIZED	each	400035	ZIMMO TRADING Company LTD -Orig-	A.ALGEOS LTD	LA4010/1	United Kingdom
931	4412210901700	HOOK AND PILE CLOSURE, WIDTH 20 MM, YELLOW, VELCRO OR EQUIVALENT, ROLL 25	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation
		METERS							
932	4412210901900	HOOK AND PILE CLOSURE, WIDTH 25 MM, BLUE, VELCRO OR EQUIVALENT, ROLL 25 METERS	ITEMIZED	each	400035	ZIMMO TRADING Company LTD -Orig-	A.ALGEOS LTD	LA3800/1	United Kingdom
933	4412210900500	HOOK AND PILE CLOSURE, WIDTH 25 MM, SALMON (VELCRO OR EQUIVALENT), ROLL 25 METERS	ITEMIZED	each	400035	ZIMMO TRADING Company LTD -Orig-	A.ALGEOS LTD	LA3740/1	United Kingdom
934	4412210900600	HOOK AND PILE CLOSURE, WIDTH 25 MM, WHITE (VELCRO OR EQUIVALENT), ROLL 25 METERS	ITEMIZED	each	400035	ZIMMO TRADING Company LTD -Orig-	A.ALGEOS LTD	LA3710/1	United Kingdom
935	4412210902100	HOOK AND PILE CLOSURE, WIDTH 25 MM, YELLOW, VELCRO OR EQUIVALENT, ROLL 25	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation
		METERS							
936	4412210902200	HOOK AND PILE CLOSURE, WIDTH 30 MM, BLUE, VELCRO OR EQUIVALENT, ROLL 25 METER	ITEMIZED	each	400035	ZIMMO TRADING Company LTD -Orig-	A.ALGEOS LTD	LA3806/1	United Kingdom
937	4224152002400	HOOK AND PILE CLOSURE, WIDTH 30 MM, SALMON (VELCRO OR EQUIVALENT), ROLL 25 METERS	ITEMIZED	items (Pieces)	400035	ZIMMO TRADING Company LTD -Orig-	A.ALGEOS LTD	LA3714/5	United Kingdom
938	4224152002500	HOOK AND PILE CLOSURE, WIDTH 30 MM, WHITE (VELCRO OR EQUIVALENT), ROLL 25 METERS	ITEMIZED	each	400035	ZIMMO TRADING Company LTD -Orig-	A.ALGEOS LTD	LA3712/3	United Kingdom
		HOOK AND PILE CLOSURE, WIDTH 30 MM, YELLOW, VELCRO OR EQUIVALENT, ROLL 25							
939	4412210902300	METERS	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation
940	4224152002700	HOOK AND PILE CLOSURE, WIDTH 50 MM, WHITE (VELCRO OR EQUIVALENT), ROLL 25 METERS	ITEMIZED	each	400035	ZIMMO TRADING Company LTD -Orig-	A.ALGEOS LTD	LA3716/7	United Kingdom
941	4412210901800	HOOK AND PILE, CLOSURE, WIDTH 25 MM, BROWN, (VELCRO OR EQUIVALENT), ROLL 25 METERS	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation
942	4412210902000	HOOK AND PILE, CLOSURE, WIDTH 25 MM, DARK BROWN, (VELCRO OR EQUIVALENT), ROLL 25	ITEMIZED	each	400035	ZIMMO TRADING Company LTD -Orig-	A.ALGEOS LTD	LA3760/1	United Kingdom
		METERS HOOK, AND LOOP, VELCRO OR EQUIVALENT, WIDTH 50 MM, LENGTH, 400 MM, COLOR, SKIN,			*****			,	-
943	4412210902900	COLOR/WHITE	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	60T60/50H	Germany
943	4412210902900	HOOK, AND LOOP, VELCRO OR EQUIVALENT, WIDTH 50 MM, LENGTH, 400 MM, COLOR, SKIN, COLOR/WHITE	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	21Y78=50-0	Belgium
944	4224200122600	HYPEREXTENSION ORTHOSIS, HAS A LOAD - RELIEVING AND STABILIZING EFFECT,	ITEMIZED	each	400216	Medical Lights Trading Company -Orig-	ABLETECH ORTHOPEDICS	24001	China
944	4224200122600	CONTINUOUS HEIGHT ADJUSTMENT, WATERPROOF, UP TO SIZE 150 CM HYPEREXTENSION ORTHOSIS, HAS A LOAD - RELIEVING AND STABILIZING EFFECT,	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY -	CR REH4MAT Slawomir	AM-GJ-01	Poland
945	4224200408600	CONTINUOUS HEIGHT ADJUSTMENT, WATERPROOF, JU PT O SIZE 150 CM HYPOBARIC SEALING MEMBRANE OR EQUIVALENT THE OUTRE COVER PROVIDES EXTREME WEAR AND TEAR STRENGTH AND DURABILITY WHILE ALLOWING RADJAL STRETCH AND COMFORTABLE ELASTICITY VASELINE AND ALOE VERA ARE INCORPORATED IN DERMASIL SILICONE TO SOOTHE AND HELP MAINTAIN HEALTHY SKIN MICRO ENGINEERED SURFACE FOR SUPERIOR SKIN COMFORMANCE UNIQUE INTEGRATED MATRIX ALLOWS RADJAL STRETCH AND LIMITS VERTICAL STRETCH FOR INCREASED STABILITY AND SKIN COMFORT SEAL - IN OPTIMIZES SUSPENSION AND COMFORT WHILE OFFERING ULTIMATE USER CONVENIENCE FOR DAILY USE COMBINING COMFORT WHILE OFFERING ULTIMATE USER CONVENIENCE FOR DAILY USE COMBINING COMFORT AND RELIABLE SOLUTION LESS SKIN IRRITATION MORE DURABLE WEAR LESS SKIN IRRITATION INCREASED STABILITY AND SKIN COMFORT TRANSTIBLAL AMPUTEES LOW MODERATE AND HIGH IMPACT LEVEL K - LEVEL: K 1 & X 3 AND K 4 SEAL - IN SUSPENSION SEAL - IN FABRIC COVER ACTURE SKIN CARE SILKEN INNER SURFACE STABILIZING MATEN. SIZE S WILL BE ON DEMAND	ITEMIZED	each	400050	Orig-	Wronski OSSUR	I-4613XX	Iceland
946	4618220704800	IMMOBILIZER POLYETHYLENE ANKLE POLYETHYLENE DESIGN WITH OPEN HEEL PROTECTING MALLEOLUS FOR IMMOBILIZATION OF THE ANKLE ADJUSTMENT USING FOREFOOT ANKLE AND VECKO OR EQUIVALENT IMMOBILIZATION JOINT - RELATED INJURIES WITHOUT FRACTURE ANTERIOR FIBULAR LIGAMENT SPRAINS AND PERONUS - CALCAREUS IMMOBILIZATION IN THE ACUTE PHASE OF MALLEOLAR FRACTURES POST - OPERATIVE	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	EMO	TB600	Spain
947	4618160903200	INSOLE FULL-LENGTH SILICONE DUAL DENSITY PROVIDES CUSHIONING TO HEEL AND METATARSAL HEADS PAIR SIZE EU 36	ITEMIZED	each	400619	Hospital Care Company -Orig-	DONGGUAN SUPERCARE MEDICAL PRODUCTS CO.,	GL-013 (S)	China
947	4618160903200	INSOLE FULL-LENGTH SILICONE DUAL DENSITY PROVIDES CUSHIONING TO HEEL AND METATARSAL HEADS PAIR SIZE EU 36	ITEMIZED	each	400509	Orient Medical Solution EstOrig-	ABLETECH ORTHOPEDICS CORPORATION (WELLCA	640001	China
948	4618160903000	INSOLE FULL-LENGTH SILICONE DUAL DENSITY PROVIDES CUSHIONING TO HEEL AND METATARSAL HEADS PAIR SIZE EU 38	ITEMIZED	each	400619	Hospital Care Company -Orig-	DONGGUAN SUPERCARE MEDICAL PRODUCTS CO.,	GL-013 (M)	China
948	4618160903000	INSOLE FULL-LENGTH SILICONE DUAL DENSITY PROVIDES CUSHIONING TO HEEL AND METATARSAL HEADS PAIR SIZE EU 38	ITEMIZED	each	400509	Orient Medical Solution EstOrig-	ABLETECH ORTHOPEDICS CORPORATION (WELLCA	640001	China
949	4618160902800	INSOLE FULL-LENGTH SILICONE DUAL DENSITY PROVIDES CUSHIONING TO HEEL AND METATARSAL HEADS PAIR SIZE EU 40	ITEMIZED	each	400619	Hospital Care Company -Orig-	DONGGUAN SUPERCARE MEDICAL PRODUCTS CO.,	GL-013 (L)	China
949	4618160902800	INSOLE FULL-LENGTH SILICONE DUAL DENSITY PROVIDES CUSHIONING TO HEEL AND METATARSAL HEADS PAIR SIZE EU 40	ITEMIZED	each	400509	Orient Medical Solution EstOrig-	ABLETECH ORTHOPEDICS CORPORATION (WELLCA	640001	China
950	4618160902700	INSOLE FULL-LENGTH SILICONE DUAL DENSITY PROVIDES CUSHIONING TO HEEL AND METATARSAL HEADS PAIR SIZE EU 42	ITEMIZED	each	400619	Hospital Care Company -Orig-	DONGGUAN SUPERCARE MEDICAL PRODUCTS CO.,	GL-013 (XL)	China
950	4618160902700	INSOLE FULL-LENGTH SILICONE DUAL DENSITY PROVIDES CUSHIONING TO HEEL AND METATARSAL HEADS PAIR SIZE EU 42	ITEMIZED	each	400509	Orient Medical Solution EstOrig-	ABLETECH ORTHOPEDICS CORPORATION (WELLCA	640001	China
951	4618160903100	INSOLE FULL-LENGTH SILICONE DUAL DENSITY PROVIDES CUSHIONING TO HEEL AND METATARSAL HEADS PAIR SIZE EU 44	ITEMIZED	each	400619	Hospital Care Company -Orig-	DONGGUAN SUPERCARE MEDICAL PRODUCTS CO.,	GL-013 (XXL)	China
951	4618160903100	INSOLE FULL-LENGTH SILICONE DUAL DENSITY PROVIDES CUSHIONING TO HEEL AND METATARSAL HEADS PAIR SIZE EU 44	ITEMIZED	each	400509	Orient Medical Solution EstOrig-	ABLETECH ORTHOPEDICS CORPORATION (WELLCA	640001	China
952	4618160903300	INSOLE FULL-LENGTH SILICONE DUAL DENSITY PROVIDES CUSHIONING TO HEEL AND METATARSAL HEADS PAIR SIZE EU 46	ITEMIZED	each	400619	Hospital Care Company -Orig-	DONGGUAN SUPERCARE MEDICAL PRODUCTS CO.,	GL-013 (XXXL)	China
952	4618160903300	INSOLE FULL-LENGTH SILICONE DUAL DENSITY PROVIDES CUSHIONING TO HEEL AND METATARSAL HEADS PAIR SIZE EU 46	ITEMIZED	each	400509	Orient Medical Solution EstOrig-	ABLETECH ORTHOPEDICS CORPORATION (WELLCA	640001	China
953	4618160903900	INSOLE, ADJUSTABLE INTERPOD PREFORM ORTHOSIS, SIZE 37-38	ITEMIZED	Pair	400035	ZIMMO TRADING Company LTD -Orig-	A.ALGEOS LTD	SC3140	Australia
954 955	4618160904000 4618160904100	INSOLE, ADJUSTABLE INTERPOD PREFORM ORTHOSIS, SIZE 39-40 INSOLE, ADJUSTABLE INTERPOD PREFORM ORTHOSIS, SIZE 41-42	ITEMIZED	Pair Pair	400035 400035	ZIMMO TRADING Company LTD -Orig- ZIMMO TRADING Company LTD -Orig-	A.ALGEOS LTD A.ALGEOS LTD	SC3141 SC3142	Australia Australia
956 957	4618160904200 4618160904300	INSOLE, ADJUSTABLE INTERPOD PREFORM ORTHOSIS, SIZE 43-44 INSOLE, ADJUSTABLE INTERPOD PREFORM ORTHOSIS, SIZE 45-48	ITEMIZED ITEMIZED	Pair Pair	400035 400035	ZIMMO TRADING Company LTD -Orig- ZIMMO TRADING Company LTD -Orig-	A.ALGEOS LTD A.ALGEOS LTD	SC3143 SC3144	Australia Australia
958	4224170641000	INSOLE, ANKLE - FOOT - ORTHOSIS, FULL VARUS MOULDED POLYPROPYLENE, VERSION IN FULL INSOLE TO ADAPT TO FOOTWEAR, ADJUSTABLE TENSION STRAPS FOR VARUS DEVIATION, EASY - FITTING AND ANATOMICAL DESIGN, REMOVABLE ADJUSTMENT TAPE IN THE TIBILA AREA, PADDING IN THE CALE THE REMOVABLE ADJUSTMENT TAPE IN THE TIBILA AREA, PADDING IN THE CALE THE FOOT, CONTROLS VARUS DEVIATION, IT FACILITATES WALKING AND FUNCTIONAL REHABILITATION, EQUINE FOOT IN FLACCIO PARALYSIS WITH AND WITHOUT VARUS DEVIATION, HEMIPLEGIA DUE TO VASCULAR - CEREBRAL ACCIDENTS, STROKE, RETRACTION OF THE ACHILLES TENDON IN INFANTILE CEREBRAL PALSY, INJURY OF THE EXTERNAL POPLITEAL SCIATIC NERVE	CANCELLED	CANCELLED	CANCELLED	CANCELLED NOT MATCHING THE DESCRIPTION	CANCELLED	CANCELLED	CANCELLED
959	4224170641100	INSOLE, ANKLE - FOOT - ORTHOSIS, HALF, VARUS MOULDED POLYPROPYLENE, VERSION IN FULL INSOLE TO ADAPT TO FOOTWEAR. ADJUSTABLE TENSION STRAPS FOR VARUS DEVIATION, EASY - FITTING AND ANATOMICAL DESIGN, REIMOVABLE ADJUSTMENT TAPE IN THE TIBLE AREA, PADDING IN THE CALL PREAD. DORSIFICATION IN THE EQUINE FOOT, CONTROLS VARUS DEVIATION, IF FACILITATES WALKING AND FUNCTIONAL REHABILITATION, CQUINE FOOT IN FLACCID PARALYSIS WITH AND WITHOUT VARUS DEVIATION, HEMPILEGIA DUE TO VASCULAR - CEREBRAL ACCIDENTS, STROKE, RETRACTION OF THE ACHILLES TENDON IN INFANTILE CEREBRAL PALSY, INJURY OF THE EXTERNAL POPLITEAL SCIATIC NERVE	CANCELLED	CANCELLED	CANCELLED	CANCELLED NOT MATCHING THE DESCRIPTION	CANCELLED	CANCELLED	CANCELLED
960	4618160904500	INSOLE, FOOT, FOR PEDIATRIC ORTHOSIS, SIZE 21-22	ITEMIZED	Pair	400792	massas al-watania for medical servi - Orig-	JIANXING	JX74570-22	China
	4618160904500	INSOLE, FOOT, FOR PEDIATRIC ORTHOSIS, SIZE 21-22	ITEMIZED	Pair	400619	Hospital Care Company -Orig- massas al-watania for medical servi -	ASCENT MEDITECH LTD	OC 2358 (S)	India
960			ITEMIZED	Pair	400792	massas al-watania for medical servi - Orig-	JIANXING	JX74570-24	China
960 961	4618160904600	INSOLE, FOOT, FOR PEDIATRIC ORTHOSIS, SIZE 23-24							
960	4618160904600 4618160904600 4618160904700	INSOLE, FOOT, FOR PEDIATRIC ORTHOSIS, SIZE 23-24 INSOLE, FOOT, FOR PEDIATRIC ORTHOSIS, SIZE 23-24 INSOLE, FOOT, FOR PEDIATRIC ORTHOSIS, SIZE 25	ITEMIZED ITEMIZED	Pair Pair	400619 400619	Hospital Care Company -Orig- Hospital Care Company -Orig-	ASCENT MEDITECH LTD ASCENT MEDITECH LTD	OC 2358 (M) OC 2358 (L 25)	India India
960 961 961	4618160904600	INSOLE, FOOT, FOR PEDIATRIC ORTHOSIS, SIZE 23-24	ITEMIZED			Hospital Care Company -Orig- Hospital Care Company -Orig- massas al-watania for medical servi -			
960 961 961 962	4618160904600 4618160904700	INSOLE, FOOT, FOR PEDIATRIC ORTHOSIS, SIZE 23-24 INSOLE, FOOT, FOR PEDIATRIC ORTHOSIS, SIZE 25	ITEMIZED ITEMIZED	Pair	400619	Hospital Care Company -Orig- Hospital Care Company -Orig- massas al-watania for medical servi - Orig- Hospital Care Company -Orig-	ASCENT MEDITECH LTD	OC 2358 (L 25)	India
960 961 961 962 963	4618160904600 4618160904700 4618160904800	INSOLE, FOOT, FOR PEDIATRIC ORTHOSIS, SIZE 23-24 INSOLE, FOOT, FOR PEDIATRIC ORTHOSIS, SIZE 25 INSOLE, FOOT, FOR PEDIATRIC ORTHOSIS, SIZE 26	ITEMIZED ITEMIZED ITEMIZED	Pair Pair	400619 400792	Hospital Care Company -Orig- Hospital Care Company -Orig- massas al-watania for medical servi - Orig-	ASCENT MEDITECH LTD JIANXING	OC 2358 (L 25) JX74570-26	India China

		hosis Supplies							
965	4618160905000	INSOLE, FOOT, FOR PEDIATRIC ORTHOSIS, SIZE 31-32	ITEMIZED	Pair	400792	massas al-watania for medical servi - Orig-	JIANXING	JX74570-32	China
965	4618160905000	INSOLE, FOOT, FOR PEDIATRIC ORTHOSIS, SIZE 31-32	ITEMIZED	Pair	400619	Hospital Care Company -Orig-	ASCENT MEDITECH LTD	OC 2358 (XL 31-32)	India
966	4618160905100	INSOLE, FOOT, FOR PEDIATRIC ORTHOSIS, SIZE 33-34	ITEMIZED	Pair	400792	massas al-watania for medical servi - Orig-	JIANXING	JX74570-34	China
966	4618160905100	INSOLE, FOOT, FOR PEDIATRIC ORTHOSIS, SIZE 33-34	ITEMIZED	Pair	400619	Hospital Care Company -Orig-	ASCENT MEDITECH LTD	OC 2358 (XL 33-34)	India
967	4618160905200	INSOLE, FOOT, FOR PEDIATRIC ORTHOSIS, SIZE 35	ITEMIZED	Pair	400619	Hospital Care Company -Orig- massas al-watania for medical servi -	ASCENT MEDITECH LTD	OC 2358 (XL 35)	India
968 968	4618160905300 4618160905300	INSOLE, FOOT, FOR PEDIATRIC ORTHOSIS, SIZE 36 INSOLE, FOOT, FOR PEDIATRIC ORTHOSIS, SIZE 36	ITEMIZED	Pair Pair	400792 400619	Orig- Hospital Care Company -Orig-	JIANXING ASCENT MEDITECH LTD	JX74570-36 OC 2358 (XL 36)	China
969	4224170602000	INSOLE, SHOE, SIZE 10 - 11, MEN, GREEN DOT, SOFT SILICONE, COMFORT, NON- COMPRESSIBLE, DUAL DENSITY, WASHABLE, TRANSFERABLE, HYPOALLERGENIC, NON-TOXIC,	ITEMIZED	items (Pieces)	401191	Alawal medical equipment company -	ORTHO PAUHER	7001 L	Brazil
909	4224170002000	NON-FLAMMABLE, INVASITABLE, INFOALLERGENIC, NON-TOALS, NON-FLAMMABLE, ODOR FREE INSOLE, SHOE, SIZE 10 - 11, MEN, GREEN DOT, SOFT SILICONE, COMFORT, NON-	TTEIWIZED	items (rieces)	401191	Orig-	OKTHO PAOHEK	70011	DIdZII
969	4224170602000	COMPRESSIBLE, DUAL DENSITY, WASHABLE, TRANSFERABLE, HYPOALLERGENIC, NON-TOXIC, NON-FLAMMABLE, DODR FREE INSOLE, SHOE, SIZE 10 - 11, WOMEN, GREEN DOT, SOFT SILICONE, COMFORT, NON-TOXIC, NON-FLAMMABLE, ODDR FREE	ITEMIZED	items (Pieces)	400619	Hospital Care Company -Orig-	ASCENT MEDITECH LTD	OC 2394 (L MALE)	India
970	4224170602500	COMPRESSIBLE, DUAL DENSITY, WASHABLE, TRANSFERABLE, HYPOALLERGENIC, NON-TOXIC, NON-FLAMMABLE, ODOR FREE	ITEMIZED	items (Pieces)	400050	Al-EWAN MEDICAL COMPANY -Orig-	EMO	SP200	Spain
970	4224170602500	INSOLE, SHOE, SIZE 10 - 11, WOMEN, GREEN DOT, SOFT SILICONE, COMFORT, NON- COMPRESSIBLE, DUAL DENSITY, WASHABLE, TRANSFERABLE, HYPOALLERGENIC, NON-TOXIC, NON-FLAMMABLE, ODOR FREE	ITEMIZED	items (Pieces)	400619	Hospital Care Company -Orig-	ASCENT MEDITECH LTD	OC 2394 (XL FEMALE)	India
971	4224170602100	INSOLE, SHOE, SIZE 12 - 13, MEN, GREEN DOT, SOFT SILICONE, COMFORT, NON- COMPRESSIBLE, DUAL DENSITY, WASHABLE, TRANSFERABLE, HYPOALLERGENIC, NON-TOXIC, NON-FLAMMABLE, ODOR FREE	ITEMIZED	items (Pieces)	400050	AI-EWAN MEDICAL COMPANY -Orig-	EMO	SP200	Spain
971	4224170602100	INSOLE, SHOE, SIZE 12 - 13, MEN, GREEN DOT, SOFT SILICONE, COMFORT, NON- COMPRESSIBLE, DUAL DENSITY, WASHABLE, TRANSFERBLE, HYPOALLERGENIC, NON-TOXIC, NON-FLAMMABLE, ODOR FREE	ITEMIZED	items (Pieces)	400619	Hospital Care Company -Orig-	ASCENT MEDITECH LTD	OC 2394 (XL MALE)	India
972	4224170602200	INSOLE, SHOE, SIZE 14 - 15, MEN, GREEN DOT, SOFT SILICONE, COMFORT, NON-COMPRESSIBLE, DUAL DENSITY, WASHABLE, TRANSFERABLE, HYPOALLERGENIC, NON-TOXIC,	ITEMIZED	items (Pieces)	400050	AI-EWAN MEDICAL COMPANY -Orig-	EMO	SP200	Spain
973	4224170602600	NON-FLAMMABLE, ODOR FREE INSOLE, SHOE, SIZE 4 - 5, WOMEN, GREEN DOT, SOFT SILICONE, COMFORT, NON- COMPRESSIBLE, DUAL DENSITY, WASHABLE, TRANSFERBLE, HYPOALLERGENIC, NON-TOXIC,	ITEMIZED	items (Pieces)	400050	Al-EWAN MEDICAL COMPANY -Orig-	EMO	SP200	Spain
973	4224170602600	NON-FLAMMABLE, ODOR FREE INSOLE, SHOE, SIZE 4 - 5, WOMEN, GREEN DOT, SOFT SILICONE, COMFORT, NON- COMPRESSIBLE, DUAL DENSITY, WASHABLE, TRANSFERABLE, HYPOALLERGENIC, NON-TOXIC,	ITEMIZED	items (Pieces)	400619	Hospital Care Company -Orig-	ASCENT MEDITECH LTD	OC 2394 (S	India
974	4224170602300	NON-FLAMMABLE, ODOR FREE INSOLE, SHOE, SIZE 6 - 7, MEN, GREEN DOT, SOFT SILICONE, COMFORT, NON-COMPRESSIBLE, DUAL DENSITY, WASHABLE, TRANSFERABLE, HYPOALLERGENIC, NON-TOXIC, NON-	ITEMIZED	items (Pieces)	400050	Al-EWAN MEDICAL COMPANY -Orig-	EMO	FEMALE)	Spain
374	4224170002300	FLAMMABLE, ODOR FREE INSOLE, SHOE, SIZE 6 - 7, MEN, GREEN DOT, SOFT SILICONE, COMFORT, NON-COMPRESSIBLE,	TEMIZED	items (Fieces)	400030	APEWAN MEDICAL COMPANY -ONg-	LIVIO	3F 200	Spain
974	4224170602300	DUAL DENSITY, WASHABLE, TRANSFERABLE, HYPOALLERGENIC, NON-TOXIC, NON- FLAMMABLE, DOOR FREE INSOLE, SHOE, SIZE 6 - 7, WOMEN, GREEN DOT, SOFT SILICONE, COMFORT, NON-	ITEMIZED	items (Pieces)	400619	Hospital Care Company -Orig-	ASCENT MEDITECH LTD	OC 2394 (M MALE)	India
975	4224170602700	COMPRESSIBLE, DUAL DENSITY, WASHABLE, TRANSFERABLE, HYPOALLERGENIC, NON-TOXIC, NON-FLAMMABLE, DODR FREE INSOLE, SHOE, SIZE OF, WOMEN, GREEN DOT, SOFT SILCONE, COMFORT, NON-	ITEMIZED	items (Pieces)	400050	AI-EWAN MEDICAL COMPANY -Orig-	EMO	SP200	Spain
975	4224170602700	COMPRESSIBLE, DUAL DENSITY, WASHABLE, TRANSFERABLE, HYPOALLERGENIC, NON-TOXIC, NON-FLAMMABLE, DODR FREE INSOLE, SHOE, SIZE 8 - 9, MEN, GREEN DOT, SOFT SILICONE, COMPORT, NON-COMPRESSIBLE,	ITEMIZED	items (Pieces)	400619	Hospital Care Company -Orig-	ASCENT MEDITECH LTD	OC 2394 (M FEMALE)	India
976	4224170602400	DUAL DENSITY, WASHABLE, TRANSFERABLE, HYPOALLERGENIC, NON-TOXIC, NON- FLAMMABLE, ODOR FREE	ITEMIZED	items (Pieces)	400050	AI-EWAN MEDICAL COMPANY -Orig-	EMO	SP200	Spain
976	4224170602400	INSOLE, SHOE, SIZE 8 - 9, MEN, GREEN DOT, SOFT SILICONE, COMFORT, NON-COMPRESSIBLE, DUAL DENSITY, WASHABLE, TRANSFERABLE, HYPOALIERGENIC, NON-TOXIC, NON- FLAMMABLE, ODOR FREE	ITEMIZED	items (Pieces)	400619	Hospital Care Company -Orig-	ASCENT MEDITECH LTD	OC 2394 (M MALE 7.5-9.5)	India
977	4224170602800	INSOLE, SHOE, SIZE 8 - 9, WOMEN, GREEN DOT, SOFT SILICONE, COMFORT, NON- COMPRESSIBLE, DUAL DENSITY, WASHABLE, TRANSFERABLE, HYPOALLERGENIC, NON-TOXIC, NON-FLAMMABLE, ODOR FREE	ITEMIZED	items (Pieces)	400050	AI-EWAN MEDICAL COMPANY -Orig-	EMO	SP200	Spain
977	4224170602800	INSOLE, SHOE, SIZE 8 - 9, WOMEN, GREEN DOT, SOFT SILICONE, COMFORT, NON- COMPRESSIBLE, DUAL DENSITY, WASHABLE, TRANSFERBLE, HYPOALLERGENIC, NON-TOXIC, NON-FLAMMABLE, ODOR FREE	ITEMIZED	items (Pieces)	400619	Hospital Care Company -Orig-	ASCENT MEDITECH LTD	OC 2394 (M FEMALE 7.5-9)	India
978	4618160903400	INSOLE, SILICONE SHORT, WITH INTERNAL LONGITUDINAL ARCH AND SUBCAPITAL SUPPORT IN THE FERTIFICAL AREA, PERFECT FOR HEELS AND TIGHT SHOES, THEY FIT TO YOUR BODY TEMPERATURE, WASHABLE, MAINTAINS AN EVEN DISTRIBUTION OF PRESSURE IN THE SOLE OF THE FOOT, PERFORMS A CUSHIONING FUNCTION OF THE IMPACT OF THE FOOT AGAINST THE GROUND, PLANTAR PAIN, METATARSAL AREA PAIN, PLANTAR CYERLADDING, HEEL OVERLOAD, PEOPLE WHO SPEND LONG STANDING	ITEMIZED	each	400619	Hospital Care Company -Orig-	ASCENT MEDITECH LTD	OC 2394 (XL-11.5- 12)	India
978	4618160903400	INSOLE, SILICONE SHORT, WITH INTERNAL LONGITUDINAL ARCH AND SUBCAPTIAL SUPPORT IN THE CENTRAL AREA, PERFECT FOR HEELS AND TIGHT SHOES, THEY FIT TO YOUR BODY TEMPERATURE, WASHABLE, MAINTAINS AN EVEN DISTRIBUTION OF PRESSURE IN THE SOLE OF THE FOOT, PERFORMS A CUSHIONING FUNCTION OF THE IMPACT OF THE FOOT AGAINST THE GROUND, PLANTAR PAIN, METATARSAL AREA PAIN, PLANTAR OVERLOADING, HEEL OVERLOAD, PEOPLE WHO SPEND LONG STANDING	ITEMIZED	each	400792	massas al-watania for medical servi - Orig-	ELIFE	E-SI021-	China
979	4118161000000	INSOLE, VISCO ELASTIC GEL DESIGNED WITH MEDICAL GRADE GEL AND ALDE YEAR ESSENCE, ITS DESIGN ALLOWS THE BREATHABILITY OF THE GEL AND FACILITATES THE FLOW OF AIR WITH EACH STEP AVIODING THE WINDY EFFECT, LINED WITH TECHNICAL FABRIC WITH PERMANENT FEFECT, ANTIBACTERIAL, 100% BREATHABLE, ABSORBENT, ANTI-ODOR, ANTI-MITE, AND THERMOREGULATOR FOR ALL SKIN TYPES, HOMOGENEOUS DISTRIBUTION OF LOADS ON THE FOOT, DAMPING OF THE IMPACT OF THE FOOT AGAINST THE GROUND, PAIN RELIEF ALONG THE CHAIN OF IMPACT, PROTECTS OVERLOAD ON THE FEET, NIEES, AND COLUMN PLANTAR PAIN OVERLOAD SORT PRACTICE PEOPLE WHO REMAIN LONG STANDING TO CUT ACCORDING TO SHOE SIZE	ITEMIZED	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	ЕМО	SPG610	Spain
980 981	4618160902900 4224171300600	INSOLES, FULL LENGTH, MULTIFORM, SIZE, FROM 19/20-46, MEDIUM WIDTH, EACH SIZE 20 ISCHIAL BAND STEEL, 320 MM LENGTH, 35 MM WIDTH, 2 MM THICK	CANCELLED	CANCELLED items (Pieces)	CANCELLED 400571	CANCELLED NOT MATCHING THE DESCRIPTION AL Gaim Comm. EstOrig-	CANCELLED Ottobock	CANCELLED 17Z2	CANCELLED
982	4224171300600	JOINT ANKLE INDEPENDENTLY ADJUSTABLE PLANTAR FLEXION RESIST INDEPENDENTLY ADJUSTABLE RANGE OF MOTION INDEPENDENTLY ADJUSTABLE DORSIFIEXION RESIST INDEPENDENTLY ADJUSTABLE DORSIFIEXION RESIST INDEPENDENTLY ADJUSTABLE OR SISTEMON RESIST INDEPENDENTLY ADJUSTABLE OR SISTEMON RESIST INDEPENDENTLY ADJUSTABLE ANKLE OF KNEE	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	17LA3N=14	Germany
302	**************************************	INDEPENDENTLY AUDISTABLE ANNEL ALIGNMENT I DEAL FOR COMPLEX ANNEL OF MEE DEFICIENCIES IDEAL FOR CHANGING ANKLE OF KNEE DEFICIENCIES MEDIAL/LATERAL CONTROL MOTION LIMITING RESIST DORSIFLEXION AND/OR PLANTAR FLEXION JOINT KNEE FREE MOTION WITH 180 DEGREE EXTENSION STOP POSTERIOR OFFSET PROVIDES	LIVIIZCU	Eacil	-003/1	AC COMMICCOMMIN. EST. *OTIS*	SHODOLK	1,50314-14	Germany
983	4224200115000	MEDIOLATERAL KNEE STABILITY DOES NOT LIMIT FUNCTIONAL KNEE FLEXION RANGE OF MOTION VARUS/VALGUS CONTOURS AVAILABLE INFANT SIZE S AVAILABLE ALUMINUM ROUNDED ALUMINUM SQUARED STAINLESS STEEL AND ITTANIUM PRIGHTS AVAILABLE PROVIDE STABILITY DURING THE STANCE PHASE OF GAIT ALLOW UNRESTRICTED FLEXION THROUGH RANGE OF MOTION POSTERIOR OFFSET PROVIDES LOAD RESPONSE STABILITY MEDIAL/LATERAL CONTROL GENU RECURVATUM	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	becker	1008	USA
983	4224200115000	JOINT KWEE FREE MOTION WITH 180 DEGREE EXTENSION STOP POSTERIOR OFFSET PROVIDES MEDIOLATERAL KNEE STABILITY DOES NOT LIMIT FUNCTIONAL KNEE FLEXION RANGE OF MOTION VARUS/VALGUS CONTOURS AVAILABLE INFANT SIZE S AVAILABLE ALUMINUM ROUNDED ALUMINUM SQUARED STAINLESS STEEL AND TITANIUM UPRIGHTS AVAILABLE PROVIDES TABILITY DURING THE STANCE PHASE OF GAIT ALLOW UNRESTRICTED FLEXION THROUGH RANGE OF MOTION POSTERIOR OFFSET PROVIDES LOAD RESPONSE STABILITY	ITEMIZED	each	400571	AL Gaim Comm. Est Orig-	Ottobock	17B3=L16+ 17B38=20	Germany
984	4224200020400	MEDIAL/LATERAL CONTROL GENU RECURVATUM JOINT, ANNEL ADJUSTABLE DOSIFIEKDION ASSIS, PROVIDES RESISTANCE TO PLANTAR FLEXION, MOTION PROVIDES ASSISTANCE TO DORSIFIEXDION, MOTION ANNEL JOINTS AND UPRIGHITS ARE AVAILABLE IN STANLESS STEEL AND ALUMINUM, STRENGE AS ESTANCES STEEL, MEDIAL/LATERAL CONTROL MOTION, LIMITING ASSIST DORSIFIEXION, ANNEL JOINTS, COMPONENTS AND ACCESSORIES FOR INCLUSION IN AN ORTHOSIS TO PROVIDE CONTROLLED DOSISHER/SION ASSIST/F LANTAR-ERISON RESIST.	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	becker	3262	USA
985	4224200020500	JOINT, ANKLE ADJUSTABLE PLANTARFLEXION AND DORSHELSION, PROVIDES RESISTANCE TO PLANTARFLEXION, MOTION, PROVIDES RESISTANCE TO DOSSIFICATION, MOTION AND TO PLANTARFLEXION, MOTION AND THE JOINTS ARE AVAILABLE IN STAINLESS STEEL AND ALLIMINUM, STERLU'S ARE STAINLESS STEEL UPRICHETS ARE AVAILABLE IN STAINLESS STEEL, THANIUM, AND ALLIMINUM, MEDIAL/LATERAL CONTROL MOTION, LIMITING ASSIST DORSHELSION AND/OR PLANTAR FLEXION, ANKLE JOINTS COMPONENTS AND ACCESSORIES FOR INCLUSION IN AN ORTHOSIS TO INFLUENCE DORSHELSION/PLANTARFLEXION ACTION	CANCELLED	CANCELLED	CANCELLED	CANCELLED NOT MATCHING THE DESCRIPTION	CANCELLED	CANCELLED	CANCELLED
986	4224200136500	JOINT, ANKLE FLEXIBLE SYSTEM, FULL RANGE OF OPTIONS, FOR THERMOPLASTIC ORTHOSIS POSTERIOR, STOP INCLUDED FLEXIBLE ANKLE JOINT SYSTEM, JOEAL FOR MAXIMUM FUNCTIONAL STRETCH, PROVIDES MEDIOLATERAL CONTROL LIMITS MOTION, MEDIAL/LATERAL CONTROL MOTION, LIMITING ASSIST DORSIFIERION AND/OR PLANTAR FLEXION.	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	17AF10=L	Germany
986	4224200136500	JOINT, ARKLE FLEXIBLE SYSTEM, FULL RANGE OF OPTIONS, FOR THERMOPLASTIC ORTHOSIS POSTERIOR, STOP INCLUDED TELERIBLE ANKLE JOINT SYSTEM, DEAL FOR MAXIMUM FUNCTIONAL STRETCH, PROVIDES MEDIOLATERAL CONTROL LIMITS MOTION, MEDIAL/LATERAL CONTROL MOTION, LIMITING ASSIST DORSIFLEXION AND/OR PLANTAR FLEXION	ITEMIZED	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	becker	775-A	USA

NDER NA	ME : Prosthetics Ort	hosis Supplies							
987	4224200021300	JOINT, ANKLE, NYLON, FUNCTIONS AS A FREE MOTION JOINT, COST - EFFECTIVE, PROVIDES MEDIOLATERAL CONTROL CAN BE CONFIGURED TO LIMIT MOTION WHEN COMBINED WITH A POSTERIOR, STOP STRONGER THAN POLYPROPYLENE VERSION, MEDIAL/LATERAL CONTROL MOTION, LIMITING ASSIST DORSIFIEZION AND/OR PLANTAR FLEXION	ITEMIZED	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	becker	765	USA
988	4224200021200	JOINT, ANKLE, POLYPROPYLENE, FUNCTIONS AS A FREE MOTION JOINT, AVAILABLE IN NATURAL AND BLACK, COST - EFFECTIVE, PROVIDES MEDIOLATERAL CONTROL CAN BE CONFIGURED TO LIMIT MOTION WHEN COMBINED WITH A POSTERIOR STOP, MEDIAL/LATERAL CONTROL MOTION LIMITING ASSIST DORSIFLEXION AND/OR PLANTAR FLEXION	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	becker	760	USA
989	4224200020000	JOINT, KNEE LEVER LOCK, AUTOMATIC ANGLED LEVER LOCK, AUTOMATICALLY ENGAGES WHEN THE JOINT REACHES FULL EXTENSION, OPTIONAL ANTERIOR, PULL CABLE TO DISENGAGE BOTH LOCKS SIMULTANEOUSLY, ALUMINUM ROUNDED, STAINLESS STEEL, AND TITANIUM UPRIGHTS AVAILABLE, MODULAR DESIGN PROVIDE STABILITY DURING THE STANCE, PHASE OF GAIT, MEDIAL/LATERAL CONTROL, GENU NECURVATUM PROFOUND QUADRICEP INSTABILITY	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	becker	1017	USA
990	4224200114600	JOINT, KNEE LEVER LOCK, LEVER LOCK SYSTEM AXIS OF MOTION POSTERIOR TO UPRIGHT, ALUMINUM ROUNDED, ALUMINUM SQUARED, STAINLESS STEEL, AND TITANIUM UPRIGHTS AVAILABLE, VARUS/VALGUS CONTOURS, AVAILABLE, CAN BE COMBINED WITH LEVER RELEASE KIT, PROVIDE STABILITY, DURING THE STANCE PHASE OF GAIT LEVER LOCKS, AUTOMATICALLY AT FULL EXTENSION, POSTERIOR OFFSET PROVIDES LOAD RESPONSE, STABILITY CONVENIENT, UNLOCKING WHEN COMBINED WITH LEVER RELEASE KIT, MEDIAL/LATERAL CONTROL, GENU RECURVATUM PROFOUND QUADRICEP INSTABILITY	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	becker	1004	USA
991	4224200114700	JOINT, KNEE, FREE MOTION, FREE MOTION, 180 DEGREE EXTENSION, STOP UNRESTRICTED FLEXION THROUGH FULL RANGE OF MOTION, ALUMINUM ROUNDED, ALUMINUM SQUARED, STAINLESS STEEL, AND TITANIUM UPRICHETS VALUABLE UNRESTRICTED FLEXION THROUGH FULL RANGE OF MOTION, MEDIAL/LATERAL CONTROL GENU RECURVATUM	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	becker	1005	USA
991	4224200114700	JOINT, KNEE, FREE MOTION, FREE MOTION, 180 DEGREE EXTENSION, STOP UNRESTRICTED FLEXION THROUGH FULL RANGE OF MOTION, ALLMINUM ROUNDED, ALLMINUM SQUARED, STAINLESS STEEL, AND TITANUM UPRICHETS AVAILABLE UNRESTRICTED FLEXION THROUGH FULL RANGE OF MOTION, MEDIAL/LATERAL CONTROL GENU RECURVATUM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	17B26=L20 + 17B38=20	Germany
992	4224200114500	JOINT, KNEE, LEVER LOCK, SPRING LOADED LEVER SYSTEM, AUTOMATIC LOCKING, AUMINIUM ROUNDED, AUMINIUM SQUARED, STAINLESS STEEL AND TITANIUM UPRIGHTS, AVAILABLE VARIEVA/NALGUS CONTOURS, AVAILABLE AND STEEL AND TITANIUM PRIGHTS RELEASE KIT, PROVIDE STABILITY DURING THE STANCE PHASE OF GAIT, AUTOMATIC LOCKING, CONVENIENT UNLOCKING WHEN COMBINED WITH LEVER RELEASE KIT, SENU RECURVATUM, MEDIAL/LATERAL CONTROL, PROFOUND QUADRICEP INSTABILITY	ITEMIZED	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	becker	1003	USA
993	4224200114900	JOINT, KNEE, LEVER LOCK, SYSTEM, INCREASE/DECREASE KNEE EXTENSION IN 6 DEGREE INTERVALS, KNEE LOCKS WHEN SET EXTENSION IS METAL ALUMINUM, ROUNDED, AND STAINLESS STEEL UPRIGHTS AVAILABLE CAN BE COMBINED WITH LEVER, RELEASE KIT VARYING DEGREES OF KNEE EXTENSION OPTIMAL FOR PERSONS THAT CANNOT REACH, FULL KNEE EXTENSION, MEDIAL/LATERAL CONTROL GENU RECURVATUM PROFOUND QUADRICEP INSTABILITY STATIC POSITIONING FLEXURE CONTRACTURE	ITEMIZED	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	becker	1007	USA
994	4224200115700	JOINT, KNEE, RATCHET, LOCK, PROMOTES FULL KNEE EXTENSION THROUGH INCREMENTAL RANGE OF KNEE FLEXION, SECURE SEMI - AUTOMATIC LOCKING MECHANISM, ALUMINUM ROUNDED, STAMILESS STEEL AND THANIUM INVERIGITS AVAILABLE, PROVIDE STABILITY DURING THE FLEXION STAGE OF THE KNEE, DISTINCTIVE ANTERIOR LOW PROFILE LOCKING MECHANISM LOCK CAN BE QUICKLY AND EASTLY DISENGAGEN, MEDIAL LATERAL INSTABILITY, STATIC PROGRESSIVE POSITIONING RANGE OF MOTION LIMITING	ITEMIZED	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	becker	1018	USA
995	4224200114300	JOINT, KNEE, RING LOCK, RING LOCK EXTENDED, LOCKING SURFACE DROP, LOCK ALUMINUM ROUNDED, ALUMINUM SQUARED, STAINLESS STEEL, AND TITANIUM UPRICHTS AVAILABLE, STRONGEST RING LOCK XNEE JOINT, PROVIDES STABLITY DURING THE STANCE PHASE OF GAIT, MEDIAL/LATERAL CONTROL, GENU RECURVATUM, PROFOUND QUADRICEP INSTABILITY	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	becker	1001	USA
996	4224200115500	JOINT, KNEE, RING LOCK, RING LOCK, AXIS OF MOTION, POSTERIOR TO UPRIGHT POSTERIOR, OFFSET PROVIDES, MEDIOLATERAL, KNEE STABILITY, PROVIDES ANTERIO-POSTERIOR STABILITY, WITH LOCK PIGNAGED, VARISY/AGIGISC CONTOURS, AVAILABLE IN FANT SIZE S, AVAILABLE ALUMINUM ROUNDED, ALUMINUM SQUARED, STAINLESS STEEL, AND ITTAMIUM UPRIGHTS AVAILABLE, PROVIDE STABILITY, DURING THE STANCE PHASE OF GAIT, MEDIAL/LATERAL CONTROL, GENU RECURVATUM, PROFOUND QUADRICEP, INSTABILITY	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	becker	1012	USA
997	4224200114400	JOINT, KNEE, RING LOCK, RING LOCKDROP, LOCK NO PROTRUSION, WHEN FLEXED ALLUMINUM ROUNDED, ALUMINUM SQUARED, STAINLESS STEEL, AND TITAMIUM UPRIGHTS, AVAILABLE, INFANT SIZE S, AVAILABLE VARUS/VALGUS CONTOURS, AVAILABLE, NO PROTRUSION WHEN FLEXED, PROVIDES STABILITY, DURING THE STANCE PHASE OF GAIT, MEDIAL/LATERAL CONTROL, GENU RECURVATUM, PROFOUND QUADRICEP INSTABILITY	ITEMIZED	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	becker	1002	USA
997	4224200114400	JOINT, KNEE, RING LOCK, RING LOCKDROP, LOCK NO PROTRUSION, WHEN FLEXED ALLUMINUM ROUNDED, ALUMINUM SQUARED, STAINLESS STEEL, AND TITAMIUM UPRIGHTS, AVAILABLE, INFANT SIZE S, AVAILABLE VARUS/VALGUS CONTOURS, AVAILABLE, NO PROTRUSION WHEN FLEXED, PROVIDES STABILITY, DURING THE STANCE PHASE OF GAIT, MEDIAL/LATERAL CONTROL, GENU RECURVATUM, PROFOUND QUADRICEP INSTABILITY	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	17K29=*	Germany
998	4224200020200	JOINT, KNEE, STANCE, CONTROL, LOCKS THE KNEE, DURING STANCE PHASE, AND ALLOWS FREE KNEE MOTION, DURING SWING, RESISTS KNEE FLEXION, AT ANY ANGLE, POSITIVE LOCK, ENGAGED AT FULL EXTENSION, ALUMINUM ROUNDED, STAINLESS STEEL, AND TITANIUM UPRIGHTS, AVAILABLE, PROVIDE KNEE STABILITY, EVEN IF FULL EXTENSION IS NOT REACHED, MODULAR DESIGN, DURABLE, ACTURE BUT RESISTIVE FLEXION, AT KNEE QUADRICE, WEAKNESS, LACK OF KNEE CONTROL, KNEE FLEXIFIE CONTRACTURE, GENU RECURVATUM	ITEMIZED	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	becker	SCSY-9006	USA
999	4224200115300	JOINT, KNEE, TRIGGER LOCK SPRING LOADED LEVER SYSTEM, AUTOMATICALLY ENGAGED LOCK, ALUMINUM ROUNDED, ALUMINUM SQUARED, STAINLESS STEEL AND TITANIUM UPRIGHTS, AVAILABLE TRIGGER LOCK RELEASE SYSTEM PROVIDE STABILITY DURING THE STANCE PHASE OF GAIT, TRIGGER ALLOWS THE JOINT TO BE UNLOCKED WITHOUT BENDING MEDIAL/LATERAL CONTROL, GENU RECURVATUM, PROFOUND QUADRICEP INSTABILITY	ITEMIZED	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	becker	1011	USA
1000	4224200133400	JOINT, ORTHOTIC, ANKLE, MODULAR SYSTEM, JOINT BODY, DOUBLE ACTION FUNCTION, INTERCHANGEABLE FUNCTION MODULES, ADJUSTABLE TO REHABILITATION, PROCESS, BEREGY RETURN, FUNCTION, CONTINUOUSLY ADJUSTABLE, CONTRIOL OF PLANTAR FLEXION, AND DORSAL EXTENSION, FOR PARTIAL OR TOTAL PARALYSIS, OF THE LEG MUSCLES, MAINLY IN CASE OF NEUROLOGICAL DISEASES, SUCH AS: INCOMPLETE SPINAL CORD, INJURY (ISC), TRAUMATIC BRAIN NIJURY, INFANTILE, CEREBRAL PALSY, AND STROKE	ITEMIZED	Kit	400050	Al-EWAN MEDICAL COMPANY -Orig-	becker	3B76-A3	USA
1001	4224200115100	JOINT, RING, LOCK, KNEE, ADJUSTABLE EXTENSION STOP IN 6 DEGREE INTERVALS, ADJUSTABLE FLEXION, STOP IN 19 DEGREE INTERVALS, (A AND B), OR 23.75 DEGREE INTERVALS, (S. EZS) ALUMINUM, OROUNDED, AND STANLESS STEEL LYPRIGHTS AVAILABLE, PROVIDE STABILITY, DURING THE STANCE PHASE OF GAIT, ADJUSTABLE EXTENSION TO RESTRICT, FULL LEG EXTENSION, MEDIAL LATERAL INSTABILITY, STATIC PROGRESSIVE POSITIONING, RANGE OF MOTION LIMITING.	ITEMIZED	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	becker	1006	USA
1002	4224200020800	JOINTS, ANKLE, THERMOFORMABLE, JOINTS SELF CO - ALIGN, ALONG MEDIAL - LATERAL AKES, HIGH STRENGTH, INNER FILAMENT CORE, LASY TO FABRICATE, PROVIDE SMOOTH ARTICULATION, AVAILABLE IN 75, 85, 0R 95 DURMOHETE, RESIST OR ASSIST DORSHEWON, PREVENTS ELONGATION, ENSURE PRECISE HINGING ACTION, DURABLE, MEDIAL/LATERAL CONTROL MOTION LIMITIONS ASSIST DORSHEWON,	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	17AF10=M	Germany
1002	4224200020800	JOINTS, ANKE, THERMOFORMABLE, JOINTS SELF CO - ALCIN, ALONG MEDIAL - LATERAL AXES, HIGH STRENGTH, INNER FILAMENT CORE, EASY TO FABRICATE, PROVIDE SMOOTH ARTICULATION, AVAILABLE IN 75, 85, OR 95 DUROMETER, RESIST OR ASSIST DORSHEKMON, PREVENTS ELONGATION, ENSURE PRECISE HINGING ACTION, DURABLE, MEDIAL/LATERAL CONTROL MOTION DIMITING ACTION, DURABLE, MEDIAL/LATERAL CONTROL MOTION DIMITING ASSIST DORSHEKMON,	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	becker	742	USA
1003	4224200021000	JOINTS, ARTICULATING, IN LOWER AND UPPER EXTREMITY ORTHOSIS, MADE USING THERMOFORMABLE AND THEMOSET MATERIALS CONSTRUCTED OF STAINLESS STEEL, VARIABLE DORSIFLEXION, STOP FREE MOTION ANKLE JOINT, SPHERICAL HINGE, AUTOMATIC CO - ALIGNMENTO THE MEDIAL AND LATERAL JOINT AKS, EASY TO FABRICATE EASER ALIGNMENT PRECISE 24 DEGREE COINCAL RANGE ARTICULATING JOINTS IN LOWER AND UPPER EXTREMITY ORTHOSIS, MADE USING THERMOFORMABLE AND THERMOSET MATERIALS	CANCELLED	CANCELLED	CANCELLED	CANCELLED NOT MATCHING THE DESCRIPTION	CANCELLED	CANCELLED	CANCELLED
1004	4920151900000	KIT THAT ENABLES THE TIBIAL TWISTER, ADJUSTMENT OVER THE LOWER LIMB, FEMORAL- TIBIAL ROTATION IS CORRECTED BY THE ACTION OF A TORSION ELEMENT, PLACED IN REVERSE ROTATION CORRECTION TREATMENT OF ROTATIONAL DEDORBERS OF FEMUR AND TIBIA, KIT TWISTER BILATERAL ADJUSTABLE BELT WITH HIP ANKLE JOINT WITH CLAMP FOR BINDING TO THE FOOTWEAR, CALF ADJUSTMENT AND RING OF HEIGHT FIXATION, CABLE EASY TO CUT AND ADJUST TO PATIENT LENGTH	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	becker	L-400	USA
1005	4224200011000	KIT, MODULAR, CONSISTING OF LIGHTWEIGHT SINGLE AXIS KNEE JOINT WITH LOCK, ROTATABLE SOCKET ADAPTER WITH PYRAMID RECEIVER, TUBE ADAPTER, AND COSMETIC FOAM, FOR LOW ACTIVITY, MAXIMUM WEIGHT 100 KG	ITEMIZED	SET	400571	AL Gaim Comm. EstOrig-	Ottobock	4R201, 3R24=*side*size	Germany

I EINDER IN	AME : Prosthetics Or	nosis Supplies							
1006	4224200139500	KIT, PROSTHESIS, MODULAR, ABOVE KNEE, INCLUDING: DYNAMIC FOOT WITH PPRAMID WITH INNER FLEXIBLE FOOT, DORSAL REINFORCEMENT MEDIUM DENSITY HEEL AND RESEMBLES THE NATURAL FOOT SHAPE WITH SMOOTH SUFFACE AND SANDAL TOE, TUBE ADAPTER TITANIUM", MODULAR KNEE JOINT "TITANIUM", POPUCENTRIC, WITH INTEGRATED EXTENSION ASSIST "FOUR BAR" SWIME PHASE SETHINGS CAN BE CONTINUOUSLY ADJUSTED THROUGH THE AXIS FRICTION AND EXTENSION ASSIST. THE EXTENSION STOP ALLOWS ADJUSTMENT OF THE INSTANTANEOUS CENTER OF ROTATION, KNEE FLEXION ANGLE LIQ!, MAXIMUM WEIGHT OF THE KNEE JOINT: 485 GRAMS APPROXIMATELY, FOR BODY WEIGHT UP TO 100 KG., LAMINATION ANCHOR WITH PYRAMID RECEIVER, ROTATABLE, FOAM COVER, PERION COSMETIC STOCKINGS, INTERNAL SOFT SOCKET, SIZE AND SIDE WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL	ITEMIZED	Kit	400571	AL Gaim Comm. Est Orig-	Ottobock	1D10=*-p/4, 2R38 , 4R52, 3R36, 4R119=T, 3R24=*, 99B14=*	Germany
1006	4224200139500	KIT, PROSTHESIS, MODULAR, ABOVE KNEE, INCLUDING: DYNAMIC FOOT WITH PYRAMID WITH INNER FLEXIBLE FOOT, DORSA REINFORCEMENT MEDIUM DENSITY HEEL AND RESEMBLES THE NATURAL FOOT SHAPE WITH SMOOTH SURFACE AND SANDAL TOE, TUBE ADAPTER TITANIUM", MODULAR KNEE JOINT "TITANIUM", POLYCENTRIC, WITH INTEGRATED EXTENSION ASSIST "FOUR BARS" SWIME PHASE SETTIONS CAN BE CONTINUOUSLY ADJUSTED THROUGH THE AXIS FRICTION AND EXTENSION ASSIST. THE EXTENSION STOP ALLOWS ADJUSTMENT OF THE INSTANTANEOUS CENTER OF ROTATION, KNEE FLEXION ANGLE LIQ!, MAXIMUM WEIGHT OF THE KNEE JOINT: 445 GRAMS APPROXIMATELY, FOR BODY WEIGHT UP TO 100 KG., LAMINATION ANCHOR WITH PYRAMID RECEIVER, ROTATABLE, FOAM COVER, PERION COSMETIC STOCKINGS, INTERNAL SOFT SOCKET, SIZE AND SIDE WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL	ITEMIZED	Kit	400792	massas al-watania for medical servi- Orig-	WAGNER	KIT# 3W020- 1,2W070-1-04, 2W010- 1,1W011,2W065-1- 10 2W030-1- 02,3W313-R/L, 6W014-2	Germany
1007	4224200139900	KIT, PROSTHESIS, MODULAR, ABOVE KNEE, INCLUDING: LIGHTWEIGHT CARBON FOOT WITH PYRAMID AND COMPORTABLE TO BOLUVER CHARACTERISTICS, INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP, SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE, MULTI-AXIAL MOBILITY TO COMPENSATE FOR INVERN'S UNFACES AND COMPORTABLE WALKING UPHILL AND ON INCLINES, GOOD ENREGY RETURN IN THE FOREFOOT AND HEEL, GOOD SHOCK ABSORPTION, PROGRESSIVE SPRING CHARACTERISTICS, TUBE ADAPTER AND TUBE CLAMPER ADD THE CHARACTERISTICS, TUBE ADAPTER AND TUBE CLAMPER ADD ADETER TITALNIMI, MY MODULAE POLYCENTRIC, KNEE JOINT WITH HYDRAULIC SWING PHASE CONTROL WITH THE REGONOMICALLY BALANCED STRIDE FEATURE, HAS FUR ACKS ARRANGED IN A CIRCULAR FORM WHICH ALLOWS FOR TWO DIFFERENT MODES OF OPERATION: SWING PHASE MODE PLUS STANCE PHASE FLEXION MODE, ERGONOMICALLY BALANCED STRIDE (E. S. F) FUNCTION FOR CONTROLLED KNEE FLEXION AT HEEL STRIKE COMFORT AND SAFETY ARE ENSURED BY THE UNIQUE CHARACTERISTIC OF THE ESS ELASTIC FERION UNIT, IELDON ANGLE OF 175', MAXIMUM WEIGHT OF THE KNEE JOINT: 845 SGRAMAS AF	ITEMIZED	Kit	400571	AL Gaim Comm. EstOrig-	Ottobock	1C40=* , 2R38, 4R52 , 3R60 , 4R57 , 4R72=* , 4R89, 35107=* , 99814= * , 6Y81=*, 452A1=*	Germany
1008	4224200140000	KIT, PROSTHESIS, MODULAR, ABOVE KNEE, INCLUDING: LIGHTWEIGHT CARBON FOOT WITH PYRAMID AND COMFORTABLE ROLLOVE CHARACTERISTICS, INCLUDES THE FOOTSHELL WITH PYRAMID AND COMFORTABLE ROLLOVE CHARACTERISTICS, INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP, SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE, MULTI-AXIAL MOBILITY TO COMPENSATE FOR UNEVEN SURFACES AND COMFORTABLE WALKING UPHILL AND ON INCLINES, GOOD ENERGY RETURN IN THE FOREFOOT AND HEEL, GOOD SHOCK ABSORPTION, PROGRESSIVE SPRING CHARACTERISTICS, TUBE ADAPTER, AND TUBE CLAMP ADAPTER "TITANIUM", MODULAR POLYCENTRIC, KNEE JOINT WITH HYTH ALLOWS SWING PHASE CONTROL, WITH THE REGONOMICALLY BALANCED STRIDE FEATURE, HAS FIVE AXES ARRANGED IN A CIRCULAR FORM WHICH ALLOWS FOR TWO DIFFERENT MODES OF OPERATION: SWING PHASE MODE, FULS STANCE PHASE, FLEXION MODE, ERGONOMICALLY BALANCED STRIDE (E.S.) FUNCTION FOR CONTROLLED KNEE FLEXUON AT HEEL STRIKE COMPORT AND ASPETY ARE RENUED BY THE HUMBUG CHARACTERISTIC OF THE ESS ELASTIC FLEXION UNIT, FLEXION ANGLE OF 175*, MAXIMUM WEIGHT OF THE KNEE JOINT, 84S GRAMS	CANCELLED	CANCELLED	CANCELLED	CANCELLED DUPLICATED DESCRIPTION	CANCELLED	CANCELLED	CANCELLED
1009	4224200137000	KIT, PROSTHESIS, MODULAR, ABOVE KNEE, INCLUDING: SACH FOOT WITH TOES, FOOT ADAPTER, TUBE CLAMP ADAPTER, TUBE CLAMP ADAPTER, TUBE CLAMP ADAPTER, TUBE ADAPTER, LAMINATION ANCHOR WITH PYRAMID, FOOTATABLE, FOOM COVER, PERLON COSMETICS TOCKINGS OR EQUIVALENT, INTERNAL SOFT SOCKET OR DERMA SEAL DOUBLE FORTE, ALL COMPONENTS FROM STAINLESS STEEL, SIZE AND SIDE WILL BE SPECIFY WHEN ROBERED FOR EACH PATIENT INDIVIDUAL, INCLUDES ALL REQUIRED PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, INCLUDES ALL REQUIRED MATERIALS/COMPONENTS TO ABRICATE PROSTHESIS, DELIVERY, FITTING BY CERTIFIED ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP	ITEMIZED	Kit	400571	AL Gaim Comm. EstOrig-	Ottobock	1549=*, 2R8=M10 , 4R21, 2R3, 4R89 , 6R6 99B14=*, 453D5=*Service (Fitting)	Germany
1010	4224200139600	KIT, PROSTHESIS, MODULAR, ABOVE KNEE, INCLIDING: DYNAMIC FOOT WITH PYRAMID WITH INNER FLEXIBLE FOOT, DORSAR INENFORCEMENT MEDIUM DENSITY HEEL AND RESEMBLES THE NATURAL FOOT SHAPE WITH SMOOTH SURFACE AND SANDAL TOE, TUBE CADAPTER AND TUBE CLAMP ADAPTER "TITANIUM", MODULAR KNEE JOINT "TITANIUM", POLYCENTRIC, WITH INTEGRATED EXTENSION ASSIST. THE CONTINUOUSLY ADJUSTED THROUGH THE AXIS FRICTION AND EXTENSION ASSIST. THE STATEMENT OF ALLOWS ADJUSTMENT OF THE INTERNATIVE JOINT : 445 G APPROX, FOR BODY WEIGHT UP TO 100 KG. LANIMATION ANCION WITH PYRAMID RECEIVER, POTATABLE, FOAM COVER, PERLON COSMETIC STOCKINGS, INTERNAL SOFT SOCKET, SIZE AND SIDE WILL BE SPECIFY WHEN DROPERED FOR EACH PATIENT THOUGHALL INCLUDES - PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, INCLUDES ALL REQUIRED MATERIALS/COMPONENTS TO FABRICATE PROSTHESIS, DELIVERY, FITTING BY CERTIFIED MATERIALS/COMPONENTS TO FABRICATE PROSTHESIS, DELIVERY, FITTING BY CERTIFIED	ITEMIZED	Kit	400571	AL Gaim Comm. Est Orig-	Ottobock	1D10=*-p/4, 2R38 ,4R52,3R36, 4R119=T,3R24=*, 99B14=*Service (Fitting)	Germany
1011	4224200137700	KIT, PROSTHESIS, MODULAR, ABOVE KNEE, INCLIDING: DYNAMIC FOOT WITH PYRAMID WITH INNER FLEXIBLE FOOT, DORSAL REINFORCEMENT MEDIUM DENSTY HEEL AND RESEMBLES THE NATURAL FOOT SHAPE WITH SMOOTH SURFACE AND SANDAL TOE, TUBE CLAMP ADAPTER, TUBE ADAPTER, UMINATION ANCHOR WITH PYRAMID, ROTATABLE, FOAM COVER, PERLON COSMETIC, STOKINGS, INTERNAL SOFT SOCKET OR DERMA SEAL DOUBLE FORTE, ALL COMPONENTS FROM STAINLESS STEEL, SZE AND SIDE WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL.	ITEMIZED	Kit	400571	AL Gaim Comm. EstOrig-	Ottobock	1D10=*-p/4,4R21,2R3,4R89,6R6,99B14=*,453D5=*	Germany
1012	4224200137800	KIT, PROSTHESIS, MODULAR, ABOVE KNEE, INCLUDING: DYNAMIC FOOT WITH PYRAMID WITH INNER FLEXIBLE FOOT, DORSAL REINFORCEMENT MEDIUM DENSITY HEEL AND RESEMBLY THE NATURAL FOOT SHAPE WITH SMOOTH SUBFACE AND SANDAL TOE, TUBE CLABEP ADAPTER, TUBE ADAPTER, AUMINATION ANCHOR WITH PYRAMID, ROTATABLE, FOAM COVER, PERION COSMETIC STOCKINGS, INTERNAL SOFT SOCKET OR DERMA SEAL DOUBLE FORTE, ALL COMPONENTS FROM STAINLESS STEEL, SIZE AND SIDE WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL INCLUDES - PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MESQUING, INCLUDES AL REQUIRED MATERIALS/COMPONENTS TO FABRICATE PROSTHESIS, DELIVERY, FITTING BY CERTIFIED DRITHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP, (REFERRINGT TO APPENDAD O SPECIAL CONDITIONS FOR CONVENTIONAL ABOVE KNEE AND BELOW KNEE PROSTHESIS)	ITEMIZED	Kit	400571	AL Galm Comm. Est Orig-	Ottobock	1D10=*-p/4,4R21 ,2R3,4R89,6R6, 99B14=*, 453D5=*Service (Fitting)	Germany
1013	4224200137900	KIT, PROSTHESIS, MODULAR, ABOVE KNEE, INCLUDING: DYNAMIC FOOT WITH PYRAMID WITH NINER FLEXIBLE FOOT, DORSAR INENFORCEMENT MEDIUM DENSITY HEEL AND RESEMBLES THE NATURAL FOOT SHAPE WITH SMOOTH SUBFACE AND SANDAL TOE, TUBE CLAMP ADAPTER, TUBE ADAPTER, LAMINATION ANCHOR WITH PYRAMID, ROTATABLE, FOAM COVER, PERION COSMETIC STOCKINGS, INTERNAL SOFT SOCKET OR DERMA SEAL DOUBLE FORTE, ALL COMPONENTS FROM TITANIUM, SIZE AND SIDE WILL BE SPECIFY WHEN ORDERED FOR EACH PATER'S INDIVIDUAL.	ITEMIZED	Kit	400571	AL Gaim Comm. EstOrig-	Ottobock	1D10=*-p/4,4R52 ,2R38,4R116=T, 6R6,99B14=*, 453D5=*	Germany
1014	4224200138000	KIT, PROSTHESIS, MODULAR, ABOVE KNEE, INCLUDING: DYNAMIC FOOT WITH PYRAMID WITH INNER FLEXIBLE FOOT, ORSAL REINFORCEMENT MEDIUM DENSITY HEEL AND RESEMBLES THE NATURAL FOOT SHAPE WITH SMOOTH SUBFACE AND SANDAL TOE, TUBE CLAMP ADAPTER, TUBE ADAPTER, AMINIATION ANCHOR WITH PYRAMID, ROTATABLE, FOAM COVER, PERLON COSMETIC STOCKINGS, INTERNAL SOFT SOCKET OR DERMA SEAL DOUBLE FORTE, ALL COMPONENTS FROM TITANIUM, SUE AND SIDE WILL BE SPECIFY WHEN ORDERED FOR EACH PATTENT MOSTOWALL INCLUDES - PATTENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, INCLUDES ALL BEQUIRED MATERIALS/COMPONENTS TO FABRICATE PROSTHESIS, DELIVERY, FITTING BY CERTIFIED ORTHOTS IN IMMUTIFIEE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP	ITEMIZED	Kit	400571	AL Galm Comm. Est Orig-	Ottobock	1D10=*-p/4 , 4R52 , 2R38 , 4R116=T , 6R6 , 99B14=* , 453D5=*Service (Fitting)	Germany
1015	4224151800800	KIT, PROSTHESIS, MODULAR, ABOVE KNEE, INCLUDING: MULTIAXIAL FOOT WITH PYRAMID, DIVIDED HEEL, 3-D SPACER SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE, MODULAR POVICENTRIC KNEE JOINT "ALUMINUM" WITH PHEWINATIC SWING PHASE, CONTROL, KNEE FLEXION ANGLE 170" AND THE LIGHT WEIGHT AND HIGH COMFORT, STANCE PHASE IS SECURED DUE TO THE 4-AXIS SOINT DESIGN, TUBE ADAPTER AND COSMETIC FOAM. MAXIMUM WEIGHT OF THE KNEE JOINT: 790 GRAMS APPROXIMATELY, FOR BODY WEIGHT UP TO 100 KG, LAMINATION ANCHOR WITH PYRAMID RECEIVER, ROTATABLE, FOAM COVER, PERLON COSMETIC STOCKINGS, SEALING LINEW WITH TWO SEALING RING HEIGHTS, WITHOUT DISTAL CONNECTION, WITH THE ANTI-BACTERIAL PROPERTIES AND SKIN-PRIENDLY OILS THAT HELP MINIMIZE DOOR WHILE LASO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING WHILE PROTECTING THE SILICONE, WITH A TEXTURE ON THE INSIDE ENSURES THAT THE LIBRE CONNECTS WELL TO THE RESIDUAL LIMBE WITHOUT STICKING, SLICK OUTER SURFACE WITHOUT TEXTILE FOR EASY DONNING AND DOFFING, N	ITEMIZED	Kit	400571	AL Gaim Comm. EstOrig-	Ottobock	1M10=*,3R106, 4R56,4R41, S107=*,99814=*, 6Y110=*	Germany

TENDER NA	AME : Prosthetics Ort	hosis Supplies							
1016	4224151800900	KIT, PROSTHESIS, MODULAR, ABOVE KNEE, INCLIDING: MULTIAXIAL FOOT WITH PYRAMID, DIVIDED HEEL, 3-D SPACER SMOOTH TARRASTION FROM STANCE PHASE TO SUNING PHASE, MODULAR POLYCENTRIC KNEE JOINT "ALUMINUM" WITH PREUMATIC SWING PHASE CONTROL, KNEE FLEXION ANGLE 170" AND THE LIGHT WEIGHT AND HIGH COMPORT, STANCE PHASE IS SCRUED DUE TO THE 4-AXES JOINT DESIGN, TUBE ADAPTER AND COSMETIC FOAM. MAXIMUM WEIGHT OF THE KNEE JOINT: 790 GRAMS APPROXIMATELY, FOR BODY WEIGHT UP TO 100 KG, HAMINATION ANGLOW WITH PYRAMID RECEIVER, ROTATABLE, FOAM COVER, PERLON COSMETIC STOCKINGS OR EQUIVALENT OR EQUIVALENT, SEALING LINER WITH TWO SEALING RING REIGHTS, WITHOUT DISTAL CONNECTION, WITH THE ANTI-BACTERIAL PROPERTIES AND SKIN-FRIENDLY OILS THAT HELP MINIMIZE ODOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING WHILE PROTECTING THE SULCOME, WITH A TEXTURE ON THE INSIDE ENSURES THAT THE LINER CONNECTS WELL TO THE RESIDUAL LIMB WITHOUT STICKING, SLICK OUTER SURFACE WITHOUT TEXTLE FOR	ITEMIZED	Kit	400571	AL Gaim Comm. EstOrig-	Ottobock	1M10=*,3R106, 4R56,4R41, 5107=*,99B14=*, 6Y110=*,Service (Fitting).	Germany
1017	4224200139700	KIT, PROSTHESIS, MODULAR, ABOVE KNEE, INCLUDING: MULTAXIAL FOOT WITH PYRAMID, DIVIDED HELE, JA-S PACER SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE. TUBBE CLAMP ADAPTER "TITAMIUM" MODULAR MONOCENTRIC KNEE JOINT WITH ROTARY HYDRAULICS, APPROVED FOR PROSTHESIS WEARERS WITH A BODY WEIGHT OF UP TO 150 WAS, BOTH THE STANCE AND THE SWING PHASE ARE CONTROLLED BY THE HYDRAULICS, AND WALKING DOWN INCLINES ARE EFFECTIVELY SUPPORTED BY CLOSELY APPROXIMATING A PHYSIOLOGICAL GAIT PATTERN, EVEN AT VARBIOUS WALKING SPEEDS WATER PROOF CONSTRUCTION: CAN BE USED IN THE SHOWER OR IN THE POOL, INTEGRATED MANUAL LOCK OFFERS IMPROVED SAFETY IN WEY TAREAS AND MOSE COMPORTABLE WHEN STANDING FOR EXTENDED PERIODS, INCLUDING TUBE ADAPTER DIAMETER 34MM, MAXIMUM, MAXIMUM, WEIGHT OF THE KNEE JOINT: 1250 GRAMM SAPPROX, ROTATION ADAPTER FOR MODULAR PROSTHESIS, WITH PYRAMID, STAINLESS STEEL, SYSTEM HEIGHT: 22 MM, WEIGHT: 170 GRAMS, ROTATION: MAX. 360°, FOR BODY WEIGHT UP TO 150 KG, ADAPTER (DOUBLE) TITANIUM ABOVE A	ITEMIZED	Kit	400571	AL Gaim Comm. EstOrig-	Ottobock	3R80, 4R72=*, 4R57=WR, 4WR95=2, 6R95, 99B14=*, 6Y110=*, 1C50=*	Germany
1018	4224200139800	KIT, PROSTHESIS, MODULAR, ABOVE KNEE, INCLUDING: MULTIAXIAL FOOT WITH PYRAMING DIVIDED HEEL, DO SPACER SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE, TUBE CLAMP ADAPTER "TITANIUM" MODULAR MONOCENTRIC KNEE JOINT WITH ROTARY HYDRAULICS, APPROVED FOR PROSTHESIS WEARERS WITH A BODY WEIGHT OF UP TO 150 KG, BOTH THE STANCE AND THE SWING PHASE ARE CONTROLLED BY THE HYDRAULICS, AND WALKING DOWN INCLINES ARE EFFECTIVELY SUPPORTED BY CLOSELY APPROXIMATING A PHYSIOLOGICAL GAIT PATTERN, EVEN AT VANDIUS WALKINGS SPEEDS WATER PROOF CONSTRUCTION: CAN BE USED IN THE SHOWER OR IN THE POOL, INTEGRATED MANUAL LOCFERS IMPROVED SAFETY IN WEIT AREAS AND MOSE COMPORTABLE WHEN STANDING FOR EXTENDED PERIODS, INCLUDING TUBE ADAPTER DIAMETER 3MMM, MAXIMUM MAXIMUM, WEIGHT OF THE KNEE JOINT: 1250 GRANTS APPROXIMATELY, ROTATION ADAPTER FOR MODULAR PROSTHESIS, WITH PYRAMIND, STANLESS STEEL, SYSTEM HEIGHT: 22 MM, WEIGHT: 170 G, ROTATION: MAX. 360°, FOR BODY WEIGHT UP TO 150 KG, ADAPTER (DOUBLE) INTANION.	ITEMIZED	Kit	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	Care Prosthetics & Orthotics	1A101+1D41 +1D45+1K179 +1K182+1G	Saudi Arabia
1018	4224200139800	INT, PROSTHESIS, MODULAR, ABOVE KNEE, INCLUDING: MULTIAXIAL FOOT WITH PYRAMID, DIVIDED HEEL, 3-D SPACER SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE, TUBE CLAMP ADAPTER "THANIUM" MODULAR MONOCENTRIC KNEE JOINT WITH ROTARY HYDRAULICS, APPROVED FOR PROSTHESIS WEARERS WITH A BODY WEIGHT OF UP TO 150 KG, BOTH THE STANCE AND THE SWING PHASE ARE CONTROLLED BY THE HYDRAULICS, AND WALKING DOWN INCLINES ARE EFFECTIVELY SUPPORTED BY CLOSELY APPROXIMATING A PHYSIOLOGICAL GAIT PATTERN, EVEN AT VARBIOS WALKING SPEEDS WATER PROOF CONSTRUCTION: CAN BE USED IN THE SHOWER OR IN THE POOL, INTEGRATED MANUAL LOCK OFFERS IMPROVED SAFETY IN WEY TAREAS AND MOSE COMFORTABLE WHEN STANDING FOR EXTENDED PERIODS, INCLUDING TUBE ADAPTER DIAMETER 3MM, MAXIMUM MAXIMUM, WEIGHT OF THE KNEEJ DINT: 1250 GRANDS APPROXIMATELY, ROTATION ADAPTER FOR MODULAR PROSTHESIS, WITH PYRAMID, STANLESS STEEL, SYSTEM HEIGHT: 22 MM, WEIGHT: 170 G, ROTATION: MAX. 360°, FOR BODY WEIGHT UP TO 150 KG, ADAPTER (DOUBLE) ITTANIUM MADVE	ITEMIZED	Kit	400571	AL Gaim Comm. EstOrig-	Ottobock	3R80, 4R72=*, 4R57=WR, 4WR95=2, 6R95, 99B14=*, 6Y110=*, 1C50=*Service (Fitting)	Germany
1019	4224200138500	KIT, PROSTHESIS, MODULAR, ABOVE KNEE, INCLUDING: MULTIAXIAL FOOT WITH PYRAMID, DIVIDED HELE, JA-SPACER SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHADE, TUBE CLAMP ADAPTER, TUBE ADAPTER, LAMINATION ANCHOR WITH PYRAMID, ROTATABLE, FOAM COVER, PERLON COSMETIC STOCKINGS, ALL COMPONENTS FROM STRANIESS STEEL, SHUTTLE LOCK WITH DISTAL ADJUSTABLE PYRAMID COMPLETE SET, TO CONNECTION BETWEEN THE LINER AND PROSTHESIS, SYSTEM HEIGHT: 25 MM APPROXIMATELY. INCLUDING LAMINATION DUMMY SET WITH SCENEW AND SILCONE LINER SOCKET WITH DISTAL CONNECTION, WITH HIGH SHOCK ABSORPTION WITH THE ANTI-BACTERIAL PROPERTIES AND SKIN-FRIENDLY OILS THAT HEEP MINIMIZE DOOR WHILE ASSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING WHILE PROTECTING THE SILLONE WITH THE SPECIAL TEXTILE COVER MAKES THE LINER EASY TO PUT ON AND TAKE OFF. INTERIOR TEXTURE: CENTLE ON THE SKIN WHEN DONNING AND DOFFING THE LINER, EASY TO CLEAN STERRILZATION, SIZE AND SIDE WILLE ES SPCIFY WHEN ORDERED FOR EACH PART TIND	ITEMIZED	Kit	400571	AL Gaim Comm. EstOrig-	Ottobock	1M10=*P/4N, 4R21, 2R3,4R89, 6R6, 99B14=*, 6A20=*,6Y75=*	Germany
1020	4224200138800	KIT, PROSTHESIS, MODULAR, ABOVE KNEE, INCLUDING: MULTIAXIAL FOOT WITH PYRAMID, DIVIDED HEEL, 3-D SPACER SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE, TUBE CLAMP ADAPTER, TUBE ADAPTER, LIMEN ADAPTER, LIMEN ADAPTER, LIMEN AND ANCHOR WITH PYRAMID, ROTATEL, FOAM COVER, PERLON COSMETIC STOCKINGS, ALL COMPONENTS FROM TITANIUM, SHUTTLE LOCK WITH DISTAL ADJUSTABLE PYRAMID COMPLETE EST, TO CONNECTION BETWEEN THE LINER AND PROSTHESIS, SYSTEM HEIGHT: 25 MM APPROXIMATELY INCLUDING LAMINATION DUMMY SET WITH SCENE AND SILICONE LINER SOCKET WITH DISTAL CONNECTION, WITH HIGH SHOCK ABSORPTION WITH THE ANTI-BACTERIAL PROPERTIES AND SKIN-PRIENDLY OILS THAT HELP MININIZE DOOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM WITHPING WHILE PROTECTING THE SULCONE WITH THE SPECENTIAL TEXTLE COVER MAKES THE LINER EASY TO PUT ON AND TAKE OFF. INTERIOR TEXTURE: GENTLE ON THE SKIN WHERE DONNING AND DOFFING THE LINER, EASY TO CLEAN STERILIZATION, SIZE AND SIDE WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL.	ITEMIZED	Kit	400571	AL Gaim Comm. EstOrig-	Ottobock	1M10=*P/4N , 4R52 , 2R38, 4R116=T , 6R6, 99B14=*, 6A20=10 , 6Y75 =*Service (Fitting)	Germany
1021	4224200138700	KIT, PROSTHESIS, MODULAR, ABOVE KNEE, INCLUDING: MULTIAXIAL FOOT WITH PYRAMID, DIVIDED HEEL, 3-D SPACER SMOOTH TEANSITION FROM STANCE PHASE TO SWING PHAIDS, TUBE CLAMP ADAPTER, TUBE ADAPTER, LAMINATION ANCHOR WITH PYRAMID, ROTATABLE FOAM COVER, PERLON COSMETIC STOCKINGS OR EQUIVALENT, ALL COMPONENTS FROM TITANIUM SHUTTLE LOCK WITH DISTAL ADJUSTABLE PYRAMID COMPLETE SET TO CONNECTION BETWEEN THE LINER AND PROSTHESIS, SYSTEM HEIGHT: 25 MM APPROXIMATELY INCLUDING AUMINATION DUMMY SET WITH SCEWA WAD SILICONE LINER SOCKET WITH DISTAL CONNECTION WITH HIGH SHOCK ABSORPTION WITH THE ANTI-BACTERIAL PROPERTIES AND SKIM-REIGHDY IOIS THAT HEED MINIMIZE ODOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING WHILE PROTECTING THE SILICONE WITH THE SPECIAL TEXTILE COVER MAKES THE LINER EASY TO PLOT AND TAKE OFF, INTERIOR TEXTURE: CENTED ON THE SKIN WHEN DONNING AND DOPFING THE LINER, EASY TO CLEAN STERILIZATION, SIZE AND SIDE WILL BE SPECIFY WHEN ORDERED	ITEMIZED	Kit	400571	AL Gaim Comm. EstOrig-	Ottobock	1M10=*P/4N, 4R52,2R38, 4R116=T,6R6, 99814=*,6A20=*, 6Y75=*	Germany
1022	4224200138600	KIT, PROSTHESIS, MODULAR, ABOVE KNEE, INCLUDING: MULTIAXIAL FOOT WITH PYRAMID, DIVIDED HEEL, 3-D SPACER SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE, TUBE CLAMP ADAPTER, TUBE ADAPTER, TUBE ADAPTER, TUBE ADAPTER, TUBE ADAPTER, LAMBARDIAN ANCHOR WITH PRAMID, ROTATINESS STEEL, SHUTTLE LOCK WITH DISTAL ADULTSABLE PYRAMID COMPLETE SET, TO CONNECTION BETWEEN THE LINER AND PROSTHESIS, SYSTEM HEIGHT: 25 MM APPROXIMATELY INCLUDING LAMINATION DOLMMY SET WITH SCREW AND SULCONE LINER SOCKET WITH DISTAL CONNECTION, WITH HIGH SHOCK ASSORPTION WITH THE ANTI-BACTERIAL PROPERTIES AND SKIN-FRENDLY OILS THAT HELP MINIMIZE DOOK WHILE ASSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING WHILE PROTECTION THE SULFINE WITH THE SPECIAL TEXTILE COVER MAKES THE UNER EASY TO PUT ON AND TAKE OFF, INTERIOR TEXTURE: GENTLE ON THE SKIN WHEN DONNING MAD DOFFINE THE UNER, EASY TO CLEAN STERILIZATION, SIZE AND SIDE WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIV	ITEMIZED	Kit	400571	AL Gaim Comm. EstOrig-	Ottobock	1M10=*P/4N, 4R21,2R3,4R89, 6R6 99B14=*, 6A2D=*, 6Y75=*Service (Fitting)	Germany
1023	4224200138200	KIT, PROSTHEISIS, MODILLAR, ABOVE KNEE, INCLUDINCE, PROSTHEITIC CARBON FOOT, INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP AND FOOT ADAPTER, TUBE CLAMP ADAPTER, TUBE ADAPTER, LAMBINATION ANCHOR WITH PYRAMID, ROTATABLE, FOAM COVER, PERLON COSMETIC STOCKINGS, ALL COMPONENTS FROM STAINLESS STEEL, SHUTTLE LOCK WITH DISTAL ADJUSTABLE, PYRAMID COMPLETE SET, TO CONNECTION BETWEEN THE LINER AND PROSTHESIS, SYSTEM HIGHT-25 MM APPROXIMATELY. INCLUDING LAMINATION DUMMY SET WITH SCREW AND SILCONE LINER SOCKET WITH DISTAL CONNECTION, WITH HIGH SHOCK ABSORPTION WITH THE ANTI-BACTERIAL PROPERTIES AND SKIN-FRIENDLY OLIS THAT HEP MINIMIZE DOOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING WHILE DROTECTING THE SULCONE WITH THE SPECIAL TEXTLE COVER MAKES THE LINER EASY TO PUT ON AND TAKE OFF, INTERIOR TEXTURE: CERTILE ON THE SKIN WHEN DONNING AND DOFFING THE LINER, EASY TO CLEAN STERLIZATION, SIZE AND SIDE WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL, INCL.	ITEMIZED	Kit	400571	AL Gaim Comm. EstOrig-	Ottobock	1C30=*-P/4 , 4R21 , 2R3 , 4R89, 6R6 , 99814=*, 6c75=*Service (Fitting)	USA

TENDER NA	AME : Prosthetics Or	hosis Supplies							
1024	4224200138400	KIT, PROSTHESIS, MODULAR, ABOVE KNEE, INCLUDING: PROSTHETIC CARBON FOOT, INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP AND FOOT ADAPTER, TUBE CADETER, LIBMINATION ANCHOR WITH PYRAMID, ROHTATBLE, FOAM COVER, PERLON COSMETIC STOCKINGS, ALL COMPONENTS FROM TITAMIUM, SHUTTHE LINER AND PROSTHESIS, SYSTEM HEIGHT: 25 MM APPROXIMATELY, INCLUDING LAMINATION DUMMY SET WITH SCREW AND SILICONE LINER SOCKET WITH DISTAL CONNECTION, WITH HIGH SHOCK ASSOPTION WITH THE ANTH-BACTERIAL PROPERTIES AND SKIN-PERRUDY OILS THAT HELP MINIMIZE DODG WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM WITHPIVING WHILE PROFECTIFIS ATTHE SILICONE WITH THE SPECIAL TEXTLE COVER MAKES THE LINER FASY TO PUT ON AND TAKE OFF, INTERIOR TEXTURE: GENTLE ON THE SKIN WHEN DONNING AND DOFFING THE URER, EASY TO CLEAN STREILIZATION, SIZE AND SIDE WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL, INCLUDES -	ITEMIZED	Kit	400571	AL Gaim Comm. Est Orig-	Ottobock	1C30=*-P/4, 4R52, 2R38, 4R116=T, 6R6 99B14=*, 6A20=10, 6Y75=*Serv ice (Fitting)	USA
1025	4224200138100	KIT, PROSTHESIS, MODULAR, ABOVE KNEE, INCLUDING: PROSTHETIC CARBON FOOT, INCLUDES THE FOOTBELL WITH COSMESS CONNECTION CAP AND FOOT ADAPTER, TUBE CLAMP ADAPTER, TUBE GLADFER, AUMINATION AND HON WITH PYRAMID, ROTATABLE, FOAM COVER, PERLON COSMETIC STOCKINGS, ALL COMPONENTS FROM STAINLESS STEEL, SHUTTLE LOCK WITH DISTAL ADJUSTABLE PYRAMID COMPLETE SET, TO CONNECTION BETWEEN THE LINER AND PROSTHESIS, SYSTEM HEIGHT: 25 MM APPROXIMATELY. INCLUDING LAMINATION DUMMY SET WITH SCREW AND SILICONE LINER SOCKET WITH DISTAL CONNECTION, WITH HIGH SHOCK ABSORPTION WITH THE ANTI-BACTERIAL PROPERTIES AND SKIM-PRIENDLY OILS THAT HELP MINIMIZE DOOR WHILE ALSO MAINTAINING SKIM HEALTH AND PREVENTING BACTERIA FROM WITHPIVING WHILE PROTECTING THE SILICONE WITH THE SPECENTIAL COVER MAKES THE LINER EASY TO PUT ON AND TAKE OFF, INTERIOR TEXTURE, GENTLE ON THE SKIM WHEN DONNING AND DOFFING THE URER, EASY TO LEAS TSERILIZATION, SIZE AND SIDE WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL.	ITEMIZED	Kit	400571	AL Gaim Comm. Est Orig-	Ottobock	1C30=*-P/4, 4R21, 2R3, 4R89, 6R6, 99B14=*, 6A20=*, 6Y75=*	USA
1026	4224200138300	KIT, PROSTHESIS, MODULAR, ABOVE KNEE, INCLUDING: PROSTHETIC CARBON FOOT, INCLUDES THE FOOTBLEL WITH COSMESIS CONNECTION CAP AND FOOT ADAPTER, TUBE CLAMP PADER TUBE ADAPTER, AUMINATION AND HONE WITH PIVEMIDIR, ORDATEBLE, FOAM COVER, PERLON COSMETIC STOCKINGS, ALL COMPONENTS FROM TITANIUM, SHITLE LOCK WITH DISTAL ADUSTABLE PIVEMID COMPRETE SET, TO CONNECTION BETWEEN THE LINER AND PROSTHESIS, SYSTEM HEIGHT: 25 MM APPROXIMATELY. INCLUDING LAMINATION DUMMY SET WITH SCREW AND SILICONE LINER SOCKET WITH DISTAL CONNECTION, WITH HIGH SHOCK ABSOMPTION WITH THE ANTI-BACTERIAL PROPERTIES AND SKIM-PRIENDLY OILS THAT HELP MINIMIZE DOOR WHILE ALSO MAINTAINING SKIM HEALTH AND PREVENTING BACTERIA FROM WITHPLYING WHILE PROTECTING THE SILICONE WITH THE SPECIAL TEXTLE COVER MAKES THE LINER EASY TO PUT ON AND TAKE OFF, INTERIOR TEXTURE: GENTLE ON THE SKIM WHEN DONNING AND DOFFING THE URER, EASY TO CLEAN STREILIZATION, SIZE AND SIDE WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL.	ITEMIZED	Kit	400571	AL Gaim Comm. Est Orig-	Ottobock	1C30=*-P/4, 4R52 , 2R38, 4R116=T, ,6R6, 99814=* 6A20=10, 6Y75=*	USA
1027	4224151800600	KIT, PROSTHESIS, MODULAR, ABOVE KWEE, INCLUDING: PROSTHETIC CABBON FOOT, INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP AND FOOT, MODULAR POLYCENTRIC KNEE JOINT "ALUMINUM" WITH PNEUMATIC SWING PHASE CONTROL, KNEE FLEXION ANGLE 170" AND THE LIGHT WEIGHT AND HIGH COMFORT, STANCE PHASE IS SECURED DUE TO THE 4-ANS JOINT DESIGN, TUBBE ADAPTER AND COSMETIC FOAM. MAXIMUM WEIGHT OF THE KNEE JOINT: 790 GRAMS APPROXIMATELY, FOR BODY WEIGHT UP TO 100 KG, AUMINATION ANGLOW WITH PYRAMID RECEIVER, ROTATABLE, FOAM COVER, PERLON COSMETIC STOCKINGS, SEALING LINER WITH TWO SEALING RING HEIGHTS, WITHOUT DISTAL CONNECTION, WITH THE ANTH-BACTERIAL PROPERTIES AND SKIN-REIGHDIO VIOLIS THAT HELP MINIMIZE ODOR WHILE ALSO MAINTAINING SKIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING WHILE PROTECTING THE SILICONE, WITH A TEXTURE ON THE INSIDE CRUMES THAT THE UIRRE CONNECTS WELL TO THE RESIDUAL LIMB WITHOUT STICKING, SLICK OUTER SURFACE WITHOUT TEXTILE FOR EASY DONNING AND DOFFING, NO-STRETCH MATRIX.	itemized	Kit	400571	AL Gaim Comm. EstOrig-	Ottobock	1C30=*,3R106, 4R56,4R41, 3S107=*,99B14=* ,6Y110=*	USA
1028	4224151800700	KIT, PROSTHESIS, MODULAR, AGOVE KNEE, INCLUDING: PROSTHETIC CARBON FOOT, INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP AND FOOT, MODULAR POLYCENTRIC KNEE JOINT "ALUMINUM" WITH PNEUMATIC SWINGS PHASE CONTROL, KNEE FLEXION ANGLE 170" AND THE LIGHT WEIGHT AND HIGH COMFORT, STANCE PHASE IS SECURED DUE TO HE 4-AXIS JOINT DESIGN, TUBE ADAPTER AND COSMETIC FOAM. MAXIMUM WEIGHT OF THE KNEE JOINT: 790 GRAMS APPROXIMATELY, FOR BODY WEIGHT UP TO 100 KG, LAMINATION ANCHOR WITH PYRAMID RECEIVER, ROTATABLE, FOAM COVER, PERLON COSMETIC STOCKINGS, SEALING LINER WITH TWO SEALING RING HEIGHTS, WITHOUT DISTAL CONNECTION, WITH THE ANTI-BACTERIAL PROPERTIES AND SKIN-PRIENDLY OILS THAT HEEP MINIMEZ OOOR WHILE LASO MAINTAININGS KIN HEALTH AND PREVENTING BACTERIA FROM MULTIPLYING WHILE PROTECTING THE SILICONE, WITH A TEXTURE ON THE INSIDE SURJEST THAT THE LIBRE CONNECTS WELL TO THE RESIDUAL LIMBE WITHOUT STICKING, SUCK OUTER SURFACE WITHOUT TEXTILE FOR RESYD DONNING AND DOFFING, NO-STRETCH MATRIX	ITEMIZED	Kit	400571	AL Gaim Comm. EstOrig-	Ottobock	1C30=*,3R106, 4K56,4R41, 3S107=*,99814=*,6Y110=*Service (Fitting)	USA
1029	4224200136900	THE E KIT, PROSTHESIS, MODULAR, ABOVE KNEE, INCLUDING: SACH FOOT WITH TOES, FOOT ADAPTER, TUBE CLAMP ADAPTER, TUBE ADAPTER, LAMINATION ANCHOR WITH PYRAMID, ROTATABLE, FOAM COVER, PERLON COSMETIC STOCKINGS, INTERNAL SOFT SOCKET OR DERMA SEAL DOUBLE FORTE, ALL COMPONENTS FROM STAINLESS STEEL SIZE AND SIDE WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL	ITEMIZED	Kit	400571	AL Gaim Comm. EstOrig-	Ottobock	1S49=*, 2R8=M10, 4R21, 2R3, 4R89, 6R6, 99B14=* 453D5=*	Germany
1030	4224200138900	KIT, PROSTHESIS, MODULAR, ABOVE KNEE, INCLUDING: SINGLE AXIS FOOT WITH TOES, SINGLE AXIS FOOT ADAPTER "ALUMINUM" WITH CONNECTION CAP, TUBE ADAPTER "ALUMINUM", MODULAR LIGHTWEIGHT SINGLE AXIS KNEE JOINT WITH LIOCK, THE UPPER JOINT SECTION WITH PYRAMID ADAPTER AND LOWER JOINT SECTION WITH TUBE CLAMP ARE CONNECTED THROUGHT HE KNEE AXIS, KNEE FLEXION ANGLE 155", MAXIMUM WEIGHT OF THE KNEE JOINT: 290 GRAMS, APPROXIMATELY, FOR BODY WEIGHT UP TO 150 KG, LAMINIATION ANCHOR WITH PYRAMID RECEIVER, ROTATABLE, FORM COVER, PERLON COSMETIC STOCKINGS, INTERNAL SOFT SOCKET SIZE AND SIDE WILL BE SPECIFY WHEN ORDERED FOR EACH PATENT INDIVIDUAL.	ITEMIZED	Kit	400571	AL Gaim Comm. EstOrig-	Ottobock	1H38=*, 2R51=*, 2R22=*, 2R49, 3R40, 4R41, 3R24=*, 99B14=2	Germany
1031	4224200139000	KIT, PROSTHESIS, MODULAR, ABOVE KNEE, INCLUDING: SINGLE AXIS FOOT WITH TOES, SINGLE AXIS FOOT ADAPTER ALLIMINUM" WITH CONNECTION CAP, TUBE ADAPTER "ALLIMINUM", MODULAR LIGHTWEIGHT SINGLE AXIS KNEE JOINT, WITH LOCK, THE UPPER JOINT SECTION WITH PYRAMID ADAPTER AND LOWER JOINT SECTION WITH TUBE CLAMP ARE CONNECTED THROUGHT HE KNEE AXIS, KNEE FLEXION ANGLE 155', MAXIMUM WEIGHT OF THE KNEE JOINT: 290 GRAMS APPROXIMATELY, FOR BODY WEIGHT UP TO 150 KG, LAMINATION ANCHOR WITH PYRAMID RECEIVER, ROTATABLE, FORM COVER, PERLON COSMETIC STOCKINGS, INTERNAL SOFT SOCKET, SIZE AND SIDE WILL BE SPECIFY WHEN ORDERED FOR EACH PATENT HOMOULOUL, INCLUDES - PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, INCLUDES ALL REQUIRED MATERIALS/COMPONENTS TO FABRICATE PROSTHESIS, DELIVERY, FITTING BY CERTIFIED MATERIALS/COMPONENTS TO FABRICATE PROSTHESIS, DELIVERY, FITTING BY CERTIFIED ORTHORIST IN MULTIFICE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP	ITEMIZED	Kit	400571	AL Gaim Comm. Est Orig-	Ottobock	1H38=*, 2R51=*, 2R22=*, 2R49, 3R40, 4R41, 3R24=* 99B14=2 Service (Fitting)	Germany
1032	4224200139100	KIT, PROSTHESIS, MODULAR, ABOVE KNEE, INCLUDING: SINGLE AXIS FOOT WITH TOES, SINGLE AXIS FOOT WITH TOES, SINGLE AXIS FOOT WITH TOES, SINGLE AXIS FOOT ADAPTER "STAINLESS STEE" WITH CONNECTION CAP, TUBE ADAPTER AND TUBE CLAMP ADAPTER "STAINLESS STEEL", MODULAR MONOCENTRIC KNEE JOINT TITANIUM WITH FRICTION BARKE, WITH EXTENSION ASSIST AND ROPE THE SERVEY, LOAD-DEPENDENT BRAKE TO CONTROL THE SYNING PHASE, THE AXIS FRICTION AND THE SPRING FORCE OF THE EXTENSION ASSIST ARE ADJUSTABLE KNEE FLEXION ANGLE 150", MAXIMUM WEIGHT OF THE KNEE JOINT-890 GRAMS, APPROXIMATELY, FOR BODY WEIGHT UP TO 100 KG, LAMINATION ANCHOR WITH PYRAMID RECEIVER, ROTATABLE, FOAM COVER, PERLON COSMETIC. STOCKINGS, INTERNAL SOFT SOCKET SIZE AND SIDE WILL BE SPECIFY WHEN ORDERED FOR EACH PATTENT MONITORION.	ITEMIZED	Kit	400571	AL Gaim Comm. EstOrig-	Ottobock	1H38=*, 2R10=*, 2R22=*, 2R3, 4R21, 3R49, 4R41, 3R6=*, 99B14=*	Germany
1033	4224200139200	KIT, PROSTHESIS, MODULAR, ASOVE KNEE, INCLUDING: SINGLE AXIS FOOT WITH TOES, SINGLE AXIS FOOT ADAPTER "STAINLESS STEL" WITH CONNECTION CAP, TUBE ADAPTER, AND TUBE CLAMP ADAPTER "STAINLESS STEL" MODULAM MONOCONTRIC KNEE CIGINT TITANIUM WITH FRICTION BRAKE, WITH EXTENSION ASSIST AND PROTECTIVE SLEEVE, LOAD- DEPENDENT BRAKE TO CONTROL THE SWING PHASE, THE AXIS FRICTION AND THE SPRING FORCE OF THE EXTENSION ASSIST ARE ADJUSTABLE, KNEE FLEXION ANGLE 150°, MAXIMUM WEIGHT OF THE KNEE JOINT: 490 GRAMS APPROXIMATELY, FOR BODY WEIGHT UP TO 100 COSMETIC STOCKINGS, INTERNAL SOFT SOCKET, SIZE AND SIDE WILL BE SPECIFY WHEN CORRECT OF ALCH PATENT INDIVIDUAL, INCLUDES - PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, INCLUDES ALL REQUIRED MATERIALS/COMPONENTS TO FABRICATE PROSTHESIS, DELIVERY, FITTING BY CERTIFIED ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP	ITEMIZED	Kit	400571	AL Gaim Comm. EstOrig-	Ottobock	1H38=*, 2R10=*, 2R22=* , 2R3 , 4R21 , 3R49 , 4R41 , 3R6=* , 99814=2 Ser vice (Fitting)	Germany
1034	4224200139300	KIT, PROSTHESIS, MODULAR, ABOVE KNEE, INCLUDING: SINGLE AXIS FOOT WITH TOES, SINGLE AXIS FOOT ADAPTER "TITANIUM" WITH CONNECTION CAP, TUBE ADAPTER, AND TUBE CLAMP ADAPTER "TITANIUM", MODULAR KNEE JOIN "TITANIUM", POLYECHTRIC WITH INTEGRATED EXTENSION ASSIST. "FUOU BAR" SWING PHASE SETTINGS CAM BE CONTINUOUSLY ADJUSTED THROUGH THE AXIS FRICTION AND EXTENSION ASSIST, THE EXTENSION STOP ALLOWS ADJUSTMENT OF THE INSTANTANEOUS CENTER OF ROTATION, KNEE FLEXION ANGLE 110", MAXIMUM WEIGHT OF THE KNEE JOINT: 44S GRAMS, APPROXIMATELY, FOR BODD WEIGHT UP TO 100 KG, LAMINATION ANCHOR WITH PYRAMID RECEIVER, ROTATABLE, FOAM COVER, PERLON COSMETIC STOCKINGS, INTERNAL SOFT SOCKET SIZE AND SIDE WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL	ITEMIZED	Kit	400571	AL Gaim Comm. Est Orig-	Ottobock	1H38=*, 2R33=*, 2R22=*, 2R38, 4R52, 3R36, 4R119=T, 3R24=*, 99 B14=2	Germany

TENDER NA	AME : Prosthetics Ort	hosis Supplies							Freimmary Result
1035	4224200139400	KIT, PROSTHESIS, MODULAR, ABOVE KNEE, INCLUDING: SINGLE AXIS FOOT WITH TOES, SINGLE AXIS FOOT ADAPTER "TITANIUM" WITH CONNECTION CAP, TUBE ADAPTER, AND TUBE CLAMP ADAPTER "TITANIUM", MODULAR KNEE JOIN "TITANIUM", POLYCENTRIC WITH INTEGRATED EXTENSION ASSIST "FOUR BAR" SWING PHASE SETTINGS CAN BE CONTINUOUSLY ADUISTED THROUGH THE AXIS RETICTION AND EXTENSION ASSIST, THE EXTENSION STOP ALLOWS ADJUSTMENT OF THE INSTANTANEOUS CENTER OF ROTATION, KNEE FLEXON ANGLE 121", MAXIMUM WEGINT OF THE KNEE JOINT: 445 GRAMS, APPROXIMATELY, FOR BODY WEIGHT UP TO 100 KG, LAMINATION ANCHOR WITH PYRAMID RECEIVER, ROTATBLE, FOAM COVER, PERLON COSMETIC STOCKINGS OR ANY EQUIVALENT, INTERNAL SOFT SOCKET SIZE AND SIDE WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL, INCLUDES — PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, INCLUDES ALI REQUIRED MATERIALS/COMPONENTS TO FABRICATE PROSTNESS, DELIVERY, FITTING BY CERTIFIED ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP	ITEMIZED	Kit	400571	AL Gaim Comm. EstOrig-	Ottoback	1H38=*, 2R33=*, 2R22=*, 2R38, 4R52, 3R36, 4R119=T, 3R24=*, 99B 14=2 Service (Fitting)	Germany
1036	4224200137500	KIT, PROSTHESIS, MODULAR, ABOVE KINE, INCLUDING: SINGLE AXIS FOOT WITH TOES, SINGLE AXIS FOOT ADAPTER CONNECTION CAP, TUBE CLAMP ADAPTER, TUBE ADAPTER, LAMINATION ANCHOR WITH PYRAMID, ROTATABLE, FOAM COVER, PERION COSMETIC STOCKINGS, INTERNAL SOFT SOCKET OR DERMA SEAL DOUBLE FORTE, ALL COMPONENTS FROM TITANIUM SIZE AND SIDE WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL	ITEMIZED	Kit	400571	AL Gaim Comm. EstOrig-	Ottobock	1H38,2R10=*, 2R22=*4R52, 2R38,4R116=T, 6R6,99B14=* 453D5=*	Germany
1037	4224200137600	KIT, PROSTHESIS, MODULAR, ABOVE KNEE, INCLUDING: SINGLE AXIS FOOT WITH TOSS, SINGLE AXIS FOOT ADDETER CONNECTION CAP. TUBE CLAMP ADAPTER, TUBE ADAPTER, LAMINATION ANCHOR WITH PYRAMID, BOTATABLE, FOAM COVER, PERLON COSMETIC STOCKINGS, INTERNAL SOFT SOCKET OR DERMA SEAL DOUBLE FORTE, ALL COMPONENTS FROM TITANIUM, SIZE AND SIDE WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT KINDIVIDUAL, INCLUDES A. PATIENT ASSEMENT AT CUSTOMERS PREMISES, MEASURING, INCLUDES ALI REQUIRED MATERIALS/COMPONENTS TO PABRICATE PROSTHESIS, DELIVERY, FITTING BY CERTIFIED ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP.	ITEMIZED	Kit	400571	AL Gaim Comm. EstOrig-	Ottobock	1H38 , 2R10=* , 2R22=* , 4R52, 2R38, R116=T , 6R6 99B14=* 4S3D5=* Se rvice (Fitting)	Germany
1038	4224200137300	KIT, PROSTHESIS, MODULAR, ABOVE KNEE, INCLUDING: SINGLE AXIS FOOT WITH TOES, SINGLE AXIS FOOT ADAPTER WITH CONNECTION CAP, TUBE CLAMP ADAPTER, TUBE ADAPTER, LAUMINIATION ANCHOR WITH PYRAMING, ROTATABLE, FORM COVER, PERLON COSMETIC STOCKINGS, INTERNAL SOFT SOCKET OR DERNA SEAL DOUBLE FORTE, ALL COMPONENTS FROM STAINLESS STEEL SIZE AND SIDE WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL	ITEMIZED	Kit	400571	AL Gaim Comm. EstOrig-	Ottobock	1H38,2R10=*, 2R22=*,4R21, 2R3,4R89, 3S107=*, 99B14=*, 453D5=*	Germany
1039	4224200137400	KIT, PROSTHESIS, MODULAR, ABOVE KNEE, INCLUDING: SINGLE AXIS FOOT WITH TOES, SINGLE AXIS FOOT ADAPTER WITH CONNECTION CAP, TUBE CLAMP ADAPTER, TUBE ADAPTER, LAMINATION ANCHOR WITH PYRAMID, ROTATABLE, FOAM COVER, PERLON COSMETIC, STOCKINGS, INTERNAL SOFT SOCKET OR DERMA SEAL DOUBLE FORFE, ALL COMPONENTS FROM STAINLESS STEEL, SIZE AND SIDE WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT HOUNDULAL, INCLUDES - PATIENT ASSESSMENT AT CUSTOMERS PREMISES MEASURING, INCLUDES ALL REQUIRED MATERIALS/COMPONENTS TO FABRICATE PROSTHESIS DELINERY HITTING BY CERTIFIED ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP	ITEMIZED	Kit	400571	AL Gaim Comm. EstOrig-	Ottobock	1H38 , 2R10=* , 2R22=* , 4R21 , 2R3 , 4R89 , 3S107=* , 99B14=* 4S305=* Service (Fitting)	Germany
1040	4224170642700	KIT, SOFT, INTERFACE, BETWEEN ORTHOSIS AND TIBLAL CREST COMFORT AND RELIEF OF POTENTIAL DISCOMFORT FROM BONY PROMINENCES, AN EXTRA PAD IS INCLUDED TO ALLOW REPLACEMENT WHILE WASHING	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	29U24=*-*	China
1041	4224200010200	KNEE JOINT POSTERIOR OFFSET RING LOCK, KNEE JOINT STAINLESS STEEL, MEDIAL AND LATERAL STRAIGHT WITH ROUND EDGE ALUMINUM UPRIGHTS, SIZE 3/16 INCHES X 1/2 INCHES, APPROXIMATELY, CHILD SET	ITEMIZED	SET	400050	Al-EWAN MEDICAL COMPANY -Orig-	becker	1012-C6	USA
1042	4224200148500	KNEE JOINT, SINGLE AXIS, CHILDREN, MODULAR KNEE JOINT WITH INDIVIDUALLY ADJUSTABLE EXTENSION, ASSIST MECHANISM TO CONTROL THE SWING PHASE, MAXIMUM BODY WEIGHT 45 KG, ALUMINUM, MAXIMUM KNEE FLEXION ANGLE 145 DEGREES, KNEE CENTER TO PROXIMAL CONNECTION, 18 MM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	3R38	Germany
1043	4224200117500	PRUMINAL CONNECTION, 18 MM KNEE JOINTS WITH WEDGE LOCK AND PULL, RELEASE CABLE, LIGHT, AND STURDY, PROVEN MODULAR JOINT SYSTEM, VERSATILE IN APPLICATION, EASY MAINTENANCE, YOU CAN EASILY DISASSEMBLE ALL COMPONENTS FOR MAINTENANCE PURPOSES AND REPLACE THEM IF NECESSARY, MAD OF PAIR NECESSARY, MAD OF PAIR	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	17B105=*side*size	Germany
1044	4224200136600	KNEE MICROPROCESSOR-CONTROLLED, AUTOMATIC SET-UP, LESS STEPS NEEDED FOR USER SPECIFIC SETTINGS, ADVANCED CONTROL FEATURES MONITOR AND ADAPT TO RESISTANCE LEVELS AND POSSIBLE TO MANUALLY ADAPT, ANGLE SENSOR MEASURING KNEE ANGLE, ROBUST SENSOR NO NEED FOR CAUBBATION, LOAD CELLS IN ANTERIOR AND POSTERIOR, MEASURING LOAD FROM HELE STRIKE TO TO GET, KINEMATIC SENSOR FOR CONTINUOUS STABILITY CONTROL WHILE STANDING, ACCURATE STAND TO WALK TRANSITION, SECURE AND COMPORTABLE ENCEURG AT UP TO 45 "ABOUTCHOM ANGLE, MAGNETORHOLOGICAL TECHNOLOGY ENSURES IMMEDIATE PROPORTIONAL RESPONSE TO GAIT VARIATIONS AND ENABLES AND TO ADAPT TO USERS MOTIONS, ACTUATOR DESIGN INCEASES RESPONSIVENEST DO HEFERINT AND CHANGING CIRCUMSTANCES, IT ALSO INCREASES THE MAXIMUM TORQUE FOR ADDITIONAL SUPPORT AND STABILITY. LASTLY IT ENABLES EASY WINIG INITIATION AND NATURAL SWING MOTION, MANUAL EXTENSION LOCK ADDED AT THE SIDE, COVERS AND MATERIALS ARE RATED 1934 OR EQUIVALENT, LOGIC APP COMPATIBLE AND THEREFORE VIS	ITEMIZED	Kit	400571	AL Gaim Comm. Est Orig-	Ottoback	3C98-3, 2R57, SP- 3C98-3=3, 1C40="side"size, 2C4="side"size, 4R57, 4R72=", 60X5, 4X440=V1.2, 4H105, 4X560=", 4P663=3, 4X158, 5R2=C, 4X46, 4R44=T, Service / fitting	Austria
1045	4224200136700	KNEE MICROPROCESSOR CONTROLLED, HIGH RESISTANCE OUTPUT, STUMBLE RECOVERY, FEATURE COMPATIBLE WITH A WIDE RANGE OF FEET ACROSS ALL ACTIVITY LEVELS EASY SWING INITIATION - IDEAL FOR A FAST RESPONSE BATTERY LIFE UP TO 3 DAYS COMPATIBLE WITH HIGH ENERGY-RETURN FLEX-FOOT* AND PRO-LEX** PRODUCTS OR EQUIVALENT, ANGLE SENSOR MEASURING KIER ANGLE, ROBUST SENSOR, NO NEED FOR CALIBRATION, LOAD CELLS IN ANTERIOR AND POSTERIOR, MEASURING LOAD FROM HEEL STRIKE TO TOE OFF, KINEMATIC SENSOR FOR CONTINUOUS STABILITY CONTROL WHILE STANDING, ACCURATE STAND TO WALK TRANSITION, SECURE AND COMPORTABLE KNEELING AT UP TO 45* ABDUCTION ANGLE, MAGNETORHEOLOGICAL TECHNOLOGY FOR SURGES IMMEDIATE PROPORTIONAL RESPONSE TO GAIT VARIATIONS AND ENABLES KNEE TO ADAPT TO USERS MOTIONS, ACTUATOR DESIGN INCREASES RESPONSIVENESS TO DIFFERENT AND CHANGING CIRCUMSTANCES, IT ALSO INCREASES THE MAXIMUM TORQUE FOR ADDITIONAL SUPPORT AND STABILITY, LASTLY IT ENABLES EASY SWING INITIATION AND NATURAL SWING MOTION, MINIMAL INTERNAL F	itemized	Kit	400050	Al-EWAN MEDICAL COMPANY -Orig-	OSSUR	RKNXC0002	tceland
1045	4224200136700	INNEE MICROPROCESSOR CONTROLLED, HIGH RESISTANCE OUTPUT, STUMBLE RECOVERY, FEATURE COMPATIBLE WITH A WIDE RANGE OF PEET ACROS ALL ACTIVITY LEVELS SAYS SWING INITIATION - IDEAL FOR A FAST RESPONSE BATTERY LIFE UP TO 3 DAYS COMPATIBLE WITH HIGH ENERGY-RETURN FLEX-FOOT* AND PRO-FLEX** PRODUCTS OR EQUIVALENT, ANGLE SENSOR MEASURING INDEA MORED FOR CALIBRATION, LOAD CELLS IN ANTERIOR AND POSTERIOR, MEASURING LOAD FROM HEEL STRIKE TO TOE OFF, KINEMATIC SENSOR FOR CONTINUOUS STRABILITY CONTROL WHILE STANDING, ACCURATE STAND TO WALK TRANSITION, SECURE AND COMPORTABLE KNEELING AT UP TO 45° ABDUCTION ANGLE, MAGNETORHEOLOGICAL TECHNOLOGY ENSURES IMMEDIATE PROPORTIONAL RESPONSE TO GAIT VARIATIONS AND EMABLES KNEET TO ADDATT O USERS MOTIONS, ACTUATOR DESIGN INCREASES RESPONSIVENESS TO DIFFERENT AND CHANGING CIRCUMSTRACES, IT ALSO INCREASES THE MAXIMUM TORQUE FOR ADDITIONAL SWIPPORT AND STABILITY, LASTLY IT EMBALES EASY SWING INITIATION AND NATURAL SWING MOTION, MINIMAL INTERNALE F	ITEMIZED	Kit	400571	AL Gaim Comm. EstOrig-	Ottobock	3C98-3, 2R57, SP- 3C98-3-3, 1C40-*side*size, 2C4=*side*size, 4R57, 4R72-*, 60X5, 4X440-V1.2, 4H105, 4X860-*, 4P863-3, 4X16, 4R116, 4X46, 4R44-T	Austria
1046	4618150500100	KNEE SLEEVES, DERMA PROTECTION AND DERMA PROFIEX ARE MADE FROM A COPOLYMER GEL KNEE SLEEVES, PROVIDE INCREASE DISUPPINION BETWEEN SOCKET AND SKIN WHILE THEIR ELASTICITY ALLOWS A GOOD RANGE OF MOTION AT THE KNEE JOINT, CAN BE USED AS PRIMARY SUSPENSION OR WITH A VALVE OR THE HARMONY SYSTEM, THE COPOLYMER GEL IS MOLDED WITH A MEDICAL MIMERAL OIL WHICH HAS A BENEFICIAL EFFECT ON THE SKIN DURING WEAR THE OIL, SLOWLY DIFFUSES FROM THE GEL THUS LUBRICATING AND MOISTURINGEN THE SKIN OR BEQUINALENT, SIZE DURINALENT, SIZE OF MOISTURINGEN THE SKIN OR BEQUINALENT, SIZE OUTWARENT, SIZE OF MOISTURINGEN THE SKIN OR BEQUINALENT, SIZE OUTWARENT, SIZE OF MOISTURINGEN THE SKIN OR BEQUINALENT, SIZE OUTWARENT, SIZE OF MOISTURINGEN THE SKIN OR BEQUINALENT, SIZE OF SCHOOL STANDARD OF MOISTURINGEN THE SKIN OR BEQUINALENT, SIZE OF MOISTURINGEN THE SKIN OR BEQUINALENT, SIZE OF MOISTURINGEN THE SKIN OR BEQUINALENT, SIZE OF SCHOOL STANDARD OF MOISTURINGEN THE SKIN OR BEQUINALENT, SIZE OF SCHOOL	ITEMIZED	each	401191	Alawal medical equipment company - Orig-	ALPS South	SFX20-3G	USA
1047	4618150500200	KNEE SLEEVES, DRAMA, PROTECTION AND DERMA PROFLEX ARE MADE FROM A COPOLYMER CEL KNEE SLEEVES, PROVIDE INCREASE DISUPPISION BETWEEN SOCKET AND SKIN WHILE THEIR ELASTICITY ALLOWS A GOOD RANGE OF MOTION AT THE KNEE JOINT, CAN BE USED AS PRIMARY SUSPENSION OR WITH A VALVE OR THE HARMONY SYSTEM, THE COPOLYMER GEL IS MOLDED WITH A MEDICAL MINERAL OIL WHICH HAS A BENEFICIAL EFFECT ON THE SKIN DURING WEAR THE OIL, SLOWLY DIFFUSES FROM THE GEL THUS LUBRICATING AND MOISTURIESWENT HES SKIN OR EQUIVALENT, SIZE O	ITEMIZED	each	401191	Alawal medical equipment company - Orig-	ALPS South	SFX23-3G	USA
1048	4618150500300	KNEE SLEEVES, DREMA, PROTECTION AND DERMA PROFLEX ARE MADE FROM A COPOLYMER GEL KNEE SLEEVES, PROVIDE INCREASE DISUPPISION BETWEEN SOCKET AND SKIN WHILE THERE LEASTICITY ALLOWS A GOOD RANGE OF MOTION AT THE KNEE JOINT, CAN BE USED AS PRIMARY SUSPENSION OR WITH A VALVE OR THE HARMONY SYSTEM, THE COPOLYMER GEL IS MOLDED WITH A MEDICAL MIMERAL OIL WHICH HAS A BENEFICIAL EFFECT ON THE SKIN DURING WEAR THE OIL, SLOWLY DIFFUSES FROM THE GEL THUS LUBRICATING AND MOIST TURRISM THE SKIN OR BOUNDALENT, SIZE OF	ITEMIZED	each	401191	Alawal medical equipment company - Orig-	ALPS South	SFX26-3G	USA
1049	4618150500400 4224180000400	INDES LIEVES, DERMA, PROTECTION AND DERMA PROFLEX ARE MADE FROM A COPOLYMER GEL KNEE SLEEVES, PROVIDE INCREASED SUSPENSION BETWEEN SOCKET AND SKIN WHILE THEIR ELASTICITY ALLOWS A GOOD RANGE OF MOTION AT THE KNEE JOINT, CAN BE USED AS PRIMARY SUSPENSION OR WITH A VALVE OR THE HARMONY SYSTEM, THE COPOLYMER GEL IS MOLDED WITH A MEDICAL MINERAL OIL WHICH HAS A BENEFICIAL EFFECT ON THE SKIN DURING WEAR THE OIL, SLOWLY DIFFUSES FROM THE GEL THUS LUBRICATING AND MOISTURIZING THE SKIN OR EQUIVALENT, SIZE: 4 KNIGHT TAYLOR TISO, EXTRA LARGE	ITEMIZED	each	401191 400619	Alawal medical equipment company - Orig- Hospital Care Company -Orig-	ALPS South ASCENT MEDITECH LTD	SFX29-3G OC 2034 (XL)	USA
1050	4224180000400	KNIGHT TATLOR TISO, EXTRA LARGE KNIGHT TAYLOR TLSO, EXTRA LARGE	ITEMIZED	each	400216	Medical Lights Trading Company -Orig-	ABLETECH ORTHOPEDICS CR	24002	China

TENDER NA	AME : Prosthetics Ort	hosis Supplies							
1051	4224180000300	KNIGHT TAYLOR TLSO, LARGE	ITEMIZED	each	400619	Hospital Care Company -Orig-	ASCENT MEDITECH LTD	OC 2034 (L)	India
1051	4224180000300	KNIGHT TAYLOR TLSO, LARGE	ITEMIZED	each	400216	Medical Lights Trading Company -Orig-	ABLETECH ORTHOPEDICS CR	24002	China
1052	4224180000200	KNIGHT TAYLOR TLSO, MEDIUM	ITEMIZED	each	400619	Hospital Care Company -Orig-	ASCENT MEDITECH LTD ABLETECH ORTHOPEDICS	OC 2034 (M)	India
1052	4224180000200	KNIGHT TAYLOR TLSO, MEDIUM	ITEMIZED	each	400216	Medical Lights Trading Company -Orig-	CR	24002	China
1053	4224180000100	KNIGHT TAYLOR TLSO, SMALL KNIGHT TAYLOR TLSO, SMALL	ITEMIZED	each	400619	Hospital Care Company -Orig- Medical Lights Trading Company -Orig-	ASCENT MEDITECH LTD ABLETECH ORTHOPEDICS	OC 2034 (S) 24002	India
1053	4224180000100	KNIGHT TAYLOR TLSU, SMALL	ITEMIZED	each	400216	Medical Lights Trading Company -Orig-	CR Piedro International B.V.	24002	China
1054	4214280205700	LADIES BEST WILLOW CALF SKIN BURGUNDY	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	(Foot-Facts Ld	99065	Portugal
1055	4224171400100	LADIES BEST WILLOW, CALF SKIN, BLUE	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	99064	Portugal
1056	4224171400200	LADIES BEST WILLOW, CALF SKIN, WHITE	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Piedro International B.V.	99066	Portugal
1057	4224200008000	LAMINATION ANCHOR WITH PYRAMID ADAPTER, ROTATABLE, STAINLESS STEEL, CONNECT THE PROSTHETIC SOCKET TO THE DISTAL PROSTHETIC COMPONENTS, SYSTEM HEIGHT: 44	ITEMIZED	Kit	400451	Farabi Trading Establishment -Orig-	(Foot-Facts Ld STREIFENEDER	10A9/S	Germany
1057	4224200008000	MM, WEIGHT: 155 GRAMS, FOR BODY WEIGHT UP TO 150 KG. LAMINATION ANCHOR WITH PYRAMID ADAPTER, ROTATABLE, STAINLESS STEEL, CONNECT THE PROSTHETIC SOCKET TO THE DISTAL PROSTHETIC COMPONENTS, SYSTEM HEIGHT: 44	ITEMIZED	Kit	400571	AL Gaim Comm. EstOrig-	Ottobock	4R111	China
1058	4224200007300	MM, WEIGHT: 155 GRAMS, FOR BODY WEIGHT UP TO 150 KG. LAMINATION ANCHOR WITH PYRAMID RECEIVER ALUMINUM USED IN TRANSTIBIAL AND TRANSFEMORAL PROSTHESIS FOR CHILDREN AND IS LAMINATED INTO THE SOCKET SYSTEM	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	100K4/A	Germany
1059	4224200007500	HEIGHT: 35 MM FOR BODY WEIGHT UP TO 45 KG. LAMINATION ANCHOR WITH PYRAMID ROTATABLE STAINLESS STEEL SYSTEM HEIGHT: 2 MM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	4R116	China
1060	4224200007600	WEIGHT: 165 GRAMS APPROXIMATELY FOR BODY WEIGHT UP TO 150 KG. LAMINATION ANCHOR WITH PYRAMID ROTATABLE STAINLESS STEEL USED TO CONNECT THE PROSTHETIC SOCKET TO THE DISTAL PROSTHETIC COMPONENTS SYSTEM HEIGHT: 3 MM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	4R89	China
1061	4224200007700	WEIGHT: 180 GRAMS FOR BODY WEIGHT UP TO 125 KG. LAMINATION ANCHOR WITH THREADED CONNECTOR STAINLESS STEEL SYSTEM HEIGHT: 8 MM WEIGHT: 95 GRAMS FOR BODY WEIGHT UP TO 125 KG.	ITEMIZED	each	400468	ALMAFSAL MEDICAL CO -Orig-	S T AND G	12215	South Korea
1061	4224200007700	LAMINATION ANCHOR WITH THREADED CONNECTOR STAINLESS STEEL SYSTEM HEIGHT: 8	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	10A21/S	Germany
1062	4224200010500	MM WEIGHT: 95 GRAMS FOR BODY WEIGHT UP TO 125 KG. LAMINATION ANCHOR, PEDIATRIC, WITH PYRAMID FOR TRANSTIBIAL AND TRANSFEMORAL	ITEMIZED	each	400468	ALMAFSAL MEDICAL CO -Orig-	S T AND G	P220	South Korea
						_	011112		South Korea
1062	4224200010500	LAMINATION ANCHOR, PEDIATRIC, WITH PYRAMID FOR TRANSTIBIAL AND TRANSFEMORAL	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	100K3/A	Germany
1063 1064	4224200007800 4224200007900	LAMINATION DUMMY, FOR ANCHORS, CE MARK OR EQUIVALENT LAMINATION DUMMY, FOR ROTATION ADAPTER, CE MARK OR EQUIVALENT	ITEMIZED	each each	400571 400468	AL Gaim Comm. EstOrig- ALMAFSAL MEDICAL CO -Orig-	Ottobock S T AND G	4X46 1221-1	Germany South Korea
1064	4224200007900	LAMINATION DUMMY, FOR ROTATION ADAPTER, CE MARK OR EQUIVALENT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	4X46=ST	Germany
1065	4224200005100	LAMINATION RESIN FOR RIGID LAMINATION 80: 20 NET CONTENTS 900 GRAMS APPROXIMATELY	ITEMIZED	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	ОКМ	R-LAM-01-0,9	Spain
1065	4224200005100	LAMINATION RESIN FOR RIGID LAMINATION 80: 20 NET CONTENTS 900 GRAMS APPROXIMATELY	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	617H19=0.900 E	Germany
1066	4224200008900	LAMINATION RING FOR MYOQUICK DISCONNECT HAND SIZE 8 1/4 INCHES	ITEMIZED	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	Steeper	QDALR-54	United Kingdom
1066 1067	4224200008900 4224200009000	LAMINATION RING FOR MYOQUICK DISCONNECT HAND SIZE 8 1/4 INCHES LAMINATION RING, FOR BABY HAND	ITEMIZED	each each	400571 400571	AL Gaim Comm. EstOrig- AL Gaim Comm. EstOrig-	Ottobock Ottobock	10S1=54 11D31	Austria Germany
1068 1068	4224200008800 4224200008800	LAMINATION RING, FOR MYOQUICK DISCONNECT HAND, SIZE 7 INCHES LAMINATION RING, FOR MYOQUICK DISCONNECT HAND, SIZE 7 INCHES	ITEMIZED	each each	400050 400571	Al-EWAN MEDICAL COMPANY -Orig- AL Gaim Comm. EstOrig-	Steeper Ottobock	QDALR-45 10S1=40	United Kingdom Austria
1069	4224200008800	LASTING PLIERS, AN ORTHOTICS WORKSHOP TOOL, JAW WIDTH 8-10 MM, LENGTH 180-220	ITEMIZED	each	400571		Ottobock	706X6	Germany
		MM LEATHER DRIVE PUNCH KIT, AN ORTHOTICS WORKSHOP TOOL, TOOL STEEL, 13 PARTS, Ø 2, 3,				AL Gaim Comm. EstOrig- MEDICAL CARE ALLIANCE COMPANY -			
1070	4224200034300	4, 5, 6, 8, 10, 11, 13, 14, 16, 19 AND 20 MM	ITEMIZED	Kit	400569	Orig-	AFT-INTERNATIONAL	6076001002	Germany
1071	4224200118800	LIGHTWEIGHT CARBON FOOT WITH COMFORTABLE ROLLOVER CHARACTERISTICS INCLUDES THE FOOTSHELL WITH COSMESS CONNECTION ACE SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE MULTI - AXIAL MOBILITY TO COMPENSATE FOR UNEVEN SURFACES AND COMFORTABLE WALKING UPHILL AND ON INCLINES GOOD ENERGY RETURN IN THE FOREFOOT AND HELE GOOD SHOCK ABSORPTION PROGRESSIVE SPRING CHARACTERISTICS SAFETY: CONTROLLED PLANTAR FLEXION OF UP TO 12 DEGREE VERY GOOD IN-FVERSION AND PRO-SUPINATION GOOD INITIATION OF SUPE FLEXION C - SPRING AND CONTROL RING GUARANTEES THAT BOTH SPRINGS WORK TOGETHER SIZE 24 LEFT	ITEMIZED	each	400571	AL Galm Comm. EstOrig-	Ottobock	1C40=L24-0-P/4	Germany
1072	4224200118900	LIGHTWEIGHT CARBON FOOT WITH COMFORTABLE ROLLOVER CHARACTERISTICS INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE MUST NALIAL MOBILITY TO COMPENSATE FOR INVEYEN SURFACES AND COMFORTABLE WALKING UPHILL AND ON INCLINES GOOD ENERGY RETURN IN THE FOREFOOT AND HELE GOOD SHOCK ASSOPPTION ROGRESSIVE SPRING CHARACTERISTICS SAFETY: CONTROLLED PLANTAR FLEXION OF UP TO 12 DEGREE VERY GOOD IN -FEVERSION AND PRO-SUPINATION GOOD INITIATION OF KINEF FLEXION C - SPRING AND CONTROL RING GUARANTEES THAT BOTH SPRINGS WORK TOGETHER SIZE 2S LEFT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1C40=L25-0-P/4	Germany
1073	4224200119000	LIGHTWEIGHT CARBON FOOT WITH COMFORTABLE ROLLOVER CHARACTERISTICS INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE MULTI "AXIAL MOBILITY COMPRISATE FOR INVERVEN SURFACES AND COMFORTABLE WALKING UPHILL AND ON INCLINES GOOD ENERGY RETURN IN THE FOREFOOT AND HELE GOOD SHOOK ABSORPTION BROGRESSIVE SPRING CHARACTERISTICS SAFETY: CONTROLLED PLANTAR FLEXION OF UP TO 12 DEGREE VERY GOOD IN - /EVERSION AND PRO - SUPINATION GOOD INITIATION OF RINE! FLEXION - SPRING AND CONTROL RING GUARANTEES THAT BOTH SPRINGS WORK TOGETHER SIZE 26 LEFT	ITEMIZED	each	400571	AL Gaim Comm. Est Orig-	Ottobock	1C40=L26-0-P/4	Germany
1074	4224200119100	LIGHTWEIGHT CARBON FOOT WITH COMFORTABLE ROLLOVER CHARACTERISTICS INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAS "MOOTH TRANSITION REAM STANCE PHASE TO SWING PHASE MUST "AXIAL MOBILITY OCOMPENSATE FOR INVERVEN SURFACES AND COMFORTABLE WALKING UPHILL AND ON INCLINES GOOD ENERGY BETURN IN THE FOREFOOT AND HELE GOOD SHOCK ASSOPPTION BROGRESSIVE SYMMOM CHARACTERISTICS SAFETY: CONTROLLED PLANTAR FLEXION OF UP TO 12 DEGREE VERY GOOD IN - /EVERSION AND PRO - SUPINATION GOOD INITIATION OF KINEE FLEXION C - SPRING AND CONTROL RING GUARANTEES THAT BOTH SPRINGS WORK TOGETHER SIZE 27 LEFT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1C40=L27-0-P/4	Germany
1075	4224200119200	LIGHTWEIGHT CARBON FOOT WITH COMFORTABLE ROLLOVER CHARACTERISTICS INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE MUST NALIAL MOBILITY OCOMPENSATE FOR INVEYEN SURPACES AND COMFORTABLE WALKING UPHILL AND ON INCLINES GOOD ENERGY RETURN IN THE FOREFOOT AND HELE GOOD SHOOK ASSOPPTION ROGRESSIVE SPRING CHARACTERISTICS SAFETY: CONTROLLED PLANTAR FLEXION OF UP TO 12 DEGREE VERY GOOD IN - / EVERSION AND PRO- SUPPINATION GOOD INITIATION OF RINEE FLEXION C - SPRING AND CONTROL RING GUARANTEES THAT BOTH SPRINGS WORK TOGETHER SIZE 28 LEFT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1C40=L28-0-P/4	Germany
1076	4224200119300	LIGHTWEIGHT CARBON FOOT WITH COMFORTABLE ROLLOVER CHARACTERISTICS INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE MULTI - AXIAL MOBILITY TO COMPENATE FOR UNEVEN SURFACE AND COMFORTABLE WALKING UPHILL AND ON INCLUSES GOOD ENERGY RETURN IN HEF FOREFOOT AND HEEL GOOD SHOCK ABSORPTION PROGRESSIVE SPRING CHARACTERISTICS SAFETY: CONTROLLED PLANTAR FLEXION OF UP TO 12 DEGREE VERY GOOD IN - JEVERSION AND PRO - SUPINATION GOOD INITIATION OF KOME FLEXION C - SPRING AND CONTROL RING GUARANTEES THAT BOTH SPRINGS WORK TOGETHER SIZE 29 LEFT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1C40=L29-0-P/4	Germany
1077	4224200119400	LIGHTWEIGHT CARBON FOOT WITH COMFORTABLE ROLLOVER CHARACTERISTICS INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE MULTI - AXIAL MOBILITY TO COMPENSATE FOR UNEVEN SUBFACES AND COMFORTABLE WALKING UPHILL AND ON INCLUSES GOOD ENREON RETURN IN HE FOREFOOT AND HELL GOOD SHOCK ABSORPTION PROGRESSIVE SPRING CHARACTERISTICS SAFETY: CONTROLLED PLANTAR FLEXION OF UP TO 12 DEGREE VERY GOOD IN - EVERSION AND ROY - SUPINATION GOOD INITIATION OF KORE FLEXION C - SPRING AND CONTROL RING GUARANTEES THAT BOTH SPRINGS WORK TOGETHER SIZE 30 LEFT	CANCELLED	CANCELLED	CANCELLED	CANCELLED NOT MATCHING THE DESCRIPTION	CANCELLED	CANCELLED	CANCELLED
1078	4224200119500	LIGHTWEIGHT CARBON FOOT WITH COMFORTABLE ROLLOVER CHARACTERISTICS INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE MULTI - AXIAL MOBILITY TO COMPENSATE FOR UNEVEN SUBFACES AND COMFORTABLE WALKING UPHILL AND ON INCLUSES GOOD ENREON RETURN IN HE FOREFOOT AND HEEL GOOD SHOCK ABSORPTION PROGRESSIVE SPRING CHARACTERISTICS SAFETY: CONTROLLED PLANTAR FLEXION OF UP TO 12 DEGREE VERY GOOD IN - EVERSION AND PRO - SUPHINATION GOOD INITIATION OF KINE FEIXON C - SPRING AND CONTROL RING GUARANTEES THAT BOTH SPRINGS WORK TOGETHER SIZE 24 RIGHT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1C40=R24-0-P/4	Germany

TENDER NA	AME : Prosthetics Ort	hosis Supplies							
1079	4224200119600	LIGHTWEIGHT CARBON FOOT WITH COMFORTABLE ROLLOVER CHARACTERISTICS INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE MULTI AXIAL MOBILITY TO COMPENSATE FOR UNEVEN SURFACES AND COMFORTABLE WALKING UPHILL AND ON INCLINES GOOD ENERGY BETURN IN THE FOREFOOT AND HELE GOOD SHOOK ABSORPTION PROGRESSIVE SPRING CHARACTERISTICS SAFETY: CONTROLLED PLANTAR FLEXION OF UP TO 12 DEGREE VERY GOOD IN EVERSION AND PRO-SUPPINATION GOOD INITIATION OF KINE FLEXION C - SPRING AND CONTROL RING GUARACTERS THAT BOTH SPRINGS WORK TOGETHER SIZE 25 RIGHT	ITEMIZED	each	400571	AL Galim Comm. EstOrig-	Ottobock	1C40=R25-0-P/4	Germany
1080	4224200119700	LIGHTWEIGHT CARBON FOOT WITH COMFORTABLE ROLLOVER CHARACTERISTICS INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE MOUTH AVAILAM MOBILITY OCOMPENSATE FOR INVERVEN SURFACES AND COMFORTABLE WALKING UPHILL AND ON INCLINES GOOD ENERGY RETURN IN THE FOREFOOT AND HELE GOOD SHOCK ASSOPRITION PROGRESSIVE SENTING CHARACTERISTICS SAFETY. CONTROLLED PLANTAR FLEXION OF UP TO 12 DEGREE VERY GOOD IN - EVERSION AND PRO-SUPHATION GOOD INITIATION OF WITE FLEXION C-SPRING AND CONTROL RING GUARANTEES THAT BOTH SPRINGS WORK TOGETHER SIZE 26 RIGHT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1C40=R26-0-P/4	Germany
1081	4224200119800	LIGHTWEIGHT CARBON FOOT WITH COMFORTABLE ROLLOVER CHARACTERISTICS INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE MOUTH AVAILAM MOBILITY TO COMPENSATE FOR INVEYEN SUBFACES AND COMFORTABLE WALKING UPHILL AND ON INCLINES GOOD ENERGY RETURN IN THE FOREFOOT AND HELE GOOD SHOCK ASSOPRITION FORGRESSIVE STRONG CHARACTERISTICS SAFETY. CONTROLLED PLANTAR FLEXION OF UP TO 12 DEGREE VERY GOOD IN . EVERSION AND PRO - SUPINATION GOOD INITIATION OF KINES FELSION C - SPRING AND CONTROL RING GUARANTEES THAT BOTH SPRINGS WORK TOGETHER SIZE 27 RIGHT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1C40=R27-0-P/4	Germany
1082	4224200119900	LIGHTWEIGHT CARBON FOOT WITH COMFORTABLE ROLLOVER CHARACTERISTICS INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE MOUTH AVAILAM MOBILITY TO COMPENSATE FOR UNEVEN SURFACES AND COMFORTABLE WALKING UPHILL AND ON INCLINES GOOD ENERGY RETURN IN THE FOREFOOT AND HELE GOOD SHOCK ASSOPRITION PROGRESSIVE SWING CHARACTERISTICS SAFETY: CONTROLLED PLANTAR FLEXION OF UP TO 12 DEGREE VERY GOOD IN EVERSION AND PRO - SUPHATION GOOD INITIATION OF KINGE FELROID C - SPRING AND CONTROL RING GUARANTEES THAT BOTH SPRINGS WORK TOGETHER SIZE 28 RIGHT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1C40=R28-0-P/4	Germany
1083	4224200120000	LIGHTWEIGHT CARBON FOOT WITH COMFORTABLE ROLLOVER CHARACTERISTICS INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE MULTI AVAILA MOBILITY OCOMPENSATE FOR INVERVEN SURFACES AND COMFORTABLE WALKING UPHILL AND ON INCLINES GOOD ENERGY RETURN IN THE FOREFOOT AND HELE GOOD SHOCK ASSOPRITION PROGRESSIVE SWING CHARACTERISTICS SAFETY. CONTROLLED PLANTAR FLEXION OF UP TO 12 DEGREE VERY GOOD IN - EVERSION AND PRO-SUPINATION GOOD INITIATION OF KINE FLEXION C - SPRING AND CONTROL RING GUARANTEES THAT BOTH SPRINGS WORK TOGETHER SIZE 29 RIGHT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1C40=R29-0-P/4	Germany
1084	4224200120100	LIGHTWEIGHT CARBON FOOT WITH COMFORTABLE ROLLOVER CHARACTERISTICS INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP SMOOTH TRANSITION FROM STANCE PHASE TO SINNING PHASE MUIST NALAUL MOBILITY TO COMPENSATE FOR UNEVEN SURFACES AND COMFORTABLE WALKING UPHILL AND ON INCLINES SOOD ENERCY BETURN IN THE FOREFOOT AND HELE GOOD SHOOK ABSORPTION PROGRESSIVE SENDING CHARACTERISTICS SAFETY: CONTROLLED PLANTAR FLEXION OF UP TO 12 DEGREE VERY GOOD IN - EVERSION AND CROP SUPPINATION GOOD INITIATION OF KINE FLEXION C - SPRING AND CONTROL KING GUARACTES THAT BOTH SPRINGS WORK TOGETHER SIZE 30 RIGHT	CANCELLED	CANCELLED	CANCELLED	CANCELLED NOT MATCHING THE DESCRIPTION	CANCELLED	CANCELLED	CANCELLED
1085	4224200126800	LIGHTWEIGHT ROBUST AND DURABLE CARBON FOOT, WITH LOW CLEARANCE RESISTANT AGAINST DUST, DIRT, AND SPLASH WATER, THE CARBON SPRING OFFERS A GOOD FOREFOOT STABILITY AND AN EFFICIENT ENERGY RETURN THE HELE FOAM OFFERS A COMFORTABLE AND SAVE HELE STRIKE, TOE INSERT PRE-INSTALLED IN THE FOOTSHELL SERVES TO EXTEND THE LENGTH OF THE FOREFOOT SUPPORTING DIFFERENT WALKING SPEEDS, LOW PROFILE FOOTSHELL SERVES TO EXTEND THE LENGTH OF THE FOREFOOT SUPPORTING DIFFERENT WALKING SPEEDS, LOW PROFILE FOOTSHELL FOOTSHEL	ITEMIZED	SET	400468	ALMAFSAL MEDICAL CO -Orig-	S T AND G	1115(20)/1212T/1 211T/1220	South Korea
1085	4224200126800	LIGHTWEIGHT ROBUST AND DURABLE CARBON FOOT, WITH LOW CLEARANCE RESISTANT AGAINST DUST, DIRT, AND SPLASH WATER, THE CARBON SPRING OFFERS A GOOD FOREFOOT STABILITY AND AN EFFICIENT ENERGY RETURN THE HEEL FOAM OFFERS A COMFORTABLE AND SAVE HEEL STRIKE, TOE INSERT PRE-INSTALLED IN THE FOOTSHELL SERVES TO EXTEND THE LENGTH OF THE FOREFOOT SUPPORTING DIFFERENT WALKING SPEEDS, CUW PROLED FOR STANDING AND CONVENIENT INSTALLATION, ALIGNMENT MARKS ON THE FOOTSHELLAND CONNECTION CAP ALLOW AN EASY BENCH ALIGNMENT, INCLUDED TITANIUM TUBE ADAPTER, TITANIUM TUBE CLAMP ADAPTER, TITANIUM TRANS-TIBIAL LAMINATION ANCHOR WITH PYRAMID, AND COSMETIC FOAM, CE MARK OR EQUIVALENT, SIZE 24, LEFT	ITEMIZED	SET	400571	AL Gaim Comm. EstOrig-	Ottobock	2R121 + 6R18=30 + 1C10=N2425-3-P/0 + 2C12=L24/4N	Germany
1086	4224200126900	LIGHTWEIGHT ROBUST AND DURABLE CARBON FOOT, WITH LOW CLEARANCE RESISTANT AGAINST DUST, DIRT, AND SPLASH WATER, THE CARBON SPRING OFFERS A GOOD FOREFOOT STABILITY AND AN EFFICIENT ENERGY RETURN THE HELE FOAM OFFERS A COMFORTABLE AND SAVE HELE STRIKE, TOE INSERT PRE-INSTALLED IN THE FOOTSHELL SERVES TO EXTEND THE LENGTH OF THE FOREFOOT SUPPORTING DIFFERENT WALKING SPEEDS, LOW PROFILE FOOTSHELL SERVES TO EXTEND THE LENGTH OF THE FOREFOOT SUPPORTING THE FOOTSHELL SERVES TO EXTEND THE LENGTH OF THE FOREFOOT SUPPORTING THE FOOTSHELL FOR SEPEDS, LOW PROFILE FOOTSHELL FOR EASY ACCESS TO ADJUSTMENT SCREWS AND CONVENIENT INSTALLATION, ALIGNMENT MARKS ON THE FOOTSHELL AND CONNECTION CAP ALLOW AN EASY BENCH ALIGNMENT, INCLUDED TITANIUM TUBE ADAPTER, TITANIUM TUBE CLAMP ADAPTER, TITANIUM TRANS-TIBIAL LAMINATION ANCHOR WITH PYRAMID, AND COSMETIC FOAM, CE MARK OR EQUIVALENT, SIZE 2S, LEFT	ITEMIZED	SET	400468	ALMAFSAL MEDICAL CO -Orig-	S T AND G	1115(21)/1212T/1 211T/1220	South Korea
1086	4224200126900	LIGHTWEIGHT ROBUST AND DURABLE CARBON FOOT, WITH LOW CLEARANCE RESISTANT AGAINST DUST, DIRT, AND SPLASH WATER, THE CARBON SPRING OFFERS A GOOD FOREFOOT STABILITY AND AN EFFICIENT ENERGY RETURN THE HELE FOAM OFFERS A COMFORTABLE AND SAVE HELE STRIKE, TOE INSERT PRE-INSTALLEIN IN THE FOOTSHELL SERVES TO EXTEND THE LENGTH OF THE FOREFOOT SUPPORTING DIFFERENT WALKING SPEEDS, LOW PROFILE FOOTSHELL FOR EASY ACCESS TO ADJUSTMENT SCREWS AND CONVENIENT INSTALLATION, ALIGNMENT MARKS ON THE FOOTSHELL AND CONNECTION CAP ALLOW AN EASY BENCH ALIGNMENT, INCLUDED TITANIUM TUBE ADAPTER, TITANIUM TUBE CLAMP ADAPTER, TITANIUM TRANS-TIBIAL LAMINATION ANCHOR WITH PYRAMID, AND COSMETIC FOAM, CE MARK OR EQUIVALENT, SIZE 2S, LEFT	ITEMIZED	SET	400571	AL Gaim Comm. EstOrig-	Ottobock	2R121 + 6R18=30 + 1C10=N2425-3-P/0 + 2C12=L25/4N	Germany
1087	4224200127000	LICHTWEIGHT ROBUST AND DURABLE CARBON FOOT, WITH LOW CLEARANCE RESISTANT AGAINST DUST, DIRT, AND SPLASH WATER, THE CARBON SPRING OFFERS A GOOD FOREFOOT STABILITY AND AN EFFICIENT ENERGY RETURN THE HELL FOAM OFFERS A COMPORTABLE AND SAVE HEEL STRIKE, TOE INSERT PRE-INSTALLEID IN THE OTOSTHELL SERVES TO EXTEND THE LENGTH OF THE FOREFOOT SUPPORTING DIFFERENT WALKING SPEEDS, LOW PROFILE FOOTSHELL SERVES TO EXTEND THE LENGTH OF THE FOREFOOT SUPPORTING DIFFERENT WALKING SPEEDS, LOW PROFILE FOOTSHELL FOR EASY ACCESS TO ADJUSTMENT SCREWS AND CONVENIENT INSTALLATION, ALIGNMENT MARKS ON THE FOOTSHELL AND CONNECTION CAP ALLOW AN EASY BENCH ALIGNMENT, INCLUDED TITANIUM TUBE ADAPTER, TITANIUM TUBE CLAMP ADAPTER, TITANIUM TRANS-TIBIAL AMMINATION ANCHOR WITH PYRAMID, AND COSMETIC FOAM, CE MARK OR EQUIVALENT, SEE 24, RIGHT	ITEMIZED	SET	400468	ALMAFSAL MEDICAL CO -Orig-	S T AND G	1115(22)/1212T/1 211T/1220	South Korea
1087	4224200127000	LIGHTWEIGHT ROBUST AND DURABLE CARBON FOOT, WITH LOW CLEARANCE RESISTANT AGAINST DUST, DIRT, AND SPLASH WATER, THE CARBON SPRING OFFERS A GOOD FOREFOOT STABILITY AND AN EFFICIENT ENERGY RETURN THE HELE FOAM OFFERS A COMPORTABLE AND SAVE HELE STRIKE, TOE INSERT PRE-INSTALLED IN THE FOOTSHELL SERVES TO EXTEND THE LENGTH OF THE FOREFOOT SUPPORTING DIFFERENT WALKING SPEEDS, CUW PROFILE FOOTSHELL SERVES TO EXTEND THE LENGTH OF THE FOREFOOT SUPPORTING DIFFERENT WALKING SPEEDS, CUW PROFILE FOOTSHELL FOR EASY ACCESS TO ADJUSTMENT SCREWS AND CONVENIENT INSTALLATION, ALIGNMENT MARKS ON THE FOOTSHELLAND CONNECTION CAP ALLOW AN EASY BENCH ALIGNMENT, INCLUDED TITANIUM TUBE ADAPTER, TITANIUM TUBE CLAMP ADAPTER, TITANIUM TUBE CLAMP ADAPTER, TITANIUM TRANS-TIBIAL LAMINATION ANCHOR WITH PYRAMID, AND COSMETIC FOAM, CE MARK OR EQUIVALENT, SUE 24, RIGHT	ITEMIZED	SET	400571	AL Gaim Comm. Est Orig-	Ottobock	2R121 + 6R18=30 + 1C10=N2425-3-P/0 + 2C12=R24/4N	Germany
1088	4224200127100	LIGHTWEIGHT ROBUST AND DURABLE CARBON FOOT, WITH LOW CLEARANCE RESISTANT AGAINST DUST, DIRT, AND SPLASH WATER, THE CARBON SPRING OFFERS A GOOD FOREFOOT STABILITY AND AN EFFCIENT ENERGY RETURN THE HELE FOAM OFFERS A COMPORTABLE AND SAVE HELE STRIKE, TOE INSERT PRE-INSTALLED IN THE FOOTSHELL SERVES TO EXTEND THE LENGTH OF THE FOREFOOT SUPPORTING DIFFERST WALKING SPEEDS, LOW PROFITED FOOTSHELL SERVES TO EXTEND THE LENGTH OF THE FOREFOOT SUPPORTING DIFFERST WALKING SPEEDS, LOW PROFITED FOOTSHELL FOOTSHELL SERVES TO EXTEND THE LENGTH OF MEST GOOD STABLES OF THE STABLES OF TH	ITEMIZED	SET	400468	ALMAFSAL MEDICAL CO -Orig-	S T AND G	1115(23)/1212T/1 211T/1220	South Korea

TENDER NA	AME: Prosthetics Ort	hosis Supplies							
1088	4224200127100	LIGHTWEIGHT ROBUST AND DURABLE CARBON FOOT, WITH LOW CLEARANCE RESISTANT AGAINST DUST, DIRT, AND SPLASH WATER, THE CARBON SPRING OFFERS A GOOD FOREFOOT STABILITY AND AR FEICIENT ENERGY RETURN THE HELE FOAM OFFERS A COMPORTABLE AND SAVE HELE STRIKE, TOE INSERT PRE-INSTALLED IN THE FOOTSHELL SERVES TO EXTEND THE LENGTH OF THE FOREFOOT SUPPORTING DIFFERENT WALKING SPEEDS, LOW PROFILE FOOTSHELL SERVES TO EXTEND THE LENGTH OF THE FOREFOOT SUPPORTING DIFFERENT WALKING SPEEDS, LOW PROFILE FOOTSHELL FOR EASY ACCESS TO ADJUSTMENT SCREWS AND CONVENIENT INSTALLATION, ALIGNMENT MARKS ON THE FOOTSHELL AND CONNECTION CAP ALLOW AN EASY BENCH ALIGNMENT, INCLUDED TITANIUM TUBE ADAPTER, TITANIUM TUBE CLAMP ADAPTER, TITANIUM TRANS-TIBIAL LAMINATION ANCHOR WITH PYRAMID, AND COSMETIC FOAM, CE MARK OR EQUIVALENT, SEE 2S, RIGHT	ITEMIZED	SET	400571	AL Gaim Comm. EstOrig-	Ottobock	2R121 + 6R18=30 + 1C10=N2425-3-P/0 + 2C12=R25/4N	Germany
1089	4224200127200	LIGHTWEIGHT ROBUST AND DURABLE CARBON FOOT, WITH LOW CLEARANCE RESISTANT AGAINST DUST, DIRT, AND SPLASH WATER, THE CARBON SPRING OFFERS A GOOD FOREFOOT STABILITY AND AN EFFICIENT ENERGY RETURN THE HELE FOAM OFFERS A COMFORTABLE AND SAVE HEEL STRIKE, TOE INSERT PRE-INSTALLED IN THE FOOTSHELL SERVES TO EXTEND THE LENGTH OF THE FOREFOOT SUPPORTING DIFFERENT WALKING SPEEDS, LOW PROFILE FOOTSHELL SERVES TO EXTEND THE LENGTH OF THE FOREFOOT SUPPORTING THE FOOTSHELL SERVES TO EXTEND FOR EASY ACCESS TO ADJUSTMENT SCREWS AND CONVENIENT INSTALLATION, ALIGNMENT MARKS ON THE FOOTSHELL AND CONNECTION CAP ALLOW AN EASY BENCH ALIGNMENT, INCLUDED TITANIUM TUBE ADAPTER, TITANIUM TUBE CLAMP ADAPTER, TITANIUM TRANS-TIBIAL AMMINATION ANCHOR WITH PYSAMID, AND COSMETIC FOAM, CE MARK OR EQUIVALENT, SYZE AG, LETT	ITEMIZED	SET	400468	ALMAFSAL MEDICAL CO -Orig-	S T AND G	1115(24)/1212T/1 211T/1220	South Korea
1089	4224200127200	LICHTWEIGHT ROBUST AND DURABLE CARRON FOOT, WITH LOW CLEARANCE RESISTANT AGAINST DUST, DIRT, AND SPLASH WATER, THE CARBON SPRING OFFERS A GOOD FOREFOOT STABILITY AND AN EFFICIENT ENERGY RETURN THE HELE FOAM OFFERS A COMFORTABLE AND SAVE HELE STRIKE, TOE INSERT PRE-INSTALLEIN IN THE FOOTSHELL SERVES TO EXTEND THE LENGTH OF THE FOREFOOT SUPPORTING DIFFERENT WALKING SPEEDS, LOW PROFILE FOOTSHELL SERVES TO EXTEND THE LENGTH OF THE FOREFOOT SUPPORTING DIFFERENT WALKING SPEEDS, LOW PROFILE FOOTSHELL FOR EASY ACCESS TO ADJUSTMENT SCREWS AND CONVENIENT INSTALLATION, ALIGNMENT MARKS ON THE FOOTSHELL AND CONNECTION CAP ALLOW AN EASY BENCH ALIGNMENT, INCLIDED TITANIUM TUBE ADAPTER, TITANIUM TUBE CLAMP ADAPTER, TITANIUM TRANS-TIBIAL LAMINATION ANCHOR WITH PSYRAMID, AND COSMETIC FOAM, CE MARK OR EQUIVALENT, SIZE 26, LEFT	ITEMIZED	SET	400571	AL Gaim Comm. EstOrig-	Ottobock	2R121 + 6R18=30 + 1C10=N2628-4-P/0 + 2C12=L26/4N	Germany
1090	4224200127300	LICHTWEIGHT ROBUST AND DURABLE CARBON FOOT, WITH LOW CLEARANCE RESISTANT AGAINST DUST, DIRT, AND SPLASH WATER, THE CARBON SPRING OFFERS A GOOD FOREFOOT STABILITY AND AN EFFICIENT ENERGY RETURN THE HELE FOAM OFFERS A COMPORTABLE AND SAVE HELE STRIKE, TOE INSERT PRE-INSTALLEID IN THE OTOSTHELL SERVES TO EXTEND THE LENGTH OF THE FOREFOOT SUPPORTING DIFFERENT WALKING SPEEDS, LOW PROFILE FOOTSHELL SERVES TO EXTEND THE LENGTH OF THE FOREFOOT SUPPORTING DIFFERENT WALKING SPEEDS, LOW PROFILE FOOTSHELL FOR EASY ACCESS TO ADJUSTMENT SCREWS AND CONVENIENT INSTALLATION, ALIGNMENT MARKS ON THE FOOTSHELL AND CONNECTION CAP ALLOW AN EASY BENCH ALIGNMENT, INCLUDED TITANIUM TUBE ADAPTER, TITANIUM TUBE CLAMP ADAPTER, TITANIUM TRANS-TIBIAL LAMINATION ANCHOR WITH PYRAMID, AND COSMETIC FOAM, CE MARK OR EQUIVALENT, SIZE 27, LEFT	ITEMIZED	SET	400468	ALMAFSAL MEDICAL CO -Orig-	S T AND G	1115(25)/1212T/1 211T/1220	South Korea
1090	4224200127300	LICHTWEIGHT ROBUST AND DURABLE CARBON FOOT, WITH LOW CLEARANCE RESISTANT AGAINST DUST, DIRT, AND SPLASH WATER, THE CARBON SPRING OFFERS A GOOD FOREFOOT STABILITY AND AN EFFICIENT ENERGY RETURN THE HELE FOAM OFFERS A COMFORTABLE AND SAVE HELE STRIKE, TOE INSERT PRE-INSTALLEID IN THE OTOSTHELL SERVES TO EXTEND THE LENGTH OF THE FOREFOOT SUPPORTING DIFFERENT WALKING SPEEDS, LOW PROFILE FOOTSHELL SERVES TO EXTEND THE LENGTH OF THE FOREFOOT SUPPORTING DIFFERENT WALKING SPEEDS, LOW PROFILE FOOTSHELL FOR EASY ACCESS TO ADJUSTMENT SCREWS AND CONVENIENT INSTALLATION, ALIGNMENT MARKS ON THE FOOTSHELL AND CONNECTION CAP ALLOW AN EASY BENCH ALIGNMENT, INCLUDED TITANIUM TUBE ADAPTER, TITANIUM TUBE CLAMP ADAPTER, TITANIUM TRANS-TIBIAL JAMINATION ANCHOR WITH PYRAMID, AND COSMETIC FOAM, CE MARK OR EQUIVALENT, SIZE 27, LEFT	ITEMIZED	SET	400571	AL Gaim Comm. EstOrig-	Ottobock	2R121 + 6R18=30 + 1C10=N2628-4-P/0 + 2C12=L27/4N	Germany
1091	4224200127400	LIGHTWEIGHT ROBUST AND DURABLE CARBON FOOT, WITH LOW CLEARANCE RESISTANT AGAINST DUST, DIRT, AND SPLASH WATER, THE CARBON SPRING OFFERS A GOOD FOREFOOT ASTAILUTY AND AN EFFICIENT ENERGY RETURN THE HEEL FOAM OFFERS A COMFORTABLE AND SAVE HEEL STRIKE, TOE INSERT PRE-INSTALLEIN IN THE FOOTSHELL SERVES TO EXTEND THE LENGTH OF THE FOREFOOT SUPPORTING DIFFERENT WALKING SPEEDS, LOW PROFILE FOOTSHELL FOR EASY ACCESS TO ADJUSTMENT SCREWS AND CONVENIENT INSTALLATION, ALIGNMENT MARKS ON THE FOOTSHELL AND CONNECTION CAP ALLOW AN EASY BENCH ALIGNMENT, INCLUDED TITANIUM TUBE ADAPTER, TITANIUM TUBE CLAMP ADAPTER, TITANIUM TRANS-TIBIAL JAMINATION ANCHOR WITH PYRAMID, AND COSMETIC FOAM, CE MARK OR EQUIVALENT, SEE 28, LEFT	ITEMIZED	SET	400468	ALMAFSAL MEDICAL CO -Orig-	S T AND G	1115(26)/1212T/1 211T/1220	South Korea
1091	4224200127400	LICHTWEIGHT ROBUST AND DURABLE CARRON FOOT, WITH LOW CLEARANCE RESISTANT AGAINST DUST, DIRT, AND SPLASH WATER, THE CARBON SPRING OFFERS A GOOD FOREFOOT STABILITY AND AN EFFICIENT ENERGY RETURN THE HELE FOAM OFFERS A COMPORTABLE AND SAVE HELE STRIKE, TOE INSERT PRE-INSTALLEIN IN THE FOOTSHELL SERVES TO EXTEND THE LENGTH OF THE FOREFOOT SUPPORTING DIFFERENT WALKING SPEEDS, LOW PROFILE FOOTSHELL SERVES TO EXTEND THE LENGTH OF THE FOREFOOT SUPPORTING DIFFERENT WALKING SPEEDS, LOW PROFILE FOOTSHELL FOR EASY ACCESS TO ADJUSTMENT SCREWS AND CONVENIENT INSTALLATION, ALIGNMENT MARKS ON THE FOOTSHELL AND CONNECTION CAP ALLOW AN EASY BENCH ALIGNMENT, INCLUDED TITANIUM TUBE ADAPTER, TITANIUM TUBE CLAMP ADAPTER, TITANIUM TRANS-TIBIAL LAMINATION ANCHOR WITH PYRAMID, AND COSMETIC FOAM, CE MARK OR EQUIVALENT, SIZE 28, LEFT	ITEMIZED	SET	400571	AL Gaim Comm. EstOrig-	Ottobock	2R121 + 6R18=30 + 1C10=N2628-4-P/0 + 2C12=L28/4N	Germany
1092	4224200127500	LICHTWEIGHT ROBUST AND DURABLE CARRON FOOT, WITH LOW CLEARANCE RESISTANT AGAINST DUST, DIRT, AND SPLASH WATER, THE CARBON SPRING OFFERS A GOOD FOREFOOT STABILITY AND AN EFFICIENT ENERGY RETURN THE HELE FOAM OFFERS A COMFORTABLE AND SAVE HEEL STRIKE, TOE INSERT PRE-INSTALLEIN IN THE FOOTSHELL SERVES TO EXTEND THE LENGTH OF THE FOREFOOT SUPPORTING DIFFERENT WALKING SPEEDS, LOW PROFILE FOOTSHELL SERVES TO EXTEND THE LENGTH OF THE FOREFOOT SUPPORTING DIFFERENT WALKING SPEEDS, LOW PROFILE FOOTSHELL FOR EASY ACCESS TO ADJUSTMENT SCREWS AND CONVENIENT INSTALLATION, ALIGNMENT MARKS ON THE FOOTSHELL AND CONNECTION CAP ALLOW AN EASY BENCH ALIGNMENT, INCLIDED TITANIUM TUBE ADAPTER, TITANIUM TUBE CLAMP ADAPTER, TITANIUM TRANS-TIBIAL LAMINATION ANCHOR WITH PYRAMID, AND COSMETIC FOAM, CE MARK OR EQUIVALENT, SEE 26, RIGHT	ITEMIZED	SET	400468	ALMAFSAL MEDICAL CO -Orig-	S T AND G	1115(27)/1212T/1 211T/1220	South Korea
1092	4224200127500	LICHTWEIGHT ROBUST AND DURABLE CARBON FOOT, WITH LOW CLEARANCE RESISTANT AGAINST DUST, DIRT, AND SPLASH WATER, THE CARBON SPRING OFFERS A GOOD FOREFOOT STABILITY AND AN EFFICIENT ENERGY RETURN THE HELL FOAM OFFERS A COMPORTABLE AND SAVE HEEL STRIKE, TOE INSERT PRE-INSTALLEID IN THE FOOTSHELL SERVES TO EXTEND THE LENGTH OF THE FOREFOOT SUPPORTING DIFFERENT WALKING SPEEDS, LOW PROFILE FOOTSHELL SERVES TO EXTEND THE LENGTH OF THE FOREFOOT SUPPORTING DIFFERENT WALKING SPEEDS, LOW PROFILE FOOTSHELL FOR EASY ACCESS TO ADJUSTMENT SCREWS AND CONVENIENT INSTALLATION, ALIGNMENT MARKS ON THE FOOTSHELL AND CONNECTION CAP ALLOW AN EASY BENCH ALIGNMENT, INCLUDED TITANIUM TUBE ADAPTER, TITANIUM TUBE CLAMP ADAPTER, TITANIUM TRANS-TIBIAL AMMINATION ANCHOR WITH PYRAMID, AND COSMETIC FOAM, CE MARK OR EQUIVALENT, SUE 26 A, RIGHT	ITEMIZED	SET	400571	AL Gaim Comm. EstOrig-	Ottobock	2R121 + 6R18=30 + 1C10=N2628-4-P/0 + 2C12=R26/4N	Germany
1093	4224200127600	LICHTWEIGHT ROBUST AND DURABLE CARRON FOOT, WITH LOW CLEARANCE RESISTANT AGAINST DUST, DIRT, AND SPLASH WATER, THE CARBON SPRING OFFERS A GOOD FOREFOOT STABILITY AND AN EFFICIENT ENERGY RETURN THE HEEL FOAM OFFERS A COMFORTABLE AND SAVE HEEL STRIKE, TOE INSERT PRE-INSTALLEIN IN THE FOOTSHELL SERVES TO EXTEND THE LENGTH OF THE FOREFOOT SUPPORTING DIFFERENT WALKING SPEEDS, LOW PROFILE FOOTSHELL SERVES TO EXTEND THE LENGTH OF THE FOREFOOT SUPPORTING DIFFERENT WALKING SPEEDS, LOW PROFILE FOOTSHELL FOR EASY ACCESS TO ADJUSTMENT SCREWS AND CONVENIENT INSTALLATION, ALIGNMENT MARKS ON THE FOOTSHELL AND CONNECTION CAP ALLOW AN EASY BENCH ALIGNMENT, INCLUDED TITANIUM TUBE ADAPTER, TITANIUM TUBE CLAMP ADAPTER, TITANIUM TRANS-TIBIAL AMMINATION ANCHOR WITH PYRAMID, AND COSMETIC FOAM, CE MARK OR EQUIVALENT, SEE 27, RIGHT	ITEMIZED	SET	400468	ALMAFSAL MEDICAL CO -Orig	S T AND G	1115(28)/1212T/1 211T/1220	South Korea
1093	4224200127600	LIGHTWEIGHT ROBUST AND DURABLE CARBON FOOT, WITH LOW CLEARANCE RESISTANT AGAINST DUST, DIRT, AND SPLASH WATER, THE CARBON SPRING OFFERS A GOOD FOREFOOT STABILITY AND AN EFFICIENT ENERGY RETURN THE HEEL FOAM OFFERS A COMFORTABLE AND SAVE HEEL STRIKE, TOE INSERT PRE-INSTALLE IN THE FOOTSHELL SERVES TO EXTEND THE LENGTH OF THE FOREFOOT SUPPORTING DIFFERST WALKING SPEEDS, LOW PROFILE FOOTSHELL SERVES TO EXTEND THE LENGTH OF THE FOREFOOT SUPPORTING THE FOOTSHELL SERVES TO EXTEND THE LENGTH OF THE FOREFOOT SUPPORTING THE FOOTSHELL FOR SEPEDS, LOW PROFILE FOOTSHELL FOR EASY ACCESS TO ADJUSTMENT SCREWS AND CONVENIENT INSTALLATION, ALIGNMENT MARKS ON THE FOOTSHELL AND CONNECTION CAP ALLOW AN EASY BENCH ALIGNMENT, INCLUDED TITANIUM TUBE ADAPTER, TITANIUM TUBE CLAMP ADAPTER, TITANIUM TRANS-TIBIAL LAMINATION ANCHOR WITH PYRAMID, AND COSMETIC FOAM, CE MARK OR EQUIVALENT, SEE 22, RIGHT	ITEMIZED	SET	400571	AL Gaim Comm. EstOrig-	Ottobock	2R121 + 6R18=30 + 1C10=N2628-4-P/0 + 2C12=R27/4N	Germany
1094	4224200127700	LIGHTWEIGHT ROBUST AND DURABLE CARBON FOOT, WITH LOW CLEARANCE RESISTANT AGAINST DUST, DIRT, AND SPLASH WATER, THE CARBON SPRING OFFERS A GOOD FOREFOOT STABILITY AND AN EFFICIENT ENERGY RETURN THE HEEL FOAM OFFERS A COMFORTABLE AND SAYE HEEL STRIKE, TOE INSERT PRE-INSTALLED IN THE FOOTSHELL SERVES TO EXTEND THE LENGHT OF THE FOREFOOT SUPPORTING DIFFERENT WALKING SPEEDS, LOW PROFILE FOOTSHELL SERVES TO EXTEND THE LENGHT OF THE FOREFOOT SUPPORTING DIFFERENT WALKING SPEEDS, LOW PROFILE FOOTSHELL FOR EASY ACCESS TO ADJUSTMENT SCREWS AND CONVENIENT INSTALLATION, ALIGNMENT MARKS ON THE FOOTSHELL AND CONNECTION CAP ALLOW AN EASY BENCH ALIGNMENT, INCLUDED TITANIUM TUBE ADAPTER, TITANIUM TUBE CLAMP ADAPTER, TITANIUM TUBE CLAMP ADAPTER, TITANIUM TRANS-TIBIAL LAMINATION ANCHOR WITH PYRAMID, AND COSMETIC FOAM, CE MARK OR EQUIVALENT, SEE 28, RIGHT	ITEMIZED	SET	400468	ALMAFSAL MEDICAL CO -Orig-	S T AND G	1115(29)1212T/12 11T/1220	South Korea
1094	4224200127700	LICHTWEIGHT ROBUST AND DURABLE CARRON FOOT, WITH LOW CLEARANCE RESISTANT AGAINST DUST, DIRT, AND SPLASH WATER, THE CARBON SPRING OFFERS A GOOD FOREFOOT STABILITY AND AN EFFICIENT TENERCY RETURN THE HELE FOAM OFFERS A COMFORTABLE AND SAVE HEEL STRIKE, TOE INSERT PRE-INSTALLED IN THE FOOTSHELL SERVES TO EXTEND THE LENGTH OF THE FOREFOOT SUPPORTING DIFFERENT WALKING SPEEDS, LOW PROFILE FOOTSHELL FOR EASY ACCESS TO ADJUSTMENT SCREWS AND CONVENIENT INSTALLATION, ALIGNMENT MARKS ON THE FOOTSHELL AND CONNECTION CAP ALLOW AN EASY BENCH ALIGNMENT, INCLUDED TITANIUM TUBE ADAPTER, TITANIUM TUBE CLAMP ADAPTER, TITANIUM TRANS-TIBILA LLAMINATION ANCHOR WITH PYRAMIO, AND COSMETIC FOAM, CE MARK OR EQUIVALENT, SIZE 28, RIGHT	ITEMIZED	SET	400571	AL Gaim Comm. Est Orig-	Ottobock	2R121 + 6R18=30 + 1C10=N2628-4-P/0 + 2C12=R28/4N	Germany

TENDER NA	AME : Prosthetics Or	thosis Supplies							
1095	4224200030900	LIMBMAKER'S VISE, AN ORTHOTICS WORKSHOP TOOL, CLAMPING DEVICE FOR INSTALLATION UNDER THE WORKBENCH, ROTATING AND EXTENDABLE, CLAMPING EXHAUST TUBES OF DIFFERENT SIZES, DIMENSIONS (W X D X H) 100 X 625 X 115 MM, WEIGHT 5-7 KG	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation
1096	4224150902000	LIMITER, MOTION CONTROL, VARIABLE PLANTAR FLEXION, STOP WITH SOME DAMPING CONSTRUCTED OF STAINLESS STEEL AND URETHANE, EASY TO FABRICATE PLANTARFLEXION STOP MOTION LIMITING	ITEMIZED	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	becker	755-MCL	USA
1097	4224150901900	LIMITER, PLANTAR FLEXION RANGE OF MOTION, CAN BE TURNED INTO A SOLID ANKLE, CAN INITIALLY BE SET TO ANY PLANTAR STOP POSITION, MOTION LIMITING	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation
1098	4224171324600	LINER PROSTHETIC GEL, CUSHION, 3MM THICKNESS, CONTOURED SHAPE, STRETCHABLE, PROVIDES PRESSURE DISTRIBUTION, REDUCE FRICTION, COMFORT, DURABILITY AND OPTIMAL SOCKET FITTING, ASSORTED SIZES	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	WillowWood Global LLC	Alpha Classic Cushion Liner ALC903	USA
1099	4224171324900	LINER PROSTHETIC GEL, CUSHION, 3MM THICKNESS, TAPERED SHAPE, STRETCHABLE, PROVIDES PRESSURE DISTRIBUTION, REDUCE FRICTION, COMFORT, DURABILITY AND	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	WillowWood Global LLC	Alpha Classic Cushion Liner	USA
1100	4224171324300	OPTIMAL SOCKET FITTING, ASSORTED SIZES LINER PROSTHETIC GEL, CUSHION, 3MM THICKNESS, UNIFORM SHAPE, STRETCHABLE, PROVIDES PRESSURE DISTRIBUTION, REDUCE FRICTION, COMFORT, DURABILITY AND	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	WillowWood Global LLC	ALC703 Alpha Classic Cushion Liner	USA
1101	4224171324700	OPTIMAL SOCKET FITTING, ASSORTED SIZES LINER PROSTHETIC GEL, CUSHION, 6MM THICKNESS, CONTOURED SHAPE, STRETCHABLE, PROVIDES PRESSURE DISTRIBUTION, REDUCE FRICTION, COMFORT, DURABILITY AND	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	WillowWood Global LLC	ALC503 Alpha Classic Cushion Liner	USA
1102	4224171325000	OPTIMAL SOCKET FITTING, ASSORTED SIZES LINER PROSTHETIC GEL, CUSHION, 6MM THICKNESS, TAPERED SHAPE, STRETCHABLE, PROVIDES PRESSURE DISTRIBUTION, REDUCE FRICTION, COMFORT, DURABILITY AND	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY -	WillowWood Global LLC	ALC906 Alpha Classic Cushion Liner	USA
		OPTIMAL SOCKET FITTING, ASSORTED SIZES LINER PROSTHETIC GEL, CUSHION, 6MM THICKNESS, UNIFORM SHAPE, STRETCHABLE,				Orig- MEDICAL CARE ALLIANCE COMPANY -		ALC706 Alpha Classic	
1103	4224171324400	PROVIDES PRESSURE DISTRIBUTION, REDUCE FRICTION, COMFORT, DURABILITY AND OPTIMAL SOCKET FITTING, ASSORTED SIZES LINER PROSTHETIC GEL, CUSHION, 9MM THICKNESS, CONTOURED SHAPE, STRETCHABLE,	ITEMIZED	each	400569	Orig- MEDICAL CARE ALLIANCE COMPANY -	WillowWood Global LLC	Cushion Liner ALC506 Alpha Classic	USA
1104	4224171324800	PROVIDES PRESSURE DISTRIBUTION, REDUCE FRICTION, COMFORT, DURABILITY AND OPTIMAL SOCKET FITTING, ASSORTED SIZES LINER PROSTHETIC GEL, CUSHION, 9MM THICKNESS, TAPERED SHAPE, STRETCHABLE,	ITEMIZED	each	400569	Orig-	WillowWood Global LLC	Cushion Liner ALC909 Alpha Classic	USA
1105	4224171325100	PROVIDES PRESSURE DISTRIBUTION, REDUCE FRICTION, COMFORT, DURABILITY AND OPTIMAL SOCKET FITTING, ASSORTED SIZES LINER PROSTHETIC GEL, CUSHION, 9MM THICKNESS, UNIFORM SHAPE, STRETCHABLE,	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	WillowWood Global LLC	Cushion Liner ALC709 Alpha Classic	USA
1106	4224171324500	PROVIDES PRESSURE DISTRIBUTION, REDUCE FRICTION, COMFORT, DURABILITY AND OPTIMAL SOCKET FITTING, ASSORTED SIZES	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	WillowWood Global LLC	Cushion Liner ALC509	USA
1107	4224171323700	LINER PROSTHETIC GEL, LOCKING PIN, 3MM THICKNESS, CONTOURED SHAPE, STRETCHABLE, PROVIDES PRESSURE DISTRIBUTION, REDUCE FRICTION, COMFORT, DURABILITY AND OPTIMAL SOCKET FITTING, ASSORTED SIZES	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	WillowWood Global LLC	Alpha Classic Locking Liner ALL903	USA
1108	4224171324000	LINER PROSTHETIC GEL, LOCKING PIN, 3MM THICKNESS, TAPERED SHAPE, STRETCHABLE, PROVIDES PRESSURE DISTRIBUTION, REDUCE FRICTION, COMFORT, DURABILITY AND OPTIMAL SOCKET FITTING, ASSORTED SIZES	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	WillowWood Global LLC	Alpha Classic Locking Liner ALL703	USA
1109	4224171323400	LINER PROSTHETIC GEL, LOCKING PIN, 3MM THICKNESS, UNIFORM SHAPE, STRETCHABLE, PROVIDES PRESSURE DISTRIBUTION, REDUCE FRICTION, COMFORT, DURABILITY AND OPTIMAL SOCKET FITTING, ASSORTED SIZES	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	WillowWood Global LLC	Alpha Classic Locking Liner ALL503	USA
1110	4224171323800	LINER PROSTHETIC GEL, LOCKING PIN, 6MM THICKNESS, CONTOURED SHAPE, STRETCHABLE, PROVIDES PRESSURE DISTRIBUTION, REDUCE FRICTION, COMPORT, DURABILITY AND OPTIMAL SOCKET FITTING, ASSORTED SIZES	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	WillowWood Global LLC	Alpha Classic Locking Liner ALL906	USA
1111	4224171324100	LINER PROSTHETIC GEL, LOCKING PIN, 6MM THICKNESS, TAPERED SHAPE, STRETCHABLE, PROVIDES PRESSURE DISTRIBUTION, REDUCE FRICTION, COMPORT, DURABILITY AND OPTIMAL SOCKET FITTING, ASSORTED SIZES	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	WillowWood Global LLC	Alpha Classic Locking Liner ALL706	USA
1112	4224171323500	LINER PROSTHETIC GEL, LOCKING PIN, 6MM THICKNESS, UNIFORM SHAPE, STRETCHABLE, PROVIDES PRESSURE DISTRIBUTION, REDUCE FRICTION, COMFORT, DURABILITY AND	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	WillowWood Global LLC	Alpha Classic Locking Liner	USA
1113	4224171323900	OPTIMAL SOCKET FITTING, ASSORTED SIZES LINER PROSTHETIC GEL, LOCKING PIN, 9MM THICKNESS, CONTOURED SHAPE, STRETCHABLE, PROVIDES PRESSURE DISTRIBUTION, REDUCE FRICTION, COMFORT, DURABILITY AND	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	WillowWood Global LLC	ALL506 Alpha Classic Locking Liner	USA
1114	4224171324200	OPTIMAL SOCKET FITTING, ASSORTED SIZES LINER PROSTHETIC GEL, LOCKING PIN, 9MM THICKNESS, TAPERED SHAPE, STRETCHABLE, PROVIDES PRESSURE DISTRIBUTION, REDUCE FRICTION, COMFORT, DURABILITY AND	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY -	WillowWood Global LLC	ALL909 Alpha Classic Locking Liner	USA
1115	4224171323600	OPTIMAL SOCKET FITTING, ASSORTED SIZES LINER PROSTHETIC GEL, LOCKING PIN, 9MM THICKNESS, UNIFORM SHAPE, STRETCHABLE, PROVIDES PRESSURE DISTRIBUTION, REDUCE FRICTION, COMFORT, DURABILITY AND	ITEMIZED	each	400569	Orig- MEDICAL CARE ALLIANCE COMPANY -	WillowWood Global LLC	ALL709 Alpha Classic Locking Liner	USA
1113	4224171323000	OPTIMAL SOCKET FITTING, ASSORTED SIZES LOCK MAGNOFLEX OR EQUIVALENT THE STRAIGHTFORWARD PIN GUIDE ELIMINATES THE	TEMPLES	COCII	400303	Orig-	Willow Wood Global ELE	ALL509	03.1
1116	4224200015800	ARDUOUS TASK OF SEARCHING FOR THE OPENING IN THE SHUTTLE LOCK 1 - STEP FABRICATION, QUICK AND STRAGHTFORWARD INTEGRATION INTO THE PROSTHESIS THE OPTIONAL SLIDER PLATE MAKES IT EASIER TO OPTINIZE THE PROSTHESIS SETTINGS AREA OF APPLICATION: TRANSFEMORAL AND TRANSTIBLAL AMPUTATION SYSTEM HEIGHT: 25 MM MAXIMUM BODY WEIGHT: 125 KG	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	6A40	Germany
1117	4224200009300	LOCK SET FOR SILICONE ARM LINER LOCKING POSSIBILITY WHEN NEEDED STANCE PHASE STABILITY LOW VOLUNTARY CONTROL	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	14A1	Germany
1118	4224200134900	REQUIRED MID SWING SHORTENING - FOR BETTER TO CLEARANCE ADJUSTABLE EXTENSION TO OPTIMIZE EXTENSION SPEED MORE SAFETY WHEN NEEDED LESS EFFORT AND MORE CONFIDENCE DURING WALKING LESS RISK OF TRIPS AND FALLS INDIVIDUALLY ADAPTABLE TO INCREASE MOBILITY DURING REHABILITATION PHASE TRANSFEMORAL LOW TO MODERATE IMPACT LEVEL MANNIAM USES WEIGHT 135 KG F. LEVELE L. 1 AND K. 2.2 IN - 1 FUNCTION 4 - BAR GEOMETRY INTEGRATED EXTENSION SPRING	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	OSSUR	1721126	Taiwan
1119	4224200031300	LONG-NOSED PLIERS, AN ORTHOTICS WORKSHOP TOOL, OIL HARDENED, SIDE PIECE WITH PVC COATING, POLISHED HEAD, LENGTH 140-160 MM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	706F3=140	Germany
1120 1121	4224171400300 4224171307100	LOOP, IRON NICKEL PLATED, PLAIN JOINTED, 20 MM LOOP, IRON NICKEL PLATED, PLAIN JOINTED, 25 MM	No Quotation No Quotation	No Quotation No Quotation	No Quotation No Quotation	No Quotation No Quotation	No Quotation No Quotation	No Quotation No Quotation	No Quotation No Quotation
1122 1123	4224171319400 4224171313200	LOOP, IRON NICKEL PLATED, WELDED, INSIDE WIDTH 30 MM LOOP, IRON NICKEL PLATED, WELDED, INSIDE WIDTH 35 MM	ITEMIZED ITEMIZED	each each	400571 400571	AL Gaim Comm. EstOrig- AL Gaim Comm. EstOrig-	Ottobock Ottobock	514U2=30 514U2=38-7	Germany Germany
1124	4224170643100	LOW INTERFACE FRICTION MATERIAL, AVAILABLE IN BLACK, BLUE, AND BEIGE, PROTECTS SINI FROM FRICTION BLISTERS, CALLUSES, AND POOT ULCERS, USE IN PRESSURE MANAGEMENT APPLICATIONS, PRESERVING FUNCTION, ENDURANCE, AND COMPORT FRICTION RELIEF LOW PULL ON STUMP IMPROVED SHOCK - ASSORPTION FULL-LENGTH TOE LEVER VERTICAL.	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation
1125	4224200135100	LOW PULL ON'S JOIN IMPROVED SHOUL. ABSOLARY JOIN PLEARNER HOLE VERN VEHICLE FOR THE LEVER VEHICLE. FOR THE CHEEN CHEEN AND TRANSLATED INTO FORWARD MOTION MORE COMPORT PROTECTING SOUND SIDE - MORE NATURAL GAT BALANCE AND LESS EFFORT FOR PULH OF PEN MORE ANTURAL GAT AND REDUCED WALKING EFFORT TRANSTIBIAL AND TRANSFEMORAL LOW IMPACT LEVEL MAXIMUM USER WEIGHT 136 KG. K LEVEL: K 1 AND K 2 LIGHTWEIGHT PROPORTIONAL RESPONSE ACTIVE HEEL OFFINAL AND CALL OVER ACTIVE TRIBLAL PROGRESSION.	ITEMIZED	each	401191	Alawal medical equipment company - Orig-	Roadrunnerfoot Engineering s.r.l.	1.003.01 + 2.001.01 +33.005.01	Italy
1126	4618221105100	LSO (LUMBOSACRAL ORTHOSIS) SEMI-RIGIO MADE OF HIGHLY BREATHABLE MATERIALS. DESIGNED TO OSTRIN AN EFECTIVE RESTRAINT CONTAINMENT AND UNILOADING OF THE SPINE LUMBAGO LUMBOSACRAL PROCESSES (SPONDYLITIS SPONDYLARTHRITIS DISC PROTRUSIONS) OSTEOPOROSIS MUSICULAR HYPOTOMA MINIOR TRAUMATIC INJURIES VERTEBRAL FRACTURES AND POSTURAL AND POST - SURGICAL REHABILITATION WHICH INCORPORATES FOUR FORMABLE STEEL STAYS SUDING BUCKLES THAT MULTIPLY THE TRACTION FORCE	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	REH4MAT Slawomir Wronski	AR-SO-01 (Grey Color)	Poland
1127	4618221105000	LSO (LUMBOSACRAL ORTHOSIS) SEMI-RIGIO SEMI-RIGIO WITH PULLEY TRACTION MADE OF HIGHLY BREATHABLE MATERIALS LATEX FREE: HYPOALLERGENIC GARMENT COOLMAX DERMODRY INSIDE TECHNICAL TEXTILE FINISHING PROCESS THAT ACCELERATES THE ABSORPTION OF MOISTURE KEEPING THE SKIN DRY MINIMUM THICKNESS ADJUSTMENT MADE BY MICRO VELEGO LUMBAGO LUMBOSACRAL PROCESSES (SPONDYLITS SPONDYLARTHRITIS DISC PROTRUSIONS) OSTEOPOROSIS MUSCULAR HYPOTONIA MINOR TRAUMARTIC INJURIES VERTEBRAL FRACTURES AND POSTURAL AND POST - SURGICAL REHABILITATION ADJUSTMENT TRACTION AND CONTROL SYSTEM WITH INDEPENDENT PULLEYS IT GETS MAXIMUM POWER WITH MINIMUM EFFORT AS IT MULTIPLIES THE PULLING FORCE OF THE PATENTS SEZ: XXX-LARGE	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	becker	118	USA
1127	4618221105000	LSO (LUMBOSACRAL ORTHOSIS) SEMI-RIGID SEMI-RIGID WITH PULLEY TRACTION MADE OF HIGHLY BREATHABLE MATERIALS LATEK FREE. HYPOLLLEGENIC, CARAMENT COUNTAGE ABSORPTION OF MOISTURE KEEPING THE SINI DRY MINIMUM THICKNESS ADJUSTMENT MADE BY MICRO VELCRO LUMBAGO LUMBOSACRAL PROCESSES (SPONDYLITE) SPONDYLARTHRITIS DISC PROTRUSIONS) OSTEOPOROSIS MUSCULAR HYPOTONIA MINOR TRAUMARTIC INJURIES VERTEBRAL FRACTURES AND POSTURAL AND POST - SURGICAL REHABILITATION ADJUSTMENT TRACTION AND CONTROL SYSTEM WITH INDEPENDENT PULLEYS IT GETS MAXIMUM POWER WITH MINIMUM EFFORT AS IT MULTIPUES THE PULLING FORCE OF THE PATENTS SIZE: XXX-LARGE	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	REH4MAT Slawomir Wronski	AS-LK-02/CCA (XXXL)	Poland
1128	4618221101600	ISO (LUMBOSACRAL ORTHOSIS) SEMI-RIGIO WITH PULLEY TRACTION ADJUSTIMENT TRACTION AND CONTROL SYSTEM WITH INDEPENDENT PULLEYS IT GETS MAXIMUM POWER WITH INIMUM EFFORT AS IT MULTIPLES THE PULLING FORCE OF THE PATIENT MADE OF HIGHLY BREATHABLE MATERIALS LATEX REE: HYPOALLERGENIC GARMENT COOLMAX DERMODRY MISIDE: TECHNICAL TEXTILE FINISHING PROCESS THAT ACCELERATES THE ABSORPTION OF MOISTURE KEEPING THE SKIN DRY MINIMUM THICKNESS. ADJUSTMENT MADE BY MICRO VELCRO LUMBAGO LUMBOSACRAL PROCESSES (SPONDYLTIS SPONDYLATHRITIS DID. PROTRUSIONS) OSTEOPOROSIS MUSCULAR HYPOTONIA MINIOR TRAUMATIC INJURIES VERTEBRAL FRACTURES AND POSTURAL AND POST - SURGICAL REHABILITATION OR EQUIVALENT SIZE: SMALL	ITEMIZED	each	400509	Orient Medical Solution EstOrig-	ABLETECH ORTHOPEDICS CORPORATION (WELLCA	231104	China

TENDER NA	AME : Prosthetics Or	hosis Supplies							
1128	4618221101600	LSO (LUMBOSACRAL ORTHOSIS) SEMI-RIGID WITH PULLEY TRACTION ADJUSTMENT TRACTION AND CONTROL SYSTEM WITH INDEPENDENT PULLEYS IT GETS MAXIMUM POWER WITH MINIMUM EFFORT AS IT MULTIPIES THE PULLING FORCE OF THE PATIENT MADE OF HIGHLY BREATHABLE MATERIALS LATEX FREE: HYPOALLERGENIC GARMENT CODIMAX DERMODRY WINSIDE: TECHNICAL TEXTILE FINHING PROCESS THAT ACCELERATE THE ABSORPTION OF MOISTURE KEEPING THE SKIN DRY MINIMUM THICKNESS: ADJUSTMENT MADE BY MICRO VELECO LUMBAGO LUMBOSACRAL PROCESSES (SPONDYLITS SPONDYLATHRITIS DISC PROTINSIONS) OSTEOPOROSIS MUSCULAR HYPOTONIA MINOR TRAUMATIC INJURIES VERTEBRAL FRACTURES AND POSTURAL AND POST - SURGICAL REHABILITATION OR EQUIVALENT SIZE: SMALL	ITEMIZED	each	400216	Medical Lights Trading Company -Orig-	ABLETECH ORTHOPEDICS CR	23021 S	China
1129	4618221101700	LSO (LUMBGOACRAL ORTHOSIS) SEMI-RIGIO WITH PULLEY TRACTION ADJUSTMENT TRACTION AND CONTROL SYSTEM WITH IMBEPRIDENT PULLEY IS GETS MAXIMUM POWER WITH MINIMUM EFFORT AS IT MULTIPLIES THE PULLING FORCE OF THE PATIENT MADE OF HIGHLY BREATHABLE MATERIALS LATEX FREE: HYPOALLERGENIC GARMENT COOLMAX DERMODRY MISIDE: TECHNICAL TEXTILE FINISHING PROCESS THAT ACCELERATES THE ABSORPTION OF MOISTURE KEEPING THE SKIN DRY MINIMUM THICKNESS: ADJUSTMENT MADE BY MICRO VELCRO LUMBAGO LUMBOSACRAL PROCESSES (SPONDYLITIS SPONDYLARTHRITIS DISC PROTRUSIONS) OSTEOPOROSIS MUSCULAR HYPOTONIA MINOR TRAUMATIC INJURIES VERTEBRAL FRACTURES AND POSTURAL AND POST - SURGICAL REHABILITATION OR EQUIVALENT SIZE: MEDIUM	ITEMIZED	each	400509	Orient Medical Solution EstOrig-	ABLETECH ORTHOPEDICS CORPORATION (WELLCA	231104	China
1129	4618221101700	LSO (LUMBGOACRAL ORTHOSIS) SEMI-RIGIO WITH PULLEY TRACTION ADJUSTMENT TRACTION AND CONTROL SYSTEM WITH INDEPENDENT PULLEYS IT GETS MAXIMUM POWER WITH MINIMUM EFFORT AS IT MULTIPLES THE PULLING FORCE OF THE PATIENT MADE OF HIGHLY BREATHABLE MATERIALS LATEX FREE: HYPOALLERGENIC GARMENT COOLMAX DERMODRY MISDE: TECHNICAL TEXTILE FINNHING PROCESS THAT ACCELERATE THE ABSORPTION OF MOISTURE KEEPING THE SKIN DRY MINIMUM THICKNESS: ADJUSTMENT MADE BY MICRO VELCRO LUMBAGO LUMBOSACRAL PROCESSES (SPONDYLITIS SPONDYLARTHRITIS DISC PROTRUSIONS) OSTEOPOROSIS MUSCULAR HYPOTONIA MINOR TRAUMATIC INJURIES VERTEBRAL FRACTURES AND POSTURAL AND POST - SURGICIA REHABILITATION OR EQUIVALENT SIZE: MEDIUM	ITEMIZED	each	400216	Medical Lights Trading Company-Orig-	ABLETECH ORTHOPEDICS CR	23021 M	China
1130	4618221101800	LSO (LUMBOSACRAL ORTHOSIS) SEM-RIGIO WITH PULLEY TRACTION ADJUSTMENT TRACTION AND CONTROL SYSTEM WITH INDEPENDENT PULLEYS IT GETS MAXIMUM POWER WITH MINIMUM EFFORT AS IT MULTIPLES THE PULLING FORCE OF THE PATIENT MADE OF HIGHLY BREATHABLE MATERIALS LATEX FREE: HYPOALLERGENIC GARMENT COOLMAX DERMODRY MISDE: TECHNICAL TEXTILE FINHING PROCESS THAT ACCELERATES THE ABSORPTION OF MOISTURE KEEPING THE SKIN DRY MINIMUM THICKNESS: ADJUSTMENT MADE BY MICRO VELCRO LUMBAGO LUMBOSACRAL PROCESSES (SPONDYLITIS SPONDYLARTHRITIS DISC PROTRUSIONS) OSTEOPOROSIS MUSCULAR HYPOTONIA MINOR TRAUMATIC INJURIES VERTEBRAL FRACTURES AND POSTURAL AND POST - SURGICAL REHABILITATION OR EQUIVALENT SIZE: LARGE	ITEMIZED	each	400509	Orient Medical Solution EstOrig-	ABLETECH ORTHOPEDICS CORPORATION (WELLCA	231104	China
1130	4618221101800	LSO (LUMBOSACRAL ORTHOSIS) SEMI-RIGID WITH PULLEY TRACTION ADJUSTMENT TRACTION AND CONTROL SYSTEM WITH INDEPENDENT PULLEYS IT GETS MAXIMUM POWER WITH MINIMUM EFFORT AS IT MULTIPLES THE PULLING FORCE OF THE PATIENT MADE OF HIGHLY BREATHABLE MATERIALS LATEX FREE: HYPOALLERGENIC GARMENT COOLMAX DERMODRY MISIDE: TECHNICAL TEXTILE FINISHING PROCESS THAT ACCELERATE THE ABSORPTION OF MOISTURE KEEPING THE SINI DRY MINIMUM THICKNESS. ADJUSTMENT MADE BY MICRO VELCRO LUMBAGO LUMBOSACRAL PROCESSES (SPONOVILTIS SPONOVIATETHRITIS DISC PROTRUSIONS) OSTEOPOROSIS MUSCULAR HYPOTONIA MINOR TRAUMATIC INJURIES VERTEBRAL FRACTURES AND POSTURAL AND POST - SURGICIAL REHABILITATION OR EQUIVALENT SIZE: JARGE	ITEMIZED	each	400216	Medical Lights Trading Company -Orig-	ABLETECH ORTHOPEDICS CR	23021 L	China
1131	4618221101900	LSO (LUMBOSACRAL ORTHOSIS) SEMI-RIGIO WITH PULLEY TRACTION ADJUSTMENT TRACTION AND CONTROL SYSTEM WITH IMBEPRIDENT PULLEY IS GETS MAXIMUM POWER WITH MINIMUM EFFORT AS IT MULTIPLIES THE PULLING FORCE OF THE PATIENT MADE OF HIGHLY BREATHABLE MATERIALS LATEX FREE: HYPOALLERGENIC GARMENT COCIMAX DERMODRY MISIDE: TECHNICAL TEXTILE FINISHING PROCESS THAT ACCELERATES THE ABSORPTION OF MOISTURE KEEPING THE SKIN DRY MINIMUM THICKNESS: ADJUSTMENT MADE BY MICRO VELCRO LUMBAGO LUMBOSACRAL PROCESSES (POPONIPUTIS SPONDY ATTRIBUTED SIN DRY MINIMUM THICKNESS: ADJUSTMENT MADE BY MICRO VELCRO LUMBAGO LUMBOSACRAL PROCESSES (POPONIPUTIS SPONDY ATTRIBUTED SIN DRY MINIMUM THICKNESS: ADJUSTMENT AND POST - SURGICAL REHABILITATION OR EXTERBIBLE FRACTURES AND POSTURAL AND POST - SURGICAL REHABILITATION OR EQUILARENT SIZE: EXTRA LARGE	ITEMIZED	each	400216	Medical Lights Trading Company -Orig-	ABLETECH ORTHOPEDICS CR	23021 XL	China
1132	4618221102000	LSO (LUMBOSACRAL ORTHOSIS) SEMI-RIGIO WITH PULLEY TRACTION ADJUSTMENT TRACTION AND CONTROL SYSTEM WITH IMBEPRIDENT PULLEYS IT GETS MAXIMUM POWER WITH MINIMUM EFFORT AS IT MULTIPLIES THE PULLING FORCE OF THE PATIENT MADE OF HIGHLY BREATHABLE MATERIALS LATEX FREE: HYPOALLERGENIC GARMENT COOLMAX DERMODRY MISIDE: TECHNICAL TEXTILE FINISHING PROCESS THAT ACCELERATES THE ABSORPTION OF MOISTURE KEEPING THE SKIN DRY MINIMUM THICKNESS: ADJUSTMENT MADE BY MICRO VELCRO LUMBAGO LUMBOSACRAL PROCESSES (POPONYITIS SPONDY ATRIATICS) DISCUSPED PROTRUSIONS) OSTEOPOROSIS MUSCULAR HYPOTONIA MINOR TRAUMATIC INJURIES VERTEBRAL FRACTURES AND POSTURAL AND POST - SURGICIAL REHABILITATION OR EQUIVALENT SIZE: XV-LARGE	ITEMIZED	each	400509	Orient Medical Solution EstOrig-	ABLETECH ORTHOPEDICS CORPORATION (WELLCA	231104	China
1132	4618221102000	LSO (LUMBOSACRAL ORTHOSIS) SEMI-RIGIO WITH PULLEY TRACTION ADJUSTMENT TRACTION AND CONTROL SYSTEM WITH INDEPENDENT PULLEYS IT GETS MAXIMUM POWER WITH MINIMUM EFFORT AS IT MULTIPLES THE PULLING FORCE OF THE PATIENT MADE OF HIGHLY BREATHABLE MATERIALS LATEX FREE: HYPOALLERGENIC GARMENT COOLMAX DERMODRY MISDE: TECHNICAL TEXTILE FINHING PROCESS THAT ACCELERATES THE ABSORPTION OF MOISTURE KEPING THE SKIN DRY MINIMUM THICKNESS: ADJUSTMENT MADE BY MICRO VELCRO LUMBAGO LUMBOSACRAL PROCESSES (SPONDYLITIS SPONDYLARTHRITIS DISC PROTRUSIONS) OSTEOPOROSIS MUSCULAR HYPOTONIA MINOR TRAUMATIC INJURIES VERTEBRAL FRACTURES AND POSTURAL AND POST - SURGICAL REHABILITATION OR	ITEMIZED	each	400216	Medical Lights Trading Company -Orig-	ABLETECH ORTHOPEDICS CR	23021 XXL	China
1133	4618221105900	LSO BIVALVE CORSET WITH BOA CLOSURE OVERLAPPING ON THE FRONT FACE THE FLEXIBILITY OF THE MATERIAL MAKES IT EASY THE ADAPTATION TO MOST OF THE PATIENTS THE STRENGTH OF THE MATERIAL MAINTAINS THE STABILIZATION AND IMMOBILIZATION THAT IS NECESSARY FOR THE PATHOLOGIES FOR WHICH HAS BEEN DESIGNED STABILIZATION AND IMMOBILIZATION CORRECTION OF THE HYPERCURBODS; INTRA - ABDOMINAL COMPRESSION DISCHARGE OF THE LS SPINE CONTROL OF MOBILITY IN THE SAGITTAL FRONTAL AND LATERAL PLANES LUMBAR SPINE ALIMENTS CANAL STENOSIS SPONDYLOLYSIS. SPONDYLOATHRITIS OSTROOGISS MICRO ADUSTMENT NON - TAPERED SIZE FROM EXTRA - SMALL TO XXX-LARGE	CANCELLED	CANCELLED	CANCELLED	CANCELLED NOT MATCHING THE DESCRIPTION	CANCELLED	CANCELLED	CANCELLED
1134	4618221105200	ISO PENDOLOUS SEMI-RIGIO MADE OF HIGHLY BREATHABLE MATERIALS CLOSURE SYSTEM TO KEP THE ANATOMICAL POSITION IN CASE OF PROMINENT ABOMENS DESIGNED TO OBTAIN AN EFFECTIVE RESTRAINT CONTAINMENT AND UNLOADING OF THE SPINE LUMBAGO LLUMBOSACRA PROCESSES (SPONDWILTS SPONDVATHENS TOLS PROTEOTISMS) OSTEDPOROSIS MUSCULAR HYPOTOMIA MINOR TRAUMATIC INJURIES YETERBAL FRACTURES AND POSTURAL AND POST - SURGICAL REMAINITATION WHICH INCOPPORATES FOUR FORMABLE STEEL STAYS. SLIDING BUCKLES THAT MULTIPLY THE TRACTION PORCE	ITEMIZED	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	EMO	LS605	Spain
1135	4224180203600	LSO, BI-VALVE, WITH ADJUSTABLE HIP EXTENSION (HIP SPICA), FOAM PADDED, POLYETHYLENE, THICKNESS 4MM, RESTRICTS ROTATION, PREVENTION, SIZE LARGE, LEFT	CANCELLED	CANCELLED	CANCELLED	CANCELLED NOT MATCHING THE DESCRIPTION	CANCELLED	CANCELLED	CANCELLED
1136	4224180204100	LSO, BI-VALVE, WITH ADJUSTABLE HIP EXTENSION (HIP SPICA), FOAM PADDED, POLYETHYLENE, THICKNESS 4MM, RESTRICTS ROTATION, PREVENTION, SIZE LARGE, RIGHT	CANCELLED	CANCELLED	CANCELLED	CANCELLED NOT MATCHING THE DESCRIPTION	CANCELLED	CANCELLED	CANCELLED
1137	4224180203500	LSO, BI-VALVE, WITH ADJUSTABLE HIP EXTENSION (HIP SPICA), FOAM PADDED, POLYETHYLENE, THICKNESS 4MM, RESTRICTS ROTATION, PREVENTION, SIZE MEDIUM, LEFT	CANCELLED	CANCELLED	CANCELLED	CANCELLED NOT MATCHING THE DESCRIPTION	CANCELLED	CANCELLED	CANCELLED
1138	4224180204000	LSO, BI-VALVE, WITH ADJUSTABLE HIP EXTENSION (HIP SPICA), FOAM PADDED, POLYETHYLENE, THICKNESS 4MM, RESTRICTS ROTATION, PREVENTION, SIZE MEDIUM, RIGHT	CANCELLED	CANCELLED	CANCELLED	CANCELLED NOT MATCHING THE DESCRIPTION	CANCELLED	CANCELLED	CANCELLED
1139	4224180203400	LSO, BI-VALVE, WITH ADJUSTABLE HIP EXTENSION (HIP SPICA), FOAM PADDED, POLYETHYLENE, THICKNESS 4MM, RESTRICTS ROTATION, PREVENTION, SIZE SMALL, LEFT LSO, BI-VALVE, WITH ADJUSTABLE HIP EXTENSION (HIP SPICA), FOAM PADDED,	CANCELLED	CANCELLED	CANCELLED	CANCELLED NOT MATCHING THE DESCRIPTION CANCELLED	CANCELLED	CANCELLED	CANCELLED
1140	4224180203900 4224180203700	POLYETHYLENE, THICKNESS 4MM, RESTRICTS ROTATION, PREVENTION, SIZE SMALL, RIGHT LSO, BI-VALVE, WITH ADJUSTABLE HIP EXTENSION (HIP SPICA), FOAM PADDED,	CANCELLED	CANCELLED	CANCELLED	NOT MATCHING THE DESCRIPTION CANCELLED	CANCELLED	CANCELLED	CANCELLED
1142	4224180204200	POLYETHYLENE, THICKNESS 4MM, RESTRICTS ROTATION, PREVENTION, SIZE X-LARGE, LEFT LSO, BI-VALVE, WITH ADJUSTABLE HIP EXTENSION (HIP SPICA), FOAM PADDED, OUTETIVE THE THE THE FORE FOR ADMAINS ADDITIONAL PROPERTION. FOR YEAR AND RESTRICTS EDITATION. BENEFICIAL FOR YEAR AND RESTRICTS.	CANCELLED	CANCELLED	CANCELLED	NOT MATCHING THE DESCRIPTION CANCELLED	CANCELLED	CANCELLED	CANCELLED
1143	4224180203800	POLVETHYLENE, THICKNESS 4MM, RESTRICTS ROTATION, PREVENTION, SIZE X-LARGE, RIGHT LSO, BI-VALVE, WITH ADJUSTABLE HIP EXTENSION (HIP SPICA), FOAM PADDED, POLYETHYLENE, THICKNESS 4MM, RESTRICTS ROTATION, PREVENTION, SIZE XX-LARGE, LEFT	CANCELLED	CANCELLED	CANCELLED	NOT MATCHING THE DESCRIPTION CANCELLED NOT MATCHING THE DESCRIPTION	CANCELLED	CANCELLED	CANCELLED
1144	4224180204300	LSO, BI-VALVE, WITH ADJUSTABLE HIP EXTENSION (HIP SPICA), FOAM PADDED, POLYETHYLENE, THICKNESS AMM, RESTRICTS ROTATION, PREVENTION, SIZE XX-LARGE, RIGHT	CANCELLED	CANCELLED	CANCELLED	CANCELLED NOT MATCHING THE DESCRIPTION	CANCELLED	CANCELLED	CANCELLED
1145	4224200011400	POLITE INTERNET HILLIAMS SAMM, RESIRCIS RUTATION, PREVENTION, SIZE ACLARGE, RIGHT LUBRICANT, TO AID IN DONNING THE PROSTHETIC GLOVE OVER THE INNER HAND, NET CONTENTS 250 GRAMS, APPROXIMATELY	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	63352	Germany

NDER NA	AME : Prosthetics Ort	hosis Supplies							Preliminary Res
1146	4224200135300	MAIN PIVOT WORKS AS ANKLE JOINT LOW STIFFNESS IN MID - STANCE HIGH STIFFNESS IN LATE STANCE BETTER PLUITARP PRESSURE SOLE BLADE OFFERS FULL-LENGTH AND BIG TOE SOLE BLADE: SPUIT FROM MID - FOOT TO FOREOTO TAND WIDER BLADE MULTI - AXIAL ADAPTATION ALLOWING THE FOOT TO ADBUST TO THE SURFACE LIGHTWISIGHT WITH GRIPPING SOLE FOR BETTER GIPP BAREFOOT SANDLA CLAMPING FOR FUP - FLOPS NATURAL ARCH AND FOOTERINT AND PAINTABLE HAILS SMOOTH AND MORE SYMMETRICAL GAIT MORE NATURAL MOVEMENT AND LESS IMPACT ON SOUND SIDE INTERESES POUSH - OFF AND CONTROL MORE STABILITY UNTIL TERMINAL STANCE HELPS TO MAINTAIN BALANCE STABILITY AND REDUCES PEAK IMPACT DURING LOADING ALLOWING AMPUTEES TO WALK NATURALLY ON EVEN GROUND MORE NATURAL LOOK AND MORE NATURALUSE TRANSTIBIAL TRANSFEMORAL KNEE AND HIP DISARTICULATION AMPUTEES LOW TO MODERATE IMPACT LEVEL MAXIMUM USER WEIGHT 125 KKK - LEVELS: 2 AND K 3 THREE ROTATIONAL JOINTS 3 - BLADE CARBON DESIGN SPLIT TOE ANATOMICALLY SHAPED FOOT COVER.	CANCELLED	CANCELLED	CANCELLED	CANCELLED NOT MATCHING THE DESCRIPTION	CANCELLED	CANCELLED	CANCELLED
1147	4224200021700	MALE INSERT PYRAMID FOR PRONG, STAINLESS STEEL, INSERT HEIGHT 31 MM, BUILD HEIGHT 7.5 MM, WEIGHT 94 GRAMS, WEIGHT CAPACITY IS UP TO 100 KG	ITEMIZED	each	400468	ALMAFSAL MEDICAL CO -Orig-	S T AND G	12255	South Korea
1147	4224200021700	MALE INSERT PYRAMID FOR PRONG, STAINLESS STEEL, INSERT HEIGHT 31 MM, BUILD HEIGHT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	4R87	China
1148	4224200035800	7.5 MM, WEIGHT 94 GRAMS, WEIGHT CAPACITY IS UP TO 100 KG MANAGEABLE, AN ORTHOTICS WORKSHOP TOOL, ADJUSTABLE GONDMETER. POSITIONING OF THE ROTATING LEVEL USING A HAND WHEEL. SOLE MADE OF ALUMINUM WITH INTEGRATED MAGNETS. ROTATION DISK SCALE IN DEGREES AND MM/M, DIMENSIONS (LX WX H) 250X 20X 21X SM M, WEIGHT 0.370 KG	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	743W8	Japan
1149	4224171323300	MANUAL ELEVATED PUMP VACUUM SYSTEM, FOR BELOW KNEE PROSTHESIS, REMOVABLE, MADE FROM MEDICAL GRADE SILICON. AIRFLOW MANAGED BY TWO VALVES	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation
1150	4224200600900	MECHANICAL HAND, VOLUNTARY OPENING WITH PERLON CABLE THROUGH THE PALM OF THE HAND (INNER PULL) WITH THREADED STUD, 12 X 1.5 MM AND INNER HAND SIZE: 71/4, RIGHT SIDE	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	Steeper	MHA725RFEU	United Kingdom
1151	4224200262600	METACARPAL FUNCTIONAL PROSTHESIS, CUSTOM MADE FUNCTIONAL DEVICE FOR PROXIMAL FINGER AMPUTATION. RESTORES THE FUNCTION OF MIDDLE FINGER AND DISTAL FINGER. CUSTOM DESIGNED AND MADE FOR REACH INDIVIDUAL. RESTORES PINCH AND CYLINDRICAL GRIP. UP TO 9-POUND LIFT POWER. FOR EACH FINGER. STAINLESS STEEL CONSTRUCTION WITH SILICON TIP, TET POWER. FOR EACH FINGER. STAINLESS STEEL INCLUDED.	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation
1152	4224150202000	MICRO HOOK STRIP, SELF - ADHESIVE, USED WITH TERRY CLOTH PADDING FABRIC, WIDTH 50 MM, LENGTH 10 METER, WHITE COLOR	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	623Z4=50-6	Germany
1153	4224200133900	MICROPROCESSOR CONTROLLED HYDRAULIC ANKLE VARIABLE RESPONSE CADENCE INCREASE STABILITY DOWN SLOPE SIDE AND SIZE S TO PATIENT'S SPECIFICATIONS	ITEMIZED	each	400623	Badael LLC -Orig-	Blatchford	ELxxxxxS	United Kingdom
1154	4224200116300	"MICROPROCESSOR PROSTHETIC LEG SYSTEM (COMPLETE), INCLUDING MICROPROCESSOR KNEE PROSTHETIC FOOT ADAPTER, CHARGER AND WIRELESS CONNECTION WITH COMPLETE FITTING ACCESSORIES, INCLUDING FITTING AND TRAINING WITH FULL PROGRAM SYSTEM"	ITEMIZED	Kit	400571	AL Gaim Comm. EstOrig-	Ottobock	3C98-3+2R57+SP- 3C98-3=3+ 646D1022=EN+ 1C40=*side*size+ 2C4=*side*size+ 4R57+4R72=* 60X5+4X440=V1 .2+4H105+4X350 +4X860=M+ 4P863=3+4X158+ 5R2C-4X46+ 4R44=T	Austria
1155	4224200112400	MICROPROCESSOR PROSTHETIC LEG SYSTEM (COMPLETE), INCLUDING MICROPROCESSOR NEW STREET, COMPLETE, INCLUDING MICROPROCESSOR NEW PROPRIET AND THE MICROPROCESSOR STREET OF THE MICROPROCESSOR ALLOWING ADAPTATION TO THE INDIVIDUAL NIETDS OF THE USER AND THE NIETD AND THE NIETD OF THE USER AND THE NIETD OF THE USER AND THE NIETD OF THE USER AND THE NIETD AND THE NIETD OF THE USER AND THE NIETD AND T	ITEMIZED	Kit	400571	AL Gaim Comm. EstOrig-	Ottobock	3C60, 2R17, SP- 3C60=3, 1D35=*side*size, 4R57, 4R41, 4R72=*, 60X5, 4X445=V1.4, 4X840, 4X46, 4R44=-T, 646D1024=EN, 647E305=INT + Service	Austria
1156	4224200112500	MICROPROCESSOR PROSTHETIC LEG SYSTEM (COMPLETE), INCLUDING MICROPROCESSOR KNEE PROSTHETIC FOOT, TUBE ADAPTER, ITTANIUM, CHARGER AND WIRELESS CONNECTION WITH COMPLETE ACCESSORIES KINCLUDING PROGRAM AND TRAINING, THE CONTROL FOR (MICROPROCESSOR-HYDRAULIC UNIT) OF THE STANCE AND SWING PHASE AND USES THE MEASUREMENTS OF AN INTEGRATED SENSOR SYSTEM AS A BASIS TO CONTROL A HYDRAULIC UNIT, THE SENSOR DATA ARE UPDATED AND EVALUATED 100 TIMES PER SECOND, AND THE BEHAVIOUR OF THIS TEM IS ADAPTED TO THE CURRENT MOTION STUATION (GAIT PHASE) WITH AND AND THE ACTION AND THE STANDING AND WALKING AND AVOIDING FALLS, WALKING SAFE BACKWARDS, WEATHERPROOF, MODIFICATION VIA THE APPLICATION AND KNOWN THE DETAILS OF THE KNEE AS WILL AS THE LEVEL OF BATTERY CHARGING, ONCE THE BATTERY IS DRAINED THE AUTOMATICALLY SWITCHES TO SAFETY MODE, EMPTY BATTERY MODE PERMITS SAFE WALKING AND THE KNEE JOINT SHOULD ALSO INCLIDE THE COMPLEX SENSOR SYSTEM THAT CAPTURES DATA IN REAL TIME AND RECOGNIZES WHICH P	ITEMIZED	SET	400571	AL Gailm Comm. Est Orig-	Ottobock	3C98-3, 2R57, SP- 3C98-3=3, 6460102=EN, ,1C40=*sid e*size, 2C4=*side* size, 4R57, 4R72=*, 60X5, 4X440=V1.2., 4H105, 4X860=M, 4P863=3, 4X158, 5R2=C, 4X46, 4R44=T	Austria
1157	4224200112200	MICROPROCESSOR PROSTHETIC LEG SYSTEM (COMPLETE), INCLUDING MICROPROCESSOR KNEE, PROSTHETIC FOOT, ADAPTER, CHARGER AND WIRELESS CONNECTION, WITH COMPLETE ACCESSORIES INCLUDING PROGRAM, TRAINING, THE HYDRAULIC UNIT IS CONTROLLED BY THE MICROPROCESSOR ALLOWING ADAPTATION TO THE INDIVIDUAL NEEDS OF THE USER, AND THE KNEE JOINT SHOULD AS INCLUDE ADAPTATION TO THE HIDRIVIDUAL ABILITIES OF THE USER AT SHOULD AND THE KNEE JOINT SHOULD AS INCLUDE ADAPTATION TO THE HIDRIVIDUAL ABILITIES OF THE USER THROUGH ADJUSTABLE ACTIVITY MODES, EASY SWING PHASE RELEASE AND POSSIBLE WITH SMALL STEPS AND WHEN USING WALKING AIDS, HICH DEGREE OF SAFETY THROUGH TARGET-GROUP-SPECIE'C SWING PHASE RELEASE AND STUMBLE RECOVERY PLUS, SUPPORTED AND CONTROLLED SITTING AND STANDING UNDER LOAD POSSIBLE FOR GREATER SAFETY AND TO RELEVE THE CONTRA LATERAL SIDE, SAFE STANDING THANKS TO LOCKED STANCE PHASE (ACTIVITY MODES A AND B) OR INTUITIVE STANCE PHASE (ACTIVITY MODES A AND B) OR INTUITIVE STANCE PLINCTION IN ACTIVITY MODE C, SWARET CONTROL THROUGH INTEGRATED BLIETOOTH TECHNOLOGY, WEIGHT OF THE KNEE JOINT: LIGHTWEIGHT NOT MORE THAN: 925 GRAMS, USER WEIGHT 2D KG,	ITEMIZED	SET	400571	AL Gaim Comm. EstOrig-	Ottobock	3C60 + 2R17 + SP- 3C60=3 + 1D35=*side*size + 4R57 + 4R41 + 4R72=* + 60X5 + 4X445=V1.4 + 4X540 + 4X46 + 4R44=T + 64D1024EN + 647E30S=INT	Austria
1158	4224200018700	MILLING BLOCK FOR INSOLES (BLUE COLOR), SIZE 2 DIMENSIONS (350X3000X35MM), FEATURES A MEDIUM HARDNESS AND SOFT HARDNESS ETHYLENE-VINYL ACETATE, (EVA)	ITEMIZED	each	400035	ZIMMO TRADING Company LTD -Orig-	VOXELCARE S. L.	VC50315002	Spain
1159	4224200018600	LAYERS, COMBINED WITH A BOTTOM STIFFENING LAYER MILLING BLOCK FOR INSOLES (BROWN COLOR), SIZE 2 DIMENSIONS (350X3000X35MM), FEATURES TWO SOFT ETHYLENE-VINYL ACETATE, (EVA) LAYERS, COMBINED WITH A BOTTOM STIFFENING LAYER	ITEMIZED	each	400035	ZIMMO TRADING Company LTD -Orig-	VOXELCARE S. L.	VC50315001	Spain
1160	4224200018900	MILLING BLOCK FOR INSOLES (GREEN COLOR), SIZE 2 DIMENSIONS (350X3000X35MM), FEATURES A MEDIUM DENSITY ETHYLENE-VINYL ACETATE, (EV.), LAYERS, COMBINED WITH A BOTTOM STIFFENING LAYER	ITEMIZED	each	400035	ZIMMO TRADING Company LTD -Orig-	VOXELCARE S. L.	VC50315004	Spain
1161	4224200018800	MILLING BLOCK FOR INSOLES (RED COLOR), SIZE 2 DIMENSIONS (350X3000X35MM), FEATURES A FIRM HARDNESS AND MEDIUM-SOFT HARDNESS ETHYLENE-VINYL ACETATE, (EVA) LAYERS, COMBINED WITH A BOTTOM STIFFENING LAYER	ITEMIZED	each	400035	ZIMMO TRADING Company LTD -Orig-	VOXELCARE S. L.	VC50315003	Spain
1162	4224150202100	MINI NON - SLIP, NORA LUNASOFT OR EQUIVALENT, 840 X 530 MM, SHORE VALUE A 50, BLACK 10 MM	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	nora systems GmbH	200169	Germany
1163	4224150202200	MINI NON - SLIP, NORA LUNASOFT OR EQUIVALENT, 840 X 530 MM, SHORE VALUE A 50, BLACK 4 MM	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	nora systems GmbH	200166	Germany
1164	4224150202300	MINI NON - SLIP, NORA LUNASOFT OR EQUIVALENT, 840 X 530 MM, SHORE VALUE A 50, BLACK 6 MM	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	nora systems GmbH	200167	Germany
1165	4224150202400	MINI NON - SLIP, NORA LUNASOFT OR EQUIVALENT, 840 X 530 MM, SHORE VALUE A 50, BLACK 8 MM	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	nora systems GmbH	200168	Germany
1166 1166	4215251602400 4215251602400	MIXING BOWL, PLASTER, 0.5 LITERS MIXING BOWL, PLASTER, 0.5 LITERS	ITEMIZED ITEMIZED	each each	400451 400571	Farabi Trading Establishment -Orig- AL Gaim Comm. EstOrig-	STREIFENEDER Ottobock	164P7 754B1	Germany Hungary
1167	4224200016400 4224200216500	MIXING TIPS FOR QUICK ADHESIVE MODULAR ARM COMPONENTS, FOR LONG ABOVE ELBOW WITH PASSIVE ELBOW LOCK UPPER ARM AND FOREARM ROTATION, SEPARATE FRICTION, WITH PRE-SHAPED FOAM BLOCK, BEIGE, FOREARM CIRCUMFERENCE 300 MM APPROXIMATELY WITH PROXIMALLY ATTACHED CONNECTION FLANGE AND I METER APPROXIMATELY COSMETIC STOCKINETTE BEIGE, LEFT	ITEMIZED	SET SET	400571	AL Gaim Comm. EstOrig-	Ottobock Ottobock	699Y3 12R6=L + 15K10 + 13R9=65	Czech Republic
1169	4224200216700	MODULAR ARM COMPONENTS, FOR LONG ABOVE ELBOW WITH PASSIVE ELBOW LOCK UPPER ARM AND FOREARM ROTATION, SEPARATE FRICTION, WITH PRE-SHAPED FOAM BLOCK, BEIGE, FOREARM CIRCUMFERENCE 300 MM APPROXIMATELY WITH PROXIMALLY ATTACHED CONNECTION FLANGE AND 1 METER APPROXIMATELY COSMETIC STOCKINETTE BEIGE, RIGHT	ITEMIZED	SET	400571	AL Gaim Comm. EstOrig-	Ottobock	12R6=R + 15K10 + 13R9=65	Germany
1170	4224200216900	MODULAR ARM COMPONENTS, FOR SHOULDER DISARTICULATION WITH PASSIVE ELBOW LOCK AND ADAPTER FOR CONNECTION TO A SHOULDER JOINT WITH SHOULDER JOINT, TWO AXES WITH SEPRARTE REICTION, WITH TWO UPPER ARM PARTS, LENGTH 220 MM, APPROXIMATELY AND LAMINATION RING DIAMETER 43 MM, WITH PRE-SHAPED FOAM BLOCK TWO PIECES, BEIGE, FOREARM CIRCLMFERENCE 300 MM AND TWO METERS BEIGE COSMETIC STOCKNETTE, LEFT	ITEMIZED	SET	400571	AL Gaim Comm. EstOrig-	Ottobock	12R7=L + 12S4 + 15K10 + 13R9=55	Germany

	ME : Prosthetics Or								Preliminary Resu
1171	4224200217000	MODULAR ARM COMPONENTS, FOR SHOULDER DISARTICULATION WITH PASSIVE ELBOW LOCK AND ADAPTER, FOR CONNECTION TO A SHOULDER JOINT TWO AXES, WITH SHOULDER JOINT TWO AXES, WITH SEPARATE FAICTION, WITH TWO UPPER ARM PARTS, LENGTH 220 MM APPROXIMATELY AND LAMINATION RING DIAMETER 43 MM, WITH PRE-SHAPED FOAM BLOCK TWO PIECES, BEIGE, FOREARM GIRCUMFERENCE 300 MM AND TWO METERS BEIGE COMMETICS STOCKHETCH.	ITEMIZED	SET	400571	AL Gaim Comm. EstOrig-	Ottobock	12R7=R + 12S4 + 15K10 + 13R9=55	Germany
1172	4224200132200	MODULAR HIP JOINT OF TITANIUM, WITH INTERNAL EXTENSION ASSIST ADJUSTABLE	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	7E7	Germany
1173	4224200129000	ABDUCTION FEXION AND EXTENSION MODULAR HYDRAULIC KNEE JOINT FOR CHILDRENA LILUMINUM WITH 4 - AXIS - POLYCENTRIC WITH HYDRAULIC SWING PHASE CONTROL OFFERS ENHANCED SAFETY AND MAKES IT EASY TO INITIATE THE SWING PHASE HIGH FLEXION ANGLE OF 150 DEGREE ALLOWS THE CHILD MAXIMUM FREEDOM OF MOVEMENT HYDRAULIC SWING PHASE CONTROL SUPPORTS THE CHILD AT DIFFERENT WALKING SPEEDS FOR BODY WEIGHT UP TO 45 KG MAXIMUM WEIGHT OF THE KNEE JOINT 515 GRAMA APPROXIMATELY	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	3R67	Germany
1174	4224200128800	MODULAR KNEE JOINT POLYCENTRIC, ALUMINUM WITH INTEGRATED ROTATION, THE LOWER JOINT SECTION PERMITS ROTATION OF THE PROSTHETIC FOOT, THE FLEXION ANGLE OF APPROXIMATELY 155 DEGREES AND KREE FLEXION APPROXIMATELY 175 DEGREES, ENABLES CHILDREN A GOOD KNEELING OR SQUATTING POSITION WITH FOOT ROTATED OUTWARD FOR BOOT WEIGHT UP TO 35 KG.	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	3R66	Germany
1175	4224200116100	MODULAR KNEE JOINT, LIGHTWEIGHT, MONOCENTRIC WITH HYDRAULIC SWING PHASE CONTROL AND WITH POWERFUL LINEAR HYDRAULICS FOR SWING PHASE CONTROL AND WITH POWERFUL LINEAR HYDRAULICS FOR SWING PHASE CONTROL ARE ADAPTED TO THE LOWER PENDULUM MASS, THE KNEE JOINT HOUSING HAS A DORSAL RECESS TO ALLOW FOR A LARGER FLEXION ANGLE, FOR LOADING UP TO 75 KG, INCLUDING ROTATABLE SOCKET ADAPTER WITH PYRAMID RECEIVER STAINLESS STEEL, TUBE ADAPTER, AND TUBE CLAMP ADAPTER ALUMINUM AND COSMETIC FOAM COVER, MAXIMUM WEIGHT OF THE KNEE JOINT: 30G FRAMS, APPROXIMATELY	ITEMIZED	SET	400571	AL Gaim Comm. EstOrig-	Ottobock	3R95+ 4R41 + 2R105 + 3R24=*side*size	Germany
1176	4224200116200	MODULAR KNEE JOINT, LIGHTWEIGHT, MONOCENTRIC, WITH HYDRAULIC SWING PHASE CONTROL AND WITH POWERFUL LINEAR HYDRAULICS FOR SWING PHASE CONTROL AND WITH POWERFUL LINEAR HYDRAULICS FOR SWING PHASE CONTROL ARE ADAPTED TO THE LOWER PENDULUM MASS, THE KNEE JOINT HOUSING HAS A DORSLA RECEST OF ALLOW FOR A LARGER FLEXION ANGLE, FOR LOADING UP TO 150 KG, INCLUDING: ROTATABLE SOCKET ADAPTER WITH PYRAMID RECEIVER STAINLESS STEEL, TUBE ADAPTER AND TUBE CLAMP ADAPTER STAINLESS STEEL, AND COSMETIC FOAM COVER, MAXIMUM WEIGHT OF THE KNEE JOINT: 370 GRAMS APPROXIMATELY	ITEMIZED	SET	400571	AL Gaim Comm. EstOrig-	Ottobock	3R95 + 4R37 + 2R103 + 3R24=*side*size	Germany
1177	4224200116000	MODULAR MONOCENTRIC KWEE JOINT, TITANIUM, WITH FRICTION BRAKE, WITH EXTENSION ASSIST AND PROTECTIVE SLEEVE, LOAD-DEPENDENT BRAKE, TO CONTROL THE SWING PHASE, THE AXIS FRICTION AND THE SPRING FORCE OF THE EXTENSION ASSIST ARE ADJUSTABLE, INCLUDING: ROTATABLE SOCKET ADAPTER WITH PYRAMID RECEIVER, TUBE ADAPTER, PROTECTIVE SLEEVE AND COSMETIC FOAM, MAXIMUM WEIGHT OF THE KNEE JOINT: 370 GRAMS APPROXIMATELY	ITEMIZED	SET	400571	AL Gaim Comm. EstOrig-	Ottobock	3R49 + 4R37 + 2R123 + 3R6=*side*size	Germany
1178	4224200113700	MODULAR MONOCENTRIC KNEE JOINT, WITH ROTARY HYDRAULICS, APPROVED FOR PROSTHESIS WARRERS WITH A BODY WEIGHT OF UP TO 150 KG, BOTH THE STANCE AND THE SWING PHASE ARE CONTROLLED BY THE HYDRAULICS AND WALKING DOWN INCLINES ARE EFFECTIVELY SUPPORTED BY CLOSELY APPROXIMATELY IMITATING A PHYSIOLOGICAL GAIT PATTERN EVEN AT VARIOUS WALKING SPEEDS WATER PROOF CONSTRUCTION, CAN BE USED IN THE SHOWER OR IN THE POOL, INTEGRATED MANUAL LOCK OFFERS IMPROVED SAFETY IN WET AREAS AND MORE COMPORTABLE UMEN STANDINGS FOR EXTENDED PERIODS, INCLUDING TUBE ADAPTER DIAMETER 34 MM, MAXIMUM WEIGHT OF THE KNEE JOINT 1250 GRAMS, APPROXIMATELY	ITEMIZED	SET	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	Proteor SAS	P131-KD	France
1178	4224200113700	MODULAR MONDCENTRIC KNEE JOINT, WITH ROTARY HYDRAULUCS, APPROVED FOR PROSTHESIS WEARRES WITH A BODY WEIGHT OF UP TO 150 KG, BOTH THE STANCE AND THE SWING PHASE ARE CONTROLLED BY THE HYDRAULUCS AND WALKING DOWN INCLINES ARE EFFECTIVELY SUPPORTED BY CLOSELY APPROXIMATELY IMITATING A PHYSIOLOGICAL GAIT PATTERN EVEN AT VARIOUS WALKING SPEEDS WATER PROOF CONSTRUCTION, CAN BE USED IN THE SHOWER OR IN THE POOL, INTEGRATED MANUAL LOCK OFFERS IMPROVED SAFETY IN WET AREAS AND MORE COMPORTABLE UNHEN STANDING FOR EXTENDED PEGIODS, INCLUDING TUBE ADAPTER DIAMETER 34 MM, MAXIMUM WEIGHT OF THE KNEE JOINT 1250 GRAMS, APPROXIMATELY	ITEMIZED	SET	400571	AL Gaim Comm. EstOrig-	Ottobock	3R80	Germany
1179	4224200113600	MODULAR POLYCENTRIC KNEE JOINT WITH HYDRAULIC SWING PHASE CONTROL HAS FIVE AXES ARRANGED IN A CIRCULAR FORM WHICH ALLOWS FOR TWO DIFFERENT MODES OF OPERATION: SWING PHASE MODE PLUS STRANCE PHASE FLEXION MODE ERGONOMICALLY BALANCED STRIDE (E.B.S.) FUNCTION FOR CONTROLLED KNEE FLEXION AT HEEL STRIKE COMFORT AND SAFETY ARE ENSURED BY THE UNIQUE CHARACTERISTIC OF THE ESS ELASTIC FLEXION UNIT WHICH SIMULATES THE BIOMECHANICS OF THE NATURAL GAIT SWING PHASE OFTHOM AND THAT ARE VERY EASY TO ADJUST WITH EASY INITIATION OF THE SWING PHASE OFTHOM THAT ARE VERY EASY TO ADJUST WITH EASY INITIATION OF THE SWING PHASE FLEXION DAMPING FOR A LARGE RANGE OF WALKING SPEEDS CONTROLLED STANCE PHASE FLEXION OF UP TO 15 DEGREE AND THUS COMPORTABLE WALKING WITH HIGH SAFETY EVEN ON ROUGH TERRAIN AND ON INCLINES UP TO 10 DEGREE LOW WEIGHT AND A VERY LARGE FLEXION ANGLE OF 175 DEGREE POR GREATER FREEDOM OF MOVEMENT HIGH ROOUND CLEARANCE IN THE SWING PHASE DUE TO MULTI- AJALAL JOINT DESIGN FLEXION AND EXTENSION MOVEMENT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	3R60	Germany
1180	4224151800100	MODULAR POLYCENTRIC KNEE JOINT, WITH PNEUMATIC SWING PHASE CONTROL, "PYRAMID ADAPTER (10" INCLINED)" WIDE FLEXION ANGLE OF 170" AND THE LIGHT WEIGHT AND HIGH COMPORT, STANCE PHAGE SE SCUEUED DUE TO THE A-AXIS JOINT DESIGN, POWER DUAL—CHAMBER PNEUMATICS WITH INTEGRATED EXTENSION ASSIST SPRING ENSURE HARMONIOUS PENDULUIM MOVEMENTS OF THE PROSTHETIC LOWER LEG, EVEN AT HIGHER WALKING SPEEDS, MODERN POLYCENTRIC STRUTURE RELIABLY STABILIZES THE KEE JOINT DURING STANCE PHASE AND PROVIDES FOR INCREASED GROUND CLEARANCE DURING THE SWINGP PHASE, LARNONIOUS EXTENSION STOP, FLEXION AND EXTENSION DAMPING AND INDIVIDUALLY ADJUSTABLE, INCLINED PYRAMID ADAPTER, ROTATABLE SOCKET ADAPTER WITH PYRAMID RECEIVER, TUBE ADAPTER AND COSMETIC FORM, MAXIMIUM WEIGHT OF THE KINE JOINT: 795 GRAMS, APPROXIMATELY	ITEMIZED	SET	400571	AL Gaim Comm. EstOrig-	Ottobock	3R106-Pro + 4R56 + 4R37 + 2R37	Germany
1181	4224151800200	MODULAR POLYCENTRIC KNEE JOINT, WITH PNEUMATIC SWING PHASE CONTROL, "PYRAMID ADAPTER (10" INCLINED)" WIDE FLEXION ANGLE OF 170" AND THE LIGHT WEIGHT AND HIGH COMPORT, STANCE PHAGE SE SCUERED DUE TO THE A-AXIS JOINT DESIGN, POWER DUAL-CHAMBER PNEUMATICS WITH INTEGRATED EXTENSION ASSIST SPRING ENSURE HARMONIOUS PERDULUM MOVEMENTS OF THE PROSTHETIC LOWER LEG, EVEN AT HIGHER WALKING SPEEDS, MODERN POLYCENTRIC STRUTURE RELIABLY STABILIZES THE WEIGHORT DURING STANCE PHASE AND PROVIDES FOR INCREASED GROUND CLEARANCE DURING THE SWING PHASE, LAST WINTAIN OF THE SWING PHASE, HARMONUS EXTENSION TOP, FLEXION AND EXTENSION DAMPING ARE INDIVIDUALLY ADJUSTABLE, INCLINED PYRAMID ADAPTER, ROTATABLE SOCKET ADAPTER WITH PYRAMID RECEIVER, TUBE ADAPTER AND COSMETIC FORM, MAXIMUM WEIGHT OF THE KNEE JOINT: 750 GRAMS, APPROXIMATELY	ITEMIZED	SET	400571	AL Gaim Comm. EstOrig-	Ottoback	3R106=Pro + 3S107=*side*size + 4R41 + 2R37	Germany
1182	4224151800300	MODULAR POLYCENTRIC KNEE JOINT, WITH PNEUMATIC SWING PHASE CONTROL, "PYRAMID ADAPTER (10" INCLINED)" WIDE FLEXION ANGLE OF 170" AND THE LIGHT WEIGHT AND HIGH COMPORT, STANCE PHAGE SE SCUEUED DUE TO THE A-AXIS JOINT DESIGN, POWER DUAL-CHAMBER PNEUMATICS WITH INTEGRATED EXTENSION ASSIST SPRING ENSURE HARMONIOUS PENDULUIM MOVEMENTS OF THE PROSTHETIC LOWER LEG, EVEN AT HIGHER WALKING SPECDS, MODERN POLYCENTRIC STRUCTURE RELIABLY STABILIZES THE KNEE JOINT DURING STANCE PHASE AND PROVIDES FOR INCREASED GROUND CLEARANCE DURING THE SWINGP PHASE, LARNONIOUS EXTENSIONS TOP, FLEXION AND EXTENSION DAMPING ARE INDIVIDUALLY ADJUSTABLE, INCLINED PYRAMID ADAPTER, ROTATABLE SOCKET ADAPTER WITH PYRAMID RECEIVER, TUBE ADAPTER AND COSMETIC FOAM, MAXIMUM WEIGHT OF THE KNEE JOINT: 765 GRAMS, APPROXIMATELY	ITEMIZED	SET	400571	AL Gaim Comm. EstOrig-	Ottobock	3R106=PRO + 3S107=*side*size + 4R37 + 2R37	Germany
1183	4224151800400	MODULAR POLYCENTRIC KNEE JOINT, WITH PNEUMATIC SWING PHASE CONTROL, "PYRAMID ADAPTER (10" INCLINED)" WIDE FLEXION ANGLE OF 170" AND THE LIGHT WEIGHT AND HIGH COMPORT, STANCE PHASE IS SECURED DUE TO THE A-AXIS JOINT DESIGN, POWER DUAL-CHAMBER PNEUMATICS WITH INTEGRATED EXTENSION ASSIST SPRING ENSURE HARMONIOUS PRODULUM MOVEMENTS OF THE PROSTHETIC LOWER LEG, EVEN AT HIGHER WALKING SPEEDS, MODERN POLYCENTRIC STRUCTURE RELIABLY STABILIZES THE KNEE JOINT DURING STANCE PHASE AND PROVIDES FOR INCREASED GROUND CLEARANCE DURING THE SWING PHASE, LASY INITIATION OF THE SWING PHASE, HARMONIOUS EXTENSION STOP, FLEXION AND EXTENSION DAMPING ARE INDIVIDUALLY ADJUSTABLE, INCLINED PYRAMID ADAPTER, ROTATABLE SOCKET ADAPTER WITH PYRAMID RECEIVER, TUBE ADAPTER AND COSMETIC FOAM, MAXIMUM WEIGHT OF THE KNEE JOINT: 770 GRAMS, APPROXIMATELY	ITEMIZED	SET	400571	AL Gaim Comm. EstOrig-	Ottobock	3R106=PRO + 4R56 + 4R37 + 2R37	Germany
1184	4224200217100	MODULAR SHOULDER UNIT, 2 INDEPENDENT FRICTION CONTROLS FOR FLEXION/EXTENSION AND ABDUCTION/ADDUCTION	ITEMIZED	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	Steeper	C22751	United Kingdom
1185	4224200128900 4224200128500	MODULAR TRANSFEMORAL KIT, PEDIATRIC, INCLUDING POLYCENTRIC KNEE JOINT, CLAMP ADAPTER, COSMETIC FOAM, AND PERLON STOCKINGS OR EQUIVALENT MODULAR TRANSFEMORAL KIT, PEDIATRIC, INCLUDING SINGLE AXIS KNEE JOINT WITH LOCK CLAMP ADAPTER, COSMETIC FOAM, AND PERLON STOCKINGS OR EQUIVALENT	ITEMIZED	SET	400571	AL Gaim Comm. EstOrig-	Ottobock	3R66 +4R66 + 6R7 + 99B22=* 3R39 + 4R66 + 3R48 + 99B22=* + 2R41	Germany
						4		21172	

TENDER NUMBER : NPT0050/22
TENDER NAME : Prosthetics Orthosis Supplies

TENDER NA	ME : Prosthetics Or	thosis Supplies							
1188	4224200127800	MODULAR TRANSTIBIAL KIT WITH LAMINATION ANCHOR AND COSMETIC FOAM, CE MARK OR EQUIVALENT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	2R124 + 6R18=30	Germany
1188	4224200127800	MODULAR TRANSTIBIAL KIT WITH LAMINATION ANCHOR AND COSMETIC FOAM, CE MARK OR	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY -	Proteor SAS	1G17 +1D45 +1D41	France
1189	4224200126700	EQUIVALENT MODULAR TRANSTIBIAL KIT, TITANIUM, 34 MM, WITH COSMETIC FOAM MAX WEIGHT 150	ITEMIZED	each	400571	Orig- AL Gaim Comm. EstOrig-	Ottobock	+1K202 2R102 + 6R18=34	Germany
1103	4224200120700	KG, CE MARK OR EQUIVALENT	TTENNIZED	eacii	400371	Ac dain comm. EstOng-	Ottobock	KIT# 2H045-	Germany
1189	4224200126700	MODULAR TRANSTIBIAL KIT, TITANIUM, 34 MM, WITH COSMETIC FOAM MAX WEIGHT 150 KG, CE MARK OR EQUIVALENT	ITEMIZED	each	400792	massas al-watania for medical servi - Orig-	WAGNER	2,2H010-2, 2H070-2-02,3W314- 34	Germany
1190	4224200132300	MODULAR, HIP JOINT FOR CHILDREN, ALUMINUM ALLOY WITH PROXIMAL SOCKET ATTACHMENT PLATE AND DISTAL TUBE CLAMP (HIP DISARTICULATION)	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	7E8	Germany
1190	4224200132300	MODULAR, HIP JOINT FOR CHILDREN, ALUMINUM ALLOY WITH PROXIMAL SOCKET ATTACHMENT PLATE AND DISTAL TUBE CLAMP (HIP DISARTICULATION)	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	3K51	Germany
1191	4224200128100	MODULAR, POLYCENTRIC, FOUR BAR LINKAGE KNEE JOINT WITH INTERNAL, EXTENSION	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	3A36	Germany
1192	4224200132100	ASSIST, TITANIUM MODULAR, SINGLE AXIS HIP JOINT, ALUMINUM WITH MANUAL LOCK, LEFT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	7E5=L	Germany
1193	4224200132000	MODULAR, SINGLE AXIS HIP JOINT, ALUMINUM WITH STRIDE CONTROL AND EXTENSION ASSIST	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	7E4	Germany
1194	4224200127900	MODULAR, SINGLE AXIS KNEE JOINT, STAINLESS STEEL WITH MANUAL LOCK AND INTERNAL EXTENSION ASSIST	ITEMIZED	each	400468	ALMAFSAL MEDICAL CO -Orig-	S T AND G	13185	South Korea
1194	4224200127900	MODULAR, SINGLE AXIS KNEE JOINT, STAINLESS STEEL WITH MANUAL LOCK AND INTERNAL	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	3R17	Germany
1195	4224200128000	EXTENSION ASSIST MODULAR, SINGLE AXIS KNEE JOINT, TITANIUM, WITH MANUAL LOCK AND INTERNAL	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	3R33	Germany
		EXTENSION ASSIST MODULAR, SINGLE AXIS KNEE JOINT, TITANIUM, WITH MANUAL LOCK AND INTERNAL				-			
1195	4224200128000	EXTENSION ASSIST MODULAR, SINGLE AXIS KNEE JOINT, WITH LOCK FOR CHILDREN, ALUMINUM ALLOY WITH	ITEMIZED	each	400468	ALMAFSAL MEDICAL CO -Orig-	S T AND G	1318T	South Korea
1196	4224200128400	PROXIMAL ADJUSTMENT PYRAMID AND DISTAL TUBE, CLAMP	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	3R39	Germany
1196	4224200128400	MODULAR, SINGLE AXIS KNEE JOINT, WITH LOCK FOR CHILDREN, ALUMINUM ALLOY WITH PROXIMAL ADJUSTMENT PYRAMID AND DISTAL TUBE, CLAMP	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	3K41	Germany
1197	4224200129100	MONOCENTRIC KNEE JOINT, ALUMINUM, KNEE OFFERS TARGETED SUPPORT FOR THE THERAPY PROCESS FOLLOWING AN AMPUTATION THE RIGHT KNEE JOINT FROM THE FIRST STANDING AND WALKING EXERCISES, WITH THE INTERIM PROSTHESS ALL THE WAY TO THE DEFINITIVE FITTING, IT IS A MONOCENTRIC KNEE JOINT WITH A LOAD - DEPENDENT BRAKE MECHANISM AND AN OPTIONAL LOCKING FUNCTION, THE SWING PHASE IS CONTROLLED BY AN INTEGRATED ADJUSTABLE SPRING EXTENSION ASSIST KNEE FLEXION ANGLE, 130 DEGREES, OR BODY WEIGHT UP TO 125 KG	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	3A860	Germany
1198	4224171325200	MONOCENTRIC KNEE JOINT, KNEE OFFER SKJA-K, IT IS A MONOCENTRIC KNEE JOINT WITH A LOAD-DEPENDENT BRAKE MECHANISM AND AN OPTIONAL LOCKING FUNCTION, THE SWING PHASE IS CONTROLLED BY AN INTEGRATED PNEUMATIC EXTENSION ASSIST KNEE FLEXION ANGEL, 125-145 DEGREES, FOR BODY WEIGHT 120-140 MULTIAXIAL FOOT WITH DIVIDED HELE, 3 - D SPACES MOOTH TRANSITION FROM STANCE	CANCELLED	CANCELLED	CANCELLED	CANCELLED NOT MATCHING THE DESCRIPTION	CANCELLED	CANCELLED	CANCELLED
1199	4224200112000	PMASE TO SWING PHASE, PHYSIOLOGICAL ROLLOVER AND 5 - SPRING MULTI - AXIAL MOBILITY TO COMPENSATE FOR UNIVER SUBFACES AND COMPORTABLE WALKING UPHILL AND ON INCLINES LEASTIC FOAM COMPRESSION SPRING ARCH AT HELE STRIKE OF THE BACK SPRING ARCH AT ROLLOVER, SIZE: 24 CM, RIGHT MULTIAXIAL FOOT WITH DIVIDED HELE, 3 - DS PACES MOOTH TRANSITION FROM STANCE	ITEMIZED	each	400468	ALMAFSAL MEDICAL CO -Orig-	S T AND G	1114-24R	South Korea
1199	4224200112000	PHASE TO SWING PHASE, PHYSIOLOGICAL ROLLOVER AND S - SPRING MULTI - AXIAL MOBILITY TO COMPENSATE FOR UNEVEN SUBFACES AND COMPORTABLE WALKING UPHILL AND ON INCLINES ELASTIC FOAM COMPRESSION SPRING ARCH AT HEEL STRIKE OF THE BACK SPRING ARCH AT ROLLOVER, SIZE: 24 CM, RIGHT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1D35=R24-0-P/4	Germany
1200	4224200112300	MULTIAXIAL FOOT WITH DIVIDED HEEL, 3 - D SPACES SMOOTH TRANSITION FROM STANCE PHASE TO SWINE PHASE, PHYSIOLOGICAL ROLLOWER AND S - SPRING MULTI - AXIAL MOBILITY TO COMPENSATE FOR UNEVEN SUBFACES AND COMFORTABLE WALKING UPHILL AND ON INCLINES ELASTIC FOAM COMPRESSION SPRING ARCH AT HEEL STRIKE OF THE BACK SPRING ARCH AT ROLLOVER, SZE: 25 CM, LEFT	ITEMIZED	each	400468	ALMAFSAL MEDICAL CO -Orig-	S T AND G	1114-25L	South Korea
1200	4224200112300	MULTIAXIAL FOOT WITH DIVIDED HEEL, 3 - D SPACER SMOOTH TRANSITION FROM STANCE PHASE TO SWINE PHASE, PHYSIOLOGICA ROLLOVER AND S - SPRING MULTI - AXIAL MOBILITY TO COMPENSATE FOR UNEVEN SUBFACES AND COMFORTABLE WALKING UPHILL AND ON INCLINES ELASTIC FOAM COMPRESSION SPRING ARCH AT HEEL STRIKE OF THE BACK SPRING ARCH AT ROLLOVER, SZE: 25 CM, LEFT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1D35=L25-0-P/4	Germany
1201	4224200112600	MULTIAXIAL FOOT WITH DIVIDED HEEL, 3 - D SPACES SMOOTH TRANSITION FROM STANCE PHASE FT O'SMICH PHASE, PHYSIGHOGICAL ROLLOVER AND S - SPRING MULTI- AXIAL MOREUTY TO COMPENSATE FOR UNEVEN SURFACES AND COMFORTABLE WALKING UPHILL AND ON INCLINES ELASTIC FOAM COMPRESSION SPRING ARCH AT HEEL STRIKE OF THE BACK SPRING ARCH AT THE 25 FM, RIGHT TO TOLLOVER, SIZE: 25 CM, RIGHT	ITEMIZED	each	400468	ALMAFSAL MEDICAL CO -Orig-	S T AND G	1114-25R	South Korea
1201	4224200112600	MULTAXIAL FOOT WITH DIVIDED HEEL, 3 - D SPACER SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE, PHYSIOLOGICAL ROLLOVER AND S - SPRING MULTI - AXIAL MOBILITY TO COMPENSATE FOR UNEVER SURFACES AND COMPORTABLE WALKING UPHILL AND ON INCLINES ELASTIC FOAM COMPRESSION SPRING ARCH AT HEEL STRIKE OF THE BACK SPRING ARCH AT ROLLOVER, SIZE 25 CM, RIGHT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1D35=R25-0-P/4	Germany
1202	4224200112800	MULTAXIAL FOOT WITH DIVIDED HEEL, 3. D SPACER SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE, PHYSIOLOGICAL ROLLOVER AND 5 - SPRING MULTI - AXIAL MOBILITY TO COMPENSATE FOR UNEVER SUBFACES AND COMPORTABLE WALKING UPHILL AND ON INCLINES ELASTIC FOAM COMPRESSION SPRING ARCH AT HEEL STRIKE OF THE BACK SPRING ARCH AT MEEL STRIKE OF THE BACK SPRING ARCH AT ROLLOVER, SIZE 26 CM, LEFT	ITEMIZED	each	400468	ALMAFSAL MEDICAL CO -Orig-	S T AND G	1114-26L	South Korea
1202	4224200112800	MULTAXIAL FOOT WITH DIVIDED HEEL, 3. D SPACER SMOOTH TRANSTRON FROM STANCE PHASE TO SWING PHASE, PHYSIOLOGICAL ROLLOVER AND 5 - SPRING MULTI - AXIAL MOBILITY TO COMPENSATE FOR UNEVER SUBFACES AND COMPORTABLE WALKING UPHILL AND ON INCLINES ELASTIC FOAM COMPRESSION SPRING ARCH AT HEEL STRIKE OF THE BACK SPRING ARCH AT ROLLOVER, SIZE: 26 CM, LEFT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1D35=L26-0-P/4	Germany
1203	4224200113000	MULTAXIAL FOOT WITH DIVIDED HEEL, 3 - D SPACER SMOOTH TRANSITION FROM STANCE PHIASE TO SWING PHASE, PHYSIOLOGICAL ROLLOVER AND 5 - SPRING MULTI - AXIAL MOBILITY TO COMPENSATE FOR UNEVER SUBFACES AND COMPORTABLE WALKING UPHILL AND ON INCLINES ELASTIC FOAM COMPRESSION SPRING ARCH AT HEEL STRIKE OF THE BACK SPRING ARCH AT MEEL STRIKE OF THE BACK SPRING ARCH AT NECES 27 CM, LEFT	ITEMIZED	each	400468	ALMAFSAL MEDICAL CO -Orig-	S T AND G	1114-27L	South Korea
1203	4224200113000	MULTAXIAL FOOT WITH DIVIDED HEEL, 3 - D SPACER SMOOTH TRANSTRON FROM STANCE PHIASE TO SWING PHASE, PHYSIOLOGICAL ROLLOVER AND S - SPRING MULTI - AXIAL MOBILITY TO COMPENSATE FOR UNEVER SUBFACES AND COMPORTABLE WALKING UPHILL AND ON INCLINES ELASTIC FOAM COMPRESSION SPRING ARCH AT HEEL STRIKE OF THE BACK SPRING ARCH AT MEEL STRIKE OF THE BACK SPRING ARCH AT NECES 27 CM, LEFT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1D35=L27-0-P/4	Germany
1204	4224200113100	MULTAXIAL FOOT WITH DIVIDED HEEL, 3. D SPACER SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE, PHYSIOLOGICAL ROLLOVER AND S - SPRING MUITI - AXIAL MOBILITY TO COMPENSATE FOR UNEVER SUBFACES AND COMPORTABLE WALKING UPHILL AND ON INCLINES ELASTIC FOAM COMPRESSION SPRING ARCH AT HEEL STRIKE OF THE BACK SPRING ARCH AT BOLLOVER, SIZE 28 CM. LEFT	ITEMIZED	each	400468	ALMAFSAL MEDICAL CO -Orig-	S T AND G	1114-28L	South Korea
1204	4224200113100	MULTUAXIAL FOOT WITH DIVIDED HEEL, 3 - D SPACER SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE, PHYSIOLOGICAL ROLLOVER AND S - SPRING MULTI - AXIAL MOBILITY TO COMPENSATE FOR UNEVER SURFACES AND COMPORTABLE WALKING UPHILL AND ON INCLINES ELASTIC FOAM COMPRESSION SPRING ARCH AT HEEL STRIKE OF THE BACK SPRING ARCH AT ROLLOVER, SIZE: 28 CM, LEFT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1D35=L28-0-P/4	Germany
1205	4224200107300	MULTAXIAL FOOT WITH DIVIDED HEEL, 3. D SPACER SMOOTH TRANSTRON FROM STANCE PHASE TO SWING PHASE, PHYSIOLOGICAL ROLLOVER AND S - SPRING MULTI - AXIAL MOBILITY TO COMPENSATE FOR UNEVER SURFACES AND COMPORTABLE WALKING UPHILL AND ON INCLINES ELASTIC FOAM COMPRESSION SPRING ARCH AT HEEL STRIKE OF THE BACK SPRING ARCH AT THE 2.5 RM, RIGHT TO TOLLOVER, SIZE 2.5 RM, RIGHT TO.	ITEMIZED	each	400468	ALMAFSAL MEDICAL CO -Orig-	S T AND G	1114-28R	South Korea
1205	4224200107300	MULTAXIAL FOOT WITH DIVIDED HEEL, 3 - D SPACER SMOOTH TRANSTRON FROM STANCE PHIASE TO SWING PHASE, PHYSIOLOGICAL ROLLOVER AND S - SPRING MULTI - AXIAL MOBILITY TO COMPENSATE FOR UNEVER SUBFACES AND COMPORTABLE WALKING UPHILL AND ON INCLINES ELASTIC FOAM COMPRESSION SPRING ARCH AT HEEL STRIKE OF THE BACK SPRING ARCH AT THE 2S TO, RIGHT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1D35=R28-0-P/4	Germany
1206	4224200113200	MULTAXIAL FOOT WITH DIVIDED HEEL, 3 - D SPACER SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE, PHYSIOLOGICAL ROLLOVER AND S - SPRING MUITI - AXIAL MOBILITY TO COMPENSATE FOR UNEVER SURFACES AND COMPORTABLE WALKING UPHILL AND ON INCLINES ELASTIC FOAM COMPRESSION SPRING ARCH AT HEEL STRIKE OF THE BACK SPRING ARCH AT ROLLOVER, SIZE 29 CM, LEFT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1D35=L29-0-P/4	Germany
1207	4224200111700	MULTAXIAL FOOT WITH DIVIDED HEEL, 3 - D SPACER SMOOTH TRANSTRON FROM STANCE PHASE TO SWING PHASE, PHYSIOLOGICAL ROLLOVER AND 5 - SPRING MULTI - AXIAL MOBILITY TO COMPENSATE FOR UNEVER SURFACES AND COMPORTABLE WALKING UPHILL AND ON INCLINES, ELASTIC FOAM COMPRESSION SPRING ARCH AT HEEL STRIKE OF THE BACK SPRING ARCH AT MEEL STRIKE OF THE BACK SPRING ARCH AT MEEL STRIKE OF THE BACK SPRING ARCH AT MEEL STRIKE OF THE BACK SPRING ARCH AT MELD STRING ARCH AT MELD STRI	ITEMIZED	each	400468	ALMAFSAL MEDICAL CO -Orig-	S T AND G	1114-24L	South Korea
1207	4224200111700	MULTIAXIAL FOOT WITH DIVIDED HEEL, 3 - D SPACES SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE, PHYSIOLOGICAL ROLLOVES AND S - SPRING MULTI - AXIAL MOBILITY TO COMPENSATE FOR UNEVER SURFACES AND COMPORTABLE WALKING UPHILL AND ON INCLINES, ELASTIC FOAM COMPRESSION SPRING ARCH AT HEEL STRIKE OF THE BACK SPRING ARCH AT ROLLOVER, SIZE 24 CM LETT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1D35=L24-0-P/4	Germany
1208	4224200113300	MULTIAXIAL FOOT WITH DIVIDED HEEL, 3 - D SPACES SMOOTH TRANSITION FROM STANCE PHASE ET O'SMOF PHASE, PHYSIOLOGICAL ROLLOWER AND S - SPRING MULTI - AXIAL MOBILITY TO COMPENSATE FOR UNEVEN SUBFACES AND COMFORTABLE WALKING UPHILL AND ON INCLINES, ELASTIC FOAM. COMPRESSION SPRING ARCH AT HELE STRIKE OF THE BACK SPRING ARCH AT ROLLOVER, SZE: 30 CM LEFT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1D35=L30-0-P/4	Germany
		ARCH AT ROLLOVER, SIZE: 30 CM LEFT							

	JMBER : NPT0050/2: AME : Prosthetics Or								Preliminary Result
1209	4618220704300	MULTIFUNCTION ANKLE ORTHOSIS, WITH A THREE - PHASE FITTING FOOT POSITIONING IN A SLIGHT PRONATION AND PLANTIGRADE POSITION, INCREASING THE LEVEL OF ACTIVITY, IMPROVING MUSCULAR STABILITY, IMPROVING FUNCTIONAL STABILITY AND MOBILITY, SIZE EXTRA LARGE.	CANCELLED	CANCELLED	CANCELLED	CANCELLED NOT MATCHING THE DESCRIPTION	CANCELLED	CANCELLED	CANCELLED
1210	4618220704400	MULTIFUNCTION ANKLE ORTHOSIS, WITH A THREE - PHASE FITTING FOOT POSITIONING IN A SLIGHT PRONATION AND PLANTIGRADE POSITION, INCREASING THE LEVEL OF ACTIVITY, IMPROVING MUSCULAR STABILITY, IMPROVING FUNCTIONAL STABILITY AND MOBILITY, SIZE EXTRA SMALL	CANCELLED	CANCELLED	CANCELLED	CANCELLED NOT MATCHING THE DESCRIPTION	CANCELLED	CANCELLED	CANCELLED
1211	4618220704000	MULTIFUNCTION ANKLE ORTHOSIS, WITH A THREE - PHASE FITTING FOOT POSITIONING IN A SLIGHT PRONATION AND PLANTIGRADE POSITION, INCREASING THE LEVEL OF ACTIVITY, IMPROVING MUSCULAR STABILITY, IMPROVING FUNCTIONAL STABILITY AND MOBILITY, SIZE LARGE	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	50S8=L	Taiwan
1212	4618220704100	MULTIFUNCTION ANKLE ORTHOSIS, WITH A THREE - PHASE FITTING FOOT POSITIONING IN A SLIGHT PRONATION AND PLANTIGRADE POSITION, INCREASING THE LEVEL OF ACTIVITY, IMPROVING MUSCULAR STABILITY, IMPROVING FUNCTIONAL STABILITY AND MOBILITY, SIZE MEDIUM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	50S8=M	Taiwan
1213	4618220704200	MULTIFUNCTION ANKLE ORTHOSIS, WITH A THREE - PHASE FITTING FOOT POSITIONING IN A SLIGHT PRONATION AND PLANTIGRADE POSITION, INCREASING THE LEVEL OF ACTIVITY, IMPROVING MUSCULAR STABILITY, IMPROVING FUNCTIONAL STABILITY AND MOBILITY, SIZE SMALL	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	50S8=S	Taiwan
1214	4224200215300	MYOELECTRIC WRIST UNIT TO POSITION THE HAND IN ANY DIRECTION WRIST CONNECTION, 40 MM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	10517	Austria
1215 1215	4224200012600 4224200012600	MYOENERGY INTEGRAL BATTERY, FOR ADULT MYOENERGY INTEGRAL BATTERY, FOR ADULT	ITEMIZED	each each	400050 400571	Al-EWAN MEDICAL COMPANY -Orig- AL Gaim Comm. EstOrig-	Steeper Ottobock	SC3500 757B35=3	United Kingdom Austria
1216	4224200012400	MYOENERGY INTEGRAL, FOR CHILDREN	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	757B35=0	Austria
1217	4224200009200	MYOROTRONIC FOR ELECTRIC WRIST ROTATOR	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock Piedro International B.V.	13E205	Austria
1218	4224200004900	NATURAL CALF LINING, 1.1 MM, APPROXIMATELY	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	(Foot-Facts Ld	99067	Portugal
1219	4224150402400	NATURAL LINING HIDES, 1.5 MM, APPROXIMATELY	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	99068	Portugal
1220	4224170308600	NEOPRENE TRANSFEMORAL SUSPENSION SLEEVE, SIZE MEDIUM, LEFT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	21B3=M	Estonia
1221	4224200407900 4224170500800	NEOPRENE TRANSFEMORAL SUSPENSION SLEEVE, SIZE SMALL, LEFT NIGHT SPLINT ANKLE FOOT ORTHOOSIS, ADULT, PROVIDES AN EFFECTIVE TREATMENT FOR PLANTAR FASCITIS AND ACHILLES TENDON, ADJUSTABLE FROM 10 TO 90 DEGREE, DORSI	ITEMIZED	each each	400571	AL Gaim Comm. EstOrig-	Ottobock Anaya Orthopedic Industries (Ortho Techn	21B3=S OT9022-L	Estonia Saudi Arabia
1222	4224170500800	FLEXION WITH COOL FOAM LINER, SIZE LARGE NIGHT SPLINT ANKLE FOOT POTHOSIS, ADULT, PROVIDES AN EFFECTIVE TREATMENT FOR PLANTAR FASCITIS AND ACHILLES TENDON, ADJUSTABLE FROM 10 TO 90 DEGREE, DORSI FLEXION WITH COOL FOAM LINER, SIZE LARGE	ITEMIZED	each	400104	Al-Jeel Medical & Trading Co. Ltd -Orig-	DeRoyal	NS2000-14	China
1223	4224170500900	NIGHT SPLINT ANKLE FOOT ORTHOSIS, ADULT, PROVIDES AN EFFECTIVE TREATMENT FOR PLANTAR FASCITIS AND ACHILLES TENDON, ADJUSTABLE FROM 10 TO 90 DEGREE, DORSI FLEXION WITH COOL FOAM LINER, SIZE MEDIUM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Anaya Orthopedic Industries (Ortho Techn	OT9022-M	Saudi Arabia
1223	4224170500900	NIGHT SPLINT ANKLE FOOT ORTHOSIS, ADULT, PROVIDES AN EFFECTIVE TREATMENT FOR PLANTAR FASCITIS AND ACHILLES TENDON, ADJUSTABLE FROM 10 TO 90 DEGREE, DORSI FLEXION WITH COOL FOAM LINER, SIZE MEDIUM	ITEMIZED	each	400104	Al-Jeel Medical & Trading Co. Ltd -Orig-	DeRoyal	NS2000-12	China
1224	4224150301100	NIGHT SPLINT ANKLE FOOT ORTHOSIS, ADULT, PROVIDES AN EFFECTIVE TREATMENT FOR PLANTAR FASCITIS AND ACHILLES TENDON, ADJUSTABLE FROM JO TO 90 DEGREE, DORSI FLEXION WITH COOL FOAM LINER, SIZE SMALL	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Orthomerica Products Inc.	3620	USA
1224	4224150301100	NIGHT SPLINT ANKLE FOOT ORTHOSIS, ADULT, PROVIDES AN EFFECTIVE TREATMENT FOR PLANTAR FASCITIS AND ACHILLES TENDON, ADJUSTABLE FROM 10 TO 90 DEGREE, DORSI FLEXION WITH COOL FOAM LINER, SIZE SMALL	ITEMIZED	each	400104	Al-Jeel Medical & Trading Co. Ltd -Orig-	DeRoyal	NS2000-10	China
1225	4224200032600	NON ADJUSTABLE OPEN-END WRENCHE, STEEL, AN ORTHOTICS WORKSHOP TOOL	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation
1226	4224180306300	NON-INVASIVE HALO FOR CERVICAL STABILIZATION MRI COMPATIBLE, SIZE: UNIVERSAL, ADULT	ITEMIZED	SET	400005	Qomel Company -Orig-	TRULIFE	A37802	USA
1227	4224150300100	NYLGLASS STOCKINETTE, OFF - WHITE, 50/50% BLEND OF NYLON AND FIBERGLASS, WIDTH	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	623T9=15	Germany
1228	4214280205200	150 MM, LENGTH 23.8 METERS APPROXIMATELY NYLGLASS STOCKINETTE, OFFWHITE, 50/50 % BLEND OF NYLON AND FIBERGLASS, WIDTH 80	ITEMIZED	Role	400571	AL Gaim Comm. EstOrig-	Ottobock	623T9=8	Germany
1229	4618220700300	MM, LENGTH 35.7 METER, APPROXIMATELY "ORTHOPEDIC SHOES, HIGH, ANKLE SUPPORT, COLOR - BLACK, LACE CLOSURE, SIZE 34; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT 5. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TOMOLE PADDING TO MOULD THE SHOR BOUND THE FOOT; FIRM HEEL COUNTER; APPROXIMATELY 125MM IN HEIGHT"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3340-9800=34	Portugal
1229	4618220700300	"ORTHOPEDIC SHOES, HIGH, ANKLE SUPPORT, COLOR - BLACK, LACE CLOSURE, SIZE 34; SOFT PADDING AROUND THE COLLAR FOR A ETTER FIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTICAL (HARD-WEARING) SOLE-JUNIT S. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE (PADPICELD COR KINAY; HIGH TOE-SOX AND STRONG TOE-CAP FOR PROTECTION OF THE SIZE ; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; FIRM HEEL COUNTER; APPROXIMATELY 125MM IN HEIGHT"	ITEMIZED	Pair	400050	Al-EWAN MEDICAL COMPANY -Orig-	EMO	M12-34	Spain
1230	4618220700400	"ORTHOPEDIC SHOES, HIGH, ANKLE SUPPORT, COLOR - BLACK, LACE CLOSURE, SIZE 35; SOFT PADDING AROUND THE COLLAR FOR A BETTER HIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; FASILY REMOVABLE AND ADAPTICAL (HARD-WEARING) SOLE-JUNT S. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE (PADPILED CORK HUMZ; HIGH TOE-GOX AND STRONG TOE-CAF FOR PROTECTION OF THE COST; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; FIRM HEEL COUNTER; APPROXIMATELY IZSMM IN HEIGHT"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3340-9800=35	Portugal
1230	4618220700400	"ORTHOPEDIC SHOES, HIGH, ANKLE SUPPORT, COLOR - BLACK, LACE CLOSURE, SIZE 35; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOL; EASILY REMOVABLE AND ADAPTICAL (HARD-WEARING) SOLE-JUNT 5. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE (HARD-WEARING) SOLE-JUNT 5. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE (HARD-WEARING) SOLE-JUNT 5. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE (STEED) SECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMPORT; SOFT TOMOGLE PADDING TO MOULD THE SHOR ROUND THE FOOT; FIRM HEEL COUNTER; APPROXIMATELY 125MM IN HEIGHT"	ITEMIZED	Pair	400050	Al-EWAN MEDICAL COMPANY -Orig-	EMO	M12-35	Spain
1231	4618220700500	"ORTHOPEDIC SHOES, HIGH, ANKLE SUPPORT, COLOR - BLACK, LACE CLOSURE, SIZE 36; SOFT PADDING AROUND THE COLLAR FOR A BETTER HT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRANUE LEATHER INSOLE; SASILY REMOVABLE AND ADAPTATOL (HARDWEARING) SOLE-LUNIT S. SUFFICIENT TOE. SPRING FOR EASY ROLL-OFF; REMOVABLE (HARD-WEARING) SOLE-LUNIT S. SUFFICIENT TOE. SPRING FOR EASY ROLL-OFF; REMOVABLE (HARDWEARING) SOLE-LUNIT S. SUFFICIENT TOE. ASPENDED CASH NOTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMPORT; SOFT TOMOGLE PADDING TO MOULD THE SHOR ROUND THE FOOT; FIRM HEEL COUNTER; APPROXIMATELY 125MM IN HEIGHT"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3340-9800=36	Portugal
1231	4618220700500	"ORTHOPEDIC SHOES, HIGH, ANKLE SUPPORT, COLOR - BLACK, LACE CLOSURE, SIZE 36; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRANUE LEATHER INSOLE; EASILY REMOVABLE AND ADAPTICAL (HARD-WEARING) SOLE-JUNIT S. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE (HARD-WEARING) SOLE-JUNIT S. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE (HARD-WEARING) SOLE-JUNIT S. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE (SEE SUPPOSED FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMPORT; SOFT TOMOGLE PADDING TO MOULD THE SHOR ROUND THE FOOT; FIRM HEEL COUNTER; APPROXIMATELY 125MM IN HEIGHT"	ITEMIZED	Pair	400050	Al-EWAN MEDICAL COMPANY -Orig-	EMO	M12-36	Spain
1232	4618220700600	"ORTHOPEDIC SHOES, HIGH, ANKLE SUPPORT, COLOR - BLACK, LACE CLOSURE, SIZE 37; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRANN LEATHER INSOL; EASILY REMOVALE AND A DAPTALE (HABO-WEARING) SOLE-JUNT S. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE (HABO-WEARING) SOLE-JUNT S. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE (HABO-WEARING) SOLE-JUNT S. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE (FOR MORE COMPORT); SOLET TOROUGH AND FOR TOE-CAP FOR PROTECTION OF THE SOLET SIZE OF THE SOLET	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3340-9800=37	Portugal
1232	4618220700600	"ORTHOPEDIC SHOES, HIGH, ANKLE SUPPORT, COLOR - BLACK, LACE CLOSURE, SIZE 37; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WARRING) SOLE-LUNTS. SUFFICIENT TOS: SPRING FOR EASY ROLLO-6F; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; FIRM HEEL COUNTER; APPROXIMATELY 125MM IN HEIGHT"	ITEMIZED	Pair	400050	Al-EWAN MEDICAL COMPANY -Orig-	EMO	M12-37	Spain

I EINDER INA	AME : Prosthetics Ort	nosis Supplies							
1233	4618220700700	"ORTHOPEDIC SHOES, HIGH, ANKLE SUPPORT, COLOR - BLACK, LACE CLOSURE, SIZE 38; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOL; EASILY REMOVALE AND A DATAFIEL (HARD-WEARING) SOLE-LUNIT S. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE (HARD-WEARING) SOLE-LUNIT S. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED LOOK HUMZ; HIGH TOE-OX AND ASTRONG TOE-CAP FOR PROTECTION OF THE COS; ; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMPORT; SOFT TOMGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; FREM HELE COUNTER; APPROXIMATELY 125MM IN HEIGHT"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3340-9800=38	Portugal
1233	4618220700700	"ORTHOPEDIC SHOES, HIGH, ANKLE SUPPORT, COLOR - BLACK, LACE CLOSURE, SIZE 38; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOL; E SAILY REMOVALE AND ADAPTICAL HARD ADVISED HARD AVERAING, SOLE-LUNIT S. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE (HARD-WEARING) SOLE-LUNIT S. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED FOR HALVE; HIGH TOE BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILIT; EXTRA PADDING AROUND THE ANKLE FOR MORE COMPORT; SOFT TOMGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; FIRM HELE COUNTER; APPROXIMATELY 125MM IN HEIGHT"	ITEMIZED	Pair	400050	AI-EWAN MEDICAL COMPANY -Orig-	EMO	M12-38	Spain
1234	4618220700800	"ORTHOPEDIC SHOES, HIGH, ANKLE SUPPORT, COLOR - BLACK, LACE CLOSURE, SIZE 39; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOL; E SASILY REMOVALE AND A DAPATHER (HARD-WEARING) SOLE-LUNIT S. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE (HARD-WEARING) SOLE-LUNIT S. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE (FOR EAST ROLL-OFF) AROUND THE SOL AND STRONG TOE-CAP FOR PROTECTION OF THE SOL STRONG FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMPORT; SOFT TOMGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; FRIM HELE COLUNTER; APPROXIMATELY 125MM IN HEIGHT"	ITEMIZED	Pair	400571	AL Galim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3340-9800=39	Portugal
1234	4618220700800	"ORTHOPEDIC SHOES, HIGH, ANKLE SUPPORT, COLOR - BLACK, LACE CLOSURE, SIZE 39; SOFT PADDING AROUND THE COLLAR FOR A BETTER RIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOL; EASILY REMOVABLE AND A DAPFARD LIGHT AND WEARING SOLE-UNIT S. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE (HARD-WEARING) SOLE-UNIT S. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE (HARD-WEARING) SOLE-UNIT S. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE (SECTION STORT COLOR AND STRONG TOE-CAP FOR PROTECTION OF THE SIZE ; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; FIRM HEEL COUNTER; APPROXIMATELY 125MM IN HEIGHT"	ITEMIZED	Pair	400050	Al-EWAN MEDICAL COMPANY -Orig-	EMO	M12-39	Spain
1235	4618220700900	"ORTHOPEDIC SHOES, HIGH, ANKLE SUPPORT, COLOR - BLACK, LACE CLOSURE, SIZE 40; SOFT PADDING AROUND THE COLLAR FOR A ETTER HT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; SASILY REMOVABLE AND ADAPTICAL (HARD-WEARING) SOLE-UNIT S. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE (HARD-WEARING) SOLE-UNIT S. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE (HARD-WEARING) SOLE-UNIT S. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE (HARD-WEARING) SOLE AND STRONG TOE-CAP FOR PROTECTION OF THE TOE; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMPORT; SOFT TOMOULE PADDING TO MOULD THE SHOE ROUND THE FOOT; FIRM HEEL COUNTER; APPROXIMATELY 125MM IN HEIGHT"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3340-9800=40	Portugal
1235	4618220700900	"ORTHOPEDIC SHOES, HIGH, ANKLE SUPPORT, COLOR - BLACK, LACE CLOSURE, SIZE 40; SOFT PADDING AROUND THE COLLAR FOR A BETTER RIT; A HIGH AND EXTRA LOMG STIFFENER TO SUPPORT THE ANKLE; FULL GRANU EATHER NISOL; EASILY REMOVABLE AND A DAPATRAD SUPPORT THE ANKLE; FULL GRANU EATHER NISOL; EASILY REMOVABLE HAD ADVENTING SOLE-LUNIT S. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORE KINAZ; HIGH TOE-GOX AND STRONG TOE-CAP FOR PROTECTION OF THE COS; ; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMPORT; SOFT TOMGUE PADDING TO MOULD THE SHOE ROUND THE FOOT;	ITEMIZED	Pair	400050	Al-EWAN MEDICAL COMPANY -Orig-	EMO	M12-40	Spain
1236	4618220701000	"ORTHOPEDIC SHOES, HIGH, ANKLE SUPPORT, COLOR - BLACK, LACE CLOSURE, SIZE 41; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOL; E SASILY REMOVALE AND A DAPATOR! HAD ADVERSING FOR EASY ROLL-OFF; REMOVABLE (HARD-WEARING) SOLE-LUNIT S. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED LOOK HUMZ. + HIGH TOE-OX AND ASTRONG TOE-CAP FOR PROTECTION OF THE COS; ; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMPORT; SOFT TOMGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; FRIME HEEL COLUNTER; APPROXIMATELY 125MM IN HEIGHT"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3340-9800=41	Portugal
1236	4618220701000	"ORTHOPEDIC SHOES, HIGH, ANKLE SUPPORT, COLOR - BLACK, LACE CLOSURE, SIZE 41; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOL; E SAILY REMOVALE AND A DAPATHER (HARD-WEARING) SOLE-LUNIT S. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE (HARD-WEARING) SOLE-LUNIT S. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED TO REMOVE AND AND STRONG TOE-CAP FOR PROTECTION OF THE STORY SECTION OF THE SECTION	ITEMIZED	Pair	400050	AI-EWAN MEDICAL COMPANY -Orig-	EMO	M12-41	Spain
1237	4618220701100	"ORTHOPEDIC SHOES, HIGH, ANKLE SUPPORT, COLOR - BLACK, LACE CLOSURE, SIZE 42; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOL; E SASILY REMOVALE AND A DAPATHER (HARD-WEARING) SOLE-LUNIT S. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE (HARD-WEARING) SOLE-LUNIT S. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE (FOR EASY ROLL-OFF) AND TO THE COLOR T	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3340-9800=42	Portugal
1237	4618220701100	"ORTHOPEDIC SHOES, HIGH, ANKLE SUPPORT, COLOR - BLACK, LACE CLOSURE, SIZE 42; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRANU EXTHER INSOL; EASILY REMOVABLE AND A DAPATHER (HARD-WIKARING) SOLE-UNIT S. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE (HARD-WIKARING) SOLE-UNIT S. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE (HARD-WIKARING) SOLE-UNIT S. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE FORCIBLE OF CORN LAW. HIGH TOE-SOL AND ASTRONA'D FOL-AP ADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; FIRM HEEL COUNTER; APPROXIMATELY 125MM IN HEIGHT"	ITEMIZED	Pair	400050	Al-EWAN MEDICAL COMPANY -Orig-	EMO	M12-42	Spain
1238	4618220701200	"ORTHOPEDIC SHOES, HIGH, ANKLE SUPPORT, COLOR - BLACK, LACE CLOSURE, SIZE 43; SOFT PADDING AROUND THE COLLAR FOR A BETTER RIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; SARILY REMOVABLE AND ADAPTARD LEATHER INSOLE; SARILY REMOVABLE AND ADAPTARD HE HAD AND STRONG HEAVY ROLL-OFF; REMOVABLE (HARDA WEARING) SOLE-UNIT S. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE (HARDA WEARING) SOLE-UNIT S. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE SEX SEX SEX SEX SEX SEX SEX SEX SEX SE	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3340-9800=43	Portugal
1238	4618220701200	"ORTHOPEDIC SHOES, HIGH, ANKLE SUPPORT, COLOR - BLACK, LACE CLOSURE, SIZE 43; SOFT PADDING AROUND THE COLLAR FOR A BETTER RIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRANU EXTHER INSOL; EASILY REMOVABLE AND ADAPTICAL (HARD-WIKARING) SOLE-UNIT S. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE (PROFILED COR KINAX; HIGH TOE-GOX AND STRONG) TOE-CAP FOR PROTECTION OF THE COST; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; FIRM HEEL COUNTER; APPROXIMATELY 125MM IN HIGH!"	ITEMIZED	Pair	400050	Al-EWAN MEDICAL COMPANY -Orig-	EMO	M12-43	Spain
1239	4618220701300	"ORTHOPEDIC SHOES, HIGH, ANKLE SUPPORT, COLOR - BLACK, LACE CLOSURE, SIZE 44; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOL; E SAILY REMOVALE AND ADAPTICAL HARD ADVISED HARD AVERAING; SOLE-LUNIT S. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE (HARD-WEARING) SOLE-LUNIT S. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED LOOK HUM.Y. HIGH TOE-ON AND ASTRONG TOE-CAP FOR PROTECTION OF THE COST; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGEY BODDING TO MOULD THE SHOE ROUND THE FOOT; FIRM HEEL COUNTER; APPROXIMATELY 125MM IN HEIGHT"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3340-9800=44	Portugal
1239	4618220701300	"ORTHOPEDIC SHOES, HIGH, ANKLE SUPPORT, COLOR - BLACK, LACE CLOSURE, SIZE 44; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING SOLE-LUNTS. SUFFICIENT TOS: SPRING FOR EASY ROLLOFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; FIRM HEEL COUNTER; APPROXIMATELY 125MM IN HEIGHT"	ITEMIZED	Pair	400050	Al-EWAN MEDICAL COMPANY -Orig-	EMO	M12-44	Spain

	AME : Prosthetics Ort	nosis supplies							
1240	4618220701400	"ORTHOPEDIC SHOES, HIGH, ANKLE SUPPORT, COLOR - BLACK, VELCRO CLOSURE OR EQUIVALENT, SIZE 36; SOFT PADDING AROUND THE COLLAR FOR A BETTER TIF; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-JUNIT 5. SUFFICIENT TO: S-FRING FOR EASY ROLL-OFF; REMOVABLE ROPCHEC CORK INLAY; HIGH TO: 5-80X AND STRONG TO: CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMPORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FAULE FOR MORE COMPORT. SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; FIRM HEEL COUNTER; APPROXIMATELY 125MM IN HEIGHT"	ITEMIZED	Pair	400214	International Medical Supplies Co -Orig-	DUNA s.r.l	JW01 FLY_V_36	Italy
1241	4618220701500	"ORTHOPEDIC SHOES, HIGH, ANKLE SUPPORT, COLOR - BLACK, VELCRO CLOSURE OR EQUIVALENT, SIZE 37; SOFT PADDING AROUND THE COLLAR FOR A BETTER TIT? A HIGH AND EXTRA LONG SHTEFHER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; ESAILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-JUHT 5. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF, REMOVABLE ROPCHEC CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING ABOUND THE ANKLE FOR MORE COMPORT: SOFT TONGUE PADDING TO MOUND THE ANKLE FOR MORE COMPORT: SOFT TONGUE PADDING TO MOUND THE ANKLE FOR MORE COMPORT: SOFT TONGUE PADDING TO MOUND THE ANKLE FOR MORE COMPORT: SOFT TONGUE PADDING TO MOUND THE ANKLE FOR MORE COMPORT.	ITEMIZED	Pair	400214	International Medical Supplies Co -Orig-	DUNA s.r.l	JW01 FLY_V_37	Italy
1242	4618220701600	"ORTHOPEDIC SHOES, HIGH, ANKLE SUPPORT, COLOR - BLACK, VELCRO CLOSURE OR EQUIVALENT, SIZE 38; SOFT PADDING AROUND THE COLLAR FOR A BETTER TIF; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; ESSILV REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-JUHT 5. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF, REMOVABLE BROFFLIED CORK INLAY; HIGH TOE-BOX AND STROM FOR CAPE FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSBBLITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOP COUND THE FOOT; FIRM HEEL COUNTER; APPROXIMATELY 125MM IN HEIGHT	ITEMIZED	Pair	400214	International Medical Supplies Co -Orig-	DUNA s.r.l	JW01 FLY_V_38	Italy
1243	4618220701700	"ORTHOPEDIC SHOES, HIGH, ANKLE SUPPORT, COLOR - BLACK, VELCRO CLOSURE OR EQUIVALENT, SIZE 39; SOFT PADDING AROUND THE COLLAR FOR A BETTER HIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; ESSILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-JUHT 5. SUFFICIENT TOE-SPRING FOR EASY ROIL-OFF, REMOVABLE BROFILED CORK INIX, "HIGH TOE-BOX AND STROMG FOR CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOP FOR THE FOOT; FIRM HELE COUNTER; APPROXIMATELY 125MM IN HEIGHT	ITEMIZED	Pair	400214	International Medical Supplies Co -Orig-	DUNA s.r.l	JW01 FLY_V_39	Italy
1244	4618220701800	"ORTHOPEDIC SHOES, HIGH, ANKLE SUPPORT, COLOR - BLACK, VELCRO CLOSURE OR EQUIVALENT, SIZE 40; SOFT PADDING AROUND THE COLLAR FOR A BETTER HIT; A HIGH AND EXTRA LONG SHIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; ESSILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-JUHIT 5. SUFFICIENT TOE-SPRING FOR AGY ROLL-OFF, REMOVABLE ROPCHEC DORK INLAY; HIGH TOE-BOX AND STROM FOR CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSBILITY; EXTENDED PADDING ABOUND THE ANKLE FOR MORE COMPORT. SOFT TONGUE PADDING TO MORLD THE ANKLE FOR MORE COMPORT. SOFT TONGUE PADDING TO MORLD THE SHOE FOR MORE COMPORT.	ITEMIZED	Pair	400214	International Medical Supplies Co -Orig-	DUNA s.r.l	JW01 FLY_V_40	Italy
1245	4618220701900	"ORTHOPEDIC SHOES, HIGH, ANKLE SUPPORT, COLOR - BLACK, VELCRO CLOSURE OR EQUIVALENT, SIZE 41; SOFT PADDING AROUND THE COLLAR FOR A BETTER HIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; ESSILV REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-JUHT 5. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF, REMOVABLE ROPCHED CORK INLAY; HIGH TOE-BOX AND STROM FOR CAP FOR PROTECTION OF THE TOES; EXTENDED FAUNCS FOR MAXIMUM ACCESSBUILTY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; FIRM HEEL COUNTRY; APPROXIMATELY 12SMM IN HEIGHT	ITEMIZED	Pair	400214	International Medical Supplies Co -Orig-	DUNA s.r.l	JW01 FLY_V_41	Italy
1246	4618220702000	"ORTHOPEDIC SHOES, HIGH, ANKLE SUPPORT, COLOR - BLACK, VELCRO CLOSURE OR EQUIVALENT, SIZE 42; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; ESSILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-JUHT 5. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF, REMOVABLE ROPOLIED CORK INLAY; HIGH TOE-BOX AND STROM FOR CAPE FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSBUILTY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; FIRM HEEL COUNTER; APPROXIMATELY 12SMM IN HEIGHT	ITEMIZED	Pair	400214	International Medical Supplies Co -Orig-	DUNA s.r.l	JW01 FLY_V_42	Italy
1247	4618220702100	"ORTHOPEDIC SHOES, HIGH, ANKLE SUPPORT, COLOR - BLACK, VELCRO CLOSURE OR EQUIVALENT, SIZE 43; SOFT PADDING AROUND THE COLLAR FOR A BETTER HIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; ESSILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-JUHT 5. SUFFICIENT TOE-SPRING FOR EASY ROIL-OFF, FEMOVABLE BROFILED CORK INIX, "HIGH TOE-BOX AND STROMG FOR FOR FOR PORTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOP FOR THE FOOT; FIRM HELE COUNTER; APPROXIMATELY 125MM IN HEIGHT	ITEMIZED	Pair	400214	International Medical Supplies Co -Orig-	DUNA s.r.l	JW01 FLY_V_43	Italy
1248	4618220702200	"ORTHOPEDIC SHOES, HIGH, ANKLE SUPPORT, COLOR - BLACK, VELCRO CLOSURE OR EQUIVALENT, SIZE 44; SOFT PADDING AROUND THE COLLAR FOR A BETTER HIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; ESSILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-JUHT 5. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF, REMOVABLE BROFILED CORK INLAY; HIGH TOE-BOX AND STROM FOR COPE FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOP FOR THE FOOT; FIRM HELE COUNTER; APPROXIMATELY 12SMM IN HEIGHT	ITEMIZED	Pair	400214	International Medical Supplies Co -Orig-	DUNA s.r.l	JW01 FLY_V_44	Italy
1249	4214170000800	ORTHOSIS ANTI DECUBITUS HEEL FOR POSITIONING OF LOWER LIMB EASY PLACEMENT HEEL ANTI DECUBITUS COMFORTABLE CUSHIONS FOR THE PATIENT VERY SOFT MATERIAL THAT DECREASES THE PRESSURE EXTERNAL SEAMS TO AVOID FRICTION VEICE AD QUISTMENT OF EQUIVALENT IT PREVENTS THE SORES ON THE HEEL THE MALLEUS AND THE RUBBING FEFECTS ON THE AREA REDUCES SERTICION AND SHEARING FORCES. EXERS THE SKIN CLEAN AND DRY THANKS TO ITS BREATHABLITY CONTROLS EXCESS MOISTURE IT FACILITATES BETTER PROPHYLACTIC AND THE RAPEUTIC CARE PREVENTION OF LUCERS AND SORES IN PATIENTS WHO REMAIN FOR LONG PERIODS OF TIME IN THE SAME POSITION	CANCELLED	CANCELLED	CANCELLED	CANCELLED NO SAMPLE PROVIDED	CANCELLED	CANCELLED	CANCELLED
1250	4214170000900	ORTHOSIS ANTI DECUBITUS POSTURAL HEEL EASY PLACEMENT HEEL ANTI DECUBITUS COMFORTABLE CUSHIONS FOR THE PATIENT THERMOPILASTIC ORTHESIS FOR THE POSTIONING OF THE LOWER LINW EVERY COMFORTABLE CUSHION RELEASES HEEL MALLEUS AND POSSIBLE PRESSURE ON FINCERS BY THE WEIGHT OF THE SHEETS POSTIONS THE ANKLE AND THE SHEETS POSTIONS THE ANKLE OF A SHEET OF THE SHEETS POSTIONS THE ANKLE AND THE SHEETS POSTIONS THE ANKLE OF THE SHEETS POSTIONS THE ANKLE OF THE SHEETS POSTIONS THE RUBBING ROTATION IT PREVENTS THE SORES ON THE HEEL AND THE MALLEUS AND THE RUBBING EFFECTS ON THE AREA BEDUCES PRICTION AND SHEARING FORCES KEETS THE SKIN CLEAN AND DRY THANKS TO ITS BREATHABILITY CONTROLS EXCESS MOISTURE IT FACILITATES BETTER PROPHYLACTIC AND THERAPEUTIC CARE PREVENTION OF ULCERS AND SORES IN PATIENTS WHO REMAIN FOR LONG FERDIOS OF TIME IN THE SAMP EOSITION.	ITEMIZED	each	400104	Al-Jeel Medical & Trading Co. Ltd -Orig-	DeRoyal	M60-300	Dominican Rep.
1251	4618221201400	ORTHOSIS SHOULDER ABDUCTION BREATHABLE 3 D FABRIC THAT MAXIMIZES AIR CIRCULATION BETWEEN PATIENT/ORTHOSIS FITNESS BALL HELPS BLOOD CIRCULATION AND MAINTENANCE OF MUSCLE TONE ARM SUPPORT ARM POSITIONED 90 DEGREE ELBOW FLEXION AND SUPPORTS THE WEIGHT ABDUCTION PILLOW POSITIONS THE SHOULDER IN 35 DEGREE OF ABDUCTION SUPULMERAL DISJOCATION SUBJULXATION GENOHUMERAL CAPSULAR SHIFT RECONSTRUCTIVE SURGERY OF THE ROTATOR CUFF POST - SURGERY ARTHHOSOSOPIC MUSUPS BANKHART SOFT TISSUE REPAIR IMMOBILIZIOR AND STABILIZING ORTHOSIS THAT MAINTAINS THE SECURE POSITIONING OF THE SHOULDER JOINT IN	ITEMIZED	each	400216	Medical Lights Trading Company -Orig-	ABLETECH ORTHOPEDICS CR	21001	China
1251	4618221201400	ABDUCTION AND 15 DEGREE ELBOW JOINT AT 90 DEGREE ORTHOSIS SHOULDER ABDUCTION BREATHABLE 2 D FABRIC THAT MAXIMIZES AIR CIRCULATION BETWEEN PATIENT/ORTHOSIS FITNESS BALL HELPS BLOOD CIRCULATION AND MAINTENANCE OF MUSCLE TONE ARM SUPPORT ARM POSITIONES 90 EERSE ELBOW FERION AND SUPPORTS THE WEIGHT ABBUCTION BICUM POSITIONES THE SHOULDER IN 35 DEGREE OF ABDUCTION GLENOHUMERAL DISLOCATION SUBLUXATION GLENOHUMERAL CAPSULAS BHIT FECONSTRUCTIVE SURGERY OF THE ROTATOR CUFP POST - SURGEREY ARTHROSCOPIC INJURY BANKHART SOFT TISSUE REPAIR IMMOBILIZING AND STABILIZING ORTHOSIS THAT MAINTAINS THE SECURE POSTTIONING OF THE SHOULDER JOINT IN ABDUCTION AND 15 DEGREE ELBOW JOINT AT 90 DEGREE	ITEMIZED	each	400104	Al-Jeel Medical & Trading Co. Ltd -Orig-	DeRoyal	11640007	Dominican Rep.
1252	4224200132400	ORTHOSIS, ANKLE FOOT, PEDIATRIC CARBON FIBER, KIDDIEGAIT OR EQUIVALENT, SIZE LARGE, LEFT	ITEMIZED	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	Camp Scandinavia/Allard Int	383901013	Sweden
1253	4224200132500	ORTHOSIS, ANKLE FOOT, PEDIATRIC CARBON FIBER, KIDDIEGAIT OR EQUIVALENT, SIZE LARGE, RIGHT	ITEMIZED	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	Camp Scandinavia/Allard Int	383902013	Sweden
1254	4224200132600	ORTHOSIS, ANKLE FOOT, PEDIATRIC CARBON FIBER, KIDDIEGAIT OR EQUIVALENT, SIZE MEDIUM, LEFT	ITEMIZED	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	Camp Scandinavia/Allard Int	383901012	Sweden
1255	4224200132700	ORTHOSIS, ANKLE FOOT, PEDIATRIC CARBON FIBER, KIDDIEGAIT OR EQUIVALENT, SIZE MEDIUM, RIGHT	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	Camp Scandinavia/Allard Int	383902012	Sweden
1256	4224200132800	ORTHOSIS, ANKLE FOOT, PEDIATRIC CARBON FIBER, KIDDIEGAIT OR EQUIVALENT, SIZE SMALL, LEFT ORTHOSIS, ANKLE FOOT, PEDIATRIC CARBON FIBER, KIDDIEGAIT OR EQUIVALENT, SIZE SMALL,	ITEMIZED	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	Camp Scandinavia/Allard Int	383901011	Sweden
1257	4224200132900	ORTHOSIS, ANKLE FOOT, PEDIATRIC CARBON FIBER, KIDDIEGAIT OR EQUIVALENT, SIZE SMALL, RIGHT	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	Camp Scandinavia/Allard Int	383902011	Sweden

		IMBER: NP10050/22 IME: Prosthetics Ort								Preliminary Resul
Column	1258	4618221107000	LATERAL, AND ROTATIONAL CONTROL (APL AND R), FULLY ADJUSTABLE CONTAINS WASHABLE	ITEMIZED	each	400509	Orient Medical Solution EstOrig-	ORTEC	C TLSO	South Korea
Marchan Company Comp	1259	4618221106900	ORTHOSIS, CERVICAL THORACIC LUMBAR SACRAL, PROVIDES ANTERIOR, POSTERIOR, LATERAL, AND ROTATIONAL CONTROL (APL AND R), FULLY ADJUSTABLE CONTAINS WASHABLE	ITEMIZED	each	400509	Orient Medical Solution EstOrig-	ORTEC	C TLSO	South Korea
	1260	4618221106800	ORTHOSIS, CERVICAL THORACIC LUMBAR SACRAL, PROVIDES ANTERIOR, POSTERIOR,	ITEMIZED	each	400509	Orient Medical Solution EstOrig-	ORTEC	C TLSO	South Korea
March Marc		4618170400000	FOAM LINERS AND A REMOVABLE FOAM LUMBAR PAD, SIZE SMALL ORTHOSIS, CRANIAL REMOULDING (CUSTOM MADE HELMETS), TO TREAT DEFORMATIONAL PLAGICCEPHALY, BRACHYCEPHALY, SCAPHOCEPHALY, CRANICSYNOSTOSS AND OTHER HEAD SHAPE DEFORMATIONS IN INFANTS 3-18 MONTHS OF AGE, MATERIALS INCLUDE SEMI- RIGIO/RIGIO PASTIC, HYPO ALERGENIC FOAM LINERS, MULTIPLE DESIGNS BASED UPON PATIENT NEEDS AND CONDITIONS, MEASUREMENTS TAKEN BY CERTIFIED ORTHOTIST USING LASER SCANNING TECHNOLOGY OR SIMILAR SCANNING TECHNOLOGIST THAT CAN GENERATE 30 REPORTS TO COMPARE HEAD SHAPE CHANGES OVER TIME, CLINICAL SERVICES INCLUDE PATIENT ASSESSMENT AT CUSTOMER'S PREMISES, MEASURING AND SCANNING, FITTING AND ANY FOLOWAPP AD JUSTEMANT NEEDED BY A CERTIFIED ORTHOTST, DELIVERY, FITTING					Orthomerica Products		
1985 1985	1262	4618221106500		ITEMIZED	each	400792		ELIFE	E-CH001	China
19 19 19 19 19 19 19 19	1263	4224170644200		ITEMIZED	each	400792	massas al-watania for medical servi -	ELIFE	E-TS004-L	China
1985 1985	1264	4224170644300	ORTHOSIS, FOOT METATARSAL PAD, MEDIUM, REGULAR	ITEMIZED	each	400792	massas al-watania for medical servi -	ELIFE	E-TS004-M	China
19 19 19 19 19 19 19 19	1265	4224170644400	ORTHOSIS, FOOT PAD, SMALL	CANCELLED	CANCELLED	CANCELLED	CANCELLED	CANCELLED	CANCELLED	CANCELLED
18 18 18 18 18 18 18 18	1266	4618221104400		ITEMIZED	each	400388	ACTIVITIES MEDICAL COMPANY -Orig-		1320-005	India
	1267	4618221104500		ITEMIZED	each	400388	ACTIVITIES MEDICAL COMPANY -Orig-		1320-004	India
19 19 19 19 19 19 19 19	1268	4618221104600		ITEMIZED	each	400388	ACTIVITIES MEDICAL COMPANY -Orig-	DYNAMIC TECHNO	1320-003	India
	1269	4618221106100	WITH A PLEASANT TOUCH THAT PREVENTS SLIPPING WHILE PADDING, ADJUSTING TAPES WITH ADJUSTABLE AND REMOVABLE TERMINALS, FORMED FOR THE FUNCTIONAL TREATMENT OF EACH SEGMENT IN MATERIAL OF EASY ADAPTATION, TRIMMING, AND	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	EMO	FML10	Spain
## STATES OF THE STATE OF THE STATE AND ADDRESS OF THE STATE OF THE ST	1270	4224200117200	ORTHOTIC SYSTEM THAT LOCKS THE KNEE JOINT, DURING THE STANCE PHASE AND BECOMES RELEASED DURING THE SWING PHASE, ALLOWING PATIENTS TO BEND THEIR LEG, THUS REQUIRING LESS ENERGY WHEN WALKING, ALSO LIGHTENS THE LOAD ON THE BACK, HIPS, AND KNEE JOINT THROUGH TIS MODE OF OPERATION, THE SYSTEM ENSURES THE PATIENT INDIVIDUAL SECURITY, STABILITY, AND ABOVE ALL MOBILITY, FOR PARTIAL PARALYSIS OR A	ITEMIZED	SET	400571	AL Gaim Comm. EstOrig-	Ottobock	170K1=L-80-0	Germany
Controlled Con	1271	4224200117400	RELEASED DURING THE SWING PHASE, ALLOWING PATIENTS TO BEND THEIR LEG, THUS REQUIRING LESS ENERGY WHEN WALKING, ALSO LIGHTENS THE LOAD ON THE BACK, HIPS, AND KIME JOINT THROUGHT SHOOD OF OPERATION, THE SYSTEM ENSURES THE PATIENTS INDIVIDUAL SECURITY, STABILITY, AND ABOVE ALL MOBILITY, FOR PARTIAL PARALYSIS OR A	ITEMIZED	SET	400571	AL Gaim Comm. EstOrig-	Ottobock	170K1=R-80-0	Germany
1971 CALEGORIAN CALEGORIA	1272	4224170642200	COMFORTABLE ANTERIOR DESIGN, OPEN HEEL, DYNAMIC FOOTPLATE, GRADED STABILITY, FITS IN NORMAL SHOES, 7 MM HEEL HEIGHT, STABILIZES THE ANKLE AND PROVIDES ADDED CONTROL OF PROXIMAL DEFICITS, SUPPORTS THE PATIENT THROUGH COMPLETE GAIT CYCLE,	ITEMIZED	each	400050			389801010(XS/L)	Sweden
1500 1510	1273	4224170643300	ORTHOTIC, ARCH SUPPORT, 3/4 LENGTH	ITEMIZED	each	400792	Orig-	JIANXING	JX74570	China
P. P. A. BASE TO LUMMATICA, 2003 10 SI SUM, APPROXIMATELY TITMAZIO Resigned Resi							Orig-			
177 1232/2000000							MEDICAL CARE ALLIANCE COMPANY -	BEIL Kunststoffproduktions-		Germany
177 22512000000								Ottobock		
1779 222-1710-2002	1277	4224150300700	P.V.A. BAGS FOR LAMINATION, 1000 X 300 X 50 MM, APPROXIMATELY	ITEMIZED	each	400005	Qomel Company -Orig-	UNIPROX	MG140-09	Germany
179 222171000000	1278	4224171308400	P.V.A. BAGS FOR LAMINATION, 1300 X 260 X 50 MM, APPROXIMATELY	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	119P3/7	Germany
1921 42277000000 P.Y.A. BIOS, FOR LAMMATION, 2007 1319 KARM APPROXIMATEY TIMINITIO each 400000 MIDCAL CARE ALLANCE COMPANY ONE 9895000 German 1921 42277000000 P.Y.A. BIOS, FOR LAMMATION, 2007 1319 KARM APPROXIMATEY TIMINITIO each 400000 MIDCAL CARE ALLANCE COMPANY ONE 9895000 German 1921 42277000000 P.Y.A. BIOS, FOR LAMMATION, 700 X 190 X SOMM APPROXIMATEY TIMINITIO each 400000 MIDCAL CARE ALLANCE COMPANY ONE 4000000 MIDCAL CARE ALLANCE COMPANY ONE 400000000000000000000000000000000000	1279	4224171308300	P.V.A. BAGS, FOR LAMINATION, 1000 X 190 X 50 MM APPROXIMATELY	ITEMIZED	each	400035	ZIMMO TRADING Company LTD -Orig-	A.ALGEOS LTD	TK2100	USA
1252 422279600000	1280		P.V.A. BAGS, FOR LAMINATION, 1300 X 220 X 50MM APPROXIMATELY	ITEMIZED	items (Pieces)	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	119P3/6	Germany China
1282 422279609000 P.V.A. BAGS, FOR LAMINATION, 700 X 190 X SOMM APPROXMATEV TITMATED Rems (Pecce) 400507 AL Game Can East - One 9812-700-705	1281	4222170600700	P.V.A. BAGS, FOR LAMINATION, 600 X 110 X 40MM APPROXIMATELY	ITEMIZED	each	400569			8935004	Germany
2222	1282	4222170600800	P.V.A. BAGS, FOR LAMINATION, 700 X 190 X 50MM APPROXIMATELY	ITEMIZED	items (Pieces)	400571	-		99B81=70x19x5	China
1283 422179509900	1282	4222170600800	P.V.A. BAGS, FOR LAMINATION, 700 X 190 X 50MM APPROXIMATELY	ITEMIZED	items (Pieces)	400569		Kunststoffproduktions-	8935003	Germany
1228 4224170601900 P.V.A. BADGS, FOR LANNANTION, 703 X 270 X 500M APPROXIMATELY TEMIZED Items (Pieces) 400550 MEDICAL CARE ALLIANA LUMPAUT - One of the third by the control of the control	1283	4222170600900	P.V.A. BAGS, FOR LAMINATION, 700 X 270 X 50MM APPROXIMATELY	ITEMIZED	items (Pieces)	400571	-	Ottobock	99b81=70x27x5	China
2244 242470601900 PERSITY, WASSHABE, FRANSFERABE, HYPOLALESCON, KON-TOKK, KON-COMPRESSIBLE, DUAL OLD STATE OF STAT	1283	4222170600900	P.V.A. BAGS, FOR LAMINATION, 700 X 270 X 50MM APPROXIMATELY	ITEMIZED	items (Pieces)	400569		Kunststoffproduktions-	8935001	Germany
2244 224170601200 DENSITY, WASHABLE, TRANSFERABLE, INPOLLEGENIC, OND TOXIC, NON-FLAMMABLE, DOOR PRESSILE, DUAL DENSITY, WASHABLE, LARGE BUILD DOT, SOFT SULCONE, COMPORT, NON-COMPRESSBILE, DUAL DENSITY, WASHABLE, TRANSFERABLE, IMPOLLEGENIC, ONN-FLAMMABLE, DOOR PRESSILE, DUAL DENSITY, WASHABLE, TRANSFERABLE, MPOLLEGENIC, ONN-FLAMMABLE, DOOR PRESSILE, DUAL DENSITY, WASHABLE, TRANSFERABLE, MPOLLEGENIC, ONN-FLAMMABLE, DOOR PRESSILE, DUAL DENSITY, WASHABLE, TRANSFERABLE, MPOLLEGENIC, NON-TOXIC, KON-FLAMMABLE, DOOR PRESSILE, DUAL DENSITY, WASHABLE, TRANSFERABLE, MPOLLEGENIC, NON-TOXIC, KON-FLAMMABLE, DOOR PRESSILE, DUAL DENSITY, WASHABLE, TRANSFERABLE, MPOLLEGENIC, NON-TOXIC, KON-FLAMMABLE, DOOR PRESSILE, DUAL DENSITY, WASHABLE, TRANSFERABLE, MPOLLEGENIC, NON-TOXIC, KON-FLAMMABLE, DOOR PRESSILE, DUAL DENSITY, WASHABLE, TRANSFERABLE, MPOLLEGENIC, NON-TOXIC, KON-FLAMMABLE, DOOR PRESSILE, DUAL DENSITY, WASHABLE, TRANSFERABLE, MPOLLEGENIC, NON-TOXIC, KON-FLAMMABLE, DOOR PRESSILE, DUAL DENSITY, WASHABLE, TRANSFERABLE, MPOLLEGENIC, NON-TOXIC, KON-FLAMMABLE, DOOR PRESSILE, DUAL DENSITY, WASHABLE, TRANSFERABLE, MPOLLEGENIC, NON-TOXIC, KON-FLAMMABLE, DOOR PRESSILE, DUAL DENSITY, WASHABLE, TRANSFERABLE, MPOLLEGENIC, NON-TOXIC, KON-FLAMMABLE, DOOR PRESSILE, DUAL DENSITY, WASHABLE, TRANSFERABLE, MPOLLEGENIC, NON-TOXIC, KON-FLAMMABLE, DOOR PRESSILE, DUAL DENSITY, WASHABLE, TRANSFERABLE, MPOLLEGENIC, NON-TOXIC, KON-FLAMMABLE, DOOR PRESSILE, DUAL DENSITY, WASHABLE, TRANSFERABLE, MPOLLEGENIC, NON-TOXIC, KON-FLAMMABLE, DOOR PRESSILE, DUAL DENSITY, WASHABLE, TRANSFERABLE, MPOLLEGENIC, NON-TOXIC, KON-FLAMMABLE, DOOR PRESSILE, DUAL DENSITY, WASHABLE, TRANSFERABLE, MPOLLEGENIC, NON-TOXIC, KON-FLAMMABLE, DOOR PRESSILE, DUAL DENSITY, WASHABLE, TRANSFERABLE, MPOLLEGENIC, NON-TOXIC, WASHABLE, TRANSFERABLE, MPOLLEGENIC, NON-TOXIC, WASHABLE, TRANSFERABLE, MPOLLEGENIC, WASHABLE, TRANSFERABLE, MPOLLEGENIC, WASHABLE, TRANSFERABLE, MPOLLEGENIC, WASHABLE, TRANSFERABLE, MPOLLEGENIC, WASHABLE, TRANSFERABLE,	1284	4224170601900	DENSITY, WASHABLE, TRANSFERABLE, HYPOALLERGENIC, NON-TOXIC, NON-FLAMMABLE,	ITEMIZED	items (Pieces)	400619	Hospital Care Company -Orig-		GL-004 (XL)	China
2285 2243/70603700 DENSITY, WASHABLE, TRANSERABLE, HYPOCALERGENIC, NON-TOXIC, ONN-FASHAMBLE, JUNE DOOR REE PRO, HEEL, MEDIUM, BLUE DOT, SOFT SILCONE, COMFORT, NON-COMPRESSIBLE, DUAL DONS FREE DOOR FREE TEMIZED Hems (Preces) A00619 Hospital Care Company -Orig. MEDICAL PRODUCTS CO. DOGGOUNS SUPERACE MEDICAL PRODUCTS CO. MED	1284	4224170601900	DENSITY, WASHABLE, TRANSFERABLE, HYPOALLERGENIC, NON-TOXIC, NON-FLAMMABLE,	ITEMIZED	items (Pieces)	400216	Medical Lights Trading Company -Orig-		63004 XL	China
PAD, NEEL, MEDIUM, BLUE DOT, SOT SILCONE, COMFORT, NON-COMPRESSBIEL, DUAL DORS FOR MEDIUM, BLUE DOT, SOT SILCONE, COMFORT, NON-COMPRESSBIEL, DUAL DONS FREE Rems (Pieces) 400619 Hospital Care Company - Org. Cloud (M) China Cloud Cl	1285	4224170601700	DENSITY, WASHABLE, TRANSFERABLE, HYPOALLERGENIC, NON-TOXIC, NON-FLAMMABLE,	ITEMIZED	items (Pieces)	400619	Hospital Care Company -Orig-		GL-004 (L)	China
PAD, HEEL, MEDIUM, BULE DOT, SOFT SILLONE, COMPORT, NON-COMPRESSIBLE, DUAL DENSITY, WASHABLE, TRANSFERRABLE, HPOPALERGENERIC, NON-TOXIC, NON-ELAMMABLE, DOOR FARE 1284 1294	1286	4224170601800	PAD, HEEL, MEDIUM, BLUE DOT, SOFT SILICONE, COMFORT, NON-COMPRESSIBLE, DUAL DENSITY, WASHABLE, TRANSFERABLE, HYPOALLERGENIC, NON-TOXIC, NON-FLAMMABLE,	ITEMIZED	items (Pieces)	400619	Hospital Care Company -Orig-		GL-004 (M)	China
1288 4224150001000 PASTER, PIGMENT, BLUE, NET CONTENTS, 30 ML, SPROXIMATELY ITEMIZED each 400571 AL Gaim Comm. EstOrig: Ottobock 535L2 German 1288 4224150001000 PASTER, PIGMENT, BLUE, NET CONTENTS 300 ML, SPROX CAN, APPROXIMATELY ITEMIZED each 400571 AL Gaim Comm. EstOrig: Ottobock 519L5 Slovenia 1289 4224200017600 PASTER, PIGMENT, BLUE, NET CONTENTS 250 MARK CUSTOM-MADE PODIATIC ORTHOS TIEMIZED each 400569 MEDICAL CARE ALLIANCE COMPANY - Orig: EMO PASTER, PIGMENT, BLUE, NET CONTENTS 250 GRAMS, APPROXIMATELY ITEMIZED each 400569 MEDICAL CARE ALLIANCE COMPANY - Orig: Seminary - O	1286	4224170601800	PAD, HEEL, MEDIUM, BLUE DOT, SOFT SILICONE, COMFORT, NON-COMPRESSIBLE, DUAL DENSITY, WASHABLE, TRANSFERABLE, HYPOALLERGENIC, NON-TOXIC, NON-FLAMMABLE,	ITEMIZED	items (Pieces)	400216	Medical Lights Trading Company -Orig-		63004 M	China
PASTE MODELING MEDICAL SHORE HARDNESS ALD OR EQUIVALENT EXTRA SOFT TWO POTS A NAD B TO MIX IN SAME PROPORTION TO MAKE THE PODIATRIC ORTHOSIS FOR MAKE CUSTOM-MADE PODIATRIC ORTHOSIS TO MAKE CUSTOM-MADE PODIATRIC			PARTING AGENT FOR RESINS, NET CONTENTS, 1 KG., APPROXIMATELY							Germany Slovenia
1290 4224/200317700 TO MIX IN SAME PROPORTION TO MAKE THE PODIATRIC ORTHOSIS ONCE MADE LEAVE IT TO GET DRY TO MAKE CUSTOM-MADE PODIATRIC ORTHOSIS TO MAKE CUSTOM-MADE PO			PASTE MODELING MEDICAL SHORE HARDNESS A10 OR EQUIVALENT EXTRA SOFT TWO POTS A AND B TO MIX. IN SAME PROPORTION TO MAKE THE PODIATRIC ORTHOSIS ONCE MADE LEAVE IT TO GET DRY TO MAKE CUSTOM-MADE PODIATRIC ORTHOSIS TO MAKE CUSTOM-MADE PODIATRIC ORTHO							
A22417318100	1290	4224200017700	TO MIX IN SAME PROPORTION TO MAKE THE PODIATRIC ORTHOSIS ONCE MADE LEAVE IT TO GET DRY TO MAKE CUSTOM-MADE PODIATRIC ORTHOSIS TO MAKE CUSTOM-MADE	ITEMIZED	each	400050			PA20-PB20	Spain
1292 422417318000 PASTE, PIGMENT, BLUE, NET CONTENTS 250 GRAMS, APPROXIMATELY ITEMIZED each 400569 MEDICAL CARE ALLIANCE COMPANY - Orig:	1291	4224171318100	PASTE, PIGMENT, BLACK, NET CONTENTS 250 GRAMS, APPROXIMATELY	ITEMIZED	each	400569		Kunststoffproduktions- und Handelsg	8935014	Germany
1293 4224171317900 PASTE, PIGMENT, RED, NET CONTENTS 250 GRAMS, APPROXIMATELY ITEMIZED each 400569 MEDICAL CARE ALLIANCE COMPANY - Orig:							Orig-	Kunststoffproduktions- und Handelsg		Germany
1293 422417317900 PASTE, PIGMENT, RED, NET CONTENTS 250 GRAMS, APPROXIMATELY ITEMIZED each 400591 AL Gaim Comm. EstOrig. Ottobook 61726 German Handelig								BEIL		Germany
BELL							Orig-	und Handelsg		
1294 4224171317600 PASTE, PIGMENT, SKIN COLOR BROWN, NET CONTENTS 250 GRAMS, APPROXIMATELY ITEMIZED each 400571 AL Gaim Comm. EstOrig: Ottobock 61723 German 1295 4224171317500 PASTE, PIGMENT, SKIN COLOR, CAUCASIAN, NET CONTENTS 1 KG., APPROXIMATELY ITEMIZED each 400571 AL Gaim Comm. EstOrig: Ottobock 61722 German 1296 4224171317700 PASTE, PIGMENT, WHITE, NET CONTENTS 250 GRAMS, APPROXIMATELY ITEMIZED each 400569 MEDICAL CARE ALLIANCE COMPANY - KONTENTS CONTENTS 250 GRAMS, APPROXIMATELY ITEMIZED each 400569 MEDICAL CARE ALLIANCE COMPANY - KONTENTS CONTENTS 250 GRAMS, APPROXIMATELY ITEMIZED each 400569 MEDICAL CARE ALLIANCE COMPANY - KONTENTS CONTENTS 250 GRAMS, APPROXIMATELY ITEMIZED each 400569 MEDICAL CARE ALLIANCE COMPANY - KONTENTS CONTENTS 250 GRAMS, APPROXIMATELY ITEMIZED each 400569 MEDICAL CARE ALLIANCE COMPANY - KONTENTS 250 GRAMS, APPROXIMATELY ITEMIZED each 400569 MEDICAL CARE ALLIANCE COMPANY - KONTENTS 250 GRAMS, APPROXIMATELY ITEMIZED each 400569 MEDICAL CARE ALLIANCE COMPANY - KONTENTS 250 GRAMS, APPROXIMATELY ITEMIZED each 400569 MEDICAL CARE ALLIANCE COMPANY - KONTENTS 250 GRAMS, APPROXIMATELY ITEMIZED each 400569 MEDICAL CARE ALLIANCE COMPANY - KONTENTS 250 GRAMS, APPROXIMATELY ITEMIZED each 400569 MEDICAL CARE ALLIANCE COMPANY - KONTENTS 250 GRAMS, APPROXIMATELY ITEMIZED each 400569 MEDICAL CARE ALLIANCE COMPANY - KONTENTS 250 GRAMS, APPROXIMATELY ITEMIZED each 400569 MEDICAL CARE ALLIANCE COMPANY - KONTENTS 250 GRAMS, APPROXIMATELY ITEMIZED each 400569 MEDICAL CARE ALLIANCE COMPANY - KONTENTS 250 GRAMS, APPROXIMATELY ITEMIZED each 400569 MEDICAL CARE ALLIANCE COMPANY - KONTENTS 250 GRAMS, APPROXIMATELY ITEMIZED each 400569 MEDICAL CARE ALLIANCE COMPANY - KONTENTS 250 GRAMS, APPROXIMATELY ITEMIZED each 400569 MEDICAL CARE ALLIANCE COMPANY - KONTENTS 250 GRAMS, APPROXIMATELY ITEMIZED EACH 400569 MEDICAL CARE ALLIA							MEDICAL CARE ALLIANCE COMPANY -	BEIL		Germany
1296 4224171317700 PASTE, PIGMENT, WHITE, NET CONTENTS 250 GRAMS, APPROXIMATELY ITEMIZED each 400569 MEDICAL CARE ALLIANCE COMPANY - Kunststoffproduktions-		4224171317600	PASTE, PIGMENT, SKIN COLOR BROWN, NET CONTENTS 250 GRAMS, APPROXIMATELY	ITEMIZED	each		AL Gaim Comm. EstOrig-	und Handelsg Ottobock	617Z3	Germany
1296 42241/1317/00 PASTE, PIGMENT, WHITE, NET CONTENTS 250 GRAMS, APPROXIMATELY TEMIZED each 400569 Orig.								BEIL		Germany
	1290	+2241/131//UU	FASTE, FIGNICIAT, WHITE, NET CONTENTS 250 GRAMS, APPROXIMATELY	HEMIZED	eacn	400569			0330010	Germany

1297 4224 1298 4224 1298 4224 1299 4224	224171317800								
1297 4224 1298 4224 1298 4224 1299 4224						MEDICAL CARE ALLIANCE COMPANY -	BEIL		
1298 4224 1298 4224 1299 4224		PASTE, PIGMENT, YELLOW, NET CONTENTS 250 GRAMS, APPROXIMATELY	ITEMIZED	each	400569	Orig-	Kunststoffproduktions- und Handelsg	8935011	Germany
1298 4224 1299 4224	24171317800	PASTE, PIGMENT, YELLOW, NET CONTENTS 250 GRAMS, APPROXIMATELY	ITEMIZED	each	400571	AL Gaim Comm. EstOrig- MEDICAL CARE ALLIANCE COMPANY -	Ottobock	617Z5	Germany
1299 4224	24180802300	PECTUS CARINATUM ORTHOSIS WITH RATCHET CLOSURE PROVIDES INCREASED ANTERIOR/POSTERIOR DIRECTED CORRECTIVE COMPRESSION FORCES, SIZE: 65-90 CM	ITEMIZED	each	400569	Orig-	REH4MAT Slawomir Wronski	AM-TX-04 Size 4	Poland
	24180802300	PECTUS CARINATUM ORTHOSIS WITH RATCHET CLOSURE PROVIDES INCREASED	ITEMIZED	each	400005	Qomel Company -Orig-	TRULIFE	PECTUS	USA
		ANTERIOR/POSTERIOR DIRECTED CORRECTIVE COMPRESSION FORCES, SIZE: 65-90 CM PEDIC PLASTER POST-SURGICAL PLASTER PROTECTOR ANTI - SLIP SOLE VELCRO CLOSURE OR							
1300 4224	24150300300	EQUIVALENT IT FACILITATES THE AMBULATION IN THE POST - OPERATIVE OF INTERVENTIONS	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	EMO	PD20	Spain
1300 4224		IN THE FEET POST - OPERATIVE PERIOD AFTER THE FEET INTERVENTIONS (BUNIONS INGROWN NAILS CLAW TOES)							
1300 422		PEDIC PLASTER, PROTECTOR, ANTI - SLIP SOLE, LACE CLOSURE FOR A BETTER FIT, IT							
	24150300200	FACILITATES THE AMBULATION IN THE POST - OPERATIVE OF INTERVENTIONS IN THE FEET INDICATED FOR FOOT AND ANKLE FRACTURES	ITEMIZED	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	EMO	PD01	Spain
		PEDIC TALUS PLASTER POST-SURGICAL MAINTAINS THE POSITION OF THE FOOT IN TALUS							
1301 4224	24150300400	UNLOADING THE AREA OF THE FOREFOOT PLASTER PROTECTOR ANTI - SLIP SOLE VELCRO CLOSURE IT FACILITATES THE AMBULATION IN THE POST - OPERATIVE OF INTERVENTIONS IN	ITEMIZED	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	EMO	PD20T	Spain
1301 422	.2-130300-00	THE FEET POST - OPERATIVE PERIOD AFTER THE FEET INTERVENTIONS (BUNIONS INGROWN	TEMPLES	Cucii	400050	74 EWAT MEDICAL COMPANY ONE	LINIO	15251	Spani
		NAILS CLAW TOES) PEDILIN OR EQUIVALENT, PERFORATED, H3, CAUCASIAN COLOR, 1000 X 1000 X 3 MM							
1302 4224	24151015000	THICKNESS, APPROXIMATELY	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	617S6=H3	Japan
1303 4224	24151015100	PEDILIN OR EQUIVALENT, PERFORATED, H4, CAUCASIAN COLOR, 1000 X 1000 X 4 MM THICKNESS, APPROXIMATELY	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	617S6=H4	Japan
1304 4224	24151015200	PEDILIN OR EQUIVALENT, PERFORATED, H5, CAUCASIAN COLOR, 1000 X 1000 X 5 MM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	617S6=H5	Japan
		THICKNESS, APPROXIMATELY PEDILIN OR EQUIVALENT, PERFORATED, H6, CAUCASIAN COLOR, 1000 X 1000 X 6 MM							<u> </u>
	24151015300	THICKNESS, APPROXIMATELY	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	617S6=H6	Japan
	31155305100 31155305200	PERLON, WHITE, STOCKINETTE, 2 ROLL/ 1 KG, 8 CM PERLON, WHITE, STOCKINETTE, 20 CM, 1 KG, 20 M	ITEMIZED	each each	400571 400571	AL Gaim Comm. EstOrig- AL Gaim Comm. EstOrig-	Ottobock Ottobock	623T5=8 623T5=20	Germany
1308 4231	31155305300	PERLON, WHITE, STOCKINETTE, 25 CM, 1 KG, 25	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	623T5=25	Germany
1309 4231	31155305400	PERLON, WHITE, STOCKINETTE, 30 CM, 1 KG, 30	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock BEIL	623T5=30	Germany
1310 4231	31155304000	PERLON, WHITE, STOCKINETTE, WIDTH 100 MM LENGTH/ROLL, 37 METER, APPROXIMATELY	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY -	Kunststoffproduktions-	28110	Germany
						Orig-	und Handelsg		
1310 4231	31155304000	PERLON, WHITE, STOCKINETTE, WIDTH 100 MM LENGTH/ROLL, 37 METER, APPROXIMATELY	ITEMIZED	each	400005	Qomel Company -Orig-	UNIPROX	MG202-100	Germany
1311 4231	31155304600	PERLON, WHITE, STOCKINETTE, WIDTH 60 MM LENGTH/ROLL, 27.7 METER, APPROXIMATELY	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	623T5=6	Germany
			ITCA AIRCO		400000			104025	
1311 4231	31155304600	PERLON, WHITE, STOCKINETTE, WIDTH 60 MM LENGTH/ROLL, 27.7 METER, APPROXIMATELY	ITEMIZED	each	400035	ZIMMO TRADING Company LTD -Orig-	A.ALGEOS LTD	LB1026	Italy
1312 4224	24170800000	PILLOW, ABDUCTION DELUXE, PEDIATRIC, 9 INCHES ANKLE, 3 INCHES KNEE, 10 INCHES LENGTH, POLYFOAM WITH VINYL COVERING	ITEMIZED	each	400104	Al-Jeel Medical & Trading Co. Ltd -Orig-	DeRoyal	M60-076-XS	USA
1313 4224	24200034200	PIN PUNCH KIT, AN ORTHOTICS WORKSHOP TOOL, CHROME-VANADIUM STEEL, SIX PARTS, IN	ITEMIZED	Kit	400571	AL Gaim Comm. EstOrig-	Ottobock	714U4	Germany
	24171310600	WOODEN STAND, OCTAGONAL SHAFT, Ø 2, 3, 4, 5, 6 AND 8 MM PINCH GAUGE, FOR TESTING THE GRIP FORCE OF SYSTEM ELECTRIC HAND	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	743F1	Germany
722		PIPE VISE OR PIPE-HOLDING FIXTURE, AN ORTHOTICS WORKSHOP TOOL, HINGED DESIGN							
1315 4224	24200031000	WITH AUTOMATICALLY CLOSING SECURING HOOK, DROP FORGED MOVABLE JAW, MOVABLE JAW AND FIXED JAW EXCHANGEABLE, GRIPPING SURFACES MILLED AND HARDENED, STRONG	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY -	AFT-INTERNATIONAL	6025800502	Germany
422.		SPINDLE WITH ADJUSTABLE T-HANDLE, TO BE USED FOR FOR PIPES UP TO 2 INCHES, JAW	LIVILLED	Cucii	100303	Orig-		1123000302	- annually
		OPENING 60-80 MM, WEIGHT 4-6 KG PLASTABAND FOR SEALING FILLING AND PROTECTION IN CONJUNCTION WITH LAMINATION							
1316 4224	24200011800	APPLICATIONS AND TEMPERATURE RESISTANT LENGTH 10 METER WIDTH: 20 MM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	636K8=20x2x10	Germany
		THICKNESS: 2 MM COLOR: GRAY PLASTAZOTE PERFORATED FOR THE PADDING OF ORTHOSES, HARDNESS APPROX. SHORE A							
1317 4224	24200030200	15-20, LOW DENSITY: APPROX. 45 KG/M3, GOOD RESILIENCE, WASHABLE, CAUCASIAN COLOR,	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	61758=3	United Kingdom
		SIZE 1000 X 1000 MM, THICKNESS 3 MM PLASTAZOTE PERFORATED FOR THE PADDING OF ORTHOSES, HARDNESS APPROX. SHORE A							
1317 4224	24200030200	15-20, LOW DENSITY: APPROX. 45 KG/M³, GOOD RESILIENCE, WASHABLE, CAUCASIAN COLOR,	ITEMIZED	each	400415	CareTechniques -Orig-	Uniprox	MP30-03H	Germany
		SIZE 1000 X 1000 MM, THICKNESS 3 MM							
1318 4224	24200030300	PLASTAZOTE PERFORATED FOR THE PADDING OF ORTHOSES, HARDNESS APPROX. SHORE A 15-20, LOW DENSITY: APPROX. 45 KG/M³, GOOD RESILIENCE, WASHABLE, CAUCASIAN COLOR,	ITEMIZED	each	400035	ZIMMO TRADING Company LTD -Orig-	A.ALGEOS LTD	ON1026	United Kingdom
		SIZE 1000 X 1000 MM, THICKNESS 4 MM							
1318 4224	24200030300	PLASTAZOTE PERFORATED FOR THE PADDING OF ORTHOSES, HARDNESS APPROX. SHORE A 15-20, LOW DENSITY: APPROX. 45 KG/M³, GOOD RESILIENCE, WASHABLE, CAUCASIAN COLOR,	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	61758=4	United Kingdom
		SIZE 1000 X 1000 MM, THICKNESS 4 MM							8
1319 4224	24200030400	PLASTAZOTE PERFORATED FOR THE PADDING OF ORTHOSES, HARDNESS APPROX. SHORE A 15-20, LOW DENSITY: APPROX. 45 KG/M³, GOOD RESILIENCE, WASHABLE, CAUCASIAN COLOR,	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	61758=5	United Kingdom
1313 422	.2-1200030-100	SIZE 1000 X 1000 MM, THICKNESS 5 MM	TEMPLES	cucii	400371	Ac dain comm. Est. Ong	Ottobock	01/30-3	Onica kingaoni
1319 4224	24200030400	PLASTAZOTE PERFORATED FOR THE PADDING OF ORTHOSES, HARDNESS APPROX. SHORE A 15-20, LOW DENSITY: APPROX. 45 KG/M³, GOOD RESILIENCE, WASHABLE, CAUCASIAN COLOR,	ITEMIZED	each	400415	CareTechniques -Orig-	Uniprox	MP30-05H	Germany
		SIZE 1000 X 1000 MM, THICKNESS 5 MM		eacii			,		Germany
	24151001700	PLASTAZOTE SHEETS, BLACK, VERY RIGID, SIZE: 10 X 560 X 750 MM APPROXIMATELY PLASTER OF PARIS POWDER, ALABASTER MOULDING PLASTER, 25 KG/PACK	ITEMIZED	each each	400035 400571	ZIMMO TRADING Company LTD -Orig- AL Gaim Comm. EstOrig-	A.ALGEOS LTD Ottobock	ON1076 699G4=25	United Kingdom Germany
	24200036700	PLASTIC HEAD HAMMER, AN ORTHOTICS WORKSHOP TOOL	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	705G1=40	Germany
1323 4224	24171501200	PLATE, ORTHOTIC, CALIPER, LEFT SIDE, COMPATIBLE UPRIGHT SECTION 19 X 2.5 MM STAINLESS STEEL, LARGE, WIDTH 75 MM, WEIGHT 90 GRAMS, FOR ANKLE JOINT STIRRUPS	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	becker	3400-BL	USA
		PLUS FLAT SEAM REGULAR PROFLEX OR EQUIVALENT TO ENSURE THE PROXIMAL END IS							
		BARELY FELT AND THE DISTAL SEAL IS EXTREMELY PRECISE DESIGN SUPPORTS FUNCTIONALITY THE DESIGN OF THE PROFLEX PLUS CLEARLY DELINEATES THE PATELLA AND							
		THE HOLLOW OF THE KNEE AND MAKES PREFLEXION MORE VISIBLE THIS MAKES IT EASIER TO							
1324 4224	24200408000	CORRECTLY ROLL OUT THE SEALING SLEEVE PRE - SHAPED KNEE CAP AREA REDUCES PRESSURE ON THE KNEE CAP WHEN THE KNEE BENDS 15 DEGREE PREFLEXION MAKES IT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	453A3=1	Germany
1524 4224	24200408000	EASIER TO BEND THE KNEE AND ALLOWS FEWER CREASES TO FORM IN THE HOLLOW OF THE	TTEIWIZED	edcii	400371	At Gain Comm. EstOng-	Ottobock	435A3-1	Germany
		KNEE CONICAL SHAPE THE SEALING SLEEVE IS TAPERED BOTH FROM THE DISTAL END TOWARDS THE KNEE AS WELL AS FROM THE KNEE TOWARDS THE PROXIMAL END THIS							
		INCREASES THE GRIP ON THE PROSTHETIC SOCKET AND AT THE SAME TIME REDUCES							
		PRESSURE ON THE THIGH KNEE CENTER CIRCUMFERENCE 24 - 32 CM SIZE 1							
		PLUS FLAT SEAM REGULAR PROFLEX OR EQUIVALENT TO ENSURE THE PROXIMAL END IS BARELY FELT AND THE DISTAL SEAL IS EXTREMELY PRECISE DESIGN SUPPORTS							
		FUNCTIONALITY THE DESIGN OF THE PROFLEX PLUS CLEARLY DELINEATES THE PATELLA AND							
		THE HOLLOW OF THE KNEE AND MAKES PREFLEXION MORE VISIBLE THIS MAKES IT EASIER TO CORRECTLY ROLL OUT THE SEALING SLEEVE PRE - SHAPED KNEE CAP AREA REDUCES							
1325 4224	24200408100	PRESSURE ON THE KNEE CAP WHEN THE KNEE BENDS 15 DEGREE PREFLEXION MAKES IT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	453A3=2	Germany
		EASIER TO BEND THE KNEE AND ALLOWS FEWER CREASES TO FORM IN THE HOLLOW OF THE KNEE CONICAL SHAPE THE SEALING SLEEVE IS TAPERED BOTH FROM THE DISTAL END							
		TOWARDS THE KNEE AS WELL AS FROM THE KNEE TOWARDS THE PROXIMAL END THIS							
		INCREASES THE GRIP ON THE PROSTHETIC SOCKET AND AT THE SAME TIME REDUCES PRESSURE ON THE THIGH KNEE CENTER CIRCUMFERENCE 30 - 40 CM SIZE 1							
		PLUS FLAT SEAM REGULAR PROFLEX OR EQUIVALENT TO ENSURE THE PROXIMAL END IS							
		BARELY FELT AND THE DISTAL SEAL IS EXTREMELY PRECISE DESIGN SUPPORTS FUNCTIONALITY THE DESIGN OF THE PROFLEX PLUS CLEARLY DELINEATES THE PATELLA AND							
		THE HOLLOW OF THE KNEE AND MAKES PREFLEXION MORE VISIBLE THIS MAKES IT EASIER TO							
الم المهم	24200408200	CORRECTLY ROLL OUT THE SEALING SLEEVE PRE - SHAPED KNEE CAP AREA REDUCES PRESSURE ON THE KNEE CAP WHEN THE KNEE BENDS 15 DEGREE PREFLEXION MAKES IT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	453A3=3	Germany
1326 4224	1200400200	EASIER TO BEND THE KNEE AND ALLOWS FEWER CREASES TO FORM IN THE HOLLOW OF THE	LIVIIZED	Caul	-1003/1	AL COMM. EST. "Offg"	SHODOCK	-JJNJ-3	Germany
1326 4224		KNEE CONICAL SHAPE THE SEALING SLEEVE IS TAPERED BOTH FROM THE DISTAL END TOWARDS THE KNEE AS WELL AS FROM THE KNEE TOWARDS THE PROXIMAL END THIS							
1326 4224		INCREASES THE GRIP ON THE PROSTHETIC SOCKET AND AT THE SAME TIME REDUCES							
1326 422		PRESSURE ON THE THIGH KNEE CENTER CIRCUMFERENCE 36 - 47 CM SIZE 1 PLUS FLAT SEAM SHORT PROFLEX OR EQUIVALENT TO ENSURE THE PROXIMAL END IS BARELY							
1326 422		FELT AND THE DISTAL SEAL IS EXTREMELY PRECISE DESIGN SUPPORTS FUNCTIONALITY THE							
1326 422		DESIGN OF THE PROFLEX PLUS CLEARLY DELINEATES THE PATELLA AND THE HOLLOW OF THE							
1326 422									
		KNEE AND MAKES PREFLEXION MORE VISIBLE THIS MAKES IT EASIER TO CORRECTLY ROLL OUT THE SEALING SLEEVE PRE - SHAPED KNEE CAP AREA REDUCES PRESSURE ON THE KNEE		t .	400571	AL Gaim Comm. EstOrig-	Ottobock	1	
	24200408300	OUT THE SEALING SLEEVE PRE - SHAPED KNEE CAP AREA REDUCES PRESSURE ON THE KNEE CAP WHEN THE KNEE BENDS 15 DEGREE PREFLEXION MAKES IT EASIER TO BEND THE KNEE	ITEMIZED	each			Ottobock	453A4=1	Germany
	224200408300	OUT THE SEALING SLEEVE PRE - SHAPED KNEE CAP AREA REDUCES PRESSURE ON THE KNEE CAP WHEN THE KNEE BENDS 15 DEGREE PREFLEXION MAKES IT EASIER TO BEND THE KNEE AND ALLOWS FEWER CREASES TO FORM IN THE HOLLOW OF THE KNEE CONICAL SHAPE THE	ITEMIZED	each			Ottobock	453A4=1	Germany
	24200408300	OUT THE SEALING SLEEVE PRE - SHAPED KNEE CAP AREA REDUCES PRESSURE ON THE KNEE AR WHEN THE KNEE BENDS IS DEGREE PREFELVION MAKES IT EASIER TO BEND THE KNEE AND ALLOWS FEWER CREASES TO FORM IN THE HOLLOW OF THE KNEE CONICAL SHAPE THE SEALING SLEEVE IS TAPERED BOTH FROM THE DISTAL END TOWARDS THE KNEE AS WELL AS FROM THE KNEE TOWARDS THE PROXIMALE FOR THIS INCREASES THE GRIP ON THE STROM THE KNEE TOWARDS THE PROXIMALE FOR THIS INCREASES THE GRIP ON THE	ITEMIZED	each			Ottobook	453A4=1	Germany
	124200408300	OUT THE SEALING SLEEVE PRE - SHAPED KNEE CAP AREA REDUCES PRESSURE ON THE KNEE CAP WHEN THE KNEE BEINDS 15 DEGREE PREFLEXION MAKES IT EASIER TO BEIND THE KNEE AND ALLOWS FEWER CREASES TO FORM IN THE HOLLOW OF THE KNEE CONICAL SHAPE THE SEALING SLEEVE IS TAPERED BOTH FROM THE DISTAL END TOWARDS THE KNEE AS WELL AS	ITEMIZED	each			Ottoback	453A4=1	Germany
	224200408300	OUT THE SEALING SLEEVE PRE - SHAPED KNEE CAP AREA REDUCES PRESSURE ON THE KNEE CAP WHEN THE KNEE BENDS 15 DEGREE PREFLEXION MAKES IT EASIER TO BEND THE KNEE AND ALLOWS FEWER CREASES TO FORM IN THE HOLLOW OF THE KNEE CONICAL SHAPE THE SEALING SLEEVE IS TAPERED BOTH FROM THE DISTAL END TOWARDS THE KNEE AS WELL AS FROM THE KNEE TOWARDS THE PROXIMALE BOTH THIS INCREASES THE GRIP ON THE PROSTHETIC SOCKET AND AT THE SAME TIME REDUCES PRESSURE ON THE THIGH KNEE CENTER CIRCUMFERENCE 24 - 32 CM SIZE 1 PLUS FLAT SEAM SHORT PROFILEX OR EQUIVALENT TO ENSURE THE PROXIMAL END IS BARELY	ITEMIZED	each			Chooce	453A4=1	Germany
	224200408300	OUT THE SEALING SLEEVE PRE - SHAPED KNEE CAP AREA REDUCES PRESSURE ON THE KNEE AND ALLOWS FEWER CREASES TO FORM IN THE HOLLOW OF THE KNEE CANICAL SHAPE THE SEALING SLEEVE IS TAPPERED BOTH FROM THE DISTALE IND TOWARDS THE KNEE AS WELL AS FROM THE KNEE TOWARDS THE PROXIMAL END THIS INCREASES THE GRIP ON THE PROSTHETIC SOCKET AND AT THE SAME TIME REDUCES PRESSURE ON THE THIGH KNEE PLUS FLAT SEAM SHORT PROFIECK OR EQUIVALENT TO BUSINEST THE PROXIMAL END IS BARELY FELT AND THE DISTAL SEAL IS EXTREMELY PRECISE DESIGN SUPPORTS FUNCTIONALITY THE	ITEMIZED	each			Character	453A4=1	Germany
	124200408300	OUT THE SEALING SLEVE PRE - SHAPED KNEE CAP AREA REDUCES PRESSURE ON THE KNEE CAP WHEN THE KNEE BENDS IS DEGREE PREFLEXION MAKES IT EASIER TO BEND THE KNEE AND ALLOWS FEWER CREASES TO FORM IN THE HOLLOW OF THE KNEE CONICAL SHAPE THE SEALING SLEVE IS TAPERED BOTH FROM THE DISTAL END TOWARDS THE KNEE AS WELL AS FROM THE KNEE TOWARDS THE PROWINGLE FOR THIS INCREASES THE GRIP ON THE PROSTHETIC SOCKET AND AT THE SAME TIME REDUCES PRESSURE ON THE THIGH KNEE CENTER CIRCUMFERENCE 24 - 32 CM SIZE 1 PLUS FLAT SEAM SHORT PROFLEX FOR EQUIVALENT TO ENSURE THE PROXIMAL END IS BARELY FELT AND THE DISTAL SEAL IS EXTREMELY PRECISE DESIGN SUPPORTS FUNCTIONALITY THE DESIGN OF THE PROFLEX PLUS CLEARLY DELINEATES THE PATELLA AND THE HOLLOW OF THE KNEE AND MAKES PREFLEXION MORE VISIBLE THIS MAKES IT EASIER TO CORRECTLY ROLL	ITEMIZED	each			Side Side Side Side Side Side Side Side	453A4=1	Germany
1327 4224		OUT THE SEALING SLEEVE PRE - SHAPED KNEE CAP AREA REDUCES PRESSURE ON THE KNEE AND ALLOWS FEWER CREASES TO FORM IN THE HOLLOW OF THE KNEE CONICAL SHAPE THE SEALING SLEEVE IS TAPERED BOTH FROM THE DISTAL END TOWARDS THE KNEE AS WELL AS FROM THE KNEE TOWARDS THE PROXIMALE IND THIS INCREASES THE GRIP ON THE H PROSTHEIT SOCKET AND AT THE SAME TIME REDUCES PRESSURE ON THE THIGH KNEE CENTER GROUPEFRENCE 24 - 32 CM SIZE! PLUS FLAT SEAM SHORT PROFILEX OR EQUIVALENT TO ENSURE THE PROXIMALE BND IS BAREY ELT AND THE DISTAL SEAL SEATEMENT PROFILES DESIGN SUPPORTS FUNCTIONALITY THE DESIGN OF THE PROFILEX PLUS CLEARLY DELINEATES THE PATELLA AND THE HOLLOW OF THE KNEE AND MAKES PREFLEXION MORE VISILE THIS MAKES IT EASIER TO CORRECTLY ROLL OUT THE SEALING SLEEVE PRE - SHAPED KNEE CAP AREA REDUCES PRESSURE ON THE KNEE			400571				
1327 4224	124200408300	OUT THE SEALING SLEEVE PRE - SHAPED KNEE CAP AREA REDUCES PRESSURE ON THE KNEE AND ALLOWS FEWER CREASES TO FORM IN THE HOLLOW OF THE KNEE CONICAL SHAPE THE SEALING SLEEVE IS TAPERED BOTH FROM IN THE DISTAL END TOWARDS THE KNEE AS WELL AS FROM THE KNEE TOWARDS THE FORWIALE IN DISTAL END TOWARDS THE KNEE AS WELL AS FROM THE KNEE TOWARDS THE FORWIALE IN DISTAL END TOWARDS THE KNEE FAS WELL AS FROM THE KNEE TOWARDS THE FORWIALE IN DISTAL END TOWARDS THE KNEE AS WELL AS FROM THE KNEET OWARDS THE SAME TIME REDUCES AS 22 CM SIZE I THIGH KNEE CENTER CRICLIANGEMENT OF THE SAME SHORT FOR FELL AND THE HOLLOW OF THE KNEE AND THE THE PROFILEY FOR EQUIVALENT TO ENSURE THE PROVINAL END IS BARELY ELT AND THE PROFILEY FOR EQUIVALENT TO ENSURE THE PROFILEY FOR THE SAME SHORT FOR FELL AND THE HOLLOW OF THE KNEE AND MAKES PREFEIXION MORE VISIBLE THIS MAKES IT EASIER TO CORRECTLY ROLL OUT THE SEALING SLEEVE PRE -SHAPED KNEE CAP AREA REDUCES PRESSURE ON THE KNEE CAP WHEN THE KNEE BENDS 15 DEGREE PREFLEXION MAKES IT EASIER TO DEBYD THE KNEE CAP WHEN THE KNEE BENDS 15 DEGREE PREFLEXION MAKES IT EASIER TO BEND THE KNEE AND ALLOWS FEWER CREASES TO FORM IN THE MELOLOW OF THE KNEE CONICAL SHAPE THE	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	453A4=1 453A4=2	Germany
1327 4224		OUT THE SEALING SLEEVE PRE - SHAPED KNEE CAP AREA REDUCES PRESSURE ON THE KNEE CAP WHEN THE KNEE BENDS IS DEGREE PREFLEXION MAKES IT EASIER TO BEND THE KNEE AND ALLOWS FEWER CREASES TO FORM IN THE HOLLOW OF THE KNEE CONICAL SHAPE THE SEALING SLEEVE IS TAPERED BOTH FROM THE DISTAL END TOWARDS THE KNEE AS WELL AS FROM THE KNEE TOWARDS THE PROXIMALE FOR THIS INCREASES THE GRIP ON THE PROSTHETIC SOCKET AND AT THE SAME TIME REDUCES PRESSURE ON THE THIGH KNEE CENTER GROUNDEFERNED 4-3 2GM SIZE! PLUS FLAT SEAM SHORT PROFILEX OR EQUIVALENT TO ENSURE THE PROXIMAL END IS BARELY FELT AND THE DISTAL SEAL IS EXTREMELY PRECISE DESIGN SUPPORTS FUNCTIONALITY THE KNEE AND MAKES PREFLEXION MORE VISIBLE THIS MAKES IT EASIER TO CORRECTLY ROLL OUT THE SEALING SLEEVE PRE - SHAPED KNEE CAP AREA REDUCES PRESSURE ON THE KNEE AND MAKES PREFLEXION MORE VISIBLE THIS MAKES IT EASIER TO CORRECTLY ROLL OUT THE SEALING SLEEVE PRE - SHAPED KNEE CAP AREA REDUCES PRESSURE ON THE KNEE AND ALLOWS FEWER CREASES TO FORM IT THE HOLLOW OF THE KNEE AND ALLOWS FEWER CREASES TO FORM IN THE HOLLOW OF THE KNEE CAP WHEN THE KNEE BENDS IS DEGREE PREFLEXION MAKES IT EASIER TO BEND THE KNEE AND ALLOWS FEWER CREASES TO FORM IN THE HOLLOW OF THE KNEE CONICAL SHAPE THE			400571				
1327 4224		OUT THE SEALING SLEEVE PRE - SHAPED KNEE CAP AREA REDUCES PRESSURE ON THE KNEE AND ALLOWS FEWER CREASES TO FORM IN THE HOLLOW OF THE KNEE CONICAL SHAPE THE SEALING SLEEVE IS TAPERED BOTH FROM IN THE DISTAL END TOWARDS THE KNEE AS WELL AS FROM THE KNEE TOWARDS THE FORWIALE IN DISTAL END TOWARDS THE KNEE AS WELL AS FROM THE KNEE TOWARDS THE FORWIALE IN DISTAL END TOWARDS THE KNEE FAS WELL AS FROM THE KNEE TOWARDS THE FORWIALE IN DISTAL END TOWARDS THE KNEE AS WELL AS FROM THE KNEET OWARDS THE SAME TIME REDUCES AS 22 CM SIZE I THIGH KNEE CENTER CRICLIANGEMENT OF THE SAME SHORT FOR FELL AND THE HOLLOW OF THE KNEE AND THE THE PROFILEY FOR EQUIVALENT TO ENSURE THE PROVINAL END IS BARELY ELT AND THE PROFILEY FOR EQUIVALENT TO ENSURE THE PROFILEY FOR THE SAME SHORT FOR FELL AND THE HOLLOW OF THE KNEE AND MAKES PREFEIXION MORE VISIBLE THIS MAKES IT EASIER TO CORRECTLY ROLL OUT THE SEALING SLEEVE PRE -SHAPED KNEE CAP AREA REDUCES PRESSURE ON THE KNEE CAP WHEN THE KNEE BENDS 15 DEGREE PREFLEXION MAKES IT EASIER TO DEBYD THE KNEE CAP WHEN THE KNEE BENDS 15 DEGREE PREFLEXION MAKES IT EASIER TO BEND THE KNEE AND ALLOWS FEWER CREASES TO FORM IN THE MELOLOW OF THE KNEE CONICAL SHAPE THE			400571				

TENDER NA	ME : Prosthetics Or	thosis Supplies							,
1329	4224200408500	PLUS FLAT SEAM SHORT PROFIEX OR EQUIVALENT TO ENSURE THE PROXIMAL END IS BARELY FELT AND THE DISTAL SEAL IS EXTREMELY PRECISE DESIGN OF THE ROFOLEX PLUS CEARLY DELINEATES THE PATELLA AND THE HOLDOW OF THE KNEE AND MAKES PREFLEXION MORE VISIBLE THIS MAKES IT EASIER TO CORRECTLY ROLL OUT THE SEALING SLEEVE PRE-SHAPED EXNEE CAP AREA REPOLCES PRESSURE ON THE KNEE CAP WHEN THE KNEE BENDS IS DEGREE PREFLEXION MAKES IT EASIER TO BEND THE KNEE AND ALLOWS FEWER CREASES TO FORM IN THE HOLLOW OF THE KNEE CONICAL SHAPE THE SEALING SLEEVE IS TAPRED BOTH FROM THE DISTAL REN TO TWANDS THE KNEE AS WELL AS FROM THE KNEE TOWARDS THE PROXIMAL END THIS INCREASES THE GRIP ON THE PROSTHETIC SOCKET AND AT THE SAME TIME REDUCES PRESSURE ON THE THIGH KNEE CURTER CIRCUMFERENCE 36-47 CM SIZE!	iTEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	453A4=3	Germany
1330	4224171308500	POGISTER MATERIAL SELF-ADHESIVE WHITE SIZE: 3 MM X 100 CM X 50 CM APPROXIMATELY	ITEMIZED	each	400035	ZIMMO TRADING Company LTD -Orig-	A.ALGEOS LTD	ON1225	United Kingdom
1330	4224171308500	POGISTER MATERIAL SELF-ADHESIVE WHITE SIZE: 3 MM X 100 CM X 50 CM APPROXIMATELY	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	616T25	Belgium
1331	4224200148600	POLYCENTRIC KNEE JOINT TITAN UPPER AND LOWER JOINT SECTIONS ARE CONNECTED BY LINKAGE BARS STANCE PHASE STABILITY IS ACHIEVED THROUGH POLYCENTRIC KINEMATICS (INSTANTANEOUS CENTRE OR FOOTATION IS SET BY ADJUSTING THE STOP) SWING PHASE CONTROL IS ADJUSTABLE USING AXIS FRICTION AND THE EXTENSION ASSIST SPRING MAXIMUM BODY WEIGHT (100 KG) MAXIMUM KNEE FLEXION ANGLE 110 DEGREES KNEE CENTRE TO PROXIMAL CONNECTION 30 MM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	3R36	Germany
1332	4224200195500	POLYCENTRIC KNEE WITH HYDRAULIC SWING PHASE CONTROL, FOR KNEE DISARTICULATION, MAXIMUM WEIGHT 120-130 KG	CANCELLED	CANCELLED	CANCELLED	CANCELLED NOT MATCHING THE DESCRIPTION	CANCELLED	CANCELLED	CANCELLED
1333	4224200195400	POLYCENTRIC KNEE WITH HYDRAULIC SWING PHASE CONTROL, FOR KNEE DISARTICULATION,	CANCELLED	CANCELLED	CANCELLED	CANCELLED	CANCELLED	CANCELLED	CANCELLED
		MAXIMUM WEIGHT 70-90 KG "POLYCENTRIC KNEE WITH HYDRAULIC SWING PHASE CONTROL, FOR KNEE DISARTICULATION,				NOT MATCHING THE DESCRIPTION		3R46 + 4R91 +	
1334	4224200128700 4224180202500	TUBE ADAPTER, TUBE CLAMP ADAPTER, AND COSMETIC FOAM, FOR HIGH TO V, HIGH ACTIVITY, MAXIMUM WEIGHT 120-130 KG: POLYETHYLENE PELINC SECTION, UPRIGHT 123 DEGREE THAT EXTENDS FROM L 2 /L 3 TO DISTAL MARGIN OF THE SACRUM, PROVIDING MAXIMUM THORACIC AND PELIVIC SUPPORT, PATIENTS WITH LOW TRUNK TONE AND/OR VERY LIMITED TRUNK, CONTROL STRENGTH MAY BENEFIT FROM THE INCREASED POSTERIOR AND LATERAL SUPPORT THIS DESIGN OFFERS, WHEN PATIENT S PRIMARIEN NON - AMBULATOR (GMEC'S IV - V), WHEN THE GREET REP- PELIVIC COVERAGE TRIGGESS MORE DESIRABLE NEURO - SENSORY MOTOR RESPONSE WITH COMMETTE ACCESSORIES	ITEMIZED No Quotation	SET No Quotation	400571 No Quotation	AL Gaim Comm. EstOrig- No Quotation	Ottobock No Quotation	2R77 + 3R6 No Quotation	Germany No Quotation
1336	4224151002400	POLYETHYLENE SHEET, FLEXIBLE, 1000 MM X 500 MM, 1 MM THICK, NATURAL,	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	616T3=1	Germany
1337	4224151002500	APPROXIMATELY POLYETHYLENE SHEET, FLEXIBLE, 1000 MM X 500 MM, 2 MM THICK, NATURAL,	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	616T3=2	Germany
		APPROXIMATELY POLYETHYLENE SHEET, SIZE 2000 MM X 1000 MM, THICKNESS 3 MM, WHITE,				MEDICAL CARE ALLIANCE COMPANY -			
1338	4224151002200	APPROXIMATELY	ITEMIZED	each	400569	Orig-	Simona AG	030000231	Germany
1339	4224151002300	POLYETHYLENE SHEET, SIZE 2000 MM X 1000 MM, THICKNESS 4 MM, WHITE, APPROXIMATELY	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	Simona AG	030000232	Germany
1340	4224200019400	POLYETHYLENE TEREPHTHALATE GLYCOL (PETG) 3D FILAMENT, 1.75MM, 500-1000 G, USED TO BUILD LOWER AND UPPER EXTREMITY ORTHOSES	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation
1341	4224151002600	POLYFORM, 2 MM THICK, SKIN COLOR, SIZE: 1 M X 1 M APPROXIMATELY	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	110P90/2	Germany
1342 1343	4224151002800 4224151002900	POLYFORM, 5 MM THICK, SKIN COLOR, SIZE: 1 M X 1 M APPROXIMATELY POLYFORM, 6 MM THICK, SKIN COLOR, SIZE: 1 M X 1 M APPROXIMATELY	ITEMIZED ITEMIZED	each each	400451 400571	Farabi Trading Establishment -Orig- AL Gaim Comm. EstOrig-	STREIFENEDER Ottobock	110P90/5 617S7=6	Germany United Kingdom
1344	4224200013900	POLYPROPYLENE COPOLYMER, 5 MM X 1200 MM X 1200 MM, APPROXIMATELY	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY -	Simona AG	010021846	Germany
1345	4224151003100	POLYPROPYLENE COPOLYMER, NATURAL, SIZE 2000 X 1000 X 3 MM, APPROXIMATELY	ITEMIZED	each	400569	Orig- MEDICAL CARE ALLIANCE COMPANY -	Simona AG	010021844	Germany
1345	4224151003100	POLYPROPYLENE COPOLYMER, NATURAL, SIZE 2000 X 1000 X 3 MIM, APPROXIMATELY	ITEMIZED	each	400509	Orig- AL Gaim Comm. EstOrig-	Ottobock	616T120=3	Germany
1346	4224151003200	POLYPROPYLENE COPOLYMER, NATURAL, SIZE 2000 X 1000 X 4 MM, APPROXIMATELY	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY -	Simona AG	010021845	Germany
1346	4224151003200	POLYPROPYLENE COPOLYMER, NATURAL, SIZE 2000 X 1000 X 4 MM, APPROXIMATELY	ITEMIZED	each	400571	Orig- AL Gaim Comm. EstOrig-	Ottobock	616T120=4	Germany
1347	4224151006000	POLYPROPYLENE COPOLYMER, NATURAL, SIZE 2000 X 1000 X 5 MM, APPROXIMATELY	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	Simona AG	PP10021846	Germany
1347	4224151006000	POLYPROPYLENE COPOLYMER, NATURAL, SIZE 2000 X 1000 X 5 MM, APPROXIMATELY	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	616T120=5	Germany
1348	4224160001600	POROUS PLASTER, FOR SMOOTH PLASTER CAST, 500 GRAMS POWDER HARDENER FOR RESIN, WITH 1 GRAM MEASURING SPOON 150 GM,	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	87G4=25	Germany
1349	4224210000100	APPROXIMATELY	ITEMIZED	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	OKM BEIL	CT-RES-E150	Spain
1349	4224210000100	POWDER HARDENER FOR RESIN, WITH 1 GRAM MEASURING SPOON 150 GM, APPROXIMATELY	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	Kunststoffproduktions- und Handelsg	6015	Germany
1349	4224210000100	POWDER HARDENER FOR RESIN, WITH 1 GRAM MEASURING SPOON 150 GM, APPROXIMATELY	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	617P37=0.150	China
1350	4224170001100	PREFARRICATED LIGHT WEIGHT KNEE-ANKLE-FOOT-ORTHOSIS FOR HYPER EXTENDED KNEE JOINT, EXTRA LARGE, LEFT; SINGLE-JOINTED UPRIGHT ROM KNEE ORTHOSIS; PRIMARILY DESIGNED FOR SAGITTAL PLANE MOTION CONTROL; UNIQUE SINGLE POSTERIOR UPRIGHT DESIGN ALLOWS FOR A SIMPLIFIED FIT; ADDRESSES UP TO FIVE DIFFERENT KNEE ORTHOSIS FUNCTIONS; JOEAL FOR CONTRACTURE, FRACTURE, MOTOR AND SENSORY MANAGEMENT; ADJUSTABLE MEDIAL AND LATERAL FEMORAL AND TIBIAL STABILIZING PANELS; TELESCOPING THIGH AND CALF SEGMENTS FOR INCREASED COMFORT AND OPTIMAL JOINT PLACEMENT	CANCELLED	CANCELLED	CANCELLED	CANCELLED NOT MATCHING THE DESCRIPTION	CANCELLED	CANCELLED	CANCELLED
1351	4224170001200	PREFABRICATED LIGHT WEIGHT KNEE-ANKLE-FOOT-ORTHOSIS FOR HYPER EXTENDED KNEE JOINT, EXTRA LARGE, RIGHT, SINGLE-JOINTED UPRIGHT ROM KNEE ORTHOSIS; PRIMARILY DESIGNED FOR SAGITTAL PLANE MOTION CONTROL; UNIQUE SINGLE POSTERIOR UPRIGHT DESIGN ALLOWS FOR A SIMPLIFIED FIT; ADDRESSES UP TO FIVE DIFFERENT KNEE ORTHOSIS FUNCTIONS; DELA FOR CONTRACTURE, FRACTURE, MOTOR AND SENSORY MANAGEMENT; ADJUSTABLE MEDIAL AND LATERAL FEMORAL AND TIBIAL STABILIZING PANELS; TELESCOPING THIGH AND CALF SEGMENTS FOR INCREASED COMFORT AND OPTIMAL JOINT PLACEMENT.	CANCELLED	CANCELLED	CANCELLED	CANCELLED NOT MATCHING THE DESCRIPTION	CANCELLED	CANCELLED	CANCELLED
1352	4224170000500	PREFABRICATED LIGHT WEIGHT KNEE-ANKLE-FOOT-ORTHOSIS FOR HYPER EXTENDED KNEE OIDNT, LARGE, LEFT; SINGLE-JOINTED UPRIGHT ROM KNEE ORTHOSIS; PRIMARILY DESIGNE FOR SAGITTAL PLANE MOTION CONTROL; UNIQUE SINGLE POSTERIOR UPRIGHT DESIGN ALLOWS FOR A SIMPLIFIED HT; ADDRESSES UP TO FIVE DIFFERENT KNEE ORTHOSIS FUNCTIONS; DIEAL FOR CONTRACTURE, FRACTURE, MOTOR AND SENSORY MANAGEMENT; ADJUSTABLE MEDIAL AND LATERAL EFMORAL AND TIBIAL STABILIZING PANELS; TELESCOPING THIGH AND CALF SEGMENTS FOR INCREASED COMFORT AND OPTIMAL JOINT PLACEMENT	CANCELLED	CANCELLED	CANCELLED	CANCELLED NOT MATCHING THE DESCRIPTION	CANCELLED	CANCELLED	CANCELLED
1353	4224170000600	PREFABRICATED LIGHT WEIGHT KNEE-ANKLE-FOOT-ORTHOSIS FOR HYPER EXTENDED KNEE JOINT, LARGE, RIGHT, SINGLE-JOINTED URRIGHT ROM KNEE DETINGSIS, PRIMARING DESIGNED FOR SAGITTAL PLANE MOTION CONTROL; UNIQUE SINGLE POSTERIOR UPRIGHT DESIGN ALLOWS FOR A SIMPLIFIED FIT; ADDRESSES UP TO FIVE DIFFERENT KNEE ORTHOSIS FUNCTIONS, 10EAL FOR CONTRACTURE, FRACTURE, MOTOR AND SENSORY MANAGEMENT; ADJUSTABLE MEDIAL AND LATERAL FEMORAL AND TIBIAL STABILIZING PANELS; TELESCOPING THIGH AND CALF SEGMENTS FOR INCREASED COMFORT AND OPTIMAL JOINT PLACEMENT	CANCELLED	CANCELLED	CANCELLED	CANCELLED NOT MATCHING THE DESCRIPTION	CANCELLED	CANCELLED	CANCELLED
1354	4224170000700	PREFABRICATED LIGHT WEIGHT KNEE-ANKLE-FOOT-ORTHOSIS FOR HYPER EXTENDED KNEE JOINT, MEDIUM, LEFT; SINGLE-JOINTED URRIGHT FOM KNEE ORTHOSIS; PRIMARILY DESIGNED FOR SAGITTAL PLANE MOTION CONTROL; UNIQUE SINGLE POSTERIOR URRIGHT DESIGN ALLOWS FOR A SIMPLIFIED FIT; ADDRESSES UP TO FIVE DIFFERENT KNEE ORTHOSIS FUNCTIONS; JOEAL FOR CONTRACTURE, FRACTURE, MOTOR AND SENSORY MANAGEMENT; ADJUSTABLE MEDIAL AND LATERAL FEMORAL AND TIBIAL STABILIZING PANELS; TELESCOPING THIGH AND CALE SEGMENTS FOR INCREASED COMFORT AND OPTIMAL JOINT PLACEMENT	CANCELLED	CANCELLED	CANCELLED	CANCELLED NOT MATCHING THE DESCRIPTION	CANCELLED	CANCELLED	CANCELLED
1355	4224170000800	PREFABRICATED LIGHT WEIGHT KNEE-ANKLE-FOOT-ORTHOSIS FOR HYPER EXTENDED KNEE JOINT, MEDIUM, RIGHT, SINGLE-JOINTED UPRIGHT ROM KNEE GATHOSIS, PRIMARILY DESIGNED FOR SAGITTAL PLANE MOTION CONTROL; UNIQUE SINGLE POSTERIOR UPRIGHT DESIGN ALLOWS FOR A SIMPLIFIED HT; ADDRESSES UP TO FIVE DIFFERENT KNEE ORTHOSIS FUNCTIONS; 10EAL FOR CONTRACTURE, FRACTURE, MOTOR AND SENSORY MANAGEMENT; ADJUSTABLE MEDIAL AND LATERAL FEMORAL AND TIBIAL STABILIZING PANELS; TELESCOPING THIGH AND CALF SEGMENTS FOR INCREASED COMFORT AND OPTIMAL JOINT PLACEMENT.	CANCELLED	CANCELLED	CANCELLED	CANCELLED NOT MATCHING THE DESCRIPTION	CANCELLED	CANCELLED	CANCELLED
1356	4224170000900	PREFABRICATED LIGHT WEIGHT KNEE-ANKLE-FOOT-ORTHOSIS FOR HYPER EXTENDED KNEE JOINT, SMALL, LEFT; SINGLE-JOINTED UPRIGHT ROM KNEE ORTHOSIS; PRIMABILY DESIGNE FOR SAGITTAL PLANE MOTION CONTROL; SINGLE SOSTERIOR UPRIGHT DESIGN ALLOWS FOR A SIMPLIFIED FIT; ADDRESSES UP TO FIVE DIFFERENT KNEE ORTHOSIS FUNCTIONS; JOEAL FOR CONTRACTURE, FRACTURE, MOTOR AND SENSORY MANAGEMENT; ADJUSTABLE MEDIAL AND LATERAL FEMORAL AND TIBIAL STABILIZING PANELS; TELESCOPING THIGH AND CALF SEGMENTS FOR INCREASED COMFORT AND OPTIMAL JOINT PLACEMENT	CANCELLED	CANCELLED	CANCELLED	CANCELLED NOT MATCHING THE DESCRIPTION	CANCELLED	CANCELLED	CANCELLED
1357	4224170001000	PREFABRICATED LIGHT WEIGHT KNEE-ANKLE-FOOT-ORTHOSIS FOR HYPER EXTENDED KNEE JOINT, SMALL, RIGHT, SINGLE-JOINTED URRIGHT ROM KNEE DRIFOSIS, PRIMARINLY DESIGNED FOR SAGITTAL PLANE MOTION CONTROL; UNIQUE SINGLE POSTERIOR UPRIGHT DESIGN ALLOWS FOR A SIMPLIFIED FIT; ADDRESSES UP TO FIVE DIFFERENT KNEE ORTHOSIS FUNCTIONS, 10EAL FOR CONTRACTURE, FRACTURE, MOTOR AND SENSORY MANAGEMENT; ADJUSTABLE MEDIAL AND LATERAL FEMORAL AND TIBIAL STABILIZING PANELS; TELESCOPING THIGH AND CALF SEGMENTS FOR INCREASED COMFORT AND OPTIMAL JOINT PLACEMENT	CANCELLED	CANCELLED	CANCELLED	CANCELLED NOT MATCHING THE DESCRIPTION	CANCELLED	CANCELLED	CANCELLED

	AME : Prosthetics Ort	PRESSURE RELIEF ANKLE-FOOT ORTHOSIS (PRAFO), FLEECE, WITH EXTENSION STRAP,							
1358	4224170501300	ELIMINATES HEEL PRESSURE AND TREATS FOOT AND ANKLE CONTRACTURES, SIZE EXTRA LARGE, 10-11 INCHES PRESSURE RELIEF ANKLE-FOOT ORTHOSIS (PRAFO), FLEECE, WITH EXTENSION STRAP,	ITEMIZED	each	400104	Al-Jeel Medical & Trading Co. Ltd -Orig-	DeRoyal	4301D	Dominican Rep.
1359	4224170501000	ELIMINATES HEEL PRESSURE AND TREATS FOOT AND ANKLE CONTRACTURES, SIZE LARGE, 9- 10 INCHES PRESSURE RELIEF ANKLE-FOOT ORTHOSIS (PRAPO), FLEECE, WITH EXTENSION STRAP,	ITEMIZED	each	400104	Al-Jeel Medical & Trading Co. Ltd -Orig-	DeRoyal	4301C	Dominican Rep.
1360	4224170501100	ELIMINATES HEEL PRESSURE AND TREATS FOOT AND ANKLE CONTRACTURES, SIZE MEDIUM, 7.5-9 INCHES PRESSURE RELIEF ANKLE-FOOT ORTHOSIS (PRAFO), FLEECE, WITH EXTENSION STRAP,	ITEMIZED	each	400104	Al-Jeel Medical & Trading Co. Ltd -Orig-	DeRoyal	4301B	Dominican Rep.
1361	4224170501200	ELIMINATES HEEL PRESSURE AND TREATS FOOT AND ANKLE CONTRACTURES, SIZE SMALL, 6- 7.5 INCHES	ITEMIZED	each	400104	Al-Jeel Medical & Trading Co. Ltd -Orig-	DeRoyal	4301A	USA
1362	4224170616700	PRESSURE, RELIEF ANKLE-FOOT ORTHOSIS, USED TO DYNAMICALLY CORRECT AND PREVENT FOOT AND ARKLE CONTRACTURES, SOFT PADDED, WITH EXTENSION STRAP, ALSO PROVIDES HEEL AND TOE CLEARANCE TO PREVENT PRESSURE LUCERS, APPROXIMATELY 10 - 11CM; EARLY INTERVENTION FOR THE VOLVIUM GENERAL PATENT CVA, THE, SCI AND DIABETTIC NEUROPATHY; FACILITATION OF FUNCTIONAL KNEE AND ANKLE JOINT POSTION, ALDOWS FOR OPTIMAL DORS/HANTAR FLEXION ANKLE POSITIONING TO PROVIDE ADEQUATE CLEARANCE DURING SWING PHASE AND KINES TABILITY IN STRAKE PHASE; POST MUSCULOSKELETAL INJURY OF THE FOOT AND ANKLE; POST TAL IMMOBILIZATION; POST BOTXO AS SERIAL ASTRING; STABLE FRACTURES OF THE FOOT AN ANKLE THOOD ON LIGAMENTOUS TEAR/RUPTURE; CLINICALLY PROVEN FOR EFFECTIVE AMBULATION; CONTROLS DORSI-PLANTAR FLEXION; CUSTOM-CONTOURCE, MALLEABLE ALLUMINUM HEEL CONNECTOR MALLEABLE ALLUMINUM ANTI-ROTATION BAR	CANCELLED	CANCELLED	CANCELLED	CANCELLED NOT MATCHING THE DESCRIPTION	CANCELLED	CANCELLED	CANCELLED
1363	4224170616800	PRESSURE, RELIEF ANKLE-FOOT ORTHOSIS, USED TO DYNAMICALLY CORRECT AND PREVENT FOOT AND ANKLE CONTRACTURES, SOFT PADDED, WITH FEXTISMION STRAP, ALSO PROVIDES HEEL AND TOE CLEARANCE TO PREVENT PRESSURE ULCERS. APPROXIMATELY 11 - 15CM; EARLY INTERVENTION FOR THE EVOLVING REHAB PATIENT CVA, TEI, SCI AND DIABETIC NEUROPATH; FACILITATION OF PUNCTIONAL KNEE AND ANKLE IDNIT POSITION; ALLOWS FOR OPTIMAL DORS/JEANTAR FLEXION ANKLE POSITIONING TO PROVIDE ADEQUATE CLEARANCE DURING SWING PHASE AND KNEE STABILITY IN STRANCE PHASE, POST MUSCULOSKELETAL INJURY OF THE FOOT AND ANKLE; POST TAL IMMOBILIZATION; POST BOTOX OR SERIAL CASTING; STABLE FRACTURES OF THE FOOT AND ANKLE THOOD OR LIGAMENTOUS TEAR/RUPTURE; CLINICALLY PROVEN FOR EFFECTIVE AMBILIATION; CONTROLS DORS-JE-ANTAR FLEXION; COSTOM-CONTOURED, MALLEBBLE ALLIMINUM HEEL CONNECTOR MALLEBLE ALLIMINUM ANTI-ROTATION BAR	CANCELLED	CANCELLED	CANCELLED	CANCELLED NOT MATCHING THE DESCRIPTION	CANCELLED	CANCELLED	CANCELLED
1364	4224170616900	PRESSURE, RELIEF ANKLE-FOOT ORTHOSIS, USED TO DYNAMICALLY CORRECT AND PREVENT FOOT AND ANKLE CONTRACTURES, SOFT PADDED, WITH EXTENSION STAP, ALSO PROVIDES HEEL AND TOE CLEARANCE TO PREVENT PRESSURE ULCERS. APPROXIMATELY 15-17CM; EARLY INITERVENTION FOR THE EVOLVING REHAB PATIENT CVA, TB, SCI AND DIABETIC NEUROPATHY; FACILITATION OF PUNCTIONAL KNEE AND ANKLE JOINT POSITION; ALLOWS FOR OPTIMAL DORS/JEALATHS REJEXION ANKLE POSITIONING TO PROVIDE ADEQUATE CLEARANCE DURING SWING PHASE AND KNEE STABILITY IN STANCE PHASE; POST BUTSULGUESTELL NUIVEY OF THE FOOT AND ANKLE; POST TALL IMMOBILIZATION; POST BOTOX OR SERIAL CASTING; STABLE FRACTURES OF THE FOOT AND ANKLE TENDON OR LIGAMENTOUS TEAR/RUPTURE; CLINICALLY PROVEN FOR EFFECTIVE AMBULATION; CONTROLS DORS; PLANTAR FELKION; CUSTOM-CONTOURCE, MALLEABLE ALLIMINUM HEEL CONNECTOR MALLEABLE ALLIMINUM ANTI-ROTATION BAR	CANCELLED	CANCELLED	CANCELLED	CANCELLED NOT MATCHING THE DESCRIPTION	CANCELLED	CANCELLED	CANCELLED
1365	4224170617000	PRESSURE, RELIEF ANKLE-FOOT ORTHOSIS, USED TO DYNAMICALLY CORRECT AND PREVENT FOOT AND ANKLE CONTRACTURES, SOFT PADDED, WITH PEXTENSION STRAP, ALSO PROVIDES RELEAND TO CE LERANDE TO PREVENT PRESSURE ULCERS. APPROXIMATELY 17 OZ CM; EARLY INTERVENTION FOR THE EVOLVING REHAB PATIENT CVA, TB., SCI AND DIABETIC NEUROPATH; FACILITATION OF PUNCTIONAL KNEE AND ANKLE DIONT POSITION; ALLOWS FOR OPTIMAL DORS/JPLANTAR FLEXION ANKLE POSITIONING TO PROVIDE ADEQUATE CLEARANCE DURING SWING PHASE AND KNEE TABILITY IN STRACE PHASE.; POST MISCULOSKELETAL INJURY OF THE FOOT AND ANKLE; POST TAL IMMOBILIZATION; POST BOTOX OR SERIAL ASTING; STABLE FRACTURES OF THE FOOT AND ANKLE THOOD ON LIGAMENTOUS TEAR/RUPTURE; CLINICALLY PROVEN FOR EFFECTIVE AMBULATION; CONTROLS DORS-PLANTAR FLEXION; CUSTOM-CONTOURED, MALLEBBLE ALUMINUM HEEL CONNECTION MELABLE BLAUMINUM MEEL	CANCELLED	CANCELLED	CANCELLED	CANCELLED NOT MATCHING THE DESCRIPTION	CANCELLED	CANCELLED	CANCELLED
1366	4224170617100	PRESSURE, RELIEF ANKLE-FOOT ORTHOSIS, USED TO DYNAMICALLY CORRECT AND PREVENT FOOT AND ANKLE CONTRACTURES, SOFT PADDED, MITH EXTENSION STAPE, ALSO PROVIDES HELL AND TO E CLERARANCE TO PREVENT PRESSURE ULCERS. APPROXIMATELY 20TO 22 CM; EARLY INTERVENTION FOR THE EVOLVING REHAB PATIENT CVA, TBI, SCI AND DIABETIC NEUROPATHY; FACILITATION OF PUNCTIONAL KNEE AND ANKLE JOINT POSITION; ALLOWS FOR OPTIMAL DORS/JPLANTAR FLEXION ANKLE POSITIONING TO PROVIDE ADDUJATE CLEARANCE DURING SWING PHASE AND KNEE STABILITY IN STANCE PHASE; POST MUSCULOSKELETAL INJURY OF THE FOOT AND ANKLE; POST TAL IMMOBILIZATION; POST BOTOX OR SERIAL CASTING; STABLE FRACTURES OF THE FOOT AND ANKLE TENDON OR LIGAMENTOUS TEAR, RUPTURE; CLINICALLY PROVEN FOR EFFECTIVE AMBILIATION; CONTROLS DORS: JPLANTAR FLEXION; CUSTOM-CONTOURCE, MALLEABLE ALLIMINUM HEEL CONNECTOR MALLEABLE ALLIMINUM MATH-ROTATION BAR	ITEMIZED	each	400482	HUSN AL EMIRAT TRADING COMPANY - Orig-	TIANJIN TRARUIBOSI MEDICAL ALLPIANCE CO.	TRB-083	China
1367	4224170617200	PRESSURE, RELIEF ANKLE-FOOT ORTHOSIS, USED TO DYNAMICALLY CORRECT AND PREVENT FOOT AND ANKLE CONTRACTURES, SOFT PADDED, WITH LETENSION STRAP, ALSO PROVIDES RELEAND TO CE LERANDE TO PREVENT PRESSURE LICERS. APPROXIMATELY 22 TO 25 CM; EARLY INTERVENTION FOR THE EVOLVING REHAB PATIENT CVA, TBI, SCI AND DIABETIC NEUROPATH'; FACILITATION OF PUNCTIONAL KINE EAD AN ANKLE IDNIT FOSTION; ALLOWS FOR OPTIMAL DORS/PLANTAR FLEXION ANKLE POSITIONING TO PROVIDE ADEQUATE CLEARANCE DURING SWING PHASE AND KINE STABILITY IN STRANCE PHASE; POST MUSCULIOSKELETAL INJURY OF THE FOOT AND ANKLE; POST TAL IMMOBILIZATION; POST BOTOX OR SERIAL CASTING; STABLE FRACTURES OF THE FOOT AND ANKLE TENDON OR LIGAMENTOUS TEAR/RUPTURE; CLINICALLY PROVEN FOR EFFECTIVE AMBULATION; CONTROLS DORS/PLANTAR FLEXION; CUSTOM-CONTOURED, MALLEABLE ALLIMINUM HEEL CONNECTOR MALLEABLE ALLIMINUM ANTH-ROTTAIN BAR	ITEMIZED	each	400482	HUSN ALEMIRAT TRADING COMPANY - Orig-	TIANJIN TRARUIBOSI MEDICAL ALLPIANCE CO.	TRB-083	China
1368	4224170616600	PRESSURE, RELIEF ANKLE-FOOT ORTHOSIS, USED TO DYNAMICALLY CORRECT AND PREVENT FOOT AND ANKLE CONTRACTURES, SOFT PADDED, WITH EXTENSION STRAP, ALSO PROVIDES HEEL AND TOE CLEARANCE TO PREVENT PRESSURE LUCERS, APPROXIMATELY 6 - 7.5CM; SHEARLY INTERVENTION FOR THE VOLVIUM BEHAD PATIENT CVA, THE, SCI AND DIABETIC NEUROPATHY; FACILITATION OF FUNCTIONAL KNEE AND ANKLE JOINT POSITION; ALLOWS FOR OPTIMAL DORS/PHANTAR FLEXION ANKLE POSITIONING TO PROVIDE ADDICUMENT CLEARANCE DURING SWING PHASE AND KNEE STABILITY IN STANCE PHASE.; POST MUSCULOSKELETAL INJURY OF THE FOOT AND ANKLE; POST TAL IMMOBILIZATION; POST BOTOX OR SERIAL CASTING; STABLE FRACTURES OF THE FOOT AND ANKLE TENDON OR LIGAMENTOUS TEAR/RUPTURE; CLINICALLY PROVEN FOR EFFECTIVE AMBILIATION; CONTROLS DORS:PLANTAR FLEXION; CUSTOM-CONTOURCE, MALELEBLE ALLIMINUM HEEL CONNECTOR MALLEABLE ALLIMINUM ANTI-ROTATION BAR	CANCELLED	CANCELLED	CANCELLED	CANCELLED NOT MATCHING THE DESCRIPTION	CANCELLED	CANCELLED	CANCELLED
1369	4224170616500	PRESSURE, RELIEF ANKLE-FOOT ORTHOSIS, USED TO DYNAMICALLY CORRECT AND PREVENT FOOT AND ANKLE CONTRACTURES, SOFT PADDED, WITH EXTENSION STAP, ALSO PROVIDES HEEL AND TOE CLEARANCE TO PREVENT PRESSURE ULCERS. APPROXIMATELY 7.5 - 9 CM; EARLY INITERVENTION FOOT THE EVOLVING REHAB PATIENT CVA, TB, SCI AND DIABETIC NEUROPATHY; FACILITATION OF PUNCTIONAL KNEE AND ANKLE JOINT POSITION; ALLOWS FOR OPTHIAL DORS/JEALATHS REJEXION ANKLE POSITIONING TO PROVIDE ADEQUATE CLEARANCE DURING SWING PHASE AND KNEE STABILITY IN STANCE PHASE; POST BOTTOM SWING PROVIDE ADEQUATE CLEARANCE DURING SWING PHASE AND KNEE STABILITY IN STANCE PHASE; POST BOTTOM SKEET AND ANKLE TENDON OR BUSCHOOS SERIAL CASTING; STABLE FRACTURES OF THE FOOT AND ANKLE TENDON OR LIGAMENTOUS TEAR/RUPTURE; CLINICALLY PROVEN FOR EFFECTIVE AMBULATION; CONTROLS DORS;-PLANTARE FELKION; CUSTOM-CONTOURCE, MALLEABLE ALLIMINUM HEEL CONNECTOR MALLEABLE ALLIMINUM ANTI-ROTATION BAR	CANCELLED	CANCELLED	CANCELLED	CANCELLED NOT MATCHING THE DESCRIPTION	CANCELLED	CANCELLED	CANCELLED
1370	4224170616400	PRESSURE, RELIEF ANKLE-FOOT ORTHOSIS, USED TO DYNAMICALLY CORRECT AND PREVENT FOOT AND ANKLE CONTRACTURES, SOFT PADDED, WITH EXTENSION STAP, ALSO PROVIDES HEEL AND TOE CLEARANCE TO PREVENT PRESSURE ULCERS. APPROXIMATELY 9 - 10CM; EARLY INTERVENTION FOR THE EVOLVING REHAB PATIENT CVA, TBJ, SCI AND DIABETIC NEUROPATHY; FACILITATION OF FUNCTIONAL KNEE AND ANKLE JOINT POSITION; ALLOWS FOR OPTIMAL DORS/JEALATHA FLEXION ANKLE POSITIONING TO PROVIDE ADEQUATE CLEARANCE DURING SWING PHASE AND KNEE STABILITY IN STANCE PHASE; POST BUSCULOSELETAL INJURY OF THE FOOT AND ANKLE PICT STABLE PROVIDED ADDITIONS (POST BOTOX OR SERIAL CASTING; STABLE FRACTURES OF THE FOOT AND ANKLE TENDON OR LIGAMENTOUS TEAR/RUPTURE; CLINCALLY PROVEN TO REFFECTIVE ANBIQUATION; CONTROLS DRSI-JEANTAR FLEXION; CUSTOM-CONTOURED, MALLEABLE ALLIMINUM HELL CONNECTOR MALLEABLE ALLIMINUM MATH-ROTATION BAR	CANCELLED	CANCELLED	CANCELLED	CANCELLED NOT MATCHING THE DESCRIPTION	CANCELLED	CANCELLED	CANCELLED

TENDER NA	AME : Prosthetics Ort	hosis Supplies							
1371	4224170617300	PRESSURE, RELIEF ANKLE-FOOT ORTHOSIS, USED TO DYNAMICALLY CORRECT AND PREVENT FOOT AND ANKLE CONTRACTURES, SOFT PADDED, WITH EXTENSION STRAP, ALSO PROVIDES HEEL AND TOE CLEARANCE TO PREVENT PRESSURE ULCERS. APPROXIMATIVE, 27-31CM; EARLY INTERVENTION FOR THE EVOLVING REHAB PATIENT CVA, TBI, SCI AND DIABETIC NEUROPATHY; FACILITATION OF FUNCTIONAL KNEE AND ANKLE JOINT POSITION; ALLOWS FOR OPTIMAL DORS/JEALANTS HEZION ANKLE POSITIONING TO PROVIDE ADEQUATE CLEARANCE DURING SWING PHASE AND KNEE STABILITY IN STANCE PHASE; POST BUSCLIOSECHELA HUJURY OF THE FOOT AND ANKLE POSTTAL HUMOBILIZATION; FOST BOTOX OR SERIAL CASTING; STABLE FRACTURES OF THE FOOT AND ANKLE TENDON OR LIGAMENTOUS TEAR/RUPTURE; CLINICALLY PROVEN FOR EFFECTIVE AMBULATION; CONTROLS DORS/JEALATICA FLEXON; CUSTOM-CONTOURED, MALLEABLE ALLUMINUM HEEL CONNECTOR MALLEABLE ALLUMINUM MATI-ROTATION BAR	ITEMIZED	each	400482	HUSN ALEMIRAT TRADING COMPANY - Orig-	TIANJIN TRARUIBOSI MEDICAL ALLPIANCE CO.	TRB-083	China
1372	4224200034100	PRICK PUNCH KIT, AN ORTHOTICS WORKSHOP TOOL, STEEL, ROUND SHAFT, LACQUERED FINISH	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation
4272	4224171310700	PROSEAL OR EQUIVALENT IS A PROXIMAL VACUUM SOCKET SEALING SYSTEM FOR USE IN	ITEMIZED		400571	AL Gaim Comm. EstOrig-	Out-bank	45344 430	F
1373	42241/1310/00	TRANSFEMORAL FITTINGS, WHICH DISTINGUISHES ITSELF THROUGH SIMPLICITY AND EXCELLENT WEARER COMFORT, SIZE 420 MM	HEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	452A1=420	France
1374	4224171310900	PROSEAL OR EQUIVALENT IS A PROXIMAL VACUUM SOCKET SEALING SYSTEM FOR USE IN TRANSFEMORAL FITTINGS, WHICH DISTINGUISHES ITSELF THROUGH SIMPLICITY AND EXCELLENT WEARER COMFORT, SIZE 440 MM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	452A1=440	France
1375	4224171311100	PROSEAL OR EQUIVALENT IS A PROXIMAL VACUUM SOCKET SEALING SYSTEM FOR USE IN TRANSFEMORAL FITTINGS, WHICH DISTINGUISHES ITSELE THROUGH SIMPLICITY AND EXCELLENT WEARER COMFORT, SIZE 460 MM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	452A1=460	France
1376	4224171311200	PROSEAL OR EQUIVALENT IS A PROXIMAL VACUUM SOCKET SEALING SYSTEM FOR USE IN TRANSFEMORAL FITTINGS, WHICH DISTINGUISHES ITSELE THROUGH SIMPLICITY AND EXCELLENT WEARER COMFORT, SIZE 480 MM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	452A1=480	France
1377	4224171311300	PROSEAL OR EQUIVALENT IS A PROXIMAL VACUUM SOCKET SEALING SYSTEM FOR USE IN TRANSFEMORAL FITTINGS, WHICH DISTINGUISHES ITSELF THROUGH SIMPLICITY AND EXCELLENT WEARER COMFORT, SIZE 560 MM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	452A1=560	France
1378	4224171311400	PROSEAL OR EQUIVALENT IS A PROXIMAL VACUUM SOCKET SEALING SYSTEM FOR USE IN TRANSFEMORAL FITTINGS, WHICH DISTINGUISHES ITSELF THROUGH SIMPLICITY AND EXCELLENT WEARER COMFORT, SIZE 580 MM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	452A1=580	France
1379	4224200262500	PROSTHESIS INTERPHALANGEAL FUNCTIONAL, CUSTOM MADE MID FINGER AMPUTATION FUNCTIONAL DEVICE. USED FOR DIP AMPUTATIONS. RESTORES LENGTH. CUSTOM DESIGNED AND MADE TO PATIENT SPECIFICATIONS. SLENDER DESIGN MADE FROM MEDICAL GRADE NYLON. SILUCON FINGERTIPS, TRAINING FOR EVALUATION AND MEASUREMENT INCLUDED	CANCELLED	CANCELLED	CANCELLED	CANCELLED NOT MATCHING THE DESCRIPTION	CANCELLED	CANCELLED	CANCELLED
1380	4224200217600	PROSTHESIS, BELOW ELBOW, ELECTRIC HAND COMPLETE WORKING SYSTEM FOR ALL AMPUTATION LEVELS AND BATTERY CHARGER (110 - 220 V, 50/60 HZ), SIZE: 71/4, LEFT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	8K50=L7 1/4	Austria
1381	4224200217800	PROSTHESIS, BELOW ELBOW, ELECTRIC HAND COMPLETE WORKING SYSTEM FOR ALL AMPUTATION LEVELS AND BATTERY CHARGER (110 - 220 V, 50/60 HZ), SIZE: 71/4, RIGHT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	8K50=R7 1/4	Austria
1381	4224200217800	PROSTHESIS, BELOW ELBOW, ELECTRIC HAND COMPLETE WORKING SYSTEM FOR ALL	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	Steeper	134112025	United Kingdom
1382	4224200217700	AMPUTATION LEVELS AND BATTERY CHARGER (110 - 220 V, 50/60 HZ), SIZE: 71/4, RIGHT PROSTHESIS, BELOW ELBOW, ELECTRIC HAND COMPLETE WORKING SYSTEM FOR ALL	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	8K50=L7 3/4	Austria
		AMPUTATION LEVELS AND BATTERY CHARGER (110 - 220 V, 50/60 HZ), SIZE: 73/4, LEFT PROSTHESIS, BELOW ELBOW, ELECTRIC HAND COMPLETE WORKING SYSTEM FOR ALL							
1383	4224200217900	AMPUTATION LEVELS AND BATTERY CHARGER (110 - 220 V, 50/60 HZ), SIZE: 73/4, RIGHT PROSTHESIS, BELOW ELBOW, ELECTRIC HAND, COMPLETE WORKING SYSTEM FOR ALL	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	8K50=R7 3/4	Austria
1384	4224200218900	AMPUTATION LEVELS AND BATTERY CHARGER (110 - 220 V, 50/60 HZ), SIZE - 81/4, LEFT	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	Steeper	134112026	United Kingdom
1384	4224200218900	PROSTHESIS, BELOW ELBOW, ELECTRIC HAND, COMPLETE WORKING SYSTEM FOR ALL AMPUTATION LEVELS AND BATTERY CHARGER (110 - 220 V, 50/60 HZ), SIZE - 81/4, LEFT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	8E39=7-L8 1/4 + 13E190 + 2x 13E202=60 + 2x 13E129=G600 + 757B35=1 + 757L35 + 8S11=*	Austria
1385	4224200219000	PROSTHESIS, BELOW ELBOW, ELECTRIC HAND, COMPLETE WORKING SYSTEM FOR ALL AMPUTATION LEVELS AND BATTERY CHARGER (110 - 220 V, 50/60 HZ), SIZE - 81/4, RIGHT	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	Steeper	134112027	United Kingdom
1385	4224200219000	PROSTHESIS, BELOW ELBOW, ELECTRIC HAND, COMPLETE WORKING SYSTEM FOR ALL AMPUTATION LEVELS AND BATTERY CHARGER (110 - 220 V, 50/60 HZ), SIZE - 81/4, RIGHT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	8E39=7-R8 1/4 + 13E190 + 2x 13E202=60 + 2x 13E129=G600 + 757B35=1 + 757L35 + 8S11=*	Austria
1386	4224200219900	PROSTHESIS, BELOW ELBOW, ELECTRIC HAND, COMPLETE WORKING SYSTEM FOR WRIST DISARTICULATION, AMPUTATION, AND BATTERY CHARGER (110 - 220 V, 50/60 HZ), SIZE - 63/4, RIGHT	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	Steeper	134112021	United Kingdom
1387	4224200219700	PROSTHESIS, BELOW ELBOW, ELECTRIC HAND, COMPLETE WORKING SYSTEM FOR WRIST DISARTICULATION, AMPUTATION, AND BATTERY CHARGER (110 - 220 V, 50/60 HZ), SIZE - 73/4, RIGHT	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	Steeper	134112025	United Kingdom
1387	4224200219700	PROSTHESIS, BELOW ELBOW, ELECTRIC HAND, COMPLETE WORKING SYSTEM FOR WRIST DISARTICULATION, AMPUTATION, AND BATTERY CHARGER (110 - 220 V, 50/60 HZ), SIZE - 73/4, RIGHT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	8E39=7-R7 3/4 + 13E190 + 2x 13E202=60 + 2x 13E129=G600 + 757B35=1 + 757L35 + 8S11=*	Austria
1388	4224200219100	PROSTHESIS, BELOW ELBOW, ELECTRIC HAND, COMPLETE WORKING SYSTEM, FOR WRIST DISARTICULATION, AMPUTATION, AND BATTERY CHARGER (110 - 220 V, 50/60 HZ), SIZE: 63/4 INCHES, LEFT	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	Steeper	134112020	United Kingdom
1389	4224200219200	PROSTHESIS, BELOW ELBOW, ELECTRIC HAND, COMPLETE WORKING SYSTEM, FOR WRIST DISARTICULATION, AMPUTATION, AND BATTERY CHARGER (110 - 220 V, 50/60 HZ), SIZE: 71/4 INCHES, LEFT	ITEMIZED	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	Steeper	134112022	United Kingdom
1389	4224200219200	PROSTHESIS, BELOW ELBOW, ELECTRIC HAND, COMPLETE WORKING SYSTEM, FOR WRIST DISARTICULATION, AMPUTATION, AND BATTERY CHARGER (110 - 220 V, 50/60 Hz), Size: 71/4 INCHES, LEFT PROSTHESIS, BELOW ELBOW, ELECTRIC HAND, COMPLETE WORKING SYSTEM, FOR WRIST	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	8E39=7-L7 1/4 + 13E190 + 2x 13E202=60 + 2x 13E129=G600 + 757B35=1 + 757L35 + 8S11=*	Austria
1390	4224200219300	DISARTICULATION, AMPUTATION, AND BATTERY CHARGER (110 - 220 V, 50/60 HZ), SIZE: 71/4	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	Steeper	134112023	United Kingdom
1390	4224200219300	INCHES, RIGHT PROSTHESIS, BELOW ELBOW, ELECTRIC HAND, COMPLETE WORKING SYSTEM, FOR WRIST DISARTICULATION, AMPUTATION, AND BATTERY CHARGER (110 - 220 V, 50/60 HZ), SIZE: 71/4 INCHES, RIGHT	ITEMIZED	each	400571	AL Gaim Comm. Est Orig-	Ottobock	8E39=7-R7 1/4 + 13E190 + 2x 13E202=60 + 2x 13E129=G600 + 757B35=1 + 757L35 + 8S11=*	Austria
1391	4224200219400	PROSTHESIS, BELOW ELBOW, ELECTRIC HAND, COMPLETE WORKING SYSTEM, FOR WRIST DISARTICULATION, AMPUTATION, AND BATTERY CHARGER (110 - 220 V, 50/60 HZ), SIZE: 73/4 INCHES, LEFT	ITEMIZED	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	Steeper	134112024	United Kingdom
1391	4224200219400	PROSTHESIS, BELOW ELBOW, ELECTRIC HAND, COMPLETE WORKING SYSTEM, FOR WRIST DISARTICULATION, AMPUTATION, AND BATTERY CHARGER (110 - 220 V, 50/60 HZ), SIZE: 73/4 INCHES, LEFT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	8E39=7-L7 3/4 + 13E190 + 2x 13E202=60 + 2x 13E129=G600 + 757B35=1 + 757L35 + 8S11=*	Austria
1392	4224200430900	PROSTHETIC BELOW KNEE STUMP SOCKS MEDIUM LONG REGULAR, 85 % COTTON, 15% LYCRA (LENGTH 22-26 INCH), TOE WIDTH 3 ½ INCH TOP WIDTH 6-6 ½ INCH), 1 PLY	ITEMIZED	each	401191	Alawal medical equipment company - Orig-	ALPS South	KCM-18-1N	USA
1392	4224200430900	PROSTHETIC BELOW KNEE STUMP SOCKS MEDIUM LONG REGULAR, 85 % COTTON, 15% LYCRA (LENGTH 22-26 INCH), TOE WIDTH 3 ½ INCH TOP WIDTH 6-6 ½ INCH), 1 PLY	ITEMIZED	each	400504	Stars Tech Medical -Orig-	Ihle	24 011 011 60	Germany
1393	4224200431500	PROSTHETIC BELOW KNEE STUMP SOCKS MEDIUM LONG REGULAR, 85 % COTTON, 15%	ITEMIZED	each	401191	Alawal medical equipment company -	ALPS South	KCM-18-5N	USA
1393	4224200431500	LYCRA (LENGTH 22-26 INCH), TOE WIDTH 3 ½ INCH TOP WIDTH 6-6 ½ INCH), 5 PLY PROSTHETIC BELOW KNEE STUMP SOCKS MEDIUM LONG REGULAR, 85 % COTTON, 15%	ITEMIZED	each	400504	Orig- Stars Tech Medical -Orig-	Ihle	25 100 011 60	Germany
1394	4224200431300	LYCRA (LENGTH 22-26 INCH), TOE WIDTH 3 ½ INCH TOP WIDTH 6-6 ½ INCH), 5 PLY PROSTHETIC BELOW KNEE STUMP SOCKS MEDIUM LONG REGULAR, 85 % COTTON, 15%	ITEMIZED	each	401191	Alawal medical equipment company -	ALPS South	KCM-18-3N	USA
		LYCRA(LENGTH 22-26 INCH), TOE WIDTH 3 ½ INCH TOP WIDTH 6-6 ½ INCH), 3 PLY PROSTHETIC BELOW KNEE STUMP SOCKS MEDIUM REGULAR, 85 % COTTON, 15% LYCRA				Orig-			
1395	4224200430800	(LENGTH 16-20 INCH), TOE WIDTH 3 ½ INCH, TOP WIDTH 6-6 ½ INCH), 1 PLY PROSTHETIC BELOW KNEE STUMP SOCKS MEDIUM REGULAR, 85 % COTTON, 15% LYCRA	ITEMIZED	each	400451	Farabi Trading Establishment -Orig- Alawal medical equipment company -	STREIFENEDER	25A21/40	Germany
1396	4224200431100	(LENGTH 16-20 INCH), TOE WIDTH 3 ½ INCH, TOP WIDTH 6-6 ½ INCH), 3 PLY	ITEMIZED	each	401191	Orig-	ALPS South	KCM-14-3N	USA
1396	4224200431100	PROSTHETIC BELOW KNEE STUMP SOCKS MEDIUM REGULAR, 85 % COTTON, 15% LYCRA (LENGTH 16-20 INCH), TOE WIDTH 3 ½ INCH, TOP WIDTH 6-6 ½ INCH), 3 PLY	ITEMIZED	each	400504	Stars Tech Medical -Orig-	Ihle	25 400 011 45	Germany
1397	4224200431400	PROSTHETIC BELOW KNEE STUMP SOCKS MEDIUM REGULAR, 85 % COTTON, 15% LYCRA (LENGTH 16-20 INCH), TOE WIDTH 3 ½ INCH, TOP WIDTH 6-6 ½ INCH), 5 PLY	ITEMIZED	each	401191	Alawal medical equipment company - Orig-	ALPS South	KCM-14-5N	USA
1397	4224200431400	PROSTHETIC BELOW KNEE STUMP SOCKS MEDIUM REGULAR, 85 % COTTON, 15% LYCRA (LENGTH 16-20 INCH), TOE WIDTH 3 ½ INCH, TOP WIDTH 6-6 ½ INCH), 5 PLY	ITEMIZED	each	400504	Stars Tech Medical -Orig-	Ihle	25 100 011 40	Germany
1398	4224200431600	PROSTHETIC BELOW KNEE STUMP SOCKS MEDIUM SHORT, 85 % COTTON, 15% LYCRA (LENGTH 10-14 INCH, TOE WIDTH 3 ½ INCH TOP WIDTH 6-6 ½ INCH), 5 PLY	ITEMIZED	each	401191	Alawal medical equipment company - Orig-	ALPS South	KCM-10-5N	USA
1398	4224200431600	PROSTHETIC BELOW KNEE STUMP SOCKS MEDIUM SHORT, 85 % COTTON, 15% LYCRA (LENGTH 10-14 INCH, TOE WIDTH 3 ½ INCH TOP WIDTH 6-6 ½ INCH), 5 PLY	ITEMIZED	each	400504	Stars Tech Medical -Orig-	Ihle	25 100 011 30	Germany
1399	4224200431000	PROSTHETIC BELOW KNEE STUMP SOCKS MEDIUM SHORT, 85 % COTTON, 15% LYCRA(LENGTH 10-14 INCH, TOE WIDTH 3 ½ INCH TOP WIDTH 6-6 ½ INCH), 1 PLY	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	25A21/35	Germany
		, , , , , , , , , , , , , , , , , , ,				•	•		

	JMBER : NPT0050/2: AME : Prosthetics Or								Preliminary Result
1400	4224200431300	PROSTHETIC BELOW KNEE STUMP SOCKS MEDIUM SHORT, 85 % COTTON, 15% LYCRA(LENGTH 10-14 INCH, TOE WIDTH 3 % INCH TOP WIDTH 6-6 % INCH), 3 PLY	ITEMIZED	each	401191	Alawal medical equipment company - Orig-	ALPS South	KCM-10-3N	USA
1401	4224200125300	PROSTHETIC CARBON FOOT EXCELENT FUNCTIONALITY EVEN UNDER THE MIGHEST LOAD SMOOTH ROLLOWER CONTROLLED SER MOVEMENT INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP INCLUDES A SEPARATE BIG TO'RE AND CONNECTS THE FOREFOOT AND THE HEEL SPRING TO FORM A COMPLETE SYSTEM TRIANGULAR TECHNOLOGY SAFETY. HEAVY DUTYMALKING ON UNEVEN SUPPRICES AND CHANGING DURING SPORTS SUITABLE FOR A BROAD RANGE OF APPLICATION FROM EVERYDAY LIFE TO DEMANDING PROFESSIONS AND EVEN LISINGES SPORTS WITH CARBON HEEL SPRING CUSTOMIZABLE SHOCK ASSORPTION WITH TWO DIFFERENT HEEL WEDGE OPTIONS WITH POSSIBILITY REPLACEABLE HEEL WEDGE WATERPROFES SEE 30 LEFT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	2C6=L30/4N + 1C60=L30- *stiffness-P/0	USA
1402	4224200125400	PROSTHETIC CARBON FOOT EXCELLENT FUNCTIONALITY EVEN UNDER THE HIGHEST LOAD SMOOTH ROLLOVER CONTROLLED USER MOVEMENT INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP INCLUDES A SEPARATE BIG TOE AND CONNECTS THE FOREFOOT AND THE HEEL SPRING TO FORM A COMPLETE SYSTEM TRIANGULAR TECHNOLOGY SAFETY: HEAVY DUTYWALKING ON UNEVEN SUBFACES AND CHANGING DURING SPORTS SUITABLE FOR A BROAD RANGE OF APPLICATION FROM EVERYDAY LIFE TO DEMANDING PROFESSIONS AND EVEN LEISURE SPORTS WITH CARBON HEEL SPRING CUSTOMIZABLE SHOCK ASSORPTION WITH TWO DIFFERENT HEEL WEDGE OPTIONS WITH POSSIBILITY REPLACEABLE HEEL WEDGE WATERPROFE SIZE 24 RIGHT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	2C6=R24/4N + 1C60=R24- *stiffness-P/0	USA
1403	4224200125600	PROSTHETIC CARBON FOOT EXCELLENT FUNCTIONALITY EVEN UNDER THE HIGHEST LOAD SMOOTH ROLLOVER CONTROLLED USER MOVEMENT INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP INCLUDES A SEPARATE BIG TOE AND CONNECTS THE FOREFOOT AND THE HEEL SPRING TO FORM A COMPLETE SYSTEM TRIANGULAR TECHNOLOGY SAFETY: HEAVY DUTYMAKING ON UNEVEN SURFACES AND CHANGING DURING SPORTS SUTTABLE FOR A BROAD RANGE OF APPLICATION FROM EVERYDAY LIFE TO DEMANDING PROFESSIONS AND EVEN LEISURE SPORTS WITH CARBON HEEL SPRING CUSTOMINABLES SHOCK ASSORPTION WITH TWO DIFFERENT HEEL WEDGE OPTIONS WITH POSSIBILITY REPLACEABLE HEEL WEDGE WATERPROFE SIZE 25 RIGHT	ITEMIZED	each	400623	Badael LLC -Orig-	Blatchford	EL25RxxS	United Kingdom
1404	4224200125800	PROSTHETIC CARBON FOOT EXCELLENT FUNCTIONALITY EVEN UNDER THE HIGHEST LOAD SMOOTH ROLLOVER CONTROLLED USER MOVEMENT INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP INCLUDES A SEPARATE BIG TOE AND CONNECTS THE FOREFOOT AND THE HEEL SPRING TO FORM A COMPLETE SYSTEM TRIANGULAR TECHNOLOGY SAFETH HEAVY DUTYMAKING ON UNEVEN SUBFACES AND CHANGING DURING SPORTS SUTTABLE FOR A BROAD RANGE OF APPLICATION FROM EVERYDAY LIFE TO DEMANDING PROFESSIONS AND EVEN LISINGE SPORTS WITH CARBON HEEL SPRING CUSTOMIZABLE SHOCK ASSORPTION WITH TWO DIFFERENT HEEL WEDGE OPTIONS WITH POSSIBILITY REPLACEABLE HEEL WEDGE WATERPROFE SIZE 26 RIGHT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	2C6=R26/4N + 1C60=R26- *stiffness-P/0	USA
1405	4224200126200	PROSTHETIC CARBON FOOT EXCELLENT FUNCTIONALITY EVEN UNDER THE HIGHEST LOAD SMOOTH ROLLOVER CONTROLLED USER MOVEMENT INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP INCLUDES A SEPARATE BIG TOE AND CONNECTS THE FOREPOOT AND THE HEEL SPRING TO FORM A COMPLETE SYSTEM TRIANGULAR TECHNOLOGY SAFETY: HEAVY DUTYMAKING ON UNEVEN SUBFACES AND CHANGING DURING SPORTS SUITABLE FOR A BROAD RANGE OF APPLICATION FROM EVERYDAY LIFE TO DEMANDING PROFESSIONS AND EVEN LISINGES SPORTS WITH CARBON HEEL SPRING CUSTOMIZABLE SHOCK ASSORPTION WITH TWO DIFFERENT HEEL WEDGE OPTIONS WITH POSSIBILITY REPLACEABLE HEEL WEDGE WATERPROFE SIZE 28 RIGHT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	2C6=R28/4N + 1C60=R28- *stiffness-P/0	USA
1406	4224200126400	PROSTHETIC CARBON FOOT EXCELLENT FUNCTIONALITY EVEN UNDER THE HIGHEST LOAD SMOOTH ROLLOVER CONTROLLED USER MOVEMENT INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP INCLUDES A SEPARATE BIG TOE AND CONNECTS THE FOREFOOT AND THE HEEL SPRING TO FORM A COMPLETE SYSTEM TRIANCULAR TECHNOLOGY SAFETY: HEAVY DUTYMAKING ON UNEVEN SURFACES AND CHANGING DURING SPORTS SUTTABLE FOR A BROAD RANGE OF APPLICATION FROM EVERYDAY LIFE TO DEMANDING PROFESSIONS AND EVEN LEISURE SPORTS WITH CARBON HEEL SPRING CUSTOMIZABLE SHOCK ASSORPTION WITH TWO DIFFERENT HEEL WEDGE OPTIONS WITH POSSIBILITY REPLACEABLE HEEL WEDGE WATERPROFE SIZE 298 RIGHT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	2C6=R29/4N + 1C60=R29- *stiffness-P/0	USA
1407	4224200126600	PROSTHETIC CARBON FOOT EXCELLENT FUNCTIONALITY EVEN UNDER THE HIGHEST LOAD SMOOTH ROLLOVER CONTROLLED USER MOVEMENT INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP INCLUDES A SEPARATE BIG TOE AND CONNECTS THE FOREFOOT AND THE HEEL SPRING TO FORM A COMPLETE SYSTEM TRIANGULAR TECHNOLOGY SAFETH FEAVY DUTYMAKING ON UNEVEN SUPPACES AND CHANGING DURING SPORTS SUTTABLE FOR A BROAD RANGE OF APPLICATION FROM EVERYDAY LIFE TO DEMANDING PROFESSIONS AND EVEN LISINGE SPORTS SWITH CARBON HEEL SPRING CUSTOMIZABLES HOCK ASSORPTION WITH TWO DIFFERENT HEEL WEDGE OPTIONS WITH POSSIBILITY REPLACEABLE HEEL WEDGE WATERPROFE SIZE 30 RIGHT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	2C6=R30/4N + 1C60=R30- *stiffness-P/0	USA
1408	4224200125000	PROSTHETIC CARBON FOOT, EXCELLENT FUNCTIONALITY EVEN UNDER THE HIGHEST LOAD, SMOOTH ROLLOVER, CONTROLLED USER MOVEMENT INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP, INCLUDES A SEPARATE BIG TOE AND CONNECTS THE FOREFOOT AND THE HEEL SPRING TO FORM A COMPLETE SYSTEM, TRIANCULAN TEXTINOLOGY, SAFETY: HEAVY DUTY, VAUKING ON UNEVEN SUBFACES AND CHANGING DURING SPORTS, SUITABLE FOR A BROAD RANGE OF APPLICATION FROM EVERYDAY LIFE TO DEMANDING PROFESSIONS AND EVEN LESURES SPORTS WITH CARBON HEEL SPRING, CUSTOMIZABLE SHOOTS AND EVEN LESURES SPORTS WITH CARBON HEEL SPRING, CUSTOMIZABLE SHOOTS AND EVEN LESURES SPORTS WITH CARBON DIFFERENT HEEL WEDGE OPTIONS WITH POSSIBILITY REPLACEABLE HEEL WEDGE, WATERPROOP, SIZE 28, LEVEN.	ITEMIZED	SET	400571	AL Gaim Comm. EstOrig-	Ottobock	2C6=L28/4N + 2C100 + 1C60=L28- *stiffness-P/0	USA
1409	4224200126000	PROSTHETIC CARBON FOOT, EXCELLENT FUNCTIONALITY EVEN UNDER THE HIGHEST LOAD, SMOOTH ROLLOVER, CONTROLLE DUSEM MOVEMENT INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP, INCLUDES, A SEPARATE BIG TOE AND CONNECTS THE FOREFOOT AND THE HEEL SPRING TO FORM A COMPLETE SYSTEM, TRIANCULAR TECHNOLOGY, SAFETY: HEAVY DUTY VAIKING ON UNEVEN SURFACES AND CHANGING DURING SPORTS, SUITABLE FOR A BROAD RANGE OF APPLICATION FROM EVERYDAY LIFE TO DEMANDING PROFESSIONS AND EVEN LESURE SPORTS WITH CARBON HEEL SPRING, CUSTOMIZABLE SHOCK ABSORPTION WITH TWO DIFFERENT HEEL WEDGE OPTIONS WITH POSSIBILITY REPLACEABLE HEEL WEDGE, WATERPROF, SIZE 27, RED	ITEMIZED	SET	400623	Badael LLC -Orig-	Blatchford	EL27RxxS	United Kingdom
1410	4224200122700	PROSTHETIC CARBON FOOT, INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP, WITH SPRING ELEMENTS FOR EXCLEINT HEEL SHOCK ASSORPTION, ROLLOVER AND ENERGY EFFICIENT CHARACTERISTICS FOR SAFE STANDING AND WALKING AND ADAPTS TO UNEVEN TERRAIN, WITH DOUBLE SPRING ELEMENTS AND FLEXIBLE DUAL SPRINGS PROVIDE RELIEF WITH DAMPENING AT HEEL STRIKE AND FACILITATE AN EASY ROLLOVER, TRANSGUAR DESIGN PROMOTES BALANCES AND CONTROLLED MOVEMENTS WHEN WALKING ON UNEVEN TERRAIN, UICHTWEIGHT CONSTRUCTION, SIZE 24, LEFT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1C30=L24*-P/4	USA
1410	4224200122700	PROSTHETIC CARBON FOOT, INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP, WITH SPRING ELEMENTS FOR EXCLEINT HELE SHOCK ASSORPION, ROLLOVER AND ENERGY EFFICIENT CHARACTERISTICS FOR SAFE STANDING AND WALKING AND ADAPTS TO UNEVEN TERRAIN, WITH DOUBLE SPRING ELEMENTS AND FLENBLE DUAL SPRINGS PROVIDE RELIEF WITH DAMPENING AT HELE STRIKE AND FACILITATE AN EASY ROLLOVER, TRINGGUAR DESIGN PROMOTES BALANCES AND CONTROLLED MOVEMENTS WHEN WALKING ON UNEVEN TERRAIN, LIGHTWEIGHT CONSTRUCTION, SIZE 24, LEFT	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	5A430/424L1	Germany
1411	4224200122800	PROSTHETIC CARBON FOOT, INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP, WITH SPRING ELEMENTS FOR EXCELLENT HEEL SHOCK ABSORTION, ROLLOVER AND ENERGY EFFICIENT CHARACTERISTICS FOR SAFE STANDING AND WALKING AND ADAPTS TO UNEVEN TERRAIN, WITH DOUBLE SPRING ELEMENTS AND FLEXIBLE DUAL SPRINGS PROVIDE RELIEF WITH DAMPENING AT HEEL STRIKE AND FACILITATE AN EASY ROLLOVER, TRINGGUAR DESIGN PROMOTES BALANCES AND CONTROLLED MOVEMENTS WHEN WALKING ON UNEVEN TERRAIN, LIGHTWEIGHT CONSTRUCTION, SIZE 25, LEFT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1C30=L25*-P/4	USA
1411	4224200122800	PROSTHETIC CARBON FOOT, INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP, WITH SPRING ELEMENTS FOR EXCLEINT HEEL SHOCK ASSORPTION, ROLLOVER AND ENERGY EFFICIENT CHARACTERISTICS FOR SAFE STANDING AND WALKING AND ADAPTS TO UNEVEN TERRAIN, WITH DOUBLE SPRING ELEMENTS AND FLEXIBLE DUAL SPRINGS PROVIDE RELIEF WITH DAMPENING AT HEEL STRIKE AND FACILITATE AN EASY ROLLOVER, TRIANGULAR DESIGN PROMOTES BALANCES AND CONTROLLED MOVEMENTS WHEN WALKING ON UNEVEN TERRAIN, UGHTWEIGHT CONSTRUCTION, SIZE ES, LEFT	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	5A430/425L1	Germany
1412	4224200122900	PROSTHETIC CARBON FOOT, INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP, WITH SPRING ELEMENTS FOR EXCLEINT HELE SHOCK ASSORPTION, ROLLOVER AND ENERGY EFFICIENT CHARACTERISTICS FOR SAFE STANDING AND WALKING AND ADAPTS TO UNEVEN TERRAIN, WITH DOUBLE SPRING ELEMENTS AND FLEXIBLE DUAL SPRINGS PROVIDE RELIEF WITH DAMPENING AT HELE STRIKE AND FACILITATE AN EAST ROLLOVER, TRANGULAR DESIGN PROMITES BALANCES AND CONTROLLED MOVEMENTS WHEN WALKING ON UNEVEN TERRAIN, LIGHTWEIGHT CONSTRUCTION, SIZE 26, LEFT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1C30=L26*-P/4	USA
1412	4224200122900	PROSTHETIC CARBON FOOT, INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP, WITH SPRING ELEMENTS FOR EXCELLENT HELL SHOCK ABSORPTION, ROLLOVER AND ENERGY EFFICIENT CHARACTERISTICS FOR SAFE STANDING AND WALKING AND ADAPTS TO UNEVEN TERRAIN, WITH DOUBLE SPRING ELEMENTS AND FLEXIBLE DUAL SPRINGS PROVIDE RELIEF WITH DAMPENING AT HEEL STRIKE AND FACILITATE AN EASY ROLLOVER, TRIANGULAND DESIGN PROMOTES BALANCES AND CONTROLLED MOVEMENTS WHEN WALKING ON UNEVEN TERRAIN, LIGHTWEIGHT CONSTRUCTION, SIZE 26, LEFT	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	5A430/526L1	Germany
1413	4224200123000	PROSTHETIC CARBON FOOT, INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP, WITH SPRING ELEMENTS FOR EXCLEINT HELE SHOCK ABSORPTION, ROLLOVER AND ENERGY EFFICIENT CHARACTERISTICS FOR SAFE STANDING AND WALKING AND ADAPTS TO UNEVEN TERRAIN, WITH DOUBLE SPRING ELEMENTS AND FEIGHTE DAILS SPRINGS PROVIDE RELIEF WITH DAMPENING AT HEEL STRIKE AND FACILITATE AN EASY ROLLOVER, TRANSQULAR DESIGN PROMOTES BALANCES AND CONTROLLED MOVEMENTS WHEN WALKING ON UNEVEN TERRAIN, LIGHTWEIGHT CONSTRUCTION, SIZE 27, LEFT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1C30=L27*-P/4	USA

TENDER NA	AME : Prosthetics Or	thosis Supplies							
1413	4224200123000	PROSTHETIC CARBON FOOT, INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP, WITH SPRING ELEMENTS FOR EXCELLENT HELL SHOCK ABSORPTION, ROLLOVER AND ENREGY EFFICIENT CHARACTERISTICS FOR SAFE STANDING AND WALKING AND ADAPTS TO UNEVEN TERRAIN, WITH DOUBLE SPRING ELEMENTS AND FLEXIBLE DUAL SPRINGS PROVIDE RELIEF WITH DAMPENING AT HELL STRIKE AND FACILITATE AN EASY ROLLOVER, TRIANGULAR DESIGN PROMOTES BALANCES AND CONTROLLED MOVEMENTS WHEN WALKING ON UNEVEN TERRAIN, LIGHTWEIGHT CONSTRUCTION, SIZE 27, LEFT	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	5A430/527L1W	Germany
1414	4224200123100	PROSTHETIC CARBON FOOT, INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP, WITH SPRING LEMENTS FOR EXCLEDIN HEEL SHOCK ASSOSPTION, BOLIQUER AND NUMERY EFFICIENT CHARACTERISTICS FOR SAFE STANDING AND WALKING AND ADAPTS TO UNEVEN TERRAIN, WITH DOUBLE SPRING ELEMENTS AND FLEXIBLE DUAL SPRINGS PROVIDE RELIEF WITH DAMPENING AT HEEL STRIKE AND FACILITATE AN EASY ROLLOVER, TRIANGULAR DESIGN PROMOTES BALANCES AND CONTROLLED MOVEMENTS WHEN WALKING ON UNEVEN TERRAIN, LIGHTWISHOFT CONSTRUCTION, SIZE 28, LETT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1C30=L28*-P/4	USA
1414	4224200123100	PROSTHETIC CABBON FOOT, INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP, WITH SPRING ELEMENTS FOR EXCLEIN HEEL IS NOCK ASBORPTION, BOLIUDER AND NEMED EFFICIENT CHARACTERISTICS FOR SAFE STANDING AND WALKING AND ADAPTS TO UNEVEN TERRAIN, WITH DOUBLE SPRINGS TELEMENTS AND FLEMBLE DUAL SPRINGS REPOVIDE RELIEF WITH DAMPENING AT HEEL STRIKE AND FACILITYST AN EASY ROLLOVER, TRIANGULAR DESIGN PROMOTES BALANCES AND CONTROLLED MOVEMENTS WHEN WALKING ON UNEVEN TERRAIN, LIGHTWISHOFT CONSTRUCTION, SIZE 28, LEFT	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	5A430/528L1W	Germany
1415	4224200123600	PROSTHETIC CARBON FOOT, INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP, WITH SPRING LEMENTS FOR EXCLEINT HEEL SHOCK ASSOSPTION, BOLIQUER AND NEW EFFICIENT CHARACTERISTICS FOR SAFE STANDING AND WALKING AND ADAPTS TO UNEVEN TERRAIN, WITH DOUBLE SPRING ELEMENTS AND FLEXIBLE DUAL SPRINGS PROVIDE RELIEF WITH DAMPENING AT HELE STRIKE AND FACILITATE AN EASY ROUVER, TRIANGULAR DESIGN PROMOTES BALANCES AND CONTROLLED MOVEMENTS WHEN WALKING ON UNEVEN TERRAIN, LIGHTWEIGHT CONSTRUCTION, SIZE 26, RIGHT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1C30=R26*-P/4	USA
1415	4224200123600	PROSTHETIC CARBON FOOT, INCLIDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP, WITH SPRING LEMENTS FOR EXCLIENT HEEL SHOCK ASSOSPTION, BOLIQUER AND NEMED EFFICIENT CHARACTERISTICS FOR SAFE STANDING AND WALKING AND ADAPTS TO UNEVEN TERRAIN, WITH DOUBLE SPRING ELEMENTS AND FLEXIBLE DUAL SPRINGS PROVIDE RELIEF WITH DAMPENING AT HELE STRIKE AND FACILITATE AN EASY ROLUVER, TRIANGULAR DESIGN PROMOTES BALANCES AND CONTROLLED MOVEMENTS WHEN WALKING ON UNEVEN TERRAIN, LIGHTWEIGHT CONSTRUCTION, SIZE 26, RIGHT	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	5A430/526R1	Germany
1416	4224200123700	PROSTHETIC CARBON FOOT, INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP, WITH SPRING ELEMENTS FOR EXCELLENT HEEL SHOCK ABSORPTION, ROLLOVER AND HENDER FOR EXPELIENT HEEL SHOCK ABSORPTION, ROLLOVER AND HENDER EFFICIENT CHARACTERISTICS FOR SAFE STANDING AND WALKING AND ADAPTS TO UNEVEN TERRAIN, WITH DOUBLE SPRING ELEMENTS AND FLEXIBLE DUAL SPRINGS PROVIDE RELIEF WITH DAMPRINGS AT HELE STRIKE AND FACILITIES AND EASY MOUVER, TRIANGULAR DESIGN PROMOTES BALANCES AND CONTROLLED MOVEMENTS WHEN WALKING ON UNEVEN TERRAIN, LIGHTWEIGHT CONSTRUCTION, SIZE 27, RIGHT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1C30=R27*-P/4	USA
1416	4224200123700	PROSTHETIC CARBON FOOT, INCLUDES THE FOOTSHELL WITH COSMESS CONNECTION CAP, WITH SPRING ELEMENTS FOR EXCELLENT HEEL SHOCK ABSORPTION, ROLLOVER AND ENREY EFFICIENT CHARACTERISTICS FOR SAFE STANDING AND WALKING AND ADAPTS TO UNEVEN TERRAIN, WITH DOUBLE SPRING ELEMENTS AND FLEXIBLE DUAL SPRINGS PROVIDE RELIEF WITH DAMPENING AT HELE STRIKE AND FACILITATE AN EASY ROLLOVER, TRIANGUARD DESIGN PROMOTES BALANCES AND CONTROLLED MOVEMENTS WHEN WALKING ON UNEVEN TERRAIN, LIGHTWEIGHT CONSTRUCTION, SIZE 27, RIGHT	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	5A430/527R1W	Germany
1417	4224200123800	PROSTHETIC CARBON FOOT, INCLUDES THE FOOTSHELL WITH COSMESS. CONNECTION CAP, WITH SPRING ELEMENTS FOR EXCELLENT HEEL SHOCK ABSORPTION, ROLLOVER AND ENERGY EFFICIENT CHARACTERISTICS FOR SAFE STANDING AND WALKING AND ADAPTS TO UNEVEN TERRAIN, WITH DOUBLE SPRING ELEMENTS AND FLEXIBLE DUAL SPRINGS PROVIDE RELIEF WITH DAMPENING AT HELE STRIKE AND FACILITATE AN EASY ROLLOVER, TRIANGULAR DESIGN PROMOTES BALANCES AND CONTROLLED MOVEMENTS WHEN WALKING ON UNEVEN TERRAIN, LIGHTWEIGHT CONSTRUCTION, SIZE 28, RIGHT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1C30=R28*-P/4	USA
1417	4224200123800	PROSTHETIC CARBON FOOT, INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP, WITH SPRING ELEMENTS FOR EXCLEINT HEEL SHOCK ASSOSPTION, BOLIQUER AND NEMED EFFICIENT CHARACTERISTICS FOR SAFE STANDING AND WALKING AND ADAPTS TO UNEVEN TERRAIN, WITH DOUBLE SPRING ELEMENTS AND FLEXIBLE DUAL SPRINGS PROVIDE RELIEF WITH DAMPENING AT HEEL STRIKE AND FACILITATE AN EASY ROUVER, TRIANGULAR DESIGN PROMOTES BALANCES AND CONTROLLED MOVEMENTS WHEN WALKING ON UNEVEN TERRAIN, LIGHTWEIGHT CONSTRUCTION, SIZE 28, RIGHT	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	5A430/528R1W	Germany
1418	4224200123900	PROSTHETIC CARBON FOOT, INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP. WITH SPRING LEMEMTS FOR EXCLEINT HEEL SHOCK ASSOSPTION, BOLIQUER AND NEMED EFFICIENT CHARACTERISTICS FOR SAFE STANDING AND WALKING AND ADAPTS TO UNEVEN TERRAIN, WITH DOUBLE SPRING ELEMENTS AND FLEXIBLE DUAL SPRINGS FROVIDE RELIEF WITH DAMPENING AT HELE STRIKE AND FACILITY EA ME ASY ROLLOVER, TRIANGULAR DESIGN PROMOTES BALANCES AND CONTROLLED MOVEMENTS WHEN WALKING ON UNEVEN TERRAIN, LIGHTWEIGHT CONSTRUCTION, SIZE 29, RIGHT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1C30=R29*-P/4	USA
1418	4224200123900	PROSTHETIC CARBON FOOT, INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP, WITH SPRING ELEMENTS FOR EXCLEIN HEEL SHOCK, ASBOSPTION, BOLIQUER AND NEMED EFFICIENT CHARACTERISTICS FOR SAFE STANDING AND WALKING AND ADAPTS TO UNEVEN TERRAIN, WITH DOUBLE SPRING ELEMENTS AND FLEXIBLE DUAL SPRINGS PROVIDE RELIEF WITH DAMPENING AT HELE STRIKE AND FACILITATE AN EASY ROLUVER, TRIANGULAR DESIGN PROMOTES BALANCES AND CONTROLLED MOVEMENTS WHEN WALKING ON UNEVEN TERRAIN, LIGHTWEIGHT CONSTRUCTION, SIZE 29, RIGHT	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	5A430/529R1W	Germany
1419	4224200124000	PROSTHETIC CARBON FOOT, INCLUDES THE FOOTSHELL WITH COSMESS CONNECTION CAP, WITH SPRING ELEMENTS FOR EXCELLENT HEEL SHOCK ABSORPTION, ROLLOVER AND ENERGY EFFICIENT CHARACTERISTICS FOR SAFE STANDING AND WALKING AND ADAPTS TO UNEVEN TERRAIN, WITH DOUBLE SPRING ELEMENTS AND FLEXIBLE DUAL SPRINGS PROVIDE RELIEF WITH DAMPENING AT HELE STRIKE AND FACILITATE AN EASY ROLLOVER, TRIANGULAR DESIGN PROMOTES BALANCES AND CONTROLLED MOVEMENTS WHEN WALKING ON UNEVEN TERRAIN, LIGHTWEIGHT CONSTRUCTION, SIZE 30, RIGHT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1C30=R30*-P/4	USA
1420	4224200195700	PROSTHETIC CARBON FOOT, INCLUDES THE FOOTSHELL WITH COSMESS CONNECTION CAP, WITH SPRING ELEMENTS FOR EXCELLENT HEEL SHOCK ABSORPTION, ROLLOVER AND ENERGY EFFICIENT CHARACTERISTICS FOR SAFE STANDING AND WALKING AND ADAPTS TO UNEVEN TERRAIN, WITH DOUBLE SPRING ELEMENTS AND FLEXIBLE DUAL SPRINGS PROVIDE RELIEF WITH DAMPENING AT HELE STRIKE AND FACILITATE AN EASY ROLLOVER, TRIANGULAR DESIGN PROMOTES BALANCES AND CONTROLLED MOVEMENTS WHEN WALKING ON UNEVEN TERRAIN, LIGHTWISHOFT CONSTRUCTION, SIZE 32, LEFT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1C30=L23*-P/4	USA
1420	4224200195700	PROSTHETIC CARBON FOOT, INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP, WITH SFRING ELEMENTS FOO RECELLEN THE ELESHOCK ABSORPTION, ROLLOWER AND ENERGY EFFICIENT CHARACTERISTICS FOR SAFE STANDING AND WALKING AND ADAPTS TO UNEVEN TERRAIN, WITH DOUBLE SPRING ELEMENTS AND ELEMENTS AND ELEMENT AND PROMOTE RELIEF WITH DAMPENING AT HELE STRIKE AND FACILITATE AN EASY ROLLOWER, TRIANGULAR DESIGN PROMOTES BALANCES AND CONTROLLED MOVEMENTS WHEN WALKING ON UNEVEN THE RRAIN, LIGHTWISHOFT CONSTRUCTION, SIZE 32, LEFT	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	5A420/423L1	Germany
1421	4224200195800	PROSTHETIC CARBON FOOT, INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP, WITH SPRING ELEMENTS FOR EXCELLENT HEEL SHOCK ABSOMPTION, ROLLOVER AND ENREDY EFFICIENT CHARACTERISTICS FOR SAFE STANDING AND WALKING AND ADAPTS TO UNEVEN TERRAIN, WITH DOUBLE SPRING ELEMENTS AND FLEXIBLE DUAL SPRINGS PROVIDE RELIEF WITH DAMPENING AT HEEL STRIKE AND FACILITATE AN EASY ROLOVER, TRIANGUAL DESIGN PROMOTES BALANCES AND CONTROLLED MOVEMENTS WHEN WALKING ON UNEVEN TERRAIN, LIGHTWEIGHT CONSTRUCTION, SIZE 23, RIGHT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1C30=R23*-P/4	USA
1421	4224200195800	PROSTHETIC CARBON FOOT, INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP, WITH SFRING ELEMENTS FOOR EXCELLENT HELE SHOCK ABSORPTION, ROLLOVER AND ENERGY EFFICIENT CHARACTERISTICS FOR SAFE STANDING AND WALKING AND ADAPTS TO UNEVEN TERRAIN, WITH ADDRESS FRINGS FROSTER ELEMENTS AND ELEMENTS	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	5A420/423R1	Germany
1422	4224200133700	PROSTHETIC FOOT FROM CABBON FIBER WITH FOOTSHELL DOUBLE SPRINGS AND A LONG CABBON BASE SPRING ALLOW A SMOOTH ROLLING AND AN EFFICIENT ENERGY RETURN AT INDIFFERENT WALKING SPEEDS UNIQUE FLEXIBLE CONNECTION OF THE CABBON SPRINGS IN THE FOREFOOT FOR OPTIMAL ADAPTATION TO A WIDE RANGE OF TERRAINS INDIVIDUAL SHOCK ABSORPTION THANKS TO THREE DIFFERENT HEEL WEDGE OPTIONS ACTIVE USERS CAN MANAGE HEC COMPLETED ON THEIR OWN TERMS FEATURES A MIGOTH ROLLOVER AND ITS EFFICIENT ENERGY RETURN SUPPORTS A DYNAMIC GAIT IN DOING SO THE FOOT ADAPTS FLEGIBLY TO EACH USERS' INDIVIDUAL CAIT CHARACTERISTICS AND VARIOUS SURFACES RESISTANT TO FRESH SALT AND CHLORINATED WATER WATER DRAINAGE CONTOURS ON THE ADAPTER AND OPENINGS IN THE SOLE OF THE FOOT PREVENT WATER FROM COLLECTING IN THE PROSTHESS COSMESTS COMPATIBLE WITH SLIM CONNECTION ADAPTER MAXIMUM BODY WEIGHT 150 KG FOOT SIZE S: 22 CM TO 30 CM	ITEMIZED	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	OSSUR	PXCO?24I	Iceland

TENDER NA	AME : Prosthetics Or	thosis Supplies							
1422	4224200133700	PROSTHETIC FOOT FROM CARBON FIBER WITH FOOTSHELL DOUBLE SPRINGS AND A LONG CABRON BASE SPRING ALLOW A SMOOTH ROLLING AND AN EFFICIENT ENERGY RETURN AT DIFFERENT WALKING SPEEDS UNIQUE FLEXIBLE CONNECTION OF THE CARBON SPRINGS IN THE FOREPOOT FOR OPTIMAL ADAPTATION TO A WIDE RANGE OF TERRAINS INDIVIDUAL SHOCK ABSORPTION THANKS TO THREE DIFFERENT HEEL WEDGE OPTIONS ACTIVE USERS CAN MANAGE UFFE COMPUTER ON THEIR OWN TERMS FEATURES A SMOOTH ROLLOWER AND ITS EFFICIENT ENERGY RETURN SUPPORTS A DYNAMIC GAIT IN DOING SO THE FOOT ADAPTS FLEXIBLY TO EACH USER'S INDIVIDUAL GAIT CHARACTERISTICS AND VARIOUS SURFACES RESISTANT TO FRESH SALT AND CHLORINATED WATER WATER DRAINAGE CONTOURS ON THE ADAPTER AND OPENINGS IN THE SOLE OF THE FOOT PREVENT WATER FROM COLLECTING IN THE PROSTHESIS COMPATIBLE WITH SILM CONNECTION ADAPTER MAXIMUM BODY WEIGHT 150 KG FOOT SIZE S: 22 CM TO 30 CM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1C50=L24-2-P/4N	USA
1423	4224200113400	PROSTHETIC FOOT WITH FOOT SHELL, WITH DIVIDED HEEL AND FOREFOOT AREA, THE CUSHIONING COMPOSITE FOR A SPRINGY LIVELY STEP, HIGH ENERGY RETURN, MULTI AXIAL	ITEMIZED	each	400623	Badael LLC -Orig-	College Park	TS LCEN 31W G6	USA
1424	4224200117600	FUNCTION, SIZE: 31 CM, LEFT PROSTHETIC FOOT WITH MULTI - AXIAL JOINT FLEXIBLE KEEL FOOT WITH TOES WITH ASSEMBLED TITANIUM ADAPTER WHICH ROLL OVER THE RING-SHAPED ROCKING RUBBER COMBINED WITH THE INTERNAL ELASTOMERIC CONNECTION WHICH PERMITS MULTI AXIAL ANKLE MOVEMENT AND HAS PRONATION SUPINATION AND ROTATION IN THE HORIZONTAL PLANE WITH FOAM CONNECTION CAP SIZE: 24 LEFT	ITEMIZED	each	400468	ALMAFSAL MEDICAL CO -Orig-	S T AND G	1109-24L	South Korea
1424	4224200117600	PROSTHETIC FOOT WITH MULTI - AXIAL JOINT FLEXIBLE KEEL FOOT WITH TOES WITH ASSEMBLE IT TIANIUM ADAPTER WHICH FOLL OVER THE RING-SAMPED ROCKING RUBBER COMBINED WITH THE INTERNAL ELASTOMERIC CONNECTION WHICH PERMITS MULTI AXIAL ANKLE MOVEMENT AND HAS PROMATION SUPINATION AND ROTATION IN THE HORIZONTAL PLANE WITH FOAM CONNECTION CAP SIZE: 24 LEFT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1A30=L24	Germany
1425	4224200117700	PROSTHETIC FOOT WITH MULTI - AVIAL JOINT FLEXIBLE KEEL FOOT WITH TOES WITH A ASSEMBLED ITANIUM ADAPTER WHICH FOLL OVER THE RING-SAMPED ROCKING RUBBER COMBINED WITH THE INTERNAL ELASTOMERIC CONNECTION WHICH PERMITS MULTI AXIAL ANKLE MOVEMENT AND HAS PRONATION SUPINATION AND ROTATION IN THE HORIZONTAL PLANE WITH FOAM CONNECTION CAP SIZE: 25 LET	ITEMIZED	each	400468	ALMAFSAL MEDICAL CO -Orig-	S T AND G	1109-25L	South Korea
1425	4224200117700	PROSTHETIC FOOT WITH MULTI - AXIAL JOINT FLEXIBLE KEEL FOOT WITH TOES WITH A ASSEMBLED TIXANIUM ADAPTER WHICH FOLL OVER THE RING-SAMPED ROCKING RUBBER COMBINED WITH THE INTERNAL ELASTOMERIC CONNECTION WHICH PERMITS MULTI AXIAL ANKLE MOVEMENT AND HAS PRONATION SUPINATION AND ROTATION IN THE HORIZONTAL PLANE WITH FOAM CONNECTION CAP SIZE: 25 LEFT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1A30=L25	Germany
1426	4224200117800	PROSTHETIC FOOT WITH MULTI - AXIAL JOINT FLEXIBLE KEEL FOOT WITH TOES WITH A ASSEMBLED ITANIUM ADAPTER WHICH FOLL OVER THE RINGS-AHAPED ROCKING RUBBER COMBINED WITH THE INTERNAL ELASTOMERIC CONNECTION WHICH PERMITS MULTI AXIAL ANKLE MOVEMENT AND HAS PRONATION SUPINATION AND ROTATION IN THE HORIZONTAL PLANE WITH FOAM CONNECTION CAP SIZE: 26 LET	ITEMIZED	each	400468	ALMAFSAL MEDICAL CO -Orig-	S T AND G	1109-26L	South Korea
1426	4224200117800	PROSTHETIC FOOT WITH MULTI - AXIAL JOINT FLEXIBLE KEEL FOOT WITH TOES WITH A SSEMBLED TITANIUM ADAPTER WHICH FOLL OVER THE RING-SAMPED ROCKING RUBBER COMBINED WITH THE INTERNAL ELASTOMERIC CONNECTION WHICH PERMITS MULTI AXIAL ANKLE MOVEMENT AND HAS PRONATION SUPINATION AND ROTATION IN THE HORIZONTAL PLANE WITH FOAM CONNECTION CAP SIZE: 26 LEFT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1A30=L26	Germany
1427	4224200117900	PROSTHETIC FOOT WITH MULTI - AXIAL JOINT FLEXIBLE KEEL FOOT WITH TOES WITH A SSEMBLED TITANIUM ADAPTER WHICH FOLL OVER THE RING-SAMPED ROCKING RUBBER COMBINED WITH THE INTERNAL ELASTOMERIC CONNECTION WHICH PERMITS MULTI AXIAL ANKLE MOVEMENT AND HAS PRONATION SUPINATION AND ROTATION IN THE HORIZONTAL PLANE WITH FOAM CONNECTION CAP SIZE 72 HET	ITEMIZED	each	400468	ALMAFSAL MEDICAL CO -Orig-	S T AND G	1109-27L	South Korea
1427	4224200117900	PROSTHETIC FOOT WITH MULTI - AXIAL JOINT FLEXIBLE KEEL FOOT WITH TOES WITH A SSEMBLED TITANIUM ADAPTER WHICH FOLL OVER THE RING-SAMPED ROCKING RUBBER COMBINED WITH THE INTERNAL ELASTOMERIC CONNECTION WHICH PERMITS MULTI AXIAL ANKLE MOVEMENT AND HAS PRONATION SUPINATION AND ROTATION IN THE HORIZONTAL PLANE WITH FOAM CONNECTION CAP SIZE: 27 LEFT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1A30=L27	Germany
1428	4224200118000	PROSTHETIC FOOT WITH MULTI - AXIAL JOINT FLEXBLE KEEL FOOT WITH TOES WITH A SSEMBLED TIXANIUM ADAPTER WHICH FOLL OVER THE RING-SAMPED ROCKING RUBBER COMBINED WITH THE INTERNAL ELASTOMERIC CONNECTION WHICH PERMITS MULTI AXIAL ANKLE MOVEMENT AND HAS PRONATION SUPINATION AND ROTATION IN THE HORIZONTAL PLANE WITH FOAM CONNECTION CAP SIZE: 28 LEFT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1A30=L28	Germany
1429	4224200118100	PROSTHETIC FOOT WITH MULTI - AXIAL JOINT FLEXIBLE KEEL FOOT WITH TOES WITH A SSEMBLED TITANIUM ADAPTER WHICH FOLL OVER THE RING-SAMPED ROCKING RUBBER COMBINED WITH THE INTERNAL ELASTOMERIC CONNECTION WHICH PERMITS MULTI AXIAL ANKLE MOVEMENT AND HAS PRONATION SUPINATION AND ROTATION IN THE HORIZONTAL PLANE WITH FOAM CONNECTION CAP SIZE: 29 LEFT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1A30=L29	Germany
1430	4224200118200	PROSTHETIC FOOT WITH MULTI - AXIAL JOINT FLEXIBLE KEEL FOOT WITH TOES WITH A SSEMBLED TITANIUM ADAPTER WHICH FOLL OVER THE RING-SAMPED ROCKING RUBBER COMBINED WITH THE INTERNAL ELASTOMERIC CONNECTION WHICH PERMITS MULTI AXIAL ANKLE MOVEMENT AND HAS PRONATION SUPINATION AND ROTATION IN THE HORIZONTAL PLANE WITH FOAM CONNECTION CAP SIZE: 24 RIGHT	ITEMIZED	each	400468	ALMAFSAL MEDICAL CO -Orig-	S T AND G	1109-24R	South Korea
1430	4224200118200	PROSTHETIC FOOT WITH MULTI - AXIAL JOINT FLEXIBLE KEEL FOOT WITH TOES WITH ASSEMBLED TITANIUM ADAPTER WHICH FOLL OVER THE RING-SAMPED ROCKING RUBBER COMBINED WITH THE INTERNAL ELASTOMERIC CONNECTION WHICH PERMITS MULTI AXIAL ANKLE MOVEMENT AND HAS PRONATION SUPINATION AND ROTATION IN THE HORIZONTAL PLANE WITH FOAM CONNECTION CAP SIZE: 24 RIGHT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1A30=R24	Germany
1431	4224200118300	PROSTHETIC FOOT WITH MULTI - AXIAL JOINT FLEXIBLE KEEL FOOT WITH TOES WITH A SSEMBLED ITANIUM ADAPTER WHICH FOLL OVER THE RING-SAMPED ROCKING RUBBER COMBINED WITH THE INTERNAL ELASTOMERIC CONNECTION WHICH PERMITS MULTI AXIAL ANKLE MOVEMENT AND HAS PRONATION SUPINATION AND ROTATION IN THE HORIZONTAL PLANE WITH FOAM CONNECTION CAP SIZE: 25 RIGHT	ITEMIZED	each	400468	ALMAFSAL MEDICAL CO -Orig-	S T AND G	1109-25R	South Korea
1431	4224200118300	PROSTHETIC FOOT WITH MULTI - AVAIA. JOINT FLEXIBLE KEEL FOOT WITH TOES WITH A SSEMBLED TITANIUM ADAPTER WHICH FOLL OVER THE RING-SAMPED ROCKING RUBBER COMBINED WITH THE INTERNAL ELASTOMERIC CONNECTION WHICH PERMITS MULTI AXIAL ANKLE MOVEMENT AND HAS PRONATION SUPINATION AND ROTATION IN THE HORIZONTAL PLANE WITH FOAM CONNECTION CAP SIZE: 25 RIGHT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1A30=R25	Germany
1432	4224200118400	PROSTHETIC FOOT WITH MULTI - AXIAL JOINT FLEXIBLE KEEL FOOT WITH TOES WITH A SSEMBLED TITANIUM ADDRIFTER WHICH FOLL UPER THE RING-SHAPED ROCKING RUBBER COMBINED WITH THE INTERNAL ELASTOMERIC CONNECTION WHICH PERMITS MULTI AXIAL ANKLE MOVEMENT AND HAS PRONATION SUPINATION AND ROTATION IN THE HORIZONTAL PLANE WITH FOAM CONNECTION CAP SIZE: 26 RIGHT	ITEMIZED	each	400468	ALMAFSAL MEDICAL CO -Orig-	S T AND G	1109-26R	South Korea
1432	4224200118400	PROSTHETIC FOOT WITH MULTI - AVIAL JOINT FLEXIBLE KEEL FOOT WITH TOES WITH A SSEMBLED TITANIUM ADAPTER WHICH FOLL OVER THE RING-SAMPED ROCKING RUBBER COMBINED WITH THE INTERNAL ELASTOMERIC CONNECTION WHICH PERMITS MULTI AXIAL ANKLE MOVEMENT AND HAS PRONATION SUPINATION AND ROTATION IN THE HORIZONTAL PLANE WITH FOAM CONNECTION CAP SIZE: 26 RIGHT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1A30=R26	Germany
1433	4224200118500	PROSTHETIC FOOT WITH MULTI - AXIAL JOINT FLEXIBLE KEEL FOOT WITH TOES WITH A SSEMBLED TIXANIUM ADAPTER WHICH FOLL OVER THE RING-SAMPED ROCKING RUBBER COMBINED WITH THE INTERNAL ELASTOMERIC CONNECTION WHICH PERMITS MULTI AXIAL ANKLE MOVEMENT AND HAS PRONATION SUPINATION AND ROTATION IN THE HORIZONTAL PLANE WITH FOOM CONNECTION CAP SIZE: 27 RIGHT	ITEMIZED	each	400468	ALMAFSAL MEDICAL CO -Orig-	S T AND G	1109-27R	South Korea
1433	4224200118500	PROSTHETIC FOOT WITH MULTI - AXIAL JOINT FLEXBLE KEEL FOOT WITH TOES WITH ASSEMBLED TIXANIUM ADAPTER WHICH FOLL OVER THE RINGS-AHPED ROCKING RUBBER COMBINED WITH THE INTERNAL ELASTOMERIC CONNECTION WHICH PERMITS MULTI AXIAL ANKLE MOVEMENT AND HAS PRONATION SUPINATION AND ROTATION IN THE HORIZONTAL PLANE WITH FOAM CONNECTION CAP SIZE: 27 RIGHT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1A30=R27	Germany
1434	4224200118600	PROSTHETIC FOOT WITH MULTI - AXIAL JOINT FLEXIBLE KEEL FOOT WITH TOES WITH ASSEMBLED TITANIUM ADAPTER WHICH FOLL OVER THE RING-SAMPED ROCKING RUBBER COMBINED WITH THE INTERNAL ELASTOMERIC CONNECTION WHICH PERMITS MULTI AXIAL ANKLE MOVEMENT AND HAS PRONATION SUPINATION AND ROTATION IN THE HORIZONTAL PLANE WITH FOOM CONNECTION CAP SIZE: 28 RIGHT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1A30=R28	Germany
1435	4224200118700	PROSTHETIC FOOT WITH MUITI - AVAIA, JOINT FLERBILE KEEL FOOT WITH TOES WITH ASSEMBLED TIXANIUM ADAPTER WHICH FOLL OVER THE RINGS-AHAPED ROCKING RUBBER COMBINED WITH THE INTERNAL ELASTOMERIC CONNECTION WHICH PERMITS MULTI AXIAL ANKLE MOVEMENT AND HAS PRONATION SUPINATION AND ROTATION IN THE HORIZONTAL PLANE WITH FOAM CONNECTION CAP SIZE: 25 RIGHT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1A30=R29	Germany
1436	4224151800000	PROSTHETIC KNEE, DIFFERENT LOCATION OF INSTANT CENTER OF ROTATION 2) STANCE PHASE STABILITY, LOW VOLUNTARY CONTROL REQUIRED TO MID SWING SHORTENING - FOR BETTER TO CLERARMCE, HIGHER DEGREE OF FLEXION AND EXTENSION DAMPING, ADJUSTABLE STANCE SETTINGS FOR INDIVIDUAL USERS NEED FOR STABILITY TO INCREASE STABILITY TO LISE SEFFORT AND MORE CONFIDENCE DURING WALKING TO REDUCED RISK OF TRIBUTY OF DISCHOST OF THE STAND FALLS, SMOOTH AND COMFORTABLE SWING PHASE FOR VARIABLE WALKING SPEEDS, TRANSFEMORAL AND KNEE DISARTICULATION AMPUTEES, MODERATE TO HIGH IMPACT LEVEL MAX, USER WEIGHT 125KG K-LEVEL: R2 AND K3, 1) MORE ACTIVE FRAME DESIGN, 4-BAR GEOMETRY, VERY POWERFUL PNEUMATIC SWING PHASE CONTROL	ITEMIZED	each	400468	ALMAFSAL MEDICAL CO -Orig-	S T AND G	1322AP	South Korea

TENDER NA	AME : Prosthetics Or	thosis Supplies							
1436	4224151800000	PROSTHETIC KNEE, DIFFERENT LOCATION OF INSTANT CENTER OF ROTATION 2) STANCE PHASE STABILITY, LOW VOLUNTARY CONTROL REQUIRED TO MID SWING SHORTENING - FOR BETTER TO CLEARANCE, HIGHER DEGREE OF FLEXION AND EXTENSION DAMPING, ADJUSTABLE STANCE SETTINGS FOR INDIVIDUAL USERS NEED FOR STABILITY TO INCREASED STABILITY TO LESS EFFORT AND MORE CONFIDENCE DURING WALKING TO REDUCED RISK OF TRIPS AND FALLS, SMOOTH AND COMPORTABLE SWING PHASE FOR VARIBLEE WALKING SPEEDS, TRANSFEMORAL AND KNEE DISARTICULATION AMPUTEES, MODERATE TO HIGH IMPACT LEVEL MAX, USER WEIGHT 125KG K-LEVEL K2 AND NS, 1) MORE ACTIVE FRAME DESIGN, 4-BAR GEOMETRY, VERY POWERFUL PNEUMATIC SWING PHASE CONTROL	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	3A1800	Germany
1437	4224200133000	PROSTHETIC LEG SYSTEM (COMPLETE), BIONIC OR EQUIVALENT, INCLUDING MICROPROCESSOR KNEE, PROSTHETIC FOOT, ADAPTER, CHARGER AND WIRELESS CONNECTION, WITH COMPLETE ACCESSORIES INCLUDING PROGRAM AND TRAINING, THE KNEE JOINT SHOULD ALSO INCLUDE: MICROPROCESSOR, SENSOR, AND CONTROL TECHNOLOGY KNEE, THE SENSOR DATA ARE UPDATED AND EVALUATED 100 TIMES PER SECOND, MAXIMUM KNEE FLEXION ANGLE MAXIMUM 135' WITHOUT FLEXION STOP, PYRAMID ADAPTER OR THEREADED CONNECTOR, OP 62 20 [OPTIMIZED PHYSIOLOGICAL GAT], FOR THE SMOOTHEST, MOST NATURAL GAIT (INCLUDING ON UNEVEN SURFACES), SAFETY WHEN WALKING BACKWARDS, NOTICEABLE SUPPORT WHEN WALKING UPHILL AND DOWNHILL, SOPHISTICATED STUMBLE RECOVERY, STAIRS, AND OBSTACLE FUNCTION FOR CLIMBING STAIRS STEP-OVERSTEP AND CROSSING OBSTACLES, CHOICE BETWEEN INTUITIVE AND DELIBERATE STANCE FUNCTION, MYMODES PLUS A TREMENDOUS SELECTION OF INDIVIDUAL ADJUSTMENT POSSIBILITIES FOR S DIFFERENT MODES, WALK-TO-RUN FUNCTION FOR SHORT SPRINTS (IM 883C MODE), BUNNING MODE FOR SP	ITEMIZED	SET	400571	AL Gaim Comm. EstOrig-	Ottobock	3B5-3 + 2R19 + SP- 3B4-3-3 + 1C63=*side*size + 2C6=*side*size + 4R57=WR + 4R72=75 + 60X5 + 4X258 + 4X1=V1.10 + 4R116=T + 4X46 + 4R44=T + 4X900 + 4X259	Austria
1438	4224200123200	PROSTHETIC, CARBON FOOT, INCLUDES THE POOTSNELL WITH COSMESIS CONNECTION CAP WITH 5 PRING ELEMENTS FOR EXCELLENT HEEL SHOCK ABSORPTION, ROLLOVER, AND ENERGY EFFICIENT, CHARACTERISTICS FOR SAFE STANDING AND WALKING AND DARKT OT UNEVEN TERRAIN WITH DOUBLE SPRING ELEMENTS AND FLEXIBLE DUAL SPRINGS PROVIDE RELIEF WITH DAMPENING AT HEEL STRIKE AND FACILITATE AN EASY ROLLOVER, TRIANGULAR DESIGN PROMOTES BALANCES AND CONTROLLED MOVEMENTS WHEN WALKING ON UNEVEN TERRAIN, LIGHTWEIGHT CONSTRUCTION, SIZE 29, LEFT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1C30=L29*-P/4	USA
1438	4224200123200	PROSTHETIC, CABBON FOOT, INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP WITH SPRING ELEMENTS FOR EXCELLENT HEELSHOCK ABSORPTION, ROLLOVER, AND ENERGY EFFICIENT, CHARACTERISTICS FOR SAFE STANDING AND WALKING AND ADAPTS TO UNEVEN TERRAIN WITH DOUBLE SPRING ELEMENTS AND FLEXIBLE DUAL SPRINGS PROVIDE RELIEF WITH DAMPENING AT HEEL STRIKE AND FACILITATE AN EASY ROLLOVER, TRINGGUAR DESIGN PROMOTES BALANCES AND CONTROLLED MOVEMENTS WHEN WALKING ON UNEVEN TERRAIN, LIGHTWEIGHT CONSTRUCTION, SIZE 29, LEFT	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	5A430/529L1W	Germany
1439	4224200123300	PROSTHETIC, CARBON FOOT, INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP WITH SPRING ELEMENTS FOR EXCILENT HELS SHOCK ASSORPTION, ROLLOVER, AND ENERGY EFFICIENT, CHARACTERISTICS FOR SAFE STANDING AND WALKING AND ADAPTS TO UNEVEN TERRAIN WITH DOUBLE SPRING ELEMENTS AND FLEXIBLE DUAL SPRINGS PROVIDE RELIEF WITH DAMPENING AT HELS STRIKE AND FACILITATE AN EAST ROLLOVER, TRANSGULAR DESIGN PROMIDTES BALANCES AND CONTROLLED MOVEMENTS WHEN WALKING ON UNEVEN TERRAIN, USHTWEIGHT CONSTRUCTION, SIZE 30 LEFT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1C30=L30*-P/4	USA
1440	4224200123400	PROSTHETIC, CARBON FOOT, INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP WITH SPRING ELEMENTS FOR EXCLEINT HELS SHOCK ASSOAPPION, ROLLOVER, AND ENERGY EFFICIENT, CHARACTERISTICS FOR SAFE STANDING AND WALKING AND ADAPTS TO UNEVEN TERRAIN WITH DOUBLE SPRING ELEMENTS AND FEIZHELD WALKING SPRINGS PROVIDE RELIEF WITH DAMPENING AT HELE STRIKE AND FACILITATE AN EASY ROLLOVER, TRIANGULAR DESIGN PROMOTES BALANCES AND CONTROLLED MOVEMENTS WHEN WALKING ON UNEVEN TERRAIN, LIGHTWEIGHT CONSTRUCTION, SIZE 24 RIGHT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	1C30=R24*-P/4	USA
1441	4224200123500	PROSTHETIC, CARBON FOOT, INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP WITH SPRING ELEMENTS FOR EXCLEINT HELS SHOCK ASSORPTION, ROLLOVER, AND ENERGY EFFICIENT, CHARACTERISTICS FOR SAFE STANDING AND WALKING AND ADAPTS TO UNEVEN TERRAIN WITH DOUBLE SPRING ELEMENTS AND FEURISE DAIL SPRINGS PROVIDE RELIEF WITH DAMPENING AT HEEL STRIKE AND FACILITATE AN EASY ROLLOVER, TRIANGULAR DESIGN PROMOTES BALANCES AND CONTROLLED MOVEMENTS WHEN WALKING ON UNEVEN TERRAIN, LIGHTWEIGHT CONSTRUCTION, SIZE 25 RIGHT	ITEMIZED	each	400468	ALMAFSAL MEDICAL CO -Orig-	S T AND G	1115-25R	South Korea
1441	4224200123500	PROSTHETIC, CARBON FOOT, INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP WITH SPRING ELEMENTS FOR EXCLEINT HELS SHOCK ASSORPTION, ROLLOVER, AND ENERGY EFFICIENT, CHARACTERISTICS FOR SAFE STANDING AND WALKING AND ADAPTS TO UNEVEN TERRAIN WITH DOUBLE SPRING ELEMENTS AND FEURISE DAIL SPRINGS PROVIDE RELIEF WITH DAMPENING AT HEEL STRIKE AND FACILITATE AN EASY ROLLOVER, TRIANGULAR DESIGN PROMOTES BALANCES AND CONTROLLED MOVEMENTS WHEN WALKING ON UNEVEN TERRAIN, LIGHTWEIGHT CONSTRUCTION, SIZE 25 RIGHT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottoback	1C30=R25*-P/4	USA
1442	4224200218400	PROSTHETIC, MULTI ARTICULATING MYOELECTRIC HAND WITH EQD (ELECTRIC QUICK DISCONNECT) WMST, ROTATES 30°, THE EQD WRIST ALLOWS THE HAND TO BE REMOVED WITH A ROTATING ACTION, THE USER CAN QUICKLY ROTATE AND REMOVE OR ATTACH TERMINAL DEVICES AS REQUIRED, INDIVIDUAL RINGER MOVEMENT, 14 SELECTABLE GRIPS PATTERNS INCLUDING THE MOUSE AND SMART THUMB AND TRIGGER GRIPS, THE MICROPROCESSORS CONSTANTLY MONITOR THE POSITION OF THE DIGITS TO ENSURE THAT GRIPS SEQUENCES ARE ACCURATE EVERY TIME, WITH NO LOSS OF CONTROL OR NEED TO RESET, WHIST NO LOSS OF CONTROL OR NEED TO RESET, WHIST OF LOST OF THE USER TO QUICKLY REMOVE THE HAND BY ROTATING IT AND THEN ATTACH ANOTHER TERMINAL DEVICE, INDIVIDUAL DRIVES IN THE FINGERS WITH PADDED FINGERTIPS AND A WIDE THUMB, EASY TO CONNECT TO REBALANCE AND ADJUSTMENT SOFTWARE VIA BILLETOOTH, COMPATIBLE WITH ELBOW JOINT, SHOULD ALSO INCLUDE: WRIST, ELECTRODE CABLE, BATTERY, BATTERY CHARGER, AND ANY OTHER PRATS FOR INSTALLING THIS ITEM, HAND CARRY LOAD (STATIC) 40 KG APPROX. THREE YEARS WARRANTY INCLUDES SERVICE	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	8E70=*+SP-8E7=3 +1051=*+1054+ 9E169+2x13 E202=60+2x 13E129=6600+ 757835=5+ 757L35	Austria
1443	4224200218500	PROSTHETIC, MULTI ABTICULATING, MYOELECTRIC HAND WITH EOD (ELECTRIC QUICK DISCONNECT) WIRST, POTATES 300°, THE EOD WIRST ALLOWS THE HAND TO BE REMOVED WITH A ROTATING ACTION. THE USER CAN QUICKLY ROTATE AND REMOVE OR ATTACH TERMINAL DEVICES AS REQUIRED, INDIVIDUAL FINGER MOVEMENT, 14 SELECTABLE GRIPS PATTERNS INCLUDING THE MOUSE AND SMART THUMB AND TRIGGER GRIPS, THE MICROPROCESSORS CONSTANTLY MONITOR THE POSITION OF THE DIGITS TO ENSURE THAT GRIPS SEQUENCES ARE ACCURATE EVERY TIME, WITH NO LOSS OF CONTROL OR NEED TO RESET, WHIST OLD STATE USEN THE HAND BY ROTATING IT AND THEN ATTACH ANOTHER TERMINAL DEVICE, INDIVIDUAL DRIVES IN THE FINGERS, WITH PADDED FINGERTIPS AND A WIDE THUMB, EASY TO CONNECT TO BE BALANCED AND ADJUSTMENT SOFTWARE VIA BLUETOOTH, COMPATIBLE WITH ELBOW JOINT, SHOULD ALSO INCLUDE: WIRST, ELECTRODE CABLE, BATTERY, BATTERY CHARGER, AND ANY OTHER PRATTS FOR INSTALLING THIS ITEM, HAND CARRY LOAD (STATL) 40 KG APPROX. THREE YEARS WARRANTY INCLUDES SERVI	ITEMIZED	Kit	400571	AL Gaim Comm. EstOrig-	Ottobock	8E70=*+SP-8E7=3 +10S1=*+10S4+ 9E169+2x 13E202=60+2x 13E129=6600+ 757835=5+ 7571.35, 5 ervice/Fitting	Austria
1444	4224200218200	PROSTHETIC, MULTI ARTICULATING, MYOELECTRIC HAND WITH FLEXION WRIST (THREE - STAGE JOINT) THE FLEXION WRIST IS A VERSATILE FLEXION DEVICE THAT ALLOWS THE WEARER TO EASILY LOCK OR UNICCT HAW WRIST POSITION AND REPOSITION THE WRIST IN EITHER A FLEXION OR EXTENSION POSITION. OFFERS 30° IN EITHER DIRECTION AND CAN BE ELOCKED IN EACH OF THE THREE POSITIONS, INDIVIDUAL FINESE MYOWEMENT, IA SELECTABLE GRIPS PATTERNS INCLUDING THE MOUSE AND SMART THUMB AND TRIGGER GRIPS, THE MICROPROCESSORS CONSTANTLY MONTOR THE POSITION OF THE DIGHTS TO ENSURE THAT GRIP SEQUENCES ARE ACCURATE EVERY TIME, WITH NO LOSS OF CONTROL OR NEED TO RESET, WRIST ALLOWS THE USER TO QUICKLY REMOVE THE HAND BY ROTATING IT AND THEN ATTACH ANOTHER TERMINAL DEVICE, INDIVIDUAL DRIVES IN THE FINESERS, WITH PADDED FINGERTIPS AND A WIDE THUMB, EASY TO CONNECT TO BE BALANCED AND ADJUSTMENT SOFTWARE WAS BULFOTOR!, COMPATIBLE WITH ELBOW JOINT, SHOULD BLOCKLUDE: WRIST, ELECTRODE CABLE, BATTERY, BATTERY CHARGER, AND ANY OTHER PARTS	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	8E72=* + SP-8E7=3 + 1051=* + 1054 + 9E169 + 2x 13 E202=60 + 2x 13E12 9=6600 + 757835=5 + 757135	Austria
1445	4224200218300	PROSTHETIC, MULTI ARTICULATING, MYDELECTRIC HAND WITH FLEXION WRIST (THREE- STAGE JOINT) THE FLEXION WRIST IS A VERSATILE FLEXION DEVICE THAT ALLOWS THE WEARER TO EASILY LOCK OR UNICK THE WRIST POSITION AND REPOSITION THE WRIST IN EITHER A FLEXION OR EXTENSION POSITION. OFFERS 30' IN EITHER DIRECTION AND CAN BE LOCKED IN EACH OF THE THREE POSITIONS, INDIVIDUAL FINESE MOVEMENT, IA SELECTABLE GRIPS PATTERNS INCLUDING THE MOUSE AND SMART THUMB AND TRIGGER GRIPS, THE MICROPROCESSORS CONSTANTLY MONITOR THE POSITION OF THE DISTIT OE NSURE THAT GRIP SEQUENCES ARE ACCURATE EVERYTIME, WITH NO LOSS OF CONTROL OR NEED TO RESET, WRIST ALLOWS THE USER TO QUICKLY REMOVE THE HAND BY ROTATING IT AND THEN ATTACH ANDTHER TERMINAL DEVICE, INDIVIDUAL DRIVES IN THE FINESES, WITH PADDED FINGERTIPS AND A WIDE THUMB, EASY TO CONNECT TO BE BALANCED AND ADJUSTMENT SOFTWARE VAR BULETOOTH, COMPATIBLE WITH ELBOW JOINT, SHOULD BLIS INCLUDE: WRIST, ELECTRODE CABLE, BATTERY, BATTERY CHARGER, AND ANY OTHER PARTS FO	ITEMIZED	Kit	400571	AL Gaim Comm. EstOrig-	Ottobock	8E72=* + SP-8E7=3 + 10S1=* + 10S4 + 9E169 + 2x 13E202=60 + 2x 13E129=6600 + 757835=5 + 757L35, S ervice/Fitting	Austria

TENDER NA	AME : Prosthetics Ort	thosis Supplies							
1446	4224200218000	PROSTHETIC, MULTI ARTICULATING, MYOELECTRIC HAND WITH MULTI - FLEX WRIST, THE MULTI - FLEX WRIST OFFERS PASSIVE WRIST MOVEMENT IN ALL DIRECTIONS AND THE ABILITY TO LOCK IN 30° FLEXION, 30° EXTENSION OR A NEUTRAL POSITION, LATERAL DEVIATION REMAINS AVAILABLE WHILE THE WRIST IS LOCKED IN THE PREFERSED FLEXION ANGLE, INDIVIDUAL FINCER MOVEMENT, 14 SELECTABLE GRIPS PATTERNS INCLIDIONS THE MOUSE AND SMART THUMB AND TRIGGER GRIPS, THE MICROPROCESSORS CONSTANTLY MONITOR THE POSITION OF THE DIGITS TO ENSURE THAT GRIP SEQUENCES ARE ACCURATE EVERY TIME, WITH NO LOSS OF CONTROL OR NEED TO RESET, WRIST ALLOWS THE USER TO QUICKLY REMOVE THE HAND BY ROTATING IT AND THEN ATTACH ANOTHER TERMINAL DEVICE, INDIVIDUAL DRIVES IN THE FINGERS, WITH PADDE PRINGERTIES AND A WIDE THUMB, EASY TO CONNECT TO BE BALANCED AND ADJUSTMENT SOFTWARE VIA BLUETOOTH, COMPATIBLE WITH ELBOW JOINT, SHOULD ALSO INCLUDE: WISTST, LECETRODE CABLE, PATTERY, BATTERY CHARGER, AND ANY OTHER PRATTS FOR INSTALLING THIS TIEM, HAND CARRY	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	8E72=* + SP-8E7=3 + 1051=* + 1054 + 9E169 + 2x 13 E202=60 + 2x 13E12 9=6600 + 757835=5 + 757135	Austria
1447	4224200218100	PROSTHETIC, MULTI ARTICULATING, MYOELECTRIC HAND WITH MULTI-FLEX WRIST, THE MULTI-FLEX WRIST OFFERS PASSIVE WRIST MOVEMENT IN ALL DIRECTIONS AND THE ABILITY TO LOCK IN 30° FLEXION, 30° EXTENSION OR A NEUTRAL POSITION. LATERAL DEVAITION REMAINS AVAILABLE WHILE THE WRIST IS LOCKED IN THE PREFERRED FLEXION ANGLE, INDIVIDUAL FINGER MOVEMENT, 14 SELECTABLE GRIPS PATTERNS INCLUDING THE MOUSE AND SMART THUMB AND TRIGGER GRIPS, THE MICROPROCESSORS CONSTANTLY MONITOR THE POSITION OF THE DIGITS TO CHISURE THAT GRIP SEQUENCES ARE ACCURATE EVERY TIME, WITH NO LOSS OF CONTROL OR NEED TO RESET, WHIST ALLOWS THE USER TO QUICKLY REMOVE THE HAND BY ROTATING IT AND THEN ATTACH ANOTHER TERMINAL DEVICE, INDIVIDUAL DRIVES IN THE FINGERS, WITH PADDE PINCERTIPS AND A WID ETHUMBLE, EASY TO CONNECT TO BE BALANCED AND ADJUSTMENT SOFTWARE VIA BLUETOOTH, COMPATIBLE WITH ELGOW JOINT, SHOULD LOST INCLUDE: WIST, LECTRODE CABLE, PATTERY, BATTERY CHARGER, AND AND YOTHER PARTS FOR INSTALLING THIS ITEM, HAND CARRY LOAD	ITEMIZED	Kit	400571	AL Gaim Comm. EstOrig-	Ottobock	8E72=* + SP-8E7=3 + 1051=* + 1054 + 9E169 + 2x 13E202=60 + 2x 13E129=6600 + 757B35=5 + 757L35, S ervice/Fitting	Austria
1448	4224200218600	PROSTHETIC, MULTI ARTICULATING, MYOELECTRIC HAND WITH SHORT WRIST, ROTATES 360 ", THE SHORT WRIST CONSISTS OF A LOW - PROFILE CONNECTOR FOR APPLICATIONS WHERE THERE IS A LOWG RESIDUAL HIMB. THE HAND CAN BE ROTATED AGAINST A CONSTANT FRICTION, WHICH CAN BE ADJUSTED BY THE USER, INDIVIDUAL FINGER MOVEMENT, 14 SELECTABLE GRIPS PATTERNS INCLIDING THE MOUSE AND SMART THUMB AND TRIGGER GRIPS, THE MICROPROCESSORS CONSTANTLY MONITOR THE POSITION OF THE DIGITS TO ENSURE THAT GRIP SEQUENCES ARE ACCURATE EVERY THINE, WITH NO LOSS OF CONTROL OR NEED TO RESEX, WRIST ALLOWS THE USER TO QUICKLY REMOVE THE HAND BY ROTATING IT AND THEN ATTACH ANOTHER TERMINAL DEVICE, INDIVIDUAL DRIVES IN THE FINGERS, WITH PADDED FINGERTIPS AND A WIDE THUMB, EASY TO CONNECT TO BE BALANCED AND ADJUSTMENT SOFTWARE VIA BILLETOOTH, COMPATIBLE WITH ELBOW JOINT, SHOULD ALSO INCLUDE: WRIST, LEECTRODE CABLE, BATTERY, BATTERY CHARGER, AND ANY OTHER PARTS FOR INSTALLING THIS ITEM, HAND CARRY LOAD (STATIC) 40 KG APPROX. THREE YEARS	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	8E71=*+SP-8E7=3 +13E190+2x 13E202=60+2x13 E129=6600+ 757B35=5+ 757L35	Austria
1449	4224200218700	PROSTHETIC, MULTI ARTICULATING, MYOELECTRIC HAND WITH SHORT WRIST, ROTATES 360°, THE SHORT WRIST CONSISTS OF A LOW-PROFILE CONNECTOR FOR APPLICATIONS WHERE THERE IS A LOWG RESIDUAL LIMB. THE HAND CAN BE ROTATED AGAINST A CONSTANT FRICTION, WHICH CAN BE ADJUSTED BY THE USER, INDIVIDUAL FINGER MOVEMENT, 14 SELECTABLE GRIPS PATTERNS INCLUDING THE MOUSE AND SMART THUMB AND TRIGGER GRIPS, THE MICROPROCESSORS CONSTANTLY MONITOR THE POSITION OF THE DIGITS TO ROSSURE THAT GRIP SEQUENCES ARE ACCURATE EVERY TIME, WITH NO LOSS OF CONTROL OR NEED TO RESET, WRIST ALLOWS THE USER TO QUICKLY REMOVE THE HAND BY ADVATING IT AND THEN ATTACH ANOTHER TERMINAL DEVICE, INDIVIDUAL DRIVES IN THE FINGERS, WITH PADDED FINGERTIPS AND A WIDE THUMB, EASY TO CONNECT TO BE BALANCED AND ADJUSTMENT SOFTWARE VIA BULETOOTH, COMPATIBLE WITH ELBOW JOINT, SHOULD ALSO INCLUDE: WRIST, ELECTRODE CABLE, BATTERY, SATTERY CHARGER, AND ANY OTHER PARTS FOR INSTALLING THIS ITEM, HAND CARRY LOAD (STATIC) 40 KG APPROX. THREE YEARS WA	ITEMIZED	Kit	400571	AL Gaim Comm. EstOrig-	Ottobock	8E71=* + SP-8E7=3 +13E190 + 2x 13E202=60 + 2x 13E129=G600 + 757835=5 + 757135, Service/Fitting	Austria
1450	4221150900100	PROTECTIVE HELMET SPLINT FOR CHILDREN SIZE MEDIUM BROW CIRCUMFERENCE: 56 CM	ITEMIZED	each	400504	Stars Tech Medical -Orig-	danmar products	9820-MRB	USA
1451 1452	4221150900200 4221150900000	PROTECTIVE HELMET SPLINT FOR CHILDREN SIZE SMALL BROW CIRCUMFERENCE: 47 CM PROTECTIVE HELMET SPLINT FOR CHILDREN SIZE: LARGE BROW CIRCUMFERENCE: 60 CM	ITEMIZED	each each	400504 400504	Stars Tech Medical -Orig- Stars Tech Medical -Orig-	danmar products danmar products	9820-SRB 9820-LRB	USA
1453	4224200008100	PROXIMAL VACUUM SOCKET SEALING SYSTEM, PROSEAL OR EQUIVALENT, FOR USE IN TRANSFEMORAL FITTINGS WHICH DISTINGUISHES ITSELF THROUGH SIMPLICITY AND EXCELEINT WEARER COMPORT. SIZE \$20 MM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	452A1=320	France
1454	4224200008200	PROXIMAL VACUUM SOCKET SEALING SYSTEM, PROSEAL OR EQUIVALENT, FOR USE IN TRANSFEMORAL FITTINGS WHICH DISTINGUISHES ITSELF THROUGH SIMPLICITY AND EXCELLENT WEARER COMPORT, SIZE 340 MM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	452A1=340	France
1455	4224200008300	PROXIMAL VACUUM SOCKET SEALING SYSTEM, PROSEAL OR EQUIVALENT, FOR USE IN TRANSFEMORAL FITTINGS WHICH DISTINGUISHES ITSELF THROUGH SIMPLICITY AND EXCELLENT WEARER COMPORT, SIZE 360 MM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	452A1=360	France
1456	4224200008400	PROXIMAL VACUUM SOCKET SEALING SYSTEM, PROSEAL OR EQUIVALENT, FOR USE IN TRANSFEMORAL FITTINGS WHICH DISTINGUISHES TISELF THROUGH SIMPLICITY AND EXCELLENT WEARER COMFORT, SIZE 380 MM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	452A1=380	France
1457	4224200008500	PROXIMAL VACUUM SOCKET SEALING SYSTEM, PROSEAL OR EQUIVALENT, FOR USE IN TRANSFEMORAL FITTINGS WHICH DISTINGUISHES ITSELF THROUGH SIMPLICITY AND EXCELLENT WEARER COMFORT, SIZE 400 MM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	452A1=400	France
1458	4224171319600	PUMP MECHANICAL VACUUM (ALUMINUM/TITANIUM) ACHIEVE THE NECESSARY VACUUM ATER LIST A FEW STEPS SHORTER AND LIGHTEN VACUUM PUMP INTEGRATE DINTO THE SOCKET AND THE STRUCTURAL HEIGHT AS WELL AS THE OVERALL WEIGHT ARE DECREASED BUILT IN SHOCK ABSORPTION AND A TORSION FEATURE REDUCES PISTONING BETWEEN THE LIMB AND SOCKET THIS SUPPORTS ACTIVE PROSTHESIS USERS IN PARTICULAR HELPS IMPROVE BALANCE REDUCE HISK OF FALLS AND IMPROVE WALKING REDUCED VOLUME FLUCTUATIONS THE ACTIVE VACUUM INCREASES THE STABILITY OF THE RESIDULAL LIMB WOLUME IN MANY CASES ENHANCED SAFETY THE VACUUM IS RETAINED EVEN AT HIGH ACTIVITY LEVELS AND THE PROSTHESS HIST BIRMLY TO THE RESIDUAL LIMB IMPROVED CONTROL THE USER CAN MOVE AND POSITION THE PROSTHETIC FOOT MORE CONFIDENTLY THANKS TO REDUCED PROSTHESS MOTION INCREASES PROPRIECEPTION THE USER HAS A BETTER PERCEPTION OF THE GROUND CONDITIONS REDUCED PRESSURE AND ABRASION POINTS SKIN CONDITION FTEN IMPROVED USE TO DECREASED MOVEMENT BETWEEN THE SOCKET AND THE RESIDUAL.	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	4R181	Germany
1459	4224171319500	PUMP, MECHANICAL VACUUM (ALUMINUM), ACHIEVE THE NECESSARY VACUUM AFTER JUST A FEW STEPS SHORTER AND LIGHTER VACUUM DIMPI INTEGRATED INTO THE SOCKET AND THE STRUCTURAL HEIGHT AS WELL AS THE OVERALL WEIGHT ARE DECREASED, BUILT - IN SHOCK ABSORPTION AND A TORSION FEATURE REDUCES PISTONING BETWEEN THE LIMB AND SOCKET, THIS SUPPORTS ACTIVE PROSTHESIS USERS IN PARTICULAR HELPS IMPROVE BALANCE REDUCE MISK OF FALLS AND IMPROVE WALKING, REDUCED VOLUME ELUCTUATIONS, THE ACTIVE VACUUM INCREASES THE STABILITY OF THE RESIDUAL LIMB, VOLUME IN MANY CASES, ENHANCED SAFETY THE VACUUM IS RETAINED EVEN AT HIGH ACTIVITY LEVELS AND THE PROSTHESIS, HIST BIRMLY TO THE RESIDUAL LIMB IMPROVED CONTROL THE USER CAN MOVE AND POSITION THE PROSTHETIC FOOT MORE CONFIDENTLY THANKS TO REDUCED PROSTHESIS MOTION INCREASED PROPRIOCEPTION, THE USER HAS A BETTER PERCEPTION OF THE GROUND CONDITIONS, REDUCED PRESSURE AND ABRASION POINTS, SKIN CONDITION OFTEN IMPROVES DUE TO DECREASED MOVEMENT BETWEEN THE SOCKET AND THE RESIDU	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	4R180	Germany
1460	4224200023100	PYLON FEMALE KIT 1, LONG ALUMINUM TUB, CLAMP, STAINLESS STEEL TUBE, LENGTH 250 MM, WEIGHT LIMIT 100 KG	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	15A2/A400+11A11 /A	Germany
1460	4224200023100	PYLON FEMALE KIT 1, LONG ALUMINUM TUB, CLAMP, STAINLESS STEEL TUBE, LENGTH 250 MM, WEIGHT LIMIT 100 KG	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	2R49 + 4R21	Germany
1461	4224200022700	PYLON FEMALE KIT 1, LONG TITANIUM TUBE CLAMP, CARBON TUBE, AND SOCKET ADAPTOR, LENGTH UP TO 400 MM, WEIGHT LIMIT 150-170 KG	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	2R38 + 4R52 + 4R89	Germany
1462	4224200023000	PYLON FEMALE KIT 1, SHORT ALUMINUM TUBE CLAMP, STAINLESS STEEL TUBE, LENGTH 250 MM, WEIGHT LIMIT 100 KG	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	15A2/A200+11A11 /A	Germany
1463 1464	4224200016500 4224200032800	QUICK ADHESIVE DISPENSER RATCHET WRENCHES KIT, STEEL, AN ORTHOTICS WORKSHOP TOOL, SHORT DESIGN, RING HEAD ANGLED AT 15°, 17 PARTS, IN TRANSPARENT BAG, FROM 6 TO 22 IN 1 MM	No Quotation ITEMIZED	No Quotation Kit	No Quotation 400571	No Quotation AL Gaim Comm. EstOrig-	No Quotation Ottobock	No Quotation 709R2	No Quotation Germany
1465	4224170617700	INCREMENTS REHAB KNEE, MODULAR, FULLY ADJUSTABLE KNEE-ANKLE-FOOT-ORTHOSIS. PROVIDES KNEE STABILITY AND CONTROL, HANDHELD SWITCH FOR UNLOCKING KNEE JOINTINCLUDES - PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, INCLUDES ALL REQUIRED MATERIALS/COMPONENTS TO FABRICATE PROSTHESIS DELIVEY FITTING BY CERTIFIED ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP	ITEMIZED	Kit	400571	AL Gaim Comm. EstOrig-	Ottobock	17B203=L/R + 17B206 + 17LS3=16 (4 pcs.) + 17LA3N (2 pcs.) + Service (fitting)	Germany
		RESIDUAL LIMB SOCK WITH SILICONE FOR ADDITIONAL PROTECTION OF BONY AREAS AND 2	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	453D5=1	Germany
1466	4224200402000	LAYERS OF COOLMAX FABRIC, DERMA SEAL DOUBLE FORTE, SIZE 1							
1466 1467	4224200402000 4224200402100	LAYERS OF COOLMAX FABRIC, DERMA SEAL DOUBLE FORTE, SIZE 1 RESIDUAL LIMB SOCK WITH SILICONE FOR ADDITIONAL PROTECTION OF BONY AREAS AND 2 LAYERS OF COOLMAX FABRIC, DERMA SEAL DOUBLE FORTE, SIZE 10	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	453D5=10	Germany
		RESIDUAL LIMB SOCK WITH SILICONE FOR ADDITIONAL PROTECTION OF BONY AREAS AND 2 LAYERS OF COOLMAX FABRIC, DERMA SEAL DOUBLE FORTE, SIZE 10 RESIDUAL LIMB SOCK WITH SILICONE FOR ADDITIONAL PROTECTION OF BONY AREAS AND 2 LAYERS OF COOLMAX FABRIC, DERMA SEAL DOUBLE FORTE, SIZE 2	ITEMIZED	each each	400571 400571	AL Gaim Comm. EstOrig-	Ottobock Ottobock	453D5=10 453D5=2	Germany
1467	4224200402100	RESIDUAL LIMB SOCK WITH SILICONE FOR ADDITIONAL PROTECTION OF BONY AREAS AND 2 LAYERS OF COOLMAX FABRIC, DERMA SEAL DOUBLE FORTE, SIZE 10 RESIDUAL LIMB SOCK WITH SILICONE FOR ADDITIONAL PROTECTION OF BONY AREAS AND 2							•

TENDER NA	ME : Prosthetics Or	thosis Supplies							Preliminary Result
1471	4224200402500	RESIDUAL LIMB SOCK WITH SILICONE FOR ADDITIONAL PROTECTION OF BONY AREAS, DERMA	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	26A30/2	Germany
		SEAL FORTE, SIZE 1 RESIDUAL LIMB SOCK WITH SILICONE FOR ADDITIONAL PROTECTION OF BONY AREAS, DERMA						·	
1472	4224200402600	SEAL FORTE, SIZE 2	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	453D7=2	Germany
1472	4224200402600	RESIDUAL LIMB SOCK WITH SILICONE FOR ADDITIONAL PROTECTION OF BONY AREAS, DERMA SEAL FORTE, SIZE 2	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	26A30/3	Germany
1473	4224200402700	RESIDUAL LIMB SOCK WITH SILICONE FOR ADDITIONAL PROTECTION OF BONY AREAS, DERMA SEAL FORTE, SIZE 3	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	26A30/4	Germany
1474	4224200402800	RESIDUAL LIMB SOCK WITH SILICONE FOR ADDITIONAL PROTECTION OF BONY AREAS, DERMA	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	453D7=4	Germany
		SEAL FORTE, SIZE 4 RESIDUAL LIMB SOCK WITH SILICONE FOR ADDITIONAL PROTECTION OF BONY AREAS, DERMA							
1474	4224200402800	SEAL FORTE, SIZE 4	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	26A30/5	Germany
1475	4224200402900	RESIDUAL LIMB SOCK WITH SILICONE FOR ADDITIONAL PROTECTION OF BONY AREAS, DERMA SEAL FORTE, SIZE 5	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	26A30/6	Germany
1476	4224200403000	RESIDUAL LIMB SOCK, WITH SILICONE FOR ADDITIONAL PROTECTION OF BONY AREAS, DERMA SEAL FORTE, SIZE 6	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	453D7=6	Germany
1476	4224200403000	RESIDUAL LIMB SOCK, WITH SILICONE FOR ADDITIONAL PROTECTION OF BONY AREAS,	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	26A30/7	Germany
		DERMA SEAL FORTE, SIZE 6 RESIDUAL LIMB SOCK, WITH SILICONE FOR ADDITIONAL PROTECTION OF BONY AREAS,						·	
1477	4224200403100	DERMA SEAL FORTE, SIZE 7 RIGID FOAM FOR AVERAGE WEIGHT BEARING VOLUME INCREASE 6.5 TIMES, 865 GRAMS	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	26A30/8	Germany
1478	4224200005300	APPROXIMATELY. HARDNESS WILL BE ON DEMAND	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	617H12=0.865	Germany
1479	4224152004400	RIVET, HEADER, 3 MM, CHROME VANADIUM STEEL, OCTAGONAL SHAFT, LENGTH 100 MM, APPROXIMATELY	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	714N2=3	Germany
1480	4224152004500	RIVET, HEADER, 4 MM, CHROME VANADIUM STEEL, OCTAGONAL SHAFT, LENGTH 100 MM,	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	714N2=4	Germany
1481	4224200032100	APPROXIMATELY RIVETING HAMMER, AN ORTHOTICS WORKSHOP TOOL, DOUBLE CHANNEL, CHASING	ITEMIZED	each	400574	Al Calas Cassas Est. Outa	Ottobook	70572 275	
1481		HAMMER WITH SHAFT RIVETING HAMMER, AN ORTHOTICS WORKSHOP TOOL, DOUBLE CHANNEL, CHASING	TTEMIZED	eacn	400571	AL Gaim Comm. EstOrig- MEDICAL CARE ALLIANCE COMPANY -	Ottobock	705T2=375	Germany
1481	4224200032100	HAMMER WITH SHAFT	ITEMIZED	each	400569	Orig-	AFT-INTERNATIONAL	6073021200	Germany
1482 1483	4214360501600 4224200005400	ROLL LOOP, INSIDE WIDTH 35 MM ROLL LOOP, INSIDE WIDTH 50 MM	ITEMIZED	each each	400571 400571	AL Gaim Comm. EstOrig- AL Gaim Comm. EstOrig-	Ottobock Ottobock	21Y92=35 21Y92=50	USA
1484	4224200036600	ROTARY HOLE LEATHER PUNCHER, AN ORTHOTICS WORKSHOP TOOL, PUNCHED, WITH SIX	ITEMIZED	Kit	400571	AL Gaim Comm. EstOrig-	Ottobock	706L2	Germany
		PUNCHING TUBES DIAMETERS: 2 / 2.5 / 3 / 3.5 / 4 AND 5 MM ROTATABLE SOCKET ADAPTER STAINLESS STEEL AND LAMINATION ANCHOR FOR LAMINATION							<u> </u>
1485	4224200007400	DIRECTLY ONTO THE DISTAL END OF ABOVE KNEE SOCKET SYSTEM HEIGHT: 39 MM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	4R41	China
1486	4224200011100	APPROXIMATELY FOR BODY WEIGHT UP TO 120 KG ROTATABLE, SOCKET, ADAPTER, APPLICATION, AS FOR SOCKET ADAPTER, WITH ADJUSTMENT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	4R37	China
		SET SCREW S, STAINLESS STEEL ROTATABLE, SOCKET, ADAPTER, APPLICATION, AS FOR SOCKET ADAPTER, WITH ADJUSTMENT							
1486	4224200011100	SET SCREW S, STAINLESS STEEL	ITEMIZED	each	400468	ALMAFSAL MEDICAL CO -Orig-	S T AND G	12535	South Korea
1487	4224200008600	ROTATION ADAPTER FOR MODULAR PROSTHESIS WITH PYRAMID STAINLESS STEEL THE LOWER LEG MAY BE ROTATED WEDIALLY OR LATERALLY RELATEVE TO THE SOCKET WITH THE KNEE FLEXED THROUGH THE ROTATION ADAPTER SYSTEM HEIGHT: 22 MM WEIGHT: 170 GRAMS ROTATION: MAXIMUM 360 DEGREE FOR BODY WEIGHT UP TO 150 KG ROTATION ADAPTER FOR MODULAR PROSTHESIS WITH PYRAMID STAINLESS STEEL THE	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	10A16/S	Germany
1487	4224200008600	LOWER LEG MAY BE ROTATED MEDIALLY OR LATERALLY RELATIVE TO THE SOCKET WITH THE KNEE FLEXED THROUGH THE ROTATION ADAPTER SYSTEM HEIGHT: 27 MM WEIGHT: 170 GRAMS ROTATION: MAXIMUM 360 DEGREE FOR BODY WEIGHT UP TO 150 KG ROTATION ADAPTER FOR MODULAR PROSTHESIS WITH THREAD STAINLESS STEEL THE LOWER	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	4R57	Austria
1488	4224200008700	LEG MAY BE ROTATED MEDIALLY OR LATERALLY RELATIVE TO THE SOCKET WITH THE KNEE FLEXED THROUGH THE ROTATION ADAPTER SYSTEM HEIGHT: 42 MM WEIGHT: 185 GRAMS ROTATION: MAXIMUM 360 DEGREE FOR BODY WEIGHT UP TO 150 KG	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	4R57=ST	Austria
1489	4224200035500	ROUND SURFORM FILE, AN ORTHOTICS WORKSHOP TOOL, FOR SHAPING OF CASTING AND MODIFICATION PURPOSE	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	716Y4	United Kingdom
1490	4224200031400	ROUND-NOSED PLIERS, AN ORTHOTICS WORKSHOP TOOL, SIDE PIECE WITH PVC COATING, LENGTH 140-160 MM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	706X2=140	Germany
1490	4224200031400	ROUND-NOSED PLIERS, AN ORTHOTICS WORKSHOP TOOL, SIDE PIECE WITH PVC COATING,	ITEMIZED	each	400415	CareTechniques -Orig-	ATP	626 W 103.140	Switzerland
4404	422.4200022500	LENGTH 140-160 MM					ATD		
1491	4224200032500	RUBBER HEAD HAMMER, AN ORTHOTICS WORKSHOP TOOL, RUBBER MALLET WITH SHAFT	ITEMIZED	each	400415	CareTechniques -Orig- MEDICAL CARE ALLIANCE COMPANY -	ATP	652 W 101	Switzerland
1491	4224200032500	RUBBER HEAD HAMMER, AN ORTHOTICS WORKSHOP TOOL, RUBBER MALLET WITH SHAFT	ITEMIZED	each	400569	Orig-	AFT-INTERNATIONAL	6073040001	Germany
1492	4224180203300	SACRO SUPPORT, SEMI-RIGID ONE PIECE, LUMBAR BACK, MEDIUM, 32-36 INCHES	ITEMIZED	each	400216	Medical Lights Trading Company -Orig-	ABLETECH ORTHOPEDICS CR	23007 M	China
1492	4224180203300	SACRO SUPPORT, SEMI-RIGID ONE PIECE, LUMBAR BACK, MEDIUM, 32-36 INCHES	ITEMIZED	each	400792	massas al-watania for medical servi -	ELIFE	E-WA106-M	China
1492	4224180203300 4224160002200	SACRO SUPPORT, SEMI-RIGID ONE PIECE, LUMBAR BACK, MEDIUM, 32-36 INCHES SAND PAPER, WET - DRY, 230 X 280 MM, GRIT 240	ITEMIZED	each each	400792 400451	Orig-	ELIFE STREIFENEDER	E-WA106-M 107P22/24	China
1493 1494	4224160002200 4224160001300	SAND PAPER, WET - DRY, 230 X 280 MM, GRIT 240 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 40	ITEMIZED ITEMIZED	each each	400451 400571	Orig- Farabi Trading Establishment -Orig- AL Gaim Comm. EstOrig-	STREIFENEDER Ottobock	107P22/24 749Y8=73X200X40	Germany Austria
1493 1494 1495 1496	4224160002200 4224160001300 4224160001400 4224160001500	SAND PAPER, WET - DRY, 230 X 280 MM, GRIT 240 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 40 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 60 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 80	ITEMIZED ITEMIZED ITEMIZED ITEMIZED	each each each	400451 400571 400571 400571	Orig- Farabi Trading Establishment -Orig- AL Gaim Comm. EstOrig- AL Gaim Comm. EstOrig- AL Gaim Comm. EstOrig-	STREIFENEDER Ottobock Ottobock Ottobock	107P22/24 749Y8=73X200X40 749Y8=73X200X60 749Y8=73X200X80	Germany Austria Austria Austria
1493 1494 1495	4224160002200 4224160001300 4224160001400 4224160001500 4224160201000	SAND PAPER, WET - DRY, 230 X 280 MM, GRIT 240 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 40 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 60	ITEMIZED ITEMIZED ITEMIZED ITEMIZED ITEMIZED	each each each each each	400451 400571 400571 400571 400571	Orig- Farabi Trading Establishment - Orig- AL Gaim Comm. Est Orig- AL Gaim Comm. Est Orig- AL Gaim Comm. Est Orig- AL Gaim Comm. Est Orig-	STREIFENEDER Ottobock Ottobock	107P22/24 749Y8=73X200X40 749Y8=73X200X60 749Y8=73X200X80 756Y63=50	Germany Austria Austria Austria Germany
1493 1494 1495 1496 1497 1497 1498	4224160002200 4224160001300 4224160001400 4224160001500 4224160201000 4224160201000 4224160201100	SAND PAPER, WET - DRY, 230 X 280 MM, GRIT 240 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 40 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 60 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 60 SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 50 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 50 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 50 MM, APPROXIMATELY	ITEMIZED ITEMIZED ITEMIZED ITEMIZED ITEMIZED ITEMIZED ITEMIZED ITEMIZED	each each each each each each each each	400451 400571 400571 400571 400571 400415 400571	Orig- Farabi Trading Establishment-Orig- AL Gaim Comm. EstOrig- AL Gaim Comm. EstOrig- AL Gaim Comm. EstOrig- AL Gaim Comm. EstOrig- Care Techniques -Orig- AL Gaim Comm. EstOrig-	STREIFENEDER Ottobock Ottobock Ottobock Ottobock ATP Ottobock	107P22/24 749Y8=73X200X40 749Y8=73X200X60 749Y8=73X200X80 756Y63=50 226 W 000.50 756Y63=65	Germany Austria Austria Austria Germany Switzerland Germany
1493 1494 1495 1496 1497 1497	4224160002200 4224160001300 4224160001400 4224160001500 4224160201000 4224160201000	SAND PAPER, WET - DRY, 230 X 280 MM, GRIT 240 SANDING SEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 40 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 60 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 80 SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 50 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 50 MM, APPROXIMATELY	ITEMIZED ITEMIZED ITEMIZED ITEMIZED ITEMIZED ITEMIZED ITEMIZED	each each each each each each	400451 400571 400571 400571 400571 400415	Orig- Farabi Trading Establishment -Orig- AL Gaim Comm. EstOrig- AL Gaim Comm. EstOrig- AL Gaim Comm. EstOrig- AL Gaim Comm. EstOrig- CareTechniques -Orig-	STREIFENEDER Ottobock Ottobock Ottobock Ottobock ATP	107P22/24 749Y8=73X200X40 749Y8=73X200X60 749Y8=73X200X80 756Y63=50 226 W 000.50	Germany Austria Austria Austria Germany Switzerland
1493 1494 1495 1496 1497 1497 1498 1498	4224160001200 4224160001300 4224160001500 4224160001500 4224160201000 4224160201000 4224160201100 4224160201100 4224200036100	SAND PAPER, WET - DRY, 230 X 280 MM, GRIT 240 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 40 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 60 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 80 SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 50 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETR 65 MM, APPROXIMATER, DIAMETR 65 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETR 65 MM, APPROXIMATELY SAW BLADE, FOR	ITEMIZED	each each each each each each each each	400451 400571 400571 400571 400571 400571 400415 400415 400571 400415	Orig- Trading Establishment -Orig- AL Gaim Comm. EstOrig- MEDICAL CARE ALLIANCE COMPANY - Orig-	STREIFENEDER Ottobock Ottobock Ottobock Ottobock ATP Ottobock ATP Ottobock ATP Ottobock ATP ATF-INTERNATIONAL	107P22/24 749Y8=73X200X40 749Y8=73X200X60 749Y8=73X200X60 756Y63=50 226 W 000.50 756Y63=55 226 W 000.65 743E5=1	Germany Austria Austria Austria Germany Switzerland Germany Switzerland Germany Germany
1493 1494 1495 1496 1497 1497 1498 1499 1499	4224160002200 4224160001300 4224160001300 4224160001500 4224160201000 4224160201100 4224160201100 42242160201100 4224200036100 4224200036100 4412161800200	SAND PAPER, WET - DRY, 230 X 280 MM, GRIT 240 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 40 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 60 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 60 SAND BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 50 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 50 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SCHMID PERIMETER 6AGE (RIDEO CIRCUMSTERNES GAUGE), AN ORTHOTICS WORKSHOP TOOL, USED FOR MEASURING THE DISTANCE AROUND THE INSIDE OF A SOCKET AT ANY SELECTED DEPTH BELOW THE LOWEST PORTION OF THE TOP OF THE SOCKET SCHMID PERIMETER 6AGE (RIDEO CIRCUMSTERNE GAUGE), AN ORTHOTICS WORKSHOP TOOL, USED FOR MEASURING THE DISTANCE AROUND THE INSIDE OF A SOCKET AT ANY SELECTED DEPTH BELOW THE LOWEST PORTION OF THE TOP OF THE SOCKET SCHMID PERIMETER 6AGE (RIDEO CIRCUMSTERNE GAUGE), AN ORTHOTICS WORKSHOP TOOL, USED FOR MEASURING THE DISTANCE AROUND THE INSIDE OF A SOCKET AT ANY SELECTED DEPTH BELOW THE LOWEST PORTION OF THE TOP OF THE SOCKET SCLISSOR, LISTER BANDAGE, 7.5 INCHES LONG SCLISSOR, LISTER BANDAGE, 7.5 INCHES LONG	ITEMIZED	each each each each each each each each	400451 400571 400571 400571 400571 400571 400415 400415 400571 400415 400571 400569	Orig- Farabi Trading Establishment - Orig- AL Gaim Comm. Est Orig- Care Techniques - Orig- AL Gaim Comm. Est Orig- AL Gaim Comm. Est Orig- MEDICAL CARE ALLIANCE COMPANY - Orig- MEDICAL CARE ALLIANCE COMPANY - Orig-	STREIFENEDER Ottobock Ottobock Ottobock Ottobock ATP Ottobock ATP Ottobock ATP Ottobock ATP ATF-INTERNATIONAL	107P22/24 749Y8-73X200X40 749Y8-73X200X40 749Y8-73X200X80 759Y63-50 226 W 000.50 756Y63-65 226 W 000.65 743E5-1 6078230220	Germany Austria Austria Austria Germany Switzerland Germany Sermany Germany Germany Germany
1493 1494 1495 1496 1497 1497 1498 1498 1499 1499	4224160002200 4224160001300 4224160001300 4224160001500 4224160201000 4224160201100 4224160201100 4224160201100 4224200036100 4224200036100 42124200036100 42124200036100	SAND PAPER, WET - DRY, 230 X 280 MM, GRIT 240 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 40 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 60 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 60 SAND BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 50 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 50 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SCHILD PERIMETER GAGE (INSIDE CIRCUMFERENCE GAUGE), AN ORTHOTICS WORKSHOP TOOL, USED FOR MEASURING THE DISTANCE AROUND THE INSIDE OF A SOCKET AT AWY SELECTED DEPTH BLOW THE LOWEST PORTION OF THE TOP OF THE SOCKET SCHILD PERIMETER GAGE (INSIDE CIRCUMFERENCE GAUGE), AN ORTHOTICS WORKSHOP TOOL, USED FOR MEASURING THE DISTANCE AROUND THE INSIDE OF A SOCKET AT AWY SELECTED DEPTH BLOW THE LOWEST PORTION OF THE TOP OF THE SOCKET TOOL, USED FOR MEASURING THE DISTANCE AROUND THE INSIDE OF A SOCKET AT AWY SELECTED DEPTH BLOW THE LOWEST PORTION OF THE TOP OF THE SOCKET SCISSOR, LISTER BANDAGE, 7.5 INCHES LONG SCISSOR, LISTER BANDAGE, 7.5 INCHES LONG	ITEMIZED	each each each each each each each each	400451 400571 400571 400571 400571 400571 400415 400571 400415 400571 400569 400569	Orig- Farabi Trading Establishment -Orig- AL Gaim Comm. EstOrig- MEDICAL CARE ALLIANCE COMPANY - Orig- MEDICAL CARE ALLIANCE COMPANY -	STREIFENEDER Ottobock Ottobock Ottobock ATP Ottobock ATP Ottobock ATP Ottobock ATP ATP ATP ATP AFT-INTERNATIONAL AFT-INTERNATIONAL AFT-INTERNATIONAL	107P22/24 749Y8-73X200X40 749Y8-73X200X60 749Y8-73X200X80 756Y8-3-0 226 W 000.50 756Y8-3-6 226 W 000.55 743E5-1 6078230220 6071050000 614 W 006.180	Germany Austria Austria Austria Germany Switzerland Germany Germany Germany Germany Germany Germany
1493 1494 1495 1496 1497 1497 1498 1498 1499 1499 1500	4224160002200 4224160001300 4224160001300 4224160001500 4224160001500 42241602011000 4224160201100 4224200036100 4224200036100 4224200036100 4224200036100 4412161800200 4412161800200	SAND PAPER, WET - DRY, 230 X 280 MM, GRIT 240 SANDING SEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 40 SANDING SIEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 60 SANDING SIEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 60 SANW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 50 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 50 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SCHMID PERIMETER GAGE (INSIDE CIRCUMFERENCE GAUGE), AN ORTHOTICS WORKSHOP TOOL, USED FOR MEASURING THE DISTANCE AROUND THE INSIDE OF A SOCKET AT ANY SELECTED DEPTH BELOW THE LOWEST PORTION OF THE TOP OF THE SOCKET SCHMID PERIMETER GAGE (INSIDE CIRCUMFERENCE GAUGE), AN ORTHOTICS WORKSHOP TOOL, USED FOR MEASURING THE DISTANCE AROUND THE INSIDE OF A SOCKET AT ANY SELECTED DEPTH BELOW THE LOWEST PORTION OF THE TOP OF THE SOCKET SCHSOOR, LISTER BANDAGE, 7.5 INCHES LONG SCISSOR, LISTER BANDAGE, 7.5 INCHES LONG SCISSOR, LISTER BANDAGE, 7.5 INCHES LONG	ITEMIZED	each each each each each each each each	400451 400571 400571 400571 400571 400571 400415 400571 400571 400571 400571 400571 400571 400571 400571 400569	Orig. Farabi Trading Establishment - Orig. AL Gaim Comm. Est Orig. MEDICAL CARE ALLIANCE COMPANY - Orig. MEDICAL CARE ALLIANCE COMPANY - Orig. Carel Techniques - Orig. MEDICAL CARE ALLIANCE COMPANY - Orig. Carel Techniques - Orig. MEDICAL CARE ALLIANCE COMPANY - Orig. Orig. Orig.	STREIFENEDER Ottobock Ottobock Ottobock ATP Ottobock ATP Ottobock ATP Ottobock ATP AFT-INTERNATIONAL AFT-INTERNATIONAL ATP	107P22/24 749Y8-73X200X40 749Y8-73X200X50 749Y8-73X200X50 756Y63-05 226 W 000.50 756Y63-65 226 W 000.65 743E5=1 6078230220 6071050000 614 W 006.180	Germany Austria Austria Austria Germany Switzerland Germany Switzerland Germany Germany Germany Germany Germany Germany
1493 1494 1495 1496 1497 1497 1498 1499 1499 1500 1500 1501	4224160002200 4224160001300 4224160001300 4224160001500 4224160201000 4224160201000 4224160201000 4224160201100 4224200036100 4224200036100 4224200036100 4412161800200 4412161800200 4412161800300 4412161800400	SAND PAPER, WET - DRY, 230 X 280 MM, GRIT 240 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 40 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 60 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 60 SAND BLADE, FOR BLECTRIC CAST CUTTER, DIAMETER 50 MM, APPROXIMATELY SAW BLADE, FOR BLECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SAW BLADE, FOR BLECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SAW BLADE, FOR BLECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SAW BLADE, FOR BLECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SAW BLADE, FOR BLECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SAW BLADE, FOR BLECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SAW BLADE, FOR BLECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SAW BLADE, FOR BLECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SAW BLADE, FOR BLECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SCHMID PERIMETER 64 MEDIC AST CONTROL OF THE TOP OF THE SOCKET SCHMID PERIMETER 64 MEDIC SINGED CIRCUMSTERNICE GAUGE), AN ORTHOTICS WORKSHOP TOOL, USED FOR MEASURING THE DISTANCE AROUND THE INSIDE OF A SOCKET AT ANY SELECTED DEPTH BLOW THE LOWEST PORTION OF THE TOP OF THE SOCKET SCHSSOR, LISTER BANDAGE, 7.5 INCHES LONG SCISSOR, LISTER BANDAGE, 7.5 INCHES LONG SCISSOR, PLASTER, CAST CUTTING, LENGTH 220 MM SCISSORS, PLASTER, CAST CUTTING, LENGTH 220 MM	ITEMIZED ITEMIZED ITEMIZEO	each each each each each each each each	400451 400571 400571 400571 400571 400571 400415 400415 400571 400571 400569 400569 400415	Orig- Farabi Trading stablishment-Orig- AL Gaim Comm. EstOrig- Care Techniques-Orig- AL Gaim Comm. EstOrig- AL Gaim Comm. EstOrig- MEDICAL CARE ALLIANCE COMPANY- Orig- MEDICAL CARE ALLIANCE COMPANY- Orig- Care Techniques-Orig- MEDICAL CARE ALLIANCE COMPANY- Orig- MEDICAL CARE ALLIANCE COMPANY- Orig- MEDICAL CARE ALLIANCE COMPANY- Orig- MEDICAL CARE ALLIANCE COMPANY-	STREIFENEDER Ottobock Ottobock Ottobock ATP Ottobock ATP Ottobock ATP Ottobock ATP ATF-INTERNATIONAL AFT-INTERNATIONAL AFT-INTERNATIONAL ATP AFT-INTERNATIONAL	107P22/24 749%=73X200X60 749%=73X200X50 759%=73X200X50 756%3=50 226 W 000.50 756%3=65 226 W 000.55 743E5=1 6078230220 6071050000 614 W 006.180 6040080685 614 W 105.220	Germany Austria Austria Austria Germany Switzerland Germany Switzerland Germany Switzerland Germany Germany Germany Switzerland Germany Switzerland Germany
1493 1494 1495 1496 1497 1497 1498 1499 1499 1500 1500 1501 1502	4224160002200 4224160001300 4224160001300 4224160001500 4224160001500 4224160201100 4224160201100 4224200036100 4224200036100 4224200036100 4212161800200 4412161800200 4412161800200 4412161800400 4412161800400	SAND PAPER, WET - DRY, 230 X 280 MM, GRIT 240 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 40 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 60 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 80 SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 50 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 50 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SCHAID PERMETER AGEE (INSIDE CIRCUMFERENCE GAUGE), AN ORTHOTICS WORKSHOP TOOL, USED FOR MEASURING THE DISTANCE AROUND THE INSIDE OF A SOCKET AT ANY SELECTED DEPTH BELOW THE LOWEST PORTION OF THE TOP OF THE SOCKET SCHAID FOR MEASURING THE DISTANCE AROUND THE INSIDE OF A SOCKET AT ANY SELECTED DEPTH BELOW THE LOWEST PORTION OF THE TOP OF THE SOCKET SCISSOR, LISTER BANDAGE, 7.5 INCHES LONG SCISSOR, PLASTER, CAST CUTTING, LENGTH 220 MM SCISSORS, PLASTER, CAST CUTTING, LENGTH 220 MM	ITEMIZED	each each each each each each each each	400451 400571 400571 400571 400571 400571 400415 400571 400415 400571 400571 400571 400571 400569 400569 400415 400569	Orig. Farabi Trading Establishment - Orig. AL Gaim Comm. Est Orig. MEDICAL CARE ALLIANCE COMPANY - Orig. Care Techniques - Orig. MEDICAL CARE ALLIANCE COMPANY - Orig. Care Techniques - Orig. MEDICAL CARE ALLIANCE COMPANY - Orig. Care Techniques - Orig. MEDICAL CARE ALLIANCE COMPANY - Orig. Care Techniques - Orig. MEDICAL CARE ALLIANCE COMPANY - Orig.	STREIFENEDER Ottobock Ottobock Ottobock ATP Ottobock ATP Ottobock ATP Ottobock ATP AFT-INTERNATIONAL AFT-INTERNATIONAL ATP	107P22/24 749Y8-73X200X40 749Y8-73X200X50 749Y8-73X200X50 756Y63-05 226 W 000.50 756Y63-65 226 W 000.65 743E5=1 6078230220 6071050000 614 W 006.180 6040080685 614 W 105.220 6040080680	Germany Austria Austria Austria Germany Switzerland Germany Switzerland Germany Germany Germany Germany Germany Germany
1493 1494 1495 1496 1497 1497 1498 1499 1499 1500 1500 1501	4224160002200 4224160001300 4224160001300 4224160001500 4224160201000 4224160201000 4224160201000 4224160201100 4224200036100 4224200036100 4224200036100 4412161800200 4412161800200 4412161800300 4412161800400	SAND PAPER, WET - DRY, 230 X 280 MM, GRIT 240 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 40 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 60 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 80 SAND BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 50 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 50 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SCHAID PERMETER 64 MM, APPROXIMATELY SCHAID PERMETER 65 MM, APPR	ITEMIZED ITEMIZED ITEMIZEO	each each each each each each each each	400451 400571 400571 400571 400571 400571 400415 400415 400571 400571 400569 400569 400415	Orig: Farabi Trading Establishment -Orig: AL Gaim Comm. EstOrig: MEDICAL CARE ALLIANCE COMPANY - Orig: MEDICAL CARE ALLIANCE COMPANY - Orig: Care Techniques -Orig: MEDICAL CARE ALLIANCE COMPANY - Orig: Care Techniques -Orig: MEDICAL CARE ALLIANCE COMPANY - Orig: Care Techniques -Orig: MEDICAL CARE ALLIANCE COMPANY - Orig: Care Techniques -Orig: MEDICAL CARE ALLIANCE COMPANY - Orig: Care Techniques -Orig: AL Gaim Comm. EstOrig: AL Gaim Comm. EstOrig:	STREIFENEDER Ottobock Ottobock Ottobock ATP Ottobock ATP Ottobock ATP Ottobock ATP ATF-INTERNATIONAL AFT-INTERNATIONAL AFT-INTERNATIONAL ATP AFT-INTERNATIONAL	107P22/24 749%=73X200X60 749%=73X200X50 759%=73X200X50 756%3=50 226 W 000.50 756%3=65 226 W 000.55 743E5=1 6078230220 6071050000 614 W 006.180 6040080685 614 W 105.220	Germany Austria Austria Austria Germany Switzerland Germany Switzerland Germany Switzerland Germany Germany Germany Switzerland Germany Switzerland Germany
1493 1494 1495 1496 1497 1497 1498 1499 1499 1500 1500 1501 1502	4224160002200 4224160001300 4224160001300 4224160001500 4224160001500 4224160201100 4224160201100 4224200036100 4224200036100 4224200036100 4212161800200 4412161800200 4412161800200 4412161800400 4412161800400	SAND PAPER, WET - DRY, 230 X 280 MM, GRIT 240 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 40 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 60 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 60 SAND BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 50 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 50 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SCHILD PROMETER 64 CHARLES CIRCLIFER FOR MM, APPROXIMATELY SCHILD PROMETER 65 MM, APPROXIMAT	ITEMIZED	each each each each each each each each	400451 400571 400571 400571 400571 400571 400415 400571 400415 400571 400571 400571 400571 400569 400569 400415 400569	Orig- Drading Establishment-Origi- AL Gaint Comm. EstOrigi- Care Techniques-Origi- AL Gaint Comm. EstOrigi- AL Gaint Comm. EstOrigi- MEDICAL CARE ALLIANCE COMPANY- Origi- Care Techniques-Origi- MEDICAL CARE ALLIANCE COMPANY- Origi- AL Gaint Comm. EstOrigi- MEDICAL CARE ALLIANCE COMPANY- Origi- AL Gaint Comm. EstOrigi- MEDICAL CARE ALLIANCE COMPANY- Origi- AL Gaint Comm. EstOrigi-	STREIFENEDER Ottobock Ottobock Ottobock ATP Ottobock ATP Ottobock ATP Ottobock AFT-INTERNATIONAL AFT-INTERNATIONAL ATP AFT-INTERNATIONAL ATP AFT-INTERNATIONAL ATP AFT-INTERNATIONAL	107P22/24 749Y8-73X200X40 749Y8-73X200X50 749Y8-73X200X50 756Y63-05 226 W 000.50 756Y63-05 226 W 000.65 743E5=1 6078230220 6071050000 614 W 006.180 6040080685 614 W 105.220 6040080680	Germany Austria Austria Austria Germany Switzerland Germany Switzerland Germany Germany Germany Germany Germany Switzerland Germany
1493 1494 1495 1496 1497 1497 1498 1498 1499 1500 1500 1501 1502 1502	4224160002200 4224160001300 4224160001300 4224160001300 4224160201100 4224160201100 4224160201100 4224160201100 4224200036100 4224200036100 421261800200 4412161800200 4412161800200 4412161800300 4412161800400 4224200033900	SAND PAPER, WET - DRY, 230 X 280 MM, GRIT 240 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 40 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 60 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 80 SAND BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 50 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 50 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SCHAID PERMETER 64 MM, APPROXIMATELY SCHAID PERMETER 65 MM, APPR	ITEMIZED	each each each each each each each each	400451 400571 400571 400571 400571 400571 400571 400415 400571 400571 400569 400569 400415 400569 400415 400569	Orig: Farabi Trading Establishment -Orig: AL Gaim Comm. EstOrig: MEDICAL CARE ALLIANCE COMPANY - Orig: MEDICAL CARE ALLIANCE COMPANY - Orig: Care Techniques -Orig: MEDICAL CARE ALLIANCE COMPANY - Orig: Care Techniques -Orig: MEDICAL CARE ALLIANCE COMPANY - Orig: Care Techniques -Orig: MEDICAL CARE ALLIANCE COMPANY - Orig: Care Techniques -Orig: MEDICAL CARE ALLIANCE COMPANY - Orig: Care Techniques -Orig: AL Gaim Comm. EstOrig: AL Gaim Comm. EstOrig:	STREIFENEDER Ottobock Ottobock Ottobock ATP Ottobock ATP Ottobock ATP Ottobock ATP AFT-INTERNATIONAL ATP AFT-INTERNATIONAL ATP AFT-INTERNATIONAL ATP AFT-INTERNATIONAL Ottobock	107P22/24 749Y8-73X200X40 749Y8-73X200X60 749Y8-73X200X60 756Y3-50 226 W 000.50 756Y63-65 228 W 000.55 743E5-1 6078230220 6071050000 614 W 006.180 6040080685 614 W 105.220 6040080680	Germany Austria Austria Austria Germany Switzerland Germany Switzerland Germany Germany Germany
1493 1494 1495 1496 1497 1497 1498 1498 1499 1499 1500 1500 1501 1502 1502 1503	4224160002200 4224160001300 4224160001300 4224160001300 4224160001500 4224160201000 4224160201000 4224160201100 42242000361100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100	SAND PAPER, WET - DRY, 230 X 280 MM, GRIT 240 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 40 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 60 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 60 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 60 SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 50 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SCHNID PERIMETER 6AGE (INSIDE CIRCUMFERENCE GAUGE), NO ARTHOTICS WORKSHOP TOOL, USED FOR MEASURING THE DISTANCE AROUND THE INSIDE OF A SOCKET AT ANY SELECTED DEPTH BELOW THE LOWEST PORTION OF THE TOP OF THE SOCKET SCHNID PERIMETER GAGE (INSIDE CIRCUMFERENCE GAUGE), AN ORTHOTICS WORKSHOP TOOL, USED FOR MEASURING THE DISTANCE AROUND THE INSIDE OF A SOCKET AT ANY SELECTED DEPTH BELOW THE LOWEST PORTION OF THE TOP OF THE SOCKET SCHNID PERIMETER GAGE (INSIDE CIRCUMFERENCE GAUGE), AN ORTHOTICS WORKSHOP TOOL, USED FOR MEASURING THE DISTANCE AROUND THE INSIDE OF A SOCKET AT ANY SELECTED DEPTH BELOW THE LOWEST PORTION OF THE TOP OF THE SOCKET SCHNID PERIMETER GAGE (INSIDE CIRCUMFERENCE GAUGE), AN ORTHOTICS WORKSHOP TOOL, USED FOR MEASURING THE DISTANCE AROUND THE INSIDE OF A SOCKET AT ANY SELECTED DEPTH BELOW THE LOWEST PORTION OF THE TOP OF THE SOCKET SCHNID PERIMETER GAGE (INSIDE CIRCUMFERENCE GAUGE), AN ORTHOTICS WORKSHOP TOOL, STELL WITH ROUND BLADE AND PLASTIC HANDLE SCRATCH AWL, AN ORTHOTICS WORKSHOP TOOL, STELL, WITH ROUND BLADE AND PLASTIC HANDLE SEALING RESIN, FOR SEALING AND BONDING, NET CONTENTS 900 GRAMS, APPROXIMATELY SEALING RESIN, FOR SEALING AND BONDING, NET CONTENTS 900 GRAMS, APPROXIMATELY	ITEMIZED	each each each each each each each each	400451 400571 400571 400571 400571 400571 400415 400415 400569 400569 400415 400569 400415 400569 400415 400569 400415 400569 400571	Orig. Farabi Trading Establishment - Orig. AL Gaim Comm. Est Orig. MEDICAL CARE ALLIANCE COMPANY - Orig. Care Techniques - Orig. MEDICAL CARE ALLIANCE COMPANY - Orig. Care Techniques - Orig. MEDICAL CARE ALLIANCE COMPANY - Orig. AL Gaim Comm. Est Orig. AL Gaim Comm. Est Orig. MEDICAL CARE ALLIANCE COMPANY - Orig. AL Gaim Comm. Est Orig.	STREIFENEDER Ottobock Ottobock Ottobock ATP Ottobock ATP Ottobock ATP Ottobock ATP Ottobock AFT-INTERNATIONAL AFT-INTERNATIONAL ATP AFT-INTERNATIONAL ATP AFT-INTERNATIONAL ATP AFT-INTERNATIONAL BTP AFT-INTERNATIONAL ATP AFT-INTERNATIONAL ATP AFT-INTERNATIONAL BTP AFT-INTERNATIONAL ATP AFT-INTERNATIONAL BTP AFT-INTERNATIONAL Ottobock AFT-INTERNATIONAL	107P22/24 749Y8-73X200X40 749Y8-73X200X60 749Y8-73X200X60 749Y8-73X200X60 756Y63-6 226 W 000.50 756Y63-6 226 W 000.50 743E5=1 6078230220 6071050000 614 W 006.180 6040080685 614 W 105.220 6074020020 617H21-0.900 E	Germany Austria Austria Austria Germany Switzerland Germany Switzerland Germany Germany Germany Germany Germany Germany Germany Germany Switzerland Germany Germany Germany Germany Germany Germany Germany Germany
1493 1494 1495 1496 1497 1498 1498 1499 1499 1500 1500 1501 1502 1502	4224160002200 4224160001300 4224160001300 4224160001300 4224160001500 4224160201100 4224160201100 4224200036100 4224200036100 4224200036100 4212161800200 4412161800200 4412161800400 4224200033900	SAND PAPER, WET - DRY, 230 X 280 MM, GRIT 240 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 40 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 60 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 60 SAND BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 50 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 50 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SCHMID PERIMETER GAGE (INSIDE CIRCUMFERENCE GAUGE), AN ORTHOTICS WORKSHOP TOOL, USED FOR MEASURING THE DISTANCE AROUND THE INSIDE OF A SOCKET AT ANY SELECTED DEPTH BELOW THE LOWEST PORTION OF THE TOP OF THE SOCKET SCHMID PERIMETER GAGE (INSIDE CIRCUMFERENCE GAUGE), AN ORTHOTICS WORKSHOP TOOL, USED FOR MEASURING THE DISTANCE AROUND THE INSIDE OF A SOCKET AT ANY SELECTED DEPTH BELOW THE LOWEST PORTION OF THE TOP OF THE SOCKET SCHISDING THE STANDER OF THE SOCKET SCHISCOR, LISTER BANDAGE, 7.5 INCHES LONG SCISSOR, LISTER BANDAGE, 7.5 INCHES LONG SCISSOR, PLASTER, CAST CUTTING, LENGTH 220 MM SCISSORS, PLASTER, CAST CUTTING, LENGTH 220 MM SCHASCOR, AND AND AND AND AND BLADE AND PLASTIC HANDLE SCRATCH AWL, AN ORTHOTICS WORKSHOP TOOL, STEEL, WITH ROUND BLADE AND PLASTIC HANDLE SCRATCH AWL, AN ORTHOTICS WORKSHOP TOOL, STEEL, WITH ROUND BLADE AND PLASTIC HANDLE	ITEMIZED	each each each each each each each each	400451 400571 400571 400571 400571 400571 400511 400415 400571 400571 400569 400415 400569 400415 400569 400415 400569	Orig. Farabi Trading Establishment - Orig. AL Gaim Comm. Est Orig. MEDICAL CARE ALLIANCE COMPANY - Orig. Care Techniques - Orig. AL GAIM COMPANY - Orig. Care Techniques - Orig. AL GAIM COMPANY - Orig. AL GAIM COMM. Est Orig. MEDICAL CARE ALLIANCE COMPANY - Orig.	STREIFENEDER Ottobock Ottobock Ottobock ATP Ottobock ATP Ottobock ATP Ottobock AFT-INTERNATIONAL AFT-INTERNATIONAL ATP AFT-INTERNATIONAL ATP AFT-INTERNATIONAL ATP AFT-INTERNATIONAL ATP AFT-INTERNATIONAL Ottobock AFT-INTERNATIONAL	107P22/24 749Y8-73X200X40 749Y8-73X200X60 749Y8-73X200X60 756Y8-3-50 226 W 000.50 226 W 000.50 756Y8-3-6 226 W 000.55 743E5-1 6078230220 6071050000 614 W 006.180 6040080685 614 W 105.220 6040080680 723Z1 6074020020	Germany Austria Austria Austria Germany Switzerland Germany
1493 1494 1495 1495 1496 1497 1497 1498 1498 1499 1500 1500 1501 1502 1502 1503 1504	4224160002200 4224160001300 4224160001300 4224160001300 4224160001500 4224160201000 4224160201100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 422420003900 422420003900 422420003900 422420005200 422420005200	SAND PAPER, WET - DRY, 230 X 280 MM, GRIT 240 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 40 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 60 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 60 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 60 SAND BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 50 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 50 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SCHMID PERIMETER GAGE (INSIDE CIRCUMFERENCE GAUGE), AN ORTHOTICS WORKSHOP TOOL, USED FOR MEASURING THE DISTANCE AROUND THE INSIDE OF A SOCKET AT ANY SELECTED DEPTH BELOW THE LOWEST PORTION OF THE TOP OF THE SOCKET TOOL, USED FOR MEASURING THE DISTANCE AROUND THE INSIDE OF A SOCKET AT ANY SELECTED DEPTH BELOW THE LOWEST PORTION OF THE TOP OF THE SOCKET SCISSOR, LISTER BANDAGE, 7.5 INCHES LONG SCISSORS, PLASTER, CAST CUTTING, LENGTH 210 MM SCISSORS, PLASTER, CAST CUTTING, LENGTH 210 MM SCISSORS, PLASTER, CAST CUTTING, LENGTH 220 MM SCISSORS, PLASTER, CAST CUTTING, LENGTH 220 MM SCRATCH AWL, AN ORTHOTICS WORKSHOP TOOL, STEEL, WITH ROUND BLADE AND PLASTIC HANDLE SCRATCH AWL, AN ORTHOTICS WORKSHOP TOOL, STEEL, WITH ROUND BLADE AND PLASTIC HANDLE SEALING RESIN, FOR SEALING AND BONDING, NET CONTENTS 900 GRAMS, APPROXIMATELY SEALING RESIN, FOR SEALING AND BONDING, NET CONTENTS 900 GRAMS, APPROXIMATELY SECOND CLAW TOE PROTECTOR AND SEPARATOR, SILICONE, DORSAL ELEVATION WITH POSTITIONING ON PROXIMAL PHALAWX TO FREE THE PROXIMAL INTERPHALANGEAL IOINT FROM PRESSURE AND BUBBING ON THE PROXIMAL INTERPHALANGEAL IOINT THE HALLUX VALGUS, IT FACILITATES THE ALIGNMENT OF THE PROXIMAL INTERPHALANGEAL IOINT THE TOT BODY TEMPERATURE, WASHABLE, RELEASE OF PRESSURE AND RUBBING ON THE THALLUX VALGUS, IT FACILITATES THE ALIGNMENT OF THE PROXIMAL PHALANX AND ITS METATARSUS DUE TO THE PRESSURE OF THE FOOTWEAR ON THE FIRST ADD SECOND TOE, METATARSUS DUE TO	ITEMIZED	each each each each each each each each	400451 400571 400571 400571 400571 400571 400415 400571 400569 400569 400415 400569 400415 400569 400415 400569 400415 400569 400415 400569 400571 400569	Orig. Farabi Trading Establishment - Orig. AL Gaim Comm. Est Orig. MEDICAL CARE ALLIANCE COMPANY - Orig. Care Techniques - Orig. AL Gaim Comm. Est Orig. MEDICAL CARE ALLIANCE COMPANY - Orig. AL Gaim Comm. Est Orig. MEDICAL CARE ALLIANCE COMPANY - Orig. AL Gaim Comm. Est Orig. MEDICAL CARE ALLIANCE COMPANY - Orig. AL Gaim Comm. Est Orig. MEDICAL CARE ALLIANCE COMPANY - Orig. MEDICAL CARE ALLIANCE COMPANY - Orig.	STREIFENEDER Ottobock Ottobock Ottobock ATP Ottobock ATP Ottobock ATP Ottobock ATP Ottobock AFT-INTERNATIONAL AFT-INTERNATIONAL AFT-INTERNATIONAL ATP AFT-INTERNATIONAL ATP AFT-INTERNATIONAL ATP AFT-INTERNATIONAL Ottobock AFT-INTERNATIONAL Ottobock AFT-INTERNATIONAL Ottobock AFT-INTERNATIONAL Ottobock AFT-INTERNATIONAL Ottobock AFT-INTERNATIONAL OTTOBOCK BEIL Kunststoffproduktions- und Handelsg ABLETECH ORTHOPEDICS CR	107P22/24 749Y8-73X200X40 749Y8-73X200X50 749Y8-73X200X50 756Y8-3-5 226 W 000.50 226 W 000.65 226 W 000.65 226 W 000.65 226 W 000.65 227 W 000.65 22	Germany Austria Austria Austria Germany Switzerland Germany Germany Germany Switzerland Germany
1493 1494 1495 1495 1497 1497 1497 1498 1499 1500 1501 1502 1502 1503 1504 1504	4224160002200 4224160001300 4224160001300 4224160001300 4224160001500 4224160201100 4224160201100 4224160201100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200039900 4224200039900 4224200039900 422420005200 422420005200 4224170641700	SAND PAPER, WET - DRY, 230 X 280 MM, GRIT 240 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 40 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 60 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 60 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 60 SAND BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 50 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 50 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SCHILD PERIMETER GAGE (INSIDE CIRCUMFERENCE GAUGE), AN ORTHOTICS WORKSHOP TOOL, USED FOR MEASURING THE DISTANCE AROUND THE INSIDE OF A SOCKET AT ANY SELECTED DEPTH BLOW THE LOWEST PORTION OF THE TOP OF THE SOCKET SCHILD PERIMETER GAGE (INSIDE CIRCUMFERENCE GAUGE), AN ORTHOTICS WORKSHOP TOOL, USED FOR MEASURING THE DISTANCE AROUND THE INSIDE OF A SOCKET AT ANY SELECTED DEPTH BLOW THE LOWEST PORTION OF THE TOP OF THE SOCKET SCHIND PERIMETER GAGE (INSIDE CIRCUMFERENCE GAUGE), AN ORTHOTICS WORKSHOP TOOL, USED FOR MEASURING THE DISTANCE AROUND THE INSIDE OF A SOCKET AT ANY SELECTED DEPTH BLOW THE LOWEST PORTION OF THE TOP OF THE SOCKET SCHIND PERIMETER GAGE (INSIDE CIRCUMFERENCE GAUGE), AN ORTHOTICS WORKSHOP TOOL, USED FOR MEASURING THE DISTANCE AROUND THE INSIDE OF A SOCKET AT ANY SELECTED DEPTH BLOW THE LOWEST PORTION OF THE TOP OF THE SOCKET SCHIND PERIMETER GAGE (INSIDE CIRCUMFERICE GAUGE), AN ORTHOTICS WORKSHOP TOOL, USED FOR MEASURING THE DISTANCE AROUND THE INSIDE OF A SOCKET AT ANY SELECTED DEPTH BLOW THE LOWEST PORTION OF THE TOP OF THE SOCKET SCHIND PROBLEM TO THE SOCKET SCHIND PROBLEM THE SOCKET AT ANY SELECTED DEPTH BLOW THE LOWEST PORTION OF THE SOCKET HANDLE SCRACH AWL, AN ORTHOTICS WORKSHOP TOOL, STEEL, WITH ROUND BLADE AND PLASTIC HANDLE SEALING RESIN, FOR SEALING AND BON	ITEMIZED	each each each each each each each each	400451 400571 400571 400571 400571 400571 400415 400571 400571 400571 400571 400569 400415 400569 400415 400569 400415 400569 400415 400569 400415 400569	Orig. Farabi Trading stablishment - Orig. AL Gaim Comm. Set Orig. MEDICAL CARE ALLIANCE COMPANY - Orig. Care Techniques - Orig. AL Gaim Comm. Set Orig. MEDICAL CARE ALLIANCE COMPANY - Orig. AL Gaim Comm. Set Orig. MEDICAL CARE ALLIANCE COMPANY - Orig. AL Gaim Comm. Set Orig. MEDICAL CARE ALLIANCE COMPANY - Orig. MEDICAL CARE ALLIANCE COMPANY - Orig.	STREIFENEDER Ottobock Ottobock Ottobock Ottobock ATP Ottobock ATP Ottobock ATP Ottobock AFF-INTERNATIONAL AFT-INTERNATIONAL ATP AFT-INTERNATIONAL OTtobock AFT-INTERNATIONAL OTtobock BEIL Kunststoffproduktions- und Handelsg ABLETECH ORTHOPEDICS CR	107P22/24 749Y8-73X200X60 749Y8-73X200X60 749Y8-73X200X60 756Y3-50 226 W 000.50 226 W 000.50 226 W 000.50 226 W 000.50 6078230220 6071050000 614 W 006.180 6040080685 614 W 105.220 6074020020 617H21=0.900 E 2109	Germany Austria Austria Austria Germany Switzerland Germany Germany Germany Switzerland Germany Germany Germany Switzerland Germany Switzerland Germany
1493 1494 1495 1495 1497 1497 1497 1498 1499 1500 1501 1502 1503 1503 1504 1504	4224160002200 4224160001300 4224160001300 4224160001300 4224160001500 4224160201100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200039900 4224200039900 4224200039900 422420005200 4224170641700 4224170641700 4224171360100 4224171360100	SAND PAPER, WET - DRY, 230 X 280 MM, GRIT 240 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 40 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 60 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 60 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 80 SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 50 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 50 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 50 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 55 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 55 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 55 MM, APPROXIMATELY SCHMID PERIMETER GAGE (INSIDE CIRCUMFERENCE GAUGE), AN ORTHOTICS WORKSHOP TOOL, USED FOR MEASURING THE DISTANCE AROUND THE INSIDE OF A SOCKET AT ANY SELECTED DEPTH BELOW THE LOWEST PORTION OF THE TOP OF THE SOCKET SCHMID PERIMETER GAGE (INSIDE CIRCUMFERENCE GAUGE), AN ORTHOTICS WORKSHOP TOOL, USED FOR MEASURING THE DISTANCE AROUND THE INSIDE OF A SOCKET AT ANY SELECTED DEPTH BELOW THE LOWEST PORTION OF THE TOP OF THE SOCKET SCHOOL USED FOR MEASURING THE DISTANCE AROUND THE INSIDE OF A SOCKET AT ANY SELECTED DEPTH BELOW THE LOWEST PORTION OF THE TOP OF THE SOCKET SCISSOR, LISTER BANDAGE, 7.5 INCHES LONG SCISSORS, PLASTER, CAST CUTTING, LENGTH 220 MM SCRATCH AWL, AN ORTHOTICS WORKSHOP TOOL, STEEL, WITH ROUND BLADE AND PLASTIC HANDLE SEALING RESIN, FOR SEALING AND BONDING, NET CONTENTS 900 GRAMS, APPROXIMATELY POSITIONING ON PROXIMAL PHALANX TO FREE THE PROXIMAL INTERPHALANGEAL IONT FROM PRESSURE AND RUBBING, NAS TO BE PLACED BETWEEN THE FIRST AND SECOND TOUR FREE THE PROXIMAL INTERPHALANGEAL IONT FROM PRESSURE AND RUBBING ON OFFICE THE PRESCORD OF THE SECOND OF THE SECON	ITEMIZED	each each each each each each each each	400451 400571 400571 400571 400571 400415 400571 400415 400571 400571 400571 400569 400569 400415 400569 400571 400569 400571 400569	Farabi Trading Establishment -Orige AL Gaim Comm. EstOrige MEDICAL CARE ALLIANCE COMPANY - Orige Care Techniques -Orige MEDICAL CARE ALLIANCE COMPANY - Orige Care Techniques -Orige AL Gaim Comm. EstOrige MEDICAL CARE ALLIANCE COMPANY - Orige AL Gaim Comm. EstOrige MEDICAL CARE ALLIANCE COMPANY - Orige AL Gaim Comm. EstOrige MEDICAL CARE ALLIANCE COMPANY - Orige AL Gaim Comm. EstOrige MEDICAL CARE ALLIANCE COMPANY - Orige AL Gaim Comm. EstOrige MEDICAL CARE ALLIANCE COMPANY - Orige	STREIFENEDER Ottobock Ottobock Ottobock Ottobock ATP Ottobock ATP Ottobock AFT-INTERNATIONAL AFT-INTERNATIONAL ATP AFT-INTERNATIONAL ATP AFT-INTERNATIONAL ATP AFT-INTERNATIONAL ATP AFT-INTERNATIONAL Ottobock	107P22/24 749Y8-73X20X40 749Y8-73X20X50 749Y8-73X20X50 226 W 000 50 756Y63-65 226 W 000 50 756Y63-65 226 W 000 50 6078230220 6071050000 614 W 006.180 6040080685 614 W 105.220 6074020020 617H21-0.900 E	Germany Austria Austria Austria Germany Switzerland Germany
1493 1494 1495 1497 1497 1497 1499 1499 1499 1500 1501 1502 1503 1504 1504	4224160002200 4224160001300 4224160001300 4224160001300 4224160001500 4224160201100 4224160201100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200039	SAND PAPER, WET - DRY, 230 X 280 MM, GRIT 240 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 40 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 60 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 60 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 60 SAND BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 50 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 50 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 55 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 55 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 55 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 55 MM, APPROXIMATELY SCHMID PERIMETER 6AGE (INSIDE CIRCUMFERENCE GAUGE), AN ORTHOTICS WORKSHOP TOOL, USED FOR MEASURING THE DISTANCE AROUND THE INSIDE OF A SOCKET AT ANY SELECTED DEPTH BELOW THE LOWEST PORTION OF THE TOP OF THE SOCKET SCHMID PERIMETER 6AGE (INSIDE CIRCUMFERENCE GAUGE), AN ORTHOTICS WORKSHOP TOOL, USED FOR MEASURING THE DISTANCE AROUND THE INSIDE OF A SOCKET AT ANY SELECTED DEPTH BELOW THE LOWEST PORTION OF THE TOP OF THE SOCKET SCHOOL USED FOR MEASURING THE DISTANCE AROUND THE INSIDE OF A SOCKET AT ANY SELECTED DEPTH BELOW THE LOWEST PORTION OF THE TOP OF THE SOCKET SCISSOR, LISTER BANDAGE, 7.5 INCHES LONG SCISSORS, PLASTER, CAST CUTTING, LENGTH 220 MM SCRATCH AWL, AN ORTHOTICS WORKSHOP TOOL, STEEL, WITH ROUND BLADE AND PLASTIC HANDLE SEALING RESIN, FOR SEALING AND BONDING, NET CONTENTS 900 GRAMS, APPROXIMATELY SECOND CLAW TOE PROTECTOR AND SEPARATOR, SILICONE, DORSAL ELEVATION WITH POSITIONING ON PROXIMAL PHALANX TO FREE THE PROXIMAL INTERPHALANGEAL JOINT INTERPHALANGEAL JOINT OF PLACED BETWEEN THE FIRST AND SECOND TO THE FIRST TOE AND METATARSUS DUE TO THE PRESSURE OF THE FOOTWARD NOT THE FIRST TOE AND METATARSUS DUE TO THE PRESSURE OF THE FOOTWARD NOT THE FIRST TOE	ITEMIZED	each each each each each each each each	400451 400571 400571 400571 400571 400571 400415 400571 400571 400569 400415 400569 400415 400569 400415 400569 400571 400569 400571	Orig. Farabi Trading Establishment - Orig. AL Gaim Comm. Est Orig. MEDICAL CARE ALLIANCE COMPANY - Orig. Care Techniques - Orig. MEDICAL CARE ALLIANCE COMPANY - Orig. AL Gaim Comm. Est Orig. AL Gaim Comm. Est Orig. MEDICAL CARE ALLIANCE COMPANY - Orig. AL Gaim Comm. Est Orig. MEDICAL CARE ALLIANCE COMPANY - Orig. AL Gaim Comm. Est Orig. MEDICAL CARE ALLIANCE COMPANY - Orig. AL Gaim Comm. Est Orig. MEDICAL CARE ALLIANCE COMPANY - Orig. AL Gaim Comm. Est Orig. MEDICAL CARE ALLIANCE COMPANY - Orig. AL Gaim Comm. Est Orig.	STREIFENEDER Ottobock Ottobock Ottobock ATP Ottobock ATP Ottobock ATP Ottobock AFT-INTERNATIONAL AFT-INTERNATIONAL ATP AFT-INTERNATIONAL ATP AFT-INTERNATIONAL Ottobock CR	107P22/24 74978-73X200X60 74978-73X200X60 74978-73X200X60 756743-50 226 W 000 50 756763-65 228 W 000 50 756763-65 228 W 000 50 6078230220 6071050000 614 W 006.180 6040080685 614 W 105.220 6074020020 617H21-0.900 E	Germany Austria Austria Austria Germany Switzerland Germany Germany Germany Switzerland Germany Germany Germany Switzerland Germany Switzerland Germany
1493 1494 1495 1495 1497 1497 1498 1499 1500 1500 1501 1502 1502 1503 1504 1504	4224160002200 4224160001300 4224160001300 4224160001300 4224160001500 4224160201000 4224160201000 4224160201000 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200039900 4224200039900 4224200039900 422420005200 4224170641700 4224171320700 4224171320700 4224171320900 4224171320900 4224171320900 4224171320900 4224171320900 4224171320900	SAND PAPER, WET - DRY, 230 X 280 MM, GRIT 240 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 40 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 60 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 60 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 60 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 80 SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 50 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 50 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SCHMID PERIMETER 6AGE (INSIDE CIRCUMFERENCE GAUGE), AN ORTHOTICS WORKSHOP TOOL, USED FOR MEASURING THE DISTANCE AROUND THE INSIDE OF A SOCKET AT ANY SELECTED DEPTH BELOW THE LOWEST PORTION OF THE TOP OF THE SOCKET SCHMID PERIMETER 6AGE (INSIDE CIRCUMFERENCE GAUGE), AN ORTHOTICS WORKSHOP TOOL, USED FOR MEASURING THE DISTANCE AROUND THE INSIDE OF A SOCKET AT ANY SELECTED DEPTH BELOW THE LOWEST PORTION OF THE TOP OF THE SOCKET SCHOOL USED FOR MEASURING THE DISTANCE AROUND THE INSIDE OF A SOCKET AT ANY SELECTED DEPTH BELOW THE LOWEST PORTION OF THE TOP OF THE SOCKET SCHOOL USED FOR MEASURING THE DISTANCE AROUND THE INSIDE OF A SOCKET AT ANY SELECTED DEPTH BELOW THE LOWEST PORTION OF THE TOP OF THE SOCKET SCHOOL USED FOR MEASURING THE DISTANCE AROUND THE INSIDE OF A SOCKET AT ANY SELECTED DEPTH BELOW THE LOWEST PORTION OF THE TOP OF THE SOCKET SCHOOL USED FOR MEASURING THE DISTANCE AROUND THE INSIDE OF A SOCKET AT ANY SELECTED DEPTH BELOW THE LOWEST PORTION OF THE TOP OF THE SOCKET SCHOOL USED FOR MEASURING THE DISTANCE AROUND THE INSIDE OF A SOCKET AT ANY SELECTED DEPTH BELOW THE LOWEST PORTION OF THE TOP OF THE SOCKET SCHOOL USED FOR SEALING AND BONDING, RET CONTENTS 900 GRAMS, APPROXIMATELY SECOND CLAW TOP SEAL OR AND SEARCH TO THE SECOND LITER WITH ROUND BLADE AND PLASTIC HANDLE SEALING RESIN, FOR SEALING	ITEMIZED	each each each each each each each each	400451 400571 400571 400571 400571 400571 400415 400571 400571 400569 400415 400569 400415 400569 400415 400569 400415 400569 400415 400569 400571 400569	Orig: Farabi Trading Establishment - Orig: AL Gaim Comm. Est Orig: MEDICAL CARE ALLIANCE COMPANY - Orig: Care Techniques - Orig: AL Gaim Comm. Est Orig: AL Gaim Comm. Est Orig: AL Gaim Comm. Est Orig: MEDICAL CARE ALLIANCE COMPANY - Orig: AL Gaim Comm. Est Orig: MEDICAL CARE ALLIANCE COMPANY - Orig: AL Gaim Comm. Est Orig: MEDICAL CARE ALLIANCE COMPANY - Orig: AL Gaim Comm. Est Orig: MEDICAL CARE ALLIANCE COMPANY - Orig: AL Gaim Comm. Est Orig:	STREIFENEDER OTTOBOCK OTTOBOCK OTTOBOCK OTTOBOCK ATP OTTOBOCK ATP OTTOBOCK ATP OTTOBOCK ATP OTTOBOCK AFT-INTERNATIONAL AFT-INTERNATIONAL ATP AFT-INTERNATIONAL OTTOBOCK OTTOBO	107P22/24 74978-73X:200X60 74978-73X:200X60 74978-73X:200X60 75678-36 226 W 000.50 226 W 000.50 75678-36 226 W 000.50 6078230220 6071050000 614 W 006.180 6040080685 614 W 105.220 6074020020 617H21-0.900 E 2109 64009	Germany Austria Austria Austria Germany Switzerland Germany Switzerland Germany Germany Switzerland Germany Germany Switzerland Germany Switzerland Germany
1493 1494 1495 1497 1497 1497 1498 1499 1500 1501 1502 1503 1504 1504 1505 1506 1507 1508	4224160002200 4224160001300 4224160001300 4224160001300 4224160001300 4224160201000 4224160201000 4224160201000 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036200 4224200036200 4224200036200 4224200005200 4224200005200 4224200005200 4224200005200 4224200005200 4224200005200 42242200005200	SAND PAPER, WET - DRY, 230 X 280 MM, GRIT 240 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 40 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 60 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 60 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 60 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 80 SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 50 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 50 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SCHIMID PERIMETER 6AGE (INSIDE CIRCUMFERNEC GAUGE), AN ORTHOTICS WORKSHOP TOOL, USED FOR MEASURING THE DISTANCE AROUND THE INSIDE OF A SOCKET AT ANY SELECTED DEPTH BELOW THE LOWEST PORTION OF THE TOP OF THE SOCKET SCHIMID PERIMETER 6AGE (INSIDE CIRCUMFERNEC GAUGE), AN ORTHOTICS WORKSHOP TOOL, USED FOR MEASURING THE DISTANCE AROUND THE INSIDE OF A SOCKET AT ANY SELECTED DEPTH BELOW THE LOWEST PORTION OF THE TOP OF THE SOCKET SCHIMID PERIMETER 6AGE (INSIDE CIRCUMFERNEC GAUGE), AN ORTHOTICS WORKSHOP TOOL, USED FOR MEASURING THE DISTANCE AROUND THE INSIDE OF A SOCKET AT ANY SELECTED DEPTH BELOW THE LOWEST PORTION OF THE TOP OF THE SOCKET SCISSOR, LISTER BANDAGE, 7.5 INCHES LONG SCISSORS, PLASTER, CAST CUTTING, LENGTH 210 MM SCISSORS, PLASTER, CAST CUTTING, LENGTH 220 MM SCISSORS, PLASTER, CAST CUTTING, LENGTH 220 MM SCISSORS, PLASTER, CAST CUTTING, LENGTH 220 MM SCRATCH AWL, AN ORTHOTICS WORKSHOP TOOL, STEEL, WITH ROUND BLADE AND PLASTIC HANDLE SCRATCH AWL, AN ORTHOTICS WORKSHOP TOOL, STEEL, WITH ROUND BLADE AND PLASTIC HANDLE SCRATCH AWL, AN ORTHOTICS WORKSHOP TOOL, STEEL, WITH ROUND BLADE AND PLASTIC HANDLE SCRATCH AWL, AN ORTHOTICS WORKSHOP TOOL, STEEL, WITH ROUND BLADE AND PLASTIC HANDLE SCRATCH AWL, AN ORTHOTICS WORKSHOP TOOL, STEEL, WITH ROUND BLADE AND PLASTIC HANDLE SCRATCH AWL, AN ORTHOTICS WORKSHOP TOOL, STEEL, WITH ROUND BLADE AND PLASTIC HANDLE SCRATCH AWL, AN ORTHOTICS WORKSHOP TOOL, STEEL, WITH ROUND BLADE AND PLASTIC H	ITEMIZED	each each each each each each each each	400451 400571 400571 400571 400571 400571 400571 400569 400571 400569 400415 400569 400415 400569 400416 400569 400571 400569 400571 400569 400571 400569	Orig. Farabi Trading Establishment - Orig. AL Gaim Comm. Est Orig. MEDICAL CARE ALLIANCE COMPANY - Orig. Care Techniques - Orig. AL Gaim Comm. Est Orig. MEDICAL CARE ALLIANCE COMPANY - Orig. AL Gaim Comm. Est Orig. MEDICAL CARE ALLIANCE COMPANY - Orig. AL Gaim Comm. Est Orig. MEDICAL CARE ALLIANCE COMPANY - Orig. AL Gaim Comm. Est Orig.	STREIFENEDER Ottobock Ottobock Ottobock Ottobock ATP Ottobock ATP Ottobock AFT-INTERNATIONAL AFT-INTERNATIONAL ATP AFT-INTERNATIONAL ATP AFT-INTERNATIONAL Ottobock	107P22/24 749Y8-73X200X40 749Y8-73X200X60 749Y8-73X200X60 749Y8-73X200X60 756Y8-36 226 W 000.50 226 W 000.65 226 W 000.65 226 W 000.65 226 W 000.65 2373220 6071050000 614 W 006.180 6040080685 614 W 105.220 6040080680 72321 6074020020 617H21-0.900 E 2109 64009 64009 6572240020 0C1560-KIDS 0C1560-TH 0C1560-TS 0C1560-TS 0C1560-TS 0C1560-TS 0C1560-TS 0C1560-TS 0C1560-TS	Germany Austria Austria Austria Germany Switzerland Germany Switzerland Germany Germany Switzerland Germany Germany Switzerland Germany Switzerland Germany Obermany Germany Germany Germany Germany Obermany Germany
1493 1494 1495 1495 1497 1497 1498 1499 1500 1500 1501 1502 1502 1503 1504 1504	4224160002200 4224160001300 4224160001300 4224160001300 4224160001500 4224160201000 4224160201000 4224160201000 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200039900 4224200039900 4224200039900 422420005200 4224170641700 4224171320700 4224171320700 4224171320900 4224171320900 4224171320900 4224171320900 4224171320900	SAND PAPER, WET - DRY, 230 X 280 MM, GRIT 240 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 40 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 60 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 60 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 60 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 80 SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 50 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SCHIMID PERIMETER 6AGE (LINGE) CIRCUMSTERNES GAND, APPROXIMATELY SCHIMID PERIMETER 6AGE (LINGE) CIRCUMSTERNES GAND, APPROXIMATELY SCHIMID PERIMETER 6AGE (LINGE) CIRCUMSTERNES GANDLE), AN ORTHOTICS WORKSHOP TOOL, USED FOR MEASURING THE DISTANCE AROUND THE INSIDE OF A SOCKET AT ANY SELECTED DEPTH BELOW THE LOWEST PORTION OF THE TOP OF THE SOCKET SCHIMID PERIMETER 6AGE (LINGE) CIRCUMSTERNES GAUGE), AN ORTHOTICS WORKSHOP TOOL, USED FOR MEASURING THE DISTANCE AROUND THE INSIDE OF A SOCKET AT ANY SELECTED DEPTH BELOW THE LOWEST PORTION OF THE TOP OF THE SOCKET SCHIMID PERIMETER 6AGE (LINGE) CIRCUMSTER PROTION OF THE TOP OF THE SOCKET SCHIMID PERIMETER 6AGE (LINGE) CIRCUMSTER PROTION OF THE TOP OF THE SOCKET SCISSOR, LISTER BANDAGE, 7.5 INCHES LONG SCISSORS, PLASTER, CAST CUTTING, LENGTH 220 MM SCRATCH AWL, AN ORTHOTICS WORKSHOP TOOL, STEEL, WITH ROUND BLADE AND PLASTIC HANDLE SCRATCH AWL, AN ORTHOTICS WORKSHOP TOOL, STEEL, WITH ROUND BLADE AND PLASTIC HANDLE SCRATCH AWL, AN ORTHOTICS WORKSHOP TOOL, STEEL, WITH ROUND BLADE AND PLASTIC HANDLE SCRATCH AWL, AN ORTHOTICS WORKSHOP TOOL, STEEL, WITH ROUND BLADE AND PLASTIC HANDLE SCRATCH AWL, AN ORTHOTICS WORKSHOP TOOL, STEEL, WITH ROUND BLADE AND PLASTIC HANDLE SCRATCH AWL, AN ORTHOTICS WORKSHOP TOOL, STEEL, WITH ROUND BLADE AND PLASTIC HANDLE SCRATCH AWL, AN	ITEMIZED	each each each each each each each each	400451 400571 400571 400571 400571 400571 400415 400571 400571 400569 400415 400569 400415 400569 400415 400569 400415 400569 400415 400569 400571 400569	Orig: Farabi Trading Establishment - Orig: AL Gaim Comm. Est Orig: MEDICAL CARE ALLIANCE COMPANY - Orig: Care Techniques - Orig: AL Gaim Comm. Est Orig: AL Gaim Comm. Est Orig: AL Gaim Comm. Est Orig: MEDICAL CARE ALLIANCE COMPANY - Orig: AL Gaim Comm. Est Orig: MEDICAL CARE ALLIANCE COMPANY - Orig: AL Gaim Comm. Est Orig: MEDICAL CARE ALLIANCE COMPANY - Orig: AL Gaim Comm. Est Orig: MEDICAL CARE ALLIANCE COMPANY - Orig: AL Gaim Comm. Est Orig:	STREIFENEDER OTTOBOCK OTTOBOCK OTTOBOCK OTTOBOCK ATP OTTOBOCK ATP OTTOBOCK ATP OTTOBOCK ATP OTTOBOCK AFT-INTERNATIONAL AFT-INTERNATIONAL ATP AFT-INTERNATIONAL OTTOBOCK OTTOBO	107P22/24 74978-73X:200X60 74978-73X:200X60 74978-73X:200X60 756763-50 226 W 000 50 2275 W 000 50 226 W 000 50 2275 W 000 5	Germany Austria Austria Austria Germany Switzerland Germany Switzerland Germany Germany Switzerland Germany Germany Switzerland Germany Switzerland Germany
1493 1494 1495 1497 1497 1497 1498 1499 1500 1501 1502 1503 1504 1504 1505 1506 1507 1508	4224160002200 4224160001300 4224160001300 4224160001300 4224160001300 4224160201000 4224160201000 4224160201000 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036200 4224200036200 4224200036200 4224200005200 4224200005200 4224200005200 4224200005200 4224200005200 4224200005200 42242200005200	SAND PAPER, WET - DRY, 230 X 280 MM, GRIT 240 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 40 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 60 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 60 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 60 SAND BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 50 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 50 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 50 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 50 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 50 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 50 MM, APPROXIMATELY SCHMID PERIMETER GAGE (INSIDE CIRCUMFERENCE GAUGE), AN ORTHOTICS WORKSHOP TOOL, USED FOR MEASURING THE DISTANCE AROUND THE INSIDE OF A SOCKET AT ANY SELECTED DEPTH BELOW THE LOWEST PORTION OF THE TOP OF THE SOCKET SCHMID PERIMETER GAGE (INSIDE CIRCUMFERENCE GAUGE), AN ORTHOTICS WORKSHOP TOOL, USED FOR MEASURING THE DISTANCE AROUND THE INSIDE OF A SOCKET AT ANY SELECTED DEPTH BELOW THE LOWEST PORTION OF THE TOP OF THE SOCKET SCHOOL USED FOR MEASURING THE DISTANCE AROUND THE INSIDE OF A SOCKET AT ANY SELECTED DEPTH BELOW THE LOWEST PORTION OF THE TOP OF THE SOCKET SCHOOL USED FOR MEASURING THE DISTANCE AROUND THE INSIDE OF A SOCKET AT ANY SELECTED DEPTH BELOW THE LOWEST PORTION OF THE TOP OF THE SOCKET SCHOOL USED FOR MEASURING THE DISTANCE AROUND THE INSIDE OF A SOCKET AT ANY SCHOOL USED FOR MEASURING THE DISTANCE AROUND THE INSIDE OF A SOCKET AT ANY SCHOOL USED FOR MEASURING THE DISTANCE AROUND THE INSIDE OF A SOCKET AT ANY SCHOOL USED FOR MEASURING THE DISTANCE AROUND THE INSIDE OF A SOCKET AT ANY SCHOOL USED FOR MEASURING THE DISTANCE AROUND THE INSIDE OF A SOCKET AT ANY SCHOOL USED FOR MEASURING THE DISTANCE AROUND THE INSIDE OF A SOCKET AT ANY SCHOOL USED FOR MEASURING THE DISTANCE AROUND BLADE AND PLASTIC HARDLE SOLVE AND A SOCKET AT ANY SCHOOL USED FOR THE SCHOOL OF A SOCKET AT ANY SCHOOL OF T	ITEMIZED	each each each each each each each each	400451 400571 400571 400571 400571 400571 400571 400569 400571 400569 400415 400569 400415 400569 400416 400569 400571 400569 400571 400569 400571 400569	Orig. Farabi Trading Establishment - Orig. AL Gaim Comm. Est Orig. MEDICAL CARE ALLIANCE COMPANY - Orig. Care Techniques - Orig. AL Gaim Comm. Est Orig. MEDICAL CARE ALLIANCE COMPANY - Orig. AL Gaim Comm. Est Orig. MEDICAL CARE ALLIANCE COMPANY - Orig. AL Gaim Comm. Est Orig. MEDICAL CARE ALLIANCE COMPANY - Orig. AL Gaim Comm. Est Orig.	STREIFENEDER Ottobock Ottobock Ottobock Ottobock ATP Ottobock ATP Ottobock AFT-INTERNATIONAL AFT-INTERNATIONAL ATP AFT-INTERNATIONAL ATP AFT-INTERNATIONAL Ottobock	107P22/24 74978-73X200X60 74978-73X200X60 74978-73X200X60 75678-350 226 W 000.50 226 W 000.50 226 W 000.50 75678-36 226 W 000.50 6078230220 6071050000 614 W 006.180 6040080685 614 W 105.220 6040080680 72321 6074020020 617H21=0.900 E 2109 64009 64009	Germany Austria Austria Austria Germany Switzerland Germany Switzerland Germany Germany Switzerland Germany Germany Switzerland Germany Switzerland Germany Obermany Germany Germany Germany Germany Obermany Germany
1493 1494 1495 1496 1497 1497 1497 1499 1500 1500 1501 1502 1502 1503 1504 1504 1504 1505 1505 1505 1506 1501 1505 1505 1505	4224160002200 4224160001300 4224160001300 4224160001300 4224160001300 4224160201100 4224160201100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200033900 4224200033900 4224200035200 4224170641700 422417320000 422417320300 4224173203000 4224173203000 4224173203000 4224173203000 4224173203000 42241730001000	SAND PAPER, WET - DRY, 230 X 280 MM, GRIT 240 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 40 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 60 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 60 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 60 SAND BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 50 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 50 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SCHILD PERIMETER GAGE (INSIDE CIRCUMFERENCE GAUGE), AN ORTHOTICS WORKSHOP TOOL, USED FOR MEASURING THE DISTANCE AROUND THE INSIDE OF A SOCKET AT AWY SELECTED DEPTH BLOW THE LOWEST PORTION OF THE TOP OF THE SOCKET TOOL, USED FOR MEASURING THE DISTANCE AROUND THE INSIDE OF A SOCKET AT AWY SELECTED DEPTH BLOW THE LOWEST PORTION OF THE TOP OF THE SOCKET SCHINDIP PERIMETER GAGE (INSIDE CIRCUMFERENCE GAUGE), AN ORTHOTICS WORKSHOP TOOL, USED FOR MEASURING THE DISTANCE AROUND THE INSIDE OF A SOCKET AT AWY SELECTED DEPTH BLOW THE LOWEST PORTION OF THE TOP OF THE SOCKET SCHINDIP	ITEMIZED	each each each each each each each each	400451 400571 400571 400571 400571 400571 400415 400571 400569 400569 400415 400569 400415 400569 400415 400569 400415 400569 400571 400569 400571 400571 400571 400571 400571 400571 400571 400571 400571	Orig. Farabi Trading Establishment - Orig. AL Gaim Comm. Est Orig. MEDICAL CARE ALLIANCE COMPANY - Orig. CareTechniques - Orig. MEDICAL CARE ALLIANCE COMPANY - Orig. AL Gaim Comm. Est Orig. AL Gaim Comm. Est Orig. AL Gaim Comm. Est Orig. MEDICAL CARE ALLIANCE COMPANY - Orig. AL Gaim Comm. Est Orig. MEDICAL CARE ALLIANCE COMPANY - Orig. AL Gaim Comm. Est Orig. MEDICAL CARE ALLIANCE COMPANY - Orig. AL Gaim Comm. Est Orig.	STREIFENEDER Ottobock Ottobock Ottobock ATP Ottobock ATP Ottobock ATP Ottobock ATP Ottobock ATP Ottobock AFT-INTERNATIONAL AFT-INTERNATIONAL AFT-INTERNATIONAL AFT-INTERNATIONAL AFT-INTERNATIONAL AFT-INTERNATIONAL OTtobock AFT-INTERNATIONAL CORRESPONDED AFT-INTERNATIONAL OTTOBock AFT-INTERNATIONAL OTTOBock OT	107P22/24 749Y8-73X200X60 749Y8-73X200X60 749Y8-73X200X60 749Y8-73X200X60 756Y63-65 226 W 000.50 226 W 000.65 230220 6078230220 6078230220 6040080685 6040080685 6040080685 614 W 105.220 6040080680 72321 6074020020 617W21-0.900 E 2109 64009 64009 6572240020 0C1560-KIDS 0C1560-TR	Germany Austria Austria Austria Austria Germany Switzerland Germany Germany Switzerland Germany Germany Switzerland Germany Germany Switzerland Germany Japan
1493 1494 1495 1496 1497 1497 1497 1499 1500 1500 1501 1502 1502 1503 1504 1504 1505 1505 1506 1506 1507 1508 1508 1509 1509 1518 1518 1518 1518 1518 1518 1518 151	4224160002200 4224160001300 4224160001300 4224160001300 4224160001300 4224160201100 4224160201100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224170641700 4224171320000 422417320300 4224173000100 4224173000100 422417300000 4224173000000000000000000000000000000000000	SAND PAPER, WET - DRY, 230 X 280 MM, GRIT 240 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 40 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 60 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 60 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 60 SAND BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 50 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 50 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SCHILD PERIMETER GAGE (INSIDE CIRCUMFERENCE GAUGE), AN ORTHOTICS WORKSHOP TOOL, USED FOR MEASURING THE DISTANCE AROUND THE INSIDE OF A SOCKET AT ANY SELECTED DEPTH BELOW THE LOWEST PORTION OF THE TOP OF THE SOCKET TOOL, USED FOR MEASURING THE DISTANCE AROUND THE INSIDE OF A SOCKET AT ANY SELECTED DEPTH BELOW THE LOWEST PORTION OF THE TOP OF THE SOCKET SCISSOR, LISTER BANDAGE, 7.5 INCHES LONG SCISSORS, PLASTER, CAST CUTTING, LENGTH 210 MM SCISSORS, PLASTER, CAST CUTTING, LENGTH 210 MM SCISSORS, PLASTER, CAST CUTTING, LENGTH 220 MM SCISSORS, PLASTER, CAST CUTTING, LENGTH 220 MM SCRATCH AWL, AN ORTHOTICS WORKSHOP TOOL, STEEL, WITH ROUND BLADE AND PLASTIC HANDLE SCRATCH AWL, AN ORTHOTICS WORKSHOP TOOL, STEEL, WITH ROUND BLADE AND PLASTIC HANDLE SCRATCH AWL, AN ORTHOTICS WORKSHOP TOOL, STEEL, WITH ROUND BLADE AND PLASTIC HANDLE SEALING RESIN, FOR SEALING AND BONDING, NET CONTENTS 900 GRAMS, APPROXIMATELY SECOND CLAW TOE PROTECTOR AND SEPARATOR, SILICONE, DORSAL ELEVATION WITH POSTITIONING ON PROXIMAL PHALANK TO FREE THE PROXIMAL INTERPHALANCEAL JOINT METATARSUS DUE TO THE PRESSURE OF THE FROXIMAL INTERPHALANCEAL JOINT METATARSUS DUE TO THE PRESSURE OF THE FROXIMAL INTERPHALANCEAL JOINT HEALILY VALGUS, IT FACILITATES THE ALIGNMENT OF THE PROXIMAL PHALANK AND ITS METATARSUS DUE TO THE PRESSURE OF THE FROYTHEAR OT THE FIRST AND SECOND TO. FACILITATES THE ELONGATION OF THE EXTENSOR MUSCLES OF THE SECOND METATARSUS DUE TO THE PRESSURE O	ITEMIZED	each each each each each each each each	400451 400571 400571 400571 400571 400571 400415 400571 400569 400569 400415 400569 400415 400569 400415 400569 400571 400569 400571 400571 400571 400571 400571 400571 400571 400571	Orig. Farabil Trading Establishment - Orig. AL Gaim Comm. Est Orig. MEDICAL CARE ALLIANCE COMPANY - Orig. Care Techniques - Orig. MEDICAL CARE ALLIANCE COMPANY - Orig. AL Gaim Comm. Est Orig. AL Gaim Comm. Est Orig. MEDICAL CARE ALLIANCE COMPANY - Orig. AL Gaim Comm. Est Orig. MEDICAL CARE ALLIANCE COMPANY - Orig. AL Gaim Comm. Est Orig. MEDICAL CARE ALLIANCE COMPANY - Orig. AL Gaim Comm. Est Orig.	STREIFENEDER Ottobock Ottobock Ottobock ATP Ottobock ATP Ottobock ATP Ottobock ATP Ottobock AFT-INTERNATIONAL AFT-INTERNATIONAL AFT-INTERNATIONAL AFT-INTERNATIONAL AFT-INTERNATIONAL AFT-INTERNATIONAL OTtobock AFT-INTERNATIONAL OTtobock AFT-INTERNATIONAL Ottobock AFT-INTERNATIONAL Ottobock	107P22/24 749Y8-73X200X60 749Y8-73X200X60 749Y8-73X200X60 749Y8-73X200X60 756Y8-36 226 W 000.50 226 W 000.65 2278220 6078230220 6078230220 6040080685 6040080685 6040080685 6040080685 2109 614 W 105.220 6040080680 72321 6074020020 617421-0.900 E 2109 64009 64009 6572240020 0C1560=KIDS	Germany Austria Austria Austria Austria Germany Switzerland Germany Germany Switzerland Germany Germany Switzerland Germany Germany Switzerland Germany Jegermany Japan Japan
1493 1494 1495 1496 1497 1497 1497 1499 1500 1500 1501 1502 1502 1503 1504 1504 1504 1505 1505 1505 1506 1501 1505 1505 1505	4224160002200 4224160001300 4224160001300 4224160001300 4224160001300 4224160201100 4224160201100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200033900 4224200033900 4224200035200 4224170641700 422417320000 422417320300 4224173203000 4224173203000 4224173203000 4224173203000 4224173203000 42241730001000	SAND PAPER, WET - DRY, 230 X 280 MM, GRIT 240 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 40 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 60 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 60 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 60 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 80 SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 50 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 50 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SCHIMD FROM ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SCHIMD FROM ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SCHIMD FROM ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SCHIMD FROM ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SCHIMD FROM ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SCHIMD FROM ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SCHIMD FROM ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SCHIMD FROM ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SCHIMD FROM ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SCHIMD FROM ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SCHIMD FROM ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SCHIMD FROM ELECTRIC CAST CUTTER, CLERGTH 210 MM SCHIMD FROM ELECTRIC CAST CUTTER, CLERGTH 210 MM SCISSORS, LISTER BANDAGE, 7.5 INCHES LONG SCISSORS, PLASTER, CAST CUTTING, LENGTH 220 MM SCRISTORS, PLASTER, CAST CUTTING, LENGTH 220 MM SCRISTORS, PLASTER, CAST CUTTING, LENGTH 220 MM SCRATCH AWL, AN ORTHOTICS WORKSHOP TOOL, STEEL, WITH ROUND BLADE AND PLASTIC HANDLE SCRATCH AWL, AN ORTHOTICS WORKSHOP TOOL, STEEL, WITH ROUND BLADE AND PLASTIC HANDLE SCRATCH AWL, AN ORTHOTICS WORKSHOP TOOL, STEEL, WITH ROUND BLADE AND PLASTIC HANDLE SCRATCH AWL, AN ORTHOTICS WORKSHOP TOOL, STEEL, WITH ROUND BLADE AND PLASTIC HANDLE SCRATCH AWL, AN ORTHOTICS WORKSHOP TOOL, STEEL, WITH ROUND BLADE AND PLASTIC HANDLE SCRATCH AWL, AN ORTHOTICS WORKSHOP TOOL, STEEL, WIT	ITEMIZED	each each each each each each each each	400451 400571 400571 400571 400571 400571 400415 400571 400569 400569 400415 400569 400415 400569 400415 400569 400415 400569 400571 400569 400571 400571 400571 400571 400571 400571 400571 400571 400571	Orig. Farabi Trading Establishment - Orig. AL Gaim Comm. Est Orig. MEDICAL CARE ALLIANCE COMPANY - Orig. CareTechniques - Orig. MEDICAL CARE ALLIANCE COMPANY - Orig. AL Gaim Comm. Est Orig. AL Gaim Comm. Est Orig. AL Gaim Comm. Est Orig. MEDICAL CARE ALLIANCE COMPANY - Orig. AL Gaim Comm. Est Orig. MEDICAL CARE ALLIANCE COMPANY - Orig. AL Gaim Comm. Est Orig. MEDICAL CARE ALLIANCE COMPANY - Orig. AL Gaim Comm. Est Orig.	STREIFENEDER Ottobock Ottobock Ottobock ATP Ottobock ATP Ottobock ATP Ottobock ATP Ottobock ATP Ottobock AFT-INTERNATIONAL AFT-INTERNATIONAL AFT-INTERNATIONAL AFT-INTERNATIONAL AFT-INTERNATIONAL AFT-INTERNATIONAL OTtobock AFT-INTERNATIONAL CORRESPONDED AFT-INTERNATIONAL OTTOBock AFT-INTERNATIONAL OTTOBock OT	107P22/24 749Y8-73X200X60 749Y8-73X200X60 749Y8-73X200X60 749Y8-73X200X60 756Y63-65 226 W 000.50 226 W 000.65 230220 6078230220 6078230220 6040080685 6040080685 6040080685 614 W 105.220 6040080680 72321 6074020020 617W21-0.900 E 2109 64009 64009 6572240020 0C1560-KIDS 0C1560-TR	Germany Austria Austria Austria Austria Germany Switzerland Germany Cermany Germany Jetnam
1493 1494 1495 1496 1497 1497 1497 1499 1500 1500 1501 1502 1502 1503 1504 1504 1505 1505 1506 1506 1507 1508 1508 1509 1509 1518 1518 1518 1518 1518 1518 1518 151	4224160002200 4224160001300 4224160001300 4224160001300 4224160001300 4224160201100 4224160201100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224170641700 4224171320000 422417320300 4224173000100 4224173000100 422417300000 4224173000000000000000000000000000000000000	SAND PAPER, WET - DRY, 230 X 280 MM, GRIT 240 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 40 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 60 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 60 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 80 SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 50 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 50 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SCHMID PERIMETER GAGE (INSIDE CIRCUMFERNOE GAUGE), AN ORTHOTICS WORKSHOP TOOL, USED FOR MEASURING THE DISTANCE AROUND THE INSIDE OF A SOCKET AT ANY SELECTED DEPTH BELOW THE LOWEST PORTION OF THE TOP OF THE SOCKET SCHMID PERIMETER GAGE (INSIDE CIRCUMFERNOE GAUGE), AN ORTHOTICS WORKSHOP TOOL, USED FOR MEASURING THE DISTANCE AROUND THE INSIDE OF A SOCKET AT ANY SELECTED DEPTH BELOW THE LOWEST PORTION OF THE TOP OF THE SOCKET SCHMID PERIMETER GAGE (INSIDE CIRCUMFERNOE GAUGE), AN ORTHOTICS WORKSHOP TOOL, USED FOR MEASURING THE DISTANCE AROUND THE INSIDE OF A SOCKET AT ANY SELECTED DEPTH BELOW THE LOWEST PORTION OF THE TOP OF THE SOCKET SCHMID PERIMETER GAGE (INSIDE CIRCUMFERNOE GAUGE), AND ORTHOTICS WORKSHOP TOOL, USED FOR MEASURING THE DISTANCE AROUND THE INSIDE OF A SOCKET AT ANY SELECTED DEPTH BELOW THE LOWEST PORTION OF THE TOP OF THE SOCKET SCHMID PERIOD OF THE SOCKET HANDLE SCRATCH AWL, AN ORTHOTICS WORKSHOP TOOL, STEEL, WITH ROUND BLADE AND PLASTIC HANDLE SEALING RESIN, FOR SEALING AND BONDING, NET CONTENTS 900 GRAMS, APPROXIMATELY SECOND CLAW TOE PROTECTOR AND SEPARATOR, SILICONE, DORSAL ELEVATION WITH POSITIONING ON PROXIMAL PHALANX TO FREE THE PROXIMAL INTERPHALA	ITEMIZED	each each each each each each each each	400451 400571 400571 400571 400571 400571 400415 400571 400569 400569 400415 400569 400415 400569 400415 400569 400571 400569 400571 400571 400571 400571 400571 400571 400571 400571	Orig. Farabil Trading Establishment - Orig. AL Gaim Comm. Est Orig. MEDICAL CARE ALLIANCE COMPANY - Orig. Care Techniques - Orig. MEDICAL CARE ALLIANCE COMPANY - Orig. AL Gaim Comm. Est Orig. AL Gaim Comm. Est Orig. MEDICAL CARE ALLIANCE COMPANY - Orig. AL Gaim Comm. Est Orig. MEDICAL CARE ALLIANCE COMPANY - Orig. AL Gaim Comm. Est Orig. MEDICAL CARE ALLIANCE COMPANY - Orig. AL Gaim Comm. Est Orig.	STREIFENEDER Ottobock Ottobock Ottobock ATP Ottobock ATP Ottobock ATP Ottobock ATP Ottobock AFT-INTERNATIONAL AFT-INTERNATIONAL AFT-INTERNATIONAL AFT-INTERNATIONAL AFT-INTERNATIONAL AFT-INTERNATIONAL OTtobock AFT-INTERNATIONAL OTtobock AFT-INTERNATIONAL Ottobock AFT-INTERNATIONAL Ottobock	107P22/24 749Y8-73X200X60 749Y8-73X200X60 749Y8-73X200X60 749Y8-73X200X60 756Y8-36 226 W 000.50 226 W 000.65 2278220 6078230220 6078230220 6040080685 6040080685 6040080685 6040080685 2109 614 W 105.220 6040080680 72321 6074020020 617421-0.900 E 2109 64009 64009 6572240020 0C1560=KIDS	Germany Austria Austria Austria Austria Germany Switzerland Germany Germany Switzerland Germany Germany Switzerland Germany Germany Switzerland Germany Jermany Germany Japan Japan
1493 1494 1495 1497 1497 1497 1498 1499 1500 1501 1502 1503 1503 1504 1504 1505 1505 1506 1507 1508 1511 1512 1513	4224160002200 4224160001300 4224160001300 4224160001300 4224160001300 4224160201100 4224160201100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 42241730000 42241730000 422417320900 422417320900 422417320900 422417320900 422417320900 422417320900 422417320900 422417320900 422417320900 422417320900 422417320900 422417320900 422417320900 422417320900 422417320900 422417320900 422417320900 422417320900 422417320900 42241730900	SAND PAPER, WET - DRY, 230 X 280 MM, GRIT 240 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 40 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 60 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 60 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 60 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 80 SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 50 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 50 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SCHMID PERIMETER GAGE (INSIDE CIRCUMFERENCE GAUGE), AN ORTHOTICS WORKSHOP TOOL, USED FOR MEASURING THE DISTANCE AROUND THE INSIDE OF A SOCKET AT ANY SELECTED DEPTH BELOW THE LOWEST PORTION OF THE TOP OF THE SOCKET SCHMID PERIMETER GAGE (INSIDE CIRCUMFERENCE GAUGE), AN ORTHOTICS WORKSHOP TOOL, USED FOR MEASURING THE DISTANCE AROUND THE INSIDE OF A SOCKET AT ANY SELECTED DEPTH BELOW THE LOWEST PORTION OF THE TOP OF THE SOCKET SCHMID PERIMETER GAGE (INSIDE CIRCUMFERENCE GAUGE), AN ORTHOTICS WORKSHOP TOOL, USED FOR MEASURING THE DISTANCE AROUND THE INSIDE OF A SOCKET AT ANY SELECTED DEPTH BELOW THE LOWEST PORTION OF THE TOP OF THE SOCKET SCHMID PERIMETER GAGE (INSIDE CIRCUMFERENCE GAUGE), AN ORTHOTICS WORKSHOP TOOL, USED FOR MEASURING THE DISTANCE AROUND THE INSIDE OF A SOCKET AT ANY SELECTED DEPTH BELOW THE LOWEST PORTION OF THE TOP OF THE SOCKET SCHMID PERIMETER GAGE (INSIDE CIRCUMFERENCE GAUGE), AN ORTHOTICS WORKSHOP TOOL, USED FOR MEASURING THE DISTANCE AROUND THE INSIDE OF A SOCKET AT ANY SELECTED DEPTH BELOW THE LOWEST PORTION OF THE TOP OF THE SOCKET SCHMID PERIMETER GAGE (INSIDE CIRCUMFERENCE GAUGE), AND ORTHOTICS WORKSHOP TOOL THE MEASURING OF THE SOCKET SCHMID PERIMETER GAGE (INSIDE CIRCUMFERENCE GAUGE) SCHAPPAR WAS AND THE DISTANCE AROUND THE MEASURING OF THE SOCKET SCHAPPAR WAS AND THE DISTANCE AROUND THE MEASURING OF THE SOCKET SCHAPPAR WAS AND THE TORTOTICS WOR	ITEMIZED	each each each each each each each each	400451 400571 400571 400571 400571 400571 400571 400569 400571 400569 400415 400569 400415 400569 400416 400571 400569 400571 400571 400571 400571 400571 400571 400571 400571 400571 400571 400571 400571 400571 400571 400571	Orig. Farabil Trading Establishment - Orig. AL Gaim Comm. Est Orig. MEDICAL CARE ALLIANCE COMPANY - Orig. Care Techniques - Orig. MEDICAL CARE ALLIANCE COMPANY - Orig. AL Gaim Comm. Est Orig. AL Gaim Comm. Est Orig. AL Gaim Comm. Est Orig. MEDICAL CARE ALLIANCE COMPANY - Orig. AL Gaim Comm. Est Orig. MEDICAL CARE ALLIANCE COMPANY - Orig. AL Gaim Comm. Est Orig. MEDICAL CARE ALLIANCE COMPANY - Orig. AL Gaim Comm. Est Orig.	STREIFENEDER Ottobock Ottobock Ottobock ATP Ottobock ATP Ottobock ATP Ottobock ATP Ottobock ATP Ottobock AFT-INTERNATIONAL AFT-INTERNATIONAL ATP AFT-INTERNATIONAL OTtobock AFT-INTERNATIONAL OTtobock AFT-INTERNATIONAL OTtobock AFT-INTERNATIONAL OTtobock AFT-INTERNATIONAL OTtobock	107P22/24 749Y8-73X200X60 749Y8-73X200X60 749Y8-73X200X60 749Y8-73X200X60 756Y63-65 226 W 000.50 26 W 000.50 26 W 000.50 26 W 000.50 26 W 000.50 6078230220 6071050000 614 W 006.180 6040080685 614 W 106.180 6040080685 614 W 105.220 6040080685 614 W 105.220 6040080680 72321 6074020020 617H21=0.900 E 2109 64009 64009 6572240020 0C1560=KIDS 0C1560=KIDS 0C1560=TR 105.240020 0C1560=TR 10	Germany Austria Austria Austria Germany Switzerland Germany Germany Germany Switzerland Germany Germany Switzerland Germany Japan Japan Japan
1493 1494 1495 1497 1497 1499 1499 1500 1501 1502 1503 1504 1505 1506 1507 1508 1511 1512 1513 1514 1515	4224160002200 4224160001300 4224160001300 4224160001300 4224160001300 4224160201100 4224160201100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 4224200036100 422420000000 422420000000 4224200000000	SAND PAPER, WET - DRY, 230 X 280 MM, GRIT 240 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 40 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 60 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 60 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 60 SANDING SLEEVES, OUTER DIAMETER 73 MM, LENGTH 200 MM, GRIT 80 SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 50 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 50 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY SCHIMID PERIMETER 6AGE (INSIDE CIRCUMFERENCE GAUGE), AN ORTHOTICS WORKSHOP TOOL, USED FOR MEASURING THE DISTANCE AROUND THE INSIDE OF A SOCKET AT ANY SELECTED DEPTH BELOW THE LOWEST PORTION OF THE TOP OF THE SOCKET SCHIMID PERIMETER 6AGE (INSIDE CIRCUMFERENCE GAUGE), AN ORTHOTICS WORKSHOP TOOL, USED FOR MEASURING THE DISTANCE AROUND THE INSIDE OF A SOCKET AT ANY SELECTED DEPTH BELOW THE LOWEST PORTION OF THE TOP OF THE SOCKET SCHIMID PERIMETER 6AGE (INSIDE CIRCUMFERENCE GAUGE), AN ORTHOTICS WORKSHOP TOOL, USED FOR MEASURING THE DISTANCE AROUND THE INSIDE OF A SOCKET AT ANY SELECTED DEPTH BELOW THE LOWEST PORTION OF THE TOP OF THE SOCKET SCISSOR, LISTER BANDAGE, 7.5 INCHES LONG SCISSORS, PLASTER, CAST CUTTING, LENGTH 220 MM SCRATCH AWL, AN ORTHOTICS WORKSHOP TOOL, STEEL, WITH ROUND BLADE AND PLASTIC HANDLE SCRATCH AWL, AN ORTHOTICS WORKSHOP TOOL, STEEL, WITH ROUND BLADE AND PLASTIC HANDLE SCRATCH AWL, AN ORTHOTICS WORKSHOP TOOL, STEEL, WITH ROUND BLADE AND PLASTIC HANDLE SCRATCH AWL, AN ORTHOTICS WORKSHOP TOOL, STEEL, WITH ROUND BLADE AND PLASTIC HANDLE SCRATCH AWL, AN ORTHOTICS WORKSHOP TOOL, STEEL, WITH ROUND BLADE AND PLASTIC HANDLE SCRATCH AWL, AN ORTHOTICS WORKSHOP TOOL, STEEL, WITH ROUND BLADE AND PLASTIC HANDLE SCRATCH	ITEMIZED	each each each each each each each each	400451 400571 400571 400571 400571 400571 400571 400571 400571 400569 400415 400569 400415 400569 400415 400569 400415 400569 400415 400569 400571 400571 400571 400571 400571 400571 400571 400571 400571 400571 400571	Orig: Farabil Trading Establishment - Orig: AL Gaim Comm. Est Orig: MEDICAL CARE ALLIANCE COMPANY - Orig: Care Techniques - Orig: AL Gaim Comm. Est Orig:	STREIFENEDER OTTOBOCK OTTOBOCK OTTOBOCK OTTOBOCK ATP OTTOBOCK ATP OTTOBOCK ATP OTTOBOCK AFT-INTERNATIONAL AFT-INTERNATIONAL ATP AFT-INTERNATIONAL OTTOBOCK O	107P22/24 74978-73X200X60 74978-73X200X60 74978-73X200X60 75678-36 226 W 000 50 226 W 000 50 75678-36 226 W 000 50 75678-36 226 W 000 50 6078230220 6071050000 614 W 006.180 6040080685 614 W 105.220 6040080680 72321 6074020020 617H21=0.900 E 2109 64009 64009 64009 65072240020 0C1560-KID5 0C1560	Germany Austria Austria Austria Germany Switzerland Germany Switzerland Germany Germany Switzerland Germany Switzerland Germany Switzerland Germany Jermany Japan Japan Japan

TENDER NA	AME : Prosthetics Ort	hosis Supplies							Preliminary Result
1521	4224151001900	SHEETS, PLASTAZOTE OR EQUIVALENT, CAUCASIAN COLOR, SIZE 1000 X 750 X 3 MM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	61757=3	United Kingdom
1522	4224151008600	THICKNESS, APPROXIMATELY SHEETS, PLASTAZOTE OR EQUIVALENT, WHITE, SIZE: 150 MM X 100 MM X 3 MM	ITEMIZED	each	400035	ZIMMO TRADING Company LTD -Orig-	A.ALGEOS LTD	ON1103	United Kingdom
1523	4224151007700	SHEETS, POLYETHYLENE, SIZE 2000 MM X 1000 MM, THICKNESS 2 MM, WHITE, APPROXIMATELY	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	Simona AG	030000230	Germany
1523	4224151007700	SHEETS, POLYETHYLENE, SIZE 2000 MM X 1000 MM, THICKNESS 2 MM, WHITE, APPROXIMATELY	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	616T95=2	Germany
1524	4224151007100	SHEETS, THERMOFORMING, STREIFLEX COLOR, ELASTIC, THICKNESS 2 MM, GOLDEN, SIZE 1.115 X 900 MM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	616T112=2-17	Germany
1524	4224151007100	SHEETS, THERMOFORMING, STREIFLEX COLOR, ELASTIC, THICKNESS 2 MM, GOLDEN, SIZE 1.115 X 900 MM	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	111P275/2	Germany
1525	4224151007200	SHEETS, THERMOFORMING, STREIFLEX COLOR, ELASTIC, THICKNESS 2 MM, TRANSPARENT, SIZE 1.115 X 900 MM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	616T112=2-99	Germany
1525	4224151007200	SHEETS, THERMOFORMING, STREIFLEX COLOR, ELASTIC, THICKNESS 2 MM, TRANSPARENT,	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	111P262/2	Germany
1526	4224151007500	SIZE 1.115 X 900 MM SHEETS, THERMOFORMING, STREIFLEX COLOR, ELASTIC, THICKNESS 4 MM, LIGHT BLUE, SIZE	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	616T112=4-5	Germany
1526	4224151007500	1.115 X 900 MM SHEETS, THERMOFORMING, STREIFLEX COLOR, ELASTIC, THICKNESS 4 MM, LIGHT BLUE, SIZE	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	111P266/4	Germany
1527	4224151007400	1.115 X 900 MM SHEETS, THERMOFORMING, STREIFLEX COLOR, ELASTIC, THICKNESS 4 MM, NEON GREEN,	ITEMIZED		400571			616T112=4-3	,
		SIZE 1.115 X 900 MM SHEETS, THERMOFORMING, STREIFLEX COLOR, ELASTIC, THICKNESS 4 MM, NEON GREEN,		each		AL Gaim Comm. EstOrig-	Ottobock		Germany
1527	4224151007400	SIZE 1.115 X 900 MM SHEETS, THERMOFORMING, STREIFLEX COLOR, ELASTIC, THICKNESS 4 MM, SIILVER, SIZE 1.115	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	111P274/4	Germany
1528	4224151007300	X 900 MM SHEETS, THERMOFORMING, STREIFLEX COLOR, ELASTIC, THICKNESS 4 MM, SILVER, SIZE 1.115	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	616T112=4-16	Germany
1528	4224151007300	X 900 MM	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	111P276/4	Germany
1529 1529	4224200010600 4224200010600	SHOCK ABSORBER, WITH TUBE CLAMP ADAPTER SHOCK ABSORBER, WITH TUBE CLAMP ADAPTER	ITEMIZED ITEMIZED	each each	400623 400571	Badael LLC -Orig- AL Gaim Comm. EstOrig-	Blatchford Ottobock	TTPRO30xx 4R120	United Kingdom Austria
1530	4224170620200	"SHOE, DIABETIC, ELASTIC, WITH THERMOCOMFORT, WITH FLEXIBLE LINING TO REDUCE PRESSURE, BLACK, VECRO OR EQUIVALENT, SUE 34; ONLY COW/CALF LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTEUDE SO AND TO TO CAUSE IRRIPATION; NON-INDINION UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC MESTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHORE SONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3336-9800=34	Portugal
1531	4224170620300	"SHOE, DIABETIC, ELASTIC, WITH THERMOCOMFORT, WITH FLEXIBLE LINING TO REDUCE PRESSURE, BLACK, VELCRO OR EQUIVALENT, SUZE 35; ONLY COW/CALF LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SEND WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRICUS SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSORE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC MESTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOPES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3336-9800=35	Portugal
1532	4224170620400	"SHOE, DIABETIC, ELASTIC, WITH THERMOCOMFORT, WITH FLEXIBLE LINING TO REDUCE PRESSURE, BLACK, VECRO OR EQUIVALENT, SIZE 36; ONLY COW/CALF LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRIDDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT HEREE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC MESTETS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3336-9800=36	Portugal
1533	4224170620500	"SHOE, DIABETIC, ELASTIC, WITH THERMOCOMFORT, WITH FLEXIBLE LINING TO REDUCE PRESSURE, BLACK, VECRO OR EQUIVALENT, SUE 37; ONLY COM/CALE LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRIBLE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CATA ACCOMMODATE THICK ORTHOTIC IN MOSETS; A DEEP TOE BOX THAT PROVIDES CATA ACCOMMODATE THICK ORTHOTIC IN MOSETS; A DEEP TOE BOX THAT PROVIDES CATA ROOM FOR MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHORES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3336-9800=37	Portugal
1534	4224170620600	"SHOE, DIABETIC, ELASTIC, WITH THERMOCOMFORT, WITH FLEXIBLE LINING TO REDUCE PRESSURE, BLACK, VECRO OR EQUIVALENT, SIZE 38; ONLY COW/CALF LEATHER TO BE USED IN THE CONSTRUCTION OF ALL DARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRIDDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT HEREE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC MESTETS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STEETCHABLE UPPERS; STEETCHABLE SHOPES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3336-9800=38	Portugal
1535	4224170620700	"SHOE, DIABETIC, ELASTIC, WITH THERMOCOMFORT, WITH FLEXIBLE LINING TO REDUCE PRESSURE, BLACK, VECRO OR EQUIVALENT, SIZE 39; ONLY COW/CALF LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTITUDE SO A SNOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STEETCHABLE UPPERS; STEETCHABLE SHORES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3336-9800=39	Portugal
1536	4224170620800	"SHOE, DIABETIC, ELASTIC, WITH THERMOCOMFORT, WITH FLEXIBLE LINING TO REDUCE PRESSURE, BLACK, VECRO OR EQUIVALENT, SUZE 40; ONLY COW/CALE HEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTIBUDE SO AS NOTTO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE OF THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC MESTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STEETCHABLE UPPERS; STEETCHABLE SHORES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3336-9800=40	Portugal
1537	4224170620900	"SHOE, DIABETIC, ELASTIC, WITH THERMOCOMFORT, WITH FLEXIBLE LINING TO REDUCE PRESSURE, BLACK, VECRO OR EQUIVALENT, SUE 41; ONLY COW/CALE LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHEET THAN MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRICULES OAS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC MESTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE FOINTS"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3336-9800=41	Portugal

		nosis Supplies							
1538	4224170621000	"SHOE, DIABETIC, ELASTIC, WITH THERMOCOMFORT, WITH FLEXIBLE LINING TO REDUCE PRESSURE, BLACK, VECRO OR EQUIVALENT, SUE 42; ONLY COW/CALF LEATHER TO BE USED. IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTEINDES OA NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM! FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3336-9800=42	Portugal
1539	4224170621100	"SHOE, DIABETIC, WITH THERMOCOMFORT, REMOVABLE INSOLES, VELCRO LIGHT SOLE OR EQUIVALENT, SHOCK ABSORBING OUTSOLE, WEIGHTLESS, BBEATHABLE, ELASTIC, PRESSURE FREE AT BIG AND SMALL TOES, AVOIDOS NEW WOUNDS, DIABETIC, REHUMATISM, SENSITIVE FEET, PAINFUL OF HALLUX VALGUS, BUNION, HAMMER, AND TOES, BLACK, SIZE 34; ONLY COM/CAFE LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED; PROTECTIVE INTERIOR THAT IS MADE RROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRIUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDINING UPPERS THAT ENJURE THAT THESE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES SETTAR ROOM FOR TOE MOVEMENT AND AVOIDS PRESSED ON THE TOST; LIGHTWEIGHT, CUSHIONING SOLES THAT FACULTATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELMIMINATE PRE	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3338-9800=34	Portugal
1540	4224170621200	"SHOE, DIABETIC, WITH THERMOCOMFORT, REMOVABLE INSOLES, VELCRO LIGHT SOLE OR EQUIVALENT, SHOCK ABSORBING OUTSOLE, WEIGHTLESS, BREATHABLE, ELASTIC, PRESSURE FREE AT BIG AND SMALL TOES, AVOIDOS NEW WOUNDS, DABETIC, REHUMATISM, SENSITIVE FEET, PAINFUL OF HALLUX VALGUS, BUNION, HAMMER, AND TOES, BLACK, SIZE 35; ONLY COMY/CASE LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRIUDE SO A NOT TO CALSE BRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE. FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEPTH DESIGN THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOST; LIGHTWEIGHT, CUSHIONING SOLES THAT FAGULITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOESS, CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRE	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3338-9800=35	Portugal
1541	4224170621300	SHOE, DIABETIC, WITH THERMOCOMFORT, REMOVABLE INSOLES, VELCRO LIGHT SOLE OR EQUIVALENT, SHOCK ABSORBING OUTSOLE, WEIGHTLESS, BREATHABLE, ELASTIC, PRESSURE REER AT BIG AND SMALL TOES, AVOIDS NEW WOUNDS, DIABETIC, RHEUMATISM, SENSITIVE FEET, PAINFUL OF HALLUX VALGUS, BUNION, HAMMER, AND TOES, BLACK, SIZE 36, ONLY COM/CAFE LEATHER OF BE USED IN THE CONSTRUCTION OF ALL PRATTS OF THE SHOE WHERE THIS MATERIAL IS USED. PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE BRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES STETA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES. JUGHTWEIGHT, CUSHIONING SOLES THAT FAGULITATE MOBILITY AND STABILITY, AND REDUCE MAPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOESS.	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3338-9800=36	Portugal
1542	4224170621400	SHOE, DIABETIC, WITH THERMOCOMFORT, REMOVABLE INSOLES, VELCRO LIGHT SOLE OR EQUIVALENT, SHOCK ABSORBING OUTSOLE, WEIGHTLESS, BREATHABLE, ELASTIC, PRESSURE REER AT BIG AND SMALL TOES, AVOIDS NEW WOUNDS, DIABETIC, RHEUMATISM, SENSITIVE FEET, PAINFUL OF HALLUX VALGUS, BUNION, HAMMER, AND TOES, BLACK, SIZE 37, ONLY COM/CAFE LEATHER OF BE USED IN THE CONSTRUCTION OF ALL PRATTS OF THE SHOE WHERE THIS MATERIAL IS USED. PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND SITTICHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE BRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES. J. CHATTER CHAPTER OF THE STATE OF THE STATE THAT THE STATE OF THE STATE OF THE STATE THAT THE STATE AND THE TOES. THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOESS.	ITEMIZED	Pair	400571	AL Galm Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3338-9800=37	Portugal
1543	4224170621500	"SHOE, DIABETIC, WITH THERMOCOMFORT, REMOVABLE INSOLES, VELCRO LIGHT SOLE OR EQUIVALENT, SHOCK ABSORBING OUTSOLE, WEIGHTLESS, BREATHABLE, ELASTIC, PRESSURE RERE AT BIG AND SMALL TOES, AVOIDOS NEW WOUNDS, DIABETIC, REHUMATISM, SENSITIVE FEET, PAINFUL OF HALLUX VALGUS, BUNION, HAMMER, AND TOES, BLACK, SIZE 38; ONLY COW/CALE LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITICHING THAT DOESN'T PROTTRUDE SOA IN OTT OC CAUSE RRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEPTH DESIGN THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOST; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOPES, STRETCH	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3338-9800=38	Portugal
1544	4224170621600	"SHOE, DIABETIC, WITH THERMOCOMFORT, REMOVABLE INSOLES, VELCRO LIGHT SOLE OR EQUIVALENT, SHOCK ABSORBING DUTSOLE, WEIGHTLESS, BREATHABLE, ELASTIC, PRESSURE RERE AT BIG AND SMALL TOES, AVOIDOS NEW WOUNDS, DIABETIC, REHUMATISM, SENSITIVE FEET, PAINFUL OF HALLUX VALGUS, BUNION, HAMMER, AND TOES, BLACK, SIZE 39; ONLY COW/CALE LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOW WHERE THIS MATERIAL IS USED. PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEPTH DESIGN THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOST; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRE	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3338-9800=39	Portugal
1545	4224170621700	"SHOE, DIABETIC, WITH THERMOCOMFORT, REMOVABLE INSOLES, VELCRO LIGHT SOLE OR EQUIVALENT, SHOCK ABSORBING OUTSOLE, WEIGHTLESS, BREATHABLE, ELASTIC, PRESSURE FREE AT BIG AND SMALL TOES, AVOIDOS NEW WOUNDS, DIABETIC, REHUMATISM, SENSITIVE FEET, PAINFUL OF HALLUX VALGUS, BUNION, HAMMER, AND TOES, BLACK, SIZE 40; ONLY COW/CALE LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL IS USED. PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEPTH DESIGN THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOST; LIGHTWEIGHT, CUSHIONING SOLES THAT FACULTATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRE	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3338-9800=40	Portugal
1546	4224170621800	"SHOE, DIABETIC, WITH THERMOCOMFORT, REMOVABLE INSOLES, VELCRO LIGHT SOLE OR EQUIVALENT, SHOCK ABSORBING OUTSOLE, WEIGHTLESS, BREATHABLE, ELASTIC, PRESSURE FREE AT BIG AND SMALL TOES, AVOIDOS NEW WOUNDS, DABETIC, REHUMATISM, SENSITIVE FEET, PAINFUL OF HALLUX VALGUS, BUNION, HAMMER, AND TOES, BLACK, SIZE 41; ONLY COW/CALF LEATHER TO BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE HIS MATERIAL IS USED; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRIUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TODE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AUDIOS PRESSURE ON THE FOOT; SUCHTWEIGHT, CUSHIONING SOLES THAT FACULTATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTON THE FOOT THE FOOT AND HELP ELIMINATE PRE	ITEMIZED	Pair	400571	AL Galm Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3338-9800=41	Portugal

I ENDER NA	ME : Prosthetics Ort	nosis Supplies							
1547	4224170621900	"SHOE, DIABETIC, WITH THERMOCOMFORT, REMOVABLE INSOLES, VELCRO LIGHT SOLE OR EQUIVALENT, SHOCK ABSORBING OUTSOLE, WEIGHTLESS, BREATHABLE, ELASTIC, PRESSURE FREE AT BIG AND SMALL TOES, AVOIDS NEW WOUNDS, DIABETIC, REHUMATISM, SENSITIVE FEET, PAINFUL OF HALLUX VALGUS, BUNION, HAMMER, AND TOES, BLACK, SIZE 42; ONLYEE COM/CASE LEATHER OF BE USED IN THE CONSTRUCTION OF ALL PARTS OF THE SHOE WHERE THIS MATERIAL, IS USED.; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRIQUE SO AS NOT TO CAUSE IRRITATION; NON-BINDINING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEPTH DESIGN THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOST; LIGHT WIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND EDUCIS IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRE	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3338-9800=42	Portugal
1548	4224170908500	SHOE, MULTICAST, POST OP, FOREFOOT RELIEF, SIZE 3 - 5, TO OFFLOAD WEIGHT AND PRESSURE FROM THE REARFOOT	CANCELLED	CANCELLED	CANCELLED	CANCELLED THE DESCRIPTION SHOULD BE REVISED	CANCELLED	CANCELLED	CANCELLED
1549	4224170908400	SHOE, MULTICAST, POST OP, FOREFOOT RELIEF, SIZE 6 - 7, TO OFFLOAD WEIGHT AND PRESSURE FROM THE REARFOOT	CANCELLED	CANCELLED	CANCELLED	CANCELLED THE DESCRIPTION SHOULD BE REVISED	CANCELLED	CANCELLED	CANCELLED
1550	4224170908600	SHOE, MULTICAST, POST OP, FOREFOOT RELIEF, SIZE 8 - 10 +, TO OFFLOAD WEIGHT AND PRESSURE FROM THE REARFOOT	CANCELLED	CANCELLED	CANCELLED	CANCELLED THE DESCRIPTION SHOULD BE REVISED	CANCELLED	CANCELLED	CANCELLED
1551	4224170908700	SHOE, MULTICAST, POST OP, HEEL RELIEF, SIZE 3 - 5, TO OFFLOAD WEIGHT AND PRESSURE FROM THE REARFOOT	ITEMIZED	each	400035	ZIMMO TRADING Company LTD -Orig-	A.ALGEOS LTD	SP1009	Taiwan
1552	4224170908800	SHOE, MULTICAST, POST OP, HEEL RELIEF, SIZE 6 - 7, TO OFFLOAD WEIGHT AND PRESSURE FROM THE REARFOOT	ITEMIZED	each	400035	ZIMMO TRADING Company LTD -Orig-	A.ALGEOS LTD	SP1010	Taiwan
1553	4224170908900	SHOE, MULTICAST, POST OP, HEEL RELIEF, SIZE 8 - 10 +, TO OFFLOAD WEIGHT AND PRESSURE FROM THE REARFOOT	ITEMIZED	each	400035	ZIMMO TRADING Company LTD -Orig-	A.ALGEOS LTD	SP1011	Taiwan
1554	4224170618000	"SHOES, ANTI-VARUS, DESIGNED TO BE USED TO HELP MAINTAIN CORRECTION IN BABIES, WITH CLUBFOOT AND METATARSUS ADDUCTUS, FEATURES; PLUL GRAIN COW/CAFL FLEATHER UPPER, SPLIT COW LEATHER LINING, RON-SUR PUBBER OUTSOLE, HICH ANKLE, HARD HEEL, TWO VELCRO STRAP OR CQUIVALENT, COLOR PINK, SIZE: 18; MADE ON ANTI VARUS LASTS; SOFT PADDING AROUND THE COLLAR FOR A BETTER HIT; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; ESALT, REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT; SUFFICIENT TOE-SPRING FOR ASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE HANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE HANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE HANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2948-9901=18	Portugal
1555	4224170618100	"SHOES, ANTI-VARUS, DESIGNED TO BE USED TO HELP MAINTAIN CORRECTION IN BABIES, WITH CLUBFOOT AND METATARSUS ABOUTLS, FEATURES, PILL GRAIN COW/CAIL ELATHER UPPER, SPILL COW LEATHER LINING, NON-SUR PUBBER OUTSOLE, HIGH ANKLE, HARD HELL, TWO VELCRO STRAP OR EQUIVALENT, COLOR PINK, SIZE: 20, MADE ON ANTI VARUS LASTS; SOST PADDING AGONUD THE COLORA FOR A BETTER FIT; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT; SUFFICIENT TOE-SPRING FOR FASY ROLL-OFF, REMOVABLE FROFILED CONK INLY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2948-9901=20	Portugal
1556	4224170618200	"SHOES, ANTI-VARUS, DESIGNED TO BE USED TO HELP MAINTAIN CORRECTION IN BABIES, WITH CLUBEDOT AND METATASSUS ADDUCTUS, FEATURES: PILL GRAIN COW/CASH EARTHE UPPER, SPLIT COW LEATHER LINING, NON-SUP RUBBER OUTSOLE, HIGH ANKE, HARD HELF UPPER, SPLIT CAP OF EQUIVALENT, COLOR PINK, SIZE: 21, MADE ON ANTI-VARUS LASTS; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; SPECIAL EXTENDED STIFFENER WITH CURVED WALLT O CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT; SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOR COMPONT; SOFT TONGUE PADDING TO MOULD THE SHOR COMPONT.	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2948-9901=21	Portugal
1557	4224170618300	"SHOES, ANTI-VARUS, DESIGNED TO BE USED TO HELP MAINTAIN CORRECTION IN BABIES, WITH CLUBPOOT AND METATASSUS ADDUCTUS, FEATURES: PLU LEGANIC COW/CAFE LEBETHE UPPER, SPUT COW LEATHER LINING, NON-SUP RUBBER OUTSOLE, HIGH ANKE, HARD HELT LIVON VELCOS TARRA OR ROUNDLENT, COLOR PINK, SZEZ 25; MADE ON ANTI-VARUS LESTS; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FOLL GRANN LEATHER INSOLE; EASILY ROWOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT; SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHORE SHORE THE FOOT"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2948-9901=25	Portugal
1558	4224170618400	"SHOES, ANTI-VARUS, DESIGNED TO BE USED TO HELP MAINTAIN CORRECTION IN BABIES, WITH CLUBEDOT AND METATASSIAS ADDUCTUS, FEATURES: FULL GRAIN COW/CASE LEBEL UPPER, SPUT COW LEATHER LINING, NON-SUP RUBBER OUTSOLE, HIGH ANKE, HARD HEEL, TWO VELCRO STRAP OR EQUIVALENT, COLOR PINK SIZE: 26; MADE ON ANTI VARUS LASTS; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; SPECIAL EXTENDED STIFFERR WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; EASILY CHOOLOGE; REMOVABLE AND ADAPTABLE (HARD-VUEARING) SICE-UNIT; SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STROMS TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILIT; EXTRA PADDING AROUND THE ATNLE FOR MOME COMFORT; SOFT TONGUE PADDING TO MOULD THE ATNLE FOR MOME COMFORT; SOFT TONGUE PADDING TO MOULD	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2948-9901=26	Portugal
1559	4224170618500	"SHOES, ANTI-VARUS, DESIGNED TO BE USED TO HELP MAINTAIN CORRECTION IN BABIES, WITH CLUBFOOT AND METATARSUS ABOUTLS, FEATURES, FULL GRAIN COW/CAFE LETHER UPPER, SPLIT COW LEATHER LINING, NON-SUR PUBBER OUTSOLE, HIGH ANKLE, HARD HELL, TWO VELCRO STRAP OR EQUIVALENT, COLOR PINK, SIZE: 27, MADE ON ANTI VARUS LASTS; SOST PADDING AGONUD THE COLORA FOR A BETTER FIT; SPECIAL EXTENDED STIFFERNE HIT CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT; SUFFICIENT TOE-SPRING FOR FASY ROLL-OFF, REMOVABLE PROFILED CORN INJEX; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANNLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2948-9901=27	Portugal
1560	4224170618600	"SHOES, ANTI-VARUS, DESIGNED TO BE USED TO HELP MAINTAIN CORRECTION IN BABIES, WITH CLUBPOOT AND METATASSUS ADDUCTUS, FEATURES: PILL GRAIN COW/CAIL FEATURE UPPER, SPLIT COW LEATHER LINING, NON-SUP RUBBER OUTSOLE, HICH ANKE, HARD HEEL, TWO VELKOR STRAP OR GOLVINAGENT, COLOR PINK, SIZE: 24, MADE ON ANTI-VARUS LASTS; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; SPECIAL EXTENDED SITEFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; EASH REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT; SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MOME COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT!	ITEMIZED	Pair	400571	AL Gaim Comm. Est Orig-	Piedro International B.V. (Foot-Facts Ld	2948-9901=24	Portugal
1561	4224170618700	"SHOES, ANTI-VARUS, DESIGNED TO BE USED TO HELP MAINTAIN CORRECTION IN BABIES, WITH CLUBFOOT AND METATASSUS ADDUCTUS, FEATURES: FULL GRAIN COW/CAFE LEFTER UPPER, SPLIT COW LEATHER LINING, NON-SLIP RUBBER OUTSOLE, HIGH ANKLE, HARD HEEL, TWO VELCRO STRAP OR EQUIVALENT, DARK BLUE COLOR, SIZE: 24; MADE ON ANTI VARUS LASTS; SOFT PADDING AROUND THE COLAR FOR A BETTER IT; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; SEASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT; SUFFICIENT TOESPRING FOR EAST ROLL-OFF, REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMPORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2943-5602=24	Portugal
1562	4224170618800	"SHOES, ANTI-VARUS, DESIGNED TO BE USED TO HELP MAINTAIN CORRECTION IN BABIES, WITH CLUBPOOT AND METATASSIAS ADDUCTUS, FEATURES: PLUL GRAIN COW/CASE LIFETE UPPER, SPLIT COW LEATHER LINING, NON-SLIP RUBBER OUTSOLE, HIGH ANKLE, HARD HEEL, TWO VELCRO STRAP OR EQUIVALENT, DARK BLUE COLOR, SIZE: 25; MADE ON ANTI VARUS LASTS; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; SPCILLE EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; EASLIY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-LINIT, SUFFICIENT TOOLS SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMPORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2943-5602=25	Portugal

TENDER NA	AME : Prosthetics Or	thosis Supplies							
1563	4224170618900	"SHOES, ANTI-VARUS, DESIGNED TO BE USED TO HELP MAINTAIN CORRECTION IN BABIES, WITH CLUBFOOT AND METATARSUS ADDUCTUS, FEATURES: FULL GRAIN COW/CALF LEATHER UPPER, SPILT COW LEATHER LINING, NON-SUR PUBBER OUTSOLE, HICH ANKE, HARD HEEL, TWO VELCRO STRAP OR EQUIVALENT, DARK BLUE COLOR, 32E: 26; MADE ON ANTI VARUS LASTS; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; FASILY REMOVABLE RAND ADAPTABLE (HARD-WEARING) SOLE-UNIT; SUFFICIENT TOE-SPRINS FOR EASY NOLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMPFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2943-5602=26	Portugal
1564	4224170619000	"SHOES, ANTI-VARUS, DESIGNED TO BE USED TO HELP MAINTAIN CORRECTION IN BABIES, WITH CLUBFOOT AND METATARSUS ADDUCTUS, FEATURES: FULL GRAIN COW/CAFE LEHE UPPER, SPUT COW LEATHER LINING, NON-SUP RUBBER OUTSOLE, HIGH ANKE, HARD HEEL, TWO VELEGO STAPE OF BEQUINANT, DARK BULE COLOG, SIZE: 27, MADE ON ANTI-VISUS LASTS; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; SPECIAL EXTENDED STFEPRER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; FASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT; SUFFICIENT TOESPRING FOR RASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-GAP FOR PROFECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHORE FOUND THE FOR FOUND THE FOR	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2943-5602=27	Portugal
1565	4224170619100	"SHOES, ANTI-VARUS, DESIGNED TO BE USED TO HELP MAINTAIN CORRECTION IN BABIES, WITH CLUBFOOT AND METATARSUS ADDUCTUS, FEATURES: FULL GRAIN COW/CAFE LEBATHER UPPER, SPUT COW LEATHER UNING, NON-SUP PUBBER OUTSOLE, HIGH ANKE, HARD HEEL, TWO VELCO STAP OR EQUIVALENT, DAKE BULL COLOR, SIZE: 28, MADE ON ANTI VENUE LATES, SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE (FASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT; SUFFICIENT TOESEN MOST STRONG FOR CAP FOR PROTECTION OF THE TOESE, EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMPORT; SOFT TONGUE PADDING TO MOULD THE SHORE FOUND THE FOR WORD CONFORT; SOFT TONGUE PADDING TO MOULD THE SHORE FOUND THE FOR	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2943-5602=28	Portugal
1566	4224170619200	"SHOES, ANTI-VARUS, DESIGNED TO BE USED TO HELP MAINTAIN CORRECTION IN BABIES, WITH CLUSFOOT AND METATARSUS ADDUCTUS, FEATURES: FULL GRAIN COW/CAF LEATHER UPPER, SPILT COW LEATHER LINKINS, ONN-SUR PUBBER OUTSOLE, HICH ANKE, HARD HEEL, TWO VELCRO STRAP OR EQUIVALENT, DARK BLUE COLOR, OR AS REQUESTED, SIZE: 19; MADE ON ANTI-VARUS LASTS; SOFT PADDING AROUND THE COLLAR FOR BETTER FIT; SPICE AND LEATHER INSOLE; SAILY REMOVABLE AND ADAPTABLE (MADE) WHEN PER PUBLIC REPORT SHAPE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (MADE) WEARING) SOLE-UNIT; SUFFICIENT TOES PRING FOR EASY ROLL-OFT; REMOVABLE PROFILE ORK INLAY; HIGH TOE BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; ESTRA PADDING AROUND THE ANKLE FOR MORE COMPORT; SOFT TONGUE PADDING TO MOULD THE SHOE FOR MORE COMPORT;	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2942-6556=19	Portugal
1567	4224170619300	"SHOES, ANTI-VARUS, DESIGNED TO BE USED TO HELP MAINTAIN CORRECTION IN BABIES, WITH CLUSFOOT AND METATARSUS ADDUCTUS, FEATURES: FULL GRAIN CONCALE LEATHER UPPER, SPLIT COW LEATHER LINKING, NON-SUR PRIBBER OUTSOLE, HAIGH ANKLE, HARD HEEL, TWO VELCRO STRAP OR EQUIVALENT, DARK BLUE COLOR, OR AS REQUESTED, SIZE: 20; MADE ON ANTI-VARUS LASTS; SOFT PADDING AROUND THE COLLAR FOR BETTER FIT; SPCALL EXTENDED STIFEPINE WITH CLURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT; SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; ESTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2942-6556=20	Portugal
1568	4224170619400	"SHOES, ANTI-VARUS, DESIGNED TO BE USED TO HELP MAINTAIN CORRECTION IN BABIES, WITH CLUSPOOT AND METATARSUS ADDUCTUS, FEATURES: FULL GRAIN COW/CAF LEATHER UPPER, SPILT COW LEATHER LINKING, NON-SUP RUBBER OUTSOLE, HICH ANKE, HARD HEEL, TWO VELCRO STRAP OR EQUIVALENT, DARK BLUE COLOR, OR AS REQUESTED, SIZE: 21; MADE ON ANTI-VARIUS LASTS; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT; SUFFICIENT TOES-PRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE FOR MORE COMFORT;	ITEMIZED	Pair	400571	AL Galm Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2942-6556=21	Portugal
1569	4224170619500	"SHOES, ANTI-VARUS, DESIGNED TO BE USED TO HELP MAINTAIN CORRECTION IN BABIES, WITH CLUBFOOT AND METATARSUS ADDUCTUS, FEATURES: PULL GRAIN COW/CALF LEATHER UPPER, SPILT COW LEATHER LINING, NON-SUR PUBBER OUTSOLE, HICH ANKE, HABD HEEL, TWO VELCRO STRAP OR EQUIVALENT, DARK BLUE COLOR, OR AS REQUESTED, SIZE: 22; MADE ON ANTI VARUS LAST; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT; SUFFICIENT TOES PRING FOR EASY ROLL-OFF; REMOVABLE PROPILED CORK INLAY; HIGH TOE BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2942-6556=22	Portugal
1570	4224170619600	"SHOES, ANTI-VARUS, DESIGNED TO BE USED TO HELP MAINTAIN CORRECTION IN BABIES, WITH CLUSFOOT AND METATARSUS ADDUCTUS, FEATURES: FULL GRAIN COW/CALF LEATHER UPPER, SPILT COW LEATHER LINING, NOM-SLIP RUBBER OUTSOLE, HIGH ANKLE, HARD HEEL, TWO VELCRO STRAP OR EQUIVALENT, DARK BLUE COLOR, OR AS REQUESTED, SIZE: 23; MADE ON ANTI VARUS LASTS; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; SPECIAL EXTENDED STREPERS WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT; SUFFICIENT TOE SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILE CORK INLAY; HIGH TOE BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MICH ECOMPORT; SOFT TONSOLE PADDING TO MOULD THE SHOE ROUND THE FOOT"	ITEMIZED	Pair	400571	AL Galm Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2942-6556=23	Portugal
1571	4224170619700	"SHOES, ANTI-VARUS, DESIGNED TO BE USED TO HELP MAINTAIN CORRECTION IN BABIES, WITH CLUSFOOT AND METATARSUS ADDUCTUS, FEATURES: FULL GRAIN COW/CAF LEATHER UPPER, SPIT COW LEATHER INING, NON-SUP RUBBER OUTSOLE, HICH ANKE, HABD HEEL, TWO VELCRO STRAP OR COUIVALENT, DARK BLUE AND RED COLOR, SIZE: 18; MADE ON ANTI VARUS LASTS; SOOT FADDING AROUND THE COLLAR FOR BETTER HT; SPECIAL EXTENDED STIFFENER WITH CURYED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; FASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT; SUFFICIENT TOE-SPRING FOR EASY NOLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING ATOUND THE ANKLE FOR MORE COMPORT; SOFT TONGUE PADDING TO MOUND THE SHORE ROWND THE FOOT"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2942-6556=18	Portugal
1572	4224170619800	"SHOES, ANTI-VARUS, DESIGNED TO BE USED TO HELP MAINTAIN CORRECTION IN BABIES, WITH CLUBFOOT AND METATARSUS ADDUCTUS, FEATURES: FULL GRAIN COW/CASE LEFER UPPER, SPLIT COW LEATHER LINING, NON-SLIP RUBBER OUTSOLE, HIGH ANKLE, HARD HEEL, TWO VECRO STRAP OR EQUIVALENT, SZE: 19 PINK; MADE ON ANTI VARUS LASTS; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTRABLE HARD-WEARING, SOLE-UNIT; SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY, EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT" SHOES, ANTI-VARUS, DESIGNED TO BE USED TO HELP MAINTAIN CORRECTION IN BABIES.	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2948-9901=19	Portugal
1573	4224170619900	SNIOSS, ANTI-VARUS, DESIGNED TO BE USED TO HELP MAINTAIN CORRECTION IN SABIES, WITH CLUSPOOT AND METATARSUS ADDUCTUS, FEATURES: FULL GRAIN COW/CALF LEATHER UPPER, SPLIT COW LEATHER LINING, NON-SLIP RUBBER OUTSOLE, HIGH ANKE, HARD HELST, TWO VELCEOS TRAPA OF REQUIVATENT, COLOR PINK, SEZE: 23, MADE ON ANTI-VARUS LISTS, SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; FASKIY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT; SUFFICIENT TO: SPRING FOR FASY ROLL-OFF, REMOVABLE FOR POFILED CORK INLAY; HIGH TIG-EON AND STROM TO FOR FOR PROTECTION OF THE TOSS; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ROSS; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE MAILE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOR ROUND THE FOOT.	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2948-9901=23	Portugal

TENDER NA	AME : Prosthetics Ort	hosis Supplies							
1574	4224170620000	"SHOES, ANTI-VARUS, DESIGNED TO BE USED TO HELP MAINTAIN CORRECTION IN BABIES, WITH CLUBFOOT AND METATARSUS ADDUCTUS, FEATURES: FULL GRAIN COW/CALF LEATHER UPPER, SPLIT COW LEATHER LINING, NON-SUR PUBBER OUTSOLE, HIGH ANKLE, HARD HEEL, TWO VELCRO STRAP OR EQUIVALENT, COLOR PINK, SIZE: 22; MADE ON ANTI VARUS LASTS; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT; SUFFICIENT TOE-SPRING FOR REAY ROLL-OFF, SEMOVABLE PROFILED CORK INLY; HIGH TOE-GOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMPORT; SOFT TONGUE PADDING TO MOULD THE FOOT"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2948-9901=22	Portugal
1575	4224170620100	"SHOES, ANTI-VARUS, DESIGNED TO BE USED TO HEE MAINTAIN CORRECTION IN BABIES, WITH CLUBEOOT AND METATARSUS ADDUCTUS, FEATURES: FULL GRAIN COW/CALF LEATHER UPPER, SPLIT COW LEATHER UNING, NON-SUP RUBBER OUTSOLE, HIGH ANKLE, HARD HEEL, TWO VELCEO STAPA OR EQUIVALENT, COLOR PHIAS, 1252: 28; MADE ON ANTI-VARUS LASTS; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT; SUPELICENT TOS-SPRING FOR EASY ROUL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOS-BOX AND STRONG TOS-CAP POR PROTECTION OF THE TOSE; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE HOTS: THE SHOE ROUND THE FOOT:	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2948-9901=28	Portugal
1576	4224170612300	"SHOES, ANTI-VABUS, FEATURES: FULL GRAIN COW/CALE LEATHER UPPER, SPUT COW LEATHER LUNNER, ONN-SUR RUBBER OUTSOLE, HICH ANUEL, HAD HELP, DESIGNED TO BE USED TO HELP MAINTAIN CORRECTION IN BABIES, WITH CLUBEDOT AND METATARSUS ADDUCTUS TWO VELCRO STRAP OR EQUIVALENT, DARK BLUE COLOR, SIZE: 18; MADE ON ANTI VARUS LASTS; SOFT FRADDING AROUND THE COLLAR FOR A BETTER RIT; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN IEATHER INSOL; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT; SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE- BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOR EQUID THE FOR	ITEMIZED	Pair	400571	AL Gaim Comm. Est Orig-	Piedro International B.V. (Foot-Facts Ld	2934-5600-18	Portugal
1577	4224170603000	"SHOES, ANTI-VABUS, FEATURES: FULL GRAIN COW/CALE LEATHER UPPER, SPLIT COW LEATHER LUNNER, ONN-SUR RUBBER OUTSOLE, HICH ANUEL, HAD HELP, DESIGNED TO BE USED TO HELP MAINTAIN CORRECTION IN BABIES, WITH CLUBEDOT AND METATABSUS ADDUCTUS TWO VELCRO STRAP OR EQUIVALENT, DARK BLUE COLOR, SIZE: 19; MADE ON ANTI VARUS LASTS; SOFT FRADDING AROUND THE COLLAR FOR A BETTER RIT; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOL; EASILY REMOVABLE AND ADAPTABLE (HARDA-WEARING) SOLE-UNIT; SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE- BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT;	ITEMIZED	Pair	400571	AL Gaim Comm. Est Orig-	Piedro International B.V. (Foot-Facts Ld	2934-5600-19	Portugal
1578	4224170612400	"SHOES, ANTI-VABUS, FEATURES: FULL GRAIN COW/CALE LEATHER UPPER, SPLIT COW LEATHER LUNING, NON-SUP RUBBER OUTSOLE, KINCH ANKEL, HAD HEEL, DESCINGED TO BE USED TO HELP MAINTAIN CORRECTION IN BABIES, WITH CLUBFOOT AND METATARSUS ADDUCTUS TWO VELKOR STRAP OR EQUIVALENT, DARK BLUE COLOR, SIZE: 20; MADE ON ANTI VARUS LASTS, SOFT FRODINGS AROUND THE COLLAR FOR A BETTER RIT; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOL; EASILY REMOVABLE AND ADAPTABLE (HARDA-WEARING) SOLE-UNIT; SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE- BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOR EQUID THE FOR	ITEMIZED	Pair	400571	AL Gaim Comm. Est Orig-	Piedro International B.V. (Foot-Facts Ld	2934-5600-20	Portugal
1579	4224170612500	"SHOES, ANTI-VABUS, FEATURES: FULL GRAIN COW/CALE LEATHER UPPER, SPUT COW LEATHER LUNNER, ONN-SUR RUBBER OUTSOLE, HICH ANUEL, HAD HELD, DESIGNED TO BE USED TO HELP MAINTAIN CORRECTION IN BABIES, WITH CLUBEDOT AND METATARSUS ADDUCTUS TWO VELCRO STRAP OR EQUIVALENT, DARK BLUE COLOR, SIZE: 21; MADE ON ANTI VARUS LASTS; SOFT FRADDING AROUND THE COLLAR FOR A BETTER RIT; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOL; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT; SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE- BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT;	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2934-5600-21	Portugal
1580	4224170612600	"SHOES, ANTI-VABUS, FEATURES: FULL GRAIN COW/CALE LEATHER UPPER, SPLIT COW LEATHER LUNING, NON-SUP RUBBER OUTSOLE, KICH ANKEL, HAD HEEL, DESCINGED TO BE USED TO HELP MAINTAIN CORRECTION IN BABIES, WITH CLUBFOOT AND METATARSUS ADDUCTUS TWO VELKOR STRAP OR FEQUIVALENT, DARK BLUE COLOR, SIZE: 22; MADE ON ANTI VARUS LASTS; SOFT FADDING AROUND THE COLLAR FOR A BETTER FIT; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOL; EASILY REMOVABLE AND ADAPTABLE (HARDA WEARING) SOLE-UNIT; SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE- BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOR ROUND THE FOOTS;	ITEMIZED	Pair	400571	AL Gaim Comm. Est Orig-	Piedro International B.V. (Foot-Facts Ld	2934-5600-22	Portugal
1581	4224170612700	"SHOES, ANTI-VARUS, FEATURES: PULL GRAIN COW/CALF LEATHER UPPER, SPLIT COW LEATHER LUNNEN, ONN-SUR PUBBER OUTSOLE, KINCH ANKE, HAD HELD, DESIGNED TO BE USED TO HELP MAINTAIN CORRECTION IN BABIES, WITH CLUBFOOT AND METATABSUS ADDUCTUS TWO VELCRO STRAP OR EQUIVACION, DARK BUE COLOR, SIZE: 23, MADE ON ANTI VARUS LASTS; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; SPECIAL EXTENDED STIFFENER WITH CURVED WALLT TO CORRECT THE FOOT SMAPE; FULL GRAIN LEATHER INDOUGL; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT; SUFFICIENT TOE-SPRING FOR EASY ROIL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACIORS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT;	ITEMIZED	Pair	400571	AL Gaim Comm. Est Orig-	Piedro International B.V. (Foot-Facts Ld	2934-5600-23	Portugal
1582	4224170612800	"SHOES, ANTI-VABUS, FEATURES: PULL GRAIN COW/CALF LEATHER UPPER, SPUT COW LEATHER LUNING, NON-SUP RUBBER OUTSOLE, HIGH ANKLE, HARD WEEL, DESIGNED TO BE USED TO HELP MAINTAIN CORRECTION IN BABIES, WITH CLUBPOOT AND METATARSUS ADDUCTUS TWO VELKOR STRAP OR EQUIVALENT, DARK BLUE COLOR, SIZE: 24; MADE ON ANTI VARDUS LASTS; SOFT PADDING AROUND THE COLLAR FOR A BETTER RIF; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOL; EASILY REMOVABLE AND ADAPTABLE (HARD-WARAING) SOLE-UNIT; SUFFICIENT TOE-SPRING FOR EASY ROLL-OF; REMOVABLE PROFILED CORK INLAY; HIGH TOE- BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOR ROUND THE FORT	ITEMIZED	Pair	400571	AL Gaim Comm. Est Orig-	Piedro International B.V. (Foot-Facts Ld	2934-5600-24	Portugal
1583	4224170612900	"SHOES, ANTI-VARUS, FEATURES: FULL GRAIN COW/CALF LEATHER UPPER, SPLIT COW LEATHER LINING, NON-SUP RUBBER OUTSOLE, HIGH ANKLE, HARD HEEL, DESIGNED TO BE USED TO HELP MAINTAIN CORRECTION IN BABIES, WITH CLUBPOOT AND METATARSUS ADDUCTUS TWO VELCRO STRAP OR EQUIVALENT, DARK BLUE COLOR, SIZE: 25; MADE ON ANTI VARUS LASTS; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; LEASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT; SUFFICIENT TOS-SPING FOOR EASY ROLL-OFF; REMOVABLE ROFILDED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOR COUND THE FOOT.	ITEMIZED	Pair	400571	AL Gaim Comm. Est Orig-	Piedro international B.V. (Foot-Facts Ld	2934-5600-25	Portugal
1584	4224170613000	"SHOES, ANTI-VARUS, FEATURES: FULL GRAIN COW/CALF LEATHER UPPER, SPLIT COW LEATHER LINING, NON-SUP RUBBER OUTSOLE, HIGH ANKLE, HARD HEEL, DESIGNED TO BE USED TO HELP MAINTAIN CORRECTION IN BABIES, WITH CLUBFOOT AND METATARSUS ADDUCTUS TWO VELCRO STRAP OR EQUIVALENT, DARK BLUE COLOR, SIZE: 26; MADE ON ANTI VARUS LASTS; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; FEASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT; SUFFICIENT TOES-SPING FOOR EASY ROLL-OFF; REMOVABLE ROFILDE OORN INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING ABOUNDT HE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT.	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2934-5600-26	Portugal
1585	4224170613100	"SHOES, ANTI-VARUS, FEATURES: FULL GRAIN COW/CALF LEATHER UPPER, SPLIT COW LEATHER LINING, NON-SUP RUBBER OUTSOLE, HIGH ANNEL, HARD HEEL, DESIGNED TO BE USED TO HELP MAINTAIN CORRECTION IN BABLES, WITH CLUBBOOT AND METATARSUS ADDUCTUS TWO VELEOR STRAP OR EQUIVALENT, DARK BLUE COLOR, SIZE: 27; MADE ON ANTI VARBUL LASTS; SOFT PADDING AROUND THE COLLAR FOR BETTER FIT; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; LEASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT; SUFFICIENT TOE SPRING FOR EASY ROLL-OFF; REMOVABLE ROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING ADOUND THE ARKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FROOT*	ITEMIZED	Pair	400571	AL Galm Comm. EstOrig-	Piedro international B.V. (Foot-Facts Ld	2934-5600-27	Portugal

	JMBER : NPT0050/2: AME : Prosthetics Or								Preliminary Result
1586	4224170603100	"SHOES, ANTI-VARUS, FEATURES: FULL GRAIN COW/CALF LEATHER UPPER, SPLIT COW LEATHER UNING, NON-SUP RUBBER OUTSOLE, HIGH ANKLE, HARD HEEL, DESGNED TO BE USED TO HELP MAINTAIN CORRECTION IN BABIES, WITH CLUBFOOT AND METATARSUS ADDUCTUS THO VELCRO STRAP OR EQUIVALENT, DARK BLUE COLOR, SIZE: 28; MADE ON ANTI VARUS LASTS; 50°FT PADDING AROUND THE COLLAR FOR A BETTER FIT; SPECIAL EXTENDED STREPERENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT; SUFFICIENT TOE-SPRING FOR BASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTEA PADDING AROUND THE ANKLE FOR MOBE COMFORT; SOFT TOMOGUE PADDING TO MOULD THE SHOPE ROUND THE FOOT"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2934-5600-28	Portugal
1587	4224170603200	"SHOES, ANTI-VARUS, FEATURES: FULL GRAIN COW/CLAF LEATHER UPPER, SPUT COW LEATHER LINING, NON-SUR PRIBER OUTSOLE, HICH ANKLE, HARD HELP, DESIGNED TO BE USED TO HELP MAINTAIN CORRECTION IN BABIES, WITH CLUBFOOT AND METATARSUS ADDUCTUS TWO VECRO STRAP OR EQUIVALENT, DARK BLUE COLOR, SZE: 29; MADE ON ANTI VARUS LASTS; 50FT PADDING AROUND THE COLLAR FOR A BETTER FIT; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT; TO SUFFICIENT TOE-SPRING FOR EASY ROIL-OFF; REMOVABLE PROFILED CORK INLAY; HIGHT OR BOX AND STRONG TOE-CAP FOR REDITECTION OF THE TOES; SETENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE PROTISE FOR	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2934-5600-29	Portugal
1588	4224170603300	"SHOES, ANTI-VARUS, FEATURES: FULL GRAIN COW/CALF LEATHER UPPER, SPUT COW LEATHER LUMIN, RON-SUE PRIBER OUTSOLE, HICH ANKLE, HARD HEEL, DESIGNED TO BE USED TO HELP MAINTAIN CORRECTION IN SABIES, WITH CLUBFOOT AND METATARSUS ADDUCTUS TWO VELCRO STRAP OR EQUIVALENT, DARK BLUE COLOR, SIZE: 30, MADE ON ANTI VARUS LASTS, SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER RISCE; EASULY REMOVABLE AND ADAPTABLE (HARD-WARRING) SOLE-UNIT; SUFFICIENT TOE-SPRING FOR EASY ROIL-OFF; REMOVABLE PROFILED CORK NIAX; HIGH TOE BOX AND STRONG TOE-CAP FOR RETOETCH ON THE TOES; EXTENDED FACINGS FOR MAXIMM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT;	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2934-5600-30	Portugal
1589	4224170613200	"SHOES, ANTI-VARUS, FEATURES: FULL GRAIN COW/CALF LEATHER UPPER, SPUT COW LEATHER LINING, NOX-DIF RUBBER OUTSOLE, HIGH ANKEL, HARD HEEL, DESGINED TO BE USED TO HELP MAINTAIN CORRECTION IN A BAIES, WITH CLUBEPOOT AND METATARSUS ADDUCTUS TWO VELCRO STRAP OR EQUIVALENT, DARK BLUE COLOR, SUZE: 31; MADE ON ANTI VARUS LASTS; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT; SUFFICIENT TOES-PRING FOR EASY ROLL-OF; REMOVABLE PROFILED CORK INLAY; HIGH TOE BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMPORT; SOFT TOMOGUE PADDING TO MOULD THE SHOE ROUND THE FOOT"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2934-5600-31	Portugal
1590	4224170613300	"SHOES, ANTI-VARIUS, FEATURES: FULL GRAIN COW/CALF LEATHER UPPER, SPUT COW LEATHER LUMING, NON-SUR PUBBER OUTSOLE, HICH ANKLE, HARD HEEL, DESIGNED TO BE USED TO HELP MAINTAIN CORRECTION IN BABIES, WITH CLUBFOOT AND METATARSUS ADDUCTUS TWO VELCRO STAPP, OR EQUIVALENT, DANK BULLE COLOR, SUZE: 32; MADE ON ANTI VARIUS ASTS; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER RISCE; ESAULY REMOVABLE AND ADAPTABLE (HARD-WARRING) SOLE-UNIT; SUFFICIENT TOE-SPRING FOR EASY ROIL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE BOX AND STRONG TOE-CAP FOR RETOTETION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONSIGE PADDING TO MOULD THE SHOE ENOUND THE FOOT."	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2934-5600-32	Portugal
1591	4224170613400	"SHOES, ANTI-VARUS, FEATURES: FULL GRAIN COW/CALF LEATHER UPPER, SPUT COW LEATHER LUMIN, RON-SUE PRIBER OUTSOLE, HICH ANKLE, HARD HEEL, DESIGNED TO BE USED TO HELP MAINTAIN CORRECTION IN SABIES, WITH CLUBFOOT AND METATARSUS ADDUCTUS TWO VELCRO STRAP OR EQUIVALENT, DARK BLUE COLOR, SIZE: 33; MADE ON ANTI VARUS LASTS; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSCIE; ESAULY REMOVABLE AND ADAPTABLE (HARD-WARRING) SOLE-UNIT; SUFFICIENT TOE-SPRING FOR EASY ROIL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE BOX AND STROMS TOE-CAP FOR RETOETION OF THE TOES; EXTENDED FACINGS FOR MAXIMM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT;	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2934-5600-33	Portugal
1592	4224170613500	"SHOES, ANTI-VARUS, FEATURES: FULL GRAIN COW/CALF LEATHER UPPER, SPUT COW LEATHER LUMIN, RON-SUE PRIBER OUTSOLE, HICH ANKLE, HARD HEEL, DESIGNED TO BE USED TO HELP MAINTAIN CORRECTION IN BABIES, WITH CLUBFOOT AND METATARSUS ADDUCTUS TWO VELCRO STRAP OR EQUIVALENT, DARK BLUE COLOR, SIZE: 34; MADE ON ANTI VARUS LASTS; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER RISCE; ESAULY REMOVABLE AND ADAPTABLE (HARD-WARRING) SOLE-UNIT; SUFFICIENT TOE-SPRING FOR EASY ROIL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE BOX AND STRONG TOE-CAP FOR RETOETCH ON THE TOES; EXTENDED FACINGS FOR MAXIMM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOME TO THOSCUE PADDING TO MOULD THE STOPE COMPONET;	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2934-5600-34	Portugal
1593	4224170613600	"SHOES, ANTI-VARUS, FEATURES: FULL GRAIN COW/CALE LEATHER UPPER, SPUT COW LEATHER LINING, NON-SUR PRIBER OUTSOLE, HICH ANKLE, HARD HEEL, DESIGNED TO BE USED TO HELP MAINTAIN CORRECTION IN SABIES, WITH CLUBFOOT AND METATARSUS ADDUCTUS TWO VELCRO STRAP OR EQUIVALENT, DARK BLUE COLOR, SIZE: 35; MADE ON ANTI VARUS LASTS, SOFT PADDING AROUND THE COLIAR FOR A BETTER FIT; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD WARRING) SOLE-UNIT; SUFFICIENT TOE-SPRING FOR EASY ROIL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE BOX AND STRONG TOE-CAP FOR RETOETION OF THE TOES; EXTENDED FACINGS FOR MAXIMM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOME TO TONGUE PADDING TO MOULD THE SHOE POLITO THE FOOT	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2934-5600-35	Portugal
1594	4224170628900	"SHOES, DIABETIC, SPECIFICATION, SOFT LEATHER WITH HAVANA TYPE, WITH VELCRO FASTENING SHOWN IN ALABASTER LEATHER, VELCRO OR EQUIVALENT, FEMALE, LAST SIZE UT 10; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDES OA S NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES AP PRESSURE:FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA BOOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOE LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND ROUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE FORMS TO	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3684-1600=10	Portugal
1595	4224170629200	"SHOES, DIABETIC, SPECIFICATION, SOFT LEATHER WITH HAVANA TYPE, WITH VELCRO FASTENING SHOWN IN ALABASTER LEATHER, VECKO OR EQUIVALENT, FEMALE, LATS YISE UK 6, PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO A NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT ; EXTRA DEPTH DESIGN THAT PROVIDES AR PRESSURE.FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA BOOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOE LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND ROUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE CONFORM TO THE	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3684-1600=6	Portugal
1596	4224170629000	"SHOES, DIABETIC, SPECIFICATION, SOFT LEATHER WITH HAVANA TYPE, WITH VELCRO FASTENING SHOWN IN A LABASTER LEATHER, VELCRO OR EQUIVALENT, FEMALE, LAST SIZE UK 7, PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRIDLE SO AS NOT TO CAUSE IRRITATION, NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE FER TAND CAN ACOMMODATE THICK ORTHOTIC INSERT; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWIGHT, CUSHIONING SOLES THAT ACULTATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE SHORE SONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3684-1600=7	Portugal
1597	4224170629100	"SHOES, DIABETIC, SPECIFICATION, SOFT LEATHER WITH HAVANA TYPE, WITH VELCRO FASTENING SHOWN IN ALABASTER LEATHER, VELCRO OR EQUIVALENT, FEMALE, LAST SIZE UK 8; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE FOR THE FOOT; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE FER FI AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT; STRETCHABLE UPPERS; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3684-1600=8	Portugal

1598	4224170629300	"SHOES, DIABETIC, SPECIFICATION, SOFT LEATHER WITH HAVANA TYPE, WITH VELCRO REATENING SHOWN IN A LABASTER LEATHER, VELCRO OR EQUIVALENT, FEMALE, LAST SIZE UK 9, PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND SITTCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION, NON-BINDING UPPERS THAT ENSURE THAT THENSE IS NO PRESSURE ON THE FOOT, EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOSI SIGNIFICATION OF THE STATE	ITEMIZED	Pair	400571	AL Gaim Comm. Est - Orig-	Piedro International B.V. (Foot-Facts Ld	3684-1600=9	Portugal
1599	4224170107900	"SHOES, MADE FOR THE ROSITIONING OF ORTHOTIC DEVICES, THEY ARE COMMONIX USED IN PARTICULAR FOR CHILDREN AFFECTED FROM SPINA BIRIDA, HEMIPLEGIA, AND NEURO- MUSCULAR PATHOLOGIES, SPECIFICALLY RELATED TO CHILDHOOD, SIZE 24; MADE FROM COW/CALF LEATHER; ACCOMMODATES STOCK AND CUSTOM AFO; SOFT ADDINING; EXTENDED HELE STIFFENERS; FULL ELATHER ICAL TINSOLE; IJGHTWIGHT SOLE; ANNT-SLIP FULL RUBBER SOLE; HIGH TOE BOX; STRONG TOE-CAP; EXTENDED OPENINGS; SOFT TONGUE; MADE ON SPECIALIST FOOTWEAR LAST.	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3803-5665=24	Portugal
1600	4224170108000	"SHOES, MADE FOR THE POSITIONING OF ORTHOTIC DEVICES, THEY ARE COMMONIV USED IN PARTICULAR FOR CHILDREN FEFCTOE FROM SPINA BIRIDA, HEMPIEGIA, AND NEIGHO. MUSCULAR PATHOLOGIES, SPECIFICALLY RELATED TO CHILDHOOD, SIZE 26; MADE FROM COW/CALF LEATHER; ACCOMMODATES STOCK AND CUSTOM AFO; SOFT PADDING; EXTENDED HEEL STIFFENERS; FULL LEATHER HALT INSOLE; LIGHTWEIGHT SOLE; ANTI-SUP FULL RUBBER SOLE; HIGH TOE BOX; STRONG TOE-CAP; EXTENDED DEPRINING; SOFT TONGUE; MADE ON SPECIALIST FOOTWEAR LAST	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3803-5665=26	Portugal
1601	4224170108100	"SHOES, MADE FOR THE POSITIONING OF ORTHOTIC DEVICES, THEY ARE COMMONIV USED IN PARTICULAR FOR CHILDREN FRETCET FROM SPINA BIRIDA, HEIMPIEGIA, AND NEURON MUSCULAR PATHOLOGIES, SPECIFICALLY RELATED TO CHILDHOOD, SIZE 28; MADE FROM COW/CALF LEATHER; ACCOMMODATES STOCK AND CUSTOM AFO; SOFT PADDING; EXTENDED HEEL STIFFENERS; FULL LEATHER FLAT INSOLE; LIGHTWEIGHT SOLE; AMIT-SUP FULL RUBBER SOLE; HIGH TOE BOX; STRONG TOE-CAP; EXTENDED DEPRININGS; SOFT TONGUE; MADE ON SPECIALIST FOOTWEAR LAST!	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3803-5665=28	Portugal
1602	4224170108200	"SHOES, MADE FOR THE POSITIONING OF ORTHOTIC DEVICES, THEY ARE COMMONIV USED IN PARTICULAR FOR CHILDREN FRECTEOF ROMS PHINA BIRIDA, HEIMPLEGIA, AND NEURON MUSCULAR PATHOLOGIES, SPECIFICALLY RELATED TO CHILDHOOD, SUZ 30; MADE FROM COW/CLAF LEATHER; ACCOMMODATES STOCK AND CUSTOM AFO; SOFT PADDING; EXTENDED HELS SHIFFENERS; FULL LEATHER FLAT INSOLE; LIGHTWEIGHT SOLE; ANHT-SUP FULL RUBBER SOLE; HIGH TOE BOX; STRONG TOE-CAP; EXTENDED DEPRININGS; SOFT TONGUE; MADE ON SPECIALIST FOOTWEAR LAST!	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3803-5665=30	Portugal
1603	4224170108300	"SHOES, MADE FOR THE POSITIONING OF ORTHOTIC DEVICES, THEY ARE COMMONIV USED IN PARTICULAR FOR CHILDREN FRECTIOE FROM SPINA BIRIDA, HEINIFEGIA, AND NEURON MUSCULAR PATHOLOGIES, SPECIFICALLY RELATED TO CHILDHOOD, SUZE 32; MADE FROM COW/CLAF LEATHER; ACCOMMODATES STOCK AND CUSTOM AFO; SOFT PADDING; EXTENDED HEEL STIFFENERS; FULL LEATHER FLAT INSOLE; LIGHTWEIGHT SOLE; ANTI-SUP FULL RUBBER SOLE; HIGH TOE BOX; STRONG TOE-CAP; EXTENDED D'PENINGS; SOFT TONGUE; MADE ON SPECIALIST FOOTWEAR LAST	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3803-5665=32	Portugal
1604	4224170108400	"SHOES, MADE FOR THE POSITIONING OF ORTHOTIC DEVICES, THEY ARE COMMONLY USED IN PARTICULAR FOR CHILDREN REPECTED FROM SPINA BIRIDA, HEIMPIEGIA, AND NEURON MUSCULAR PATHOLOGIES, SPECIFICALLY RELATED TO CHILDHOOD, SIZE 34; MADE FROM COW/CAT LEATHER: ACCOMMONDATES STOCK AND CUSTOM AFG. SOFT PADDING; EXTENDED HEEL STIFFENERS; FULL LEATHER FLAT INSOLE; LIGHTIMEGIGIT SOLE; ANTI-SLIP FULL RUBBER SOLE; HIGH TOE BOX; STRONG TOE-CAP; EXTENDED OPENINGS; SOFT TONSUE; MADE ON SPECIALIST FOOTWARE MEST!	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3803-5665=34	Portugal
1605	4224170108500	"SHOES, MADE FOR THE POSITIONING OF ORTHOTIC DEVICES, THEY ARE COMMONIV USED IN PARTICULAR FOR CHILDREN FRETCHE FROM SPINA BIRIDA, HEIMPIEGIA, AND NEURON MUSCULAR PATHOLOGIES, SPECIFICALLY RELATED TO CHILDHOOD, SUZ 36; MADE FROM COW/CLAF LEATHER; ACCOMMODATES STOCK AND CUSTOM AFO; SOFT PADDING; EXTENDED HEEL SHIFFENERS; FULL LEATHER HAT INSOLE; LIGHTWEIGHT SOLE; ANHT-SUP FULL RUBBER SOLE; HIGH TOE BOX; STRONG TOE-CAP; EXTENDED DEPRININGS; SOFT TONGUE; MADE ON SPECIALIST FOOTWEAR LAST!	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3803-5665=36	Portugal
1606	4224170108600	"SHOES, MADE FOR THE POSTITIONING OF ORTHOTIC DEVICES, THEY ARE COMMONLY USED IN PARTICULAR FOR CHILDREN FRETCHE FROM SPINA BIRIDA, HEIMPIEGIA, AND NEUED IN MUSCULAR PATHOLOGIES, SPECIFICALLY RELATED TO CHILDHOOD, SIZE 38; MADE FROM COW/CATE LEATHER; ACCOMMONDATES STOCK AND CUSTOM AFG; SOFT PADDING; EXTENDED HEEL STIFFENERS; FULL LEATHER FLAT INSOLE; LIGHTWEIGHT SOLE; ANTI-SLIP FULL RUBBER SOLE; HIGH TOE BOX; STRONG TOE-CAP; EXTENDED OPENINGS; SOFT TONGUE; MADE ON SPECIALIST FOOTWEAR LAST"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3803-5665=38	Portugal
1607	4224170111500	"SHOES, MADE FOR THE POSITIONING OF ORTHOTIC DEVICES, THEY ARE COMMONLY USED IN PARTICULAR FOR CHILDREN FRETCET FROM SPINA BIRIDA, HEIMPIEGIA, AND NEURON- MUSCULAR PATHOLOGIES, SPECIFICALLY RELATED TO CHILDHOOD, SIZE 40; MADE FROM COW/CALF LEATHER; ACCOMMODATES STOCK AND CUSTOM AFO; SOFT PADDING; EXTENDED HEEL STIFFENERS; FULL LEATHER FLAT INSOLE; LIGHTWEIGHT SOLE; AMIT-SUP FULL RUBBER SOLE; HIGH TOE BOX; STRONG TOE-CAP; EXTENDED DEPRININGS; SOFT TONGUE; MADE ON SPECIALIST FOOTWEAR LAST!	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3803-5665=40	Portugal
1607	4224170111500	"SHOES, MADE FOR THE POSITIONING OF ORTHOTIC DEVICES, THEY ARE COMMONLY USED IN PARTICULAR FOR CHILDREN FAFECTOE FROM SPINA BIRIDA, HEIMPIEGIA, AND NEURON MUSCULAR PATHOLOGIES, SPECIFICALLY RELATED TO CHILDHOOD, SIZE 40; MADE FROM COW/CALF LEATHER; ACCOMMODATES STOCK AND CUSTOM AFO; SOFT PADDING; EXTENDED HEEL STIFFENERS; FULL LEATHER HALT INSOLE; LIGHTWEIGHT SOLE; AMTI-SUP FULL RUBBER SOLE; HIGH TOE BOX; STRONG TOE-CAP; EXTENDED DEPRINING; SOFT TONGUE; MADE ON SPECIALIST FOOTWEAR LAST"	ITEMIZED	Pair	400050	AI-EWAN MEDICAL COMPANY -Orig-	EMO	M871V	Spain
1608	4224170111600	"SHOES, MADE FOR THE POSITIONING OF ORTHOTIC DEVICES, THEY ARE COMMONIV USED IN PARTICULAR FOR CHILDREN FRETCHE FROM SPINA BIRIDA, HEIMPIEGIA, AND NEURON MUSCULAR PATHOLOGIES, SPECIFICALLY RELATED TO CHILDHOOD, SUZE 42; MADE FROM COW/CLAF LEATHER; ACCOMMODATES STOCK AND CUSTOM AFO; SOFT PADDING; EXTENDED HELS SHIFFENERS; FULL LEATHER FLAT INSOLE; LIGHTWEIGHT SOLE; ANHI-SLIP FULL RUBBER SOLE; HIGH TOE BOX; STRONG TOE-CAP; EXTENDED DEPRININGS; SOFT TONGUE; MADE ON SPECIALIST FOOTWEAR LAST"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	3803-5665=42	Portugal
1608	4224170111600	"SHOES, MADE FOR THE POSITIONING OF ORTHOTIC DEVICES, THEY ARE COMMONIV USED IN PARTICULAR FOR CHILDREN FRETCHE FROM SPINA BIRIDA, HEMPILEGIA, AND NEIDEO, MUSCULAR PATHOLOGIES, SPECIFICALLY RELATED TO CHILDHOOD, SIZE 42; MADE FROM COVICALF LEATHER; ACCOMMODATES STOCK AND CUSTOM AFO; SOFT PADDING; EXTENDED HEEL STIFFENERS; FULL LEATHER HEAT INSOLE; LIGHTWEIGHT SOLE; ANTH-SUP FULL RUBBER SOLE; HIGH TOE BOX; STRONG TOE-CAP; EXTENDED OPENINGS; SOFT TONGUE; MADE ON SPECIALIST FOOTWEAR LAST.	ITEMIZED	Pair	400050	AI-EWAN MEDICAL COMPANY -Orig-	EMO	M871V	Spain
1609	4224170106800	"SHOES, ORTHOPEDIC, RED AND BLACK OR AS REQUESTED, SIZE 29; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG STIFERER TO SUPPORT THE ANKE; FLUIG GRAIN EATHER INSOLE; FASILY KEMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT; SUPFICIENT TOE-SPRING FOR EASY ROLL-OF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-50X AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMPORT; SOFT TOMOUR PADDING TO MOULD THE SHOR EN GUIND THE FOOT; FIRM HEEL COUNTER; APPROXIMATELY 125MM IN HEIGHT"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2249-4000-29	Portugal
1610	4224170106100	"SHOES, ORTHOPEDIC, RED AND BLACK, OR AS REQUESTED, SIZE 22; SOFT PADDING AROUND THE COLLAR FOR A BETTER RIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE ; PLUL GRANIL RATHER INSOLE; EASILY REMOVABLE AND ADAPTRALE (HARD-WEARING) SOLE-UNIT; SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROFICTION OF THE TOES; EXTENDED FACES FOR THE ANALE FOR MORE COMFORT; SOFT TONGUE PADDING TO STRAND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO THE TOP TOT; FIRM HEEL COUNTER; APPROXIMATELY 125MM IN HEIGHT"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2249-4000-22	Portugal
1611	4224170106200	"SHOES, ORTHOPEDIC, RED AND BLACK, OR AS REQUESTED, SIZE 23; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT; SUPFICIENT TOE-SPRING FOR EASY ROLL-OF; REMOVABLE PROPILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; FIRM HEEL COUNTER; APPROXIMATELY 125MM IN HEIGHT"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2249-4000-23	Portugal
1612	4224170106300	"SHOES, ORTHOPEDIC, RED AND BLACK, OR AS REQUESTED, SIZE 24; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE UNIT; SUFFICIENT TOE-SPRING FOR EASY ROLL-OF; REMOVABLE PROPIED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMPORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; FIRM HEEL COUNTER; APPROXIMATELY 125MM IN HEIGHT"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2249-4000-24	Portugal

TENDER NA	AME : Prosthetics Ort	hosis Supplies							
1613	4224170106400	"SHOES, ORTHOPEDIC, RED AND BLACK, OR AS REQUESTED, SIZE 25; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANNE. FULL GRAIN LEATHER INSOE; E SALIV REMOVABLE AND ADAPTABLE HARD-WEARING] SOLE-UNIT; SUFFICIENT TOE SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; MIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FANDS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; FIRM HEEL COUNTER; APPROXIMATELY 125MM IN HEIGHT"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2249-4000-25	Portugal
1614	4224170106500	"SHOES, ORTHOPEDIC, RED AND BLACK, OR AS REQUESTED, SIZE 26; SOFT PADDING AROUND THE COLLAR FOR A BETTER RIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE FULL GRANL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTRALE HARD-WEARING] SOLE-UNIT; SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROPILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACED SORTIONS FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT; FRM HEEL COUNTER; APPROXIMATELY 12SMM IN HEIGHT"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2249-4000-26	Portugal
1615	4224170106600	"SHOES, ORTHOPEDIC, RED AND BLACK, OR AS REQUESTED, SIZE 27; SOFT PADDING AROUND THE COLLAR FOR A BETTER RIT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE ; PLUL GRANL LAATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT; SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES; EXTENDED FACES FOR MAXIMUM ACCESSIBILITY; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO MOUDT THE FOOT; FIRM HEEL COUNTER; APPROXIMATELY 125MM IN HEIGHT"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2249-4000-27	Portugal
1616	4224170106700	SHOES, ORTHOPEDIC, RED AND BLACK, OR AS REQUESTED, SIZE 28; SOFT PADDING AROUND THE COLLAR FOR A BETTER HT; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE ; PLUL GRANL LAATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT; SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; REMOVABLE PROFILED CORK INLAY; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROFICTION OF THE TOES; EXTENDED FACED FOR STORE STORE STATEMED FOR THE ANKLE FOR MORE COMFORT; SOFT TONGUE PADDING TO STATE A PADDING TO THE FOOT; FIRM HEEL COUNTER; APPROXIMATELY 125MM IN HEIGHT	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2249-4000-28	Portugal
1617	4224170909100	"SHOES, SURGICAL (HALF BOOT), LACE TO TOE FULL GRAIN COW/CALF LEATHER UPPER, CALF LEATHER LINING AND FULL GRAIN COW/CALF LEATHER INSOLE, RIBBRE OUTSOLE, STICL DOWN CONSTRUCTION, HEEL AND RIGID SHANK, REINFORCED TOE BOX AND COUNTER, TWO VELCRO STRAP CLOSMES, IZEE 18, BLACCOLOR; SOET PADIONG AROUND HEEL CLUFFS; A HIGH AND EXTRA-LONG STIFFENER TO SUPPORT ANKLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE COK INLAY; SOFT TONGUE TO ASSIST SHOE FIT	ITEMIZED	Pair	400792	massas al-watania for medical servi - Orig-	JIANXING	911855MS-18	China
1617	4224170909100	"SHOES, SURGICAL (HALF BOOT), LACE TO TOE FULL GRAIN COW/CALF LEATHER UPPER, CALF LEATHER INININE AND FULL GRAIN COW/CALF LEATHER INSOLE, RUBBER OUTSOLE, STICH DOWN CONSTRUCTION, HEEL AND RIGID SHANK, REINFORCED TOE BOX AND COUNTER, TWO VELCRO STRAP CLOSURE, SIZE 18, BLACK COLOR; SOFT PADIONG AROUND HELE CLUFFS; A HIGH AND EXTRA-LONG STIFFENER TO SUPPORT ANKLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; SOFT TONGUE TO ASSIST SHOE ETI"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2808-9800=18	Portugal
1618	4224170903000	SHOES, SURGICAL (HALF BOOT), LACE TO TOE FULL GRAIN COW/CALF LEATHER UPPER, CALF- LEATHER LINING AND FULL GRAIN COW/CALF LEATHER INSOLE, RUBBER OUTSOLE, STITCH DOWN COMSTRUCTION, HEEL AND RIGIO SHAME, REINFORCED TOE BOX AND COUNTER, TWO VELCRO STRAP CLOSURE, SIZE 19, BLACK COLOR; SOFT PADDING AROUND HELE CUPFS; A HIGH AND EXTRA-LONG STIFFENER TO SUPPORT ANKLE; JEASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; SOFT TONGUE TO ASSIST SHOE FET	ITEMIZED	Pair	400792	massas al-watania for medical servi - Orig-	JIANXING	911855MS-19	China
1618	4224170903000	"SHOES, SURGICAL (HALF BOOT), LACE TO TOE FULL GRAIN COW/CALF LEATHER UPPER, CALF LEATHER INIME AND FULL GRAIN COW/CALF LEATHER INSOLE, RUBBER OUTSOLE, STICH DOWN CONSTRUCTION, HEEL AND RIGID SHANK, REINFORCED TOE BOX AND COUNTER, TWO VELCRO STRAP CLOSURE, SIZE 19, BLACK COLOR; SOFT PADIONG AROUND HEEL CLIFFS; A HIGH AND EXTRA-LONG STIFFENER TO SUPPORT ANKLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; SOFT TONGUE TO ASSIST SHOE FIT	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2808-9800=19	Portugal
1619	4224170903100	"SHOES, SURGICAL (HALF BOOT), LACE TO TOE FULL GRAIN COW/CALF LEATHER UPPER, CALF LEATHER LINING AND FULL GRAIN COW/CALF LEATHER INSDEL, RUBBER OUTSOLE, STTCH DOWN CONSTRUCTION, HEEL AND RIGID SHANK, REINFORCED TOE BOX AND COUNTER, TWO VELCRO STRAP CLOSURE, SUZE 20, BLACK COLOR; SOFT PADDING AROUND HELE CUPFS; A HIGH AND EXTRA-LONG STEPENER TO SUPPORT ANKLE; JEASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; SOFT TONGUE TO ASSIST SHOE FLOW.	ITEMIZED	Pair	400792	massas al-watania for medical servi - Orig-	JIANXING	911855MS-20	China
1619	4224170903100	"SHOES, SURGICAL (HALF BOOT), LACE TO TOE FULL GRAIN COW/CALF LEATHER UPPER, CALF LEATHER LINING AND FULL GRAIN COW/CALF LEATHER INSOLE, RUBBER OUTSOLE, STTCH DOWN COMSTRUCTION, HEEL AND RIGID SHANK, REINFORCED TOE BOX AND COUNTER, TWO VELCRO STRAP CLOSURE, SIZE 20, BLACK COLOR; SOFT PADIONG AROUND HELE CUPFS; A HIGH AND EXTRA-LONG STEPHENER TO SUPPORT ANKLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE ORK INLAY; SOFT TONGUE TO ASSIST SHOED RETIT	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2808-9800=20	Portugal
1620	4224170903200	"SHOES, SURGICAL (HALF BOOT), LACE TO TOE FULL GRAIN COW/CALF LEATHER UPPER, CALF LEATHER INININE AND FULL GRAIN COW/CALF LEATHER INSOLE, RUBBER OUTSOLE, STICH DOWN CONSTRUCTION, HEEL AND RIGID SHANK, REINFORCED TOE BOX AND COUNTER, TWO VELEKO STRAP CLOSURE, SIZE 21, BLACK COLOR ALSO; SOFT FADDING AROUND HEEL CUFFS; A HIGH AND EXTRA-LONG STIFFENER TO SUPPORT ANKLE; FASULY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; SOFT TONGUE TO ASSIST SHOE ETT	ITEMIZED	Pair	400792	massas al-watania for medical servi - Orig-	JIANXING	911855MS-21	China
1620	4224170903200	"SHOES, SURGICAL (HALF BOOT), LACE TO TOE FULL GRAIN COW/CALF LEATHER UPPER, CALF LEATHER LINING AND FULL GRAIN COW/CALF LEATHER INSOLE, RUBBER OUTSOLE, STICL DOWN CONSTRUCTION, HEEL AND RIGID SHANK, REINFORCED TOE BOX AND COUNTER, TWO VELEKO STRAP CLOSURE, SIZE 21, BLACK COLOR ALSO; SOFT FADDING AROUND HEEL CUFFS; A HIGH AND EXTRA-LONG STIFFENER TO SUPPORT ANKLE; FASULY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; SOFT TONGUE TO ASSIST SHOED FIT	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2808-9800=21	Portugal
1621	4224170903300	"SHOES, SURGICAL (HALF BOOT), LACE TO TO E FULL GRAIN COW/CALF LEATHER UPPER, CALF LEATHER INIME AND FULL GRAIN COW/CALF LEATHER INSOLE, RUBBER OUTSOLE, STICL DOWN CONSTRUCTION, HEEL AND RIGID SHANK, REINFORCED TOE BOX AND COUNTER, TWO VELEKO STRAP CLOSURE, 5½E 22, BLACK COLOR ALSO; 50°T ADDIMIS AROUND HEEL CUFFS; A HIGH AND EXTRA-LONG STIFFENER TO SUPPORT ATMIKE; FASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; SOFT TONGUE TO ASSIST SHOE ETT	ITEMIZED	Pair	400792	massas al-watania for medical servi - Orig-	JIANXING	911855MS-22	China
1621	4224170903300	"SHOES, SURGICAL (HALF BOOT), LACE TO TOE FULL GRAIN COW/CALF LEATHER UPPER, CALF LEATHER INIME AND FULL GRAIN COW/CALF LEATHER INSOLE, RUBBER OUTSOLE, STICL DOWN CONSTRUCTION, HEEL AND RIGID SHANK, REINFORCED TOE BOX AND COUNTER, TWO VELCKO STRAP CLOSURE, SIZE 22, BLACK COLOR ALSO; SOFT ADDING AROUND HEEL CUFFS; A HIGH AND EXTRA-LONG STIFFENER TO SUPPORT ATANKE; FASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; SOFT TONGUE TO ASSIST SHOEL FIT	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2808-9800=22	Portugal
1622	4224170903400	"SHOES, SURGICAL (HALF BOOT), LACE TO TOE FULL GRAIN COW/CALF LEATHER UPPER, CALF LEATHER INIME AND FULL GRAIN COW/CALF LEATHER INSOLE, RUBBER OUTSOLE, STICH DOWN CONSTRUCTION, HEEL AND RIGID SHANK, REINFORCED TOE BOX AND COUNTER, TWO VELCRO STRAP CLOSURE, SIZE 23, BLACK COLOR; SOFT PADIONG AROUND HEEL CUFFS; A HIGH AND EXTRA-LONG STIFENER TO SUPPORT ANKLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE ORK INLAY; SOFT TONGUE TO ASSIST SHOEL STIFENER AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE FOR INTERPRETABLE SOLE-UNIT; GOOD TOE SPRING; REMOVED TOE STRANG FOR INTERPRETABLE SOLE-UNIT; GOOD TOE SPRING; REMOVED TOE STRANG FOR INTERPRETABLE SOLE-UNIT, GOOD TOE SPRING; REMOVED TOE STRANG FOR INTERPRETABLE SOLE-UNIT, GOOD TOE SPRING.	ITEMIZED	Pair	400792	massas al-watania for medical servi - Orig-	JIANXING	911855MS-23	China
1622	4224170903400	"SHOES, SURGICAL (HALE BOOT), LACE TO TOE FULL GRAIN COW/CALE LEATHER UPPER, CALE LEATHER LINING AND FULL GRAIN COW/CALE LEATHER INSOLE, RUBBER OUTSOLE, STITL DOWN CONSTRUCTION, HEEL AND RIGID SHANK, REINFORCED TOE BOX AND COUNTER, TWO VELCRO STRAP CLOSURE, SIZE 23, BLACK COLOR; SOFT PADIONG AROUND HEEL CLIFFS; A HIGH AND EXTRA-LONG STIFENER TO SUPPORT ANKLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE FOR KINLAY; SOFT TONGUE TO ASSIST SHOEL STITL ASSIST SHOEL STITL ASSIST SHOEL STITL STITL ASSIST SHOEL STITL	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2808-9800=23	Portugal
1623	4224170903500	SHOES, SURGICAL (HALF BOOT), LACE TO TOE FULL GRAIN COW/CALF LEATHER UPPER, CALF LEATHER LINING AND FULL GRAIN COW/CALF LEATHER INSOLE, RUBBER OUTSOLE, STITCH DOWN COMSTRUCTION, HEEL AND RIGID SHAMN, REINFORCED TOE BOX AND COUNTER, TWO VELCRO STRAP CLOSURE, SIZE 39, BLACK COLOR; SOFT PADIONG AROUND HELE CUPPES; A HIGH AND EXTRA-LIONS STREMENT OS SUPPORT ANKLE; EASILY REINFOXBLE FAND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE FOR KINLAY; SOFT TONGUE TO ASSIST SHOED FOR KINLAY; SOFT TONGUE TO	ITEMIZED	Pair	400792	massas al-watania for medical servi - Orig-	JIANXING	911855MS-39	China

	JMBER : NPT0050/2: AME : Prosthetics Or								Preliminary Re
1623	4224170903500	"SHOES, SURGICAL (HALF BOOT), LACE TO TOE FULL GRAIN COW/CALF LEATHER UPPER, CALF LEATHER LINING AND FULL GRAIN COW/CALF LEATHER INSOLE, RUBBER OUTSOLE, STITCH DOWN CONSTRUCTION, HELL AND RIGID SHANK, REINFORCED TOE BOX AND COUNTER, TWO VELCRO STRAC CLOSURE, SIZE 39, BLACK COLOR, SOFT PADDING AROUND HELE CUPFS; A HIGH AND EXTRA-LONG STIFFENER TO SUPPORT ANKE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; SOFT TONGUE TO ASSIST SHOE FIT"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2808-9800=39	Portugal
1624	4224170903600	"SHOES, SURGICAL (HALF BOOT), LACE TO TOE FULL GRAIN COW/CALF LEATHER UPPER, CALF LEATHER LINING AND FULL GRAIN COW/CALF LEATHER INSOLE, RUBBER OUTSOLE, STITCH DOWN CONSTRUCTION, HELL AND RIGIO SHANK, REINFORCED TOE BOX, AND COUNTER, TWO VELCRO STRAP CLOSURE, SIZE 42, BLACK COLOR; SOFT PADDING AROUND HEEL CUFFS; A HIGH AND EXTRA-LONG STIFFENER TO SUPPORT ANKLE; EASILY REMOVABLE AND ADAPITABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; SOFT TONGUE TO ASSIST SHOFE FIT"	ITEMIZED	Pair	400792	massas al-watania for medical servi - Orig-	JIANXING	911855MS-42	China
1624	4224170903600	"SHOES, SURGICAL (HAIP BOOT), LACE TO TOE FULL GRAIN COW/CALF LEATHER UPPER, CALF LEATHER LINING AND FULL GRAIN COW/CALF EATHER NOSIC, FURBER OUTSOLS, STITCH DOWN CONSTRUCTION, HEEL AND RIGID SHANK, REINFORCED TOE BOX AND COUNTER, TWO VELCRO STRAP CLOSURE, SIZE 42, BLACK COLOR; SOFT PADDING AROUND HEEL CUFFS; A HIGH AND EXTRA-LOMS STIFFENERT TO SUPPORT ANKLE; EASILY REMOVABLE ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; SOFT TONGUE TO ASSIST SHOFE FIT"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2808-9800=42	Portugal
1625	4224170903700	"SHOES, SURGICAL (HALF BOOT), LACE TO TOE FULL GRAIN COW/CALF LEATHER UPPER, CALF LEATHER LINING AND FULL GRAIN COW/CALF LEATHER NISOLE, RUBBER OUTSOLE, STITCH DOWN CONSTRUCTION, HELE AND RIGIO SHAND, REINORGEE DTOE BOX AND COUNTRET, TWO VELCEO STRAP CLOSURE, SIZE 43, BLACK COLOR; SOFT PADDING ABOUND HEEL CUFFS; A HIGH AND EXTRA-LOWS STREPERENT TO SUPPORT ARNLE; E, SEALIY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; SOFT TONGUE TO ASSIST SHOFE FIT"	ITEMIZED	Pair	400792	massas al-watania for medical servi - Orig-	JIANXING	911855MS-43	China
1625	4224170903700	"SHOES, SURGICAL (HALF BOOT), LACE TO TOE FULL GRAIN COW/CALF LEATHER UPPER, CALF LEATHER LINING AND FULL GRAIN COW/CALF LEATHER INSOLE, RUBBER OUTSOLE, SITUE DOWN CONSTRUCTION, HELE AND RIGID SHANK, RENFORCED TOE BOX AND COUNTER, TWO VELKO STRAP CLOSURE, SIZE 43, BLACK COLOR; SOFT PADDING ABOUND HEEL CUFFS; A HIGH AND EXTRA-LOWS STIFFENER TO SUPPORT ANKLE; SASIV SEMDWARD ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; SOFT TONGUE TO ASSIST SHOFE FIT"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2808-9800=43	Portugal
1626	4224170903800	"SHOES, SURGICAL (HALF BOOT), LACE TO TOE FULL GRAIN COW/CALF LEATHER UPPER, CALF LEATHER LINING AND FULL GRAIN COW/CALF LEATHER RISOLE, RUBBER DUTSOLE, STITCH DOWN CONSTRUCTION, HELE AND RIGIO SHANNE, REINFORCED TOE BOX AND COUNTRE, TWO VELKO STRAP CLOSURE, SIZE 44, BLACK COLOR; SOFT PADDING AROUND HEEL CUFFS; A HIGH AND EXTRA-LIONS STIFFENERT TO SUPPORT ANKLE; SEASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; SOFT TONGUE TO ASSIST SHOFE FIT"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2808-9800=44	Portugal
1627	4224170903900	"SHOES, SURGICAL (HALF BOOT), LACE TO TOE FULL GRAIN COW/CALF LEATHER UPPER, CALF LEATHER UNING AND FULL GRAIN COW/CALF LEATHER INSOLE, RUBBER OUTSOLE, SITTCH DOWN CONSTRUCTION, HEEL AND RIGID SHANK, REINFORCED TOE BOX AND COUNTER, TWO VELCRO STRAP CLOSURE, SIZE 45, BLACK COLOR; SOFT PADDING AROUND HEEL CUFFS; A HIGH AND EXTRA-LONG STIFFENER TO SUPPORT ANKE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; SOFT TONGUE TO ASSIGT SHOE FIT"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2808-9800=45	Portugal
1628	4224170904000	"SHOES, SURGICAL (HALF BOOT), LACE TO TOE FULL GRAIN COW/CALF LEATHER UPPER, CALF LEATHER LINING AND FULL GRAIN COW/CALF LEATHER INSOLE, RUBBER OUTSOLE, SITUE DOWN CONSTRUCTION, HELE AND RIGID SHANK, RENFORCED TOE BOX AND COUNTER, TWO VELKO STRAP CLOSURE, SIZE 46, BLACK COLOR; 5:OFT PADDING ABOUND HEEL CUFFS; A HIGH AND EXTRA-LOWS STIFFENER TO SUPPORT ANKLE; 5:ASIXI YERMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; SOFT TONGUE TO ASSIST SHOFE FIT	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2808-9800=46	Portugal
1629	4224170902000	"SHOES, SURGICAL (HALF BOOT), LACE TO TOE FULL GRAIN COW/CALF LEATHER UPPER, CALF LEATHER LINING AND FULL GRAIN COW/CALF LEATHER INSOLE, RUBBER OUTSOLE, STITCH DOWN CONSTRUCTION, HEEL AND RIGID SHANK, REINFORCED TOE BOX AND COUNTER, TWO VELKO STRAP CLOSURE, SIZE 40, BLACK COLOR; SOFT PADDING AROUND HEEL CUFFS; A HIGH AND EXTRA-LOWS STIFFENER TO SUPPORT ANKLE; SEASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; SOFT TONGUE TO ASSIST SHOFE FIT"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2808-9800=40	Portugal
1630	4224170904100	"SHOES, SURGICAL (HAIF BOOT), LACE TO TOE FULL GRAIN COW/CALF LEATHER UPPER, CALF LEATHER LUNING AND FULL GRAIN COW/CALF EATHER INSOLE, RUBBER OUTSOLE, STITCH DOWN CONSTRUCTION, HEEL AND RIGIO SHANK, REINFORCED TOE BOX AND COUNTER, TWO VELCRO STRAP CLOSURE, SIZE 41, BLACK COLOR; SOFT PADDING AROUND HEEL CUFFS; A HIGH AND EXTRA-LOMS STIFFENER TO SUPPORT ANNLE; EASILY REMOVABLE VIDEN AD ADAPITABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; SOFT TONGUE TO ASSIST SHOPE FIT!	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2808-9800=41	Portugal
1631	4224171316300	SHOULDER JOINT FREE SWING MOVEMENT, FOR FUNCTION IN COMBINATION WITH HIGH TECH COMPONENTS, LEFT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	12S6=L	Germany
1632	4224171316400	SHOULDER JOINT FREE SWING MOVEMENT, FOR FUNCTION IN COMBINATION WITH HIGH TECH COMPONENTS, RIGHT	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	12S6=R	Germany
1633	4224200015600	SHUTTLE LOCK, PLASTIC, LIGHTWEIGHT IS WATER-RESISTANT EASY TO UNLOCK RATCHET UNIT EVEN UNDER TENSIE LODA, LOCKING IS CONTINUOUSLY VARIABLE SO THAT "CLICKING NOISES" DO NOT OCCUR WHEN WALKING, CONTINUOUSLY VARIABLE LOCKING MECHANISM FOR SECURE SUPPORT, LOCK HAS NO WEIGHT LIMIT AND IS EMBEDDED DIRECTLY IN THE SOCKET, IT IS USED WITH LINERS HAUNG A DISTAL CONNECTION FOR LIGHTWEIGHT PLASTIC HOUSING, THEREFORE SUITABLE FOR USE IN BATHING PROSTHESIS	ITEMIZED	SET	400468	ALMAFSAL MEDICAL CO -Orig-	S T AND G	3170/3140MP	South Kore
1634	4224200015700	SHUTTLE LOCK, WITH SERRATED PIN CARTIER, ALUMINUM HOUSING, EASY TO UNLOCK, RATCHET UNIT EVEN UNDER TENSILE LOAD, CONTINUOUSLY VARIABLE LOCKING MECHANISM FOR SECURE SUPPORT, ADJUSTABLE, ENGAGES SILENTLY, OR AUDIBLY	ITEMIZED	SET	400468	ALMAFSAL MEDICAL CO -Orig-	S T AND G	3130(p)	South Kore
1634	4224200015700	SHUTTLE LOCK, WITH SERRATED PIN CARTIER, ALUMINUM HOUSING, EASY TO UNLOCK, RATCHET UNIT EVEN UNDER TENSILE LOAD, CONTINUOUSLY VARIABLE LOCKING MECHANISM FOR SECURE SUPPORT, ADJUSTABLE, ENGAGES SILENTLY, OR AUDIBLY	ITEMIZED	SET	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	1552	Germany
1635	4224200012200	SILICONE FOR IMPRESSION, TAKING AND CORRECTION OF TRIAL FITTINGS ON THE PATTENT, INCLUDING FINGER PROSTHESIS, PARTIAL HAND PROSTHESIS, SCAR COMPRESSION, MASK, AND GLOVES, PARTIAL FOOT PROSTHESIS, TRANSFEMORAL, AND TIBIAL PROSTHESI LINERS	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	642V15=1	Germany
1636	4618160907900	AS WELL AS ORTHOSIS SILICONE INSOLE, 3/4, DUAL DENSITY SILICONE PROVIDES CUSHIONING TO HEEL AND	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	EMO	SP400	Spain
1637	4618160907600	METATARSAL HEADS, PAIR SIZE: EXTRA LARGE SILICONE INSOLE, 3/4, DUAL DENSITY SILICONE PROVIDES CUSHIONING TO HEEL AND METATARSAL HEADS, PAIR SIZE: LARGE	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	EMO	SP400	Spain
1638	4618160907700	SILICONE INSOLE, 3/4, DUAL DENSITY SILICONE PROVIDES CUSHIONING TO HEEL AND METATARSAL HEADS, PAIR SIZE: MEDIUM	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	EMO	SP400	Spain
1639	4618160907800	SILICONE INSOLE, 3/4, DUAL DENSITY SILICONE PROVIDES CUSHIONING TO HEEL AND METATARSAL HEADS, PAIR SIZE: SMALL	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	EMO	SP400	Spain
1640	4224200504100	SILCONE LINER SHUTTLE LOCK, WITH DISTAL ADJUSTABLE PYRAMID COMPLETE SET, TO CONNECTION BETWEEN THE LINER AND PROSTHESIS, SYSTEM HEIGHT: 25 MM APPROXIMATELY, INCLUDING LAMINATION DUMMY SET WITH SCREW, FOR BODY WEIGHT UP	ITEMIZED	SET	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	20S2+10A90/S	Germany
1641	4224200504200	TO 120 KG SILICONE LINER SHUTTLE LOCK, WITH DISTAL ADJUSTABLE SCREW COMPLETE SET, TO CONNECTION BETWEEN THE LINER AND PROSTHESIS, SYSTEM HEIGHT: 79 MM APPROXIMATELY, INCLUDING LAMINATION DUMMY SET WITH SCREW, FOR BODY WEIGHT UP TO 120 KG	ITEMIZED	SET	400571	AL Gaim Comm. EstOrig-	Ottobock	6A20=20	Germany
1642	4224200503200	SILCONE LINER SOCKET, FOR TRANS - FEMORAL AMPUTEES, WITH DISTAL CONNECTION, WITH HIGH SHOCK ASSORPTION, THE INTEGRATED TEXTILE MATRIX PREVENTS ELONGATION AND CIRCUMPRENENTIAL STRECTHING IS NOT AFFECTED, SPECIAL EXTILE COVER FACILITATES DONNING AND DOFFING OF THE LINER, EASY TO BE CLEANED AND DRIED QUICKLY, SIZE 300 MM. APPROXIMATELY	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	60L50/30	Germany
1643	4224200503300	SILCONE LINER SOCKET, FOR TRANS - FEMORAL AMPUTEES, WITH DISTAL CONNECTION, WITH HIGH SHOCK ABSORPTION, THE INTEGRATED TEXTILE MATRIX PREVENTS ELONGATION AND CIRCUMFERENTIAL STRECTHING IS NOT AFFECTED, SPECIAL EXTILE COVER FACILITATES DONNING AND DOFFING OF THE LINER, EASY TO BE CLEANED AND DRIED QUICKLY, SIZE 320 MM. APPROXIMATELY	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	60L50/32	Germany
1644	4224200503400	SILCONE LINER SOCKET, FOR TRANS - FEMORAL AMPUTES, WITH DISTAL CONNECTION, WITH HIGH SHOCK ABSORPTION, THE INTEGRATED TEXTILE MATRIX PREVENTS ELONGATION AND CIRCUMFERENTIAL STRETCHING IS NOT AFFECTED, SPECIAL TEXTILE COVER FACILITATES DONNING AND DOFFING OF THE LINER, EASY TO BE CLEANED AND DRIED QUICKLY, SIZE 340 MM, APPROXIMATELY	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	60L50/34	Germany
1645	4224200503500	SILICONE LINER SOCKET, FOR TRANS - FEMORAL AMPUTEES, WITH DISTAL CONNECTION, WITH HIGH SHOCK ABSORPTION, THE INTEGRATED TEXTILE MATRIX PREVENTS ELONGATION AND CIRCUMFERENTIAL STRETCHING IS NOT AFFECTED, SPECIAL EXTRILE COVER FACILITATES DONNING AND DOFFING OF THE LINER, EASY TO BE CLEANED AND DRIED QUICKLY, SIZE 360 MM, APPROXIMATELY SIZE AS A STREAM OF THE STREAM	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	60L50/36	Germany
1646	4224200503600	SILCONE LINER SOCKET, FOR TRANS - FEMORAL AMPUTES, WITH DISTAL CONNECTION, WITH HIGH SHOCK ABSORPTION, THE INTEGRATED TEXTILE MATRIX PREVENTS ELONGATION AND CIRCUMFERENTIAL STRETCHING IS NOT AFFECTED, SPECIAL TEXTILE COVER FACILITATES DONNING AND DOFFING OF THE LINER, EASY TO BE CLEANED AND DRIED QUICKLY, SIZE 380	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	60L50/38	Germany

	JMBER : NPT0050/2: AME : Prosthetics Or								Preliminary Resul
1647	4224200503700	SILICONE LINER SOCKET, FOR TRANS - FEMORAL AMPUTEES, WITH DISTAL CONNECTION, WITH HIGH SHOCK ABSORPTION, THE INTEGRATED TEXTLE MATRIX PREVENTS ELONGATION AND CIRCLIMFERENTIAL STRETCHING IS NOT AFFECTED, SPECIAL TEXTLE COVER FACILITATES DONNING AND DOFFING OF THE LINER, EASY TO BE CLEANED AND DRIED QUICKLY, SIZE 400 MM, APPROXIMATELY	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	60L50/40	Germany
1648	4224200506000	SILCONE LINER SOCKET, FOR TRANS. FEMDRAL AMPUTEES, WITH DISTAL CONNECTION, WITH HIGH SHOCK ABSORPTION, THE INTEGRATED TEXTLE WATRIN PREVENTS ELONGATION AND CIRCUMFERENTIAL STRECTHING IS NOT AFFECTED, SPECIAL TEXTLE COVER FACILITATES DONNING AND DOFFING OF THE LINER, EASY TO BE CLEANED AND DRIED QUICKLY, SIZE 450 MM, APPROXIMATELY	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	60L50/45	Germany
1649	4224200506100	SILCONE LINER SOCKET, FOR TRANS - FEMORAL AMPUTEES, WITH DISTAL CONNECTION, WITH HIGH SHOCK ABSORPTION, THE INTEGRATE D'EXTIL WATRIX PREVENTS ELONGATION AND CIRCLIMERENTIAL STRETCHING IS NOT AFFECTED, SPECIAL TEXTLE COVER FACILITATES DONNING AND DOFFING OF THE LINER, EASY TO BE CLEANED AND DRIED QUICKLY, SIZE 500 MM, APPROXIMATELY	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	60L50/50	Germany
1650	4224200506200	SILCONE LINER SOCKET, FOR TRANS - FEMORAL AMPUTEES, WITH DISTAL CONNECTION, WITH HIGH SHOCK ABSORPTION, THE INTEGRATED TEXTLE WATRIX PREVENTS ELONGATION AND CIRCUMFERENTIAL STRETCHING IS NOT AFFECTED, SPECIAL TEXTLE COVER FACILITATES DONNING AND DOFFING OF THE LINER, EASY TO BE CLEANED AND DRIED QUICKLY, SIZE 550 MM, APPROXIMATELY	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	60L50/55	Germany
1651	4224200503100	SILCONE LINER SOCKET, FOR TRANS - FEMORAL AMPUTEES, WITH DISTAL CONNECTION, WITH HIGH SHOCK ABSORPTION, THE INTEGRATED TEXTLE MATTER PREVENTS ELONGATION AND CIRCUMFERENTIAL STRETCHING IS NOT AFFECTED. SPECIAL TEXTILE COVER FACILITATES DONNING AND DOFFING OF THE LINER, EASY TO BE CLEAVED AND DRIED QUICKLY, SIZE 280 MM, APPROXIMATELY	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	60L50/28	Germany
1652	4224200506500	SILCONE LINER SOCKET, FOR TRANSFEMORAL AMPUTEES, WITH DISTAL CONNECTION, WITH HIGH SHOCK ABSORPTION, ANTIBACTERIAL PROPERTIES THAT IMPROVE HYGIENE AND PROMOTE HEALTHY SKIN, CONTROLS DONC CAUSED BY BACTERIA FOR IMPROVING HYGIENE, ITE INTEGRATED TEXTILE MATRIX PREVENTS ELONGATION AND CIRCUMFERENTIAL STRETCHING IS NOT AFFECTED, SPECIAL TEXTILE COVER FACILITATES ODNINIOS AND DOFFING OF THE LINER, EASY TO BE CLEANED AND DRIED QUICKLY, SIZE 300 MM, APPROXIMATELY	CANCELLED	CANCELLED	CANCELLED	CANCELLED DUPLICATED DESCRIPTION	CANCELLED	CANCELLED	CANCELLED
1653	4224200506600	SILCONE LINER SOCKET, FOR TRANSFEMORAL AMPUTEES, WITH DISTAL CONNECTION, WITH HIGH SHOCK ABSORPTION, ANTIBACTERIAL PROPERTIES THAT IMPROVE HYGIENE AND PROMOTE HEALTHY SKIN, CONTROLS DODG CAUSED BY BACTERIA FOR IMPROVING HYGIENE, HE INTEGRATED TEXTILE MATRIX PREVENTS ELONGATION AND CIRCUMFERENTIAL STRETCHING IS NOT AFFECTED, SPECIAL TEXTILE COVER FACILITATES ODNINIOS AND DOFFING OF THE LINER, EASY TO BE CLEANED AND DRIED QUICKLY, SIZE 320 MM, APPROXIMATELY	CANCELLED	CANCELLED	CANCELLED	CANCELLED DUPLICATED DESCRIPTION	CANCELLED	CANCELLED	CANCELLED
1654	4224200506700	SILICONE LINER SOCKET, FOR TRANSFEMORAL AMPUTEES, WITH DISTAL CONNECTION, WITH HISTORY ASSORPTION, ANTIBACTERIAL PROPERTIES THAT IMPROVE HYGIENE AND PROMOTE HEALTHY SKIN, CONTROLS DODG CAUSED BY BACTERIA FOR IMPROVING HYGIENE, THE INTEGRATED TEXTILE MATRIX PREVENTS ELONGATION AND CIRCUMFERENTIAL STRETCHING IS NOT AFFECTED, SPECIAL TEXTILE COVER FACILITATES ODNINIOS AND DOFFING OF THE LINER, EASY TO BE CLEANED AND DRIED QUICKLY, SIZE 340 MM, APPROXIMATELY	CANCELLED	CANCELLED	CANCELLED	CANCELLED DUPLICATED DESCRIPTION	CANCELLED	CANCELLED	CANCELLED
1655	4224200506800	SILICONE LINER SOCKET, FOR TRAINSFEMORAL AMPUTEES, WITH DISTAL CONNECTION, WITH HIGH SHOCK ABSORPTION, ANTIBACTRIAL PROPERTIES THAT IMPROVE HYGIENE AND POMOTE HEALTHY SKIN, CONTROLS ODDE CAUSED BY BACTERIA FOR IMPROVINE HYGIENE, THE INTEGRATED TEXTILE MATRIX PREVENTS ELONGATION AND CIRCUMFERENTIAL STRETCHING IS NOT AFFECTED, SPECIAL TEXTILE COVER FACILITATES ODNINING AND DOFFING OF THE LINER, EASY TO BE CLEANED AND DRIED QUICKLY, SIZE 360 MM, APPROXIMATELY	CANCELLED	CANCELLED	CANCELLED	CANCELLED DUPLICATED DESCRIPTION	CANCELLED	CANCELLED	CANCELLED
1656	4224200506900	SILICONE LINER SOCKET, FOR TRANSFEMORAL AMPUTEES, WITH DISTAL CONNECTION, WITH HIGH SHOCK ABSORPTION, ANTIBACTERIAL PROPERTIES THAT IMPROVE HYGIENE AND PROMOTE HEALTHY SKIN, CONTROLS ODOR CAUSE DO BACTERIA FOR IMPROVING HYGIENE, THE INTEGRATED TEXTILE MATRIX PREVENTS ELONGATION AND CIRCUMFERENTIAL STRETCHING IS NOT AFFECTED, SPECIAL TEXTILE COVER FACILITATES DONNING AND DOFFING OF THE LINER, EASY TO BE CLEANED AND DRIED QUICKLY, SIZE 380 MM, APPROXIMATELY	CANCELLED	CANCELLED	CANCELLED	CANCELLED DUPLICATED DESCRIPTION	CANCELLED	CANCELLED	CANCELLED
1657	4224200507000	SILICONE LINER SOCKET, FOR TRANSFEMORAL AMPUTEES, WITH DISTAL CONNECTION, WITH HIGH SHOCK ABSORPTION, ANTIBACTERIAL PROPERTIES THAT IMPROVE HYGIENE AND PROMOTE HEALTHY SKIN, CONTROLS ODOR CAUSE OF BACTERIA FOR IMPROVING HYGIENE, THE INTEGRATED TEXTILE MATRIX PREVENTS ELONGATION AND CIRCUMFERENTIAL STRETCHING IS NOT AFFECTED, SPECIAL TEXTILE COVER FACILITATES ODNINING AND DOFFING OF THE LINER, EASY TO BE CLEANED AND DRIED QUICKLY, SIZE 400 MM, APPROXIMATELY	CANCELLED	CANCELLED	CANCELLED	CANCELLED DUPLICATED DESCRIPTION	CANCELLED	CANCELLED	CANCELLED
1658	4224200507100	SILICONE LINER SOCKET, FOR TRANSFEMORAL AMPUTEES, WITH DISTAL CONNECTION, WITH HIGH SHOCK ABSORPTION, ANTIBACTERIAL PROPERTIES THAT IMPROVE HYGIENE AND PROMOTE HEALTHY SKIN, CONTROLS ODOR CAUSED BY BACTERIA FOR IMPROVING HYGIENE, THE INTEGRATED TEXTILE MATRIX PREVENTS ELONGATION AND CIRCUMFERENTIAL STRETCHING IS NOT AFFECTED, SPECIAL TEXTILE COVER FACILITATES DONNING AND DOFFING OF THE LINER, EASY TO BE CLEAMED AND DRIED QUICKLY, SIZE 420 MM, APPROXIMATELY	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	60L50/42	Germany
1659	4224200507200	SILICONE LINER SOCKET, FOR TRANSFEMORAL AMPUTEES, WITH DISTAL CONNECTION, WITH HIGH SHOCK ABSORPTION, ANTIBACTERIAL PROPERTIES THAT IMPROVE HYGIENE AND PROMOTE HEALTH'S SUN, CONTROLS ODOR CAUSED BY BACTERIA FOR IMPROVING HYGIENE, THE INTEGRATED TEXTILE MATRIX PREVENTS ELONGATION AND CIRCUMFERENTIAL STRETCHING IS NOT AFFECTED, SPECIAL TEXTILE COVER FACILITATES DONNING AND DOFFING OF THE UNER, EASY TO BE CLEANED AND DRIED QUICKLY, SIZE 450 MM, APPROXIMATELY	CANCELLED	CANCELLED	CANCELLED	CANCELLED DUPLICATED DESCRIPTION	CANCELLED	CANCELLED	CANCELLED
1660	4224200130400	SILICONE LINER, FOR LOW ACTIVITY TRANS - TIBIAL AMPUTATION, 6 MM, LOCKING LINER WITH ACTIVE SKIN CARE ELEMENTS AND SUPLEX OUTER COVER, SIZE 16	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	OSSUR	I-401616	Iceland
1661	4224200130500	SILICONE LINER, FOR LOW ACTIVITY TRANS - TIBIAL AMPUTATION, 6 MM, LOCKING LINER WITH ACTIVE SKIN CARE ELEMENTS AND SUPLEX OUTER COVER, SIZE 18 SILICONE LINER. FOR LOW ACTIVITY TRANS - TIBIAL AMPUTATION. 6 MM. LOCKING LINER	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	41L10/18	Germany
1661	4224200130500	WITH ACTIVE SKIN CARE ELEMENTS AND SUPLEX OUTER COVER, SIZE 18 SILICONE LINER, FOR LOW ACTIVITY TRANS - TIBIAL AMPUTATION, 6 MM, LOCKING LINER	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	OSSUR	I-401618	Iceland
1662	4224200130800 4224200131000	WITH ACTIVE SKIN CARE ELEMENTS AND SUPLEX OUTER COVER, SIZE 23.5 SILICONE LINER, FOR LOW ACTIVITY TRANS - TIBIAL AMPUTATION, 6 MM, LOCKING LINER	ITEMIZED	each each	400050 400050	AI-EWAN MEDICAL COMPANY -Orig-	OSSUR	I-401623	Iceland
1664	4224200131000	WITH ACTIVE SKIN CARE ELEMENTS AND SUPLEX OUTER COVER, SIZE 26.5 SILICONE LINER, FOR LOW ACTIVITY TRANS - TIBIAL AMPUTATION, 6 MM, LOCKING LINER	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	OSSUR	I-401626	Iceland
1665	4224200131200	WITH ACTIVE SKIN CARE ELEMENTS AND SUPLEX OUTER COVER, SIZE 28 SILICONE LINER, FOR LOW ACTIVITY TRANS - TIBIAL AMPUTATION, 6 MM, LOCKING LINER WITH ACTIVE SKIN CARE ELEMENTS AND SUPLEX OUTER COVER, SIZE 30	ITEMIZED	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	OSSUR	I-401630	Iceland
1666	4224200131300	WITH ACTIVE SKIN CARE ELEMENTS AND SUPLEX OUTER COVER, SIZE 30 SILICONE LINER, FOR LOW ACTIVITY TRANS - TIBIAL AMPUTATION, 6 MM, LOCKING LINER WITH ACTIVE SKIN CARE ELEMENTS AND SUPLEX OUTER COVER, SIZE 32	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	OSSUR	I-401632	Iceland
1667	4224200131400	SILICONE LINER, FOR LOW ACTIVITY TRANS - TIBIAL AMPUTATION, 6 MM, LOCKING LINER WITH ACTIVE SKIN CARE ELEMENTS AND SUPLEX OUTER COVER, SIZE 34	ITEMIZED	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	OSSUR	I-401634	Iceland
1668	4224200131500	SILICONE LINER, FOR LOW ACTIVITY TRANS - TIBIAL AMPUTATION, 6 MM, LOCKING LINER WITH ACTIVE SKIN CARE ELEMENTS AND SUPLEX OUTER COVER, SIZE 36	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	41L10/36	Germany
1668	4224200131500	SILICONE LINER, FOR LOW ACTIVITY TRANS - TIBIAL AMPUTATION, 6 MM, LOCKING LINER WITH ACTIVE SKIN CARE ELEMENTS AND SUPLEX OUTER COVER, SIZE 36	ITEMIZED	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	OSSUR	I-401636	Iceland
1669	4224200131600	SILICONE LINER, FOR LOW ACTIVITY TRANS - TIBIAL AMPUTATION, 6 MM, LOCKING LINER WITH ACTIVE SKIN CARE ELEMENTS AND SUPLEX OUTER COVER, SIZE 38 SILICONE LINER, FOR LOW ACTIVITY TRANS - TIBIAL AMPUTATION, 6 MM, LOCKING LINER	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	OSSUR	I-401638	Iceland
1670	4224200131700	SILICONE LINER, FOR LOW ACTIVITY TRANS - TIBIAL AMPUTATION, 6 MM, LOCKING LINER WITH ACTIVE SKIN CARE ELEMENTS AND SUPLEX OUTER COVER, SIZE 40 SILICONE LINER, FOR LOW ACTIVITY, TRANS - TIBIAL AMPUTATION, 6 MM, LOCKING LINER,	ITEMIZED	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	OSSUR	I-401640	Iceland
1671	4224200130600 4224200130700	WITH ACTIVE SKIN CARE ELEMENTS, AND SUPLEX OUTER COVER, SIZE 20 SILICONE LINER, FOR LOW ACTIVITY, TRANS - TIBIAL AMPUTATION, 6 MM, LOCKING LINER,	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	OSSUR	I-401620 I-401622	Iceland
1672	4224200130700 4224200130900	WITH ACTIVE SKIN CARE ELEMENTS, AND SUPLEX OUTER COVER, SIZE 22 SILICONE LINER, FOR LOW ACTIVITY, TRANS - TIBIAL AMPUTATION, 6 MM, LOCKING LINER,	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig- Farabi Trading Establishment -Orig-	OSSUR	1-401622 41L10/25	Iceland Germany
1673	4224200130900	WITH ACTIVE SKIN CARE ELEMENTS, AND SUPLEX OUTER COVER, SIZE 25 SILICONE LINER, FOR LOW ACTIVITY, TRANS - TIBIAL AMPUTATION, 6 MM, LOCKING LINER,	ITEMIZED	each	400451	Al-EWAN MEDICAL COMPANY -Orig-	OSSUR	41L10/25 I-401625	Iceland
1674	4224200130900	WITH ACTIVE SKIN CARE ELEMENTS, AND SUPLEX OUTER COVER, SIZE 25 SILICONE LINER, FOR MEDIUM ACTIVITY TRANS - TIBIAL AMPUTATION, 3 MM, SEAL - IN LINER METHOLOGODICAL SECTION AND ACTIVITY SEAL OF SIZE 212 3	ITEMIZED	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	OSSUR	I-461318	Iceland
1675	4224200129300	WITH SUSPENSION SLEEVE, SIZE 18 SILICONE LINER, FOR MEDIUM ACTIVITY TRANS - TIBIAL AMPUTATION, 3 MM, SEAL - IN LINER WITH SUSPENSION SLEEVE, SIZE 20	ITEMIZED	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	OSSUR	I-461320	Iceland
1676	4224200129400	WITH SUSPENSION SLEEVE, SIZE 20 SILICONE LINER, FOR MEDIUM ACTIVITY TRANS - TIBIAL AMPUTATION, 3 MM, SEAL - IN LINER WITH SUSPENSION SLEEVE, SIZE 22	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	OSSUR	I-461322	Iceland
1677	4224200129500	SILICONE LINER, FOR MEDIUM ACTIVITY TRANS - TIBIAL AMPUTATION, 3 MM, SEAL - IN LINER WITH SUSPENSION SLEEVE, SIZE 23.5	ITEMIZED	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	OSSUR	I-461323	Iceland
1678	4224200129600	SILICONE LINER, FOR MEDIUM ACTIVITY TRANS - TIBIAL AMPUTATION, 3 MM, SEAL - IN LINER WITH SUSPENSION SLEEVE, SIZE 25	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	OSSUR	I-461325	Iceland
1679	4224200129700	SILICONE LINER, FOR MEDIUM ACTIVITY TRANS - TIBIAL AMPUTATION, 3 MM, SEAL - IN LINER WITH SUSPENSION SLEEVE, SIZE 26.5	ITEMIZED	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	OSSUR	I-461326	Iceland
1680	4224200129800	SILICONE LINER, FOR MEDIUM ACTIVITY TRANS - TIBIAL AMPUTATION, 3 MM, SEAL - IN LINER WITH SUSPENSIONS SLEEVE, SIZE 28 SULCONE LINER COD MEDIUM ACTIVITY TRANS, TIBIAL AMPLITATION, 2 MM, SEAL - IN LINER.	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	OSSUR	I-461328	Iceland
1681	4224200129900	SILICONE LINER, FOR MEDIUM ACTIVITY TRANS - TIBIAL AMPUTATION, 3 MM, SEAL - IN LINER WITH SUSPENSION SLEEVE, SIZE 30	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	OSSUR	I-461330	Iceland

	IMBER : NPT0050/23 IME : Prosthetics Or								Preliminary Result
1682	4224200130000	SILICONE LINER, FOR MEDIUM ACTIVITY TRANS - TIBIAL AMPUTATION, 3 MM, SEAL - IN LINER	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	OSSUR	I-461332	Iceland
1683	4224200130100	WITH SUSPENSION SLEEVE, SIZE 32 SILICONE LINER, FOR MEDIUM ACTIVITY TRANS - TIBIAL AMPUTATION, 3 MM, SEAL - IN LINER	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	OSSUR	I-461334	Iceland
1684	4224200130200	WITH SUSPENSION SLEEVE, SIZE 34 SILICONE LINER, FOR MEDIUM ACTIVITY TRANS - TIBIAL AMPUTATION, 3 MM, SEAL - IN LINER	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	OSSUR	I-461336	Iceland
	4224200130200	WITH SUSPENSION SLEEVE, SIZE 36 SILICONE LINER, FOR MEDIUM ACTIVITY TRANS - TIBIAL AMPUTATION, 3 MM, SEAL - IN LINER			400050	Al-EWAN MEDICAL COMPANY -Orig-	1111		
1685	4224200130300	WITH SUPPRISION SLEVE, SUZE 40 SILCONE LOCKING UNRE FOR UPPER EXTERNITY AMPUTES EASIER TO PUT ON AND TAKE OFF THANKS TO THE OUTER COATING WITHOUT DONNING SPRAY REQUIRED VERY COMFORTABLE TO WEAR THANKS TO THE ROUGHENED INTERIOR CONTOUR WHICH REDUCES PERSPIRATION REDUCED LINEAR EXTENSION THANKS TO A NEW MATRIK FOR EXCELLENT ROBUSTINESS SUITABLE FOR RESIDUAL LIMB SOCKETS FROM A RESIDUAL LIMB LENGTH OF JO CM ON THE UPPER ARM AND FOREAMS SECURE HOLD OF THE PROSTHESIS WITH THE LOCK SET: A PIN IS USED TO ESTABLISH THE CONNECTION TO THE LOCK BUILT INTO THE	ITEMIZED	each	40050	AL Gaim Comm. EstOrig-	OSSUR Ottobock	1-461340 14Y5=110	Iceland Germany
1687	4224200116500	SILCONE LOCKING LINER FOR UPPER EXTERNITY AMPUTES EASIER TO PUT ON AND TAKE OFF THANKS TO THE OUTER COATING WITHOUT DONNING SPRAY REQUIRED VERY COMFORTABLE TO WEAR THANKS TO THE ROUGHENED INTERIOR CONTOUR WHICH REDUCES PERSPIRATION REDUCED LINEAR EXTENSION THANKS TO A NEW MATRIX FOR EXCELLENT ROBUSTINESS SUITABLE FOR RESUDULA LIMB SCHOETS FROM A RESIDUAL LIMB LONGTHOF 10 CM ON THE UPPER ARM AND FOREARM SECURE HOLD OF THE PROSTHESIS WITH THE LOCK SET: A PIN IS USED TO ESTABLISH THE CONNECTION TO THE LOCK BUILT INTO THE PROSTHETIC SOCKHET SIZE 14 CM.	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	OSSUR	I-813114	Iceland
1688	4224200116600	SILCONE LOCKING LINER FOR UPPER EXTREMITY AMPUTES EASIER TO PUT ON AND TAKE OFF THANKS TO THE OUTER COATING WITHOUT DONNING SPRAY REQUIRED VERY COMFORTABLE TO WEAR THANKS TO THE ROUGHENED INTERIOR CONTOUR WHICH REDUCES PERSPIRATION REDUCED LINEAR EXTENSION THANKS TO A NEW MATRIK FOR EXCELLENT ROBUSTINESS SUITABLE FOR RESDIQUAL LIMB SCHEETS FROM A RESIDUAL LIMB CHRIGHT OF 10 CM ON THE UPPER ARM AND FOREARM SECURE HOLD OF THE PROSTHESIS WITH THE LOCK SET: A PIN IS USED TO ESTABLISH THE CONNECTION TO THE LOCK BUILT INTO THE PROSTHETIC SOCKET SIZE 16 CM	ITEMIZED	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	OSSUR	I-813116	Iceland
1689	4224200116700	SILICONE LOCKING LINER FOR UPPER EXTREMITY AMPUTEES EASIER TO PUT ON AND TAKE OFF THANKS TO THE OUTER COATING WITHOUT DONNING SPRAY REQUIRED VERY COMFORTABLE TO WEAR THANKS TO THE ROUGHENED INTERIOR CONTOUR WHICH REDUCES PERSPIRATION REDUCED LINEAR EXTENSION THANKS TO A NEW MATRIX FOR EXCELLENT ROBUSTNESS SUITABLE FOR RESIDUAL LIMB SOCKETS FROM A RESIDUAL LIMB LENGTH OF 10 CM ON THE UPPER ARM AND FOREAMM SECURE HOLD OF THE PROSTHESS WITH THE LOCK SET: A PIN IS USED TO ESTABLISH THE CONNECTION TO THE LOCK BUILT INTO THE PROSTHESTS WITH THE CONSTHETIC SOCKET SIZE 18 CM.	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	OSSUR	I-813118	Iceland
1690	4224200116800	SILICONE LOCKING LINER FOR UPPER EXTREMIT AMPUTEES EASIER TO PUT ON AND TAKE OFF THANKS TO THE OUTER COATING WITHOUT DONNING SPRAY REQUIRED WERY COMFORTABLE TO WEAR THANKS TO THE ROUGHENED INTERIOR CONTOUR WHICH REDUCES PERSIPATION REDUCED LINEAR EXTENSION THANKS TO A NEW MATRIX FOR EXCELLENT ROBUSTNESS SUITABLE FOR RESIDUAL LIMB SOCKETS FROM A RESIDUAL LIMB LENGTH OF 10 CM ON THE UPPER ARM AND FOREARM SECURE HOLD OF THE PROSTHESIS WITH THE LOCK SET: A PIN IS USED TO ESTABLISH THE CONNECTION TO THE LOCK BUILT INTO THE PROSTHESIS WITH THE CONSCIENCE WITH THE LOCK SOCKET WITH THE CONSCIENCE WITH THE CONNECTION TO THE LOCK BUILT INTO THE	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY - Orig-	OSSUR	I-813120	Iceland
1691	4224200116900	SILCONE LOCKING LINER FOR UPPER EXTERNITY AMPUTES EASIER TO PUT ON AND TAKE OFF THANKS TO THE OUTER COATING WITHOUT DONNING SPRAY REQUIRED VERY COMFORTABLE TO WEAR THANKS TO THE ROUGHENED INTERIOR CONTOUR WHICH REDUCES PERSPIRATION REDUCED LINEAR EXTENSION THANKS TO A NEW MATRIX FOR EXCELLENT ROBUSTINESS SUITABLE FOR RESIDUAL LIMB SOCKETS FROM A RESIDUAL LIMB LENGTH OF 10 CM ON THE UPPER ARM AND FOREARM SECURE HOLD OF THE PROSTHESIS WITH THE LOCK SET: A PIN IS USED TO ESTABLISH THE CONNECTION TO THE LOCK BUILT INTO THE PROSTHETIC SOCKET SIZE 2 Z CM.	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	OSSUR	I-813122	Iceland
1692	4224170641500	SILCONE SHELD, HALLUX VALGUS BUNDON, COVERS LATERALY THE BUNDON AREA, HOLDING ITSELF WITH THE HOOP IN A TOE, MADE OF EXTRA - SOFT MEDICAL SILCONE, IT FITS TO BODY TEMPERATURE, WASHABLE, PROTECTS AGAINST HALLUX VALGUS, PROTECTION OF FRICTION AND PRESSURES OF BUNION HALLUX VALGUS SIDE SHIELD, HALLUX VALGUS BURSTIFS, GOUT	ITEMIZED	each	400216	Medical Lights Trading Company -Orig-	ABLETECH ORTHOPEDICS CR	64007	China
1693	4224170641600	SILICOME SHIELD, VARUS QUINTUS LATERAL DISCHARGE OF THE BUNION AREA, HOLDING TISELE WITH THE HOOP IN THE RIFTH TOE, MADE OF EXTRA - SOFT MEDICAL SILICOME, IT FITS TO BODY TEMPERATURE, WASHABLE, LATERAL DISCHARGE OF THE BUNION AREA, PROTECTION OF FRICTION AND PRESSURES OF BUNION QUINTUS VALGUS SIDE SHIELD, QUINTUS VALGUS BURSTIS	ITEMIZED	each	400216	Medical Lights Trading Company -Orig-	ABLETECH ORTHOPEDICS CR	64008	China
1694 1694	4224171318200 4224171318200	SILICONE, GREASE (TUBE) SILICONE, GREASE (TUBE)	ITEMIZED ITEMIZED	each each	400571 400415	AL Gaim Comm. EstOrig- CareTechniques -Orig-	Ottobock ATP	633F11 00 W 42.100	Germany Switzerland
1695	4224200135900	SIMPLE PRODUCT ENERGY EFFICIENT PHYSIOLOGICAL SHAPE PRODUCT AVAILABLE FOR AMPLITES WITH LONG STUME AND OTHER INDICATIONS SECURELY BONDS THE PLATE TO THE SOCKET FACILITATES COSMETIC FINISHING SIMPLIPY FITTING AND LOWER BUILD HEIGHT MAXIMUM HEEL AND TOE DEFLECTION IMPROVED FIT IN SHOES COMPLIANT WITH SOUND SIDE HEIGHT TRANSFERS FORCES WITHOUT ENERGY LOSS BOYD LISFRANC PRATILA FOOT PIROGOFF AND TRANSTBIBAL LOW MODERATE AND HIGH IMPACT LEVEL K. LEVEL: KI Z K Z X 3 AND K 4 MAXIMUM USER WIEIGHT 147 KG SINGLE PLATE TAPERED CARBON LAVUY CURVED SOLE SHAPE LOWEST BUILD HEIGHT IN CHOPART OPTIONS LAMINATION KIT FITS REGULAR FOOT COVER	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	OSSUR	CHP00???	Mexico
1695	4224200135900	SIMPLE PRODUCT ENERGY EFICIENT PHYSIOLOGICAL SHAPE PRODUCT AVAILABLE FOR AMPUTES WITH LONG STUME AND OTHER INDICATIONS SECURELY BONDS THE PLATE TO THE SOCKET FACILITATES COSMETIC FINISHING SIMPLIFY FITTING AND LOWER BUILD HEIGHT MAXIMUM HELA AND TOE DEFLECTION IMPROVED FIT IN SHOSE COMPLIANT WITH SOUND SIDE HEIGHT TRANSFERS FORCES WITHOUT ENERGY LOSS BOYD LISFRANC PARTIAL FOOT PIROGOFF AND TRANSTIBUAL LOW MODERATE AND HIGH IMPACT LEVEL K. LEVEL K. I. EVEL: KI Z X 3 AND K. 4 MAXIMUM USER WEIGHT 147 KG SINGLE PLATE TAPERED CARBON LAVID CURVED SOLE SHAPE LOWEST BUILD HEIGHT IN CHOPART OFTIONS LAMINATION KIT FITS REGULAR FOOT COVER	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	Proteor SAS	CHOPART	France
1696	4224200032900	SINGLE-HOOK SPANNER KIT, STEEL, AN ORTHOTICS WORKSHOP TOOL	CANCELLED	CANCELLED	CANCELLED	CANCELLED NOT MATCHING THE DESCRIPTION	CANCELLED	CANCELLED	CANCELLED
1697	4224200033300	SKIVING KNIFE, LEATHER CUTTING KNIFE HALF-ROUND, AN ORTHOTICS WORKSHOP TOOL, WOODEN HANDLE WITH BRASS COLLAR	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	AFT-INTERNATIONAL	6070050000	Germany
1698	4224200032300	SLEDGE HAMMER, AN ORTHOTICS WORKSHOP TOOL	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	AFT-INTERNATIONAL	6073032030	Germany
1698	4224200032300 4224170306700	SLEDGE HAMMER, AN ORTHOTICS WORKSHOP TOOL	ITEMIZED	each	400571	AL Gaim Comm. EstOrig- Al-EWAN MEDICAL COMPANY -Orig-	Ottobock	70552=350	Germany
1699 1700	4224170306900	SLEEVE TRANSFEMORAL NEOPRENE SUSPENSION SIZE EXTRA-LARGE LEFT SLEEVE TRANSFEMORAL NEOPRENE SUSPENSION SIZE XX-LARGE LEFT	ITEMIZED	each each	400050 400050	AI-EWAN MEDICAL COMPANY -Orig-	EMO EMO	ML35A ML35A	Spain Spain
1700	4224170306900 4224171308700	SLEEVE TRANSFEMORAL NEOPRENE SUSPENSION SIZE XX-LARGE LEFT SLEEVE, PAIR OF SUSPENSION, TWO - WAY STRETCH FOR BELOW KNEE AMPUTATION PROSTHESES, LENGTH 250 MM, LOWER CIRCUMFERENCE 310 MM, UPPER CIRCUMFERENCE	ITEMIZED	each each	400571 400571	AL Gaim Comm. EstOrig-	Ottobock Ottobock	21B37=L5 452K7=6	Estonia
1702	4214280210800	440 MM, APPROXIMATELY SLEEVE, PAIR OF SUSPENSION, TWO - WAY STRETCH FOR BELOW KNEE AMPUTATION PROSTHESES, LENGTH 250 MM, LOWER CIRCLUMFERENCE 325 MM, UPPER CIRCLUMFERENCE 455 MM, APPROXIMATELY	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	452K7=7	Germany
1703	4224171308600	SLEEVE, PAIR OF SUSPENSION, TWO - WAY STRETCH FOR BELOW KNEE AMPUTATION PROSTHESIS, LENGTH 250 MM, LOWER CIRCUMFERENCE 295 MM, UPPER CIRCUMFERENCE 425 MM, APPROXIMATELY	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	452K7=5	Germany
1703	4224171308600	SLEEVE, PAIR OF SUSPENSION, TWO - WAY STRETCH FOR BELOW KNEE AMPUTATION PROSTHESIS, LENGTH 250 MM, LOWER CIRCUMFERENCE 295 MM, UPPER CIRCUMFERENCE 425 MM, APPROXIMATELY	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	24A1/M	Germany
1704	4224171308800	SLEEVE, PAIR OF SUSPENSION, TWO - WAY STRETCH FOR BELOW KNEE AMPUTATION PROSTHESIS, LENGTH 250 MM, LOWER CIRCUMFERENCE 310 MM, UPPER CIRCUMFERENCE 410 MM, APPROXIMATELY	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	452K7=4	Germany
1705 1706	4224170306500 4224170306600	SLEEVE, TRANSFEMORAL, NEOPRENE SUSPENSION, SIZE LARGE, LEFT SLEEVE, TRANSFEMORAL, NEOPRENE SUSPENSION, SIZE LARGE, RIGHT	ITEMIZED ITEMIZED	each each	400050 400050	AI-EWAN MEDICAL COMPANY -Orig- AI-EWAN MEDICAL COMPANY -Orig-	EMO EMO	ML35A ML35A	Spain Spain
1707	4224170306400	SLEEVE, TRANSFEMORAL, NEOPRENE SUSPENSION, SIZE MEDIUM, RIGHT SLIDING ADAPTER ALUMINUM FOR MODULAR PROSTHESIS WEIGHT: 200 GRAMS SYSTEM	ITEMIZED	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	EMO	ML35A	Spain
1708	4224171316100 4224171309300	HEIGHT: 25 MM MAXIMUM BODY WEIGHT: 100 KG. CE MARK OR EQUIVALENT SLIDING ADAPTER TITANIUM 30 MM DIAMETER ALLOWS ADDITIONAL SLIDING ADJUSTMENTS BETWEEN THE PROSTHETIC SCOKET AND TUBE ADAPTER CAR BE SHIFTED MEDIALLY OR LATERALLY IN THE FRONTAL PLANE OR DORSALLY OR VENTRALLY IN THE SAGITTAL PLANE SYSTEM HEIGHT: 51 MM APPROXIMATELY WEIGHT: 183 GRAMS FOR BODY WEIGHT UP TO 85 KG.	ITEMIZED	each each	400571	AL Gaim Comm. EstOrig-	Ottobock	4R101 4R103	Germany
1709	4224171309300	SUDING ADAPTER TITANIUM 30 MM DIAMETER ALLOWS ADDITIONAL SUDING ADJUSTMENTS BETWEEN THE PROSTHETIC SOCKET AND TUBE ADAPTER CAN BE SHIFTED MEDIALLY OR LATERALLY IN THE FRONTIAL PLANE OR DORSALLY OR VENTRALLY IN THE SAGITTAL PLANE SYSTEM HEIGHT: 51 MM APPROXIMATELY WEIGHT: 183 GRAMS FOR BODY WEIGHT UP TO 85 KG.	ITEMIZED	each	400468	ALMAFSAL MEDICAL CO -Orig-	S T AND G	1219T	South Korea
		SLIDING ADAPTER WITH ADJUSTABLE SCREW S "TITANIUM" CONNECTS 2 PROSTHETIC							

TENDER NA	ME : Prosthetics Ort	hosis Supplies							Preliminary Result
1711	4224200135500	SMOOTH ROLL OVER INCREASED PUSH- OF FONTROL UNTIL LAST STANCE MORE STABILITY VERTICAL SHOCK ASORPHION MORE DORSIFLEXION THAN ATAMORAB FEET LOSER TO SOUND SIDE ROLL - OVER MORE SYMMETRY AND PHYSIOLOGICAL CAIT LIGHTWEIGHT WITH GRIPPING SOLE FOR BETTER GRIP BAREFOOT SANDAL CLAMPING FOR FLIP - FLOPS NATURAL ARCH AND FOOTPRINT AND PANTABLE NALLS ROTATION AND BETTER SHOCK ASSORPTION INCREASED ANKLE POWER FOR MORE MOBILITY STABILITY AND CONTROL LESS BACK PAIN REDUCED SOLUND SIDE LOADING MORE SYMMETRICAL GAIT INCREASE ANKLE MOTION FOR MORE MOBILITY REDUCED SOLUND SIDE LOADING COMPARED TO STANDARD PROSTHETIC. FEET (LESS COMORBBITIES) LESS FEFORT WHEN WALKING LESS FATGUE IMPROVED SATISFACTION AND WELL - BEING REDUCED SHEAR FORCES ON THE RESIDUAL LIMB AND ADDITIONAL VERTICAL DISPLACEMENT TRANSTENDIAL TRANSFERMORAL KNEE AND HIP DISARTICULATION AMPLITES LOW MODERATE AND HIGH IMPACT LEVEL K - LEVEL: K & LS AND K 4 MAXIMUM USER WEIGHT: LOW IMPACT 147 KGMAX. USER WEIGHT: MODERATE IMPACT 130 KG MAX.	CANCELLED	CANCELLED	CANCELLED	CANCELLED THE DESCRIPTION SHOULD BE REVISED	CANCELLED	CANCELLED 451F12=XXI-	CANCELLED
1712	4224200405900	SOCK COMPRESSION SHRINKER TRANSFEMORAL DOUBLE EXTRA-LARGE (XX-LARGE)	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	*length	Italy
1713	4224200406500	SOCK COMPRESSION SHRINKER TRANSTIBIAL DOUBLE EXTRA-LARGE (XX-LARGE)	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	451F13=XXL-	Italy
1714	4224200405700	SOCK, COMPRESSION, SHRINKER, TRANSFEMORAL, EXTRA LARGE	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	*length-N 451F12=XL-*length	Italy
1715	4224200405800	SOCK, COMPRESSION, SHRINKER, TRANSFEMORAL, EXTRA SMALL	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	451F12=XS-*length	Italy
1716 1717	4224200405500 4224200405600	SOCK, COMPRESSION, SHRINKER, TRANSFEMORAL, LARGE SOCK, COMPRESSION, SHRINKER, TRANSFEMORAL, MEDIUM	ITEMIZED	each each	400571 400571	AL Gaim Comm. EstOrig-	Ottobock Ottobock	451F12=L-*length 451F12=M-*length	Italy Italy
				eacii				451F13=XL-*length	·
1718	4224200406300	SOCK, COMPRESSION, SHRINKER, TRANSTIBIAL, EXTRA LARGE	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	N	Italy
1719	4224200406400	SOCK, COMPRESSION, SHRINKER, TRANSTIBIAL, EXTRA SMALL	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	451F13=XS-*length- N	Italy
1720	4224200406000	SOCK, COMPRESSION, SHRINKER, TRANSTIBIAL, LARGE	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	451F13=L-*length- N	Italy
1721	4224200406100	SOCK, COMPRESSION, SHRINKER, TRANSTIBIAL, MEDIUM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	451F13=M-*length-	Italy
								N 451F13=S-*length-	·
1722	4224200406200	SOCK, COMPRESSION, SHRINKER, TRANSTIBIAL, SMALL	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	N	Italy
1723 1724	4224200403800 4224200403900	SOCK, COTTON, RESIDUAL LIMB, 20 CM SOCK, COTTON, RESIDUAL LIMB, 25 CM	ITEMIZED ITEMIZED	each each	400571 400571	AL Gaim Comm. EstOrig- AL Gaim Comm. EstOrig-	Ottobock Ottobock	451F3=20 451F3=25	Italy Italy
1725 1726	4224200404000 4224200404100	SOCK, COTTON, RESIDUAL LIMB, 30 CM SOCK, COTTON, RESIDUAL LIMB, 35 CM	ITEMIZED ITEMIZED	each each	400571 400571	AL Gaim Comm. EstOrig- AL Gaim Comm. EstOrig-	Ottobock Ottobock	451F3=30 451F3=35	Italy Italy
1727	4224200404200	SOCK, COTTON, RESIDUAL LIMB, 40 CM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	451F3=40	Italy
1728 1729	4224200404300 4224200404400	SOCK, COTTON, RESIDUAL LIMB, 45 CM SOCK, COTTON, RESIDUAL LIMB, 50 CM	ITEMIZED	each each	400571 400571	AL Gaim Comm. EstOrig- AL Gaim Comm. EstOrig-	Ottobock Ottobock	451F3=45 451F3=50	Italy Italy
1730	4224200404500	SOCK, COTTON, RESIDUAL LIMB, 60 CM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	451F3=60	Italy
1731 1732	4224200403600 4224200403700	SOCK, NYLON, PROTECTIVE, LENGTH 20 CM SOCK, NYLON, PROTECTIVE, LENGTH 25 CM	ITEMIZED	each each	400451 400451	Farabi Trading Establishment -Orig- Farabi Trading Establishment -Orig-	STREIFENEDER STREIFENEDER	25A50/A20 25A50/A25	Germany Germany
1732 1733	4224200403700 4224200403400	SOCK, NYLON, PROTECTIVE, LENGTH 25 CM SOCK, NYLON, PROTECTIVE, LENGTH 30 CM	ITEMIZED	each each	400571 400451	AL Gaim Comm. EstOrig-	Ottobock STREIFENEDER	451F21=S 25A50/A30	USA Germany
1734	4224200403500	SOCK, NYLON, PROTECTIVE, LENGTH 35 CM	ITEMIZED	each	400451	Farabi Trading Establishment -Orig- Farabi Trading Establishment -Orig-	STREIFENEDER	25A50/A35	Germany
1735 1735	4224200403200 4224200403200	SOCK, NYLON, PROTECTIVE, LENGTH 40 CM SOCK, NYLON, PROTECTIVE, LENGTH 40 CM	ITEMIZED	each each	400451 400571	Farabi Trading Establishment -Orig- AL Gaim Comm. EstOrig-	STREIFENEDER Ottobock	25A50/A40 451F21=L	Germany USA
1736	4224200403300	SOCK, NYLON, PROTECTIVE, LENGTH 45 CM	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	25A50/A45	Germany
1737	4224200404600	SOCK, STRETCHABLE, FOR LISFRANC/CHOPART AMPUTATION, SEAMLESS DISTAL END OF SOCK, HAS POLYMER GEL FOR PROTECTION OF BONY AREAS, DERMA SEAL TRANS PED, SIZE: SMALL STANDARD	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	453D2=N	Germany
1738	4224200505700	SOCKET ADAPTER WITH PYRAMID RECEIVER STAINLESS STEEL TO BE USED FOR MOUNTING ONTO THE SOCKET OF THE TRANSFEMORAL AND TRANSTIBIAL PROSTHESIS SYSTEM HEIGHT: 11 MM WEIGHT: 50 GRAMS FOR BODY WEIGHT UP TO 150 KG. SOCKET ADAPTER WITH PYRAMID RECEIVER STAINLESS STEEL TO BE USED FOR MOUNTING	CANCELLED	CANCELLED	CANCELLED	CANCELLED NOT MATCHING THE DESCRIPTION	CANCELLED	CANCELLED	CANCELLED
1739	4224200505800	ONTO THE SOCKET OF THE TRANSFEMORAL AND TRANSTIBIAL PROSTHESIS SYSTEM HEIGHT: 33 MM WEIGHT: 85 GRAMS FOR BODY WEIGHT UP TO 125 KG. SOCKET ADAPTER WITH PYRAMID ROTATABLE TITANIUM SYSTEM HEIGHT: 9 MM WEIGHT: 70	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	4R22	China
1740	4224200507300	GRAMS FOR BODY WEIGHT UP TO 150 KG.	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	4R77	Germany
1741	4224200507800	SOCKET ADAPTER, STAINLESS STEEL, WITH PYRAMID AND LAMINATION ANCHOR, WITH 4 X 3 LAMINATION DUMMY	ITEMIZED	each	400468	ALMAFSAL MEDICAL CO -Orig-	S T AND G	1220S	South Korea
1741	4224200507800	SOCKET ADAPTER, STAINLESS STEEL, WITH PYRAMID AND LAMINATION ANCHOR, WITH 4 X 3 LAMINATION DUMMY	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	4R42	China
1742	4224200509100	SOCKET ATTACHMENT BLOCK WITH FOUR COUNTERSUNK HEAD SCREW S AND LAMINATION DUMMY 120 MM WOOD CONNECTION DIAMETER 30 MM HEIGHT APPROXIMATELY	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	5R1=6	Germany
1743	4224200508900	SOCKET ATTACHMENT BLOCK WITH FOUR COUNTERSUNK HEAD SCREW S AND LAMINATION DUMMY 120 MM WOOD CONNECTION DIAMETER 64 MM HEIGHT APPROXIMATELY	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	5R1=2	Germany
1744	4224200508700	SOCKET ATTACHMENT BLOCK WITH FOUR COUNTERSUNK HEAD SCREW S AND LAMINATION DUMMY 147 MM WOOD CONNECTION DIAMETER 64 MM HEIGHT APPROXIMATELY	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	5R1=1	Germany
1745 1746	4224200507500 4224200509200	SOCKET ATTACHMENT PIECE FOR FABRICATION OF AN UPPER EXTREMITY PROSTHESIS. SOCKET, ATTACHMENT, BLOCK, PEDIATRIC, FOR TRANSTIBIAL AND TRANSFEMORAL	ITEMIZED ITEMIZED	each each	400571 400571	AL Gaim Comm. EstOrig- AL Gaim Comm. EstOrig-	Ottobock Ottobock	11512 5R9	Austria Germany
1747	4224200509300	SOCKET, ATTACHMENT, BLOCK, PLASTIC, FOR CHILDREN, WITH FOUR COUNTER SUNK HEAD SCREW S AND 4 X 8 LAMINATION CAP	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	120K7	Germany
1748	4224200410300	SOCKS ABOVE KNEE RESIDUAL LIMB COMPRESSION CLASS 2 SIZE: DOUBLE EXTRA-LARGE XX- LARGE 30	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	451F11=XXL-30	Italy
1749	4224200410400	SOCKS ABOVE KNEE RESIDUAL LIMB COMPRESSION CLASS 2 SIZE: DOUBLE EXTRA-LARGE XX- LARGE 38	CANCELLED	CANCELLED	CANCELLED	CANCELLED NOT MATCHING THE DESCRIPTION	CANCELLED	CANCELLED	CANCELLED
1750	4224200410500	SOCKS ABOVE KNEE RESIDUAL LIMB COMPRESSION CLASS 2 SIZE: DOUBLE EXTRA-LARGE XX-	CANCELLED	CANCELLED	CANCELLED	CANCELLED	CANCELLED	CANCELLED	CANCELLED
1751	4224200409700	LARGE 46 SOCKS ABOVE KNEE RESIDUAL LIMB COMPRESSION CLASS 2 SIZE: EXTRA-LARGE 30	ITEMIZED	each	400571	NOT MATCHING THE DESCRIPTION AL Gaim Comm. EstOrig-	Ottobock	451F11=XL-30	Italy
1752	4224200409800	SOCKS ABOVE KNEE RESIDUAL LIMB COMPRESSION CLASS 2 SIZE: EXTRA-LARGE 38	CANCELLED	CANCELLED	CANCELLED	CANCELLED NOT MATCHING THE DESCRIPTION	CANCELLED	CANCELLED	CANCELLED
1753	4224200409900	SOCKS ABOVE KNEE RESIDUAL LIMB COMPRESSION CLASS 2 SIZE: EXTRA-LARGE 46	CANCELLED	CANCELLED	CANCELLED	CANCELLED	CANCELLED	CANCELLED	CANCELLED
1754	4224200409900	SOCKS, ABOVE KNEE RESIDUAL LIMB COMPRESSION, CLASS 2, SIZE: EXTRA-DARGE 46 SOCKS, ABOVE KNEE RESIDUAL, LIMB COMPRESSION, CLASS 2, SIZE: EXTRA-DARGE 46	ITEMIZED	each	400571	NOT MATCHING THE DESCRIPTION AL Gaim Comm. EstOrig-	Ottobock	451F11=XS-30	Italy
1755	4224200410100	SOCKS, ABOVE KNEE RESIDUAL, LIMB COMPRESSION, CLASS 2, SIZE: EXTRA SMALL 38	CANCELLED	CANCELLED	CANCELLED	CANCELLED	CANCELLED	CANCELLED	CANCELLED
1756	4224200410200	SOCKS, ABOVE KNEE RESIDUAL, LIMB COMPRESSION, CLASS 2, SIZE: EXTRA SMALL 46	CANCELLED	CANCELLED	CANCELLED	NOT MATCHING THE DESCRIPTION CANCELLED	CANCELLED	CANCELLED	CANCELLED
1757	4224200410200	SOCKS, ABOVE KNEE RESIDUAL, LIMB COMPRESSION, CLASS 2, SIZE: EATRA SWALL 46 SOCKS, ABOVE KNEE RESIDUAL, LIMB COMPRESSION, CLASS 2, SIZE: LARGE 20	ITEMIZED	each	400571	NOT MATCHING THE DESCRIPTION AL Gaim Comm. EstOrig-	Ottobock	451F11=L-20	Italy
1758	4224200410700	SOCKS, ABOVE KNEE RESIDUAL, LIMB COMPRESSION, CLASS 2, SIZE: LARGE 25	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	451F11=L-25 451F11=L-30	Italy
1759 1760	4224200408800 4224200408900	SOCKS, ABOVE KNEE RESIDUAL, LIMB COMPRESSION, CLASS 2, SIZE: LARGE 30 SOCKS, ABOVE KNEE RESIDUAL, LIMB COMPRESSION, CLASS 2, SIZE: LARGE 38	CANCELLED	each CANCELLED	400571 CANCELLED	AL Gaim Comm. EstOrig- CANCELLED	Ottobock	451F11=L-30 CANCELLED	CANCELLED
1761	4224200409000	SOCKS, ABOVE KNEE RESIDUAL, LIMB COMPRESSION, CLASS 2, SIZE: LARGE 46	CANCELLED	CANCELLED	CANCELLED	NOT MATCHING THE DESCRIPTION CANCELLED NOT MATCHING THE DESCRIPTION	CANCELLED	CANCELLED	CANCELLED
1762	4224200409100	SOCKS, ABOVE KNEE RESIDUAL, LIMB COMPRESSION, CLASS 2, SIZE: MEDIUM 30	ITEMIZED	each	400571	AL Gaim Comm. EstOrig- CANCELLED	Ottobock	451F11=M-30	Italy
1763	4224200409200	SOCKS, ABOVE KNEE RESIDUAL, LIMB COMPRESSION, CLASS 2, SIZE: MEDIUM 38	CANCELLED	CANCELLED	CANCELLED	NOT MATCHING THE DESCRIPTION	CANCELLED	CANCELLED	CANCELLED
1764	4224200409300	SOCKS, ABOVE KNEE RESIDUAL, LIMB COMPRESSION, CLASS 2, SIZE: MEDIUM 46	CANCELLED	CANCELLED	CANCELLED	CANCELLED NOT MATCHING THE DESCRIPTION	CANCELLED	CANCELLED	CANCELLED
1765	4224200409400	SOCKS, ABOVE KNEE RESIDUAL, LIMB COMPRESSION, CLASS 2, SIZE: SMALL 30	ITEMIZED	each	400571	AL Gaim Comm. EstOrig- CANCELLED	Ottobock	451F11=S-30	Italy
1766 1767	4224200409500 4224200409600	SOCKS, ABOVE KNEE RESIDUAL, LIMB COMPRESSION, CLASS 2, SIZE: SMALL 38 SOCKS, ABOVE KNEE RESIDUAL, LIMB COMPRESSION, CLASS 2, SIZE: SMALL 46	CANCELLED	CANCELLED	CANCELLED	NOT MATCHING THE DESCRIPTION CANCELLED NOT MATCHING THE DESCRIPTION	CANCELLED	CANCELLED	CANCELLED
1768	4224200401900	SOCKS, ELASTIC, COOL MAX FABRIC, WITH INNER POLYMER GEL COATING FOR TRANSTIBIA AMPUTATION, SOCKS LENGTH 650 MM, GEL LENGTH 250 MM, DISTAL CIRCUMFERENCE 150- 220 MM, PROXIMAL CIRCUMFERENCE 220 - 320 MM, APPROXIMATELY	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	453D4=10	Germany
1769	4224171308900	SOLE PLATE, BLACK, SIZE: 4 X 610 X 910 MM, APPROXIMATELY	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	nora systems GmbH	\$200166	Germany
1770	4224170617800	SPACETEX FOR PADDING OF ORTHOTICS, VERY COMFORTABLE, AIR PERMEABLE, HEAT AND MOISTURE IS TRANSFERRED AWAY FROM THE BODY, LENGTH 5 METER, THICKNESS 3 MM,	CANCELLED	CANCELLED	CANCELLED	CANCELLED	CANCELLED	CANCELLED	CANCELLED
1771	4224170617900	COLOR BLACK SPACETEX FOR PADDING OF ORTHOTICS, VERY COMFORTABLE, AIR PERMEABLE, HEAT AND MOISTURE IS TRANSFERRED AWAY FROM THE BODY, WIDTH 1400 MM, LENGTH 5 METER,	ITEMIZED	each	400569	DUPLICATED DESCRIPTION MEDICAL CARE ALLIANCE COMPANY - Orig-	Proteor SAS	TT391	France
1772	4224200036500	THICKNESS 3 MM, COLOR BLACK SPANNER WRENCHES KIT, STEEL, AN ORTHOTICS WORKSHOP TOOL	ITEMIZED	Kit	400569	MEDICAL CARE ALLIANCE COMPANY -	AFT-INTERNATIONAL	6075040100	Germany
1773	4224200012100	SPECIAL CLEANER FOR PROSTHETIC GLOVES, NET CONTENTS 0.45 KG, APPROXIMATELY	ITEMIZED	each	400571	Orig- AL Gaim Comm. EstOrig-	Ottobock	640F12	Germany

TENDER NA	AME : Prosthetics Or	thosis Supplies							Preliminary Result
1774	4618221106300	SPINAL BRACE SYSTEM, CUT - 4 - CUSTOM, FOR IMMEDIATE FIT OF INDIVIDUAL BRACE, CONSISTS OF FRONT + BACK, PANEL OF LOW TEMPERATURE, THERMOPLASTIC MATERIAL, 4 DIFFERENT HEIGHTS ACCOMMODATE PRESCRIPTION AND PATIENT ANATOMY (ISO AND TLSO), AERATED FOR BREATHABILITY, LICHTWEIGHT, NON - TOXIC, NO REPORTS OF SKIN IRRITATION, CAN BE USED IN SHOWER, MAY BE RE - HEATED AND REFORMED, WEAVE STRUCTURE OF MATERIAL, ALLOWS FOR EFFECTIVE VENTILATION, QUICK FIT AT 1 VISTI, CAN BE WORN IN SHOWER, POSSIBLE TO USE AVAILABLE COVER TO PROVIDE SOFT INTERFACE BETWEEN BRACE AND SKIN, POST - OPERATIVE THEATMENT, COMPRESSION FRACTURES, IMMOBILIZATION	CANCELLED	CANCELLED	CANCELLED	CANCELLED NOT MATCHING THE DESCRIPTION	CANCELLED	CANCELLED	CANCELLED
1775	4224150010400	SPINAL CASTING SUPPORT, AN ORTHOTICS DEVICE USING AS A PLASTER SHAPE SUPPORT ASSISTANCE, ADJUSTABLE TO ALL AGE GROUPS OF PATIENTS	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation
1776	4224170641300	SPLINT LEG POSTURAL ORTHOSIS FOR POSITIONING OF LOWER LIMB EASY FITTING ANTIDECUBITUS HELE COMPORTABLE PADS FOR THE PATIENT FORMED FOAM IN THE CALF AREA OPENING IN THE HELE HAREA TO PREVENT FOSSIBLE PRESSURE SORES PLANTAR TRIANGLE THAT ALLOWS ROTATIONAL REGULATION (-15 DEGREE O DEGREE - 15 DEGREE) IMMOBILIZATION POSITIONAL CONTROL PREVENTION OF DEFORMITES OF PATIENTS POSTOPERATIVE HIP KNEE AND FOOT WHICH REQUIRE THE POSITIONING OF THE LOWER EXTREMITY ANTIDECUBITUS BY PADDING MANILY IN THE HELE AREA DUE TO THE FORMED OPENING IN THE FOAM AND IN FINGERS DUE TO THE PLANT HEIGHT WHICH PREVENTS THE SHEETS CONTACT	CANCELLED	CANCELLED	CANCELLED	CANCELLED NOT MATCHING THE DESCRIPTION	CANCELLED	CANCELLED	CANCELLED
1777	4224150707700	SPLINT, CONGENITAL HIP, LARGE, 131/2 X 12 INCHES	CANCELLED	CANCELLED	CANCELLED	CANCELLED DUPLICATED DESCRIPTION	CANCELLED	CANCELLED	CANCELLED
1778	4224150707800	SPLINT, CONGENITAL HIP, MEDIUM, 27 X 23 CM (101/2 X 9 INCHES)	CANCELLED	CANCELLED	CANCELLED	CANCELLED DUPLICATED DESCRIPTION	CANCELLED	CANCELLED	CANCELLED
1779	4224150707900	SPLINT, CONGENITAL HIP, SMALL, 10 - 1/2 X 6 INCHES	CANCELLED	CANCELLED	CANCELLED	CANCELLED DUPLICATED DESCRIPTION	CANCELLED	CANCELLED	CANCELLED
1780	4224170105900	SPLINT, FOR CORRECTION OF HALLUX VALGUS, LEFT	ITEMIZED	each	400619	Hospital Care Company -Orig-	DONGGUAN SUPERCARE MEDICAL PRODUCTS CO.,	FT-063 (L)	China
1781	4224170106000	SPLINT, FOR CORRECTION OF HALLUX VALGUS, RIGHT	ITEMIZED	each	400619	Hospital Care Company -Orig-	DONGGUAN SUPERCARE MEDICAL PRODUCTS CO.,	FT-063 (R)	China
1782 1783	4224170202000 4224170202100	SPLINT, HIP ABDUCTION PILLOW, FREJKA MODEL 480 OR EQUIVALENT, SIZE 12 SPLINT, HIP ABDUCTION PILLOW, FREJKA MODEL 480 OR EQUIVALENT, SIZE 14 - 15	ITEMIZED ITEMIZED	each each	400050 400050	AI-EWAN MEDICAL COMPANY -Orig- AI-EWAN MEDICAL COMPANY -Orig-	EMO EMO	HIP400 HIP400	Spain Spain
1784 1785	4224170202200 4224170202300	SPLINT, HIP ABDUCTION PILLOW, FREJKA MODEL 480 OR EQUIVALENT, SIZE 16 - 17 SPLINT, HIP ABDUCTION PILLOW, FREJKA MODEL 480 OR EQUIVALENT, SIZE 17 - 18	ITEMIZED ITEMIZED	each each	400050 400050	AI-EWAN MEDICAL COMPANY -Orig- AI-EWAN MEDICAL COMPANY -Orig-	EMO EMO	HIP400 HIP400	Spain Spain
1786	4224170202400	SPLINT, HIP ABDUCTION PILLOW, FREJKA MODEL 480 OR EQUIVALENT, SIZE 20 - 21	ITEMIZED	each	400050	Al-EWAN MEDICAL COMPANY -Orig- CANCELLED	EMO	HIP400	Spain
1787	4224200031900 4224170906200	SPREADING PLIERS, AN ORTHOTICS WORKSHOP TOOL "STABILITY FOOTWEAR SANDAL, HIGH COUNTERS (STIFFENERS), THEY PROVIDE GREATER SUPPORT AND ARE SUITABLE FOR MORE SEVER INSTABILITY OF THE FOOT AND ANKLE COMPIEZ, SEE 30, PINK; FULL GRAIN COW/CALF LEATHER UPPER; SOFT PADDING AROUND HEEL CUFFS; A HIGH AND ENTAL DIONS STIFFENERS TO SUPPORT ANKLE; FULL LEATHER INSCIE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK NIANY, HIGH TOE BOX; STRONG TOE CAP, SOFT TOMOSUE TO ASSIST SHOET SHOW ADAPTABLE; STITCH DOWN CONSTRUCTION; HELL AND RIGID SHANN" "STABILITY FOOTWEAR SANDAL HIGH COUNTERS (SIFFENERS), THEY PROVIDE GREATER	CANCELLED	Pair	CANCELLED 400571	NOT MATCHING THE DESCRIPTION AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2582-0302=30	CANCELLED Portugal
1789	4224170905800	SUPPORT AND ARE SUITABLE FOR MORE SEVERE INSTABILITY OF THE FOOT AND ANKLE COMPLEX, 29, BLUE; FULL GRAIN COW/CALF LEATHER UPPER; SOFT PADDING AROUND HELE UPFS; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGIO SHANK*	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2582-5602=29	Portugal
1790	4224170904200	"STABILITY FOOTWEAR SANDAL, HIGH COUNTERS (STIFFENERS), THEY PROVIDE GREATER SUPPORT AND ARE SUTTABLE FOR MORE SEVERE INSTABILITY OF THE FOOT AND ANKLE COMPLEX, SIZE 18; FULL GRAIN COW/CALF LEATHER UPPER; SOFT PADDING AROUND HEEL CUFFS; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-JUNT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE, STITCH DOWN CONSTRUCTION; HELE AND RIGIS SHANK"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2582-9802=18	Portugal
1791	4224170904300	"STABILITY FOOTWEAR SANDAL, HIGH COUNTERS (SIFFENERS), THEY PROVIDE GREATER SUPPORT AND ARE SUTTABLE FOR MORE SEVERE INTRABILITY OF THE FOOT AND ANKLE COMPLEX, SIZE 19; FULL GRAIN COW/CALF LEATHER UPPER; SOFT PADDING AROUND HEEL CURFS; A HIGH AND EXTRA LONG SIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-JUNT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE, STITCH DOWN CONSTRUCTION; HELE AND RIGIS SHANK"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2582-9802=19	Portugal
1792	4224170904400	"STABLITY FOOTWEAR SANDAL, HIGH COUNTERS (STIFFENERS), THEY PROVIDE GREATER SUPPORT AND ARE SUITABLE FOR MORE SEVERE INSTABILITY OF THE FOOT AND ANKLE COMPLEX, SIZE 20, FULL GRAIN COW/CALF LEATHER UPPER, SOFT PADDING AROUND HEEL CURFS; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE CURFS, A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE CREASILY REMOVABLE CORE ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORE INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE, STITCH DOWN CONSTRUCTION; HELE AND RIGIS JEANNE"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2582-9802=20	Portugal
1793	4224170904500	"STABILITY FOOTWEAR SANDAL, HIGH COUNTERS (SIFFENERS), THEY PROVIDE GREATER SUPPORT AND ARE SUTTABLE FOR MORE SEVERE INTERSELITY OF THE FOOT AND ANKLE COMPLEX, SIZE 21; FULL GRAIN COW/CALF LEATHER UPPER; SOFT PADDING AROUND HEEL CURFS; A HIGH AND EXTRA LONG STIFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE CASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TORGUE TO ASSIST SHOE FIT; ADAPTABLE, STITCH DOWN CONSTRUCTION; HELE AND RIGIG SHANK"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2582-9802=21	Portugal
1794	4224170904600	"STABILITY FOOTWEAR SANDAL, HIGH COUNTERS (SITEFENERS), THEY PROVIDE GREATER SUPPORT AND ARE SUITABLE FOR MORE SEVERE INTERSILITY OF THE FOOT AND AND AND EXPENSE AND ARE SUITABLE FOR THE FOOT AND AND AND EXTRA CONFIDENCE AND EXTRA CONFIDENCE AND EXTRA CONFIDENCE AND EXTRA CONFIDENCE AND EXPENSE AND EXTRA CONFIDENCE AND EXPENSE A	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2582-9802=22	Portugal
1795	4224170904700	"STABLITY FOOTWEAR SANDAL, HIGH COUNTERS (SIFFENERS), THEY PROVIDE GREATER SUPPORT AND ARE SUITABLE FOR MORE SEVERE INSTABILITY OF THE FOOT AND ANKLE COMPLEX, SIZE 23, FULL GRAIN COW/CAST LEATHER UPPER, SOOT PADDING AROUND HELL CURFS; A HIGH AND EXTRA LONG STIFENER TO SUPPORT ANKLE; FULL LEATHER INSOCIETY ASSIST PROVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TORGUE TO ASSIST SHOE FIT; ADAPTABLE, STITCH DOWN CONSTRUCTION; HELE AND RIGIS SHANK"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2582-9802=23	Portugal
1796	4224170904800	"STABILITY FOOTWEAR SANDAL, HIGH COUNTERS (SITFENERS), THEY PROVIDE GREATER SUPPORT AND ARE SUTTABLE FOR MORE SEVERE INSTABLITY OF THE FOOT AND ANKLE COMPLEX, SIZE 24; FULL GRAIN COW/CALF LEATHER UPPER; SOFT PADDING AROUND HEEL CURFS; A HIGH AND EXTRA LONG SITFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE, STITCH DOWN CONSTBUCTION; HELE, AND RIGID SHAME"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2582-9802=24	Portugal
1797	4224170904900	"STABILITY FOOTWEAR SANDAL, HIGH COUNTERS (STIFFENERS), THEY PROVIDE GREATER SUPPORT AND ARE SUTTABLE FOR MORE SEVERE INSTABILITY OF THE FOOT AND ANKLE COMPLEX, SIZE 25, FULL GRAIN COW/CAFL EATHER UPPER, SOOT PADDING AROUND HELL CUFFS; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE CUFFS, ASIAY REMOVABLE CORE ASSILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORE (MILAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TORIGUE TO ASSIST SHOE FIT; ADAPTABLE, STITCH DOWN CONSTRUCTION; HELE AND RIGID SHANK"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2582-9802=25	Portugal
1798	4224170905000	"STABILITY FOOTWEAR SANDAL, HIGH COUNTERS (STIFFENERS), THEY PROVIDE GREATER SUPPORT AND ARE SUITABLE FOR MORE SEVERE INTRABILITY OF THE FOOT AND ANNE COMPLEX, SIZE 26, BLACK; FULL GRAIN COW/CLIF LEATHER UPPER; SOFT PADDING AROUND HEEL CUFFS; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK!"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2582-9802=26	Portugal
1799	4224170905100	"STABILITY FOOTWEAR SANDAL, HIGH COUNTERS (STIFFENERS), THEY PROVIDE GREATER SUPPORT AND ARE SUITABLE FOR MORE SEVERE INSTABILITY OF THE FOOT AND ANKLE COMPLEX, SIZE 27, BLACK; FULL GRAIN COW/CALF LEATHER UPPER; SOFT PADDING AROUND HEEL CLUFFS, A HIGH AND EXTREA LONG STIFFENER TO SUPPORT ANKLE: FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TOMOGUE TO ASSIST SHOE RT; ADAPTABLE; STITICH DOWN CONSTRUCTION; HEEL AND RIGID SHANK?	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2582-9800=27	Portugal
1800	4224170905200	"STABILITY FOOTWEAR SANDAL, HIGH COUNTERS (STIFFENERS), THEY PROVIDE GREATER SUPPORT AND ARE SUITABLE FOR MORE SEVERE INSTABILITY OF THE FOOT AND ANKLE COMPLEX, SIZE 27, BLUE; FULL GRAIN COW/CALF LEATHER UPPER; SOFT PADDING AROUND HEEL CUFFS; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE;; STITCH DOWN CONSTRUCTION; HEEL AND RIGID SHANK"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2582-5602=27	Portugal

TENDER NA	AME : Prosthetics Or	thosis Supplies							Preliminary Result
1801	4224170905300	"STABILITY FOOTWEAR SANDAL, HIGH COUNTERS (STIFFENERS), THEY PROVIDE GREATER SUPPORT AND ARE SUITABLE FOR MORE SEVERE INSTABILITY OF THE FOOT AND ANKLE COMPLEX, SIZE 27, PINK; FULL GRAIN COW/CALE LEATHER UPPER; SIOT FADDING AROUND HEEL CUFES; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER MISOLE; FABILITY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOS SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE; STITCH ODWN CONSTRUCTION; HEEL AND RIGIG SHANKE.	ITEMIZED	Pair	400571	AL Gaim Comm. Est. •Orig-	Piedro International B.V. (Foot-Facts Ld	2582-0302=27	Portugal
1802	4224170905400	"STABILITY FOOTWEAR SANDAL, HIGH COUNTERS (STIFERNERS), THEY PROVIDE GREATER SUPPORT AND ARE SUITABLE FOR MORE SEVERE INSTABILITY OF THE FOOT AND AINLE COMPLEX, SIZE 28, BLACX; FULL GRAIN COW/CALF LEATHER UPPER; SOFT PADDING AROUND HEEL CUFFS; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANXLE; FULL LEATHER INSOLE; SEASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE;, STRICT DOWN CONSTRUCTION; HEEL AND RIGIG SHANKE.	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2582-9800=28	Portugal
1803	4224170905500	"STABILITY FOOTWEAR SANDAL, HIGH COUNTERS (STIFERMES), THEY PROVIDE GREATER SUPPORT AND ARE SUITABLE FOR MORE SEVERE INSTABILITY OF THE FOOT AND ANKLE COMPLEX, SIZE 28, BLUE; FULL GRAIN COW/CALF LEATHER UPPER; SOFT PADDING AROUND HELL CUFFS; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; FABLY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE;, STITCH OWN CONSTRUCTION; HELL AND RIGIS SHANKE.	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2582-5602=28	Portugal
1804	4224170905600	"STABILITY FOOTWEAR SANDAL, HIGH COUNTERS (STIFERMES), THEY PROVIDE GREATER SUPPORT AND ARE SUITABLE FOR MORE SEVERE INSTABILITY OF THE FOOT AND ANKLE COMPLEX, SIZE 28, PINK; FULL GRAIN COW/CALF LEATHER UPPER; SOFT PADDING AROUND HEEL CUFFS; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER MISOLE; FABLY REMOVABLE AND ADAPTRABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE;, STIFTOH DOWN CONSTRUCTION; HEEL AND RIGID SHANKE.	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2582-0302=28	Portugal
1805	4224170905700	"STABILITY FOOTWEAR SANDAL, HIGH COUNTERS (STIFFENERS), THEY PROVIDE GREATER SUPPORT AND ARE SUITABLE FOR MORE SEVERE INSTABILITY OF THE FOOT AND ANKE COMPLEX, SIZE 29, BLACK; FULL GRAIN COW/CALF LEATHER UPPER; SOFT PADDING AROUND HEEL CUFFS; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKE; FULL LEATHER MISOLE; FABILIY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE; STITTOL DOWN CONSTRUCTION; HEEL AND RIGIS DISANKE.	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2582-9800=29	Portugal
1806	4224170905900	"STABILITY FOOTWEAR SANDAL, HIGH COUNTERS (STIFFENERS), THEY PROVIDE GREATER SUPPORT AND ARE SUITABLE FOR MORE SEVERE INSTABILITY OF THE FOOT AND ANKE COMPLEX, SIZE 29, PINK; FULL GRAIN COW/CALF LEATHER UPPER; SOFT PADDING AROUND HEEL CUFFS; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKE; FULL LEATHER MISOLE; FABLY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE; STITTO HOWN CONSTRUCTION; HEEL AND RIGID SHANNEY.	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2582-0302=29	Portugal
1807	4224170906000	"STABILITY FOOTWEAR SANDAL, HIGH COUNTERS (STIFERMERS), THEY PROVIDE GREATER SUPPORT AND ARE SUITABLE FOR MORE SEVERE INSTABILITY OF THE FOOT AND ANKLE COMPLEX, SIZE 30, BLACK; FULL GRAIN COW/CALF LEATHER UPPER; SOFT PADDING AROUND HEEL CUFFS; A HIGH AND EXTRA LONG STIFERNER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOS SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE; STITTO HOWN CONSTRUCTION; HEEL AND RIGIG SHANK!	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2582-9800=30	Portugal
1808	4224170906100	"STABILITY FOOTWEAR SANDAL, HIGH COUNTERS (STIFFENERS), THEY PROVIDE GREATER SUPPORT AND ARE SUITABLE FOR MORE SEVERE INSTABILITY OF THE FOOT AND ANKE COMPLEX, SIZE 30, BLUE; FULL GRAIN COW/CALF LEATHER UPPER; SOFT PADDING AROUND HELL CUFFS; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKE; FULL LEATHER MISOLE; FABLIX REMOVABLE AND ADAPTRABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE;, STITCH ODWIN CONSTRUCTION; HELL AND RIGIS SHANKE.	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2582-5602=30	Portugal
1809	4224170906400	"STABILITY FOOTWEAR SANDAL, HIGH COUNTERS (STIFFENERS), THEY PROVIDE GREATER SUPPORT AND ARE SUITABLE FOR MORE SEVERE INSTABILITY OF THE FOOT AND ANKE COMPLEX, SIZE 31, BLUE; FULL GRAIN COW/CALF LEATHER UPPER; SOFT PADDING AROUND HEEL CUFFS; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKE; FULL LEATHER MISOLE; FABLY REMOVABLE AND ADAPTRABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE;, STIFTOH DOWN CONSTRUCTION; HEEL AND RIGID SHANKE.	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2582-5602=31	Portugal
1810	4224170906500	"STABILITY FOOTWEAR SANDAL, HIGH COUNTERS (STIFERMERS), THEY PROVIDE GREATER SUPPORT AND ARE SUITABLE FOR MORE SEVERE INSTABILITY OF THE FOOT AND ANKLE COMPLEX, SIZE 31, PINK; FULL GRAIN COW/CALF LEATHER UPPER; SOFT PADDING AROUND HELL CUFFS; A HIGH AND EXTRA LONG STIFERNER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE, STITCH OWN CONSTRUCTION; HELL AND RIGIS SHANKE.	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2582-0302=31	Portugal
1811	4224170906600	"STABILITY FOOTWEAR SANDAL, HIGH COUNTERS (STIFFENERS), THEY PROVIDE GREATER SUPPORT AND ARE SUITABLE FOR MORE SEVERE INSTABILITY OF THE FOOT AND ANKE COMPLEX, SIZE 32, BLACK; FULL GRAIN COW/CALF LEATHER UPPER; SOFT PADDING AROUND HEEL CUFFS; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKE; FULL LEATHER MISOLE; FABILITY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE; STITTOL DOWN CONSTRUCTION; HEEL AND RIGIG SHANKE.	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2582-9800=32	Portugal
1812	4224170906700	"STABILITY FOOTWEAR SANDAL, HIGH COUNTERS (STIFFENERS), THEY PROVIDE GREATER SUPPORT AND ARE SUITABLE FOR MORE SEVERE INSTABILITY OF THE FOOT AND ANKLE COMPLEX, SIZE 32, BLUE; FULL GRAIN COW/CALF LEATHER UPPER; SOFT PADDING AROUND HELL CUFFS; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; FASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOS SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE; STITTO DOWN CONSTRUCTION; HELE AND RIGID SHANKE.	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2582-5602=32	Portugal
1813	4224170906800	"STABILITY FOOTWEAR SANDAL, HIGH COUNTERS (STIFFENERS), THEY PROVIDE GREATER SUPPORT AND ARE SUITABLE FOR MORE SEVERE INSTABILITY OF THE FOOT AND ANKLE COMPLEX, SIZE 32, PINK; FULL GRAIN COW/CALF LEATHER UPPER; SOFT PADDING AROUND HEEL CUFFS; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER MISOLE; FABILY REMOVABLE AND ADAPTRABLE SOLE-UNIT; GOOD TOE SPRING, FREMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE, STRITCH OWN CONSTRUCTION; HELE AND RIGIG SHANKE.	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2582-0302=32	Portugal
1814	4224170906900	"STABILITY FOOTWEAR SANDAL, HIGH COUNTERS (STIFFENERS), THEY PROVIDE GREATER SUPPORT AND ARE SUITABLE FOR MORE SEVERE INSTABILITY OF THE FOOT AND ANKLE COMPLEX, SIZE 33, BLACK; FULL GRAIN COW/CALF LEATHER UPPER; SOFT PADDING AROUND HELL CUFFS; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT FANKE; FULL LEATHER INSOLE; FABILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HELL AND RIGIG SHANKE.	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2582-9800=33	Portugal
1815	4224170907000	"STABILITY FOOTWEAR SANDAL, HIGH COUNTERS (STIFFENERS), THEY PROVIDE GREATER SUPPORT AND ARE SUITABLE FOR MORE SEVERE INSTABILITY OF THE FOOT AND ANKLE COMPLEX, SIZE 33, BLUE; FULL GRAIN COW/CALF LEATHER UPPER; SOFT PADDING AROUND HELL CUFFS; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER MISOLE; FABILY REMOVABLE AND ADAPTRABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE;, STITCH OWN CONSTRUCTION; HELL AND RIGIS SHANKE.	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2582-5602=33	Portugal
1816	4224170907100	"STABILITY FOOTWEAR SANDAL, HIGH COUNTERS (STIFERMESS), THEY PROVIDE GREATER SUPPORT AND ARE SUITABLE FOR MORE SEVERE INSTABILITY OF THE FOOT AND ANKLE COMPLEX, SIZE 33, PINK; FULL GRAIN COW/CALF LEATHER UPPER; SOFT PADDING AROUND HEEL CUFFS; A HIGH AND EXTRA LONG STIFEFMER TO SUPPORT ANKLE; FULL LEATHER MISOLE; FASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOS SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE; STITCH ODWN CONSTRUCTION; HEEL AND RIGID SHANK).	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2582-0302=33	Portugal
1817	4224170907200	"STABILITY FOOTWEAR SANDAL, HIGH COUNTERS (STIFFENERS), THEY PROVIDE GREATER SUPPORT AND ARE SUITABLE FOR MORE SEVERE INSTABILITY OF THE FOOT AND ANKLE COMPLEX, SIZE 34, BLACK; FULL GRAIN COW/CALF LEATHER UPPER; SOFT PADDING AROUND HEEL CUPES; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOS SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE; STITTO HOWN CONSTRUCTION; HEEL AND RIGH STRONG TOE.	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2582-9800=34	Portugal
1818	4224170907300	"STABILITY FOOTWEAR SANDAL, HIGH COUNTERS (STIFERMES), THEY PROVIDE GREATER SUPPORT AND ARE SUITABLE FOR MORE SEVERE INSTABILITY OF THE FOOT AND ANKLE COMPLEX, SIZE 34, BLUE; FULL GRAIN COW/CALF LEATHER UPPER; SOFT PADDING AROUND HELL CUFFS; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; FABLY REMOVABLE AND ADAPTRABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE;, STRICT DOWN CONSTRUCTION; HELL AND RIGID SHANKE.	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2582-5602=34	Portugal

	AME : Prosthetics Or								Preliminary Resul
1819	4224170907400	"STABILITY FOOTWEAR SANDAL, HIGH COUNTERS (STIFFENERS), THEY PROVIDE GREATER SUPPORT AND ARE SUITABLE FOR MORE SEVERE INSTABILITY OF THE FOOT AND ANKLE COMPLEX, SIZE 34, PINK; FULL GRAIN COW/CALF LEATHER UPPER; SOFT PADDING AROUND HEEL CUPFS; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE,; STITCH DOWN CONSTRUCTION; HEEL AND RIGHD SHANK"	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2582-0302=34	Portugal
1820	4224170907500	"STABILITY FOOTWEAR SANDAL, HIGH COUNTERS (STIFERNERS), THEY PROVIDE GREATER SUPPORT AND ARE SUITABLE FOR MORE SEVERE INSTABILITY OF THE FOOT AND ANKE COMPLEX, SIZE 35, BLACX; FULL GRAIN COW/CALF LEATHER UPPER; SOFT PADDING AROUND HEEL CUFFS; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; SEASILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE RIT; ADAPTABLE;, STRICT DOWN CONSTRUCTION; HEEL AND RIGIG SHANKE.	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2582-9800=35	Portugal
1821	4224170907600	"STABILITY FOOTWEAR SANDAL, HIGH COUNTERS (STIFERNERS), THEY PROVIDE GREATER SUPPORT AND ARE SUITABLE FOR MORE SEVERE INSTABILITY OF THE FOOT AND ANKLE COMPLEX, SIZE 35, BLUE; FULL GRAIN COM/CALF LEATHER UPPER; SOFT PADDING AROUND HEEL CUFFS; A HIGH AND EXTRA LONG STIFERNER TO SUPPORT ANKLE; FULL LEATHER INSOLE; FABILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE, STITCH OWN CONSTRUCTION; HEEL AND RIGIS SHANKE.	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2582-5602=35	Portugal
1822	4224170907700	"STABILITY FOOTWEAR SANDAL, HIGH COUNTERS (STIFFENERS), THEY PROVIDE GREATER SUPPORT AND ARE SUITABLE FOR MORE SEVERE INSTABILITY OF THE FOOT AND ANKE COMPLEX, SIZE 35, PINK; FULL GRAIN COW/CALF LEATHER UPPER; SOFT PADDING AROUND HEEL CUFFS; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKE; FULL LEATHER MISOLE; FABLY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE; STITTO HOWN CONSTRUCTION; HEEL AND RIGID SHANNEY.	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2582-0302=35	Portugal
1823	4224170907800	"STABILITY FOOTWEAR SANDAL, HIGH COUNTERS (STIFFENERS), THEY PROVIDE GREATER SUPPORT AND ARE SUITABLE FOR MORE SEVERE INSTABILITY OF THE FOOT AND ANKE COMPLEX, SIZE 36, BLACK; FULL GRAIN COW/CALF LEATHER UPPER; SOFT PADDING AROUND HEEL CUFFS; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKE; FULL LEATHER MISOLE; FABILITY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE; STITTO HOWN CONSTRUCTION; HEEL AND RIGID STANKEY.	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2582-9800=36	Portugal
1824	4224170907900	"STABILITY FOOTWEAR SANDAL, HIGH COUNTERS (STIFFENERS), THEY PROVIDE GREATER SUPPORT AND ARE SUITABLE FOR MORE SEVERE INSTABILITY OF THE FOOT AND ANKLE COMPLEX, SIZE 36, PINK; FULL GRAIN COW/CALF LEATHER UPPER; SOFT PADDING AROUND HELL CUFFS; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; FABILY REMOVABLE AND ADAPTABLE SOLE-UNIT; GOOD TOS SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE; STITTO HOWN CONSTRUCTION; HELB AND RIGID SHANK).	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2582-0302=36	Portugal
1825	4224170906300	"STABILITY FOOTWEAR SANDAL, HIGH COUNTERS (STIFFENERS), THEY PROVIDE GREATER SUPPORT AND ARE SUITABLE FOR MORE SEVERE INSTABILITY OF THE FOOT AND ANKLE COMPLEXIZE 31, BLACK; FULL GRAIN COW/CALF LEATHER UPPER; SOFT PADDING AROUND HELL CUFFS; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT ANKLE; FULL LEATHER INSOLE; FABLIX REMOVABLE AND ADAPTRABLE SOLE-UNIT; GOOD TOE SPRING; REMOVABLE CORK INLAY; HIGH TOE BOX; STRONG TOE CAP; SOFT TONGUE TO ASSIST SHOE FIT; ADAPTABLE;, STIFFO DOWN CONSTRUCTION; HELL AND RIGIS DISANCE.	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Piedro International B.V. (Foot-Facts Ld	2582-9800=31	Portugal
1826	4224200017800	STANCE PHASE STABILITY LOW VOLUNTARY CONTROL REQUIRED MID SWING SHORTENING- FOR BETTER TOE CLEARANCE EARLIER/LATER STANCE RELEASE LATER - MORE SAFETY NORMAL - SAFETY AND DYNAMICS EARLIER - MORE DYNAMICS ADAPTATION TO VARIABLE SPEED WALKING ONCE ALIGNED AND SET READY TO USE FOR VARIABLE ACTIVITIES LESS EFFORT AND MORE COMPIECAE DURING WALKING REDUCED RISK OF TRIPS AND FALLS ADJUSTABLE TO USER PREFERENCE VARIABLE SPEEDS OF WALKING INCLUDING RUNNING (UP) TO 7 XM/H) TRANSFEMDRAL AND KNEE DISARTICULATION AMPLITES MULTI SPEED WALKERS RUNNING MODERATE TO EXTREME IMPACT MAX. USER WEIGHT 136 KG K - LEVEL: X 2 K 3 AND K 4 BAR GEOMETRY ADJUSTABLE GEOMETRY WITH STANCE RELEASE SETTING AUDTO - ADAPTIVE SWING PHASE CONTROL	CANCELLED	CANCELLED	CANCELLED	CANCELLED NOT MATCHING THE DESCRIPTION	CANCELLED	CANCELLED	CANCELLED
1827	4618221102100	STANDARDIZED SYMMETRICAL MODULES THAT ARE CUSTOMIZED FOR EACH INDIVIDUAL PATIENT THE BOSTON BRACE SYSTEM FOR THE TREATMENT OF ADOLESCENT IDIOPATHIC SCOLUGIS IS PERHAPS THE MOST MODE Y WORD AND FOLLOWS A PROVEN AND DETAILED SET OF CONSTRUCTION PRINCIPLES WHICH MAKE IT EASILY TRANSPORTABLE (I.E. ALLOWS FOR CONSISTENCY OF DESIGN IN ALLOCATIONS BY TELOWING THATE WELL DECENTION OF THE SECOND SET OF THE SECOND	ITEMIZED	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	ALLARD	15AX+BB05(ADOLE SCENT	Ireland
1828	4224200035700	STEEL RULER, AN ORTHOTICS WORKSHOP TOOL, SCALES 30 CM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	743E8=300	Germany
1828	4224200035700	STEEL RULER, AN ORTHOTICS WORKSHOP TOOL, SCALES 30 CM	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	AFT-INTERNATIONAL	6078015005	Germany
1829 1830	4224200035600 4224210301600	STEEL RULER, AN ORTHOTICS WORKSHOP TOOL, SCALES 50-60 CM STERNO OCCIPITAL MANDIBULAR IMMOBILIZER (S.O.M.I), SIZE LARGE	ITEMIZED ITEMIZED	each each	400571 400005	AL Gaim Comm. EstOrig- Qomel Company -Orig-	Ottobock TRULIFE	743E8=500 8005-04	Germany USA
1831	4224180000000 4231155304700	STERNO OCCIPITAL MANDIBULAR IMMOBILIZER (S.O.M.I), SIZE SMALL STOCKINETTE COTTON, FOR UNDERPLASTERS, NATURAL WHITE, WIDTH 100 MM,	ITEMIZED	each	400005 400619	Qomel Company -Orig- Hospital Care Company -Orig-	ASCENT MEDITECH LTD	8005-02 OC 2332	USA
1832	4231155304700	WEIGHT/ROLL 1 KG., APPROXIMATELY STOCKINETTE COTTON, FOR UNDERPLASTERS, NATURAL WHITE, WIDTH 100 MM,	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	623T1=10	Germany
1833	4224150401500	WEIGHT/ROLL 1 KG., APPROXIMATELY STOCKINETTE ELASTIC WHITE WIDTH 100 MM LENGTH /ROLL 77 METER APPROXIMATELY	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	623T13=10	Germany
1834	4224150401600	STOCKINETTE ELASTIC WHITE WIDTH 150 MM LENGTH /ROLL 43.5 METER APPROXIMATELY	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	623T13=15	Germany
1835 1836	4224150401700 4224150400700	STOCKINETTE ELASTIC WHITE WIDTH 60 MM LENGTH /ROLL 50 METER APPROXIMATELY STOCKINETTE FIBERGLASS FOR FABRICATION OF THIN - WALLED (LIGHTWEIGHT DESIGN)	ITEMIZED	each each	400571 400571	AL Gaim Comm. EstOrig-	Ottobock	623T13=6 616G13=10	Germany
1837	4224150400800	WIDTH 100 MM LENGTH /ROLL 7 METER APPROXIMATELY STOCKINETTE FIBERGLASS FOR FABRICATION OF THIN - WALLED (LIGHTWEIGHT DESIGN)	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	616G13=8	Germany
1838	4224150400900	WIDTH 80 MM LENGTH /ROLL 8 METER APPROXIMATELY STOCKINETTE FIBERGLASS HIGH ELASTICITY TWO - WAY STRETCH WIDTH 200 MM LENGTH	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	616G3=20	Germany
1838	4224150400900	/ROLL 7.2 METER APPROXIMATELY STOCKINETTE FIBERGLASS HIGH ELASTICITY TWO - WAY STRETCH WIDTH 200 MM LENGTH	ITEMIZED	each	400005		UNIPROX	MG217-200	Germany
1838	4224150400900	/ROLL 7.2 METER APPROXIMATELY STOCKINETTE FIBERGLASS HIGH ELASTICITY TWO - WAY STRETCH WIDTH 250 MM LENGTH	ITEMIZED	each	400005	Qomel Company -Orig-	Ottobock	MG217-200 616G3=25	Germany
		/ROLL 5.2 METER APPROXIMATELY STOCKINETTE FIBERGLASS HIGH ELASTICITY TWO - WAY STRETCH WIDTH 250 MM LENGTH		***					,
1839	4224150401000	/ROLL 5.2 METER APPROXIMATELY STOCKINETTE FIBERGLASS HIGH ELASTICITY TWO - WAY STRETCH WIDTH 300 MM LENGTH	ITEMIZED	each	400005	Qomel Company -Orig-	UNIPROX	MG217-250	Germany
1840	4224150401100	/ROLL 4.8 METER APPROXIMATELY STOCKINETTE FIBERGLASS HIGH ELASTICITY TWO - WAY STRETCH WIDTH 300 MM LENGTH	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	616G3=30	Germany
1840	4224150401100 4224150401200	/ROLL 4.8 METER APPROXIMATELY STOCKINETTE FIBERGLASS HIGH ELASTICITY TWO - WAY STRETCH WIDTH 60 MM LENGTH	ITEMIZED	each	400005	Qomel Company -Orig-	UNIPROX	MG217-300	Germany
1841		/ROLL 28.5 METER APPROXIMATELY STOCKINETTE FIBERGLASS HIGH ELASTICITY TWO - WAY STRETCH WIDTH 80 MM LENGTH	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	616G3=6	Germany
	4224150401300	LENGTH /ROLL 17.2 METER APPROXIMATELY STOCKINETTE NYLON CAUCASIAN SKIN COLOR 120 MM X 38.5 METER LENGTH /ROLL		each	111	AL Gaim Comm. EstOrig-	Ottobock	616G3=8	Germany
1843	4224150400500	APPROXIMATELY STOCKINETTE NYLON CAUCASIAN SKIN COLOR 150 MM X 32 METER LENGTH /ROLL	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	623T8=12	Germany
1844	4224150401800	APPROXIMATELY STOCKINETTE NYLON CAUCASIAN SKIN COLOR 60 MM X 48.5 METER LENGTH /ROLL	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	623T8=15	Germany
1845	4224150401900	APPROXIMATELY STOCKINETTE NYLON CAUCASIAN SKIN COLOR 90 MM X 35.7 METER LENGTH /ROLL	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	623T8=6	Germany
1846	4224150402000	APPROXIMATELY STOCKINETTE, COTTON, FOR UNDERPLASTERS, NATURAL WHITE, WIDTH 80 MM,	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	623T8=9	Germany
1847	4224150401400	WEIGHT/ROLL 0.500 KG., APPROXIMATELY STOCKINETTE, FIBERGLASS, HIGH ELASTICITY. TWO - WAY STRETCH, WIDTH 150 MM, LENGTH	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	623T1=8	Germany
1848	4214280204600	/ ROLL 9.3 METER, APPROXIMATELY	ITEMIZED	Role	400571	AL Gaim Comm. EstOrig-	Ottobock	616G3=15	Germany
1848	4214280204600	STOCKINETTE, FIBERGLASS, HIGH ELASTICITY, TWO - WAY STRETCH, WIDTH 150 MM, LENGTH / ROLL 9.3 METER, APPROXIMATELY	ITEMIZED	Role	400005	Qomel Company -Orig-	UNIPROX	MG217-150	Germany
1849	4224150400400	STOCKINETTE, NYLGIASS, OFF - WHITE, 50/50%, BLEND OF NYLON AND FIBERGIASS, WIDTH 100 MM, LENGTH 32.2 METER, APPROXIMATELY	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	623T9=10	Germany
1850	4224150603700	STOCKINETTE, NYLGLASS, OFF - WHITE, 50/50%, BLEND OF NYLON AND FIBERGLASS, WIDTH 120 MM, LENGTH 26.3 METER, APPROXIMATELY	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	623T9=12	Germany
1851	4224150603600	STOCKINETTE, NYLGLASS, OFF - WHITE, 50/50%, BLEND OF NYLON AND FIBERGLASS, WIDTH 200 MM, LENGTH 18 METER, APPROXIMATELY	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	623T9=20	Germany
1852	4224150603800	STOCKINETTE, NYLGLASS, OFF - WHITE, 50/50%, BLEND OF NYLON AND FIBERGLASS, WIDTH 250 MM, LENGTH 15.2 METER, APPROXIMATELY	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	623T9=25	Germany
1853	4224150402100	STOCKINETTE, NYLGLASS, OFF - WHITE, 50/50%, BLEND OF NYLON AND FIBERGLASS, WIDTH 300 MM, LENGTH 11.6 METER, APPROXIMATELY	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	623T9=30	Germany
		, , , , , , , , , , , , , , , , , , , ,				*			

TENDER NA	AME : Prosthetics Ort	hosis Supplies							
1854	4224150402200	STOCKINETTE, NYLGLASS, OFF - WHITE, 50/50%, BLEND OF NYLON AND FIBERGLASS, WIDTH	CANCELLED	CANCELLED	CANCELLED	CANCELLED	CANCELLED	CANCELLED	CANCELLED
1854	4224150402200	40 MM, LENGTH 36.4 METER, APPROXIMATELY	CANCELLED	CANCELLED	CANCELLED	NOT MATCHING THE DESCRIPTION	CANCELLED	CANCELLED	CANCELLED
1855	4231155304200	STOCKINETTE, PERLON OR EQUIVALENT, WHITE, WIDTH 120 MM, L/ROLL 33.3 METER, APPROXIMATELY	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	623T5=12	Germany
1856	4231155304100	STOCKINETTE, PERLON OR EQUIVALENT, WHITE, WIDTH 150 MM, L/ROLL 27.0 METER,	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	623T5=15	Germany
1857	4224200016600	APPROXIMATELY	ITEMIZED	each	400571	Badael LLC -Orig-			·
		STOCKING, NYLON, USED FOR DRAPING PROCESS, 30 X 1.25 METER STOCKINGS, COSMETIC, FOR BELOW KNEE PROSTHESIS, SIZE 1, LENGTH 38.5 CM,				massas al-watania for medical servi -	Blatchford	909209	United Kingdom
1858	4224200430300	APPROXIMATELY	ITEMIZED	each	400792	Orig-	WAGNER	6W016-1	Germany
1858	4224200430300	STOCKINGS, COSMETIC, FOR BELOW KNEE PROSTHESIS, SIZE 1, LENGTH 38.5 CM, APPROXIMATELY	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	99B16=1	Italy
		STOCKINGS, COSMETIC, FOR BELOW KNEE PROSTHESIS, SIZE 2, LENGTH 40.5 CM,							
1859	4224200405100	APPROXIMATELY	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	99B16=2	Italy
1860	4224200426200	STOCKINGS, COSMETIC, FOR BELOW KNEE PROSTHESIS, SIZE 3, LENGTH 44.5 CM, APPROXIMATELY	ITEMIZED	each	400792	massas al-watania for medical servi - Orig-	WAGNER	6W016-3	Germany
		STOCKINGS, COSMETIC, FOR BELOW KNEE PROSTHESIS, SIZE 3, LENGTH 44.5 CM,							
1860	4224200426200	APPROXIMATELY	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	99B16=3	Italy
1861 1862	4224200405200 4224200405300	STOCKINGS, PERLON OR EQUIVALENT, COSMETIC, FOR CHILDREN, 34 CM STOCKINGS, PERLON OR EQUIVALENT, COSMETIC, FOR CHILDREN, 37 CM	ITEMIZED ITEMIZED	each each	400571 400571	AL Gaim Comm. EstOrig- AL Gaim Comm. EstOrig-	Ottobock Ottobock	99B22=1 99B22=2	Italy Italy
1863	4224200405400	STOCKINGS, PERLON OR EQUIVALENT, COSMETIC, FOR CHILDREN, 44 CM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	99B22=3	Italy
1864	4618153500300	STOCKINGS, THE PERION OR EQUIVALENT, WITH RUBBER BAND, ARE INTENDED FOR THE OUTER COSMETIC FINISH OF MODULAR KNEE DISARTICULATION PROSTHESIS AND TRANSFEMORAL PROSTHESIS, LENGTH 59 CM, FOOT LENGTH 18 CM (7.086 INCHES), ANKLE	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Ottobock	99B14=0	Italy
1865	4618153500400	(1/2) 9 CM (3.543 INCHES), CUPF (1/2) 15 CM (5.905 INCHES), BEIGE, SIZE 0 STOCKINGS, THE PERLON OR EQUIVALENT, WITH RUBBER BAND, ARE INTENDED FOR THE OUTER COSMETIC FINISH OF MODULAR KNEE DISARTICULATION PROSTHESIS AND TRANSFEMORAL PROSTHESIS, LENGTH 95 CM, FOOT LENGTHIS CM (7.086 INCHES), ANNLE (1/2), 9 CM (3.543 INCHES), CUFF (1/2) 15 CM (5.905 INCHES), LIGHT BROWN, SIZE 0	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Ottobock	99B14=0-B	Italy
1866	4618153500700	STOCKINGS, THE PERLON OR EQUIVALENT, WITH RUBBER BAND, ARE INTENDED FOR THE OUTER COSMETIC FINISH OF MODULAR KNEE DISARTICULATION PROSTHESIS AND TRANSFEMORAL PROSTHESIS, LENGTH 66 CM, FOOT LENGTH 20 CM (7.874 INCHES), ANKLE	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Ottobock	99B14=2	Italy
		(1/2) 9 CM (3.543 INCHES), CUFF (1/2) 17 CM (6.692 INCHES), BEIGE, SIZE 2							
1867	4618153501000	STOCKINGS, THE EPERLON OR EQUIVALENT, WITH RUBBER RAND, ARE INTENDED FOR THE UUTER COSMETIC FINISH OF MODULAR KNEE DISARTICULATION PROSTHESIS AND TRANSFEMORAL PROSTHESIS, LENGTH 72 CM, FOOT LENGTH, 20.5 CM (8.070 INCHES), ANKLE (1/2) 9.25 CM (3.641 INCHES), CUFF (1/2) 18 CM (7.086 INCHES), LIGHT BROWN, SIZE 3	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Ottobock	99B14=3-B	Italy
1868	4618153501200	STOCKINGS, THE PERLON OR EQUIVALENT, WITH RUBBER BAND, ARE INTENDED FOR THE OUTER COMMETCE FINISH OF MODULAR KINE DISARTICULATION PROSTHESS AND TRANSFERMORAL PROSTHESS, LENGTH 8.35. CM, FOOT LENGTH 2.1 CM, (8.26° INCHES), ANKLE (1/2) 9.5 CM (3.740 INCHES), CUFF (1/2) 19 CM (7.480 INCHES), LIGHT BROWN, SIZE 4 STOCKINGS, THE PERLON OR EQUIVALENT, WITH RUBBER BAND, ARE INTENDED FOR THE	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Ottobock	99B14=4-B	Italy
1869	4618153500900	OUTER COSMETIC FINISH, OF MODULAR KNEE DISARTICULATION PROSTHESIS AND TRANSFEMORAL PROSTHESIS, LENGTH 72 CM, FOOT LENGTH 20.5 CM (8.070 INCHES), ANKLE (1/2) 9.25 CM (3.641 INCHES), CUFF (1/2) 18 CM (7.086 INCHES), BEIGE, SIZE 3	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Ottobock	99B14=3	Italy
1870	4618153501100	STOCKINGS, THE PERLON OR EQUIVALENT, WITH RUBBER BAND, ARE INTENDED FOR THE OUTER COSMETIC FINISH, OF MODULAR KNEE DISARTICULATION PROSTHESIS AND TRANSFEMORAL PROSTHESIS, LENGTH 83.5 CM, FOOT LENGTH 21 CM (8.267 INCHES), ANKLE (1/2) 9.5 CM (3.740 INCHES), CUFF (1/2) 19 CM (7.480 INCHES), BEIGE, SIZE 4	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Ottobock	99B14=4	Italy
1871	4618153500600	STOCKINGS, THE PERLON OR EQUIVALENT, WITH RUBBER BAND, ARE INTENDED FOR THE OUTER COSMETIC, FINISH OF MODULAR NINE DISARTICULATION PROSTHESIS AND TRANSFEMORAL PROSTHESIS, LENGTH 6.1.5 CM, FOOT LENGTH 19 GT (7.480 INCHES), ANLIE (1/2) 9 CM (3.543 INCHES), CUFF (1/2) 16 CM (6.299 INCHES), LIGHT BROWN, SIZE 1	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Ottobock	99B14=1-B	Italy
1872	4618153500800	STOCKINGS, THE PERLON OR EQUIVALENT, WITH RUBBER BAND, ARE INTENDED FOR THE OUTER COSMETIC, FINISH OF MODULAR NIEE DISARTICULATION PROSTHESIS AND TRANSFEMORAL PROSTHESIS, LENGTH 66 CM, FOOT LENGTH 20 CM [7.24] NICHES), ANKLE (1/2) 9 CM (3.543 NICHES), CUFF (1/2) 17 CM (6.692 INCHES), LIGHT BROWN, SIZE 2	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Ottobock	99B14=2-B	Italy
1873	4618153501300	STOCKINGS, THE PERLON OR EQUIVALENT, WITH RUBBER BAND, ARE INTENDED FOR THE OUTER COSMETIC, FINISH OF MODULAR KNEE DISARTICULATION PROSTHESIS, AND TRANSFEMORAL PROSTHESIS LENGTH 100 CM, FOOT LENGTH 18.5 CM (7.283 INCHES), ANKLE (1/2) 10 CM (3.937 INCHES), CUFF (1/2) 14 CM (5.511 INCHES), BEIGE, SIZE HIP DISARTICULATION	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Ottobock	99B14=HE	Italy
1874	4618153500500	STOCKINGS, THE PERLON OR EQUIVALENT, WITH HUBBER BAND, ARE INTENDED FOR THE OUTER COSMETIC, FINISH OF MODULAR KNEE, DISARTICULATION PROSTHESIS AND TRANSFEMORAL PROSTHESIS LENGTH 61.5 CM, FOOT LENGTH 19 CM (7.480 INCHES), ANKLE (1/2) 9 CM (3.543 INCHES), CUFF (1/2) 16 CM (6.299 INCHES), BEIGE, SIZE 1	ITEMIZED	Pair	400571	AL Gaim Comm. EstOrig-	Ottobock	99B14=1	Italy
1875	4224200035000	STORAGE CONTAINER FOR GLUE, AN ORTHOTICS WORKSHOP TOOL, FLAT BRUSH, FOR ADHESIVE, VARNISH, CONTENTS 450-800 ML, WEIGHT 180-500 G	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY -	AFT-INTERNATIONAL	6078352000	Germany
		STRAIGHT HAND SHEARS OR SNIPS, AN ORTHOTICS WORKSHOP TOOL, STEEL, STRAIGHT,				Orig-			_
1876	4224200033400	WITH TOOTHED BLADE, PAINTED HANDLE	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	719L2	Germany
1877	4224170500400	STRETCH NIGHT SPLINT, LARGE, SIZE: 10.5, WITH ADJUSTABLE DORSIFLEXION STRAPS	ITEMIZED	Pair	400050	AI-EWAN MEDICAL COMPANY -Orig-	Stooner	UFO/I	Taiwan
18//	4224170500400	PROVIDE OPTIMAL STRETCH, NON-SKID BOTTOM FOR INCREASED SAFETY, TOE WEDGE INCLUDED, ANTIMICROBIAL MATERIAL WHICH HELPS PREVENT ODOR AND INFECTION	HEMIZED	Pair	400050	AI-EWAN MEDICAL COMPANY -Orig-	Steeper	UFO/L	raiwan
1878	4224170500500	STRETCH NIGHT SPLINT, MEDIUM, SIZE: 8-10, WITH ADJUSTABLE DORSIFLEXION STRAPS, PROVIDE OPTIMAL STRETCH, NON-SKID BOTTOM FOR INCREASED SAFETY. TOE WEDGE	ITEMIZED	Pair	400050	AL FIMAN AMERICAN COMPANY ON-	Channe	1150/84	T-1
18/8	4224170500500	INCLUDED, ANTIMICROBIAL MATERIAL WHICH HELPS PREVENT ODOR AND INFECTION	TTEMIZED	Pair	400050	Al-EWAN MEDICAL COMPANY -Orig-	Steeper	UFO/M	Taiwan
1879	4224170500600	STRETCH NIGHT SPLINT, SMALL, SIZE: 4-7.5, WITH ADJUSTABLE DORSIFLEXION STRAPS, PROVIDE OPTIMAL STRETCH, NON-SKID BOTTOM FOR INCREASED SAFETY, TOE WEDGE	ITEMIZED	Pair	400050	Al-EWAN MEDICAL COMPANY -Orig-	Steeper	UFO/S	Taiwan
		INCLUDED, ANTIMICROBIAL MATERIAL WHICH HELPS PREVENT ODOR AND INFECTION STUMP SOCKS, TERRY CLOTH, WHITE, THIN - WALLED FOR TRANSTIBIAL AMPUTATION,							
1880	4224200401600	LENGTH 30 CM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	451F2=30	Italy
1881	4224200401400	STUMP SOCKS, TERRY CLOTH, WHITE, THIN - WALLED FOR TRANSTIBIAL AMPUTATION, LENGTH 40 CM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	451F2=40	Italy
4000	4224200401500	STUMP SOCKS, TERRY CLOTH, WHITE, THIN - WALLED FOR TRANSTIBIAL AMPUTATION,	ITEA AIRES		400577	Al Calm Comm. F. C.	Cur-h	45453 50	n-L.
1882	4224200401500	LENGTH 50 CM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	451F2=50	Italy
1883	4224200401300	STUMP SOCKS, TERRY CLOTH, WHITE, THIN - WALLED FOR TRANSTIBIAL AMPUTATION, LENGTH 60 CM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	451F2=60	Italy
1884	4224200400800	STUMP SOCKS, WOOL, FOR SHORT PROSTHESIS, (PTB), NATURAL LENGTH 35 CM, UPPER	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	451U1=35	Germany
		WIDTH 15 CM, LOWER WIDTH 9 CM STUMP SOCKS, WOOL, FOR SHORT PROSTHESIS, (PTB), NATURAL LENGTH 45 CM, UPPER		cacii					Schillarry
1885	4224200400900	WIDTH 15 CM, LOWER WIDTH 9 CM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	451U1=45	Germany
1886	4224200401200	STUMP SOCKS, WOOL, FOR SHORT PROSTHESIS, (PTB), NATURAL LENGTH 50 CM, UPPER	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	20A57/50	Germany
1887	4214180200100	WIDTH 15 CM, LOWER WIDTH 9 CM SUCTION, SOCKET, ELECTRODE, SIZE 60	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	Steeper	ELSK60	United Kingdom
		SUPERGLUE FOR FAST GLUING OF SOCKET ADAPTER AND GLUING METALS DUROPLASTICS				The second secon			- Buoni
1888	4224200030100	AND THERMOPLASTICS, 2-COMPONENT ADHESIVE BASED ON METHYL METHACRYLATE WITH VERY HIGH ADDEVEST STRENSTH, EGLIVIGHLY VISCOUS, EILUS CARP FROM 0.5 TO 3 LYM, HIGH TEMPERATURE RESISTANCE, LASTING STRENGTH AND FLEXIBILITY, PROCESSING TIME: 4 TO 7 MINUTES, CURING TIME: APPROX. 15 MINUTES, INCLUDING GUN OF SUPERGLUE, NET CONTENTS 50 ML GRAMS APPROXIMATELY	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	636K49 + 756K31	USA
1889	4224170314800	SUPPORT, CUSTOM, MOLDED KNEE, IMMOBILIZES THE KNEE AND HELPS REDUCE PAIN,	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	EMO	RD600	Spain
		LARGE SUPRA MALLEOLAR ORTHOSIS, CUSTOM MADE, COMBO THICKNESS 1-3MM POLYETHYLENE		1		massas al-watania for medical servi -	CUSTOM, MOLDED-		C
1890	4224170656000	WITH ANKLE FOOT ORTHOSIS THICKNESS 2- 4MM POLYPROPYLENE	ITEMIZED	each	400792	Orig-	WAGNER	MC-2019	Germany
1891	4224170655900	SUPRA MALLEOLAR ORTHOSIS, CUSTOM MADE, PEDIATRIC, THICKNESS 1-3MM POLYETHYLENE, COLOR UPON REQUEST	ITEMIZED	each	400415	CareTechniques -Orig-	ОТВ	SMO-1	Utd.Arab Emir.
1892	4224170317600	SWEDISH, KNEE CAGE, EXTRA-LARGE	ITEMIZED	each	400005	Qomel Company -Orig-	TRULIFE	08668-05	USA
1893	4224170317500	SWEDISH, KNEE CAGE, LARGE	ITEMIZED	each	400005	Qomel Company -Orig-	TRULIFE	08668-04	USA
1894 1895	4224170317400 4224170317300	SWEDISH, KNEE CAGE, MEDIUM SWEDISH, KNEE CAGE, SMALL	ITEMIZED	each each	400005 400005	Qomel Company -Orig- Qomel Company -Orig-	TRULIFE TRULIFE	08668-03 08668-02	USA
1093	~2241/US1/SUU		TILIVIIZED	edtii	400003	Quiter Company "Ong"	INOLIFE	00000-02	USA
1896	4224200010900	SYSTEM SOCKET CONNECTION, FOR TRANSFEMORAL AMPUTATIONS, PROXIMAL, AND DISTAL CONNECTION, BETWEEN THE SOCKET AND LINER, REDUCED PISTONING, AND ROTATIONAL MOVEMENTS, CAN BE DONNED WHILE SITTING, THEREFORE, PARTICULARLY, WELL SUITED, FOR GERIATRIC USERS, AND USERS WITH A LOW MOBILITY GRADE	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	4R160=1	USA
1897	4224200015000	SYSTEM, ANKLE, JOINTS, WITH LAMINATION PIECES, RIGHT SYSTEM, WIDTH 20 MM	CANCELLED	CANCELLED	CANCELLED	CANCELLED NOT MATCHING THE DESCRIPTION	CANCELLED	CANCELLED	CANCELLED
1898	4224200005500	SYSTEM, CONTROLS THE VOLUME OF THE RESIDUAL LIMB, A PUMP UNIT FOR HEAVY DUTY PURPOSES, HEAVY BODY WEIGHT / HIGH LEVEL OF ACTIVITY COMPLETE KIT	ITEMIZED	Kit	400571	AL Gaim Comm. EstOrig-	Ottobock	4R150 / 4R181	USA
				-		-			

Transcriptors Section Transcriptors Section Transcriptors Section Section Transcriptors Section	TENDER NA	AME : Prosthetics Ort	hosis Supplies							
March Section March Ma	1899	4224200133200	TECHNOLOGY, THE SENSORS IN THE KNEE JOINT ARE CONSTANTLY EVALUATING (100 TIMES PER SECOND) WHICH MOVEMENT YOU ARE CURRENTLY PERFORMING AND HOW QUICKLY THIS INFORMATION IS PASSED ONTO THE MICROPROCESSOR, IN THE BRACE WHICH REGULATES THE REQUIRED SUPPORT FLEXING UNDER LOAD WHILE SITTING DOWN NAVIGATING SLOPES, WALKING ON UNEVEN TERRAN OR GOING DOWN STAIRS STEP OVER STEP ALL THIS DEFINES A NEW LEVEL OF MOBILITY, THE BRACE IS SMALLER AND LIGHTER DOES NOT NEED TO EXERT AS MULCH ENERGY WHILE WALKING, ALLOWS THE USES TO WEAR THE ORTHOSIS UNDERNEATH THEIR CLOTHING, THE MICROPROCESSOR SENSOR MAKES THE ENTIRE GAIT PATTERN MORE DYNAMIC AND RESPONSIVE, THE USER CAN ALSO CHANGE SETTINGS ON THEIR JOINT SWITCHING TO CYCLING MODE USING THE SMARTPHONE APPLICATION INCLUDES PATIENT ASSESSMENT AT CUSTOMERS PREMISES MEASURING INCLUDES ALL REQUIRED MATERIALS/COMPONENTS TO FABRICATE PROSTHESIS DELIVERY FITTING BY CERTIFIED ORTHOTIST I	ITEMIZED	Kit	400571	AL Gaim Comm. EstOrig-	Ottobock		Austria
1906 GOOGLEGATE AND AND CONTROL AND CONTROL OF THE CONTROL OF	1900	4224200133300	SENSOR TECHNOLOGY, THE SENSORS IN THE KNEE, JOINT, ARE CONSTANTLY EVALUATING, LIQOT TIMES PER SECOND, WHICH MOVEMENT, VOU ARE CURRENTLY PERFORMING, AND HOW QUICKLY, THIS INFORMATION IS PASSED, ONTO THE MICROPROCESSOR, IN THE BRACE, WHICH REGULATES THE REQUIRED SUPPORT, FLEXING UNDER LOAD, WHILE SITTING DOWN, AVAIGATING SLOPES, WALKING ON UNEVER TERRAIN, OR GOING DOWN STAIRS, STEP OVER STEP, ALL THIS DEFINES A NEW LEVEL OF MOBILITY, THE BRACE IS SMALLER, AND LIGHTER, DOES NOT KEED TO EXERT, AS MUCHOL FRENGY, WHILE WALKING, ALLOWS THE USER TO WART THE ORTHOSIS, UNDERNEATH THEIR CLOTHING, THE MICROPROCESSOR SENSOR, MAKES THE ENTIRE GAIT, PATTERN MORE DYNAMIC AND RESPONSIVE, THE USER CAN ALSO CHANGE SETTINGS, ON THEIR JOINT, SWITCHING, TO CYCLING MODE, USING THE SMARTPHONE	ITEMIZED	Kit	400571	AL Gaim Comm. Est Orig-	Ottobock	17KO1=L/R	Austria
Page	1901	4224200113500	SYSTEM, PUMP UNIT, PREVENTS VOLUME LOSS AND MINIMIZES VOLUME FLUCTUATIONS IN THE RESIDUAL LIMB, THE USERS BENEFIT FROM THE ADVANTAGES OF THE VACUUM SYSTEM TUBE CLAMP 34 MM, FOR USERS WITH A MODERATE O HIGH MOBILITY GRADE, SYSTEM HEIGHT 39 MM, WEIGHT 399 GRANS, FOR BODY WEIGHT UP TO 125 KG, INCLUDING SEALING	ITEMIZED	Kit	400571	AL Gaim Comm. EstOrig-	Ottobock		Germany
The Control of Contr			THE RESIDUAL LIMB, THE USERS BENEFIT, FROM THE ADVANTAGES, OF THE VACUUM SYSTEM NICLIDES, PATENT ASSESSMENT, AT CUSTOMERS PREMISES, MEASURES MALL REQUIRED MATERIALS/COMPONENTS, TO FABRICATE PROSTHESIS, DELIVERY, FITTING BY CERTIFIED ORTHOTIST, IN MULTIPLE CLINICS, AND DIFFERENT REGIONS WITH FOLLOW UP		-		-			
1985 1985	1903	4214360501000	T - STRAP, STANDARD DESIGN, LEATHER, LINED WITH COWHIDE, BLACK, EXTRA LARGE, 41 CM	ITEMIZED	each	400050	-	becker	D-21-XL	USA
1909 17-750-75										
1.000 1.00										
1939 1-396-027-090-000-000-000-000-000-000-000-000-00			CM							
1905 1905/1909/1909 1906/1909/1909/1909/1909/1909/1909/1909/										
1909 1,000,000,000 1,000,000,000,000,000,000,000,000,000,0										
130	1909	4224200033100		ITEMIZED	Kit	400571	AL Gaim Comm. EstOrig-	Ottobock	709S15=*	Germany
1906 2020-2020-2020 2020-2020-2020 2020-2020-	1910	4224200012000		ITEMIZED	each	400569		Kunststoffproduktions-	17001	Germany
151 101-101-101 101-	1910	4224200012000		ITEMIZED	each	400571	AL Gaim Comm. EstOrig-		639A1=1	Germany
SECTION SECT	1911	4224200013800		ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	627B4	Italy
## 2424-000-000 2014-000-0000 2014-0000-0000 2014-0000-0000 2014-0000-0000 2014-0000-0000 2014-0000-0000 2014-0000-0000 2014-0000-0000 2014-0000-0000 2014-0000-0000 2014-00000-00000 2014-00000-00000 2014-00000-00000000000000000000000000000	1912	4224200016200	TAPERED, MANDREL, USED IN CAST PROCESSING, RE - USABLE	ITEMIZED	each	400623	Badael LLC -Orig-	Blatchford		United Kingdom
BEAST DESCRIPTION ACCORDED RIGHT OF COTTON RESIDENCE CESTS SETTINGS AS CONTINUED AND PROPERTY CESTS SETTINGS AND PROPERTY CESTS SETTINGS AS CONTINUED AND PROPERTY CESTS SETTINGS AND PROPERTY CESTS SETTINGS AS CONTINUED AND PROPERTY CESTS SETTINGS AND PROPERTY CESTS SETTINGS AS CONTINUED AND PROPERTY CESTS SETTINGS AS CONTINUED AND PROPERTY CESTS SETTINGS AS CONTINUED AS CO	1913	4224150201800	ORTHOSIS, HIGH SHOCK ABSORPTION, WASHABLE, LENGTH 50 CM, WIDTH 50 CM, THICKNESS 0.3 CM, COLOR BLUE	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock		Germany
\$2,000,000,000 COMPACTION, MADE OF COTTON (SIN) AND STATE (1) INFORMATION AND STATE (1) INFOR	1914	4224200430400	CONNECTOR, MADE OF COTTON (85%) AND SPANDEX (15%), SUITABLE FOR TRANSTIBIAL AND TRANSFEMORAL PROSTHESES, SIZE 11, LENGTH 30 CM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	451F6=11-30	Germany
1935 242-2002-2000 COMMONDAY (CONTON (AND OF COTTON (SIGN) AND PARKET (SIGN) STATES (TO TEMPORATE AND TEMPOR	1914	4224200430400	CONNECTOR, MADE OF COTTON (85%) AND SPANDEX (15%), SUITABLE FOR TRANSTIBIAL AND TRANSFEMORAL PROSTHESES, SIZE 11, LENGTH 30 CM	ITEMIZED	each	400415	CareTechniques -Orig-	Uniprox	ST33-30W	Germany
1939 424-920-9200 COMPLICION, MADE OF COTTON (1938) AND SPANDED (1936), SUPPLIED THE MOST STREET, AND STREET	1915	4224200430500	CONNECTOR, MADE OF COTTON (85%) AND SPANDEX (15%), SUITABLE FOR TRANSTIBIAL AND TRANSFEMORAL PROSTHESES, SIZE 11, LENGTH 40 CM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	451F6=11-40	Germany
\$2,000,000,000 Controlled (No. 10 COTTO (NISS) (NISS) AND SYMBOX (SISS), SITEAR ED IT MANTENIA AND METHOD each 40,0015 Cart Techniques, Crig Uniprice 576,300 Germany Techniques, Crig Uniprice 576,400 Germany Techniques, Crig Crig Techniques, Crig Crig Germany Tech	1915	4224200430500	CONNECTOR, MADE OF COTTON (85%) AND SPANDEX (15%), SUITABLE FOR TRANSTIBIAL AND TRANSFEMORAL PROSTHESES, SIZE 11, LENGTH 40 CM	ITEMIZED	each	400415	CareTechniques -Orig-	Uniprox	ST33-40W	Germany
1326 42420004000 COMPCTON, MAD CH COTTON (SISS) AUTO-SPANDE (TSS), SUPPLIES OF THE STORY COMPTON (SISS) AND SPANDE	1916	4224200430600	CONNECTOR, MADE OF COTTON (85%) AND SPANDEX (15%), SUITABLE FOR TRANSTIBIAL AND TRANSFEMORAL PROSTHESES, SIZE 20, LENGTH 30 CM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	451F6=20-30	Germany
1977	1916	4224200430600	CONNECTOR, MADE OF COTTON (85%) AND SPANDEX (15%), SUITABLE FOR TRANSTIBIAL AND TRANSFEMORAL PROSTHESES, SIZE 20, LENGTH 30 CM	ITEMIZED	each	400415	CareTechniques -Orig-	Uniprox	ST43-30	Germany
1977 224200097000 CONNECTOR, MAD OF LOTTON (SSS) AND SPANDES (1976, SUTTAN ET CONT. THE MICE AND STATES	1917	4224200430700	CONNECTOR, MADE OF COTTON (85%) AND SPANDEX (15%), SUITABLE FOR TRANSTIBIAL AND TRANSFEMORAL PROSTHESES, SIZE 20, LENGTH 40 CM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	451F6=20-40	Germany
1939 322-2006/7700 TERRY COTIN, RESOUNAL JUNS, SOCK WHITE, 20 CM TEMAZED esch 400571 AL Gain Comm. REL -Orig. Ottobook 4517-2-05 Tasy 1939 322-2006/7700 TERRY COTIN, RESOUNAL JUNS, SOCK WHITE, 25 CM TEMAZED esch 400571 AL Gain Comm. REL -Orig. Ottobook 4517-2-05 Tasy 1930 322-2006/7700 TERRY COTIN, RESOUNAL JUNS, SOCK WHITE, 25 CM TEMAZED esch 400571 AL Gain Comm. REL -Orig. Ottobook 4517-2-05 Tasy 1930 322-2006/7700 TERRY COTIN, RESOUNAL JUNS, SOCK WHITE, 25 CM TEMAZED esch 400571 AL Gain Comm. REL -Orig. Ottobook 4517-2-05 Tasy 1930 322-2006/7700 TERRY COTIN, RESOUNAL JUNS, SOCK WHITE, 25 CM TEMAZED TEMAZED TEMAZED Esch 400571 AL Gain Comm. REL -Orig. Ottobook 4517-2-05 Tasy Temazed Tema	1917	4224200430700	CONNECTOR, MADE OF COTTON (85%) AND SPANDEX (15%), SUITABLE FOR TRANSTIBIAL AND	ITEMIZED	each	400415	CareTechniques -Orig-	Uniprox	ST43-40	Germany
1930 22/2009/2009 TERRY COTIF, RESIDUAL, LIMB, SOCK, WHITE, 3C KM	1918				each			Ottobock	451F2=20	Italy
1921 122-2004/07500 THE BOSTON SOFT BODY ACRES A SURFEVENE THOUGH CENTRORY SOFT ON MAKE CONTROL OF THE SPIRM DONE SEFECTIVE COMPORATION SOFT BODY ACRES AS INSURFACE SERVING ENTROPHIC SERVING S	1919	4224200407200	TERRY CLOTH, RESIDUAL, LIMB, SOCK, WHITE, 25 CM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	451F2=25	Italy
4224150021800 ON THE PATIENT IS A MOST NON - EXPITENT THE PRODUCTS EXTERIOR CONTOURS ARE ASTREPICALLY PLEASING AND AGE EGRERALY WELL ACCEPTE DOR SOTH PATIENT AND PARENTS THE INDICATION FOR THIS PRODUCT ARE 1. NUELDON MUSCULAR SCOLDIOSS 2. CEREBAR PLAYS 3. WATCHIOMENNOSCIEL AS MUSCULAR STOLDIOSS 2. CEREBAR PLAYS 3. WATCHIOMENNOSCIEL AS MUSCULAR STOLDIOS 2. CEREBAR PLAYS 3. WATCHIOMEN STOLDIOS 3. CEREBAR PLAYS 3. WATCHIOMEN STOLDIOS 3. CEREBAR STOLD		4224200407600	TERRY CLOTH, RESIDUAL, LIMB, SOCK, WHITE, 45 CM. THE BOSTON SOFF BODY JACKET AS A LIGHTWEENER'S FINAL ORTHOSS DESIGNED TO MAKE CONTROL OF THE SPINE MORE EFFECTIVE COMFORTABLE FOR PATTENTS WHO CANNOT TOLERATE A RIGID PLASTIC BRACE THE ORTHOSS ALTHOUGH EXTREMELY LIGHT IS PROVIDED WITH RIGIDITY AROUND THE TRUNK BY WAY OF STRATEGICALLY PLACED REINFORCEMENTS THE BRACE SE ASILY TRIMMED WITH SCISSORS AND MINIMAL WORKSHOP FACULITES THE BOSTON SOFF BODY JACKET IS VERY ACCEPTABLE TO THE PATIENTS DUE TO THE SOFT						451F2=45	
1924 4410311900100 THERMOPAPERS, WITH LIGHT MIXED RED OR PINK 175 1925 1926 1926 1926 1926 1926 1926 1926 1926	1922	4224180001800	ON THE PATIENT IS A MOST MON – EXISTENT THE PRODUCTS EXTERIOR CONTOURS ARE AESTHETICALLY PLEASING AND ARE GENERALLY WILL ACCEPTED BY BOTH PATIENT AND PARENTS THE INDICATION FOR THIS PRODUCT ARE 1. NEURO MUSCULAR SCOLIOSIS 2. CEREBRAL PALSY 3. WIELDMENINGOCIEE 4. MUSCULAR DYSTROPHY S. POSTURAL POSTIONING 6. MIPROVED SEATING THE BRACE BY NOT A CORRECTIVE BRACE BUT RATHER SHOULD BE PROVIDED IN THOSE CASES WHERE STABILIZATION OF MODERATE CURVES MAY BE REQUIRED.	ITEMIZED	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	ALLARD		Ireland
1926	1923	4410311900000		ITEMIZED	each	400035	ZIMMO TRADING Company LTD -Orig-	A.ALGEOS LTD	OB2533	China
AXES, HIGH STRENGTH INNER FILAMENT CORE, EASY TO FABRICATE, PROVIDE SMOOTH ARTICULATION, PREVENTS ELONGATION, ENSURE PRECISE HINNING ACTION, DURBLE, MEDIAL/LATERAL CONTROL MOTION LIMITING THERMOLYN RIGID FOR FABRICATING SELF-SUPPORTING GHECK SOCKETS FOR TT, FAND HD, WITH GOOD FRACTURE RESISTANCE, HIGH STIFFNESS, HIGH THERMOLYNESS B MM MUDITH A00 MM, WIDTH 400 MM, THICKNESS B MM A224151022100 THERMOLYN RIGID FOR FABRICATING SELF-SUPPORTING GHECK SOCKETS FOR TT, FAND HD, MM, WIDTH 400 MM, THICKNESS I MM THERMOLYN RIGID FOR FABRICATING SELF-SUPPORTING GHECK SOCKETS FOR TT, FAND HD, MM, WIDTH 400 MM, THICKNESS I MM THERMOLYN RIGID FOR FABRICATING SELF-SUPPORTING GHECK SOCKETS FOR TT, FAND HD, MM, WIDTH 400 MM, THICKNESS I MM THERMOLYN RIGID FOR FABRICATING SELF-SUPPORTING GHECK SOCKETS FOR TT, FAND HD, MM, WIDTH 400 MM, THICKNESS I MM THERMOLYN RIGID FOR FABRICATING SELF-SUPPORTING GHECK SOCKETS FOR TT, FAND HD, MM, WIDTH 400 MM, THICKNESS I MM THERMOLYN RIGID FOR FABRICATING SELF-SUPPORTING GHECK SOCKETS FOR TT, FAND HD, MM, WIDTH 400 MM, THICKNESS I MM THERMOLYN RIGID FOR FABRICATING SELF-SUPPORTING GHECK SOCKETS FOR TT, FAND HD, MM, WIDTH 400 MM, THICKNESS I MM THERMOLYN RIGID FOR FABRICATING SELF-SUPPORTING GHECK SOCKETS FOR TT, FAND HD, MM, WIDTH 400 MM, THICKNESS I MM THERMOLYN RIGID FOR FABRICATING SELF-SUPPORTING GHECK SOCKETS FOR TT, FAND HD, MM, WIDTH 400 MM, THICKNESS I MM THERMOLYN RIGID FOR FABRICATING SELF-SUPPORTING GHECK SOCKETS FOR TT, FAND HD, MM, WIDTH 400 MM, THICKNESS I MM THERMOLYN RIGID FOR FABRICATING SELF-SUPPORTING GHECK SOCKETS FOR TT, FAND HD, MM, WIDTH 400 MM,	1924	4410311900100	THERMO PAPERS, WITH LIGHT MIXED RED OR PINK	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	120P1/24	Germany
THERMOLYN RIGID FOR FABRICATING SELF-SUPPORTING GHECK SOCKETS FOR TT, TF AND HD, WITH GOOD FRACTURE RESISTANCE, AIGH STIFFNESS, HIGH THERMOPLASTIC DIMENSIONAL STABILUTY, HIGH RESISTANCE AGAINST THE FORMATION OF STRESS CRACKS, LENGTH 400 MM, WIDTH 400 MM, THICKNESS 18 MM 1927 4224151021900 1928 4224151022000 1928 4224151022000 1929 4224151022000 1929 4224151022000 1920 422415102000 1920 422415	1925	4224151014800	AXES, HIGH STRENGTH INNER FILAMENT CORE, EASY TO FABRICATE, PROVIDE SMOOTH ARTICULATION, PREVENTS ELONGATION, ENSURE PRECISE HINGING ACTION, DURABLE,	ITEMIZED	each	400050	Al-EWAN MEDICAL COMPANY -Orig-	becker	741-CAP	USA
THERMOLYN RIGID FOR FABRICATING SELF-SUPPORTING CHECK SOCKETS FOR TT, TF AND HD, WITH GOOD FRACTURE RESISTANCE, HIGH STIFFNESS, HIGH THERMOPLASTIC DIMENSIONAL STABILLTY, HIGH RESISTANCE AGAINST THE FORMATION OF STRESS CRACKS, LENGTH 400 1928 4224151022000 THERMOLYN RIGID FOR FABRICATING SELF-SUPPORTING CHECK SOCKETS FOR TT, TF AND HD, WITH GOOD FRACTURE RESISTANCE, HIGH STIFFNESS, HIGH THERMOPLASTIC DIMENSIONAL STABILLTY, HIGH RESISTANCE AGAINST THE FORMATION OF STRESS CRACKS, LENGTH 400 MM, WIDTH 400 MM, THICKNESS 12 MM THERMOLYN RIGID FOR FABRICATING SELF-SUPPORTING CHECK SOCKETS FOR TT, TF AND HD, WITH GOOD FRACTURE RESISTANCE, HIGH STIFFNESS, HIGH THERMOPLASTIC DIMENSIONAL STABILLTY, HIGH RESISTANCE AGAINST THE FORMATION OF STRESS CRACKS, LENGTH 400 MM, WIDTH 400 MM, THICKNESS 12 MM THERMOLYN RIGID FOR FABRICATING SELF-SUPPORTING CHECK SOCKETS FOR TT, TF AND HD, WITH GOOD FRACTURE RESISTANCE, HIGH STIFFNESS, HIGH THERMOPLASTIC DIMENSIONAL STABILLTY, HIGH RESISTANCE AGAINST THE FORMATION OF STRESS CRACKS, LENGTH 400 MM, WIDTH 400 MM, THICKNESS 12 MM THERMOLYN RIGID FOR FABRICATING SELF-SUPPORTING CHECK SOCKETS FOR TT, TF AND HD, WITH GOOD FRACTURE RESISTANCE, HIGH STIFFNESS, HIGH THERMOPLASTIC DIMENSIONAL STABILLTY, HIGH RESISTANCE AGAINST THE FORMATION OF STRESS CRACKS, LENGTH 400 MM, WIDTH 400 MM, THICKNESS 12 MM THERMOLYN RIGID FOR FABRICATING FLEXIBLE INNER SOCKETS IN LOWER LIMB PROSTHETICS, ANTIBACTERIAL EFFECT, VERY HIGH FLEXIBILITY, LENGTH 400 MM, WIDTH 400 THEMIZED 42241510221000 THEMIZED 42241510221000 THEMIZED 42241510221000 THEMIZED 400571 AL Gaim Comm. EstOrig- Ottobock 616T52=15 Beigium THEMIZED United Kingdo THEMIZED 400571 AL Gaim Comm. EstOrig- Ottobock 616T520=16 United Kingdo THEMIZED 400571 THEMIZED 400571 AL Gaim Comm. EstOrig- Ottobock 616T520=16 United Kingdo THEMIZED 400571 THEMIZED 400571 AL Gaim Comm. EstOrig- Ottobock 616T520=16 United Kingdo THEMIZED 400571 AL Gaim Comm. EstOrig- Ottobock 616T50=10 United Kingdo	1926	4224151020700	THERMOLYN RIGID FOR FABRICATING SELF-SUPPORTING CHECK SOCKETS FOR TT, TF AND HD, WITH GOOD FRACTURE RESISTANCE, HIGH STIFFNESS, HIGH THERMOPLASTIC DIMENSIONAL STABILITY, HIGH RESISTANCE AGAINST THE FORMATION OF STRESS CRACKS, LENGTH 400	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	616T52=8	Belgium
THERMOLYN RIGID FOR FABRICATING SELF-SUPPORTING CHECK SOCKETS FOR TT, TF AND HD, WITH GOOD FRACTURE RESISTANCE, HIGH STIFFNESS, HIGH THERMOPLASTIC DIMENSIONAL STABILITY, HIGH RESISTANCE AGAINST THE FORMATION OF STRESS CRACKS, LENGTH 400 MM, WIDTH 400 MM, THICKNESS 12 MM 1929 4224151022100 THERMOLYN RIGID FOR FABRICATING SELF-SUPPORTING CHECK SOCKETS FOR TT, TF AND HD, WITH GOOD FRACTURE RESISTANCE, HIGH STIFFNESS, HIGH THERMOPLASTIC DIMENSIONAL STABILITY, HIGH RESISTANCE, AND THE FORMATION OF STRESS CRACKS, LENGTH 400 MM, WIDTH 400 MM, THICKNESS 15 MM THERMOLYN SILVERSHIELD FOR FABRICATING FLEXIBLE INNER SOCKETS IN LOWER LIMB PROSTHETICS, ANTIBACTERIAL EFFECT, VERY HIGH FLEXIBILITY, LENGTH 400 MM, WIDTH 400 MM, THICKNESS 12 MM THERMOLYN SILVERSHIELD FOR FABRICATING FLEXIBLE INNER SOCKETS IN LOWER LIMB THE MICKNESS 12 MM THERMOLYN SILVERSHIELD FOR FABRICATING FLEXIBLE INNER SOCKETS IN LOWER LIMB PROSTHETICS, ANTIBACTERIAL EFFECT, VERY HIGH FLEXIBILITY, LENGTH 400 MM, WIDTH 400 THE MIZED 1931 4224151021000 PROSTHETICS, ANTIBACTERIAL EFFECT, VERY HIGH FLEXIBILITY, LENGTH 400 MM, WIDTH 400 THE MIZED 1931 4224151021000 PROSTHETICS, ANTIBACTERIAL EFFECT, VERY HIGH FLEXIBILITY, LENGTH 400 MM, WIDTH 400 10 TEMIZED 10 TEMIZED 10 ALG SAIM COMM. EstOrig- 11 Ottobock 10 TEMIZED 11 ALG GAIM COMM. EstOrig- 12 Ottobock 12 Ottobock 13 ALG GAIM COMM. EstOrig- 14 CALL SAIM COMM. EstOrig- 15 Ottobock 15 CHICAGO 16 TEMIZED 17 EMIZED 18 ALG GAIM COMM. EstOrig- 18 Ottobock 18 CHICAGO 18 ALG GAIM COMM. EstOrig- 18 Ottobock 18 CHICAGO 18 ALG GAIM COMM. EstOrig- 18 Ottobock 18 CHICAGO 1	1927	4224151021900	THERMOLYN RIGID FOR FABRICATING SELF-SUPPORTING CHECK SOCKETS FOR TT, TF AND HD, WITH GOOD FRACTURE RESISTANCE, HIGH STIFFNESS, HIGH THERMOPLASTIC DIMENSIONAL STABILITY, HIGH RESISTANCE AGAINST THE FORMATION OF STRESS CRACKS, LENGTH 400	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	616T52=10	Belgium
THERMOLTN RIGID FOR FABRICATING SELF-SUPPORTING CHECK SOCKETS FOR TI, TR AND HD, WITH GOOD PRACTURE RESISTANCE, HIGH STEPRINSS, RIGH THERMODEASTIC DIMENSIONAL TRANSPORT CONTROL OF THE PROPERTY OF THE PROP	1928	4224151022000	THERMOLYN RIGID FOR FABRICATING SELF-SUPPORTING CHECK SOCKETS FOR TT, TF AND HD, WITH GOOD FRACTURE RESISTANCE, HIGH STIFFNESS, HIGH THERMOPLASTIC DIMENSIONAL STABILITY, HIGH RESISTANCE AGAINST THE FORMATION OF STRESS CRACKS, LENGTH 400 MM, HIGHN 400 MM, THICKNESS 12 MM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	616T52=12	Belgium
THERMOLYN SILVERSHELD FOR FABRICATING FLEXBLE INNER SOCKETS IN LOWER LIMB 1930 4224151020900 PROSTHETICS, ANTIBACTERIAL EFFECT, VERY HIGH FLEXBILLTY, LENGTH 400 MM, WIDTH 400 THERMOLYN SILVERSHELD FOR FABRICATING FLEXBLE INNER SOCKETS IN LOWER LIMB 1931 4224151021000 PROSTHETICS, ANTIBACTERIAL EFFECT, VERY HIGH FLEXBILLTY, LENGTH 400 MM, WIDTH 400 THERMOLYN SILVERSHELD FOR FABRICATING FLEXBLE INNER SOCKETS IN LOWER LIMB 1931 4224151021000 PROSTHETICS, ANTIBACTERIAL EFFECT, VERY HIGH FLEXBILLTY, LENGTH 400 MM, WIDTH 400 THERMOLYN SILVERSHELD FOR FABRICATING FLEXBLE INNER SOCKETS IN LOWER LIMB 1931 4224151021000 PROSTHETICS, ANTIBACTERIAL EFFECT, VERY HIGH FLEXBILLTY, LENGTH 400 MM, WIDTH 400 THERMOLYN SILVERSHELD FOR FABRICATING FLEXBLE INNER SOCKETS IN LOWER LIMB THERMOLYN SILVERSHELD FOR FABRICATING FLEXBLE INNER SOCKETS IN LOWER LIMB THERMOLYN SILVERSHELD FOR FABRICATING FLEXBLE INNER SOCKETS IN LOWER LIMB THERMOLYN SILVERSHELD FOR FABRICATING FLEXBLE INNER SOCKETS IN LOWER LIMB THERMOLYN SILVERSHELD FOR FABRICATING FLEXBLE INNER SOCKETS IN LOWER LIMB THERMOLYN SILVERSHELD FOR FABRICATING FLEXBLE INNER SOCKETS IN LOWER LIMB THERMOLYN SILVERSHELD FOR FABRICATING FLEXBLE INNER SOCKETS IN LOWER LIMB THERMOLYN SILVERSHELD FOR FABRICATING FLEXBLE INNER SOCKETS IN LOWER LIMB THERMOLYN SILVERSHELD FOR FABRICATING FLEXBLE INNER SOCKETS IN LOWER LIMB THERMOLYN SILVERSHELD FOR FABRICATING FLEXBLE INNER SOCKETS IN LOWER LIMB THERMOLYN SILVERSHELD FOR FABRICATING FLEXBLE INNER SOCKETS IN LOWER LIMB THERMOLYN SILVERSHELD FOR FABRICATING FLEXBLE INNER SOCKETS IN LOWER LIMB THERMOLYN SILVERSHELD FOR FABRICATING FLEXBLE INNER SOCKETS IN LOWER LIMB THERMOLYN SILVERSHELD FOR FABRICATING FLEXBLE INNER SOCKETS IN LOWER LIMB THERMOLYN SILVERSHELD FOR FABRICATING FLEXBLE INNER SOCKETS IN LOWER LIMB THERMOLYN SILVERSHELD FROM FROM FROM FROM FROM FROM FROM FROM	1929	4224151022100	THERMOLYN RIGID FOR FABRICATING SELF-SUPPORTING CHECK SOCKETS FOR TT, TF AND HD, WITH GOOD FRACTURE RESISTANCE, HIGH STIFFNESS, HIGH THERMOPLASTIC DIMENSIONAL STABILITY, HIGH RESISTANCE AGAINST THE FORMATION OF STRESS CRACKS, LENGTH 400	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	616T52=15	Belgium
1931 4224151021000 PROSTHETICS, ANTIBACTERIAL EFFECT, VERY HIGH FLEXIBILITY, LENGTH 400 MM, WIDTH 400 ITEMIZED each 400571 AL Gaim Comm. EstOrig- Ottobook 6167200=16 United Kingdo	1930	4224151020900	THERMOLYN SILVERSHIELD FOR FABRICATING FLEXIBLE INNER SOCKETS IN LOWER LIMB PROSTHETICS, ANTIBACTERIAL EFFECT, VERY HIGH FLEXIBILITY, LENGTH 400 MM, WIDTH 400 MM, THICKNESS 12 MM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	616T200=12	United Kingdom
MM, I HICKNESS 16 MM	1931	4224151021000		ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	616T200=16	United Kingdom

	JMBER : NPT0050/23 AME : Prosthetics Or								Preliminary Res
1932	4224151020800	THERMOLYN SILVERSHIELD FOR FABRICATING FLEXIBLE INNER SOCKETS IN LOWER LIMB PROSTHETICS, ANTIBACTERIAL EFFECT, VERY HIGH FLEXIBILITY, LENGTH 400 MM, WIDTH 400	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	616T200=9	United Kingdom
1933	4224151021100	MM, THICKNESS 9 MM THERMOLYN SOFT FOR FABRICATING FLEXBLE INMER PROSTHETIC SOCKETS IN LOWER LIMB PROSTHETICS, HIGH FLEXIBILITY, HIGH SURFACE QUALITY, CAN BE SUBSEQUENTLY THERMOFORMED, COMFORTABLE TO WEAR, WASHABLE, LENGTH 400 MM, WIDTH 400 MM, THICKNESS JO MM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	616T53=10	Germany
1934	4224150902300	THERMOLYN SOFT FOR FABRICATING FLEXIBLE INNER PROSTHETIC SOCKETS IN LOWER LIMB PROSTHETICS, HIGH FLEXIBILITY, HIGH SURFACE QUALITY, CAN BE SUBSEQUENTLY THERMOFORMED, COMFORTABLE TO WEAR, WASHABLE, LENGTH 400 MM, WIDTH 400 MM, THICKNESS 12 MM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	616T53=12	Germany
1935	4224151021200	THERMOLYN SOFT FOR FABRICATING FLEXIBLE INNER PROSTHETIC SOCKETS IN LOWER LIMB PROSTHETICS, HIGH FLEXIBILITY, HIGH SURFACE QUALITY, CAN BE SUBSEQUENTLY THERMOFORMED, COMFORTABLE TO WEAR, WASHABLE, LENGTH 400 MM, WIDTH 400 MM, THICKNESS 15 MM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	616T53=15	Germany
1936	4224151021600	THERMOLYN SUPRA SOFT WITH SILLCONE FOR FABRICATING HIGHLY FLEXIBLE SOFT-WALLED INNER SOCKETS FOR THE THIGH, VERY HIGH FLEXIBILITY, COMFORTABLE SOCKET BRINNS, HIGH SURFACE QUALITY, COMFORTABLE TO WEAR, EASY TO SAND, WASHABLE, LENGTH 400 MM, THICKNESS 9 MM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	616T111=9	Belgium
1937	4224151021700	THERMOLYN SUPRA SOFT WITH SILICONE FOR FABRICATING HIGHLY FLEXIBLE SOFT-WALLED INNER SOCKETS FOR THE THIGH, YERY HIGH FLEXIBLITY, COMFORTABLE SOCKET BRIMS, HIGH SURFACE QUALITY, COMFORTABLE TO WEAR, EASY TO SAND, WASHABLE, LENGTH 400 MM, WIDTH 400 MM, THICKNESS 12 MM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	616T111=12	Belgium
1938	4224151021300	THERMOLYN SURRA SOFT, FOR FARREATING HIGHLY FEMBLE SOFT-WALLED INNER SOCKETS FOR THE THIGH, YERY HIGH FLEXIBILITY AND MORE COMFORTABLE SOCKET BRIMS, HIGH SURFACE QUALITY, COMFORTABLE TO WEAR, WASHABLE, LENGTH 400 MIM, WIDTH 400 MIM, THICKNESS JO MM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	616T59=10	Germany
1939	4224151021400	THERMOLYN SUPRA SOFT, FOR FABRICATING HIGHLY FLEXIBLE SOFT-WALLED INNER SOCKETS FOR THE THIGH, VERY HIGH FLEXIBILITY AND MORE COMPORTABLE SOCKET BRIMS, HIGH SURFACE QUALITY, COMFORTABLE TO WEAR, WASHABLE, LENGTH 400 MM, WIDTH 400 MM, THICKNESS 12 MM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	616T59=12	Germany
1940	4224151021500	THERMOLYN SUPRA SOFT, FOR FABRICATING HIGHLY FLEXIBLE SOFT-WALLED INNER SOCKETS FOR THE THIGH, VERY HIGH FLEXIBLITY AND MORE COMFORTABLE SOCKET BRINKS, HIGH SURFACE QUALITY, COMFORTABLE TO WEAR, WASHABLE, LENGTH 400 MM, WIDTH 400 MM, THICKNESS 15 MM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	616T59=15	Germany
1941	4224151020300	THERMOLYN, CLEAR FOR THE FABRICATION OF SELF-SUPPORTING CHECK SOCKETS, SHEET, TRANSPARENCY OF THE CHECK SOCKET TO FACILITATES PRECISE VERIFICATION OF THE FIT AND SKIN, LENGTH 400 MM, WIDTH 400 MM, THICKNESS 10 MM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	616T83=10	Germany
1942	4224151020400	THERMOLYN, CLEAR FOR THE FABRICATION OF SELF-SUPPORTING CHECK SOCKETS, SHEET, TRANSPARENCY OF THE CHECK SOCKET TO FACILITATES PRECISE VERIFICATION OF THE FIT AND SKIN, LENGTH 400 MM, WIDTH 400 MM, THICKNESS 12 MM THERMOLYN, CLEAR FOR THE FABRICATION OF SELF-SUPPORTING CHECK SOCKETS, SHEET,	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	616T83=12	Germany
1943	4224151020500	TRANSPARENCY OF THE CHECK SOCKET TO FACILITATES PRECISE VERIFICATION OF THE FIT AND SKIN, LENGTH 400 MM, WIDTH 400 MM, THICKNESS 15 MM THERMOLYN, CLEAR FOR THE FABRICATION OF SELF-SUPPORTING CHECK SOCKETS, SHEET,	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	616T83=15	Germany
1944	4224151020600	THERMOLYN, CLEAR FOR THE FABRICATION OF SELF-SUPPORTING CHECK SOCKETS, SHEET, TRANSPARENCY OF THE CHECK SOCKET TO FACILITATES PRECISE VERIFICATION OF THE FIT AND SKIN, LENGTH 400 MM, WIDTH 400 MM, THICKNESS 20 MM THERMOLYN, CLEAR FOR THE FABRICATION OF SELF-SUPPORTING CHECK SOCKETS, SHEET,	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	616T83=20	Germany
1945	4224151021800	TRANSPARENCY OF THE CHECK SOCKET TO FACILITATES PRECISE VERIFICATION OF THE FIT AND SKIN, LENGTH 400 MM, WIDTH 400 MM, THICKNESS 8 MM THERMOLYN, CLEAR, (ANTIBACTERIAL), FOR THE FABRICATION OF SELF - SUPPORTING CHECK	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	616T83=8	Germany
1946	4224151007600	SOCKETS, SHEET, LENGTH 400 MM, WIDTH 400 MM, THICKNESS 8 MM THERMOLYN, PP - C, POSSIBLE, APPLICATIONS, ANKLE - FOOT - ORTHOSIS, KNEE - ANKLE -	ITEMIZED	each	400571	AL Gaim Comm. EstOrig- MEDICAL CARE ALLIANCE COMPANY -	Ottobock	616T283=8	Germany
1947	4224151009000	FOOT - ORTHOSIS, FOS, TISOS, LENGTH 2000 MM, WIDTH, 1000 MM, THICKNESS, 4 MM THERMOLYN, PP - C, POSSIBLE, APPLICATIONS, ANKLE - FOOT - ORTHOSIS, KNEE - ANKLE -	ITEMIZED	each	400569	Orig-	Simona AG	030004730	Germany
1947	4224151009000	FOOT - ORTHOSIS, FOS, TLSOS, LENGTH 2000 MM, WIDTH, 1000 MM, THICKNESS, 4 MM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	616T120=2000X4	Germany
1948	4224151008800	THERMOLYN, PP - C, POSSIBLE, APPLICATIONS, ANKLE - FOOT - ORTHOSIS, KNEE - ANKLE - FOOT - ORTHOSIS, FOS, TLSOS, LENGTH, 2000 MM, WIDTH, 1000 MM, THICKNESS, 2 MM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	616T120=2000X2	Germany
1949	4224151008900	THERMOLYN, PP - C, POSSIBLE, APPLICATIONS, ANKLE - FOOT - ORTHOSIS, KNEE - ANKLE - FOOT - ORTHOSIS, FOS, TLSOS, LENGTH, 2000 MM, WIDTH, 1000 MM, THICKNESS, 3 MM	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	Simona AG	030004729	Germany
1949	4224151008900	THERMOLYN, PP - C, POSSIBLE, APPLICATIONS, ANKLE - FOOT - ORTHOSIS, KNEE - ANKLE - FOOT - ORTHOSIS, FOS, TLSOS, LENGTH, 2000 MM, WIDTH, 1000 MM, THICKNESS, 3 MM	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	616T120=2000X3	Germany
1950	4224151009100	THERMOLYN, PP - C, POSSIBLE, APPLICATIONS, ANKLE - FOOT - ORTHOSIS, KNEE - ANKLE -	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY -	Simona AG	030004731	Germany
1950	4224151009100	FOOT - ORTHOSIS, FOS, TLSOS, LENGTH, 2000 MM, WIDTH, 1000 MM, THICKNESS, 5 MM THERMOLYN, PP - C, POSSIBLE, APPLICATIONS, ANKLE - FOOT - ORTHOSIS, KNEE - ANKLE -	ITEMIZED	each	400571	Orig- AL Gaim Comm. EstOrig-	Ottobock	616T120=2000X5	Germany
		FOOT - ORTHOSIS, FOS, TLSOS, LENGTH, 2000 MM, WIDTH, 1000 MM, THICKNESS, 5 MM THERMOPAPER, CAUCASIAN OR EQUIVALENT, FOR DYEING SHEET MATERIALS, LENGTH 2000							
1951	4224200015100	X 800 MM, APPROXIMATELY	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	120P1/25	Germany
1951	4224200015100	THERMOPAPER, CAUCASIAN OR EQUIVALENT, FOR DYEING SHEET MATERIALS, LENGTH 2000 X 800 MM, APPROXIMATELY	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	ОКМ	PT - XX	Spain
1952	4224200015300	THERMOPAPER, IMPRESSION, FOR DYEING SHEET MATERIALS, LENGTH 2000 X 800 MM, APPROXIMATELY	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	120P1/20	Germany
1952	4224200015300	THERMOPAPER, IMPRESSION, FOR DYEING SHEET MATERIALS, LENGTH 2000 X 800 MM, APPROXIMATELY	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	ОКМ	PT-XX	Spain
1953	4224200015200	THERMOPAPER, LCE PLANET OR EQUIVALENT, FOR DYEING SHEET MATERIALS, LENGTH 2000	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	120P1/23	Germany
		X 800 MM, APPROXIMATELY THERMOPAPER, LCE PLANET OR EQUIVALENT, FOR DYEING SHEET MATERIALS, LENGTH 2000							
1953	4224200015200	X 800 MM, APPROXIMATELY THERMOPAPER, MEPHISTO OR EQUIVALENT, FOR DYEING SHEET MATERIALS, LENGTH 2000 X	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	OKM	PT-XX	Spain
1954	4224200015400	800 MM, APPROXIMATELY	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	120P1/22	Germany
1954	4224200015400	THERMOPAPER, MEPHISTO OR EQUIVALENT, FOR DYEING SHEET MATERIALS, LENGTH 2000 X 800 MM, APPROXIMATELY	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	ОКМ	PT-XX	Spain
1955	4224200015500	THERMOPAPER, RODOPI OR EQUIVALENT, FOR DYEING SHEET MATERIALS, LENGTH 2000 X 800 MM, APPROXIMATELY	ITEMIZED	each	400050	AI-EWAN MEDICAL COMPANY -Orig-	ОКМ	PT-XX	Spain
1956	4224200019500	THERMOPLASTIC POLYURETHANE (TPU) FLEXIBLE SHORE HARDNESS FABRICATION OF SOFT	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation
1957	4224151006800	INTERFACE FOR PROSTHETIC SOCKETS, LOWER AND UPPER EXTREMITY ORTHOSES "THERMOPLASTIC, ANKLE JOINT, SIZE LARGE"	ITEMIZED	Pair	400050	AI-EWAN MEDICAL COMPANY -Orig-	becker	740-L	USA
1958 1959	4224151006900 4224151007000	"THERMOPLASTIC, ANKLE JOINT, SIZE MEDIUM" "THERMOPLASTIC, ANKLE JOINT, SIZE PEDIATRIC"	ITEMIZED	Pair Pair	400050 400571	Al-EWAN MEDICAL COMPANY -Orig- AL Gaim Comm. EstOrig-	becker Ottobock	740-M 17AF10=S	USA Germany
1959	4224151007000	"THERMOPLASTIC, ANKLE JOINT, SIZE PEDIATRIC"	ITEMIZED	Pair	400050	AI-EWAN MEDICAL COMPANY -Orig-	becker	740-P	USA
1960	4224200011600	THINNER, FOR QUICK DRYING, RUBBER CEMENT, FOR BONDING, FLEXIBLE MATERIALS, NET CONTENTS, 800 GM, APPROXIMATELY	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	634A6	Germany
1961	4224200011500 4224150707200	THINNER, FOR RESIN, NET CONTENTS, 800 GM, APPROXIMATELY THOMAS SPINI TO YNAMIC ORTHOSIS MADO EN MOLDBALE I DW DENSITY THERMOPLASTIC DORSAL VALVE WITH THOMAS FITTING TOP MEDIAL PIECE FOR THUMB ABDUCTION REMOVABLE FASTENING TAPES THE ELASTIC REGULATES THE ACTIVE TENSION NECESSARY FOR THE PATIENT EXTENSION OF THE METACARPOPHALANGEAL DINITS EXTENSION OF THE INTERPHALANGEAL JOINTS EXTENSION AND/OR CORRECTION OF LATERAL DEVIATION OF THE FINGERS THUMB ABDUCTION BEHABILITATION OF THE TRAUMANT LANDO OR AFTER SURGERY PARESIS OF THE RADIAL NERVE RADIAL NERVE PALSY REHABILITATION OF THE TRAUMANTIC OR POSTSURGICAL HAND COMPRESSION OR PROLONGED PRESSURE ON THE RADIAL NERVE	ITEMIZED	each	400571	AL Gaim Comm. EstOrig-	Ottobock	634A28 MN600	Germany Spain
1963	4618221104900	THORACOLUMBOSACRAL ORTHOSIS (TLSO) OSTEO BRACE BREATHABLE AND LIGHTWEIGHT LINED FABRIC LATEX FREE HYPOALLERGENIC GABMENT EASY - TO - FIT SIGNIFICANT DEGREE OF UNLOADING STABILIZATION AND IMMOBILIZATION MUSICEL HYPOTONICITY TRAUMAD DISC. AND VERTEBRAL CRUSHING VERTEBRAL FRACTURES POSTURAL AND POST - SURGICAL REABILITATION PEFCORMED BERWOVABLE PLATES MADE OF RESHAPEABLE THERMOPLASTIC LOCATED AT THE BACK AND THE FRONT AREA OF THE BRACE LATERAL MALLEABLE STAYS	ITEMIZED	each	400104	Al-Jeel Medical & Trading Co. Ltd -Orig-	DeRoyal	UPT3533-15	Dominican Rep
1964	4618221105300	THORACOLUMBOSACRAL ORTHOSIS (TLSO) SEMI-RIGID MADE OF HIGHLY BREATHABLE MATERIALS INCLIDES FOAMED SCAPULO - AXILLARY SUSPENDERS TO FACILITATE THE RETROPLISION OF SHOULDERS DESIGNED TO ORTAIN AN EFFECTIVE RESTRAINT CONTAINMENT AND UNLOADING OF THE SPINE LUMBAGO LUMBOSACRAL PROCESSES (SPONDYLITS SPONDYLARTHER) DISC PROTRUSIONS) OSTEOPOGISS MUSCULIAR HYPOTONIA MINOR TRAUMATIC INJURIES VERTEBRAL FRACTURES AND POSTURAL AND POST SURGICAL REHABILITATION WHICH INCORPORATES FOUR FORMABLE STEEL STAYS SLIDING BUCKLES THAT MULTIPLY THE TRACTION FORM	ITEMIZED	each	400104	Al-Jeel Medical & Trading Co. Ltd -Orig-	DeRoyal	UPT3433-15	Dominican Rep
1964	4618221105300	THORACQUIMBOSACRAL ORTHOSIS (TLSO) SEMI-RIGID MADE OF HIGHLY BREATHABLE MATERIALS INCLUDES FOAMED SCAPULO - AXILLARY SUSPENDERS TO FACILITATE THE RETROPULSION OF SHOULDERS DESIGNED TO OBTAIN AN EFFECTIVE RESTRAINT CONTAINMENT AND UNLOADING OF THE SPINE LUMBAGO LUMBOSACRAL PROCESSES (SPONDYLITS SPONDYLARTHRIST DISC PROTISSONS) SITEDPOROSIS MUSCULAR HYPOTONIA MINOR TRAUMATIC MUNIES VERTEBRAL FRACTURES AND POSTURAL AND POST. SURGICAL REHABILITATION WHICH INCORPORATES FOUR FORMABLE STEEL STAYS SLIDING BUCKLES THAT MULTIPLY THE TRACTION FORCE	ITEMIZED	each	400792	massas al-watania for medical servi - Orig·	ORTEC	T.LS.O	South Korea
1965	4618221101100	TISO THORACOLUMBOSACRAL ORTHOISI OSTEOBRACE PREFORMED REMOVABLE PLATE OF MADE OF RESHAPABLE THERMOPASTIC LOCATED AT THE BACK AND THE RORM THATE OF THE BRACE AND THE RORM THAT OF THE BRACE AND THE RORM THAT OF THE BRACE LATERAL MALLEABLE STAYS BREATHABLE AND LIGHTWEIGHT LINED FABRIC LATEX FREE HYPOLICIES CARREST OF THE SIGNIFICANT DEGREE OF UNLOADING STABILIZATION AND IMMOBILIZATION MAD IMMOBILIZATION AND LIMPOST OF THE MADE AND VERTEBRAL CRUSHING VERTEBRAL FRACTURES POSTURAL AND POST - SURGICAL REPABLITATION SIZE WILL BE ON DEMAND 1	ITEMIZED	each	400509	Orient Medical Solution EstOrig-	ORTEC	OT TLSO	South Korea

1.50 PRINCE CONTROL OF CONTRO				Preliminary Result
March Marc	Solution EstOrig-	rig- ORTEC	OT TLSO	South Korea
March Company Compan	Solution EstOrig-	rig- ORTEC	OT TLSO	South Korea
	Solution EstOrig-	rig- ORTEC	OT TLSO	South Korea
TENDED SHARE SHARE LINES FOR EACH ASSAME PROPERTY OF THE PROPERTY OF THE REPORT AND AND ADDRESS AN		ON CANCELLED	CANCELLED	CANCELLED
200.00000000 ABOVETICL LIESTS MADE OF PRESIDENCY SERVICES AND THE STORY OF THE	-	Ottobock	743R13	Germany
222 222-2222-2222-2222-2222-2222-22		ANY - AFT-INTERNATIONAL	6078023064	Germany
1979 42247120000	mm. EstOrig-	Ottobock	710D20+710Y21=3 4,5	, Taiwan
1975 ACCIDITIONS THE SEARCH STORY COLUMN STORY COLU			ML35A ML35A	Spain Spain
22427138000 ACCEPTED TRANSPORTED STANDARD AMPROXIMATION AND APPROXIMATION AND AP		Ottobock	743W3=2	China
1977 CALATTISTON	EDICAL CO -Orig-	- S T AND G	1211MS-200	South Korea
242471310000 TURA ADDRESS TOWNESS TELL 30 MM DOWNETTS WITH 130 2 AND ALDROWN ALDRY TURAD Sech 40048 ALDRAWS ALDRAW	EDICAL CO -Orig-	S T AND G	1211MS-400	South Korea
1979 4247139000 TURE ADDRESS DATE STREAM STATE AND ADDRESS DATE STREAM STATE STREAM STATE STATE AND ADDRESS DATE STATE ADDRESS DATE AD	stablishment -Orig	rig- STREIFENEDER	15A3/S400	Germany
224211300000 THE APPERT TERMINAL MARKINAL SYSTEM REGIST - 19 AND MARKANINAL MYSTEM MEDICAL - 19 AND MARKET SOM MARKET SOM MARKET 19 GO TO 10 OF THE MEDICAL PORT O	EDICAL CO -Orig-	S T AND G	1211T	South Korea
2242133000 TURE AGAPTER TITANUM MINISTER MESTER MESTER 73 MM MANAMUM SYSTEM MEGITS	mm. EstOrig-	Ottobock	2R37	Germany
1909 4247131700 TURE ADMERT, ALUMANUM, FOR CHURCHE, FOR FOOT ADMERTS, TURE LENGTH 20 MM 200711 AL GAME COMM. E.	mm. EstOrig-	Ottobock	2R38	Germany
1980 422417317700	mm. EstOrig-	Ottobock	2R41=2	Germany
1981 422417313700	EDICAL CO -Orig-	S T AND G	P211A	South Korea
1982 422471317700 TUBE CAUREN, MORED, FOR MODULAR HEP JOINT, TUBE ENCRY LOD MM 4224717137700 TUBE ADAPTER, TITRAURUS, 34 MM, ANDRAINED 1956, ENFOT 1224 MM, CE MARK OR TEMEZID each 400571 A. Gaim Comm. E.	mm. EstOrig-	Ottobock	2R41=1	Germany
1985 422437317300 TUBE ADAPTER, TITANUM, 34 MM, MAXIMUM 150 KG, LENGTH 222 MM, CE MARK OR COLUMNATOR TO THE ADAPTER, TITANUM, 34 MM, MAXIMUM 150 KG, LENGTH 222 MM, CE MARK OR COLUMNATOR TO THE ADAPTER, TITANUM, 34 MM, MAXIMUM 150 KG, LENGTH 227 MM, CE MARK OR COLUMNATOR TO THE ADAPTER, TITANUM, 34 MM, MAXIMUM 150 KG, LENGTH 227 MM, CE MARK OR COLUMNATOR TO THE ADAPTER TITANUM, 34 MM COLUMNATOR THE ADAPTER TITANUM AND	mm. EstOrig-	Ottobock	2R48	Germany
224217317300	stablishment -Orig	rig- STREIFENEDER	150A4/T225	Germany
1985 422400001010 TUBE CLAMP ADAPTER TITANUIUM 30 MM DIAMETER WITH A ADUSTMENT SET SCREW S ONE PILLSTER SCREW AD PLASTE RING INNER DIAMETER WITH A ADUSTMENT SET SCREW S ONE PILLSTER SCREW AD PLASTE RING INNER DIAMETER WITH A ADUSTMENT SET SCREW S ONE PILLSTER SCREW AD PLASTE RING INNER DIAMETER WITH A ADUSTMENT SET SCREW S ONE PILLSTER SCREW AD PLASTE RING INNER DIAMETER WITH A ADUSTMENT SET SCREW S ONE PILLSTER SCREW AD PLASTE RING INNER DIAMETER WITH A ADUSTMENT SET SCREW S ONE PILLSTER SCREW AD PLASTE RING INNER DIAMETER WITH A ADUSTMENT SET SCREW S ONE PILLSTER SCREW AD PLASTE RING IN PART OF THE PILLSTER STAMM WEIGHT ADUSTMENT SET SCREW S ONE PILLSTER SCREW ADDRESS OF THE BOARD SET SCREW SONE PILLSTER SET SCREW ADDRESS OF THE BOARD SET SCREW ADDRESS OF T	mm. EstOrig-	Ottobock	2R57	Germany
1985 422-20030100 FILLISTES SECRE AND PASTEST ETRABUNA 30 MM DIAMETER WITH 4 ADJUSTMENT SET SCREW 30 MM STEM HEIGHT: 33 MM	mm. EstOrig-	Ottobock	2R58	Germany
\$224203030100 FILISTER SCREW AND PLASTIC RING INNER DIAMCRES BY MIN SYSTEM HIGHER; 33 MM ITEMIZED each 400468 ALMAFSAL MEDICAL	mm. EstOrig-	Ottobock	4R52	Germany
1986 422420003400	EDICAL CO -Orig-	s T AND G	1212T	South Korea
1988 4224200023200 TUBE, ALUNNINUM, LENGTH 250 MM, WEIGHT LIMIT, 100 KG	Orig-	AFT-INTERNATIONAL		Germany
1989 4224200023300	EDICAL CO -Orig-		704Y14=30 1209	Czech Republic South Korea
TUBES SILCONE PROTECTION TUBE, LIGHT AND FUNCTIONAL, MADE GE EXTRA - SOFT	EDICAL CO -Orig-	- STANDG	A-712010 1209A	Mexico South Korea
1991 422420006300		DONGGIJAN SUPERCAR		Mexico
1992 4224170316500	mm. EstOrig-	Ottobock	504H1=7-1000	Germany
1994 422420006600	THE DESCRIPTION		CANCELLED 168P75/260	CANCELLED
1995 422420006100		Ottobock	21Y105	Germany
1996 4412210902600 VELCRO OR EQUIVALENT, HOOK AND LOOP, WIDTH 25 MM, LENGTH 400 MM, SKIN COLOR/WHITE 1996 4412210902600 VELCRO OR EQUIVALENT, HOOK AND LOOP, WIDTH 25 MM, LENGTH 400 MM, SKIN COLOR/WHITE 1997 4412210902800 VELCRO OR EQUIVALENT, HOOK AND LOOP, WIDTH 40 MM, LENGTH 400 MM, SKIN COLOR/WHITE 1998 4224150505500 VELCRO OR EQUIVALENT, HOOK AND LOOP, WIDTH 40 MM, LENGTH 400 MM, SKIN COLOR/WHITE 1998 4224150505500 VELCRO OR EQUIVALENT, HOOK AND LOOP, WIDTH 40 MM, LENGTH 400 MM, SKIN COLOR/WHITE 1998 4224150505500 VELCRO STICKING COTTON STRAPS, SOMM X SM ROLL, THIN COTTON LINING WITH STICKING CRUTCHES FOR STRAPS NO Quotation No Q	mm. EstOrig-	Ottobock	21Y77	Germany
1996 4412210902600 VELCRO OR EQUIVALENT, HOOK AND LOOP, WIDTH 25 MM, LENGTH 400 MM, SKIN ITEMIZED each 400571 AL Gaim Comm. Exp.	stablishment -Orig	rig- STREIFENEDER	60T60/25H	Germany
1997 4412210902800 VELCRO OR EQUIVALENT, HOOK AND LOOP, WIDTH 40 MM, LENGTH 400 MM, SKIN ITEMIZED each 400571 AL Gaim Comm. Et COLOR/WHITE	mm. EstOrig-	Ottobock	21Y78=25-0	Belgium
1999	mm. EstOrig-	Ottobock	21Y78=38-0	Belgium
1999 422435955600 VERTICAL FABRICATING JIG, AN ORTHOTICS WORKSHOP TOOL, FOR ASSEMBLING A ITEMIZED each 400571 AL Gaim Comm.te 4224200036400 VERTICAL FABRICATING JIG, AN ORTHOTICS WORKSHOP TOOL, FOR ASSEMBLING A ITEMIZED each 400571 AL Gaim Comm.te 422680373300 VISE-GRIP PLIERS, AN ORTHOTICS WORKSHOP TOOL, TOTAL LENGTH 220-250 MM ITEMIZED each 400569 MEDICAL CARE ALLIANC Orig. Command 422680373300 VISE-GRIP PLIERS, AN ORTHOTICS WORKSHOP TOOL, TOTAL LENGTH 220-250 MM ITEMIZED each 400571 AL Gaim Comm.te AL Gaim Comm.te 4221150604900 WALKER, AIR CAST OR EQUIVALENT, FOR ORTHO DIABETIC PATIENT, SIZE LARGE, LONG ITEMIZED each 401191 Allowal medical equipm Crig. Allowal medi	uotation	No Quotation	No Quotation	No Quotation
ALGAIN CONTROL ALGAIN CONTROL	uotation	No Quotation	No Quotation	No Quotation
2001 4229580373300 VISE-GRIP PLIERS, AN ORTHOTICS WORKSHOP TOOL, TOTAL LENGTH 220-250 MM ITEMIZED each 400569 Origonal Color 2001 4229680373300 VISE-GRIP PLIERS, AN ORTHOTICS WORKSHOP TOOL, TOTAL LENGTH 220-250 MM ITEMIZED each 400571 AL Galm Comm. E 2002 4221150604900 WALKER, AIR CAST OR EQUIVALENT, FOR ORTHO DIABETIC PATIENT, SIZE LARGE, LONG ITEMIZED each 401191 Alawal medical equipm 2003 4221150605000 WALKER, AIR CAST OR EQUIVALENT, FOR ORTHO DIABETIC PATIENT, SIZE LARGE, SHORT ITEMIZED each 401191 Alawal medical equipm 2004 4221150605100 WALKER, AIR CAST OR EQUIVALENT, FOR ORTHO DIABETIC PATIENT, SIZE MEDIUM, LONG ITEMIZED each 401191 Alawal medical equipm 0 rigonal Alawal medical equipm Origonal Alawal medical equipm Alawal medical equipm 2004 4221150605100 WALKER, AIR CAST OR EQUIVALENT, FOR ORTHO DIABETIC PATIENT, SIZE MEDIUM, LONG ITEMIZED each 401191 Alawal medical equipm 2004 4221150605100 WALKER, AIR CAST OR EQUIVALENT, FOR ORTHO DIABETIC PATIENT, SIZE MEDIUM, LONG ITEMIZED each		Ottobock	743A220 + 743A211	Netherlands
2002 4221150604900 WALKER, AIR CAST OR EQUIVALENT, FOR ORTHO DIABETIC PATIENT, SIZE LARGE, LONG ITEMIZED each 401191 Alawal medical equipmed of the control	Orig-	AFT-INTERNATIONAL		Germany
2003 4221150605000 WALKER, AIR CAST OR EQUIVALENT, FOR ORTHO DIABETIC PATIENT, SIZE LARGE, SHORT ITEMIZED each 401191 Alawal medical equipment of the control of the contro	quipment company		706X3 WK009 L DIABETIO	Germany
2004 4221150605100 WALKER, AIR CAST OR EQUIVALENT, FOR ORTHO DIABETIC PATIENT, SIZE MEDIUM, LONG ITEMIZED each 401191 Alawal medical equipment or itemized or item	quipment company	Rehabilitation Co., L any - Zhang Pu Ortholife	WK009 LP - L	China
Urg.	quipment company		DIABETIC WK009 M	China
	quipment company		WK009 LP - M	China
Orig- 2006 4221150605300 WALKER AIR CAST OR FOLIVALENT, FOR ORTHO DIABETIC PATIENT, SIZE SMALL LONG ITEMIZED each 401191 Alawal medical equipme	quipment company		DIABETIC WK009 - S	China
2007 4221150605400 WALKER, AIR CAST OR EQUIVALENT, FOR ORTHO DIABETIC PATIENT, SIZE SMALL, SHORT ITEMIZED each 401191 Alawal medical equipme Orig-	quipment company	Rehabilitation Co., L any - Zhang Pu Ortholife Rehabilitation Co., L	WK009 LP -S	China

	JMBER : NPT0050/22 AME : Prosthetics Ort								Preliminary Result
2008	4224152002100 4224152003800	WEBBING ELASTIC W=21 MM GRAY WITH WHITE STRIPES ROLL OF 25 MT WEBBING ELASTIC WIDTH 30 MM GRAY WITH WHITE STRIPES ROLL OF 25 METER	ITEMIZED ITEMIZED	each each	400571 400571	AL Gaim Comm. EstOrig- AL Gaim Comm. EstOrig-	Ottobock Ottobock	623G60=20-9 623G60=33-9	Germany Germany
2010 2010	4224152003900 4224152003900 4224152003900	WEBBING ELASTIC WIDTH 35 MMM GRAY WITH WHITE STRIPES ROLL OF 25 METERS WEBBING ELASTIC WIDTH 35 MMM GRAY WITH WHITE STRIPES ROLL OF 25 METERS WEBBING ELASTIC WIDTH 35 MMM GRAY WITH WHITE STRIPES ROLL OF 25 METERS	ITEMIZED ITEMIZED	each each	400451 400571	Farabi Trading Establishment -Orig- AL Gaim Comm. EstOrig-	STREIFENEDER Ottobock	65T3/35GW 623G3=35	Germany Germany
2011	4224152004000 4224152004600	WEBBING ELASTIC, WIDTH 45 MM GRAY WITH WHITE STRIPES ROLL OF 25 METER WEBBING, ELASTIC, WIDTH 45 MM, BEIGE, WITH WHITE STRIPES, ROLL OF 25 METER WEBBING, ELASTIC, WIDTH 20 MM, BEIGE, WITH WHITE STRIPES, ROLL OF 25 METER	ITEMIZED ITEMIZED	each each	400451 400451	Farabi Trading Establishment -Orig- Farabi Trading Establishment -Orig-	STREIFENEDER STREIFENEDER	65T3/45GW 65T1/20BW	Germany Germany
2013 2014	4224152004700 4224152004300	WEBBING, ELASTIC, WIDTH 35 MM, BEIGE, WITH WHITE STRIPES, ROLL OF 25 METER WEBBING, ELASTIC, WIDTH 35 MM, WHITE, ROLL OF 25 METERS	ITEMIZED No Quotation	each No Quotation	400451 No Quotation	Farabi Trading Establishment -Orig- No Quotation	STREIFENEDER No Quotation	65T1/35BW No Quotation	Germany No Quotation
2015 2015	4224152004800 4224152004800	WEBBING, ELASTIC, WIDTH 45 MM, BEIGE, WITH WHITE STRIPES, ROLL OF 25 METER WEBBING, ELASTIC, WIDTH 45 MM, BEIGE, WITH WHITE STRIPES, ROLL OF 25 METER	ITEMIZED ITEMIZED	each each	400451 400571	Farabi Trading Establishment -Orig- AL Gaim Comm. EstOrig-	STREIFENEDER Ottobock	65T1/45BW 623G60=48-9	Germany Germany
2016 2017	4224152004200 4224152002800	WEBBING, NON - ELASTIC, WIDTH 25 MM, WHITE, ROLL OF 50 METER WEBBING, NON ELASTIC, WIDTH 30 MM, WHITE, ROLL OF 50 METERS	ITEMIZED ITEMIZED	each each	400451 400451	Farabi Trading Establishment -Orig- Farabi Trading Establishment -Orig-	STREIFENEDER STREIFENEDER	53T13/25W 53T13/30W	Germany Germany
2018	4224200032400 4224150400600	WOVEN CARBON FIBER STOCKINETTE FOR FABRICATION OF RIGID FRAME STRUTS CLASPS AND CONNECTION WIDTH 20 MM LENGTH / ROLL 25 METER APPROXIMATELY	No Quotation ITEMIZED	No Quotation each	No Quotation 400571	No Quotation AL Gaim Comm. EstOrig-	No Quotation Ottobock	No Quotation 616G15=20x25	No Quotation Germany
2020	4214280205000	"WOVEN CARBON FIBER STOCKINETTE, FOR FABRICATION OF THIN -WALLED, HIGH- STRENGTH, WIDTH 100 MM, LENGTH/ROLL 10-15 METER"	ITEMIZED	Role	400415	CareTechniques -Orig-	Uniprox	MG218-100	Germany
2021	4214280204900	WOVEN CARBON FIBERGLASS STOCKINETTE FOR FABRICATION OF THIN -WALLED, HIGH- STRENGTH, WIDTH 80 MM, LENGTH/ROLL 11 METER, APPROXIMATELY	ITEMIZED	Role	400571	AL Gaim Comm. EstOrig-	Ottobock	616G14=8	Germany
2022	4224200019800	WOVEN POLY VINYL ALCOHOL BASED NSP STOCKINETTE, FOR FABRICATION OF THIN - WALLED, HIGH-STRENGTH, WIDTH 100 MM, LENGTH/ROLL 10-15 METER	CANCELLED	CANCELLED	CANCELLED	CANCELLED NOT MATCHING THE DESCRIPTION	CANCELLED	CANCELLED	CANCELLED
2023	4224200031200	YATES CLAMPS, AN ORTHOTICS WORKSHOP TOOL	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	AFT-INTERNATIONAL	6032410031	Germany
2024 2024	4224200037400 4224200037400	SHUTTLE LOCK WITH PYRAMID SHUTTLE LOCK WITH PYRAMID	ITEMIZED ITEMIZED	each each	400468 400571	ALMAFSAL MEDICAL CO -Orig- AL Gaim Comm. EstOrig-	S T AND G Ottobock	3130 6A20=10	South Korea Germany
2025	4224200440300	LOCKING HIGH DENSITY GEL LINER WITH SEAMLESS KNITTED CONSTRUCTION, FOR ACTIVE PATIENTS, HD GEL FOR BETTER DEGREE OF CONTROL, APPROXIMATELY 3MM THICK - 20CM	ITEMIZED	each	401191	Alawal medical equipment company - Orig-	ALPS South	ECDTHD20-3	USA
2026	4224200440400	LOCKING HIGH DENSITY GEL LINER WITH SEAMLESS KNITTED CONSTRUCTION, FOR ACTIVE PATIENTS, HD GEL FOR BETTER DEGREE OF CONTROL, APPROXIMATELY 3MM THICK - 24CM	ITEMIZED	each	401191	Alawal medical equipment company - Orig-	ALPS South	ECDTHD24-3	USA
2027	4224200440500	LOCKING HIGH DENSITY GEL LINER WITH SEAMLESS KNITTED CONSTRUCTION, FOR ACTIVE PATIENTS, HD GEL FOR BETTER DEGREE OF CONTROL, APPROXIMATELY 3MM THICK - 26CM	ITEMIZED	each	401191	Alawal medical equipment company - Orig-	ALPS South	ECDTHD26-3	USA
2028	4224200440600	LOCKING HIGH DENSITY GEL LINER WITH SEAMLESS KNITTED CONSTRUCTION, FOR ACTIVE PATIENTS, HD GEL FOR BETTER DEGREE OF CONTROL, APPROXIMATELY 3MM THICK - 28CM	ITEMIZED	each	401191	Alawal medical equipment company - Orig-	ALPS South	ECDTHD28-3	USA
2029	4224200440700	LOCKING HIGH DENSITY GEL LINER WITH SEAMLESS KNITTED CONSTRUCTION, FOR ACTIVE PATIENTS, HD GEL FOR BETTER DEGREE OF CONTROL, APPROXIMATELY 3MM THICK - 32CM	ITEMIZED	each	401191	Alawal medical equipment company - Orig-	ALPS South	ECDTHD32-3	USA
2030	4224200440800	LOCKING HIGH DENSITY GEL LINER WITH SEAMLESS KNITTED CONSTRUCTION, FOR ACTIVE PATIENTS, HD GEL FOR BETTER DEGREE OF CONTROL, APPROXIMATELY 3MM THICK - 38CM	ITEMIZED	each	401191	Alawal medical equipment company - Orig-	ALPS South	ECDTHD38-3	USA
2031	4224200440900	LOCKING HIGH DENSITY GEL LINER WITH SEAMLESS KNITTED CONSTRUCTION, FOR ACTIVE PATIENTS, HD GEL FOR BETTER DEGREE OF CONTROL, APPROXIMATELY 3MM THICK - 44CM	ITEMIZED	each	401191	Alawal medical equipment company - Orig-	ALPS South	ECDTHD44-3	USA
2032	4224200441000	LOCKING HIGH DENSITY GEL LINER WITH SEAMLESS KNITTED CONSTRUCTION, FOR ACTIVE PATIENTS, HD GEL FOR BETTER DEGREE OF CONTROL, APPROXIMATELY 6MM THICK - 20CM	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	WillowWood Global LLC	H351-5363	USA
2032	4224200441000	LOCKING HIGH DENSITY GEL LINER WITH SEAMLESS KNITTED CONSTRUCTION, FOR ACTIVE PATIENTS, HD GEL FOR BETTER DEGREE OF CONTROL, APPROXIMATELY 6MM THICK - 20CM	ITEMIZED	each	401191	Alawal medical equipment company - Orig-	ALPS South	ECDTHD20-6	USA
2033	4224200441100	LOCKING HIGH DENSITY GEL LINER WITH SEAMLESS KNITTED CONSTRUCTION, FOR ACTIVE PATIENTS, HD GEL FOR BETTER DEGREE OF CONTROL, APPROXIMATELY 6MM THICK - 24CM	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	WillowWood Global LLC	H351-5360	USA
2033	4224200441100	LOCKING HIGH DENSITY GEL LINER WITH SEAMLESS KNITTED CONSTRUCTION, FOR ACTIVE PATIENTS, HD GEL FOR BETTER DEGREE OF CONTROL, APPROXIMATELY 6MM THICK - 24CM	ITEMIZED	each	401191	Alawal medical equipment company - Orig-	ALPS South	ECDTHD24-6	USA
2034	4224200441200	LOCKING HIGH DENSITY GEL LINER WITH SEAMLESS KNITTED CONSTRUCTION, FOR ACTIVE PATIENTS, HD GEL FOR BETTER DEGREE OF CONTROL, APPROXIMATELY 6MM THICK - 26CM	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	WillowWood Global LLC	H351-5364	USA
2034	4224200441200	LOCKING HIGH DENSITY GEL LINER WITH SEAMLESS KNITTED CONSTRUCTION, FOR ACTIVE PATIENTS, HD GEL FOR BETTER DEGREE OF CONTROL, APPROXIMATELY 6MM THICK - 26CM	ITEMIZED	each	401191	Alawal medical equipment company - Orig-	ALPS South	ECDTHD26-6	USA
2035	4224200441300	LOCKING HIGH DENSITY GEL LINER WITH SEAMLESS KNITTED CONSTRUCTION, FOR ACTIVE PATIENTS, HD GEL FOR BETTER DEGREE OF CONTROL, APPROXIMATELY 6MM THICK - 28CM	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	WillowWood Global LLC	H351-5366	USA
2035	4224200441300	LOCKING HIGH DENSITY GEL LINER WITH SEAMLESS KNITTED CONSTRUCTION, FOR ACTIVE PATIENTS, HD GEL FOR BETTER DEGREE OF CONTROL, APPROXIMATELY 6MM THICK - 28CM	ITEMIZED	each	401191	Alawal medical equipment company - Orig-	ALPS South	ECDTHD28-6	USA
2036	4224200441400	LOCKING HIGH DENSITY GEL LINER WITH SEAMLESS KNITTED CONSTRUCTION, FOR ACTIVE PATIENTS, HD GEL FOR BETTER DEGREE OF CONTROL, APPROXIMATELY 6MM THICK - 32CM	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	WillowWood Global LLC	H351-5368	USA
2036	4224200441400	LOCKING HIGH DENSITY GEL LINER WITH SEAMLESS KNITTED CONSTRUCTION, FOR ACTIVE PATIENTS, HD GEL FOR BETTER DEGREE OF CONTROL, APPROXIMATELY 6MM THICK - 32CM	ITEMIZED	each	401191	Alawal medical equipment company - Orig-	ALPS South	ECDTHD32-6	USA
2037	4224200441500	LOCKING HIGH DENSITY GEL LINER WITH SEAMLESS KNITTED CONSTRUCTION, FOR ACTIVE PATIENTS, HD GEL FOR BETTER DEGREE OF CONTROL, APPROXIMATELY 6MM THICK - 38CM	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY - Orig- Alawal medical equipment company -	WillowWood Global LLC	H351-5368L PLUS	USA
2037	4224200441500	LOCKING HIGH DENSITY GEL LINER WITH SEAMLESS KNITTED CONSTRUCTION, FOR ACTIVE PATIENTS, HD GEL FOR BETTER DEGREE OF CONTROL, APPROXIMATELY 6MM THICK - 38CM LOCKING HIGH DENSITY GEL LINER WITH SEAMLESS KNITTED CONSTRUCTION, FOR ACTIVE	ITEMIZED	each	401191	Orig- MEDICAL CARE ALLIANCE COMPANY -	ALPS South	ECDTHD38-6	USA
2038	4224200441600	PATIENTS, HD GEL FOR BETTER DEGREE OF CONTROL, APPROXIMATELY 6MM THICK - 44CM	ITEMIZED	each	400569	Orig-	WillowWood Global LLC	H351-5367	USA
2038	4224200441600	LOCKING HIGH DENSITY GEL LINER WITH SEAMLESS KNITTED CONSTRUCTION, FOR ACTIVE PATIENTS, HD GEL FOR BETTER DEGREE OF CONTROL, APPROXIMATELY 6MM THICK - 44CM	ITEMIZED	each	401191	Alawal medical equipment company - Orig-	ALPS South	ECDTHD44-6	USA
2039	4224200431900	CUSHION HIGH DENSITY GEL LINER WITH SEAMLESS KNITTED CONSTRUCTION, FOR ACTIVE PATIENTS, HD GEL FOR BETTER DEGREE OF CONTROL, APPROXIMATELY 3MM THICK - 20CM	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY - Orig- MEDICAL CARE ALLIANCE COMPANY -	WillowWood Global LLC	ALC503-3E	USA
2040	4224200432000	CUSHION HIGH DENSITY GEL LINER WITH SEAMLESS KNITTED CONSTRUCTION, FOR ACTIVE PATIENTS, HD GEL FOR BETTER DEGREE OF CONTROL, APPROXIMATELY 3MM THICK - 24CM CUSHION HIGH DENSITY GEL LINER WITH SEAMLESS KNITTED CONSTRUCTION, FOR ACTIVE	ITEMIZED	each	400569	Orig- MEDICAL CARE ALLIANCE COMPANY -	WillowWood Global LLC	ALC503-0E	USA
2041	4224200432100	CUSHION HIGH DENSITY GEL LINER WITH SEAMLESS KNITTED CONSTRUCTION, FOR ACTIVE PATIENTS, HD GEL FOR BETTER DEGREE OF CONTROL, APPROXIMATELY 3MM THICK - 26CM CUSHION HIGH DENSITY GEL LINER WITH SEAMLESS KNITTED CONSTRUCTION, FOR ACTIVE	ITEMIZED	each	400569	Orig- MEDICAL CARE ALLIANCE COMPANY -	WillowWood Global LLC	ALC503-4E	USA
2042	4224200432200	CUSHION HIGH DENSITY GEL LINER WITH SEAMLESS KNITTED CONSTRUCTION, FOR ACTIVE PATIENTS, HD GEL FOR BETTER DEGREE OF CONTROL, APPROXIMATELY 3MM THICK - 28CM CUSHION HIGH DENSITY GEL LINER WITH SEAMLESS KNITTED CONSTRUCTION, FOR ACTIVE	ITEMIZED	each	400569	Orig- MEDICAL CARE ALLIANCE COMPANY -	WillowWood Global LLC	ALC503-6E	USA
2043	4224200432300	CUSHION HIGH DENSITY GELLINER WITH SEAMLESS KNITTED CONSTRUCTION, FOR ACTIVE PATIENTS, HD GEL FOR BETTER DEGREE OF CONTROL, APPROXIMATELY 3MM THICK - 32CM CUSHION HIGH DENSITY GELLINER WITH SEAMLESS KNITTED CONSTRUCTION, FOR ACTIVE	ITEMIZED	each	400569	Orig- MEDICAL CARE ALLIANCE COMPANY -	WillowWood Global LLC	ALC503-8E	USA
2044	4224200432400	PATIENTS, HD GEL FOR BETTER DEGREE OF CONTROL, APPROXIMATELY 3MM THICK - 38CM CUSHION HIGH DENSITY GEL LINER WITH SEAMLESS KNITTED CONSTRUCTION, FOR ACTIVE	ITEMIZED	each	400569	Orig- MEDICAL CARE ALLIANCE COMPANY -	WillowWood Global LLC	ALC503-8X	USA
2045	4224200432500	PATIENTS, HD GEL FOR BETTER DEGREE OF CONTROL, APPROXIMATELY 3MM THICK - 44CM CUSHION HIGH DENSITY GEL LINER WITH SEAMLESS KNITTED CONSTRUCTION, FOR ACTIVE	ITEMIZED	each	400569	Orig- MEDICAL CARE ALLIANCE COMPANY -	WillowWood Global LLC	ALC503-7E	USA
2046	4224200432600	PATIENTS, HD GEL FOR BETTER DEGREE OF CONTROL, APPROXIMATELY 6MM THICK - 20CM CUSHION HIGH DENSITY GEL LINER WITH SEAMLESS KNITTED CONSTRUCTION, FOR ACTIVE	ITEMIZED	each	400569	Orig- MEDICAL CARE ALLIANCE COMPANY -	WillowWood Global LLC	ABCL-20-6	USA
2047	4224200432700	COSHION HIGH DENSITY GELLINER WITH SEAWLESS NUTTED CONSTRUCTION, FOR ACTIVE PATIENTS, HIGH DENSITY GELLINER WITH SEAWLESS KNITTED CONSTRUCTION, FOR ACTIVE CUSHION HIGH DENSITY GELLINER WITH SEAWLESS KNITTED CONSTRUCTION, FOR ACTIVE	ITEMIZED	each	400569	Orig- MEDICAL CARE ALLIANCE COMPANY -	WillowWood Global LLC	ABCL-24-6	USA
2048	4224200432800	PATIENTS, HD GEL FOR BETTER DEGREE OF CONTROL, APPROXIMATELY 6MM THICK - 26CM	ITEMIZED	each	400569	Orig-	WillowWood Global LLC	ABCL-26-6	USA
2049	4224200432900	CUSHION HIGH DENSITY GELLINER WITH SEAMLESS KNITTED CONSTRUCTION, FOR ACTIVE PATIENTS, HD GELFOR BETTER DEGREE OF CONTROL, APPROXIMATELY 6MM THICK - 28CM CUSHION HIGH DENSITY GELLINER WITH SEAMLESS KNITTED CONSTRUCTION, FOR ACTIVE	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY - Orig- MEDICAL CARE ALLIANCE COMPANY -	WillowWood Global LLC	ABCL-28-6	USA
2050	4224200433000	CUSHION HIGH DENSITY GEL LINER WITH SEAMLESS KNITTED CONSTRUCTION, FOR ACTIVE PATIENTS, HD GEL FOR BETTER DEGREE OF CONTROL, APPROXIMATELY 6MM THICK - 32CM CUSHION HIGH DENSITY GEL LINER WITH SEAMLESS KNITTED CONSTRUCTION, FOR ACTIVE	ITEMIZED	each	400569	Orig- MEDICAL CARE ALLIANCE COMPANY -	WillowWood Global LLC	ABCL-32-6	USA
2051	4224200433100	CUSHION HIGH DENSITY GEL LINER WITH SEAMLESS KNITTED CONSTRUCTION, FOR ACTIVE PATIENTS, HD GEL FOR BETTER DEGREE OF CONTROL, APPROXIMATELY 6MM THICK - 38CM CUSHION HIGH DENSITY GEL LINER WITH SEAMLESS KNITTED CONSTRUCTION, FOR ACTIVE	ITEMIZED	each	400569	Orig- MEDICAL CARE ALLIANCE COMPANY -	WillowWood Global LLC	ABCL-38-6	USA
2052	4224200433200	PATIENTS, HD GELFOR BETTER DEGREE OF CONTROL, APPROXIMATELY 6MM THICK - 44CM	ITEMIZED	each	400569	Orig-	WillowWood Global LLC	ABCL-44-6	USA

TENDER NA	AME : Prosthetics Or	thosis Supplies							
2053	4224200453900	THERMOPLASTIC ELASTOMER (TPE) SHEATH, ELIMINATES SHEAR FORCES, FRICTION, AND PREVENTS ABRASIONS ON THE SKIN OF THE STUMP, ACCOMMODATES VOLUME FLUCTUATIONS OVER THE LIFE OF THE PROSTHESIS. CAN BE WORN UNDER SILICONE, GEL, AND PEUTE LINERS. SIZE SMALL	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	26A10/1	Germany
2054	4224200453800	THERMOPLASTIC ELASTOMER (TPE) SHEATH, ELIMINATES SHEAR FORCES, FRICTION, AND PREVENTS ABRASIONS ON THE SKIN OF THE STUMP, ACCOMMODATES VOLUME FLUCTUATIONS OVER THE LIFE OF THE PROSTHESIS. CAN BE WORN UNDER SILICONE, GEL, AND PELITE LINERS. SIZE MEDIUM	ITEMIZED	each	401191	Alawal medical equipment company - Orig-	ALPS South	ENCP20	USA
2055	4224200453700	THERMOPLASTIC ELASTOMER (TPE) SHEATH, ELIMINATES SHEAR FORCES, FRICTION, AND PREVENTS ABRASIONS ON THE SKIN OF THE STUMP, ACCOMMODATES VOLUME FLUCTUATIONS OVER THE LIFE OF THE PROSTHESIS. CAN BE WORN UNDER SILICONE, GEL,	ITEMIZED	each	401191	Alawal medical equipment company - Orig-	ALPS South	ENCP28	USA
2056	4224200037100	AND PEUTE LINERS. SIZE LARGE INTEGRATED AIR EXPULSION PUMP FOR ELEVATED VACUUM. ITS USE PROVIDES PATIENTS CONTINUOUS TOTAL CONTACT WHEN DONNING THE PROSTHESIS, VACUUM LEVEL APPROXIMATELY S8 INCHES OF MERCURY	ITEMIZED	each	401191	Alawal medical equipment company - Orig-	ALPS South	VIP-DL	USA
2057	4224200037000	INTEGRATED AIR EXPULSION PUMP FOR ELEVATED VACUUM. ITS USE PROVIDES PATIENTS CONTINUOUS TOTAL CONTACT WHEN DONNING THE PROSTHESIS, VACUUM LEVEL APPROXIMATELY 10-13 INCHES OF MERCURY	ITEMIZED	each	401191	Alawal medical equipment company - Orig-	ALPS South	VIP-DH	USA
2058	4224200037200	INTEGRATED DUMMY - POSITIVE PROFILE FOR SOCKET LAMINATION TO ACCOMMODATE AIR EXPULSION PUMP	ITEMIZED	each	401191	Alawal medical equipment company - Orig-	ALPS South	VE319-D	USA
2059	4224200037500	SPACER PLATE FOR INTEGRATED DUMMY	ITEMIZED	each	401191	Alawal medical equipment company - Orig-	ALPS South	VE819-P	USA
2060	4224200037300	INTERCHANGEABLE LOCKING DEVICE TO TRANSITION TO ELEVATED VACUUM, REPLACES VACUUM PUMP	ITEMIZED	each	401191	Alawal medical equipment company -	ALPS South	VIPL01120-S	USA
2061	4224200445500	LOCKING THERMOPLASTIC ELASTOMER (TPE) GEL LINER WITH ANTI-BACTERIAL PROPERTIES	ITEMIZED	each	400451	Orig- Farabi Trading Establishment -Orig-	STREIFENEDER	20L10/S	Germany
2062	4224200445700	SIZE APPROXIMATELY 16CM - 3MM THICKNESS LOCKING THERMOPLASTIC ELASTOMER (TPE) GEL LINER WITH ANTI-BACTERIAL PROPERTIES	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	20L10/M	Germany
2063	4224200445900	SIZE APPROXIMATELY 20CM - 3MM THICKNESS LOCKING THERMOPLASTIC ELASTOMER (TPE) GEL LINER WITH ANTI-BACTERIAL PROPERTIES	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	20L10/L	Germany
2064	4224200446100	SIZE APPROXIMATELY 24CM - 3MM THICKNESS LOCKING THERMOPLASTIC ELASTOMER (TPE) GEL LINER WITH ANTI-BACTERIAL PROPERTIES	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	20L10/L	Germany
2065	4224200446300	SIZE APPROXIMATELY 26CM - 3MM THICKNESS LOCKING THERMOPLASTIC ELASTOMER (TPE) GEL LINER WITH ANTI-BACTERIAL PROPERTIES	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	20L10/L	Germany
2066	4224200446500	SIZE APPROXIMATELY 28CM - 3MM THICKNESS LOCKING THERMOPLASTIC ELASTOMER (TPE) GEL LINER WITH ANTI-BACTERIAL PROPERTIES	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	20L10/XL	Germany
2067	4224200446700	SIZE APPROXIMATELY 32CM - 3MM THICKNESS LOCKING THERMOPLASTIC ELASTOMER (TPE) GEL LINER WITH ANTI-BACTERIAL PROPERTIES	ITEMIZED	each	400451		STREIFENEDER	20L10/XL	Germany
		SIZE APPROXIMATELY 38CM - 3MM THICKNESS LOCKING THERMOPLASTIC ELASTOMER (TPE) GEL LINER WITH ANTI-BACTERIAL PROPERTIES				Farabi Trading Establishment -Orig-			•
2068	4224200446900	SIZE APPROXIMATELY 44CM - 3MM THICKNESS LOCKING THERMOPLASTIC ELASTOMER (TPE) GEL LINER WITH ANTI-BACTERIAL PROPERTIES	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	20L10/XXL	Germany
2069	4224200445600	SIZE APPROXIMATELY 16CM - 6MM THICKNESS LOCKING THERMOPLASTIC ELASTOMER (TPE) GEL LINER WITH ANTI-BACTERIAL PROPERTIES	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	21L10/S	Germany
2070	4224200445800	SIZE APPROXIMENTELY 20CM - 6MM THICKNESS LOCKING THERMOPLASTIC ELASTOMER (TPE) GEL LINER WITH ANTI-BACTERIAL PROPERTIES	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	21L10/M	Germany
2071	4224200446000	SIZE APPROXIMATELY 24CM - 6MM THICKNESS	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	21L10/L	Germany
2072	4224200446200	LOCKING THERMOPLASTIC ELASTOMER (TPE) GEL LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 26CM - 6MM THICKNESS	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	21L10/L	Germany
2073	4224200446400	LOCKING THERMOPLASTIC ELASTOMER (TPE) GEL LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 28CM - 6MM THICKNESS	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	21L10/L	Germany
2074	4224200446600	LOCKING THERMOPLASTIC ELASTOMER (TPE) GEL LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 32CM - 6MM THICKNESS	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	21L10/XL	Germany
2075	4224200446800	LOCKING THERMOPLASTIC ELASTOMER (TPE) GEL LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 38CM - 6MM THICKNESS	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	21L10/XL	Germany
2076	4224200447000	LOCKING THERMOPLASTIC ELASTOMER (TPE) GEL LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 44CM - 6MM THICKNESS	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	21L10/XXL	Germany
2077	4224200437100	CUSHION THERMOPLASTIC ELASTOMER (TPE) GEL LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 16CM - 3MM THICKNESS	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	20L20/S	Germany
2078	4224200437300	CUSHION THERMOPLASTIC ELASTOMER (TPE) GEL LINER WITH ANTI-BACTERIAL PROPERTIES	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	20L20/M	Germany
2079	4224200437500	SIZE APPROXIMATELY 20CM - 3MM THICKNESS CUSHION THERMOPLASTIC ELASTOMER (TPE) GEL LINER WITH ANTI-BACTERIAL PROPERTIES	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	20L20/L	Germany
2080	4224200437700	SIZE APPROXIMATELY 24CM - 3MM THICKNESS CUSHION THERMOPLASTIC ELASTOMER (TPE) GEL LINER WITH ANTI-BACTERIAL PROPERTIES	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	20L20/L	Germany
2081	4224200437900	SIZE APPROXIMATELY 26CM - 3MM THICKNESS CUSHION THERMOPLASTIC ELASTOMER (TPE) GEL LINER WITH ANTI-BACTERIAL PROPERTIES	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	20L20/L	Germany
2082	4224200438100	SIZE APPROXIMATELY 28CM - 3MM THICKNESS CUSHION THERMOPLASTIC ELASTOMER (TPE) GEL LINER WITH ANTI-BACTERIAL PROPERTIES	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	20L20/XL	Germany
2083	4224200438300	SIZE APPROXIMATELY 32CM - 3MM THICKNESS CUSHION THERMOPLASTIC ELASTOMER (TPE) GEL LINER WITH ANTI-BACTERIAL PROPERTIES	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	20L20/XL	Germany
2084		SIZE APPROXIMATELY 38CM - 3MM THICKNESS CUSHION THERMOPLASTIC ELASTOMER (TPE) GEL LINER WITH ANTI-BACTERIAL PROPERTIES							
	4224200438500	SIZE APPROXIMATELY 44CM - 3MM THICKNESS CUSHION THERMOPLASTIC ELASTOMER (TPE) GEL LINER WITH ANTI-BACTERIAL PROPERTIES	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	20L20/XXL	Germany
2085	4224200437200	SIZE APPROXIMATELY 16CM - 6MM THICKNESS CUSHION THERMOPLASTIC ELASTOMER (TPE) GEL LINER WITH ANTI-BACTERIAL PROPERTIES	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	21L20/S	Germany
2086	4224200437400	SIZE APPROXIMATELY 20CM - 6MM THICKNESS CUSHION THERMOPLASTIC ELASTOMER (TPE) GEL LINER WITH ANTI-BACTERIAL PROPERTIES	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	21L20/M	Germany
2087	4224200437600	SIZE APPROXIMATELY 24CM - 6MM THICKNESS CUSHION THERMOPLASTIC ELASTOMER (TPE) GEL LINER WITH ANTI-BACTERIAL PROPERTIES	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	21L20/L	Germany
2088	4224200437800	SIZE APPROXIMATELY 26CM - 6MM THICKNESS CUSHION THERMOPLASTIC ELASTOMER (TPE) GEL LINER WITH ANTI-BACTERIAL PROPERTIES	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	21L20/L	Germany
2089	4224200438000	SIZE APPROXIMATELY 28CM - 6MM THICKNESS	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	21L20/L	Germany
2090	4224200438200	CUSHION THERMOPLASTIC ELASTOMER (TPE) GEL LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 32CM - 6MM THICKNESS	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	21L20/XL	Germany
2091	4224200438400	CUSHION THERMOPLASTIC ELASTOMER (TPE) GEL LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 38CM - 6MM THICKNESS	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	21L20/XL	Germany
2092	4224200438600	CUSHION THERMOPLASTIC ELASTOMER (TPE) GEL LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 44CM - 6MM THICKNESS	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	21L20/XXL	Germany
2093	4224200441700	LOCKING SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 20CM - 3MM THICKNESS	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	40L10/20	Germany
2094	4224200441900	LOCKING SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 22CM - 3MM THICKNESS	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	40L10/22	Germany
2095	4224200442100	LOCKING SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 24CM - 3MM THICKNESS	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	40L10/23,5	Germany
2096	4224200442300	LOCKING SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 26CM - 3MM THICKNESS	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	40L10/26,5	Germany
2097	4224200442500	LOCKING SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 28CM - 3MM THICKNESS	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	40L10/28	Germany
2098	4224200442700	LOCKING SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 30CM - 3MM THICKNESS	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	40L10/30	Germany
2099	4224200442900	LOCKING SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 32CM - 3MM THICKNESS	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	40L10/32	Germany
2100	4224200443100	LOCKING SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 35CM -	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	40L10/34	Germany
2101	4224200443300	3MM THICKNESS LOCKING SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 38CM -	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	40L10/38	Germany
2102	4224200443500	3MM THICKNESS LOCKING SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 41CM -	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	40L10/38	Germany
2102	4224200443300	3MM THICKNESS LOCKING SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 44CM -	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	40L10/42 40L10/45	Germany
2103	4224200443700	3MM THICKNESS LOCKING SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 20CM -	ITEMIZED		400451	-	STREIFENEDER	41L10/20	•
		6MM THICKNESS LOCKING SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 22CM -		each		Farabi Trading Establishment -Orig-			Germany
2105	4224200442000	6MM THICKNESS LOCKING SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 24CM -	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	41L10/22	Germany
2106	4224200442200	6MM THICKNESS	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	41L10/23,5	Germany
2107	4224200442400	LOCKING SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 26CM - 6MM THICKNESS LOCKING SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 26CM	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	41L10/26,5	Germany
2108	4224200442600	LOCKING SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 28CM - 6MM THICKNESS	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	41L10/28	Germany
2109	4224200442800	LOCKING SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 30CM - 6MM THICKNESS	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	41L10/30	Germany
2110	4224200443000	LOCKING SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 32CM - 6MM THICKNESS	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	41L10/32	Germany
2111	4224200443200	LOCKING SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 35CM - 6MM THICKNESS	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	41L10/34	Germany
2112	4224200443400	LOCKING SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 38CM - 6MM THICKNESS	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	41L10/38	Germany
2113	4224200443600	LOCKING SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 41CM - 6MM THICKNESS	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	41L10/40	Germany
2114	4224200443800	LOCKING SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 44CM - 6MM THICKNESS	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	41L10/45	Germany
		Orini Tilidates			1				

TENDER NA	AME : Prosthetics Ort								Preliminary Result
2115	4224200433300	CUSHION SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 20CM - 3MM THICKNESS	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	40L20/20	Germany
2116	4224200433500	CUSHION SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 22CM -	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	40L20/22	Germany
2117	4224200433700	3MM THICKNESS CUSHION SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 24CM -	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	40L20/23,5	Germany
		3MM THICKNESS CUSHION SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 26CM -		***					•
2118	4224200433900	3MM THICKNESS CUSHION SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 28CM -	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	40L20/26,5	Germany
2119	4224200434100	3MM THICKNESS	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	40L20/28	Germany
2120	4224200434300	CUSHION SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 30CM - 3MM THICKNESS	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	40L20/30	Germany
2121	4224200434500	CUSHION SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 32CM - 3MM THICKNESS	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	40L20/32	Germany
2122	4224200434700	CUSHION SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 35CM -	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	40L20/34	Germany
2123	4224200434900	3MM THICKNESS CUSHION SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 38CM -	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	40L20/38	Germany
		3MM THICKNESS CUSHION SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 41CM -							
2124	4224200435100	3MM THICKNESS CUSHION SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 44CM -	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	40L20/40	Germany
2125	4224200435300	3MM THICKNESS	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	40L20/45	Germany
2126	4224200433400	CUSHION SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 20CM - 6MM THICKNESS	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	41L20/20	Germany
2127	4224200433600	CUSHION SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 22CM - 6MM THICKNESS	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	41L20/22	Germany
2128	4224200433800	CUSHION SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 24CM - 6MM THICKNESS	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	41L20/23,5	Germany
2129	4224200434000	CUSHION SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 26CM -	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	41L20/26,5	Germany
2130	4224200434200	6MM THICKNESS CUSHION SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 28CM -	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	41L20/28	Germany
		6MM THICKNESS CUSHION SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 30CM -							•
2131	4224200434400	6MM THICKNESS CUSHION SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 32CM -	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	41L20/30	Germany
2132	4224200434600	6MM THICKNESS	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	41L20/32	Germany
2133	4224200434800	CUSHION SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 35CM - 6MM THICKNESS	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	41L20/34	Germany
2134	4224200435000	CUSHION SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 38CM - 6MM THICKNESS	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	41L20/38	Germany
2135	4224200435200	CUSHION SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 41CM -	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	41L20/40	Germany
2136	4224200435400	6MM THICKNESS CUSHION SILICONE LINER WITH ANTI-BACTERIAL PROPERTIES SIZE APPROXIMATELY 44CM -	ITEMIZED	each	400451	Farabi Trading Establishment -Orig-	STREIFENEDER	41L20/45	Germany
2130	-LL-20043340U	6MM THICKNESS SHOCK ABSORBING SOCK, SPACER FABRIC, PROVIDES EXCELLENT AIR AND MOISTURE	LIVIIZED	cacil	-00431	. J. doi danig Establishment "Orig"	J.MEII ENGDER	-1120/43	Centrally
2137	4224200447500	PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION, MACHINE WASHABLE SIZE - NARROW - LENGTH APPROXIMATELY 20-26CM	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation
		SHOCK ABSORBING SOCK, SPACER FABRIC, PROVIDES EXCELLENT AIR AND MOISTURE							
2138	4224200447600	PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION, MACHINE WASHABLE SIZE - NARROW - LENGTH APPROXIMATELY 26-36CM	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation
2139	4224200447700	SHOCK ABSORBING SOCK, SPACER FABRIC, PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION, MACHINE	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation
2133	4224200447700	WASHABLE SIZE - NARROW - LENGTH APPROXIMATELY 36-46CM	No Quotation	No Quotation	No Quotation	No Quotation	no quotation	no Quotation	no quotation
2140	4224200447800	SHOCK ABSORBING SOCK, SPACER FABRIC, PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION, MACHINE	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation
		WASHABLE SIZE - NARROW - LENGTH APPROXIMATELY 46-60CM SHOCK ABSORBING SOCK, SPACER FABRIC, PROVIDES EXCELLENT AIR AND MOISTURE							
2141	4224200447100	PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION, MACHINE WASHABLE SIZE - MEDIUM - LENGTH APPROXIMATELY 20-26CM	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation
		SHOCK ABSORBING SOCK, SPACER FABRIC, PROVIDES EXCELLENT AIR AND MOISTURE							
2142	4224200447200	PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION, MACHINE WASHABLE SIZE - MEDIUM - LENGTH APPROXIMATELY 26-36CM	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation
2143	4224200447300	SHOCK ABSORBING SOCK, SPACER FABRIC, PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION, MACHINE	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation
		WASHABLE SIZE - MEDIUM - LENGTH APPROXIMATELY 36-46CM							
2144	4224200447400	SHOCK ABSORBING SOCK, SPACER FABRIC, PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION, MACHINE	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation
		WASHABLE SIZE - MEDIUM - LENGTH APPROXIMATELY 46-60CM SHOCK ABSORBING SOCK, SPACER FABRIC, PROVIDES EXCELLENT AIR AND MOISTURE							
2145	4224200447900	PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION, MACHINE WASHABLE SIZE - WIDE - LENGTH APPROXIMATELY 20-26CM	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation
		SHOCK ABSORBING SOCK, SPACER FABRIC, PROVIDES EXCELLENT AIR AND MOISTURE							
2146	4224200448000	PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION, MACHINE WASHABLE SIZE - WIDE - LENGTH APPROXIMATELY 26-36CM	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation
2147	4224200448100	SHOCK ABSORBING SOCK, SPACER FABRIC, PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION, MACHINE	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation
		WASHABLE SIZE - WIDE - LENGTH APPROXIMATELY 36-46CM							
2148	4224200448200	SHOCK ABSORBING SOCK, SPACER FABRIC, PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION, MACHINE	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation
		WASHABLE SIZE - WIDE - LENGTH APPROXIMATELY 46-60CM GEL - SHOCK ABSORBING LINER, CONSTRUCTED WITH SPACER FABRIC, REDUCES SHOCK BY							
2149	4224200438700	APPROXIMATELY 50% PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION. GOOD THERMAL REGULATION. SIZE	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation
		APPROXIMATELY 16CM - 3MM THICKNESS							
		GEL - SHOCK ABSORBING LINER, CONSTRUCTED WITH SPACER FABRIC, REDUCES SHOCK BY APPROXIMATELY 50% PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES. CUSHION							
2150	4224200438900	PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION. GOOD THERMAL REGULATION. SIZE	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation
		APPROXIMATELY 20CM - 3MM THICKNESS GEL - SHOCK ABSORBING LINER, CONSTRUCTED WITH SPACER FABRIC, REDUCES SHOCK BY							
2151	4224200439100	APPROXIMATELY 50% PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION. GOOD THERMAL REGULATION. SIZE	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation
		APPROXIMATELY 24CM - 3MM THICKNESS GEL - SHOCK ABSORBING LINER, CONSTRUCTED WITH SPACER FABRIC, REDUCES SHOCK BY							
2152	4224200439300	APPROXIMATELY 50% PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation
		PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION. GOOD THERMAL REGULATION. SIZE APPROXIMATELY 26CM - 3MM THICKNESS	22.2001	2230011	223300			2213001	
		GEL - SHOCK ABSORBING LINER, CONSTRUCTED WITH SPACER FABRIC, REDUCES SHOCK BY APPROXIMATELY 50% PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION							
2153	4224200439500	PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION. GOOD THERMAL REGULATION. SIZE	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation
		APPROXIMATELY 28CM - 3MM THICKNESS GEL - SHOCK ABSORBING LINER, CONSTRUCTED WITH SPACER FABRIC, REDUCES SHOCK BY							
2154	4224200439700	APPROXIMATELY 50% PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION. GOOD THERMAL REGULATION. SIZE	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation
		APPROXIMATELY 32CM - 3MM THICKNESS							
2155	4224200420000	GEL - SHOCK ABSORBING LINER, CONSTRUCTED WITH SPACER FABRIC, REDUCES SHOCK BY APPROXIMATELY 50% PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION	No Questina	No Custatia	No Cuetatian	No Quetatic	No Quatratian	No Quateties	No Quetation
2155	4224200439900	PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION. GOOD THERMAL REGULATION. SIZE APPROXIMATELY 38CM - 3MM THICKNESS	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation
		GEL - SHOCK ABSORBING LINER, CONSTRUCTED WITH SPACER FABRIC, REDUCES SHOCK BY							
2156	4224200440100	APPROXIMATELY 50% PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION. GOOD THERMAL REGULATION. SIZE	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation
		APPROXIMATELY 44CM - 3MM THICKNESS GEL - SHOCK ABSORBING LINER, CONSTRUCTED WITH SPACER FABRIC, REDUCES SHOCK BY							
2157	4224200438800	APPROXIMATELY 50% PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION. GOOD THERMAL REGULATION. SIZE	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation
		APPROXIMATELY 16CM - 6MM THICKNESS							
	4224222	GEL - SHOCK ABSORBING LINER, CONSTRUCTED WITH SPACER FABRIC, REDUCES SHOCK BY APPROXIMATELY 50% PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION	No Co.	No Control	No Control		No Control	No. 2	No. Co.
2158	4224200439000	PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION. GOOD THERMAL REGULATION. SIZE APPROXIMATELY 20CM - 6MM THICKNESS	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation
		GEL - SHOCK ABSORBING LINER, CONSTRUCTED WITH SPACER FABRIC, REDUCES SHOCK BY							
2159	4224200439200	APPROXIMATELY 50% PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION. GOOD THERMAL REGULATION. SIZE	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation
		APPROXIMATELY 24CM - 6MM THICKNESS GEL - SHOCK ABSORBING LINER, CONSTRUCTED WITH SPACER FABRIC, REDUCES SHOCK BY							
2160	4224200439400	APPROXIMATELY 50% PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation
		PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION. GOOD THERMAL REGULATION. SIZE APPROXIMATELY 26CM - 6MM THICKNESS							
2461	422420042222	GEL - SHOCK ABSORBING LINER, CONSTRUCTED WITH SPACER FABRIC, REDUCES SHOCK BY APPROXIMATELY 50% PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION	No Ourt II	No Curt	No Correct	N- O	No October	No Court of	No Correct
2161	4224200439600	PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION. GOOD THERMAL REGULATION. SIZE	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation
		APPROXIMATELY 28CM - 6MM THICKNESS							

ENDER NA	AME : Prosthetics Or	thosis Supplies							Preliminary Result
2162	4224200439800	GEL - SHOCK ABSORBING LINER, CONSTRUCTED WITH SPACER FABRIC, REDUCES SHOCK BY APPROXIMATELY 50% PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION, GOOD THERMAL REGULATION. SIZE	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation
2163	4224200440000	GEL - SHOCK ABSORBING UIBER, CONSTRUCTED WITH SPACER FABRIC, REDUCES SHOCK BY APPROXIMATELY 50% PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION. GOOD THERMAL REGULATION. SIZE APPROXIMATELY 380M— SAMM THEY AREN.	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation
2164	4224200440200	GEL - SHOCK ABSORBING LINER, CONSTRUCTED WITH SPACER FABRIC, REDUCES SHOCK BY APPROXIMATELY 50% PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION. GOOD THERMAL REGULATION. SIZE APPROXIMATELY 44CM - 6MM THICKNESS	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation
2165	4224200448300	SILICONE - SHOCK ABSORBING LINER, CONSTRUCTED WITH SPACER FABRIC, REDUCES SHOCK BY APPROXIMATELY 50% PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION. GOOD THERMAL REGULATION. SIZE APPROXIMATELY 20CM - 3MM THICKNESS	ITEMIZED	each	401191	Alawal medical equipment company - Orig-	ALPS South	SASC3.0-20	USA
2166	4224200448500	SILICONE - SHOCK ABSORBING UNER, CONSTRUCTED WITH SPACER FABRIC, REDUCES SHOCK BY APPROXIMATELY 50% PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION. GOOD THERMAL REGULATION. SIZE APPROXIMATELY 22CM - 3MM THICKNESS	ITEMIZED	each	401191	Alawal medical equipment company - Orig-	ALPS South	SASC3.0-22	USA
2167	4224200448700	SILICONE - SHOCK ABSORBING LINER, CONSTRUCTED WITH SPACER FABRIC, REDUCES SHOCK BY APPROXIMATELY SOM PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION. GOOD THERMAL REGULATION. SIZE APPROXIMATELY 24CM - 3MM THICKNESS	ITEMIZED	each	401191	Alawal medical equipment company - Orig-	ALPS South	SASC3.0-24	USA
2168	4224200448900	SILICONE - SHOCK ABSORBING LINER, CONSTRUCTED WITH SPACER FABRIC, REDUCES SHOCK BY APPROXIMATELY 50% PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION. GOOD THERMAL REGULATION. SIZE APPROXIMATELY 26CM - 3MM THICKNESS	ITEMIZED	each	401191	Alawal medical equipment company - Orig-	ALPS South	SASC3.0-26	USA
2169	4224200449100	SILICONE - SHOCK ABSORBING LINER, CONSTRUCTED WITH SPACER FABRIC, REDUCES SHOCK BY APPROXIMATELY SOM PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION. GOOD THERMAL REGULATION. SIZE APPROXIMATELY 28CM - 3MM THICKNESS	ITEMIZED	each	401191	Alawal medical equipment company - Orig-	ALPS South	SASC3.0-28	USA
2170	4224200449300	SILICONE - SHOCK ABSORBING LINER, CONSTRUCTED WITH SPACER FABRIC, REDUCES SHOCK BY APPROXIMATELY SOM PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION. GOOD THERMAL REGULATION. SIZE APPROXIMATELY 30CM - 3MM THICKNESS	ITEMIZED	each	401191	Alawal medical equipment company - Orig-	ALPS South	SASC3.0-30	USA
2171	4224200449500	SILICONE - SHOCK ABSORBING LINER, CONSTRUCTED WITH SPACER FABRIC, REDUCES SHOCK BY APPROXIMATELY SOM PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION. GOOD THERMAL REGULATION. SIZE APPROXIMATELY 32CM - 3MM THICKNESS	ITEMIZED	each	401191	Alawal medical equipment company - Orig-	ALPS South	SASC3.0-32	USA
2172	4224200449700	SILICONE - SHOCK ABSORBING LINER, CONSTRUCTED WITH SPACER FABRIC, REDUCES SHOCK BY APPROXIMATELY SOW, PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION. GOOD THERMAL REGULATION. SIZE APPROXIMATELY 35CM - 3MM THICKNESS SILICONES. SUCCESS APPROXIMATELY 35CM - 3MM THICKNESS SILICONES. SUCCESS APPROXIMATELY 35CM - 3MM THICKNESS.	ITEMIZED	each	401191	Alawal medical equipment company - Orig-	ALPS South	SASC3.0-35	USA
2173	4224200449900	SILICONE - SHOCK ABSORBING LINER, CONSTRUCTED WITH SPACER FABRIC, REDUCES SHOCK BY APPROXIMATELY SOM PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION. GOOD THERMAL REGULATION. SIZE APPROXIMATELY 38CM - 3MM THICKNESS	ITEMIZED	each	401191	Alawal medical equipment company - Orig-	ALPS South	SASC3.0-38	USA
2174	4224200450100	SILICOME - SHOCK ABSORBING LINER, CONSTRUCTED WITH SPACER FABRIC, REDUCES SHOCK BY APPROXIMATELY SOW, PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION. GOOD THERMAL REGULATION. SIZE APPROXIMATELY 41CM - 3MM THICKNESS	ITEMIZED	each	401191	Alawal medical equipment company - Orig-	ALPS South	SASC3.0-41	USA
2175	4224200450300	SILICONE - SHOCK ABSORBING LINER, CONSTRUCTED WITH SPACER FABRIC, REDUCES SHOCK BY APPROXIMATELY SOM PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION. GOOD THERMAL REGULATION. SIZE APPROXIMATELY 44CM - 3MM THICKNESS	ITEMIZED	each	401191	Alawal medical equipment company - Orig-	ALPS South	SASC3.0-44	USA
2176	4224200448400	SILICONE - SHOCK ABSORBING LINER, CONSTRUCTED WITH SPACER FABRIC, REDUCES SHOCK BY APPROXIMATELY SOM PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION. GOOD THERMAL REGULATION. SIZE APPROXIMATELY 20CM - 6MM THICKNESS	ITEMIZED	each	401191	Alawal medical equipment company - Orig-	ALPS South	SASL6.0-20	USA
2177	4224200448600	SULCOME - SHOCK ABSORBING LINER, CONSTRUCTED WITH SPACER FABRIC, REDUCES SHOCK BY APPROXIMATELY SOM PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION. GOOD THERMAL REGULATION. SIZE APPROXIMATELY 22CM - 6MM THICKNESS	ITEMIZED	each	401191	Alawal medical equipment company - Orig-	ALPS South	SASL6.0-22	USA
2178	4224200448800	SILICONE - SHOCK ABSORBING LINER, CONSTRUCTED WITH SPACER FABRIC, REDUCES SHOCK BY APPROXIMATELY SOM PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION. GOOD THERMAL REGULATION. SIZE APPROXIMATELY 24CM - 6MM THICKNESS	ITEMIZED	each	401191	Alawal medical equipment company - Orig-	ALPS South	SASL6.0-24	USA
2179	4224200449000	SILICONE - SHOCK ABSORBING LINER, CONSTRUCTED WITH SPACER FABRIC, REDUCES SHOCK BY APPROXIMATELY 50% PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION. GOOD THERMAL REGULATION. SIZE APPROXIMATELY 26CM - 6MM THICKNESS	ITEMIZED	each	401191	Alawal medical equipment company - Orig-	ALPS South	SASL6.0-26	USA
2180	4224200449200	SILCOME - SHOCK ABSORBING LINER, CONSTRUCTED WITH SPACER FABRIC, REDUCES SHOCK BY APPROXIMATELY SOW PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION. GOOD THERMAL REGULATION. SIZE APPROXIMATELY 28CM - 6MM THICKNESS	ITEMIZED	each	401191	Alawal medical equipment company - Orig-	ALPS South	SASL6.0-28	USA
2181	4224200449400	SILICONE - SHOCK ABSORBING LINER, CONSTRUCTED WITH SPACER FABRIC, REDUCES SHOCK BY APPROXIMATELY 50% PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION. GOOD THERMAL REGULATION. SIZE APPROXIMATELY 30CM - 6MM THICKNESS	ITEMIZED	each	401191	Alawal medical equipment company - Orig-	ALPS South	SASL6.0-30	USA
2182	4224200449600	SILICONE - SHOCK ABSORBING LINER, CONSTRUCTED WITH SPACER FABRIC, REDUCES SHOCK BY APPROXIMATELY SOM PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION. GOOD THERMAL REGULATION. SIZE APPROXIMATELY 32CM - 6MM THICKNESS	ITEMIZED	each	401191	Alawal medical equipment company - Orig-	ALPS South	SASL6.0-32	USA
2183	4224200449800	SILICONE - SHOCK ABSORBING LINER, CONSTRUCTED WITH SPACER FABRIC, REDUCES SHOCK BY APPROXIMATELY SOM PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION. GOOD THERMAL REGULATION. SIZE APPROXIMATELY 35CM - 6MM THICKNESS	ITEMIZED	each	401191	Alawal medical equipment company - Orig-	ALPS South	SASL6.0-35	USA
2184	4224200450000	SILICONE - SHOCK ABSORBING LINER, CONSTRUCTED WITH SPACER FABRIC, REDUCES SHOCK BY APPROXIMATELY SOM PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION. GOOD THERMAL REGULATION. SIZE APPROXIMATELY 38CM - 6MM THICKNESS	ITEMIZED	each	401191	Alawal medical equipment company - Orig-	ALPS South	SASL6.0-38	USA
2185	4224200450200	SILICONE - SHOCK ABSORBING LINER, CONSTRUCTED WITH SPACER FABRIC, REDUCES SHOCK BY APPROXIMATELY SOM PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION. GOOD THERMAL REGULATION. SIZE APPROXIMATELY 41CM - 6MM THICKNESS	ITEMIZED	each	401191	Alawal medical equipment company - Orig-	ALPS South	SASL6.0-41	USA
2186	4224200450400	SILICOME - SHOCK ABSORBING LINER, CONSTRUCTED WITH SPACER FABRIC, REDUCES SHOCK BY APPROXIMATELY SOW PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION. GOOD THERMAL REGULATION. SIZE APPROXIMATELY 44CM - 6MM THICKNESS	ITEMIZED	each	401191	Alawal medical equipment company - Orig-	ALPS South	SASL6.0-44	USA
2187	4224200443900	LOCKING THERMOPLASTIC ELASTOMER (TPE) GEL - LINER WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC, VASCULAR AND GENARTIC PATIENTS SIZE APPROXIMATELY 16CM - 3MM THICKNESS LOCKING THERMOPLASTIC ELASTOMER (TPE) GEL - LINER WITH ANTIOXIDANTS, BENEFICIAL	CANCELLED	CANCELLED	CANCELLED	CANCELLED DUPLICATED DESCRIPTION	CANCELLED	CANCELLED	CANCELLED
2188	4224200444100	FOR DIABETIC, VASCULAR AND GERIATRIC PATIENTS SIZE APPROXIMATELY 20CM - 3MM THICKNESS LOCKING THERMOPLASTIC ELASTOMER (TPE) GEL - LINER WITH ANTIOXIDANTS, BENEFICIAL	CANCELLED	CANCELLED	CANCELLED	CANCELLED DUPLICATED DESCRIPTION	CANCELLED	CANCELLED	CANCELLED
2189	4224200444300	FOR DIABETIC, VASCULAR AND GERIATRIC PATIENTS SIZE APPROXIMATELY 24CM - 3MM THICKNESS	CANCELLED	CANCELLED	CANCELLED	CANCELLED DUPLICATED DESCRIPTION	CANCELLED	CANCELLED	CANCELLED
2190	4224200444500	LOCKING THERMOPLASTIC ELASTOMER (TPE) GEL - LINER WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC, VASCULAR AND GERIATRIC PATIENTS SIZE APPROXIMATELY 26CM - 3MM THICKNESS	CANCELLED	CANCELLED	CANCELLED	CANCELLED DUPLICATED DESCRIPTION	CANCELLED	CANCELLED	CANCELLED
2191	4224200444700	LOCKING THERMOPLASTIC ELASTOMER (TPE) GEL - LINER WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC, VASCULAR AND GERIATRIC PATIENTS SIZE APPROXIMATELY 28CM - 3MM THICKNESS	CANCELLED	CANCELLED	CANCELLED	CANCELLED DUPLICATED DESCRIPTION	CANCELLED	CANCELLED	CANCELLED
2192	4224200444900	LOCKING THERMOPLASTIC ELASTOMER (TPE) GEL - LINER WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC, VASCULAR AND GERIATRIC PATIENTS SIZE APPROXIMATELY 32CM - 3MM THICKNESS LOCKING THERMOPLASTIC ELASTOMER (TPE) GEL - LINER WITH ANTIOXIDANTS, BENEFICIAL	CANCELLED	CANCELLED	CANCELLED	CANCELLED DUPLICATED DESCRIPTION	CANCELLED	CANCELLED	CANCELLED
2193	4224200445100	FOR DIABETIC, VASCULAR AND GERIATRIC PATIENTS SIZE APPROXIMATELY 38CM - 3MM THICKNESS	CANCELLED	CANCELLED	CANCELLED	CANCELLED DUPLICATED DESCRIPTION	CANCELLED	CANCELLED	CANCELLED
2194	4224200445300	LOCKING THERMOPLASTIC ELASTOMER (TPE) GEL - LINER WITH ANTICXIDANTS, BENEFICIAL FOR DIABETIC, VASCULAR AND GERIATRIC PATIENTS SIZE APPROXIMATELY 44CM - 3MM THICKNESS LOCKING THERMOPLASTIC ELASTOMER (TPE) GEL - LINER WITH ANTICXIDANTS, BENEFICIAL	CANCELLED	CANCELLED	CANCELLED	CANCELLED DUPLICATED DESCRIPTION CANCELLED	CANCELLED	CANCELLED	CANCELLED
2195	4224200444000	FOR DIABETIC, VASCULAR AND GERIATRIC PATIENTS SIZE APPROXIMATELY 16CM - 6MM THICKNESS LOCKING THERMOPLASTIC ELASTOMER (TPE) GEL - LINER WITH ANTIOXIDANTS, BENEFICIAL	CANCELLED	CANCELLED	CANCELLED	DUPLICATED DESCRIPTION	CANCELLED	CANCELLED	CANCELLED
2196	4224200444200	FOR DIABETIC, VASCULAR AND GERIATRIC PATIENTS SIZE APPROXIMATELY 20CM - 6MM THICKNESS	CANCELLED	CANCELLED	CANCELLED	CANCELLED DUPLICATED DESCRIPTION	CANCELLED	CANCELLED	CANCELLED

2197	4224200444400	LOCKING THERMOPLASTIC ELASTOMER (TPE) GEL - LINER WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC, VASCULAR AND GERIATRIC PATIENTS SIZE APPROXIMATELY 24CM - 6MM	CANCELLED	CANCELLED	CANCELLED	CANCELLED DUPLICATED DESCRIPTION	CANCELLED	CANCELLED	CANCELLED
2198	4224200444600	THICKNESS COCKING THERMOPLASTIC ELASTOMER (TPE) GEL - LINER WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC, VASCULAR AND GERIATRIC PATIENTS SIZE APPROXIMATELY 26CM - 6MM	CANCELLED	CANCELLED	CANCELLED	CANCELLED DUPLICATED DESCRIPTION	CANCELLED	CANCELLED	CANCELLED
2199	4224200444800	THICKNESS COCKING THERMOPLASTIC ELASTOMER (TPE) GEL - LINER WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC, VASCULAR AND GERIATRIC PATIENTS SIZE APPROXIMATELY 28CM - 6MM	CANCELLED	CANCELLED	CANCELLED	CANCELLED DUPLICATED DESCRIPTION	CANCELLED	CANCELLED	CANCELLED
2200	4224200445000	THICKNESS COCKING THERMOPLASTIC ELASTOMER (TPE) GEL - LINER WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC, VASCULAR AND GERIATRIC PATIENTS SIZE APPROXIMATELY 32CM - 6MM	CANCELLED	CANCELLED	CANCELLED	CANCELLED DUPLICATED DESCRIPTION	CANCELLED	CANCELLED	CANCELLED
2201	4224200445200	THICKNESS COCKING THERMOPLASTIC ELASTOMER (TPE) GEL - LINER WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC, VASCULAR AND GERIATRIC PATIENTS SIZE APPROXIMATELY 38CM - 6MM	CANCELLED	CANCELLED	CANCELLED	CANCELLED DUPLICATED DESCRIPTION	CANCELLED	CANCELLED	CANCELLED
2202	4224200445400	THICKNESS LOCKING THERMOPLASTIC ELASTOMER (TPE) GEL - LINER WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC, VASCULAR AND GERIATRIC PATIENTS SIZE APPROXIMATELY 44CM - 6MM	CANCELLED	CANCELLED	CANCELLED	CANCELLED DUPLICATED DESCRIPTION	CANCELLED	CANCELLED	CANCELLED
2203	4224200452900	THICKNESS TAPERED LOCKING THERMOPLASTIC ELASTOMER (TPE) GEL - LINER WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC, VASCULAR AND GERIATRIC PATIENTS SIZE APPROXIMATELY 16CM -	ITEMIZED	each	401191	Alawal medical equipment company - Orig-	ALPS South	ELDT16-6/3	USA
2204	4224200453000	6MM FRONT 3MM REAR THICKNESS TAPERED LOCKING THERMOPLASTIC ELASTOMER (TPE) GEL - LINER WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC, VASCULAR AND GERIATRIC PATIENTS SIZE APPROXIMATELY 20CM - 6MM FRONT 3MM REAR THICKNESS	ITEMIZED	each	401191	Alawal medical equipment company - Orig-	ALPS South	ELDT20-6/3	USA
2205	4224200453100	TAPERED LOCKING THERMOPLASTIC ELASTOMER (TPE) GEL - LINER WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC, VASCULAR AND GERIATRIC PATENTS SIZE APPROXIMATELY 24CM - 6MM FRONT 3MM REAR THICKNESS	ITEMIZED	each	401191	Alawal medical equipment company - Orig-	ALPS South	ELDT24-6/3	USA
2206	4224200453200	TAPERED LOCKING THERMOPLASTIC ELASTOMER (TPE) GEL - LINER WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC, VASCULAR AND GERIATRIC PATERTS SIZE APPROXIMATELY 26CM - 6MM FRONT 3MM REAR THICKNESS	ITEMIZED	each	401191	Alawal medical equipment company - Orig-	ALPS South	ELDT26-6/3	USA
2207	4224200453300	TAPERED LOCKING THERMOPLASTIC ELASTOMER (TPE) GEL - LINER WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC, VASCULAR AND GERIATRIC PATIENTS SIZE APPROXIMATELY 28CM - 6MM FRONT SIAMM REAR THICKNESS	ITEMIZED	each	401191	Alawal medical equipment company - Orig-	ALPS South	ELDT28-6/3	USA
2208	4224200453400	TAPERED LOCKING THERMOPLASTIC ELASTOMER (TPE) GEL - LINER WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC, VASCULAR AND GERIATRIC PATERTS SIZE APPROXIMATELY 32CM - 6MM FRONT 3MM REAR THICKNESS	ITEMIZED	each	401191	Alawal medical equipment company - Orig-	ALPS South	ELDT32-6/3	USA
2209	4224200453500	TAPERED LOCKING THERMOPLASTIC ELASTOMER (TPE) GEL - LINER WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC, VASCULAR AND GERIATRIC PATENTS SIZE APPROXIMATELY 38CM - 6MM FRONT 3MM REAR THICKNESS	ITEMIZED	each	401191	Alawal medical equipment company - Orig-	ALPS South	ELDT38-6/3	USA
2210	4224200453600	TAPERED LOCKING THERMOPLASTIC ELASTOMER (TPE) GEL - LINER WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC, VASCULAR AND GERIATRIC PATENTS SIZE APPROXIMATELY 44CM - 6MM FRONT 3MM REAR THICKNESS	ITEMIZED	each	401191	Alawal medical equipment company - Orig-	ALPS South	ELDT44-6/3	USA
2211	4224200452100	DOWN FROM I SHOW REAR I HICKNESS TAPERED CUSHION THERMOPLASTIC ELASTOMER (TPE) GEL - LINER WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC, VASCULAR AND GERIATRIC PATIENTS SIZE APPROXIMATELY 16CM - 6MM FRONT 3MM REAR THICKNESS	ITEMIZED	each	401191	Alawal medical equipment company - Orig-	ALPS South	ELFR16-6/3	USA
2212	4224200452200	TAPERED CUSHION THEMOPLASTIC ELASTOMER (TPE) GEL - LINER WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC, VASCULAR AND GERIATRIC PATIENTS SIZE APPROXIMATELY 20CM - 6MM FRONT SIMM REAR THICKNESS	ITEMIZED	each	401191	Alawal medical equipment company - Orig-	ALPS South	ELFR20-6/3	USA
2213	4224200452300	TAPERED CUSHION THERMOPLASTIC ELASTOMER (TPE) GEL - LINER WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC, VASCULAR AND GERIATRIC PATENTS SIZE APPROXIMATELY 24CM - 6MM FRONT 3MM REAR THICKNESS	ITEMIZED	each	401191	Alawal medical equipment company - Orig-	ALPS South	ELFR24-6/3	USA
2214	4224200452400	TAPERED CUSHION THERMOPLASTIC ELASTOMER (TPE) GEL - LINER WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC, VASCULAR AND GERIATRIC PATENTS SIZE APPROXIMATELY 26CM - 6MM FRONT 3MM REAR THICKNESS	ITEMIZED	each	401191	Alawal medical equipment company - Orig-	ALPS South	ELFR26-6/3	USA
2215	4224200452500	TAPERED CUSHION THERMOPLASTIC ELASTOMER (TPE) GEL - LINER WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC, VASCULAR AND GERIATRIC PATIENTS SIZE APPROXIMATELY 28CM - 6MM FRONT 3MM REAT THICKNESS	ITEMIZED	each	401191	Alawal medical equipment company - Orig-	ALPS South	ELFR28-6/3	USA
2216	4224200452600	TAPERED CUSHION THERMOLASTIC ELASTORER (TPE) GEL - LINER WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC, VASCULAR AND GERIATRIC PATENTS SIZE APPROXIMATELY 32CM - 6MM FRONT 3MM REAR THICKNESS	ITEMIZED	each	401191	Alawal medical equipment company - Orig-	ALPS South	ELFR32-6/3	USA
2217	4224200452700	TAPERED CUSHION THERMOPLASTIC ELASTOMER (TPE) GEL - LINER WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC, VASCULAR AND GERIATRIC PATENTS SIZE APPROXIMATELY 38CM - 6MM FRONT 3MM REAR THICKNESS	ITEMIZED	each	401191	Alawal medical equipment company - Orig-	ALPS South	ELFR38-6/3	USA
2218	4224200452800	TAPERED CUSHION THERMOPLASTIC ELASTOMER (TPE) GEL - LINER WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC, VASCULAR AND GERIATRIC PATENTS SIZE APPROXIMATELY 44CM - 6MM FRONT 3MM REAR THICKNESS	ITEMIZED	each	401191	Alawal medical equipment company - Orig-	ALPS South	ELFR44-6/3	USA
2219	4224200435500	CUSHION THERMOPLASTIC ELASTOMER (TPE) GEL - LINER WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC, VASCULAR AND GERIATRIC PATIENTS SIZE APPROXIMATELY 16CM - 3MM THICKNESS	ITEMIZED	each	401191	Alawal medical equipment company - Orig-	ALPS South	ELFR16-3	USA
2220	4224200435700	CUSHION THERMOPLASTIC ELASTOMER (TPE) GEL - LINER WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC, VASCULAR AND GERIATRIC PATIENTS SIZE APPROXIMATELY 20CM - 3MM THICKNESS	ITEMIZED	each	401191	Alawal medical equipment company - Orig-	ALPS South	ELFR20-3	USA
2221	4224200435900	CUSHION THERMOPLASTIC ELASTOMER (TPE) GEL - LINER WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC, VASCULAR AND GERIATRIC PATIENTS SIZE APPROXIMATELY 24CM - 3MM THICKNESS	ITEMIZED	each	401191	Alawal medical equipment company - Orig-	ALPS South	ELFR24-3	USA
2222	4224200436100	CUSHION THERMOPLASTIC ELASTOMER (TPE) GEL - LINER WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC, VASCULAR AND GERIATRIC PATIENTS SIZE APPROXIMATELY 26CM - 3MM THICKNESS	ITEMIZED	each	401191	Alawal medical equipment company - Orig-	ALPS South	ELFR26-3	USA
2223	4224200436300	CUSHION THERMOPLASTIC ELASTOMER (TPE) GEL - LINER WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC, VASCULAR AND GERIATRIC PATIENTS SIZE APPROXIMATELY 28CM - 3MM THICKNESS	ITEMIZED	each	401191	Alawal medical equipment company - Orig-	ALPS South	ELFR28-3	USA
2224	4224200436500	CUSHION THERMOPLASTIC ELASTOMER (TPE) GEL - LINER WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC, VASCULAR AND GERIATRIC PATIENTS SIZE APPROXIMATELY 32CM - 3MM THICKNESS	ITEMIZED	each	401191	Alawal medical equipment company - Orig-	ALPS South	ELFR32-3	USA
2225	4224200436700	CUSHION THERMOPLASTIC ELASTOMER (TPE) GEL - LINER WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC, VASCULAR AND GERIATRIC PATIENTS SIZE APPROXIMATELY 38CM - 3MM THICKNESS	ITEMIZED	each	401191	Alawal medical equipment company - Orig-	ALPS South	ELFR38-3	USA
2226	4224200436900	CUSHION THERMOPLASTIC ELASTOMER (TPE) GEL - LINER WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC, VASCULAR AND GERIATRIC PATIENTS SIZE APPROXIMATELY 44CM - 3MM THICKNESS	ITEMIZED	each	401191	Alawal medical equipment company - Orig-	ALPS South	ELFR44-3	USA
2227	4224200435600	CUSHION THERMOPLASTIC ELASTOMER (TPE) GEL - LINER WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC, VASCULAR AND GENTRIC PATIENTS SIZE APPROXIMATELY 16CM - 6MM THICKNESS	ITEMIZED	each	401191	Alawal medical equipment company - Orig-	ALPS South	ELFR16-6	USA
2228	4224200435800	CUSHION THERMOPLASTIC ELASTOMER (TPE) GEL - LINER WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC, VASCULAR AND GERIATRIC PATIENTS SIZE APPROXIMATELY 20CM - 6MM THICKNESS	ITEMIZED	each	401191	Alawal medical equipment company - Orig-	ALPS South	ELFR20-6	USA
2229	4224200436000	CUSHION THERMOPLASTIC ELASTOMER (TPE) GEL - LINER WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC, VASCULAR AND GERIATRIC PATIENTS SIZE APPROXIMATELY 24CM - 6MM THICKNESS	ITEMIZED	each	401191	Alawal medical equipment company - Orig-	ALPS South	ELFR24-6	USA
2230	4224200436200	CUSHION THERMOPLASTIC ELASTOMER (TPE) GEL - LINER WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC, VASCULAR AND GERIATRIC PATIENTS SIZE APPROXIMATELY 26CM - 6MM THICKNESS	ITEMIZED	each	401191	Alawal medical equipment company - Orig-	ALPS South	ELFR26-6	USA
2231	4224200436400	CUSHION THERMOPLASTIC ELASTOMER (TPE) GEL - LINER WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC, VASCULAR AND GERIATRIC PATIENTS SIZE APPROXIMATELY 28CM - 6MM THICKNESS	ITEMIZED	each	401191	Alawal medical equipment company - Orig-	ALPS South	ELFR28-6	USA
2232	4224200436600	CUSHION THERMOPLASTIC ELASTOMER (TPE) GEL - LINER WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC, VASCULAR AND GERIATRIC PATIENTS SIZE APPROXIMATELY 32CM - 6MM THICKNESS	ITEMIZED	each	401191	Alawal medical equipment company - Orig-	ALPS South	ELFR32-6	USA
2233	4224200436800	CUSHION THERMOPLASTIC ELASTOMER (TPE) GEL - LINER WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC, VASCULAR AND GERIATRIC PATIENTS SIZE APPROXIMATELY 38CM - 6MM THICKNESS	ITEMIZED	each	401191	Alawal medical equipment company - Orig-	ALPS South	ELFR38-6	USA
2234	4224200437000	CUSHION THERMOPLASTIC ELASTOMER (TPE) GEL - LINER WITH ANTIOXIDANTS, BENEFICIAL FOR DIABETIC, VASCULAR AND GERIATRIC PATIENTS SIZE APPROXIMATELY 44CM - 6MM THICKNESS	ITEMIZED	each	401191	Alawal medical equipment company - Orig-	ALPS South	ELFR44-6	USA
2235	4224200450500	SUSTAINABLE GEL LINER - 70-75%. RENEWABLE CONTENT, MADE WITH ENVIRONMENTALLY RESPONSIBLE MATERIALS SIZE APPROXIMATELY 16CM - 3MM THICKNESS	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	WillowWood Global LLC	ALC5133E	USA
2236	4224200450700	SUSTAINABLE GEL LINER - 70-75%. RENEWABLE CONTENT, MADE WITH ENVIRONMENTALLY RESPONSIBLE MATERIALS SIZE APPROXIMATELY 20CM - 3MM THICKNESS	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	WillowWood Global LLC	ALC5130E	USA
2237	4224200450900	SUSTAINABLE GEL LINER - 70-75%. RENEWABLE CONTENT, MADE WITH ENVIRONMENTALLY RESPONSIBLE MATERIALS SIZE APPROXIMATELY 24CM - 3MM THICKNESS	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	WillowWood Global LLC	ALC5134E	USA
2238	4224200451100	SUSTAINABLE GEL LINER - 70-75%. RENEWABLE CONTENT, MADE WITH ENVIRONMENTALLY RESPONSIBLE MATERIALS SIZE APPROXIMATELY 26CM - 3MM THICKNESS	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	WillowWood Global LLC	ALC5136E	USA
2239	4224200451300	SUSTAINABLE GEL LINER - 70-75%. RENEWABLE CONTENT, MADE WITH ENVIRONMENTALLY RESPONSIBLE MATERIALS SIZE APPROXIMATELY 28CM - 3MM THICKNESS	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	WillowWood Global LLC	ALC5138E	USA
2240	4224200451500	SUSTAINABLE GEL LINER - 70-75%. RENEWABLE CONTENT, MADE WITH ENVIRONMENTALLY RESPONSIBLE MATERIALS SIZE APPROXIMATELY 32CM - 3MM THICKNESS	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	WillowWood Global LLC	ALC5138X	USA

TENDERNA	AIVIL . F103thetics Of	tiosis supplies							
2241	4224200451700	SUSTAINABLE GEL LINER - 70-75%. RENEWABLE CONTENT, MADE WITH ENVIRONMENTALLY RESPONSIBLE MATERIALS SIZE APPROXIMATELY 38CM - 3MM THICKNESS	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	WillowWood Global LLC	ALC5137E	USA
2242	4224200451900	SUSTAINABLE GEL LINER - 70-75%. RENEWABLE CONTENT, MADE WITH ENVIRONMENTALLY RESPONSIBLE MATERIALS SIZE APPROXIMATELY 44CM - 3MM THICKNESS	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	WillowWood Global LLC	ALC5137X	USA
2243	4224200450600	SUSTAINABLE GEL LINER - 70-75%. RENEWABLE CONTENT, MADE WITH ENVIRONMENTALLY RESPONSIBLE MATERIALS SIZE APPROXIMATELY 16CM - 6MM THICKNESS	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	WillowWood Global LLC	ABLL-16-6	USA
2244	4224200450800	SUSTAINABLE GEL LINER - 70-75%. RENEWABLE CONTENT, MADE WITH ENVIRONMENTALLY RESPONSIBLE MATERIALS SIZE APPROXIMATELY 20CM - 6MM THICKNESS	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	WillowWood Global LLC	ABLL-20-6	USA
2245	4224200451000	SUSTAINABLE GEL LINER - 70-75%. RENEWABLE CONTENT, MADE WITH ENVIRONMENTALLY RESPONSIBLE MATERIALS SIZE APPROXIMATELY 24CM - 6MM THICKNESS	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	WillowWood Global LLC	ABLL-24-6	USA
2246	4224200451200	SUSTAINABLE GEL LINER - 70-75%. RENEWABLE CONTENT, MADE WITH ENVIRONMENTALLY RESPONSIBLE MATERIALS SIZE APPROXIMATELY 26CM - 6MM THICKNESS	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	WillowWood Global LLC	ABLL-26-6	USA
2247	4224200451400	SUSTAINABLE GEL LINER - 70-75%. RENEWABLE CONTENT, MADE WITH ENVIRONMENTALLY RESPONSIBLE MATERIALS SIZE APPROXIMATELY 28CM - 6MM THICKNESS	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	WillowWood Global LLC	ABLL-28-6	USA
2248	4224200451600	SUSTAINABLE GEL LINER - 70-75%. RENEWABLE CONTENT, MADE WITH ENVIRONMENTALLY RESPONSIBLE MATERIALS SIZE APPROXIMATELY 32CM - 6MM THICKNESS	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	WillowWood Global LLC	ABLL-32-6	USA
2249	4224200451800	SUSTAINABLE GEL LINER - 70-75%. RENEWABLE CONTENT, MADE WITH ENVIRONMENTALLY RESPONSIBLE MATERIALS SIZE APPROXIMATELY 38CM - 6MM THICKNESS	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	WillowWood Global LLC	ABLL-38-6	USA
2250	4224200452000	SUSTAINABLE GEL LINER - 70-75%. RENEWABLE CONTENT, MADE WITH ENVIRONMENTALLY RESPONSIBLE MATERIALS SIZE APPROXIMATELY 44CM - 6MM THICKNESS	ITEMIZED	each	400569	MEDICAL CARE ALLIANCE COMPANY - Orig-	WillowWood Global LLC	ABLL-44-6	USA
2251	4224200036900	FILLAUER, SHUTTLE LOCK, CYLINDRICAL LOCK, DELRIN MATERIAL, GREEN, WITH 1-1/2 INCH PLUNGER	CANCELLED	CANCELLED	CANCELLED	CANCELLED NOT MATCHING THE DESCRIPTION	CANCELLED	CANCELLED	CANCELLED
2252	4224200036800	FILLAUER, PLUNGER 2 INCH, WITH 1/4 INCH THREAD, FOR SHUTTLE LOCK CYLINDRICAL	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation	No Quotation
1	ı		l	ı		1	1	ı	