

SN	NUPCO CODE	ITEM DESCRIPTION	UOM	GROUP CATEGORY	INITIAL QUANTITY
1	4618160907100	3/4 CUSTOM MADE INSOLES ADULT FOR METATARSUS ADDUCTUS PEDILIN 4MM + PLASTAZOTE 3MM + PERFORATED MATERIAL 2MM (PAIR)	PAA	ITEMIZED	900
2	4224200115800	3D SILICONE LINER FOR TRANS-FEMORAL AMPUTEES, WITH DISTAL CONNECTION, WITH THE ANTIBACTERIAL ADDITIVE IN THE LINER MATERIAL PROTECTS THE LINER FROM BACTERIA AND THUS PREVENTS UNPLEASANT ODORS FROM DEVELOPING, COMFORT TO THE AMPUTEES WHO HAVE A LARGE AMOUNT OF SOFT TISSUE, THE ADAPTS BY INITIALLY TAPERING IN THE DISTAL AREA SO THAT SENSITIVE SOFT TISSUE IS GENTLY CUSHIONED AND NOT CONSTRICTED OR PUSHED UPWARDS, THE UPPER SECTION OF THE LINER IS CYLINDRICAL IN SHAPE, DROP-SHAPED TEXTILE INLAY IN THE LINER'S FABRIC ACTS AS A POSITIONING AID FOR ATTACHING THE LANYARD SYSTEM, SIZE 500 MM, APPROXIMATELY	EA	ITEMIZED	476
3	4224200115900	3D SILICONE LINER FOR TRANS-FEMORAL AMPUTEES, WITH DISTAL CONNECTION, WITH THE ANTIBACTERIAL ADDITIVE IN THE LINER MATERIAL PROTECTS THE LINER FROM BACTERIA AND THUS PREVENTS UNPLEASANT ODORS FROM DEVELOPING, COMFORT TO THE AMPUTEES WHO HAVE A LARGE AMOUNT OF SOFT TISSUE, THE ADAPTS BY INITIALLY TAPERING IN THE DISTAL AREA SO THAT SENSITIVE SOFT TISSUE IS GENTLY CUSHIONED AND NOT CONSTRICTED OR PUSHED UPWARDS. THE UPPER SECTION OF THE LINER IS CYLINDRICAL IN SHAPE, DROP-SHAPED TEXTILE INLAY IN THE LINER'S FABRIC ACTS AS A POSITIONING AID FOR ATTACHING THE LANYARD SYSTEM, SIZE 550 MM, APPROXIMATELY	EA	ITEMIZED	406
4	4224200513200	ABOVE KNEE LAMINATED SOCKET SHUTTLE LOCK WITH ADJUSTMENT SCREWS, SKIN COLOR FOR ADULT, BODY WEIGHT USER UP TO 125 KG. SIZE AND SIDE WILL BE SPECIFIED WHEN ORDERED FOR EACH PATIENT INDIVIDUAL, INCLUDES: TEST SOCKET THERMOLYN MATERIAL 15 OR 20 MM. PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, DELIVERY, FITTING BY CERTIFIED PROSTHETIST ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP. WARRANTY 2 YEARS. WITH THE COMMITMENT WITH APPENDIX D.	EA	ITEMIZED	610
5	4224200513100	ABOVE KNEE LAMINATED SOCKET WITH VALVE SUSPENSION SYSTEM, SKIN COLOR FOR ADULT, STAINLESS STEEL LAMINATION ANCHOR WITH PYRAMID ADAPTER 3 OR 4 ARMS ANCHOR, ROTATABLE, WEIGHT RANGE 160 TO 180 G, BODY WEIGHT USER APPROXIMATELY 150 KG, SIZE AND SIDE WILL BE SPECIFIED WHEN ORDERED FOR EACH PATIENT INDIVIDUAL, INCLUDES: TEST SOCKET THERMOLYN MATERIAL 15 OR 20 MM, PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, DELIVERY, FITTING BY CERTIFIED PROSTHETIST ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP. WARRANTY 2 YEARS. WITH THE COMMITMENT WITH APPENDIX D.	EA	ITEMIZED	290
6	4224200513500	ABOVE KNEE LAMINATED SOCKET WITH VALVE SUSPENSION SYSTEM, SKIN COLOR FOR ADULT, TITANIUM PYRAMID SOCKET ADAPTER, WEIGHT RANGE 50 - 60 G, BODY WEIGHT APPROXIMATELY 150 KG. SIZE AND SIDE WILL BE SPECIFIED WHEN ORDERED FOR EACH PATIENT INDIVIDUAL, INCLUDES: TEST SOCKET THERMOLYN MATERIAL 15 OR 20 MM, PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, DELIVERY, FITTING BY CERTIFIED PROSTHETIST ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP. WARRANTY 2 YEARS. WITH THE COMMITMENT WITH APPENDIX D.	EA	ITEMIZED	270
7	4224200514000	ABOVE KNEE LAMINATED SOCKET WITH VALVE SUSPENSION SYSTEM, SKIN COLOR FOR PEDIATRIC, ALUMINUM PYRAMID RECEIVER SOCKET ADAPTER, WEIGHT RANGE 35 - 50 G, BODY WEIGHT 45 G. SIZE AND SIDE WILL BE SPECIFIED WHEN ORDERED FOR EACH PATIENT INDIVIDUAL, INCLUDES: TEST SOCKET THERMOLYN MATERIAL 8 OR 10 MM, PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, DELIVERY, FITTING BY CERTIFIED PROSTHETIST ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP. WARRANTY 2 YEARS. WITH THE COMMITMENT WITH APPENDIX D.	EA	ITEMIZED	200

SN	NUPCO CODE	ITEM DESCRIPTION	UOM	GROUP CATEGORY	INITIAL QUANTITY
8	4224200514400	BELOW KNEE LAMINATED SOCKET SHUTTLE LOCK SKIN COLOR FOR ADULT, PYRAMID SHUTTLE LOCK ADAPTER, BODY WEIGHT USER 100 - 125 KG. SIZE AND SIDE WILL BE SPECIFIED WHEN ORDERED FOR EACH PATIENT INDIVIDUAL, INCLUDES: TEST SOCKET THERMOLYN MATERIAL 10 OR 12 MM, PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, DELIVERY, FITTING BY CERTIFIED PROSTHETIST ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP. WARRANTY 2 YEARS.	EA	ITEMIZED	740
9	4224200514100	BELOW KNEE LAMINATED SOCKET SKIN COLOR FOR ADULT, TITANIUM PYRAMID SOCKET ADAPTER, WEIGHT RANGE 50 - 60 G, BODY WEIGHT UP TO 150 KG. SIZE AND SIDE WILL BE SPECIFIED WHEN ORDERED FOR EACH PATIENT INDIVIDUAL, INCLUDES: TEST SOCKET THERMOLYN MATERIAL 10 OR 12 MM, PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, DELIVERY, FITTING BY CERTIFIED PROSTHETIST ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP. WARRANTY 2 YEARS. WITH THE COMMITMENT WITH APPENDIX D.	EA	ITEMIZED	340
10	4224200515000	BELOW KNEE LAMINATED SOCKET WITH VALVE SUSPENSION SYSTEM, SKIN COLOR FOR PEDIATRIC, ALUMINUM PYRAMID SOCKET ADAPTER, ADAPTER WEIGHT RANGE 25 - 40 G, BODY WEIGHT USER 45 KG. SIZE AND SIDE WILL BE SPECIFIED WHEN ORDERED FOR EACH PATIENT INDIVIDUAL, INCLUDES: TEST SOCKET THERMOLYN MATERIAL 8 OR 10 MM, PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, DELIVERY, FITTING BY CERTIFIED PROSTHETIST ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP. WARRANTY 2 YEARS. WITH THE COMMITMENT WITH APPENDIX D.	EA	ITEMIZED	360
11	4224200426300	ABOVE KNEE RESIDUAL LIMB COMPRESSION SOCKS NATURAL COLOR CLASS 2, SIZE LARGE 35	EA	ITEMIZED	1036
12	4224200426400	ABOVE KNEE RESIDUAL LIMB COMPRESSION SOCKS NATURAL COLOR CLASS 2, SIZE MEDIUM 20	EA	ITEMIZED	1036
13	4224200426500	ABOVE KNEE RESIDUAL LIMB COMPRESSION SOCKS NATURAL COLOR CLASS 2, SIZE MEDIUM 25	EA	ITEMIZED	1046
14	4224200426600	ABOVE KNEE RESIDUAL LIMB COMPRESSION SOCKS NATURAL COLOR CLASS 2, SIZE MEDIUM 35	EA	ITEMIZED	1036
15	4224200426700	ABOVE KNEE RESIDUAL LIMB COMPRESSION SOCKS NATURAL COLOR CLASS 2, SIZE SMALL 20	EA	ITEMIZED	1046
16	4224200426800	ABOVE KNEE RESIDUAL LIMB COMPRESSION SOCKS NATURAL COLOR CLASS 2, SIZE SMALL 25	EA	ITEMIZED	1046
17	4224200426900	ABOVE KNEE RESIDUAL LIMB COMPRESSION SOCKS NATURAL COLOR CLASS 2, SIZE SMALL 35	EA	ITEMIZED	1036
18	4224200427000	ABOVE KNEE RESIDUAL LIMB COMPRESSION SOCKS NATURAL COLOR CLASS 2, SIZE XL 20	EA	ITEMIZED	1046
19	4224200427100	ABOVE KNEE RESIDUAL LIMB COMPRESSION SOCKS NATURAL COLOR CLASS 2, SIZE XL 25	EA	ITEMIZED	1046
20	4224200427200	ABOVE KNEE RESIDUAL LIMB COMPRESSION SOCKS NATURAL COLOR CLASS 2, SIZE XL 35	EA	ITEMIZED	1046
21	4224200427300	ABOVE KNEE RESIDUAL LIMB COMPRESSION SOCKS NATURAL COLOR CLASS 2, SIZE X-SMALL 20	EA	ITEMIZED	1046
22	4224200427400	ABOVE KNEE RESIDUAL LIMB COMPRESSION SOCKS NATURAL COLOR CLASS 2, SIZE X-SMALL 25	EA	ITEMIZED	1046
23	4224200427500	ABOVE KNEE RESIDUAL LIMB COMPRESSION SOCKS NATURAL COLOR CLASS 2, SIZE X-SMALL 35	EA	ITEMIZED	1046
24	4224200427600	ABOVE KNEE RESIDUAL LIMB COMPRESSION SOCKS NATURAL COLOR CLASS 2, SIZE XX-LARGE 20	EA	ITEMIZED	1046
25	4224200427700	ABOVE KNEE RESIDUAL LIMB COMPRESSION SOCKS NATURAL COLOR CLASS 2, SIZE XX-LARGE 25	EA	ITEMIZED	1046
26	4224200427800	ABOVE KNEE RESIDUAL LIMB COMPRESSION SOCKS NATURAL COLOR CLASS 2, SIZE XX-LARGE 35	EA	ITEMIZED	1045
27	4224200427900	BELOW KNEE RESIDUAL LIMB COMPRESSION SOCKS CLASS 2, SIZE LARGE 30	EA	ITEMIZED	1335
28	4224200428000	BELOW KNEE RESIDUAL LIMB COMPRESSION SOCKS CLASS 2, SIZE LARGE 38	EA	ITEMIZED	1335
29	4224200428100	BELOW KNEE RESIDUAL LIMB COMPRESSION SOCKS CLASS 2, SIZE LARGE 46	EA	ITEMIZED	1335

SN	NUPCO CODE	ITEM DESCRIPTION	UOM	GROUP CATEGORY	INITIAL QUANTITY
30	4224200428200	BELOW KNEE RESIDUAL LIMB COMPRESSION SOCKS CLASS 2, SIZE MEDIUM 30	EA	ITEMIZED	1335
31	4224200428300	BELOW KNEE RESIDUAL LIMB COMPRESSION SOCKS CLASS 2, SIZE MEDIUM 38	EA	ITEMIZED	1335
32	4224200428400	BELOW KNEE RESIDUAL LIMB COMPRESSION SOCKS CLASS 2, SIZE MEDIUM 46	EA	ITEMIZED	1335
33	4224200428500	BELOW KNEE RESIDUAL LIMB COMPRESSION SOCKS CLASS 2, SIZE SMALL 30	EA	ITEMIZED	1335
34	4224200428600	BELOW KNEE RESIDUAL LIMB COMPRESSION SOCKS CLASS 2, SIZE SMALL 38	EA	ITEMIZED	1335
35	4224200428700	BELOW KNEE RESIDUAL LIMB COMPRESSION SOCKS CLASS 2, SIZE SMALL 46	EA	ITEMIZED	1335
36	4224200428800	BELOW KNEE RESIDUAL LIMB COMPRESSION SOCKS CLASS 2, SIZE XL 30	EA	ITEMIZED	1345
37	4224200428900	BELOW KNEE RESIDUAL LIMB COMPRESSION SOCKS CLASS 2, SIZE XL 38	EA	ITEMIZED	1345
38	4224200429000	BELOW KNEE RESIDUAL LIMB COMPRESSION SOCKS CLASS 2, SIZE XL 46	EA	ITEMIZED	1345
39	4224200429100	BELOW KNEE RESIDUAL LIMB COMPRESSION SOCKS CLASS 2, SIZE X-SMALL 30	EA	ITEMIZED	1545
40	4224200429200	BELOW KNEE RESIDUAL LIMB COMPRESSION SOCKS CLASS 2, SIZE X-SMALL 38	EA	ITEMIZED	1545
41	4224200429300	BELOW KNEE RESIDUAL LIMB COMPRESSION SOCKS CLASS 2, SIZE X-SMALL 46	EA	ITEMIZED	1345
42	4224200429400	BELOW KNEE RESIDUAL LIMB COMPRESSION SOCKS CLASS 2, SIZE XX-LARGE 30	EA	ITEMIZED	1345
43	4224200429500	BELOW KNEE RESIDUAL LIMB COMPRESSION SOCKS CLASS 2, SIZE XX-LARGE 38	EA	ITEMIZED	1345
44	4224200429600	BELOW KNEE RESIDUAL LIMB COMPRESSION SOCKS CLASS 2, SIZE XX-LARGE 46	EA	ITEMIZED	1345
45	4224200038200	ABOVE KNEE SUCTION/ EXPULSION VALVE, MANUAL, EQUIPPED WITH PUSH BUTTON RELEASE, CORE OF VALVE CAN BE UNSCREWED FROM HOUSING, ALLOWS DOWNING WITH PULL SOCKS, LOW BUILD AND SUITABLE FOR FABRICATION OF SOFT SOCKET INTERFACE	EA	ITEMIZED	680
46	4224200038400	BELOW KNEE AUTO EXPULSION VALVE WITH PUSH BUTTON SUCTION RELEASE, THREADED BODY (SIZE OF THREAD M10) FOR SEAL IN LINER	EA	ITEMIZED	730
47	4224200038300	ACCOMMODATIVE SHOES MADE FOR ORTHOTIC DEVICES - AFO. CEMENTED ON A LEATHER INSOLE MADE FROM FULL GRAIN COW/CALF LEATHER, AVAILABLE IN MULTIPLE WIDTHS, FOOTWEAR SHOULD BE DEEPER TO ACCOMMODATE THE INCREASED DEPTH REQUIRED TO ACCOMMODATE THE FOOT AND AFO WITH OR WITHOUT DEFORMITY. THE HEEL AND SOLE OF THE SHOE MAY REQUIRE MODIFICATION TO MAXIMIZE FUNCTION AND WALKING EFFICIENCY. TO ACCOMMODATE AN ANKLE FOOT ORTHOSIS (AFO) , TO ACCOMMODATE AN INNER SHOE AS A RAINIER BOOT OR AN ARIZONA SPLINT. SOFT PADDING AROUND THE COLLAR TO FIX THE AFO, A SPECIAL SHAPED EXTENDED HEEL STIFFENER MOULDED TO FIT THE AFO, FLAT INSOLE, EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) LIGHT SOLE-UNIT, SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF, HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES, SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT/AFO. FEATURES: MADE ON SPECIALIST FOOTWEAR LASTS TO ENSURE THE CORRECT POSITION OF THE LOWER LIMB AT 90 DEGREES, SPECIAL STIFFENER TO ACCOMMODATE THE AFO, ASSORTED SIZES.	PAA	ITEMIZED	1604
48	4224200510000	ADAPTER, FEMALE, SHORT, ALUMINUM, HEIGHT 100 MM AND CAN BE CUT TO LENGTH 60 MM, BUILD HEIGHT 100 MM, WEIGHT CAPACITY IS UP TO 100 KG	EA	ITEMIZED	510
49	4224200500700	ADJUSTABLE MODULAR ABOVE KNEE SOCKET, CUSTOM FIT DIRECTLY ON THE PATIENT, WITH CIRCUMFERENTIAL AND LENGTH ADJUSTMENTS, AS WELL AS ALIGNMENT OPTIMIZATION FEATURES, ASSORTED SIZES, WITH OPTION OF CONICAL / CYLINDRICAL SHAPE	PC	ITEMIZED	492

SN	NUPCO CODE	ITEM DESCRIPTION	UOM	GROUP CATEGORY	INITIAL QUANTITY
50	4224200142300	ANKLE FOOT ORTHOSIS FULL FOOT FOR PEDIATRIC CUSTOM-MADE, WHITE COLOR, THERMOLYN POLYETHYLENE THICKNESS 2MM - 4MM, WITH VELCRO STRAPS, FULL PADDING PERFORATED MATERIAL, WITH OUTSOLES 2MM - 1CM INCLUDES: PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, DELIVERY, FITTING BY CERTIFIED PROSTHETIST ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP. WITH THE COMMITMENT WITH APPENDIX D.	EA	ITEMIZED	2500
51	4224200142400	ANKLE FOOT ORTHOSIS FULL FOOT FOR PEDIATRIC CUSTOM-MADE, WHITE COLOR, THERMOLYN POLYPROPYLENE THICKNESS 4MM -6MM, WITH VELCRO STRAPS, FULL PADDING PERFORATED MATERIAL, WITH OUTSOLES 2MM - 1CM INCLUDES: PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, DELIVERY, FITTING BY CERTIFIED PROSTHETIST ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP. WITH THE COMMITMENT WITH APPENDIX D.	EA	ITEMIZED	1900
52	4224200141100	ANKLE FOOT ORTHOSIS FULL FOOT WHITE COLOR, FOR ADULT CUSTOM-MADE, THERMOLYN POLYETHYLENE THICKNESS 4MM - 6MM, WITH VELCRO STRAPS, FULL PADDING PERFORATED MATERIAL, WITH OUTSOLES 2MM - 1CM	EA	ITEMIZED	1020
53	4224200141200	ANKLE FOOT ORTHOSIS FULL FOOT WHITE COLOR, FOR ADULT CUSTOM-MADE, THERMOLYN POLYPROPYLENE THICKNESS 3MM - 5MM, WITH VELCRO STRAPS, FULL PADDING PERFORATED MATERIAL, WITH OUTSOLES 2MM - 1CM INCLUDES: PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, DELIVERY, FITTING BY CERTIFIED PROSTHETIST ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP. WARRANTY 2 YEARS. WITH THE COMMITMENT WITH APPENDIX D.	EA	ITEMIZED	2000
54	4224200021100	ANKLE, JOINT, ADJUSTABLE RANGE - OF - MOTION, WITH ANATOMICAL AXIS ALIGNMENT, HYBRID MATERIAL, EASY TO FABRICATE, MATCHES CONTOURS, AND CO - AXIAL ALIGNMENT, OF THE ANATOMICAL ANKLE JOINT, PLANTAR FLEXION RANGE OF MOTION, IS LIMITED DORSIFLEXION RANGE OF MOTION, IS LIMITED, CAN BE CONFIGURED, TO PROVIDE FREE MOTION, OR NO MOTION, DESIGN TO BE STRONG AND STABLE, MEDIAL/LATERAL, CONTROL MOTION, LIMITING DORSIFLEXION AND/OR PLANTAR FLEXION MOTION ADJUSTMENT	EA	ITEMIZED	648
55	4224200148700	ANKLE-FOOT ORTHOSIS, PEDIATRIC, LIGHT CARBON FIBER, MEDIUM, LEFT, APPROXIMATE HEIGHT 26 CM, FOOT LENGTH 18 CM	EA	ITEMIZED	628
56	4224200148800	ANKLE-FOOT ORTHOSIS, PEDIATRIC, LIGHT CARBON FIBER, MEDIUM, RIGHT, APPROXIMATE HEIGHT 26 CM, FOOT LENGTH 18 CM	EA	ITEMIZED	628
57	4224171327300	BELOW KNEE TEMPORARY SOCKET KIT OFF-THE-SHELF PRODUCT, POST AMPUTATION FOR ADULT, ADJUSTABLE, MAXIMUM COMFORT BY ACCOMMODATING VOLUME, THAT ALLOWS PROSTHETICS TO RESHAPE MULTIPLE TIMES TO FIT A WEARER'S RESIDUAL LIMB CHANGES CUSTOM FIT	EA	ITEMIZED	400
58	4231151900300	BELT TWISTER CUSTOM MADE PEDIATRIC ELASTIC STRAPS WITH BUCKLES, INCLUDES: PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, DELIVERY, FITTING BY CERTIFIED PROSTHETIST ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP. WITH THE COMMITMENT WITH APPENDIX D.	EA	ITEMIZED	740
59	4323261400600	BLOCK, POLYURETHANE, FOR CAD CAM, COMPATIBLE WITH CANFIT PLUS VISUAL CAM, 7.2 OR EQUIVALENT, FOR ANKLE FOOT ORTHOSIS	EA	ITEMIZED	50
60	4323261400700	BLOCK, POLYURETHANE, FOR CAD CAM, COMPATIBLE WITH CANFIT PLUS VISUAL CAM, 7.2 OR EQUIVALENT, FOR KNEE ANKLE FOOT ORTHOSIS	EA	ITEMIZED	50
61	4323261400400	BLOCK, POLYURETHANE, FOR CAD CAM, COMPATIBLE WITH CANFIT –PLUS VISUAL CAM, 7.2 OR EQUIVALENT, FOR SPINAL ORTHOSIS, LONG	EA	ITEMIZED	50
62	4323261400500	BLOCK, POLYURETHANE, FOR CAD CAM, COMPATIBLE WITH CANFIT –PLUS VISUAL CAM, 7.2 OR EQUIVALENT, FOR SPINAL ORTHOSIS, SHORT	EA	ITEMIZED	50
63	4323261400300	BLOCK, POLYURETHANE, FOR CAD CAM, COMPATIBLE WITH CANFIT –PLUS VISUAL CAM, 7.2 OR EQUIVALENT, FOR TRANS - FEMORAL SOCKET	EA	ITEMIZED	50

SN	NUPCO CODE	ITEM DESCRIPTION	UOM	GROUP CATEGORY	INITIAL QUANTITY
64	4323261400200	BLOCK, POLYURETHANE, FOR CAD CAM, COMPATIBLE WITH CANFIT –PLUS VISUAL CAM, 7.2 OR EQUIVALENT, FOR TRANS - FEMORAL SOCKET, SMALL SIZE	EA	ITEMIZED	50
65	4323261400100	BLOCK, POLYURETHANE, FOR CAD CAM, COMPATIBLE WITH CANFIT –PLUS VISUAL CAM, 7.2 OR EQUIVALENT, FOR TRANS - TIBIAL SOCKET	EA	ITEMIZED	50
66	4323261400000	BLOCK, POLYURETHANE, FOR CAD CAM, COMPATIBLE WITH CANFIT –PLUS VISUAL CAM, 7.2 OR EQUIVALENT, FOR TRANS - TIBIAL SOCKET, SMALL SIZE	EA	ITEMIZED	50
67	4618221103200	BRACE LSO (LUMBAR SACRAL ORTHOSIS) FOR POST - OPERATIVE SPINAL IMMOBILIZATION AND COMPRESSION FRACTURES BIVALVE FOR EASY DONNING ILIO - LOC PROVIDES ABDOMINAL COMPRESSION POSITIONING PREVENTS MIGRATION ADJUSTABLE A/P CONTROL REMOVABLE WASHABLE LINER 1/8 INCH HIGH-DENSITY POLYETHYLENE HIP CIRCUMFERENCE 30 INCHES - 34 INCHES APPROXIMATELY	EA	ITEMIZED	1030
68	4618221103300	BRACE LSO (LUMBAR SACRAL ORTHOSIS) FOR POST - OPERATIVE SPINAL IMMOBILIZATION AND COMPRESSION FRACTURES BIVALVE FOR EASY DONNING ILIO - LOC PROVIDES ABDOMINAL COMPRESSION POSITIONING PREVENTS MIGRATION ADJUSTABLE A/P CONTROL REMOVABLE WASHABLE LINER 1/8 INCH HIGH-DENSITY POLYETHYLENE HIP CIRCUMFERENCE 34 INCHES - 37 INCHES APPROXIMATELY	EA	ITEMIZED	1030
69	4618221103500	BRACE LSO (LUMBAR SACRAL ORTHOSIS) FOR POST - OPERATIVE SPINAL IMMOBILIZATION AND COMPRESSION FRACTURES BIVALVE FOR EASY DONNING ILIO - LOC PROVIDES ABDOMINAL COMPRESSION POSITIONING PREVENTS MIGRATION ADJUSTABLE A/P CONTROL REMOVABLE WASHABLE LINER 1/8 INCH HIGH-DENSITY POLYETHYLENE HIP CIRCUMFERENCE 37 INCHES - 41 INCHES SHORT APPROXIMATELY	EA	ITEMIZED	1030
70	4618221103700	BRACE LSO (LUMBAR SACRAL ORTHOSIS) FOR POST - OPERATIVE SPINAL IMMOBILIZATION AND COMPRESSION FRACTURES BIVALVE FOR EASY DONNING ILIO - LOC PROVIDES ABDOMINAL COMPRESSION POSITIONING PREVENTS MIGRATION ADJUSTABLE A/P CONTROL REMOVABLE WASHABLE LINER 1/8 INCH HIGH-DENSITY POLYETHYLENE HIP CIRCUMFERENCE 41 INCHES - 45 INCHES PENDULOUS ABDOMEN APPROXIMATELY	EA	ITEMIZED	1030
71	4618221103800	BRACE LSO (LUMBAR SACRAL ORTHOSIS) FOR POST - OPERATIVE SPINAL IMMOBILIZATION AND COMPRESSION FRACTURES BIVALVE FOR EASY DONNING ILIO - LOC PROVIDES ABDOMINAL COMPRESSION POSITIONING PREVENTS MIGRATION ADJUSTABLE A/P CONTROL REMOVABLE WASHABLE LINER 1/8 INCH HIGH-DENSITY POLYETHYLENE HIP CIRCUMFERENCE 41 INCHES - 45 INCHES SHORT APPROXIMATELY	EA	ITEMIZED	1030
72	4618221104000	BRACE LSO (LUMBAR SACRAL ORTHOSIS) FOR POST - OPERATIVE SPINAL IMMOBILIZATION AND COMPRESSION FRACTURES BIVALVE FOR EASY DONNING ILIO - LOC PROVIDES ABDOMINAL COMPRESSION POSITIONING PREVENTS MIGRATION ADJUSTABLE A/P CONTROL REMOVABLE WASHABLE LINER 1/8 INCH HIGH-DENSITY POLYETHYLENE HIP CIRCUMFERENCE 45 INCHES - 49 INCHES PENDULOUS ABDOMEN APPROXIMATELY	EA	ITEMIZED	1030
73	4224200038500	CARBON BRAID WEBBING 50 METERS IN LENGTH AND 200MM WIDE.	ROL	ITEMIZED	274
74	4224200142500	CARBON FIBER ANKLE FOOT ORTHOSIS ADULT CUSTOM-MADE, WITH LAMINATED 4- 10 LAYERS OF CARBON FIBER. INCLUDES: PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, DELIVERY, FITTING BY CERTIFIED PROSTHETIST ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP. WARRANTY 2 YEARS. WITH THE COMMITMENT WITH APPENDIX D.	EA	ITEMIZED	605
75	4224171310000	CARBON FIBER WEBBING UNIDIRECTIONAL WIDTH 100 MM LENGTH /ROLL 50 METERS APPROXIMATELY	EA	ITEMIZED	170
76	4224171309600	CARBON FIBERGLASS WEBBING UNIDIRECTIONAL WIDTH 19 MM LENGTH /ROLL 50 METERS APPROXIMATELY	EA	ITEMIZED	150
77	4224171309800	CARBON FIBERGLASS WEBBING UNIDIRECTIONAL WIDTH 50 MM LENGTH /ROLL 50 METERS APPROXIMATELY	EA	ITEMIZED	230

SN	NUPCO CODE	ITEM DESCRIPTION	UOM	GROUP CATEGORY	INITIAL QUANTITY
78	4224200135500	CARBON FOOT, SMOOTH ROLL OVER INCREASED PUSH - OFF CONTROL UNTIL LAST STANCE MORE STABILITY VERTICAL SHOCK ABSORPTION MORE DORSIFLEXION THAN STANDARD FEET CLOSER TO SOUND SIDE, STANDARD PROSTHETIC FEET (LESS COMORBIDITIES) LESS EFFORT WHEN WALKING LESS FATIGUE IMPROVED SATISFACTION AND DISPLACEMENT TRANSTIBIAL TRANSFEMORAL KNEE AND HIP DISARTICULATION AMPUTEES LOW MODERATE AND HIGH IMPACT LEVEL K - LEVEL: K2 K 3 AND K 4, USER WEIGHT ABOVE 130 KG MAX, SIZE AND SIDE UP ON PATIENT DEMAND	EA	ITEMIZED	462
79	4224150010500	CAST SIT, A PROSTHETIC SYSTEM WITH AIR PUMP, USING FOR ASSISTANCE DURING ABOVE KNEE CASTING, ALL ACCESSORIES AND BRIM SIZES MUST BE INCLUDED	KIT	ITEMIZED	32
80	4618221101200	CONTROLS FLEXION OF THE SPINE, MAKE ANGULAR ADJUSTMENTS OF THE THORACIC AND PELVIC MODULES MODULAR DESIGN STABILIZES SPINE, ENCOURAGES SAGITTAL POSTURAL REALIGNMENT REDUCE PAIN, HYPER EXTENSION BRACE, SIZE: SMALL, MEDIUM	EA	ITEMIZED	550
81	4224200038600	COSMETIC HAND OF LIGHT FOAM WITH METAL WIRE IN ALL FINGERS, AVAILABLE IN LENGTHS APPROXIMATELY 220MM TO 640MM IN A VARIETY OF CIRCUMFERENCES, SIZE, SIDE AND COLOR ON DEMAND	EA	ITEMIZED	160
82	4224200038700	COVER - CLOSED TOE BELOW KNEE, SIZE AND COLOR ORDERED ON DEMAND, INTEGRATED REINFORCING MESH AND ADVANCED MATERIAL FOR A MORE DURABLE FINISH, AVAILABLE IN 19 COLOR SHADES WITH MICROPIGMENTATION AND SEAMLESS FINISH FOR AUTHENTIC REALISM TO SUIT ANY FOOT SIZE APPROXIMATELY 220MM TO 300MM, TWO CALF SIZES, EASILY REMOVABLE FOR HARDWARE ADJUSTMENT, MAINTENANCE OR REPAIR, SUITABLE FOR ANKLE DISARTICULATION AND PARTIAL FOOT APPLICATIONS, EASY TO CLEAN USING SOAP AND WATER, AS OF PATIENT SIZE AND COLOR, RIGHT OR LEFT	EA	ITEMIZED	370
83	4224200038800	COVER - SPLIT TOE BELOW KNEE, SIZE AND COLOR ORDERED ON DEMAND, INTEGRATED REINFORCING MESH AND ADVANCED MATERIAL FOR A MORE DURABLE FINISH, AVAILABLE IN 19 COLOR SHADES WITH MICROPIGMENTATION AND SEAMLESS FINISH FOR AUTHENTIC REALISM TO SUIT ANY FOOT SIZE APPROXIMATELY 220MM TO 300MM, TWO CALF SIZES, EASILY REMOVABLE FOR HARDWARE ADJUSTMENT, MAINTENANCE OR REPAIR, SUITABLE FOR ANKLE DISARTICULATION AND PARTIAL FOOT APPLICATIONS, EASY TO CLEAN USING SOAP AND WATER, RIGHT OR LEFT	EA	ITEMIZED	300
84	4224200038900	CUSTOM MADE BOOTS, THE FOLLOWING ADDITIONS COULD BE REQUIRED :1- WELTED CONSTRUCTION 2- STICH DOWN CONSTRUCTION 3- INDUSTRIAL CONSTRUCTION INCLUDING HEAVY UPPERS AND COMMANDO TYPE HARD WEARING SOLES AND HEELS 4- LEATHER SOLE AND HEEL WITH RUBBER TOP PIECE 5- COMMANDO TYPE SOLES AND HEELS 6- BRIDGED OR ARCHED WAIST BRIDGE ARCHED WAIST 7- ADDITIONAL PADDING 8- LAMBSWOOL LINING 9- A CONCEALED OR OUTSIDE METATARSAL SUPPORT BAR 10- ROCKER SOLE 11- SOLE WEDGE 12- STIFFENER OR SOLE PLATE IN COMPOSITE MATERIAL 13- STIFFENER OR SOLE PLATE IN NON-COMPOSITE MATERIAL 14- A RUBBER OR STEEL TIP TO THE TOE OR HEEL 15- FLANGE TO PROTECT THE WELT 16- FLOATED SOLE 17- ELONGATED HALF ELONGATED OBLIQUE FLOATED OR WEDGE TO THE HEEL 18- TOE ROUND OR RECTANGULAR SOCKET 19- SOCKET WITH FRONT OR BACKSTOPS 20- TOE RAISING/TORSION SOCKET 21- LINED AND PADDED T OR Y STRAP 22- LINED AND PADDED DOUBLE DECKER T OR Y STRAP 23- STIRRUP HEEL TOE RAISING OR CALIPER RETAINING STRAP 24- PROTECTIVE TOE CAP TO COVER THE FOREPART OF THE VAMP WELT AND OUTER SOLE PROTECTIVE TOE CAP 25- FULL LENGTH OR THREE QUARTER NON-MOULDED INLAY IN NON SHOCK ABSORBENT MATERIAL 26- FULL LENGTH OR THREE QUARTER NON-MOULDED INLAY IN SHOCK ABSORBENT MATERIAL 27- FULL LENGTH OR	PAA	ITEMIZED	910

SN	NUPCO CODE	ITEM DESCRIPTION	UOM	GROUP CATEGORY	INITIAL QUANTITY
85	4224200039000	CUSTOM MADE SANDAL, THE FOLLOWING ADDITIONS COULD BE REQUIRED :1- WELTED CONSTRUCTION 2- STICH DOWN CONSTRUCTION 3- INDUSTRIAL CONSTRUCTION INCLUDING HEAVY UPPERS AND COMMANDO TYPE HARD WEARING SOLES AND HEELS 4- LEATHER SOLE AND HEEL WITH RUBBER TOP PIECE 5- COMMANDO TYPE SOLES AND HEELS 6- BRIDGED OR ARCHED WAIST BRIDGE ARCHED WAIST 7- ADDITIONAL PADDING 8- LAMBSWOOL LINING 9- A CONCEALED OR OUTSIDE METATARSAL SUPPORT BAR 10- ROCKER SOLE 11-SOLE WEDGE 12- STIFFENER OR SOLE PLATE IN COMPOSITE MATERIAL 13- STIFFENER OR SOLE PLATE IN NON-COMPOSITE MATERIAL 14- A RUBBER OR STEEL TIP TO THE TOE OR HEEL 15- FLANGE TO PROTECT THE WELT 16- FLOATED SOLE 17- ELONGATED HALF ELONGATED OBLIQUE FLOATED OR WEDGE TO THE HEEL 18- TOE ROUND OR RECTANGULAR SOCKET 19- SOCKET WITH FRONT OR BACKSTOPS 20- TOE RAISING/TORSION SOCKET 21- LINED AND PADDED T OR Y STRAP 22- LINED AND PADDED DOUBLE DECKER T OR Y STRAP 23- STIRRUP HEEL TOE RAISING OR CALIPER RETAINING STRAP 24- PROTECTIVE TOE CAP TO COVER THE FOREPART OF THE VAMP WELT AND OUTER SOLE PROTECTIVE TOE CAP 25- FULL LENGTH OR THREE QUARTER NON-MOULDED INLAY IN NON SHOCK ABSORBENT MATERIAL 26- FULL LENGTH OR THREE QUARTER NON-MOULDED INLAY IN SHOCK ABSORBENT MATERIAL 27- FULL LENGTH OR	PAA	ITEMIZED	110
86	4224200039100	CUSTOM MADE SHOES, THE FOLLOWING ADDITIONS COULD BE REQUIRED :1- WELTED CONSTRUCTION 2- STICH DOWN CONSTRUCTION 3- INDUSTRIAL CONSTRUCTION INCLUDING HEAVY UPPERS AND COMMANDO TYPE HARD WEARING SOLES AND HEELS 4- LEATHER SOLE AND HEEL WITH RUBBER TOP PIECE 5- COMMANDO TYPE SOLES AND HEELS 6- BRIDGED OR ARCHED WAIST BRIDGE ARCHED WAIST 7- ADDITIONAL PADDING 8- LAMBSWOOL LINING 9- A CONCEALED OR OUTSIDE METATARSAL SUPPORT BAR 10- ROCKER SOLE 11- SOLE WEDGE 12- STIFFENER OR SOLE PLATE IN COMPOSITE MATERIAL 13- STIFFENER OR SOLE PLATE IN NON-COMPOSITE MATERIAL 14- A RUBBER OR STEEL TIP TO THE TOE OR HEEL 15- FLANGE TO PROTECT THE WELT 16- FLOATED SOLE 17- ELONGATED HALF ELONGATED OBLIQUE FLOATED OR WEDGE TO THE HEEL 18- TOE ROUND OR RECTANGULAR SOCKET 19- SOCKET WITH FRONT OR BACKSTOPS 20- TOE RAISING/TORSION SOCKET 21- LINED AND PADDED T OR Y STRAP 22- LINED AND PADDED DOUBLE DECKER T OR Y STRAP 23- STIRRUP HEEL TOE RAISING OR CALIPER RETAINING STRAP 24- PROTECTIVE TOE CAP TO COVER THE FOREPART OF THE VAMP WELT AND OUTER SOLE PROTECTIVE TOE CAP 25- FULL LENGTH OR THREE QUARTER NON-MOULDED INLAY IN NON SHOCK ABSORBENT MATERIAL 26- FULL LENGTH OR THREE QUARTER NON-MOULDED INLAY IN SHOCK ABSORBENT MATERIAL 27- FULL LENGTH OR	PAA	ITEMIZED	1010
87	4618160906500	CUSTOM MADE INSOLES WITH FILLER FOR FOOT AMPUTATION WITH MEDIAL ARCH SUPPORT + SOFT DIABETIC MATERIAL	PAA	ITEMIZED	1328
88	4224170909000	CUSTOM MADE MEDICAL BOOTS LEATHER LONG DURABILITY, LIGHTWEIGHT, BLACK COLOR (PAIR)	PAA	ITEMIZED	1524
89	4618221106600	CUSTOM SPINAL ORTHOSIS BOSTON BRACE POLYETHYLENE FOR SCOLIOSIS TREATMENT WITH THICKNESS OF 6 MM FOR ADULT WHITE COLOR INCLUDES: PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, DELIVERY, FITTING BY CERTIFIED PROSTHETIST ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP. WITH THE COMMITMENT WITH APPENDIX D.	EA	ITEMIZED	644
90	4618221106700	CUSTOM SPINAL ORTHOSIS BOSTON BRACE POLYETHYLENE FOR SCOLIOSIS TREATMENT WITH THICKNESS OF 6 MM FOR PEDIATRIC WHITE COLOR INCLUDES: PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, DELIVERY, FITTING BY CERTIFIED PROSTHETIST ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP. WITH THE COMMITMENT WITH APPENDIX D.	EA	ITEMIZED	864
91	4618220710900	CUSTOM MADE ARIZONA BRACE ANKLE FOOT ORTHOSIS FOR CHARCOT FOOT DEFORMITY, SOFT MOLDED LEATHER INNER SHELL LINING PADDED WITH MEDICAL GRADE FOAM WITH REINFORCE OF THE FOOT AND ANKLE, LACE + STRAPS AND LOOP, WITH OUTSOLE ANTI SLIP FOR WALKING, ADULT, THE COLOR WILL BE ON PATIENT REQUEST	EA	ITEMIZED	1582

SN	NUPCO CODE	ITEM DESCRIPTION	UOM	GROUP CATEGORY	INITIAL QUANTITY
92	4618220711000	CUSTOM MADE ARIZONA BRACE ANKLE FOOT ORTHOSIS FOR CHARCOT FOOT DEFORMITY, SOFT MOLDED LEATHER INNER SHELL LINING PADDED WITH MEDICAL GRADE FOAM WITH REINFORCE OF THE FOOT AND ANKLE, LACE WITH OUTSOLE ANTI SLIP FOR WALKING, ADULT, THE COLOR WILL BE ON PATIENT REQUEST	EA	ITEMIZED	384
93	4618220711300	CUSTOM MADE ARIZONA BRACE ANKLE FOOT ORTHOSIS FOR CHARCOT FOOT DEFORMITY, SOFT MOLDED LEATHER INNER SHELL LINING PADDED WITH MEDICAL GRADE FOAM WITH REINFORCE OF THE FOOT AND ANKLE, STRAPS AND LOOP, WITH OUTSOLE ANTI SLIP FOR WALKING, ADULT, THE COLOR WILL BE ON PATIENT REQUEST	EA	ITEMIZED	484
94	4224170613700	DIABETIC LADIES SANDAL, THERMO COMFORT WITH FLEXIBLE LINING REDUCE PRESSURE OPEN TOE, COLOR BLACK/BEIGE, SIZE 35, REMOVABLE INSOLES, WEIGHTLESS, BREATHABLE ANKLE BACK STRAP, BIG OPENING DIABETIC RHEUMATISM, SENSITIVE FEET, PAINFUL OF HALLUX VALGUS, BUNION, HAMMER, AND CLAW TOES SIZE 35 ; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION ; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT ; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT ; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS	PAA	ITEMIZED	220
95	4224170613800	DIABETIC LADIES SANDAL, THERMO COMFORT WITH FLEXIBLE LINING REDUCE PRESSURE OPEN TOE, COLOR BLACK/BEIGE, SIZE 36, REMOVABLE INSOLES, WEIGHTLESS, BREATHABLE ANKLE BACK STRAP, BIG OPENING DIABETIC RHEUMATISM, SENSITIVE FEET, PAINFUL OF HALLUX VALGUS, BUNION, HAMMER, AND CLAW TOES SIZE 36 ; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION ; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT ; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT ; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS	PAA	ITEMIZED	220
96	4224170613900	DIABETIC LADIES SANDAL, THERMO COMFORT WITH FLEXIBLE LINING REDUCE PRESSURE OPEN TOE, COLOR BLACK/BEIGE, SIZE 37, REMOVABLE INSOLES, WEIGHTLESS, BREATHABLE ANKLE BACK STRAP, BIG OPENING DIABETIC RHEUMATISM, SENSITIVE FEET, PAINFUL OF HALLUX VALGUS, BUNION, HAMMER, AND CLAW TOES SIZE 37 ; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION ; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT ; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT ; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS	PAA	ITEMIZED	420
97	4224170614000	DIABETIC LADIES SANDAL, THERMO COMFORT WITH FLEXIBLE LINING REDUCE PRESSURE OPEN TOE, COLOR BLACK/BEIGE, SIZE 38, REMOVABLE INSOLES, WEIGHTLESS, BREATHABLE ANKLE BACK STRAP, BIG OPENING DIABETIC RHEUMATISM, SENSITIVE FEET, PAINFUL OF HALLUX VALGUS, BUNION, HAMMER, AND CLAW TOES SIZE 38 ; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION ; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT ; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT ; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS	PAA	ITEMIZED	420

SN	NUPCO CODE	ITEM DESCRIPTION	UOM	GROUP CATEGORY	INITIAL QUANTITY
98	4224170614100	DIABETIC LADIES SANDAL, THERMO COMFORT WITH FLEXIBLE LINING REDUCE PRESSURE OPEN TOE, COLOR BLACK/BEIGE, SIZE 39, REMOVABLE INSOLES, WEIGHTLESS, BREATHABLE ANKLE BACK STRAP, BIG OPENING DIABETIC RHEUMATISM, SENSITIVE FEET, PAINFUL OF HALLUX VALGUS, BUNION, HAMMER, AND CLAW TOES SIZE 39 ; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION ; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT ; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT ; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS	PAA	ITEMIZED	420
99	4224170614200	DIABETIC LADIES SANDAL, THERMO COMFORT WITH FLEXIBLE LINING REDUCE PRESSURE OPEN TOE, COLOR BLACK/BEIGE, SIZE 40, REMOVABLE INSOLES, WEIGHTLESS, BREATHABLE ANKLE BACK STRAP, BIG OPENING DIABETIC RHEUMATISM, SENSITIVE FEET, PAINFUL OF HALLUX VALGUS, BUNION, HAMMER, AND CLAW TOES SIZE 40 ; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION ; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT ; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT ; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS	PAA	ITEMIZED	420
100	4224170614300	DIABETIC LADIES SANDAL, THERMO COMFORT WITH FLEXIBLE LINING REDUCE PRESSURE OPEN TOE, COLOR BLACK/BEIGE, SIZE 41, REMOVABLE INSOLES, WEIGHTLESS, BREATHABLE ANKLE BACK STRAP, BIG OPENING DIABETIC RHEUMATISM, SENSITIVE FEET, PAINFUL OF HALLUX VALGUS, BUNION, HAMMER, AND CLAW TOES SIZE 41 ; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION ; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT ; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT ; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS	PAA	ITEMIZED	420
101	4224170615000	DIABETIC SPECIFICATION SANDALS, FOR WOMEN, FULL GRAIN LEATHER UPPER, VELCRO FASTENINGS OR EQUIVALENT, STIFF BOAT-SHAPED OUTSOLE, EXTRA DEEP FIT FOR ACCOMMODATION OF MOULDED INSOLES, BLACK, SIZE EU 35 (PAIR) , REMOVABLE INSOLES, WEIGHTLESS, BREATHABLE ANKLE BACK STRAP, BIG OPENING, DIABETIC RHEUMATISM, SENSITIVE FEET, PAINFUL OF HALLUX VALGUS, BUNION, HAMMER AND CLAW TOES ; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION ; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT ; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT ; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS	EA	ITEMIZED	260
102	4224170615700	DIABETIC SPECIFICATION SANDALS, FOR WOMEN, FULL GRAIN LEATHER UPPER, VELCRO FASTENINGS OR EQUIVALENT, STIFF BOAT-SHAPED OUTSOLE, EXTRA DEEP FIT FOR ACCOMMODATION OF MOULDED INSOLES, BLACK, SIZE EU 42 (PAIR) , REMOVABLE INSOLES, WEIGHTLESS, BREATHABLE ANKLE BACK STRAP, BIG OPENING, DIABETIC RHEUMATISM, SENSITIVE FEET, PAINFUL OF HALLUX VALGUS, BUNION, HAMMER AND CLAW TOES ; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION ; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT ; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT ; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS	PAA	ITEMIZED	260

SN	NUPCO CODE	ITEM DESCRIPTION	UOM	GROUP CATEGORY	INITIAL QUANTITY
103	4224170644500	DYNAMIC ANKLE FOOT ORTHOSIS (ARTICULATED AFO) PEDIATRIC, WHITE COLOR, THERMOLYN POLYETHYLENE THICKNESS 2MM - 4MM, WITH VELCRO STRAPS, FULL PADDING PERFORATED MATERIAL, WITH OUTSOLES 2MM - 1CM INCLUDES: PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, DELIVERY, FITTING BY CERTIFIED PROSTHETIST ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP. WITH THE COMMITMENT WITH APPENDIX D.	EA	ITEMIZED	1400
104	4224170644600	DYNAMIC ANKLE FOOT ORTHOSIS (ARTICULATED AFO) PEDIATRIC, WHITE COLOR, THERMOLYN POLYPROPYLENE THICKNESS 4MM -6MM, WITH VELCRO STRAPS, FULL PADDING PERFORATED MATERIAL, WITH OUTSOLES 2MM - 1CM INCLUDES: PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, DELIVERY, FITTING BY CERTIFIED PROSTHETIST ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP. WITH THE COMMITMENT WITH APPENDIX D.	EA	ITEMIZED	1000
105	4224200194200	DYNAMIC ANKLE FOOT ORTHOSIS FULL FOOT WHITE COLOR, FOR ADULT CUSTOM-MADE, THERMOLYN POLYETHYLENE THICKNESS 3MM - 5MM, WITH VELCRO STRAPS, FULL PADDING PERFORATED MATERIAL, WITH OUTSOLES 2MM - 1CM INCLUDES: PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, DELIVERY, FITTING BY CERTIFIED PROSTHETIST ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP. WARRANTY 2 YEARS. WITH THE COMMITMENT WITH APPENDIX D.	EA	ITEMIZED	800
106	4224200141600	DYNAMIC ANKLE FOOT ORTHOSIS FULL FOOT WHITE COLOR, FOR ADULT CUSTOM-MADE, THERMOLYN POLYPROPYLENE THICKNESS 3MM - 5MM, WITH VELCRO STRAPS, FULL PADDING PERFORATED MATERIAL, WITH OUTSOLES 2MM - 1CM INCLUDES: PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, DELIVERY, FITTING BY CERTIFIED PROSTHETIST ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP. WARRANTY 2 YEARS. WITH THE COMMITMENT WITH APPENDIX D.	EA	ITEMIZED	1000
107	4224200107400	DYNAMIC ANKLE FOOT ORTHOSIS, LEFT, FOOT SIZE 103/4 INCHES, FOOT PLATE 101/4 INCHES, HEIGHT AT THICKEST PART OF CALF 131/4 INCHES - 15 INCHES, PROXIMAL STRAP 141/4 INCHES, HEEL HEIGHT 3/5 INCHES APPROXIMATELY, CARBON FIBER INCORPORATED LIGHTWEIGHT ENERGY RETURN WITH TEXTILE COVER TO PREVENT SKIN CONTACT	EA	ITEMIZED	500
108	4224200107500	DYNAMIC ANKLE FOOT ORTHOSIS, LEFT, FOOT SIZE 11 1/2 INCHES, FOOT PLATE 11 INCHES, HEIGHT AT THICKEST PART OF CALF 14 1/4 INCHES-15 3/4 INCHES, PROXIMAL STRAP 15 INCHES, HEEL HEIGHT 3/5 INCHES APPROXIMATELY, CARBON FIBER INCORPORATED LIGHTWEIGHT ENERGY RETURN WITH TEXTILE COVER TO PREVENT SKIN CONTACT	PC	ITEMIZED	500
109	4224200107800	DYNAMIC ANKLE FOOT ORTHOSIS, RIGHT, FOOT SIZE 11 1/2 INCHES, FOOT PLATE 11 INCHES, HEIGHT AT THICKEST PART OF CALF 14 1/4 INCHES-15 3/4 INCHES, PROXIMAL STRAP 15 INCHES, HEEL HEIGHT 3/5 INCHES APPROXIMATELY, CARBON FIBER INCORPORATED LIGHTWEIGHT ENERGY RETURN WITH TEXTILE COVER TO PREVENT SKIN CONTACT	PC	ITEMIZED	500
110	4224170639800	DYNAMIC WALK, LIGHTWEIGHT, MOLDABLE CARBON FIBER, COMPOSITE OPEN HEEL WITH PADDING KIT, LARGE, LEFT	EA	ITEMIZED	480
111	4224170639900	DYNAMIC WALK, LIGHTWEIGHT, MOLDABLE CARBON FIBER, COMPOSITE OPEN HEEL WITH PADDING KIT, LARGE, RIGHT	EA	ITEMIZED	480
112	4224170640000	DYNAMIC WALK, LIGHTWEIGHT, MOLDABLE CARBON FIBER, COMPOSITE OPEN HEEL WITH PADDING KIT, MEDIUM, LEFT	EA	ITEMIZED	480
113	4224170640100	DYNAMIC WALK, LIGHTWEIGHT, MOLDABLE CARBON FIBER, COMPOSITE OPEN HEEL WITH PADDING KIT, MEDIUM, RIGHT	EA	ITEMIZED	480
114	4224170640200	DYNAMIC WALK, LIGHTWEIGHT, MOLDABLE CARBON FIBER, COMPOSITE OPEN HEEL WITH PADDING KIT, SMALL, LEFT	EA	ITEMIZED	320
115	4224170640300	DYNAMIC WALK, LIGHTWEIGHT, MOLDABLE CARBON FIBER, COMPOSITE OPEN HEEL WITH PADDING KIT, SMALL, RIGHT	EA	ITEMIZED	320

SN	NUPCO CODE	ITEM DESCRIPTION	UOM	GROUP CATEGORY	INITIAL QUANTITY
116	4224200134700	EARLIER/LATER STANCE RELEASE LATER MORE SAFETY NORMAL SAFETY AND DYNAMICS EARLIER MORE DYNAMICS STANCE PHASE STABILITY LOW VOLUNTARY CONTROL REQUIRED MID SWING SHORTENING FOR BETTER TO CLEARANCE ADJUSTABLE EXTENSION TO OPTIMIZE EXTENSION SPEED ADJUSTABLE STANCE SETTINGS FOR INDIVIDUAL USERS NEED FOR STABILITY INCREASED STABILITY LESS EFFORT AND MORE CONFIDENCE DURING WALKING REDUCED RISK OF TRIPS AND FALLS SAFER WALKING AND MORE CONFIDENCE TRANSFEMORAL LOW TO MODERATE IMPACT LEVEL MAX USER WEIGHT ABOVE 120 KG. K - LEVEL: K 1 AND K 2 ADJUSTABLE GEOMETRY WITH STANCE RELEASE SETTING 4 - BAR GEOMETRY INTEGRATED EXTENSION SPRING	EA	ITEMIZED	142
117	4224200430200	EASY PROTH, FOR TRANSFEMORAL PROSTHESIS, WASHABLE, UNIVERSAL SIZE	EA	ITEMIZED	1730
118	4224200401700	ELASTIC FABRIC SOCKS, COOLMAX OR EQUIVALENT, WITH INNER POLYMER GEL COATING FOR TRANSTIBIAL AMPUTATION SOCKS, LENGTH 300 MM, GEL LENGTH 250 MM, DISTAL CIRCUMFERENCE 120 - 260 MM, PROXIMAL CIRCUMFERENCE 280 - 420 MM, APPROXIMATELY	EA	ITEMIZED	170
119	4224200401800	ELASTIC FABRIC SOCKS, COOLMAX OR EQUIVALENT, WITH INNER POLYMER GEL COATING FOR TRANSTIBIAL AMPUTATION SOCKS, LENGTH 400 MM, GEL LENGTH 300 MM, DISTAL CIRCUMFERENCE 120 - 260 MM, PROXIMAL CIRCUMFERENCE 280 - 450 MM, APPROXIMATELY	EA	ITEMIZED	250
120	4224200220100	ELBOW EXTENSION ORTHOSIS, DESIGNED FOR USE WITH INDIVIDUALS WITH ELBOW FLEXION CONTRACTURES PROVIDES ACTIVE SERIAL, ADULT SMALL SIZE	EA	ITEMIZED	420
121	4224200220000	ELBOW EXTENSION ORTHOSIS, DESIGNED FOR USE WITH INDIVIDUALS WITH ELBOW FLEXION CONTRACTURES PROVIDES ACTIVE SERIAL, ADULT UNIVERSAL SIZE	EA	ITEMIZED	460
122	4224200023600	EXTENDED THE WARRANTY TO THREE-YEARS, FOR ADVANCED TECHNOLOGY ITEMS - CLASS A	EA	ITEMIZED	25
123	4224200024500	EXTENDED THE WARRANTY TO THREE-YEARS, FOR ADVANCED TECHNOLOGY ITEMS - CLASS B	EA	ITEMIZED	18
124	4224200024600	EXTENDED THE WARRANTY TO THREE-YEARS, FOR ADVANCED TECHNOLOGY ITEMS - CLASS C	EA	ITEMIZED	25
125	4224200024700	EXTENDED THE WARRANTY TO THREE-YEARS, FOR ADVANCED TECHNOLOGY ITEMS - CLASS D	EA	ITEMIZED	20
126	4224200140500	EXTENSION ORTHO-PROSTHESIS FOR ADULT (K1 + K2 + K3 + K4) SKIN COLOR FOR PROXIMAL FEMORAL FOCAL DEFICIENCY (PFFD) , MODULAR TITANIUM COMPONENTS, FOOT PROSTHESIS. SIZE AND SIDE WILL BE SPECIFIED WHEN ORDERED FOR EACH PATIENT INDIVIDUAL, INCLUDES: PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, DELIVERY, FITTING BY CERTIFIED PROSTHETIST ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP. WARRANTY 2 YEARS. WITH THE COMMITMENT WITH APPENDIX D.	EA	ITEMIZED	280
127	4224200140600	EXTENSION ORTHO-PROSTHESIS FOR PEDIATRIC SKIN COLOR FOR PROXIMAL FEMORAL FOCAL DEFICIENCY (PFFD) , MODULAR ALUMINUM COMPONENTS, PROSTHETIC FOOT K2+K3. SIZE AND SIDE WILL BE SPECIFIED WHEN ORDERED FOR EACH PATIENT INDIVIDUAL, INCLUDES: PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, DELIVERY, FITTING BY CERTIFIED PROSTHETIST ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP. WARRANTY 2 YEARS. WITH THE COMMITMENT WITH APPENDIX D.	EA	ITEMIZED	360
128	4412211900100	FASTENER, SELF ADHESIVE, HOOK, VELCRO OR EQUIVALENT, 30 MM, WIDTH, BROWN, 25 METER	EA	ITEMIZED	650
129	4412211900200	FASTENER, SELF ADHESIVE, HOOK, VELCRO OR EQUIVALENT, GREY WHITE, 30 MM, WIDTH, 25 METER	EA	ITEMIZED	650
130	4412211900400	FASTENER, SELF ADHESIVE, HOOK, VELCRO OR EQUIVALENT, WHITE, 30 MM, WIDTH 25 METER	EA	ITEMIZED	1010
131	4618160906400	FOOT INSOLE KIT, INCLUDE: REMOVABLE WEDGES, (MEDIAL, LATERAL AND HEEL) , LARGE	EA	ITEMIZED	740
132	4618160906300	FOOT INSOLE KIT, INCLUDE: REMOVABLE WEDGES, (MEDIAL, LATERAL AND HEEL) , MEDIUM	EA	ITEMIZED	800

SN	NUPCO CODE	ITEM DESCRIPTION	UOM	GROUP CATEGORY	INITIAL QUANTITY
133	4224200262800	FUNCTIONAL PROSTHETIC DEVICE FOR AMPUTATION PROXIMAL TO METACARPAL, CUSTOM MADE OF MACHINED ALUMINUM, SILICON TIPS. RATED UP TO 200 LBS. BUILT FOR DIGITS 2 TO 3 FOR FUNCTION. VARYING DEGREE OF FLEXION AND EXTENSION POSSIBLE. CUSTOM DESIGNED AND BUILT TO PATIENT SPECIFICATIONS, TRAINING FOR EVALUATION AND MEASUREMENT INCLUDED	EA	ITEMIZED	70
134	4224200262700	FUNCTIONAL THUMB PROTHESIS DEVICE, CUSTOM MADE PROXIMAL THUMB AMPUTATION. ALLOWS OPPOSITION FUNCTION RESTORATION. CUSTOM DESIGNED MADE FOR INDIVIDUAL PERSON SPECIFICATION. STAINLESS STEEL CONSTRUCTION SILICON TIP APPLICABLE, TRAINING FOR EVALUATION AND MEASUREMENT INCLUDED	EA	ITEMIZED	64
135	4224200438700	GEL - SHOCK ABSORBING LINER, CONSTRUCTED WITH SPACER FABRIC, REDUCES SHOCK, PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION. GOOD THERMAL REGULATION. ASSORTED SIZES	EA	ITEMIZED	2000
136	4224200194300	GROUND REACTION ANKLE FOOT ORTHOSIS (GRAFO) CUSTOM-MADE PEDIATRIC WHITE COLOR, THERMOLYN POLYETHYLENE THICKNESS 3MM - 4MM, WITH VELCRO STRAPS, FULL PADDING PERFORATED MATERIAL, WITH OUTSOLES 2MM - 1CM INCLUDES: PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, DELIVERY, FITTING BY CERTIFIED PROSTHETIST ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP. WITH THE COMMITMENT WITH APPENDIX D.	EA	ITEMIZED	420
137	4224200141300	GROUND REACTION ANKLE FOOT ORTHOSIS ADULT WHITE COLOR CUSTOM-MADE THERMOLYN POLYETHYLENE THICKNESS 4MM - 6MM, WITH VELCRO STRAPS, FULL PADDING PERFORATED MATERIAL, WITH OUTSOLES 2MM - 1CM INCLUDES: PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, DELIVERY, FITTING BY CERTIFIED PROSTHETIST ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP. WARRANTY 2 YEARS. WITH THE COMMITMENT WITH APPENDIX D.	EA	ITEMIZED	540
138	4618220800100	HARD INSOLES, FOR FLAT FOOT THAT IS FLEXIBLE AT THE TOE SIDE, SIZE 36	PAA	ITEMIZED	1443
139	4618220800200	HARD INSOLES, FOR FLAT FOOT THAT IS FLEXIBLE AT THE TOE SIDE, SIZE 37	PAA	ITEMIZED	1444
140	4618220800300	HARD INSOLES, FOR FLAT FOOT THAT IS FLEXIBLE AT THE TOE SIDE, SIZE 38	PAA	ITEMIZED	1443
141	4618220800400	HARD INSOLES, FOR FLAT FOOT THAT IS FLEXIBLE AT THE TOE SIDE, SIZE 39	PAA	ITEMIZED	1544
142	4618220800500	HARD INSOLES, FOR FLAT FOOT THAT IS FLEXIBLE AT THE TOE SIDE, SIZE 40	PAA	ITEMIZED	1544
143	4618220800600	HARD INSOLES, FOR FLAT FOOT THAT IS FLEXIBLE AT THE TOE SIDE, SIZE 41	PAA	ITEMIZED	1640
144	4618220800700	HARD INSOLES, FOR FLAT FOOT THAT IS FLEXIBLE AT THE TOE SIDE, SIZE 42	PAA	ITEMIZED	1640
145	4618220800800	HARD INSOLES, FOR FLAT FOOT THAT IS FLEXIBLE AT THE TOE SIDE, SIZE 43	PAA	ITEMIZED	1640
146	4618220800900	HARD INSOLES, FOR FLAT FOOT THAT IS FLEXIBLE AT THE TOE SIDE, SIZE 44	PAA	ITEMIZED	1340
147	4224200141900	HIP KNEE ANKLE FOOT ORTHOSIS (HKAFO) FOR ADULT WITH HIP JOINT (HIP WITH STEEL BAR) AND KNEE JOINT (KNEE WITH STEEL BAR) , WHITE COLOR CUSTOM-MADE THERMOLYN POLYPROPYLENE THICKNESS 4MM - 6MM, WITH VELCRO STRAPS, FULL PADDING PERFORATED MATERIAL. INCLUDES: PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, DELIVERY, FITTING BY CERTIFIED PROSTHETIST ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP. WARRANTY 2 YEARS. WITH THE COMMITMENT WITH APPENDIX D.	EA	ITEMIZED	224

SN	NUPCO CODE	ITEM DESCRIPTION	UOM	GROUP CATEGORY	INITIAL QUANTITY
148	4224200141800	HIP KNEE ANKLE FOOT ORTHOSIS (HKAFO) FOR PEDIATRIC WITH HIP JOINT (HIP WITH STEEL BAR) AND KNEE JOINT (KNEE WITH STEEL BAR) , WHITE COLOR CUSTOM-MADE THERMOLYN POLYPROPYLENE THICKNESS 4MM - 6MM, WITH VELCRO STRAPS, FULL PADDING PERFORATED MATERIAL. INCLUDES: PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, DELIVERY, FITTING BY CERTIFIED PROSTHETIST ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP. WARRANTY 2 YEARS. WITH THE COMMITMENT WITH APPENDIX D.	EA	ITEMIZED	267
149	4412210901700	HOOK AND PILE CLOSURE, WIDTH 20 MM, YELLOW, VELCRO OR EQUIVALENT, UP TO 25 METERS	EA	ITEMIZED	270
150	4412210901800	HOOK AND PILE CLOSURE, WIDTH 25 MM, BROWN, VELCRO OR EQUIVALENT, UP TO 25 METERS	EA	ITEMIZED	370
151	4412210902100	HOOK AND PILE CLOSURE, WIDTH 25 MM, YELLOW, VELCRO OR EQUIVALENT, UP TO 25 METERS	EA	ITEMIZED	270
152	4412210902300	HOOK AND PILE CLOSURE, WIDTH 30 MM, YELLOW, VELCRO OR EQUIVALENT, UP TO 25 METERS	EA	ITEMIZED	270
153	4224170641000	INSOLE, ANKLE - FOOT - ORTHOSIS, FULL VARUS MOULDED POLYPROPYLENE, VERSION IN FULL INSOLE TO ADAPT TO FOOTWEAR, ADJUSTABLE TENSION STRAPS FOR VARUS DEVIATION, EASY - FITTING AND ANATOMICAL DESIGN, REMOVABLE ADJUSTMENT TAPE IN THE TIBIAL AREA, PADDING IN THE CALF AREA, DORSIFLEXION IN THE EQUINE FOOT, CONTROLS VARUS DEVIATION, IT FACILITATES WALKING AND FUNCTIONAL REHABILITATION, EQUINE FOOT IN FLACCID PARALYSIS WITH AND WITHOUT VARUS DEVIATION, HEMIPLEGIA DUE TO VASCULAR - CEREBRAL ACCIDENTS, STROKE, RETRACTION OF THE ACHILLES TENDON IN INFANTILE CEREBRAL PALSY, INJURY OF THE EXTERNAL POPLITEAL SCIATIC NERVE	EA	ITEMIZED	460
154	4224170641100	INSOLE, ANKLE - FOOT - ORTHOSIS, HALF, VARUS MOULDED POLYPROPYLENE, VERSION IN FULL INSOLE TO ADAPT TO FOOTWEAR. ADJUSTABLE TENSION STRAPS FOR VARUS DEVIATION, EASY - FITTING AND ANATOMICAL DESIGN, REMOVABLE ADJUSTMENT TAPE IN THE TIBIAL AREA, PADDING IN THE CALF AREA. DORSIFLEXION IN THE EQUINE FOOT, CONTROLS VARUS DEVIATION, IT FACILITATES WALKING AND FUNCTIONAL REHABILITATION, EQUINE FOOT IN FLACCID PARALYSIS WITH AND WITHOUT VARUS DEVIATION, HEMIPLEGIA DUE TO VASCULAR - CEREBRAL ACCIDENTS, STROKE, RETRACTION OF THE ACHILLES TENDON IN INFANTILE CEREBRAL PALSY, INJURY OF THE EXTERNAL POPLITEAL SCIATIC NERVE	EA	ITEMIZED	322
155	4618160904400	INSOLE, FOOT, FOR PEDIATRIC ORTHOSIS, SIZE 19-20 (PAIR)	PAA	ITEMIZED	1200
156	4618160905400	INSOLE, THERMOPLASTIC BASE, FOR PEDIATRIC ORTHOSIS, SIZE 21-22 (PAIR)	PAA	ITEMIZED	1200
157	4618160905500	INSOLE, THERMOPLASTIC BASE, FOR PEDIATRIC ORTHOSIS, SIZE 23-24 (PAIR)	PAA	ITEMIZED	1100
158	4618160905600	INSOLE, THERMOPLASTIC BASE, FOR PEDIATRIC ORTHOSIS, SIZE 25-26 (PAIR)	PAA	ITEMIZED	1100
159	4618160905700	INSOLE, THERMOPLASTIC BASE, FOR PEDIATRIC ORTHOSIS, SIZE 27-28 (PAIR)	PAA	ITEMIZED	1100
160	4618160905800	INSOLE, THERMOPLASTIC BASE, FOR PEDIATRIC ORTHOSIS, SIZE 29-30 (PAIR)	PAA	ITEMIZED	1100
161	4618160905900	INSOLE, THERMOPLASTIC BASE, FOR PEDIATRIC ORTHOSIS, SIZE 31-32 (PAIR)	PAA	ITEMIZED	1100
162	4618160906000	INSOLE, THERMOPLASTIC BASE, FOR PEDIATRIC ORTHOSIS, SIZE 33-34 (PAIR)	PAA	ITEMIZED	1300
163	4618160906100	INSOLE, THERMOPLASTIC BASE, FOR PEDIATRIC ORTHOSIS, SIZE 35-36 (PAIR)	PAA	ITEMIZED	1300
164	4618160906200	INSOLE, THERMOPLASTIC BASE, FOR PEDIATRIC ORTHOSIS, SIZE 37-38 (PAIR)	PAA	ITEMIZED	1600
165	4618160902900	INSOLES, FULL LENGTH, MULTIFORM, SIZE, FROM 19/20-46, MEDIUM WIDTH, EACH SIZE 20	PAA	ITEMIZED	1200

SN	NUPCO CODE	ITEM DESCRIPTION	UOM	GROUP CATEGORY	INITIAL QUANTITY
166	4224200020500	JOINT, ANKLE ADJUSTABLE PLANTAR FLEXION AND DORSIFLEXION, PROVIDES RESISTANCE TO PLANTAR FLEXION, MOTION, PROVIDES RESISTANCE TO DORSIFLEXION, MOTION ANKLE JOINTS ARE AVAILABLE IN STAINLESS STEEL AND ALUMINUM, STIRRUPS ARE STAINLESS STEEL UPRIGHTS ARE AVAILABLE IN STAINLESS STEEL, TITANIUM, AND ALUMINUM, MEDIAL/LATERAL CONTROL MOTION, LIMITING ASSIST DORSIFLEXION AND/OR PLANTAR FLEXION, ANKLE JOINTS COMPONENTS AND ACCESSORIES FOR INCLUSION IN AN ORTHOSIS TO INFLUENCE DORSIFLEXION/PLANTAR FLEXION ACTION	EA	ITEMIZED	304
167	4224200021000	JOINTS, ARTICULATING, IN LOWER EXTREMITY ORTHOSIS, MADE USING THERMOFORMABLE AND THERMOSET MATERIALS CONSTRUCTED OF STAINLESS STEEL, VARIABLE DORSIFLEXION, STOP FREE MOTION ANKLE JOINT, SPHERICAL HINGE, AUTOMATIC CO - ALIGNMENT OF THE MEDIAL AND LATERAL JOINT AXES, EASY TO FABRICATE EASIER ALIGNMENT PRECISE 24 DEGREE CONICAL RANGE ARTICULATING JOINTS IN LOWER AND UPPER EXTREMITY ORTHOSIS, MADE USING THERMOFORMABLE AND THERMOSET MATERIALS	EA	ITEMIZED	408
168	4224200194400	KIT CUSTOM-MADE HIP DISARTICULATION MODULAR PROSTHESIS FOR ADULT K1+K2, FLEXIBLE LAMINATED SOCKET PROXIMALLY AND HARD DISTALLY, WITH MANUAL LOCK HIP JOINT FLEXION ANGLE 120 DEGREE, WEIGHT APPROXIMATELY 900 G, MAX BODY WEIGHT 100 KG, OVER MONOCENTRIC KNEE JOINT WITH FRICTION BRAKE AND EXTENSION ASSIST, K1+K2 PROSTHETIC FOOT, SKIN COLOR. SIZE AND SIDE WILL BE SPECIFIED WHEN ORDERED FOR EACH PATIENT INDIVIDUAL, INCLUDES: PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, DELIVERY, FITTING BY CERTIFIED PROSTHETIST ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP. WARRANTY 2 YEARS. WITH THE COMMITMENT WITH APPENDIX D.	EA	ITEMIZED	188
169	4224200140300	KIT CUSTOM-MADE HIP DISARTICULATION MODULAR PROSTHESIS FOR ADULT K2+K3, FLEXIBLE LAMINATED SOCKET PROXIMALLY AND HARD DISTALLY, WITH MONOCENTRIC HIP JOINT INTERNAL EXTENSION ASSIST FLEXION ANGLE 120 DEGREE, WEIGHT 680 - 800 G, OVER HYDRAULIC KNEE JOINT SWING PHASE CONTROL, WEIGHT 850 G, MAX BODY WEIGHT 125 KG, K2+K3 PROSTHETIC FOOT, SKIN COLOR. SIZE AND SIDE WILL BE SPECIFIED WHEN ORDERED FOR EACH PATIENT INDIVIDUAL, INCLUDES: PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, DELIVERY, FITTING BY CERTIFIED PROSTHETIST ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP. WARRANTY 2 YEARS. WITH THE COMMITMENT WITH APPENDIX D.	EA	ITEMIZED	188
170	4224200140400	KIT CUSTOM-MADE HIP DISARTICULATION MODULAR PROSTHESIS FOR ADULT K4 MOBILITY, FLEXIBLE LAMINATED SOCKET PROXIMALLY AND HARD DISTALLY, WITH HYDRAULIC MONOCENTRIC HIP JOINT K3, FLEXION ANGLE 130 DEGREE, WEIGHT 690 G, MAX BODY WEIGHT 125 KG, OVER HYDRAULIC KNEE JOINT SWING PHASE CONTROL K4, PROSTHETIC FOOT K4, SKIN COLOR. SIZE AND SIDE WILL BE SPECIFIED WHEN ORDERED FOR EACH PATIENT INDIVIDUAL, INCLUDES: PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, DELIVERY, FITTING BY CERTIFIED PROSTHETIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP. WARRANTY 2 YEARS. WITH THE COMMITMENT WITH APPENDIX D.	EA	ITEMIZED	188
171	4224200141400	KNEE ANKLE FOOT ORTHOSIS (KAFO) CUSTOM-MADE FOR ADULT WITH SWISS LOCK KNEE JOINT, STAINLESS STEEL BAR 20MM, THERMOLYN POLYETHYLENE THICKNESS 4MM - 6MM, WITH VELCRO STRAPS, FULL PADDING PERFORATED MATERIAL. INCLUDES: PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, DELIVERY, FITTING BY CERTIFIED PROSTHETIST ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP. WARRANTY 2 YEARS. WITH THE COMMITMENT WITH APPENDIX D.	EA	ITEMIZED	480

SN	NUPCO CODE	ITEM DESCRIPTION	UOM	GROUP CATEGORY	INITIAL QUANTITY
172	4224200141500	KNEE ANKLE FOOT ORTHOSIS (KAFO) CUSTOM-MADE FOR ADULT WITHOUT KNEE JOINT, WHITE COLOR CUSTOM-MADE THERMOLYN POLYPROPYLENE THICKNESS 4MM - 6MM, WITH VELCRO STRAPS, FULL PADDING PERFORATED MATERIAL. INCLUDES: PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, DELIVERY, FITTING BY CERTIFIED PROSTHETIST ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP. WARRANTY 2 YEARS. WITH THE COMMITMENT WITH APPENDIX D.	EA	ITEMIZED	461
173	4224200142100	KNEE ANKLE FOOT ORTHOSIS (KAFO) CUSTOM-MADE FOR PEDIATRIC (KNEE + ANKLE WITH STEEL BAR) WHITE COLOR, THERMOLYN POLYETHYLENE THICKNESS 3MM - 4MM, WITH VELCRO STRAPS, FULL PADDING PERFORATED MATERIAL. INCLUDES: PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, DELIVERY, FITTING BY CERTIFIED PROSTHETIST ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP. WITH THE COMMITMENT WITH APPENDIX D.	EA	ITEMIZED	620
174	4224200142200	KNEE ANKLE FOOT ORTHOSIS (KAFO) CUSTOM-MADE FOR PEDIATRIC (KNEE WITH STEEL BAR) WHITE COLOR, THERMOLYN POLYETHYLENE THICKNESS 3MM - 4MM, WITH VELCRO STRAPS, FULL PADDING PERFORATED MATERIAL. INCLUDES: PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, DELIVERY, FITTING BY CERTIFIED PROSTHETIST ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP. WITH THE COMMITMENT WITH APPENDIX D.	EA	ITEMIZED	650
175	4224200142000	KNEE ANKLE FOOT ORTHOSIS (KAFO) CUSTOM-MADE FOR PEDIATRIC WITHOUT KNEE JOINT, WHITE COLOR, THERMOLYN POLYETHYLENE THICKNESS 3MM - 4MM, WITH VELCRO STRAPS, FULL PADDING PERFORATED MATERIAL. INCLUDES: PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, DELIVERY, FITTING BY CERTIFIED PROSTHETIST ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP. WITH THE COMMITMENT WITH APPENDIX D.	EA	ITEMIZED	580
176	4224200194500	KNEE ANKLE FOOT ORTHOSIS (KAFO) CUSTOM-MADE FOR ADULT WITH RING LOCK KNEE JOINT, STAINLESS STEEL BAR 20MM, THERMOLYN POLYETHYLENE THICKNESS 4MM - 6MM, WITH VELCRO STRAPS, FULL PADDING PERFORATED MATERIAL. INCLUDES: PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, DELIVERY, FITTING BY CERTIFIED PROSTHETIST ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP. WARRANTY 2 YEARS. WITH THE COMMITMENT WITH APPENDIX D.	EA	ITEMIZED	560
177	4224200141700	KNEE ANKLE FOOT ORTHOSIS (KAFO) METAL WITH INNER LEATHER SHOE CUSTOM-MADE FOR ADULT WITH RING LOCK KNEE JOINT, STAINLESS STEEL BAR 20MM, STIRRUP ANKLE JOINT WITH LEATHER STRAPS WITH BUCKLES, FULL PADDING LEATHER MATERIAL. INCLUDES: PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, DELIVERY, FITTING BY CERTIFIED PROSTHETIST ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP. WARRANTY 2 YEARS. WITH THE COMMITMENT WITH APPENDIX D.	EA	ITEMIZED	520
178	4224200194600	KNEE ANKLE FOOT ORTHOSIS KAFO CUSTOM-MADE FOR ADULT WITH RING LOCK KNEE JOINT, STAINLESS STEEL BAR 20MM, THERMOLYN POLYPROPYLENE THICKNESS 4MM - 6MM, WITH VELCRO STRAPS, FULL PADDING PERFORATED MATERIAL. INCLUDES: PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, DELIVERY, FITTING BY CERTIFIED PROSTHETIST ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP. WARRANTY 2 YEARS. WITH THE COMMITMENT WITH APPENDIX D.	EA	ITEMIZED	420
179	4224200194700	KNEE ANKLE FOOT ORTHOSIS KAFO CUSTOM-MADE FOR ADULT WITHOUT KNEE JOINT, WHITE COLOR CUSTOM-MADE THERMOLYN POLYETHYLENE THICKNESS 4MM - 6MM, WITH VELCRO STRAPS, FULL PADDING PERFORATED MATERIAL INCLUDES: PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, DELIVERY, FITTING BY CERTIFIED PROSTHETIST ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP. WARRANTY 2 YEARS. WITH THE COMMITMENT WITH APPENDIX D.	EA	ITEMIZED	420

SN	NUPCO CODE	ITEM DESCRIPTION	UOM	GROUP CATEGORY	INITIAL QUANTITY
180	4224200194800	KNEE ANKLE FOOT ORTHOSIS KAFO CUSTOM-MADE FOR ADULT WITH SWISS LOCK KNEE JOINT, STAINLESS STEEL BAR 20MM, THERMOLYN POLYPROPYLENE THICKNESS 4MM - 6MM, WITH VELCRO STRAPS, FULL PADDING PERFORATED MATERIAL. INCLUDES: PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, DELIVERY, FITTING BY CERTIFIED PROSTHETIST ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP. WARRANTY 2 YEARS. WITH THE COMMITMENT WITH APPENDIX D.	EA	ITEMIZED	420
181	4224200194900	KNEE ANKLE FOOT ORTHOSIS KAFO METAL WITH INNER LEATHER SHOE CUSTOM-MADE FOR ADULT WITH SWISS LOCK KNEE JOINT, STAINLESS STEEL BAR 20MM, STIRRUP ANKLE JOINT WITH LEATHER STRAPS WITH BUCKLES, FULL PADDING LEATHER MATERIAL.	EA	ITEMIZED	420
182	4224200136600	KNEE MICROPROCESSOR-CONTROLLED, AUTOMATIC SET-UP, LESS STEPS NEEDED FOR USER SPECIFIC SETTINGS, ADVANCED CONTROL FEATURES MONITOR AND ADAPT TO RESISTANCE LEVELS AND POSSIBLE TO MANUALLY ADAPT, ANGLE SENSOR MEASURING KNEE ANGLE, ROBUST SENSOR NO NEED FOR CALIBRATION, LOAD CELLS IN ANTERIOR AND POSTERIOR, MEASURING LOAD FROM HEEL STRIKE TO TOE OFF, KINEMATIC SENSOR FOR CONTINUOUS STABILITY CONTROL WHILE STANDING, ACCURATE STAND TO WALK TRANSITION, SECURE AND COMFORTABLE KNEELING AT UP TO 45 DEGREE ABDUCTION ANGLE CIRCUMFERENCE, MAGNETORHEOLOGICAL TECHNOLOGY ENSURES IMMEDIATE PROPORTIONAL RESPONSE TO GAIT VARIATIONS AND ENABLES KNEE TO ADAPT TO USERS MOTIONS, ACTUATOR DESIGN INCREASES RESPONSIVENESS TO DIFFERENT AND CHANGING CIRCUMSTANCES., IT ALSO INCREASES THE MAXIMUM TORQUE FOR ADDITIONAL SUPPORT AND STABILITY. LASTLY IT ENABLES EASY SWING INITIATION AND NATURAL SWING MOTION, MANUAL EXTENSION LOCK ADDED AT THE SIDE, COVERS AND MATERIALS ARE RATED IP34 OR EQUIVALENT, LOGIC APP COMPATIBLE AND THEREFORE VISUAL FEEDBACK AVAILABLE, EASY EXTENSION, INCREASES MOBILITY, LONGER DISTANCES, FASTER WALKING AND INCREASED QUALITY OF LIFE, FACILITATES STEPPING OVER OBSTACLES,	KIT	ITEMIZED	56
183	4224200017800	KNEE PROSTHETIC, STANCE PHASE STABILITY LOW VOLUNTARY CONTROL REQUIRED MID SWING SHORTENING - FOR BETTER TOE CLEARANCE EARLIER/LATER STANCE RELEASE LATER, MORE SAFETY NORMAL SAFETY AND DYNAMICS EARLIER, DYNAMICS ADAPTATION. WITH MULTIPLE AXIS. AUTOSTANCE RELEASE SETTING - ADAPTIVE SWING PHASE CONTROL. USER WEIGHT BETWEEN 130 AND 150 KG K - LEVEL: K 2 K 3 AND K 4	EA	ITEMIZED	180
184	4231250500300	LATERAL HEEL WEDGE PEDILIN MATERIAL STARTING FROM 2MM - 1CM CUSTOM MADE	EA	ITEMIZED	2700
185	4231250500200	LATERAL WEDGE PEDILIN MATERIAL STARTING FROM 2MM - 12CM CUSTOM MADE	EA	ITEMIZED	2700
186	4224200119400	LIGHTWEIGHT CARBON FOOT WITH COMFORTABLE ROLLOVER CHARACTERISTICS INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE MULTI - AXIAL MOBILITY TO COMPENSATE FOR UNEVEN SURFACES AND COMFORTABLE WALKING UPHILL AND ON INCLINES GOOD ENERGY RETURN IN THE FOREFOOT AND HEEL GOOD SHOCK ABSORPTION PROGRESSIVE SPRING CHARACTERISTICS SAFETY: CONTROLLED PLANTAR FLEXION OF UP TO 12 DEGREE VERY GOOD IN - EVERSION AND PRO - SUPINATION GOOD INITIATION OF KNEE FLEXION C - SPRING AND CONTROL RING GUARANTEES THAT BOTH SPRINGS WORK TOGETHER SIZE 30 LEFT	EA	ITEMIZED	318

SN	NUPCO CODE	ITEM DESCRIPTION	UOM	GROUP CATEGORY	INITIAL QUANTITY
187	4224200120100	LIGHTWEIGHT CARBON FOOT WITH COMFORTABLE ROLLOVER CHARACTERISTICS INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE MULTI - AXIAL MOBILITY TO COMPENSATE FOR UNEVEN SURFACES AND COMFORTABLE WALKING UPHILL AND ON INCLINES GOOD ENERGY RETURN IN THE FOREFOOT AND HEEL GOOD SHOCK ABSORPTION PROGRESSIVE SPRING CHARACTERISTICS SAFETY: CONTROLLED PLANTAR FLEXION OF UP TO 12 DEGREE VERY GOOD IN - EVERSION AND PRO - SUPINATION GOOD INITIATION OF KNEE FLEXION C - SPRING AND CONTROL RING GUARANTEES THAT BOTH SPRINGS WORK TOGETHER SIZE 30 RIGHT	EA	ITEMIZED	318
188	4224150901900	LIMITER, PLANTAR FLEXION RANGE OF MOTION, CAN BE TURNED INTO A SOLID ANKLE, CAN INITIALLY BE SET TO ANY PLANTAR STOP POSITION, MOTION LIMITING	EA	ITEMIZED	242
189	4224200140900	LISFRANC LAMINATED PROSTHESIS ADULT COMBINING A SOFT SOCKET WITH A RIGID SHAFT WITH A SACH FOOT IN CORRECTED POSITION, SKIN COLOR. SIZE AND SIDE WILL BE SPECIFIED WHEN ORDERED FOR EACH PATIENT INDIVIDUAL, INCLUDES: PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, DELIVERY, FITTING BY CERTIFIED PROSTHETIST ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP. WARRANTY 2 YEARS. WITH THE COMMITMENT WITH APPENDIX D.	EA	ITEMIZED	304
190	4224200141000	LISFRANC LAMINATED PROSTHESIS PEDIATRIC COMBINING A SOFT SOCKET WITH A RIGID SHAFT WITH A SACH FOOT IN CORRECTED POSITION, SKIN COLOR. SIZE AND SIDE WILL BE SPECIFIED WHEN ORDERED FOR EACH PATIENT INDIVIDUAL, INCLUDES: PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, DELIVERY, FITTING BY CERTIFIED PROSTHETIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP. WARRANTY 2 YEARS.	EA	ITEMIZED	264
191	4224171400300	LOOP, IRON NICKEL PLATED, WELDED, INSIDE WIDTH 20 MM	EA	ITEMIZED	8355
192	4224171307100	LOOP, IRON NICKEL PLATED, WELDED, INSIDE WIDTH 25 MM	PC	ITEMIZED	15665
193	4224170643100	LOW INTERFACE FRICTION MATERIAL SHEET, PROTECTS SKIN FROM FRICTION BLISTERS, CALLUSES, AND FOOT ULCERS, USE IN PRESSURE MANAGEMENT APPLICATIONS, PRESERVING FUNCTION, ENDURANCE, AND COMFORT FRICTION RELIEF	EA	ITEMIZED	260
194	4618221105900	LSO BIVALVE CORSET WITH BOA CLOSURE OVERLAPPING ON THE FRONT FACE THE FLEXIBILITY OF THE MATERIAL MAKES IT EASY THE ADAPTATION TO MOST OF THE PATIENTS THE STRENGTH OF THE MATERIAL MAINTAINS THE STABILIZATION AND IMMOBILIZATION THAT IS NECESSARY FOR THE PATHOLOGIES FOR WHICH HAS BEEN DESIGNED STABILIZATION AND IMMOBILIZATION CORRECTION OF THE HYPERLORDOSIS INTRA - ABDOMINAL COMPRESSION DISCHARGE OF THE LS SPINE CONTROL OF MOBILITY IN THE SAGITTAL FRONTAL AND LATERAL PLANES LUMBAR SPINE AILMENTS CANAL STENOSIS SPONDYLOLYSIS. SPONDYLOARTHRITIS OSTEOPOROSIS MICRO ADJUSTMENT NON - TAPERED SIZE FROM SMALL TO XX-LARGE	EA	ITEMIZED	890
195	4224180203600	LSO, BI-VALVE, WITH ADJUSTABLE HIP EXTENSION (HIP SPICA) , FOAM PADDED, POLYETHYLENE, THICKNESS 4MM, RESTRICTS ROTATION, PREVENTION, SIZE LARGE, LEFT	EA	ITEMIZED	490
196	4224180204100	LSO, BI-VALVE, WITH ADJUSTABLE HIP EXTENSION (HIP SPICA) , FOAM PADDED, POLYETHYLENE, THICKNESS 4MM, RESTRICTS ROTATION, PREVENTION, SIZE LARGE, RIGHT	EA	ITEMIZED	490
197	4224180203500	LSO, BI-VALVE, WITH ADJUSTABLE HIP EXTENSION (HIP SPICA) , FOAM PADDED, POLYETHYLENE, THICKNESS 4MM, RESTRICTS ROTATION, PREVENTION, SIZE MEDIUM, LEFT	EA	ITEMIZED	490
198	4224180204000	LSO, BI-VALVE, WITH ADJUSTABLE HIP EXTENSION (HIP SPICA) , FOAM PADDED, POLYETHYLENE, THICKNESS 4MM, RESTRICTS ROTATION, PREVENTION, SIZE MEDIUM, RIGHT	EA	ITEMIZED	490
199	4224180203400	LSO, BI-VALVE, WITH ADJUSTABLE HIP EXTENSION (HIP SPICA) , FOAM PADDED, POLYETHYLENE, THICKNESS 4MM, RESTRICTS ROTATION, PREVENTION, SIZE SMALL, LEFT	EA	ITEMIZED	490
200	4224180203900	LSO, BI-VALVE, WITH ADJUSTABLE HIP EXTENSION (HIP SPICA) , FOAM PADDED, POLYETHYLENE, THICKNESS 4MM, RESTRICTS ROTATION, PREVENTION, SIZE SMALL, RIGHT	EA	ITEMIZED	490

SN	NUPCO CODE	ITEM DESCRIPTION	UOM	GROUP CATEGORY	INITIAL QUANTITY
201	4224180203700	LSO, BI-VALVE, WITH ADJUSTABLE HIP EXTENSION (HIP SPICA) , FOAM PADDED, POLYETHYLENE, THICKNESS 4MM, RESTRICTS ROTATION, PREVENTION, SIZE X-LARGE, LEFT	EA	ITEMIZED	490
202	4224180204200	LSO, BI-VALVE, WITH ADJUSTABLE HIP EXTENSION (HIP SPICA) , FOAM PADDED, POLYETHYLENE, THICKNESS 4MM, RESTRICTS ROTATION, PREVENTION, SIZE X-LARGE, RIGHT	EA	ITEMIZED	490
203	4224180203800	LSO, BI-VALVE, WITH ADJUSTABLE HIP EXTENSION (HIP SPICA) , FOAM PADDED, POLYETHYLENE, THICKNESS 4MM, RESTRICTS ROTATION, PREVENTION, SIZE XX-LARGE, LEFT	EA	ITEMIZED	490
204	4224180204300	LSO, BI-VALVE, WITH ADJUSTABLE HIP EXTENSION (HIP SPICA) , FOAM PADDED, POLYETHYLENE, THICKNESS 4MM, RESTRICTS ROTATION, PREVENTION, SIZE XX-LARGE, RIGHT	EA	ITEMIZED	490
205	4224200135300	MAIN PIVOT WORKS AS ANKLE JOINT LOW STIFFNESS IN MID - STANCE HIGH STIFFNESS IN LATE STANCE BETTER PLANTAR PRESSURE SOLE BLADE OFFERS FULL-LENGTH AND BIG TOE SOLE BLADE: SPLIT FROM MID - FOOT TO FOREFOOT AND WIDER BLADE MULTI - AXIAL ADAPTATION ALLOWING THE FOOT TO ADJUST TO THE SURFACE LIGHTWEIGHT WITH GRIPPING SOLE FOR BETTER GRIP BAREFOOT SANDAL CLAMPING FOR FLIP - FLOPS NATURAL ARCH AND FOOTPRINT AND PAINTABLE NAILS SMOOTH AND MORE SYMMETRICAL GAIT MORE NATURAL MOVEMENT AND LESS IMPACT ON SOUND SIDE INCREASED PUSH - OFF AND CONTROL MORE STABILITY UNTIL TERMINAL STANCE HELPS TO MAINTAIN BALANCE STABILITY AND REDUCES PEAK IMPACT DURING LOADING ALLOWING AMPUTEES TO WALK NATURALLY ON EVEN GROUND MORE NATURAL LOOK AND MORE NATURAL USE TRANSTIBIAL TRANSFEMORAL KNEE AND HIP DISARTICULATION AMPUTEES LOW TO MODERATE IMPACT LEVEL MAXIMUM USER WEIGHT 125 KGK - LEVEL: K 2 AND K 3 THREE ROTATIONAL JOINTS 3 - BLADE CARBON DESIGN SPLIT TOE ANATOMICALLY SHAPED FOOT COVER	EA	ITEMIZED	324
206	4224171323300	MANUAL ELEVATED PUMP VACUUM SYSTEM, FOR BELOW KNEE PROSTHESIS, REMOVABLE, MADE FROM MEDICAL GRADE SILICON. AIRFLOW MANAGED BY TWO VALVES	EA	ITEMIZED	340
207	4231250500500	MEDIAL HEEL WEDGE PEDILIN MATERIAL STARTING FROM 2MM - 1CM CUSTOM MADE	EA	ITEMIZED	600
208	4231250500400	MEDIAL WEDGE PEDILIN MATERIAL STARTING FROM 2MM - 12CM CUSTOM MADE CUSTOM MADE	EA	ITEMIZED	420
209	4224200262600	METACARPAL FUNCTIONAL PROSTHESIS, CUSTOM MADE FUNCTIONAL DEVICE FOR PROXIMAL FINGER AMPUTATION. RESTORES THE FUNCTION OF MIDDLE FINGER AND DISTAL FINGER. CUSTOM DESIGNED AND MADE FOR EACH INDIVIDUAL. RESTORES PINCH AND CYLINDRICAL GRIP. UP TO 9- POUND LIFT POWER. FOR EACH FINGER. STAINLESS STEEL CONSTRUCTION WITH SILICON TIP, TRAINING FOR EVALUATION AND MEASUREMENT INCLUDED	EA	ITEMIZED	84
210	4224171325200	MONOCENTRIC KNEE JOINT, KNEE OFFERS K1-K2, WITH A LOAD-DEPENDENT BRAKE MECHANISM AND AN OPTIONAL LOCKING FUNCTION, THE SWING PHASE IS CONTROLLED BY AN INTEGRATED PNEUMATIC EXTENSION ASSIST KNEE FLEXION ANGLE, 125-145 DEGREES, FOR BODY WEIGHT 120-140	EA	ITEMIZED	320
211	4618160907000	MORTON EXTENSION INSOLES ADULT CUSTOM MADE WITH MEDIAL ARCH SUPPORT ADULT CUSTOM MADE, PEDILIN 4MM + PLASTAZOTE 3MM + PERFORATED MATERIAL 2MM + POLYPROPYLENE 2MM UNDER BIG TOE AND THE TRANSVERSE ARCH.	PAA	ITEMIZED	2006
212	4224200195200	MULTIAXIAL FOOT WITH DIVIDED HEEL, 3-D SPACER SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE, PHYSIOLOGICAL ROLLOVER AND S-SPRING MULTI-AXIAL MOBILITY TO COMPENSATE FOR UNEVEN SURFACES AND COMFORTABLE WALKING UPHILL AND ON INCLINES ELASTIC FOAM COMPRESSION SPRING ARCH AT HEEL STRIKE OF THE BACK SPRING ARCH AT ROLLOVER, SIZE: 26 CM, RIGHT	EA	ITEMIZED	318

SN	NUPCO CODE	ITEM DESCRIPTION	UOM	GROUP CATEGORY	INITIAL QUANTITY
213	4224200195100	MULTIAXIAL FOOT WITH DIVIDED HEEL, 3-D SPACER SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE, PHYSIOLOGICAL ROLLOVER AND S-SPRING MULTI-AXIAL MOBILITY TO COMPENSATE FOR UNEVEN SURFACES AND COMFORTABLE WALKING UPHILL AND ON INCLINES ELASTIC FOAM COMPRESSION SPRING ARCH AT HEEL STRIKE OF THE BACK SPRING ARCH AT ROLLOVER, SIZE: 27 CM, RIGHT	EA	ITEMIZED	318
214	4224200195000	MULTIAXIAL FOOT WITH DIVIDED HEEL, 3-D SPACER SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE, PHYSIOLOGICAL ROLLOVER AND S-SPRING MULTI-AXIAL MOBILITY TO COMPENSATE FOR UNEVEN SURFACES AND COMFORTABLE WALKING UPHILL AND ON INCLINES ELASTIC FOAM COMPRESSION SPRING ARCH AT HEEL STRIKE OF THE BACK SPRING ARCH AT ROLLOVER, SIZE: 29 CM, RIGHT	EA	ITEMIZED	178
215	4224200195300	MULTIAXIAL FOOT WITH DIVIDED HEEL, 3-D SPACER SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE, PHYSIOLOGICAL ROLLOVER AND S-SPRING MULTI-AXIAL MOBILITY TO COMPENSATE FOR UNEVEN SURFACES AND COMFORTABLE WALKING UPHILL AND ON INCLINES ELASTIC FOAM COMPRESSION SPRING ARCH AT HEEL STRIKE OF THE BACK SPRING ARCH AT ROLLOVER, SIZE: 30 CM, RIGHT	EA	ITEMIZED	148
216	4618220704300	MULTIFUNCTION ANKLE ORTHOSIS, WITH A THREE - PHASE FITTING FOOT POSITIONING IN A SLIGHT PRONATION AND PLANTIGRADE POSITION, INCREASING THE LEVEL OF ACTIVITY, IMPROVING MUSCULAR STABILITY, IMPROVING FUNCTIONAL STABILITY AND MOBILITY, SIZE EXTRA LARGE	EA	ITEMIZED	564
217	4618220704400	MULTIFUNCTION ANKLE ORTHOSIS, WITH A THREE - PHASE FITTING FOOT POSITIONING IN A SLIGHT PRONATION AND PLANTIGRADE POSITION, INCREASING THE LEVEL OF ACTIVITY, IMPROVING MUSCULAR STABILITY, IMPROVING FUNCTIONAL STABILITY AND MOBILITY, SIZE EXTRA SMALL	EA	ITEMIZED	305
218	4224200039200	ORTHOPEDIC BOOT WIDE (PEDIATRIC) , LEATHER INSOLE, AND AVAILABLE IN DIFFERENT WIDTHS. FULL GRAIN COW/CALF LEATHER, SOFT PADDING AROUND THE COLLAR AND ANKLE FOR A BETTER FIT, A HIGH AND EXTRA-LONG STIFFENER TO SUPPORT THE ANKLE, FULL LEATHER INSOLE, EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT, SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF, REMOVABLE PROFILED CORK INLAY INSIDE SHOE, HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES, EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT, SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT, FIXATES THE SUBTALAR JOINTS AND STABILIZES THE TALOCRURAL JOINT, MADE ON EXTRA DEPTH LASTS, HIGH AND EXTENDED HEEL STIFFENERS, REMOVABLE ANATOMICAL FOOTBEDS AND ADAPTABLE FOR PATIENTS WITH EXTREME VALGUS OR VARUS INSTABILITY, SEVERE CEREBRAL PALSY, LIMITED DORSIFLEXION, DETERIORATION OF THE TALOCRURAL JOINT, PROBLEMS WITH LIGAMENTS IN THE LOWER LIMBS, PAINFUL OR PRESSURE SENSITIVE FEET, TO STABILIZE THE (POST) OPERATIVE FOOT, ASSORTED SIZE	PAA	ITEMIZED	1204
219	4214170000800	ORTHOSIS ANTI DECUBITUS HEEL FOR POSITIONING OF LOWER LIMB EASY PLACEMENT HEEL ANTI DECUBITUS COMFORTABLE CUSHIONS FOR THE PATIENT VERY SOFT MATERIAL THAT DECREASES THE PRESSURE EXTERNAL SEAMS TO AVOID FRICTION VELCRO ADJUSTMENT OR EQUIVALENT IT PREVENTS THE SORES ON THE HEEL THE MALLEUS AND THE RUBBING EFFECTS ON THE AREA REDUCES FRICTION AND SHEARING FORCES KEEPS THE SKIN CLEAN AND DRY THANKS TO ITS BREATHABILITY CONTROLS EXCESS MOISTURE IT FACILITATES BETTER PROPHYLACTIC AND THERAPEUTIC CARE PREVENTION OF ULCERS AND SORES IN PATIENTS WHO REMAIN FOR LONG PERIODS OF TIME IN THE SAME POSITION, UNIVERSAL SIZE	EA	ITEMIZED	520
220	4224170644400	ORTHOSIS, FOOT METATARSAL PAD, SMALL	EA	ITEMIZED	900

SN	NUPCO CODE	ITEM DESCRIPTION	UOM	GROUP CATEGORY	INITIAL QUANTITY
221	4224180202500	PEDIATRIC HIP BRACE, POLYETHYLENE PELVIC SECTION, UPRIGHT 123 DEGREE THAT EXTENDS FROM L 2 /L 3 TO DISTAL MARGIN OF THE SACRUM, PROVIDING MAXIMUM THORACIC AND PELVIC SUPPORT, PATIENTS WITH LOW TRUNK TONE AND/OR VERY LIMITED TRUNK, CONTROL STRENGTH MAY BENEFIT FROM THE INCREASED POSTERIOR AND LATERAL SUPPORT THIS DESIGN OFFERS, WHEN PATIENT IS PRIMARILY NON - AMBULATORY (GMFCS IV - V) , WHEN THE GREATER PELVIC COVERAGE TRIGGERS MORE DESIRABLE NEURO - SENSORY MOTOR RESPONSE WITH COMPLETE ACCESSORIES	EA	ITEMIZED	660
222	4224170617400	PRESSURE, RELIEF ANKLE-FOOT ORTHOSIS, USED TO DYNAMICALLY CORRECT AND PREVENT FOOT AND ANKLE CONTRACTURES, ASSORTED SIZES	EA	ITEMIZED	100
223	4224200039300	POLYCENTRIC KNEE JOINT, FOR KNEE, TITANIUM, DISARTICULATION AMPUTATION, SPRING EXTENSION ASSIST UPTO 100 KG BODY WEIGHT	EA	ITEMIZED	260
224	4224200195400	POLYCENTRIC KNEE WITH HYDRAULIC SWING PHASE CONTROL, FOR KNEE DISARTICULATION, MAXIMUM BODY WEIGHT 70-90 KG	EA	ITEMIZED	192
225	4224200195500	POLYCENTRIC KNEE WITH HYDRAULIC SWING PHASE CONTROL, FOR KNEE DISARTICULATION, MAXIMUM BODY WEIGHT 120-130 KG	EA	ITEMIZED	212
226	4224200019400	POLYETHYLENE TEREPHTHALATE GLYCOL (PETG) LIGHT WEIGHT, HIGH PERFORMANCE FILAMENT, HIGH STRENGTH DESIGNED FOR VERY STRONG MECHANICAL PROPERTIES, RESISTANT TO WEAR AND TEAR, ALLOWS FOR VARIETY OF COMBINATION IN THICKNESS AND DESIGN OF DIFFERENT PROSTHETIC AND ORTHOTIC DEVICES, USED IN 3D PRINTING OF PROSTHETIC SOCKET AND ORTHOTIC BRACES, 1.75MM, 1000 G, COLOR ON DEMAND	ROL	ITEMIZED	20
227	4224200019300	POLYPROPYLENE LIGHT WEIGHT, HIGH PERFORMANCE FILAMENT, HIGH STRENGTH DESIGNED FOR VERY STRONG MECHANICAL PROPERTIES, RESISTANT TO WEAR AND TEAR, ALLOWS FOR VARIETY OF COMBINATION IN THICKNESS AND DESIGN OF DIFFERENT PROSTHETIC AND ORTHOTIC DEVICES, USED IN 3D PRINTING OF PROSTHETIC SOCKET AND ORTHOTIC BRACES, 1.75MM, 1000 G, COLOR ON DEMAND	ROL	ITEMIZED	100
228	4224200019600	PP CARBON FIBER LIGHT WEIGHT, HIGH PERFORMANCE FILAMENT, HIGH STRENGTH DESIGNED FOR VERY STRONG MECHANICAL PROPERTIES, RESISTANT TO WEAR AND TEAR, ALLOWS FOR VARIETY OF COMBINATION IN THICKNESS AND DESIGN OF DIFFERENT PROSTHETIC AND ORTHOTIC DEVICES, USED IN 3D PRINTING OF PROSTHETIC SOCKET AND ORTHOTIC BRACES, 1.75MM, 1000 G, BLACK COLOR	ROL	ITEMIZED	200
229	4224170001100	PREFABRICATED LIGHT WEIGHT KNEE-ANKLE-FOOT-ORTHOISIS FOR HYPER EXTENDED KNEE JOINT, DOUBLE UPRIGHT RANGE OF MOTION KNEE JOINT ; PRIMARILY DESIGNED FOR SAGITTAL PLANE MOTION CONTROL ; UNIQUE SINGLE POSTERIOR UPRIGHT DESIGN ALLOWS FOR A SIMPLIFIED FIT ; ADDRESSES UP TO FIVE DIFFERENT KNEE ORTHOSIS FUNCTIONS ; IDEAL FOR CONTRACTURE, FRACTURE, MOTOR AND SENSORY MANAGEMENT ; ADJUSTABLE MEDIAL AND LATERAL FEMORAL AND TIBIAL STABILIZING PANELS ; TELESCOPING THIGH AND CALF SEGMENTS FOR INCREASED COMFORT AND OPTIMAL JOINT PLACEMENT, EXTRA LARGE, LEFT	EA	ITEMIZED	550
230	4224170001200	PREFABRICATED LIGHT WEIGHT KNEE-ANKLE-FOOT-ORTHOISIS FOR HYPER EXTENDED KNEE JOINT, DOUBLE UPRIGHT RANGE OF MOTION KNEE JOINT ; PRIMARILY DESIGNED FOR SAGITTAL PLANE MOTION CONTROL ; UNIQUE SINGLE POSTERIOR UPRIGHT DESIGN ALLOWS FOR A SIMPLIFIED FIT ; ADDRESSES UP TO FIVE DIFFERENT KNEE ORTHOSIS FUNCTIONS ; IDEAL FOR CONTRACTURE, FRACTURE, MOTOR AND SENSORY MANAGEMENT ; ADJUSTABLE MEDIAL AND LATERAL FEMORAL AND TIBIAL STABILIZING PANELS ; TELESCOPING THIGH AND CALF SEGMENTS FOR INCREASED COMFORT AND OPTIMAL JOINT PLACEMENT, EXTRA LARGE, RIGHT	EA	ITEMIZED	550

SN	NUPCO CODE	ITEM DESCRIPTION	UOM	GROUP CATEGORY	INITIAL QUANTITY
231	4224170000500	PREFABRICATED LIGHT WEIGHT KNEE-ANKLE-FOOT-ORTHOSIS FOR HYPER EXTENDED KNEE JOINT, DOUBLE UPRIGHT RANGE OF MOTION KNEE JOINT ; PRIMARILY DESIGNED FOR SAGITTAL PLANE MOTION CONTROL ; UNIQUE SINGLE POSTERIOR UPRIGHT DESIGN ALLOWS FOR A SIMPLIFIED FIT ; ADDRESSES UP TO FIVE DIFFERENT KNEE ORTHOSIS FUNCTIONS ; IDEAL FOR CONTRACTURE, FRACTURE, MOTOR AND SENSORY MANAGEMENT ; ADJUSTABLE MEDIAL AND LATERAL FEMORAL AND TIBIAL STABILIZING PANELS ; TELESCOPING THIGH AND CALF SEGMENTS FOR INCREASED COMFORT AND OPTIMAL JOINT PLACEMENT, LARGE, LEFT	EA	ITEMIZED	610
232	4224170000600	PREFABRICATED LIGHT WEIGHT KNEE-ANKLE-FOOT-ORTHOSIS FOR HYPER EXTENDED KNEE JOINT, DOUBLE UPRIGHT RANGE OF MOTION KNEE JOINT ; PRIMARILY DESIGNED FOR SAGITTAL PLANE MOTION CONTROL ; UNIQUE SINGLE POSTERIOR UPRIGHT DESIGN ALLOWS FOR A SIMPLIFIED FIT ; ADDRESSES UP TO FIVE DIFFERENT KNEE ORTHOSIS FUNCTIONS ; IDEAL FOR CONTRACTURE, FRACTURE, MOTOR AND SENSORY MANAGEMENT ; ADJUSTABLE MEDIAL AND LATERAL FEMORAL AND TIBIAL STABILIZING PANELS ; TELESCOPING THIGH AND CALF SEGMENTS FOR INCREASED COMFORT AND OPTIMAL JOINT PLACEMENT, LARGE, RIGHT	EA	ITEMIZED	610
233	4224170000700	PREFABRICATED LIGHT WEIGHT KNEE-ANKLE-FOOT-ORTHOSIS FOR HYPER EXTENDED KNEE JOINT, DOUBLE UPRIGHT RANGE OF MOTION KNEE JOINT ; PRIMARILY DESIGNED FOR SAGITTAL PLANE MOTION CONTROL ; UNIQUE SINGLE POSTERIOR UPRIGHT DESIGN ALLOWS FOR A SIMPLIFIED FIT ; ADDRESSES UP TO FIVE DIFFERENT KNEE ORTHOSIS FUNCTIONS ; IDEAL FOR CONTRACTURE, FRACTURE, MOTOR AND SENSORY MANAGEMENT ; ADJUSTABLE MEDIAL AND LATERAL FEMORAL AND TIBIAL STABILIZING PANELS ; TELESCOPING THIGH AND CALF SEGMENTS FOR INCREASED COMFORT AND OPTIMAL JOINT PLACEMENT, MEDIUM, LEFT	EA	ITEMIZED	610
234	4224170000800	PREFABRICATED LIGHT WEIGHT KNEE-ANKLE-FOOT-ORTHOSIS FOR HYPER EXTENDED KNEE JOINT, DOUBLE UPRIGHT RANGE OF MOTION KNEE JOINT ; PRIMARILY DESIGNED FOR SAGITTAL PLANE MOTION CONTROL ; UNIQUE SINGLE POSTERIOR UPRIGHT DESIGN ALLOWS FOR A SIMPLIFIED FIT ; ADDRESSES UP TO FIVE DIFFERENT KNEE ORTHOSIS FUNCTIONS ; IDEAL FOR CONTRACTURE, FRACTURE, MOTOR AND SENSORY MANAGEMENT ; ADJUSTABLE MEDIAL AND LATERAL FEMORAL AND TIBIAL STABILIZING PANELS ; TELESCOPING THIGH AND CALF SEGMENTS FOR INCREASED COMFORT AND OPTIMAL JOINT PLACEMENT, MEDIUM, RIGHT	EA	ITEMIZED	610
235	4224170000900	PREFABRICATED LIGHT WEIGHT KNEE-ANKLE-FOOT-ORTHOSIS FOR HYPER EXTENDED KNEE JOINT, DOUBLE UPRIGHT RANGE OF MOTION KNEE JOINT ; PRIMARILY DESIGNED FOR SAGITTAL PLANE MOTION CONTROL ; UNIQUE SINGLE POSTERIOR UPRIGHT DESIGN ALLOWS FOR A SIMPLIFIED FIT ; ADDRESSES UP TO FIVE DIFFERENT KNEE ORTHOSIS FUNCTIONS ; IDEAL FOR CONTRACTURE, FRACTURE, MOTOR AND SENSORY MANAGEMENT ; ADJUSTABLE MEDIAL AND LATERAL FEMORAL AND TIBIAL STABILIZING PANELS ; TELESCOPING THIGH AND CALF SEGMENTS FOR INCREASED COMFORT AND OPTIMAL JOINT PLACEMENT, SMALL, LEFT	EA	ITEMIZED	710
236	4224170001000	PREFABRICATED LIGHT WEIGHT KNEE-ANKLE-FOOT-ORTHOSIS FOR HYPER EXTENDED KNEE JOINT, DOUBLE UPRIGHT RANGE OF MOTION KNEE JOINT ; PRIMARILY DESIGNED FOR SAGITTAL PLANE MOTION CONTROL ; UNIQUE SINGLE POSTERIOR UPRIGHT DESIGN ALLOWS FOR A SIMPLIFIED FIT ; ADDRESSES UP TO FIVE DIFFERENT KNEE ORTHOSIS FUNCTIONS ; IDEAL FOR CONTRACTURE, FRACTURE, MOTOR AND SENSORY MANAGEMENT ; ADJUSTABLE MEDIAL AND LATERAL FEMORAL AND TIBIAL STABILIZING PANELS ; TELESCOPING THIGH AND CALF SEGMENTS FOR INCREASED COMFORT AND OPTIMAL JOINT PLACEMENT, SMALL, RIGHT	EA	ITEMIZED	610

SN	NUPCO CODE	ITEM DESCRIPTION	UOM	GROUP CATEGORY	INITIAL QUANTITY
237	4224200262500	PROSTHESIS INTERPHALANGEAL FUNCTIONAL, CUSTOM MADE MID FINGER AMPUTATION FUNCTIONAL DEVICE. USED FOR DISTAL INTER PHALANGEAL AMPUTATIONS. RESTORES LENGTH. CUSTOM DESIGNED AND MADE TO PATIENT SPECIFICATIONS. SLENDER DESIGN MADE FROM MEDICAL GRADE NYLON. SILICON FINGERTIPS, TRAINING FOR EVALUATION AND MEASUREMENT INCLUDED	EA	ITEMIZED	64
238	4224200039400	PROSTHESIS, ABOVE ELBOW, ELECTRIC HAND AND ELBOW JOINT (ELECTRONICALLY CONTROLLED AND POWERED) COMPLETE WORKING SYSTEM INCLUDING COVER SUITABLE FOR USE WITH ELECTRONIC COMPONENTS - AND BATTERY CHARGER AND TWO RECHARGEABLE BATTERIES (110 - 220 V, 50/60 HZ) , LEFT OR RIGHT .INCLUDES - PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, INCLUDES ALL REQUIRED MATERIALS/COMPONENTS TO FABRICATE PROSTHESIS, DELIVERY, FITTING BY CERTIFIED PROSTHETIST, IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP SIZE ON DEMAND (REFER TO APPENDIX A)	KIT	GROUP 1	58
239	4224200039500	PROSTHESIS, BELOW ELBOW, ELECTRIC HAND COMPLETE WORKING SYSTEM INCLUDING COVER SUITABLE FOR USE WITH ELECTRONIC COMPONENTS - AND BATTERY CHARGER (110 - 220 V, 50/60 HZ) , INCLUDES - PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, INCLUDES ALL REQUIRED MATERIALS/COMPONENTS TO FABRICATE PROSTHESIS, DELIVERY, FITTING BY CERTIFIED PROSTHETIST, IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP, SIZE OF HAND TO BE DETERMINED UPON ORDER. (REFER TO APPENDIX A)	KIT	GROUP 1	68
240	4224200039600	PROSTHESIS, BELOW ELBOW, ELECTRIC HAND, COMPLETE WORKING SYSTEM INCLUDING COVER SUITABLE FOR USE WITH ELECTRONIC COMPONENTS -, FOR WRIST DISARTICULATION, AMPUTATION, AND BATTERY CHARGER (110 - 220 V, 50/60 HZ) , LEFT OR RIGHT .INCLUDES - PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, INCLUDES ALL REQUIRED MATERIALS/COMPONENTS TO FABRICATE PROSTHESIS, DELIVERY, FITTING BY CERTIFIED PROSTHETIST, IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP, SIZE ON DEMAND (REFER TO APPENDIX A)	KIT	GROUP 1	54
241	4224171316500	PROSTHESIS, SHOULDER DISARTICULATION, INCLUDED SHOULDER JOINT, ELECTRIC HAND AND ELBOW JOINT (ELECTRONICALLY CONTROLLED AND POWERED) COMPLETE WORKING SYSTEM INCLUDING COVER SUITABLE FOR USE WITH ELECTRONIC COMPONENTS - AND BATTERY CHARGER AND TWO RECHARGEABLE BATTERIES (110 - 220 V, 50/60 HZ) , LEFT OR RIGHT .INCLUDES - PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, INCLUDES ALL REQUIRED MATERIALS/COMPONENTS TO FABRICATE PROSTHESIS, DELIVERY, FITTING BY CERTIFIED PROSTHETIST, IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP SIZE ON DEMAND (REFER TO APPENDIX A)	EA	GROUP 1	50
242	4224171316200	PROSTHETIC WRIST UNIT RATCHET TYPE ROTATION SHORT, WITH LOCK LEVER FOR LONG BELOW - ELBOW RESIDUAL LIMBS, DIAMETER 50 MM	EA	ITEMIZED	70
243	4224200016500	QUICK ADHESIVE DISPENSER	EA	ITEMIZED	242
244	4224170317800	READY MADE KNEE SPLINT, WITH LATERAL ZIPPER, 3 MM THICKNESS, 1 % PERFORATION, SIZE EXTRA SMALL	EA	ITEMIZED	586
245	4224170317900	READY MADE KNEE SPLINT, WITH LATERAL ZIPPER, 3 MM THICKNESS, 1 % PERFORATION, SIZE SMALL	EA	ITEMIZED	686
246	4224170318000	READY MADE KNEE SPLINT, WITH LATERAL ZIPPER, 3 MM THICKNESS, 1 % PERFORATION, SIZE MEDIUM	EA	ITEMIZED	786
247	4618160907200	REGULAR CUSTOM MADE INSOLES ADULT WITH ONLOADING AFFECTED AREAS, PEDILIN 4MM + PLASTAZOTE 3MM + PERFORATED MATERIAL 2MM (PAIR)	PAA	ITEMIZED	2700
248	4618160906700	REGULAR INSOLE WITH MEDIAL ARCH SUPPORT ADULT CUSTOM MADE, PEDILIN 4MM + PLASTAZOTE 3MM 3/4 SHORTENING STARTING FROM 2MM - 15CM (PAIR)	PAA	ITEMIZED	2700
249	4224200019700	SELF LOCKING MAGNETIC BUCKLE, NON ELASTIC, FOR EASY OPERATION, 38 MM WIDTH, RATED TO 80KG, ADJUSTABLE HOOK AND LOOP CLOSURE	EA	ITEMIZED	1450
250	4224171202300	SHEET, RUBBER, 100 X 50 X 1 CM	EA	ITEMIZED	440

SN	NUPCO CODE	ITEM DESCRIPTION	UOM	GROUP CATEGORY	INITIAL QUANTITY
251	4224170908600	SHOE, MULTICAST, POST OP, FOREFOOT RELIEF, TO OFFLOAD WEIGHT AND PRESSURE FROM THE FOREFOOT, LARGE	EA	ITEMIZED	840
252	4224170908400	SHOE, MULTICAST, POST OP, FOREFOOT RELIEF, TO OFFLOAD WEIGHT AND PRESSURE FROM THE FOREFOOT, MEDIUM	EA	ITEMIZED	940
253	4224170908500	SHOE, MULTICAST, POST OP, FOREFOOT RELIEF, TO OFFLOAD WEIGHT AND PRESSURE FROM THE FOREFOOT, SMALL	EA	ITEMIZED	740
254	4618220800000	SHOE, RAISE, STARTING FROM 2 CM- 10 CM, CUSTOM MADE WITH DURABLE MATERIAL AND NON SLIPPING OUTSOLE, COLOR ON DEMAND	EA	ITEMIZED	3012
255	4224170119100	SHOES, MEDICAL, ORTHOPEDIC, LEATHER BLACK, EXTRA SOFT, GENUINE NAPA LEATHER, UPPER EXTRA LENGTH COUNTER SUPPORT, ADDED DEPTH OF 5/16 INCHES DEEPER THAN REGULAR SHOES, DURABLE HD EVA OUTSOLE, OFFERS EASY MODIFICATION, ACCOMMODATES HAMMERTOES/OVERLAPPING, CLAW TOES, STRETCHABLE LYCRA VAMPS, BUNION/BUNIONETTE FLEX AREA, DOUBLE DEPTH, ACCOMMODATES SEVERE HIGH INSTEP, SWELLING, PRONATION, FLAT FEET, BUNIONS AND HAMMERTOES, ACCOMMODATES PARTIAL FOOT AND ANKLE-FOOT-ORTHOSIS, SIZE 46/PAIR	PAA	ITEMIZED	660
256	4224170119200	SHOES, MEDICAL, ORTHOPEDIC, LEATHER BLACK, EXTRA SOFT, GENUINE NAPA LEATHER, UPPER EXTRA LENGTH COUNTER SUPPORT, ADDED DEPTH OF 5/16 INCHES DEEPER THAN REGULAR SHOES, DURABLE HD EVA OUTSOLE, OFFERS EASY MODIFICATION, ACCOMMODATES HAMMERTOES/OVERLAPPING, CLAW TOES, STRETCHABLE LYCRA VAMPS, BUNION/BUNIONETTE FLEX AREA, DOUBLE DEPTH, ACCOMMODATES SEVERE HIGH INSTEP, SWELLING, PRONATION, FLAT FEET, BUNIONS AND HAMMERTOES, ACCOMMODATES PARTIAL FOOT AND ANKLE-FOOT-ORTHOSIS, SIZE 47/PAIR	PAA	ITEMIZED	290
257	4224200039700	SHOES, WITH ADJUSTABLE OPENING, DESIGNED FOR PATIENTS WITH EDEMA, LYMPHEDEMA, HAMMER-TOE, ARTHRITIS, BUNIONS AND ORTHOTIC FRIENDLY. UPPER MADE FROM STRETCHABLE LYCRA AND A FULL GRAIN COW/CALF LEATHER REAR FOR STABILITY. FULL GRAIN COW/CALF LEATHER STRAPS WITH VELCRO CLOSING IN A SELECTION OF COLORS, AND AVAILABLE IN MULTIPLE WIDTHS. LIGHTWEIGHT, NON SLIP SOLE, EASY TO ADAPT SOFT REMOVABLE INSOLE, ASSORTED SIZES.	PAA	ITEMIZED	720
258	4224200505700	SOCKET ADAPTER WITH PYRAMID RECEIVER STAINLESS STEEL TO BE USED FOR MOUNTING ONTO THE SOCKET OF THE TRANSFEMORAL AND TRANSTIBIAL PROSTHESIS SYSTEM HEIGHT: 11 MM WEIGHT: 50 GRAMS FOR BODY WEIGHT 125 KG AND ABOVE	EA	ITEMIZED	540
259	4224200410500	SOCKS ABOVE KNEE RESIDUAL LIMB COMPRESSION CLASS 2 SIZE: DOUBLE EXTRA-LARGE XX-LARGE 46	EA	ITEMIZED	740
260	4224200410400	SOCKS ABOVE KNEE RESIDUAL LIMB COMPRESSION CLASS 2 SIZE: DOUBLE EXTRA-LARGE XX-LARGE 38	EA	ITEMIZED	740
261	4224200409900	SOCKS ABOVE KNEE RESIDUAL LIMB COMPRESSION CLASS 2 SIZE: EXTRA-LARGE 46	EA	ITEMIZED	740
262	4224200409800	SOCKS ABOVE KNEE RESIDUAL LIMB COMPRESSION CLASS 2 SIZE: EXTRA-LARGE 38	EA	ITEMIZED	740
263	4224200409000	SOCKS, ABOVE KNEE RESIDUAL, LIMB COMPRESSION, CLASS 2, SIZE: LARGE 46	EA	ITEMIZED	740
264	4224200408900	SOCKS, ABOVE KNEE RESIDUAL, LIMB COMPRESSION, CLASS 2, SIZE: LARGE 38	EA	ITEMIZED	740
265	4224200409300	SOCKS, ABOVE KNEE RESIDUAL, LIMB COMPRESSION, CLASS 2, SIZE: MEDIUM 46	EA	ITEMIZED	1040
266	4224200409200	SOCKS, ABOVE KNEE RESIDUAL, LIMB COMPRESSION, CLASS 2, SIZE: MEDIUM 38	EA	ITEMIZED	1040
267	4224200409600	SOCKS, ABOVE KNEE RESIDUAL, LIMB COMPRESSION, CLASS 2, SIZE: SMALL 46	EA	ITEMIZED	1040
268	4224200409500	SOCKS, ABOVE KNEE RESIDUAL, LIMB COMPRESSION, CLASS 2, SIZE: SMALL 38	EA	ITEMIZED	1040
269	4224200410200	SOCKS, ABOVE KNEE RESIDUAL, LIMB COMPRESSION, CLASS 2, SIZE: EXTRA SMALL 46	EA	ITEMIZED	1040
270	4224200410100	SOCKS, ABOVE KNEE RESIDUAL, LIMB COMPRESSION, CLASS 2, SIZE: EXTRA SMALL 38	EA	ITEMIZED	1040

SN	NUPCO CODE	ITEM DESCRIPTION	UOM	GROUP CATEGORY	INITIAL QUANTITY
271	4618221106300	SPINAL BRACE SYSTEM, CUT - 4 - CUSTOM, FOR IMMEDIATE FIT OF INDIVIDUAL BRACE, CONSISTS OF FRONT + BACK, PANEL OF LOW TEMPERATURE, THERMOPLASTIC MATERIAL, 4 DIFFERENT HEIGHTS ACCOMMODATE PRESCRIPTION AND PATIENT ANATOMY (LSO AND TLSO) , AERATED FOR BREATHABILITY, LIGHTWEIGHT, NON - TOXIC, NO REPORTS OF SKIN IRRITATION, CAN BE USED IN SHOWER, MAY BE RE - HEATED AND REFORMED, WEAVE STRUCTURE OF MATERIAL, ALLOWS FOR EFFECTIVE VENTILATION, QUICK FIT AT 1 VISIT, CAN BE WORN IN SHOWER, POSSIBLE TO USE AVAILABLE COVER TO PROVIDE SOFT INTERFACE BETWEEN BRACE AND SKIN, POST - OPERATIVE TREATMENT, COMPRESSION FRACTURES, IMMOBILIZATION	EA	ITEMIZED	302
272	4224170641300	SPLINT LEG POSTURAL ORTHOSIS FOR POSITIONING OF LOWER LIMB EASY FITTING ANTIDECUBITUS HEEL COMFORTABLE PADS FOR THE PATIENT FORMED FOAM IN THE CALF AREA OPENING IN THE HEEL AREA TO PREVENT POSSIBLE PRESSURE SORES PLANTAR TRIANGLE THAT ALLOWS ROTATIONAL REGULATION (- 15 DEGREE 0 DEGREE + 15 DEGREE) IMMOBILIZATION POSITIONAL CONTROL PREVENTION OF DEFORMITIES OF PATIENTS POST - OPERATIVE HIP KNEE AND FOOT WHICH REQUIRE THE POSITIONING OF THE LOWER EXTREMITY ANTIDECUBITUS BY PADDING MAINLY IN THE HEEL AREA DUE TO THE FORMED OPENING IN THE FOAM AND IN FINGERS DUE TO THE PLANT HEIGHT WHICH PREVENTS THE SHEETS CONTACT	EA	ITEMIZED	603
273	4224150008600	SPLINTING, MATERIAL, NON-PERFORATED, 0.3 X 94 X 50 CM SHEET	EA	ITEMIZED	980
274	4224200039800	STABILITY BOOTS FOR CHILDREN, WIDE FITTING MADE FROM FULL GRAIN COW/CALF LEATHER IN A SELECTION OF COLORS, AVAILABLE IN 8 WIDTHS-NARROW - WIDE. STITCH DOWN CONSTRUCTION, LACE CLOSING, SUPPORTIVE FOOTWEAR CAN ASSIST CHILDREN WITH MOBILITY IMPAIRMENTS IMPROVING THEIR FUNCTION, STABILITY AND POSTURE. SOFT PADDING AROUND THE COLLAR AND ANKLE FOR A BETTER FIT, A HIGH AND EXTRA-LONG STIFFENER TO SUPPORT THE ANKLE, FULL LEATHER INSOLE, EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE-UNIT, SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF, REMOVABLE PROFILED CORK INLAY, INSIDE SHOE, HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES, EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY, EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT, SOFT TONGUE PADDING TO MOLD THE SHOE ROUND THE FOOT, ASSORTED SIZES, BOOTS HEIGHT UP TO 125MM, 3 DIFFERENT COLORS IN CATALOGUE	PAA	ITEMIZED	260
275	4224170910300	STABILITY FOOTWEAR SANDAL, HIGH COUNTERS (STIFFENERS) , THEY PROVIDE GREATER SUPPORT AND ARE SUITABLE FOR MORE SEVERE INSTABILITY OF THE FOOT AND ANKLE COMPLEX, SIZE 37, ASSORTED COLORS (AT LEAST 3 DIFFERENT COLORS IN CATALOGUE)	EA	ITEMIZED	780
276	4224170910600	STABILITY FOOTWEAR SANDAL, HIGH COUNTERS (STIFFENERS) , THEY PROVIDE GREATER SUPPORT AND ARE SUITABLE FOR MORE SEVERE INSTABILITY OF THE FOOT AND ANKLE COMPLEX, SIZE 38, ASSORTED COLORS (AT LEAST 3 DIFFERENT COLORS IN CATALOGUE)	EA	ITEMIZED	780
277	4224170910900	STABILITY FOOTWEAR SANDAL, HIGH COUNTERS (STIFFENERS) , THEY PROVIDE GREATER SUPPORT AND ARE SUITABLE FOR MORE SEVERE INSTABILITY OF THE FOOT AND ANKLE COMPLEX, SIZE 39, ASSORTED COLORS (AT LEAST 3 DIFFERENT COLORS IN CATALOGUE)	EA	ITEMIZED	780
278	4224170911200	STABILITY FOOTWEAR SANDAL, HIGH COUNTERS (STIFFENERS) , THEY PROVIDE GREATER SUPPORT AND ARE SUITABLE FOR MORE SEVERE INSTABILITY OF THE FOOT AND ANKLE COMPLEX, SIZE 40, ASSORTED COLORS (AT LEAST 3 DIFFERENT COLORS IN CATALOGUE)	EA	ITEMIZED	780
279	4224150402200	STOCKINETTE, NYLGLASS, WHITE, BLEND OF NYLON AND FIBERGLASS, WIDTH 40 MM, LENGTH 36.4 METER, APPROXIMATELY	EA	ITEMIZED	254
280	4224200447100	STUMP SOCK, SPACER FABRIC, PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION, MACHINE WASHABLE SIZE - MEDIUM - LENGTH 20-26CM APPROXIMATELY	EA	ITEMIZED	860
281	4224200447200	STUMP SOCK, SPACER FABRIC, PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION, MACHINE WASHABLE SIZE - MEDIUM - LENGTH 26-36CM APPROXIMATELY	EA	ITEMIZED	860

SN	NUPCO CODE	ITEM DESCRIPTION	UOM	GROUP CATEGORY	INITIAL QUANTITY
282	4224200447300	STUMP SOCK, SPACER FABRIC, PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION, MACHINE WASHABLE SIZE - MEDIUM - LENGTH 36-46CM APPROXIMATELY	EA	ITEMIZED	860
283	4224200447400	STUMP SOCK, SPACER FABRIC, PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION, MACHINE WASHABLE SIZE - MEDIUM - LENGTH 46-60CM APPROXIMATELY	EA	ITEMIZED	860
284	4224200447500	STUMP SOCK, SPACER FABRIC, PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION, MACHINE WASHABLE SIZE - NARROW - LENGTH 20-26CM APPROXIMATELY	EA	ITEMIZED	860
285	4224200447600	STUMP SOCK, SPACER FABRIC, PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION, MACHINE WASHABLE SIZE - NARROW - LENGTH 26-36CM APPROXIMATELY	EA	ITEMIZED	860
286	4224200447700	STUMP SOCK, SPACER FABRIC, PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION, MACHINE WASHABLE SIZE - NARROW - LENGTH 36-46CM APPROXIMATELY	EA	ITEMIZED	860
287	4224200447800	STUMP SOCK, SPACER FABRIC, PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION, MACHINE WASHABLE SIZE - NARROW - LENGTH 46-60CM APPROXIMATELY	EA	ITEMIZED	860
288	4224200447900	STUMP SOCK, SPACER FABRIC, PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION, MACHINE WASHABLE SIZE - WIDE - LENGTH 20-26CM APPROXIMATELY	EA	ITEMIZED	860
289	4224200448000	STUMP SOCK, SPACER FABRIC, PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION, MACHINE WASHABLE SIZE - WIDE - LENGTH 26-36CM APPROXIMATELY	EA	ITEMIZED	860
290	4224200448100	STUMP SOCK, SPACER FABRIC, PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION, MACHINE WASHABLE SIZE - WIDE - LENGTH 36-46CM APPROXIMATELY	EA	ITEMIZED	860
291	4224200448200	STUMP SOCK, SPACER FABRIC, PROVIDES EXCELLENT AIR AND MOISTURE PERMEABILITIES, CUSHION PERFORMANCE, GOOD FOR PRESSURE DISTRIBUTION, MACHINE WASHABLE SIZE - WIDE - LENGTH 46-60CM APPROXIMATELY	EA	ITEMIZED	860
292	4224200140700	SYMES LAMINATED PROSTHESES ADULT DESIGNED TO ASSIST IN FOREFOOT/MIDFOOT AND ANKLE DISARTICULATION AMPUTATION A POSTERIOR OPENING, SKIN COLOR. SIZE AND SIDE WILL BE SPECIFIED WHEN ORDERED FOR EACH PATIENT INDIVIDUAL, INCLUDES: PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, DELIVERY, FITTING BY CERTIFIED PROSTHETIST ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP. WARRANTY 2 YEARS. WITH THE COMMITMENT WITH APPENDIX D.	EA	ITEMIZED	364
293	4224200140800	SYMES LAMINATED PROSTHESES PEDIATRIC DESIGNED TO ASSIST IN FOREFOOT/MIDFOOT AND ANKLE DISARTICULATION AMPUTATION A POSTERIOR OPENING, SKIN COLOR. SIZE AND SIDE WILL BE SPECIFIED WHEN ORDERED FOR EACH PATIENT INDIVIDUAL, INCLUDES: PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, DELIVERY, FITTING BY CERTIFIED PROSTHETIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP. WARRANTY 2 YEARS WITH THE COMMITMENT WITH APPENDIX D.	EA	ITEMIZED	174
294	4224200015000	SYSTEM, ANKLE, JOINTS, WITH LAMINATION PIECES, RIGHT SYSTEM, WIDTH 20 MM	PAA	ITEMIZED	380

SN	NUPCO CODE	ITEM DESCRIPTION	UOM	GROUP CATEGORY	INITIAL QUANTITY
295	4224200019500	THERMOPLASTIC POLYURETHANE (TPU) LIGHT WEIGHT, HIGH PERFORMANCE FILAMENT, HIGH STRENGTH DESIGNED FOR VERY STRONG MECHANICAL PROPERTIES, RESISTANT TO WEAR AND TEAR, ALLOWS FOR VARIETY OF COMBINATION IN THICKNESS AND DESIGN OF DIFFERENT PROSTHETIC AND ORTHOTIC DEVICES, USED IN 3D PRINTING OF PROSTHETIC SOCKET AND ORTHOTIC BRACES, 1.75MM, 1000 G, COLOR ON DEMAND	ROL	ITEMIZED	50
296	4618221105800	TLSO BIVALVE CORSET WITH BOA CLOSURE MICRO ADJUSTMENT NON - TAPERED SIZE FROM EXTRA SMALL TO XXX-LARGE OVERLAPPING ON THE FRONT FACE THE FLEXIBILITY OF THE MATERIAL MAKES IT EASY THE ADAPTATION TO MOST OF THE PATIENTS THE STRENGTH OF THE MATERIAL MAINTAINS THE STABILIZATION AND IMMOBILIZATION THAT IS NECESSARY FOR THE PATHOLOGIES FOR WHICH HAS BEEN DESIGNED STABILIZATION AND IMMOBILIZATION CORRECTION OF THE HYPERLORDOSIS INTRA - ABDOMINAL COMPRESSION DISCHARGE OF THE LS SPINE CONTROL OF MOBILITY IN THE SAGITTAL FRONTAL AND LATERAL PLANES LUMBAR SPINE AILMENTS CANAL STENOSIS SPONDYLOLYSIS SPONDYLOARTHRITIS OSTEOPOROSIS	EA	ITEMIZED	920
297	4224200039900	TOE STRAIGHTENER SPLINT, USE FOR MULTIPLE TOES DEFORMITY LIKE HAMMER, CLAW AND Mallet TOES, TO EXTEND THE TOES AND AVOID FURTHER DEFORMITY, CAN BE FIT AND WEAR INSIDE THE SHOES ON DAILY TIME.	PAA	ITEMIZED	1800
298	4224170316500	UNLOAD THE MEDIAL OR LATERAL COMPARTMENT OF THE KNEE, ALLOWS FOR ADJUSTMENT AND CONTROL IN SAGITTAL, CORONAL, AND TRANSVERSE PLANES OF THE KNEE, INTEGRAL ADHESION LAYERS, DESIGNED TO PREVENT MIGRATION OF THE ORTHOSIS, COST - EFFECTIVE, RELIEVES PAIN OF OSTEOARTHRITIS, PREVENTS FURTHER PROGRESSION OF OSTEOARTHRITIS, MILD TO MODERATE UNI - COMPARTMENTAL OSTEOARTHRITIS OF THE KNEE. SIZES AND SIDE WILL BE ON DEMAND	EA	ITEMIZED	608
299	4224150505500	VELCRO STICKING COTTON STRAPS, 50MM X 5M ROLL, THIN COTTON LINING WITH STICKING CRUTCHES FOR STRAPS	EA	ITEMIZED	800
300	4224150505600	VELCRO VELCOINS FASTENING NYLON STRAPS 13 MM X 25 M ROLL FASTENERS WITH ACRYLIC ADHESIVE ON THE BACK	EA	ITEMIZED	820
301	4224152004300	WEBBING, ELASTIC, WIDTH 35 MM, WHITE, ROLL OF 25 METERS	EA	ITEMIZED	170
302	4213150700000	WIDE FITTING DIABETIC SHOES, AVAILABLE IN, SIZE 18-49 AND AVAILABLE IN MULTIPLE WIDTHS, SPECIFICATION, SOFT FULL GRAINE COW/CALF LEATHER REAR PART OF SHOE WITH A LYCRA MATERIAL TO THE FRONT OF THE SHOE ALLOWING IT TO STRETCH, SEAMLESS CHAMOIS COW LEATHER OR MOLESKIN LINING, NEOPRENE VAMP, PADDED COLLARS THROUGH WEDGE SOLE UNIT, BLACK, VELCRO OR EQUIVALENT CLOSING AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION ; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT ; EXTRA DEPTH DESIGN THAT PROVIDES A PRESSURE-FREE FIT AND CAN ACCOMMODATE THICK ORTHOTIC INSERTS ; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT AND AVOIDS PRESSURE ON THE TOES ; LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY, AND REDUCE IMPACTS ON THE FOOT, ANTI SLIP SOLE	PAA	ITEMIZED	5440
303	4224200019800	WOVEN POLY VINYL ALCOHOL BASED NSP STOCKINETTE, FOR FABRICATION OF THIN -WALLED, HIGH-STRENGTH, WIDTH 100 MM, LENGTH/ROLL 10-15 METER	ROL	ITEMIZED	240
304	4224200032900	SINGLE-HOOK SPANNER KIT, STEEL, AN ORTHOTICS WORKSHOP TOOL	KIT	ITEMIZED	44
305	4224200032000	HEEL PULLER (HAMMER) , AN ORTHOTICS WORKSHOP TOOL, FOR SHOEMAKER PURPOSE	EA	ITEMIZED	94
306	4224200030900	LIMBMAKER'S VISE, AN ORTHOTICS WORKSHOP TOOL, CLAMPING DEVICE FOR INSTALLATION UNDER THE WORKBENCH, ROTATING AND EXTENDABLE, CLAMPING EXHAUST TUBES OF DIFFERENT SIZES, DIMENSIONS (W X D X H) 100 X 625 X 115 MM, WEIGHT 5-7 KG	EA	ITEMIZED	42
307	4224200031900	SPREADING PLIERS, AN ORTHOTICS WORKSHOP TOOL	EA	ITEMIZED	102