

TENDER NAME: PROSTHESIS AND ORTHOSIS

SN	NUPCO CODE	ITEM DESCRIPTION	UOM	GROUP CATEGORY	INITIAL QUANTITY
1	4618170400000	CUSTOM MADE HELMETS, CRANIAL REMOULDING, TO TREAT DEFORMATIONAL PLAGIOCEPHALY, BRACHYCEPHALY, SCAPHOCEPHALY, CRANIOSYNOSTOSIS AND OTHER HEAD SHAPE DEFORMATIONS IN INFANTS 3-18 MONTHS OF AGE, MATERIALS INCLUDE SEMI-RIGID/RIGID PLASTIC, HYPO ALLERGENIC FOAM LINERS, MULTIPLE DESIGNS BASED UPON PATIENT NEEDS AND CONDITIONS, MEASUREMENTS TAKEN BY CERTIFIED ORTHOTIST USING LASER SCANNING TECHNOLOGY OR SIMILAR SCANNING TECHNOLOGIES THAT CAN GENERATE 3D REPORTS TO COMPARE HEAD SHAPE CHANGES OVER TIME, CLINICAL SERVICES INCLUDE PATIENT ASSESSMENT AT CUSTOMER'S PREMISES, MEASURING AND SCANNING, FITTING AND ANY FOLLOW-UP ADJUSTMENTS NEEDED BY A CERTIFIED ORTHOTIST, DELIVERY, FITTING BY CERTIFIED ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS (APPENDIX A)	Kit	ITEMIZED	70
2	4221150902200	HELMET, FLEXIBLE PROTECTIVE, FABRICATED FROM A FLEXIBLE PLASTIC WITH ANTI - BACTERIAL PADDING, SIZE 40 - 43 CM, APPROXIMATELY	each	ITEMIZED	400
3	4221150900300	HELMET, FLEXIBLE PROTECTIVE, FABRICATED FROM A FLEXIBLE PLASTIC WITH ANTI - BACTERIAL PADDING, SIZE 43 - 46 CM, APPROXIMATELY	each	ITEMIZED	200
4	4221150900900	HELMET, FLEXIBLE PROTECTIVE, FABRICATED FROM A FLEXIBLE PLASTIC WITH ANTI - BACTERIAL PADDING, SIZE 45 - 51 CM, APPROXIMATELY	each	ITEMIZED	200
5	4221150900400	HELMET, FLEXIBLE PROTECTIVE, FABRICATED FROM A FLEXIBLE PLASTIC WITH ANTI - BACTERIAL PADDING, SIZE 46 - 48 CM, APPROXIMATELY	each	ITEMIZED	200
6	4221150901000	HELMET, FLEXIBLE PROTECTIVE, FABRICATED FROM A FLEXIBLE PLASTIC WITH ANTI - BACTERIAL PADDING, SIZE 51 - 53 CM, APPROXIMATELY	each	ITEMIZED	200
7	4221150900500	HELMET, FLEXIBLE PROTECTIVE, FABRICATED FROM A FLEXIBLE PLASTIC WITH ANTI - BACTERIAL PADDING, SIZE 53 - 56 CM, APPROXIMATELY	each	ITEMIZED	200
8	4221150900600	HELMET, FLEXIBLE PROTECTIVE, FABRICATED FROM A FLEXIBLE PLASTIC WITH ANTI - BACTERIAL PADDING, SIZE 56 - 58 CM, APPROXIMATELY	each	ITEMIZED	200
9	4221150900700	HELMET, FLEXIBLE PROTECTIVE, FABRICATED FROM A FLEXIBLE PLASTIC WITH ANTI - BACTERIAL PADDING, SIZE 58 - 61 CM, APPROXIMATELY	each	ITEMIZED	170
10	4221150901100	HELMET, FLEXIBLE PROTECTIVE, FABRICATED FROM A FLEXIBLE PLASTIC WITH ANTI - BACTERIAL PADDING, SIZE 61 - 64 CM, APPROXIMATELY	each	ITEMIZED	150
11	4221150900800	HELMET, FLEXIBLE PROTECTIVE, FABRICATED FROM A FLEXIBLE PLASTIC WITH ANTI - BACTERIAL PADDING, SIZE 64 - 66 CM, APPROXIMATELY	each	ITEMIZED	130
12	4224210301600	CERVICAL ORTHOSIS, STERNO OCCIPITAL MANDIBULAR IMMOBILIZER TYPE (S.O.M.I), SIZE LARGE	each	ITEMIZED	200
13	4224180000000	CERVICAL ORTHOSIS, STERNO OCCIPITAL MANDIBULAR IMMOBILIZER TYPE (S.O.M.I), SIZE SMALL	each	ITEMIZED	200
14	4224180309600	CERVICAL SUPPORT, MINERVA OR EQUIVALENT, TO SUPPORT AND STABILIZE CERVICAL SPINE AND UPPER THORACIC SPINE, SIZE PEDIATRIC, 230 - 280 MM APPROXIMATELY	each	ITEMIZED	60
15	4224180309700	CERVICAL SUPPORT, MINERVA OR EQUIVALENT, TO SUPPORT AND STABILIZE CERVICAL SPINE AND UPPER THORACIC SPINE, SIZE SMALL, 280 - 330 MM APPROXIMATELY	each	ITEMIZED	90
16	4224180309800	CERVICAL SUPPORT, MINERVA OR EQUIVALENT, TO SUPPORT AND STABILIZE CERVICAL SPINE AND UPPER THORACIC SPINE, SIZE REGULAR, 330 - 410 MM APPROXIMATELY	each	ITEMIZED	150
17	4224180309500	CERVICAL THORACIC ORTHOSIS, NON-INVASIVE HALO SYSTEM, PROVIDE CERVICAL SPINE CONTROL, CONTROLS ROTATION AND LATERAL BENDING OF CERVICAL SPINE, PINLESS, POSTOPERATIVE POSITIONING FOLLOWING STERNOCLEIDOMASTOID RELEASE FOR CONGENITAL MUSCULAR TORTICOLLIS REDUCTION OF C1-C2 ROTARY INSTABILITY, ASSORTED SIZES	each	ITEMIZED	150
18	4224180306300	NON-INVASIVE HALO FOR CERVICAL STABILIZATION MRI COMPATIBLE, SIZE: UNIVERSAL, ADULT	SET	ITEMIZED	280
19	4618221108600	CERVICAL THORACIC LUMBAR SACRAL ORTHOSIS, PROVIDES ANTERIOR, POSTERIOR, LATERAL, AND ROTATIONAL CONTROL (APL AND R), FULLY ADJUSTABLE CONTAINS WASHABLE FOAM LINERS AND A REMOVABLE FOAM LUMBAR PAD, SIZE LARGE	each	ITEMIZED	200
20	4618221106900	CERVICAL THORACIC LUMBAR SACRAL ORTHOSIS, PROVIDES ANTERIOR, POSTERIOR, LATERAL, AND ROTATIONAL CONTROL (APL AND R), FULLY ADJUSTABLE CONTAINS WASHABLE FOAM LINERS AND A REMOVABLE FOAM LUMBAR PAD, SIZE MEDIUM	each	ITEMIZED	200
21	4618221106800	CERVICAL THORACIC LUMBAR SACRAL ORTHOSIS, PROVIDES ANTERIOR, POSTERIOR, LATERAL, AND ROTATIONAL CONTROL (APL AND R), FULLY ADJUSTABLE CONTAINS WASHABLE FOAM LINERS AND A REMOVABLE FOAM LUMBAR PAD, SIZE SMALL	each	ITEMIZED	200
22	4224180000400	KNIGHT TAYLOR TLSO, EXTRA LARGE	each	ITEMIZED	1600
23	4224180000300	KNIGHT TAYLOR TLSO, LARGE	each	ITEMIZED	1600
24	4224180000200	KNIGHT TAYLOR TLSO, MEDIUM	each	ITEMIZED	1600
25	4224180000100	KNIGHT TAYLOR TLSO, SMALL	each	ITEMIZED	700
26	4618221102800	TLSO (THORACIC LUMBAR SACRAL ORTHOSIS), RIGID BRACE, MAXIMUM CONTROL FOR SPINAL IMMOBILIZATION AND COMPRESSION FRACTURES, BIVALVE, PROVIDES ABDOMINAL COMPRESSION, ASSORTED SIZE	each	ITEMIZED	1000
27	4618221108500	TLSO (THORACIC LUMBAR SACRAL ORTHOSIS), RIGID BRACE, MAXIMUM CONTROL FOR SPINAL IMMOBILIZATION AND COMPRESSION FRACTURES, BIVALVE, PROVIDES ABDOMINAL COMPRESSION, WITH ADJUSTABLE STERNAL PIECE (SPK) AND SHOULDER STRAPS, ADJUSTABLE FRONT AND BACK, SIZE XX-LARGE	each	ITEMIZED	50
28	4618221108400	TLSO (THORACIC LUMBAR SACRAL ORTHOSIS), RIGID BRACE, MAXIMUM CONTROL FOR SPINAL IMMOBILIZATION AND COMPRESSION FRACTURES, BIVALVE, PROVIDES ABDOMINAL COMPRESSION, WITH ADJUSTABLE STERNAL PIECE (SPK) AND SHOULDER STRAPS, ADJUSTABLE FRONT AND BACK, SIZE X-LARGE	each	ITEMIZED	100
29	4618221108300	TLSO (THORACIC LUMBAR SACRAL ORTHOSIS), RIGID BRACE, MAXIMUM CONTROL FOR SPINAL IMMOBILIZATION AND COMPRESSION FRACTURES, BIVALVE, PROVIDES ABDOMINAL COMPRESSION, WITH ADJUSTABLE STERNAL PIECE (SPK) AND SHOULDER STRAPS, ADJUSTABLE FRONT AND BACK, SIZE LARGE	each	ITEMIZED	100
30	4618221108200	TLSO (THORACIC LUMBAR SACRAL ORTHOSIS), RIGID BRACE, MAXIMUM CONTROL FOR SPINAL IMMOBILIZATION AND COMPRESSION FRACTURES, BIVALVE, PROVIDES ABDOMINAL COMPRESSION, WITH ADJUSTABLE STERNAL PIECE (SPK) AND SHOULDER STRAPS, ADJUSTABLE FRONT AND BACK, SIZE MEDIUM	each	ITEMIZED	100
31	4618221108100	TLSO (THORACIC LUMBAR SACRAL ORTHOSIS), RIGID BRACE, MAXIMUM CONTROL FOR SPINAL IMMOBILIZATION AND COMPRESSION FRACTURES, BIVALVE, PROVIDES ABDOMINAL COMPRESSION, WITH ADJUSTABLE STERNAL PIECE (SPK) AND SHOULDER STRAPS, ADJUSTABLE FRONT AND BACK, SIZE SMALL	each	ITEMIZED	100
32	4618221104900	TLSO (THORACIC LUMBAR SACRAL ORTHOSIS), SEMI RIGID BRACE, FOR SPINAL IMMOBILIZATION AND COMPRESSION FRACTURES, BIVALVE, BOA CLOSURE, PROVIDES ABDOMINAL COMPRESSION, ADJUSTABLE FRONT AND BACK PANEL, REMOVABLE WASHABLE COVER, ASSORTED SIZE	each	ITEMIZED	100
33	4618221102200	TLSO (THORACIC LUMBAR SACRAL ORTHOSIS), SEMI RIGID BRACE, FOR SPINAL IMMOBILIZATION AND COMPRESSION FRACTURES, BIVALVE, BOA CLOSURE, PROVIDES ABDOMINAL COMPRESSION, ADJUSTABLE FRONT AND BACK PANEL, REMOVABLE WASHABLE COVER, WITH DORSAL LUMBAR EXTENSION, ASSORTED SIZE	Pair	ITEMIZED	175
34	4618221102300	TLSO (THORACIC LUMBAR SACRAL ORTHOSIS), SEMI RIGID BRACE, FOR SPINAL IMMOBILIZATION AND COMPRESSION FRACTURES, BIVALVE, VELCRO CLOSURE, PROVIDES ABDOMINAL COMPRESSION, ADJUSTABLE FRONT AND BACK PANEL, REMOVABLE WASHABLE COVER, ASSORTED SIZE	each	ITEMIZED	250
35	4224180001800	TLSO (THORACIC LUMBAR SACRAL ORTHOSIS), BOSTON SOFT BODY JACKET, FOR SCOLIOSIS, CUSTOM MADE, INCLUDES PATIENT ASSESSMENT AT CUSTOMERS PREMISES MEASURING UP (APPENDIX A)	each	ITEMIZED	25

TENDER NAME: PROSTHESIS AND ORTHOSIS

SN	NUPCO CODE	ITEM DESCRIPTION	UOM	GROUP CATEGORY	INITIAL QUANTITY
36	4618221102900	TLSO (THORACIC LUMBAR SACRAL ORTHOSIS), BOSTON TYPE BRACE, FOR SCOLIOSIS, ADOLESCENT, ASSORTED SIZE	each	ITEMIZED	25
37	4618221103100	TLSO (THORACIC LUMBAR SACRAL ORTHOSIS), BOSTON TYPE BRACE, FOR SCOLIOSIS, JUV SIZE	each	ITEMIZED	25
38	4618221103000	TLSO (THORACIC LUMBAR SACRAL ORTHOSIS), BOSTON TYPE BRACE, FOR SCOLIOSIS, YOUTH SIZE	each	ITEMIZED	25
39	4618221106200	CUSTOM MADE, TLSO (THORACIC LUMBAR SACRAL ORTHOSIS), BOSTON TYPE BRACE, FOR SCOLIOSIS, INCLUDES PATIENT ASSESSMENT AT CUSTOMERS PREMISES MEASURING INCLUDES ALL REQUIRED MATERIALS/COMPONENTS TO FABRICATE PROSTHESIS DELIVERY FITTING BY CERTIFIED ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP (APPENDIX A)	each	ITEMIZED	30
40	4224200122600	HYPEREXTENSION SPINAL ORTHOSIS, CONTINUOUS HEIGHT ADJUSTMENT, WATERPROOF, UP TO SIZE 150 CM	each	ITEMIZED	70
41	4618221106500	ORTHOSIS, CRUCIFORM ANTERIOR SPINAL HYPEREXTENSION (CASH), UNIVERSAL, FOR EXTREMELY, LARGE OR SMALL PATIENT	each	ITEMIZED	1800
42	4224180802300	PECTUS CARINATUM ORTHOSIS WITH RATCHET CLOSURE PROVIDES INCREASED ANTERIOR/POSTERIOR DIRECTED CORRECTIVE COMPRESSION FORCES, SIZE: 65-90 CM	each	ITEMIZED	15
43	4618221104700	SPINAL BRACE, OSTEOPOROSIS THERAPY BACK INELASTIC LIGHTWEIGHT AND HIGHLY BREATHABLE FABRIC SCAPULOAXILLARY STRAPS THAT FACILITATE THE RETROPULSION OF THE SHOULDERS EASILY ADJUSTABLE.WIDE LOOPS FOR EASY PLACEMENT MICRO VELCRO CLOSURE OSTEOPOROSIS DEGENERATIVE PROCESSES DEGENERATIVE DISCOPATHIES MUSCLE HYPOTONIA OSTEOPOROTIC FRACTURE LOW BACK PAIN AND BACK PAIN POSTURAL REHABILITATION POST - OPERATIVE LIGHTWEIGHT CONFORMAL ALUMINUM SPLINT POSTERIOR FOR SPINE POSTURE CONTROL	each	ITEMIZED	70
44	4224200217100	PROSTHETIC MODULAR SHOULDER UNIT, 2 INDEPENDENT FRICTION CONTROLS FOR FLEXION/EXTENSION AND ABDUCTION/ADDUCTION	each	ITEMIZED	25
45	4224171316300	PROSTHETIC SHOULDER JOINT, FREE SWING MOVEMENT, FOR FUNCTION IN COMBINATION WITH HIGH TECH COMPONENTS, LEFT	each	ITEMIZED	25
46	4224171316400	PROSTHETIC SHOULDER JOINT, FREE SWING MOVEMENT, FOR FUNCTION IN COMBINATION WITH HIGH TECH COMPONENTS, RIGHT	each	ITEMIZED	25
47	4224200215900	ELBOW COMPONENT WITH CABLE LOCK, AND AUTOMATIC FOR ARM BALANCE SUITABLE FOR ALL AMPUTATION LEVELS AND FOR ELBOW DISARTICULATION FOR HAND, SIZE 6 3/4 - 7 1/4 APPROXIMATELY	each	ITEMIZED	25
48	4224200216000	ELBOW COMPONENT WITH CABLE LOCK, AND AUTOMATIC FOR ARM BALANCE SUITABLE FOR ALL AMPUTATION LEVELS AND FOR ELBOW DISARTICULATION FOR HAND, SIZE 7 3/4 - 8 APPROXIMATELY	each	ITEMIZED	25
49	4224200215800	ELBOW JOINT COMPATIBLE WITH PASSIVE CABLE-CONTROLLED AND MYOELECTRIC ARM PROSTHESIS SYSTEM FOR CHILDREN WRIST CONNECTION DIAMETER 34 MM APPROXIMATELY	each	ITEMIZED	25
50	4224200214400	ELBOW JOINT, AUTOMATIC LOCK, EXTERNAL, STAINLESS STEEL, LEFT MEDIAL	each	ITEMIZED	50
51	4224200214500	ELBOW JOINT, AUTOMATIC LOCK, EXTERNAL, STAINLESS STEEL, LEFT/RIGHT LATERAL	each	ITEMIZED	50
52	4224200214600	ELBOW JOINT, AUTOMATIC LOCK, EXTERNAL, STAINLESS STEEL, RIGHT MEDIAL	each	ITEMIZED	50
53	4224200008900	LAMINATION RING FOR MYOQUICK DISCONNECT HAND SIZE 8 1/4 INCHES APPROXIMATELY	each	ITEMIZED	50
54	4224200009000	LAMINATION RING, FOR BABY HAND	each	ITEMIZED	50
55	4224200214200	PROSTHETIC ELBOW JOINT, AUTOMATIC LOCKING, MORE THAN 7 LOCKING POSITIONS, ELBOW SIZE 58 MM APPROXIMATELY, ASSORTED COLOR	each	ITEMIZED	50
56	4224200213800	PROSTHETIC ELBOW JOINT, AUTOMATIC, MORE THAN 7 LOCKING POSITIONS, ELBOW SIZE 64 MM APPROXIMATELY, ASSORTED COLOR	each	ITEMIZED	50
57	4224200214000	PROSTHETIC ELBOW JOINT, AUTOMATIC, MORE THAN 7 LOCKING POSITIONS, ELBOW SIZE 70 MM APPROXIMATELY, ASSORTED COLOR	each	ITEMIZED	50
58	4224200220400	CUSTOM MADE, MICROPROCESSOR CONTROLLED MULTI ARTICULATING, TRANSRADIAL AND WRIST DISARTICULATION, GRIP COMPLIANT WITH PROPORTIONAL CONTROL, INDIVIDUALLY MOTORIZED DIGITS WITH COMPLIANT GRIP AND STALL-OUT ABILITY, MANUALLY ROTATABLE THUMB THAT CAN BE POSITIONED BETWEEN LATERAL AND GRIP, OPPOSITIONAL MODE FOR CREATING DIFFERENT GRIP POSITIONS, APP CONTROL, 12 DIFFERENT AUTOMATED GRIP OPTIONS AVAILABLE, ANTI DROP SAFETY FEATURE, MULTIPLE COVERING, INCREASES CARRY LOAD, GRIPS THAT ARE USED IN CERTAIN AREAS OR CERTAIN ACTIVITIES CAN BE PROGRAMMED, NATURAL LOOK, TOUCH SCREEN, ABLE TO WITHSTAND HEAVIER LOADS, INCLUDES PATIENT ASSESSMENT, MEASURING, INCLUDES ALL REQUIRED MATERIALS/COMPONENTS TO FABRICATE PROSTHESIS, DELIVERY, FITTING BY CERTIFIED ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP (APPENDIX A)	Kit	ITEMIZED	10
59	4224200215500	CUSTOM MADE, MICROPROCESSOR-CONTROLLED ELBOW JOINT WITH ADJUSTABLE FRICTION, WITH CONTINUOUS GEARING, HIGH LIFTING AND HOLDING FORCE, LOW NOISE LEVEL, NO NOISE AT ALL DURING FREE SWING, NATURAL FREE SWING BEHAVIOUR AND ACTIVE ELBOW COMPONENT WITH LIFTING LOAD CAPACITY OF (6 KG) APPROXIMATELY, WITH INTEGRATED LITHIUM ION BATTERY, FOREARM LAMINATION RING 45 MM APPROXIMATELY, ELECTRIC ROTATOR, AND SYSTEM ELECTRIC HAND WITH QUICK-DISCONNECT WRIST UNIT, PROPORTIONAL SPEED 15 – 300 MM/SEC, OPENING WIDTH 100 MM APPROXIMATELY, COSMETIC GLOVE, WITH COMPLETE ACCESSORIES INCLUDING PROGRAM AND TRAINING, 3 YEARS WARRANTY, SIZE, SIDE AND COLOR WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL. INCLUDES - PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING AND REQUIRED MATERIALS/COMPONENTS TO FABRICATE PROSTHESIS, DELIVERY, FITTING BY CERTIFIED ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP (APPENDIX A)	Kit	ITEMIZED	10
60	4224200215600	MICROPROCESSOR-CONTROLLED ELBOW JOINT WITH ADJUSTABLE FRICTION, WITH CONTINUOUS GEARING, HIGH LIFTING AND HOLDING FORCE, LOW NOISE LEVEL, NO NOISE AT ALL DURING FREE SWING, NATURAL FREE SWING BEHAVIOUR AND ACTIVE ELBOW COMPONENT WITH LIFTING LOAD CAPACITY OF (6 KG APPROXIMATELY), WITH INTEGRATED LITHIUM ION BATTERY, FOREARM LAMINATION RING 45 MM APPROXIMATELY, INCLUDES : ELECTRIC ROTATOR, AND SYSTEM ELECTRIC HAND WITH QUICK-DISCONNECT WRIST UNIT, PROPORTIONAL SPEED 15 – 300 MM/SEC, OPENING WIDTH 100 MM APPROXIMATELY, COSMETIC GLOVE, WITH COMPLETE ACCESSORIES INCLUDING PROGRAM AND TRAINING, 3 YEARS WARRANTY, SIZE, SIDE AND COLOR WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL.	SET	ITEMIZED	10
61	4224200215700	CUSTOM MADE, MICROPROCESSOR-CONTROLLED ELBOW JOINT WITH ADJUSTABLE FRICTION, WITH CONTINUOUS GEARING, HIGH LIFTING AND HOLDING FORCE, LOW NOISE LEVEL, NO NOISE AT ALL DURING FREE SWING, NATURAL FREE SWING BEHAVIOUR AND ACTIVE ELBOW COMPONENT WITH LIFTING LOAD CAPACITY OF (6 KG), WITH INTEGRATED LITHIUM ION BATTERY, FOREARM LAMINATION RING 50 MM, INCLUDES : ELECTRIC ROTATOR, AND SYSTEM ELECTRIC HAND WITH QUICK-DISCONNECT WRIST UNIT, PROPORTIONAL SPEED 15 – 300 MM/SEC, OPENING WIDTH 100 MM, COSMETIC GLOVE, WITH COMPLETE ACCESSORIES INCLUDING PROGRAM AND TRAINING, 3 YEARS WARRANTY, SIZE, SIDE AND COLOR WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL. INCLUDES - PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING AND REQUIRED MATERIALS/COMPONENTS TO FABRICATE PROSTHESIS, DELIVERY, FITTING BY CERTIFIED ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP (APPENDIX A)	Kit	ITEMIZED	10

TENDER NAME: PROSTHESIS AND ORTHOSIS

SN	NUPCO CODE	ITEM DESCRIPTION	UOM	GROUP CATEGORY	INITIAL QUANTITY
62	4224200136100	CUSTOM MADE, PARTIAL HAND PROSTHESIS, MICROPROCESSOR CONTROLLED, CUSTOM FITTED, REPLACEMENT FOR 1 TO 5 DIGITS, COMBINATION OF QUICK GRIPS APP CONTROL AND GRIP CHIPS PROXIMITY CONTROL, COMPACT SOLUTION, MUSCLE CONTROL USES SPECIFIC MUSCLE SIGNALS CALLED TRIGGERS TO INSTRUCT THE HAND TO ACTIVATE A SPECIFIC GRIP, VARI - GRIP OR EQUIVALENT FEATURE FOR ADDITIONAL GRIP STRENGTH, AUTO - GRASP OR EQUIVALENT - ANTI DROP SAFETY FEATURE TO PREVENT OBJECTS FROM SLIPPING, QUICK ACCESS TO MOST USED GRIPS AND ACTIVITIES, COMPACT AND LOW KEY, NATURAL MOVEMENT, NATURAL MOVEMENT, PARTIAL HAND LOSS OR ABSENCE LOW TO MODERATE IMPACT LEVEL, UP TO 32 GRIPS AVAILABLE, CONTROLLED BY APP, INDIVIDUAL. INCLUDES - PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING AND REQUIRED MATERIALS/COMPONENTS TO FABRICATE PROSTHESIS, DELIVERY, FITTING BY CERTIFIED ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP (APPENDIX A)	each	ITEMIZED	10
63	4224200136200	PARTIAL HAND PROSTHESIS, MICROPROCESSOR CONTROLLED, CUSTOM FITTED, REPLACEMENT FOR 1 TO 5 DIGITS, COMBINATION OF QUICK GRIPS APP CONTROL AND GRIP CHIPS PROXIMITY CONTROL, COMPACT SOLUTION, MUSCLE CONTROL USES SPECIFIC MUSCLE SIGNALS CALLED TRIGGERS TO INSTRUCT THE HAND TO ACTIVATE A SPECIFIC GRIP, VARI - GRIP OR EQUIVALENT FEATURE FOR ADDITIONAL GRIP STRENGTH, AUTO - GRASP OR EQUIVALENT - ANTI DROP SAFETY FEATURE TO PREVENT OBJECTS FROM SLIPPING, QUICK ACCESS TO MOST USED GRIPS AND ACTIVITIES, COMPACT AND LOW KEY, NATURAL MOVEMENT, NATURAL MOVEMENT, PARTIAL HAND LOSS OR ABSENCE LOW TO MODERATE IMPACT LEVEL, UP TO 32 GRIPS AVAILABLE, CONTROLLED BY APP	each	ITEMIZED	10
64	4224200218400	PROSTHETIC HAND, MULTI ARTICULATING MYOELECTRIC HAND WITH ELECTRIC QUICK DISCONNECT WRIST, INDIVIDUAL FINGER MOVEMENT, 14 OR MORE GRIP OPTIONS, INCLUDING THE MOUSE AND SMART THUMB AND TRIGGER GRIPS, THE MICROPROCESSORS CONSTANTLY MONITOR THE POSITION OF THE DIGITS TO ENSURE THAT GRIP SEQUENCES ARE ACCURATE EVERY TIME, INDIVIDUAL DRIVES IN THE FINGERS WITH PADDED FINGERTIPS AND A WIDE THUMB, ADJUSTMENT SOFTWARE VIA BLUETOOTH, COMPATIBLE WITH ELBOW JOINT, INCLUDE ELECTRODE CABLE, BATTERY, BATTERY CHARGER, AND ANY OTHER PARTS FOR INSTALLING THIS ITEM, HAND CARRY LOAD (STATIC) 40 KG APPROX. THREE YEARS WARRANTY INCLUDES SERVICE UNIT FOR USE DURING REPAIRS AND SERVICE INSPECTIONS, SIZE, SIDE AND COLOR WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL	each	ITEMIZED	10
65	4224200218500	CUSTOM MADE, PROSTHETIC HAND, MULTI ARTICULATING MYOELECTRIC HAND WITH ELECTRIC QUICK DISCONNECT WRIST, INDIVIDUAL FINGER MOVEMENT, 14 OR MORE GRIP OPTIONS, INCLUDING MOUSE AND SMART THUMB AND TRIGGER GRIPS, MICROPROCESSORS CONSTANTLY MONITOR THE POSITION OF THE DIGITS TO ENSURE THAT GRIP SEQUENCES ARE ACCURATE EVERY TIME, INDIVIDUAL DRIVES IN THE FINGERS WITH PADDED FINGERTIPS AND A WIDE THUMB, ADJUSTMENT SOFTWARE VIA BLUETOOTH, COMPATIBLE WITH ELBOW JOINT, INCLUDE ELECTRODE CABLE, BATTERY, BATTERY CHARGER, AND ANY OTHER PARTS FOR INSTALLING THIS ITEM, HAND CARRY LOAD (STATIC) 40 KG APPROX. 3 YEARS WARRANTY INCLUDES SERVICE UNIT FOR USE DURING REPAIRS AND SERVICE INSPECTIONS, SIZE, SIDE AND COLOR WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL, INCLUDES PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, INCLUDES ALL MATERIALS/COMPONENTS TO FABRICATE PROSTHESIS, DELIVERY, FITTING BY CERTIFIED ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP (APPENDIX A)	Kit	ITEMIZED	10
66	4224200218200	PROSTHETIC HAND, MULTI ARTICULATING MYOELECTRIC HAND WITH FLEXION WRIST (3 STAGE JOINT), OFFERS 30 DEGREE OR MORE IN EITHER DIRECTION AND CAN BE LOCKED IN EACH 3 POSITIONS, INDIVIDUAL FINGER MOVEMENT, 14 OR MORE GRIP OPTIONS, INCLUDING THE MOUSE AND SMART THUMB AND TRIGGER GRIPS, THE MICROPROCESSORS CONSTANTLY MONITOR THE POSITION OF THE DIGITS TO ENSURE THAT GRIP SEQUENCES ARE ACCURATE EVERY TIME, INDIVIDUAL DRIVES IN THE FINGERS WITH PADDED FINGERTIPS AND A WIDE THUMB, ADJUSTMENT SOFTWARE VIA BLUETOOTH, COMPATIBLE WITH ELBOW JOINT, INCLUDE ELECTRODE CABLE, BATTERY, BATTERY CHARGER, AND ANY OTHER PARTS FOR INSTALLING THIS ITEM, HAND CARRY LOAD (STATIC) 40 KG APPROX. THREE YEARS WARRANTY INCLUDES SERVICE UNIT FOR USE DURING REPAIRS AND SERVICE INSPECTIONS, SIZE, SIDE AND COLOR WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL	each	ITEMIZED	10
67	4224200218300	CUSTOM MADE, PROSTHETIC HAND, MULTI ARTICULATING MYOELECTRIC HAND WITH FLEXION WRIST (3 STAGE JOINT), OFFERS 30 DEGREE OR MORE IN EITHER DIRECTION AND CAN BE LOCKED IN EACH 3 POSITIONS, INDIVIDUAL FINGER MOVEMENT, 14 OR MORE GRIP OPTIONS, INCLUDING MOUSE AND SMART THUMB AND TRIGGER GRIPS, MICROPROCESSORS CONSTANTLY MONITOR THE POSITION OF THE DIGITS TO ENSURE THAT GRIP SEQUENCES ARE ACCURATE EVERY TIME, INDIVIDUAL DRIVES IN THE FINGERS WITH PADDED FINGERTIPS AND A WIDE THUMB, ADJUSTMENT SOFTWARE VIA BLUETOOTH, COMPATIBLE WITH ELBOW JOINT, INCLUDE ELECTRODE CABLE, BATTERY, BATTERY CHARGER, AND ANY OTHER PARTS FOR INSTALLING THIS ITEM, HAND CARRY LOAD (STATIC) 40 KG APPROX, 3 YEARS WARRANTY INCLUDES SERVICE UNIT FOR USE DURING REPAIRS AND SERVICE INSPECTIONS, SIZE, SIDE AND COLOR WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL, INCLUDES PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, INCLUDES ALL MATERIALS/COMPONENTS TO FABRICATE PROSTHESIS, DELIVERY, FITTING BY CERTIFIED ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP (APPENDIX A)	Kit	ITEMIZED	10
68	4224200218000	PROSTHETIC HAND, MULTI ARTICULATING MYOELECTRIC HAND, MULTI AXIS WRIST, PASSIVE WRIST MOVEMENT AND ABILITY TO LOCK IN 30 DEGREE FLEXION AND EXTENSION OR A NEUTRAL POSITION, LATERAL DEVIATION AVAILABLE WHILE WRIST IS LOCKED IN FLEXION ANGLE, INDIVIDUAL FINGER MOVEMENT, 14 OR MORE GRIP OPTIONS, INCLUDING MOUSE AND SMART THUMB AND TRIGGER GRIPS, MICROPROCESSORS CONSTANTLY MONITOR THE POSITION OF THE DIGITS TO ENSURE THAT GRIP SEQUENCES ARE ACCURATE EVERY TIME, INDIVIDUAL DRIVES IN THE FINGERS WITH PADDED FINGERTIPS AND A WIDE THUMB, ADJUSTMENT SOFTWARE VIA BLUETOOTH, COMPATIBLE WITH ELBOW JOINT, INCLUDE ELECTRODE CABLE, BATTERY, BATTERY CHARGER, AND ANY OTHER PARTS FOR INSTALLING THIS ITEM, HAND CARRY LOAD (STATIC) 40 KG APPROX, 3 YEARS WARRANTY INCLUDES SERVICE UNIT FOR USE DURING REPAIRS AND SERVICE INSPECTIONS, SIZE, SIDE AND COLOR WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL	each	ITEMIZED	10
69	4224200218100	CUSTOM MADE, PROSTHETIC HAND, MULTI ARTICULATING MYOELECTRIC HAND, MULTI AXIS WRIST, PASSIVE WRIST MOVEMENT AND ABILITY TO LOCK IN 30 DEGREE FLEXION AND EXTENSION OR A NEUTRAL POSITION, LATERAL DEVIATION AVAILABLE WHILE WRIST IS LOCKED IN FLEXION ANGLE, INDIVIDUAL FINGER MOVEMENT, 14 OR MORE GRIP OPTIONS, INCLUDING MOUSE AND SMART THUMB AND TRIGGER GRIPS, MICROPROCESSORS CONSTANTLY MONITOR THE POSITION OF THE DIGITS TO ENSURE THAT GRIP SEQUENCES ARE ACCURATE EVERY TIME, INDIVIDUAL DRIVES IN THE FINGERS WITH PADDED FINGERTIPS AND A WIDE THUMB, ADJUSTMENT SOFTWARE VIA BLUETOOTH, COMPATIBLE WITH ELBOW JOINT, INCLUDE ELECTRODE CABLE, BATTERY, CHARGER, AND ANY OTHER PARTS FOR INSTALLING THIS ITEM, HAND CARRY LOAD (STATIC) 40 KG APPROX, 3 YEARS WARRANTY INCLUDES SERVICE UNIT FOR USE DURING REPAIRS AND SERVICE INSPECTIONS, SIZE, SIDE AND COLOR WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL, INCLUDES - PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, INCLUDES ALL MATERIALS/COMPONENTS TO FABRICATE PROSTHESIS, DELIVERY, FITTING BY CERTIFIED ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP (APPENDIX A)	Kit	ITEMIZED	10

TENDER NAME: PROSTHESIS AND ORTHOSIS

SN	NUPCO CODE	ITEM DESCRIPTION	UOM	GROUP CATEGORY	INITIAL QUANTITY
70	4224200218600	PROSTHETIC HAND, MYOELECTRIC HAND WITH SHORT WRIST, MULTI ARTICULATING, ROTATES 360 DEGREE, FOR LONG RESIDUAL LIMB, INDIVIDUAL FINGER MOVEMENT, 14 OR MORE GRIP OPTIONS, INCLUDES MOUSE AND SMART THUMB AND TRIGGER GRIPS, MICROPROCESSORS CONSTANTLY MONITOR THE POSITION OF THE DIGITS TO ENSURE THAT GRIP SEQUENCES ARE ACCURATE EVERY TIME, INDIVIDUAL DRIVES IN THE FINGERS WITH PADDED FINGERTIPS AND A WIDE THUMB, ADJUSTMENT SOFTWARE VIA BLUETOOTH, COMPATIBLE WITH ELBOW JOINT, INCLUDE ELECTRODE CABLE, BATTERY, BATTERY CHARGER, AND ANY OTHER PARTS FOR INSTALLING THIS ITEM, HAND CARRY LOAD (STATIC) 40 KG APPROX, 3 YEARS WARRANTY INCLUDES SERVICE UNIT FOR USE DURING REPAIRS AND SERVICE INSPECTIONS, SIZE, SIDE AND COLOR WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL	each	ITEMIZED	10
71	4224200218700	CUSTOM MADE, PROSTHETIC HAND, MYOELECTRIC HAND WITH SHORT WRIST, MULTI ARTICULATING, ROTATES 360 DEGREE, LONG RESIDUAL LIMB, INDIVIDUAL FINGER MOVEMENT, 14 OR MORE GRIP OPTIONS, INCLUDES MOUSE AND SMART THUMB AND TRIGGER GRIPS, MICROPROCESSORS CONSTANTLY MONITOR THE POSITION OF THE DIGITS TO ENSURE THAT GRIP SEQUENCES ARE ACCURATE EVERY TIME, INDIVIDUAL DRIVES IN THE FINGERS WITH PADDED FINGERTIPS AND A WIDE THUMB, ADJUSTMENT SOFTWARE VIA BLUETOOTH, COMPATIBLE WITH ELBOW JOINT, INCLUDE ELECTRODE CABLE, BATTERY, BATTERY CHARGER, AND ANY OTHER PARTS FOR INSTALLING THIS ITEM, HAND CARRY LOAD (STATIC) 40 KG APPROX, 3 YEARS WARRANTY INCLUDES SERVICE UNIT FOR USE DURING REPAIRS AND SERVICE INSPECTIONS, SIZE, SIDE AND COLOR WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL, INCLUDES PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, INCLUDES ALL MATERIALS/COMPONENTS TO FABRICATE PROSTHESIS, DELIVERY, FITTING BY CERTIFIED ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP (APPENDIX A)	Kit	ITEMIZED	10
72	4224200012800	CONTROLLER, FOR SYSTEM DESIGN, FOR CHILDREN, 7 PROGRAMS, LEFT AND RIGHT	each	ITEMIZED	20
73	4214180200100	ELECTRODE, FOR SUCTION SOCKET	each	ITEMIZED	60
74	4224200217500	ELECTRONIC, HAND, CHILDREN, 5 - 10 YEARS OLD, RIGHT	each	ITEMIZED	10
75	4224200217400	ELECTRONIC, HAND, CHILDREN, BETWEEN 1.5 - 3 YEARS OLD, RIGHT	each	ITEMIZED	10
76	4224200217300	ELECTRONIC, HAND, CHILDREN, BETWEEN 5 - 10 YEARS OLD, LEFT	each	ITEMIZED	10
77	4224200012600	MYOENERGY INTEGRAL BATTERY, FOR ADULT	each	ITEMIZED	10
78	4224200012400	MYOENERGY INTEGRAL, FOR CHILDREN	each	ITEMIZED	10
79	4224200009200	MYOROTRONIC FOR ELECTRIC WRIST ROTATOR	each	ITEMIZED	10
80	4224200217600	PROSTHESIS, BELOW ELBOW, ELECTRIC HAND COMPLETE WORKING SYSTEM FOR ALL AMPUTATION LEVELS AND BATTERY CHARGER (110 - 220 V, 50/60 HZ), SIZE: 71/4, LEFT	each	ITEMIZED	10
81	4224200217800	PROSTHESIS, BELOW ELBOW, ELECTRIC HAND COMPLETE WORKING SYSTEM FOR ALL AMPUTATION LEVELS AND BATTERY CHARGER (110 - 220 V, 50/60 HZ), SIZE: 71/4, RIGHT	each	ITEMIZED	10
82	4224200217700	PROSTHESIS, BELOW ELBOW, ELECTRIC HAND COMPLETE WORKING SYSTEM FOR ALL AMPUTATION LEVELS AND BATTERY CHARGER (110 - 220 V, 50/60 HZ), SIZE: 73/4, LEFT	each	ITEMIZED	10
83	4224200217900	PROSTHESIS, BELOW ELBOW, ELECTRIC HAND COMPLETE WORKING SYSTEM FOR ALL AMPUTATION LEVELS AND BATTERY CHARGER (110 - 220 V, 50/60 HZ), SIZE: 73/4, RIGHT	each	ITEMIZED	10
84	4224200218900	PROSTHESIS, BELOW ELBOW, ELECTRIC HAND, COMPLETE WORKING SYSTEM FOR ALL AMPUTATION LEVELS AND BATTERY CHARGER (110 - 220 V, 50/60 HZ), SIZE - 81/4, LEFT	each	ITEMIZED	15
85	4224200219000	PROSTHESIS, BELOW ELBOW, ELECTRIC HAND, COMPLETE WORKING SYSTEM FOR ALL AMPUTATION LEVELS AND BATTERY CHARGER (110 - 220 V, 50/60 HZ), SIZE - 81/4, RIGHT	each	ITEMIZED	15
86	4224200219900	PROSTHESIS, BELOW ELBOW, ELECTRIC HAND, COMPLETE WORKING SYSTEM FOR WRIST DISARTICULATION, AMPUTATION, AND BATTERY CHARGER (110 - 220 V, 50/60 HZ), SIZE - 63/4, RIGHT	each	ITEMIZED	15
87	4224200219700	PROSTHESIS, BELOW ELBOW, ELECTRIC HAND, COMPLETE WORKING SYSTEM FOR WRIST DISARTICULATION, AMPUTATION, AND BATTERY CHARGER (110 - 220 V, 50/60 HZ), SIZE - 73/4, RIGHT	each	ITEMIZED	15
88	4224200219100	PROSTHESIS, BELOW ELBOW, ELECTRIC HAND, COMPLETE WORKING SYSTEM, FOR WRIST DISARTICULATION, AMPUTATION, AND BATTERY CHARGER (110 - 220 V, 50/60 HZ), SIZE: 63/4 INCHES, LEFT	each	ITEMIZED	15
89	4224200219200	PROSTHESIS, BELOW ELBOW, ELECTRIC HAND, COMPLETE WORKING SYSTEM, FOR WRIST DISARTICULATION, AMPUTATION, AND BATTERY CHARGER (110 - 220 V, 50/60 HZ), SIZE: 71/4 INCHES, LEFT	each	ITEMIZED	15
90	4224200219300	PROSTHESIS, BELOW ELBOW, ELECTRIC HAND, COMPLETE WORKING SYSTEM, FOR WRIST DISARTICULATION, AMPUTATION, AND BATTERY CHARGER (110 - 220 V, 50/60 HZ), SIZE: 71/4 INCHES, RIGHT	each	ITEMIZED	15
91	4224200219400	PROSTHESIS, BELOW ELBOW, ELECTRIC HAND, COMPLETE WORKING SYSTEM, FOR WRIST DISARTICULATION, AMPUTATION, AND BATTERY CHARGER (110 - 220 V, 50/60 HZ), SIZE: 73/4 INCHES, LEFT	each	ITEMIZED	15
92	4224200215300	PROSTHETIC MYOELECTRIC WRIST UNIT TO POSITION THE HAND IN ANY DIRECTION WRIST CONNECTION, 40 MM APPROXIMATELY	each	ITEMIZED	20
93	4224200008800	LAMINATION RING, FOR MYOQUICK DISCONNECT HAND, SIZE 7 INCHES	each	ITEMIZED	20
94	4224200600900	MECHANICAL HAND, VOLUNTARY OPENING WITH PERLON CABLE THROUGH THE PALM OF THE HAND (INNER PULL) WITH THREADED STUD, 12 X 1.5 MM APPROXIMATELY AND INNER HAND SIZE: 7 1/4, RIGHT SIDE	each	ITEMIZED	10
95	4224200220700	PROSTHETIC HAND PASSIVE (NON FUNCTIONAL), COSMETIC, FOAM, SIZE 5 1/2 INCHES LEFT	each	ITEMIZED	10
96	4224200220800	PROSTHETIC HAND PASSIVE (NON FUNCTIONAL), COSMETIC, FOAM, SIZE 5 1/2 INCHES RIGHT	each	ITEMIZED	10
97	4224200220500	PROSTHETIC HAND PASSIVE (NON FUNCTIONAL), COSMETIC, FOAM, SIZE 5, LEFT	each	ITEMIZED	10
98	4224200220600	PROSTHETIC HAND PASSIVE (NON FUNCTIONAL), COSMETIC, FOAM, SIZE 5, RIGHT	each	ITEMIZED	10
99	4224200221700	PROSTHETIC HAND PASSIVE (NON FUNCTIONAL), COSMETIC, FOAM, SIZE 6 1/2 INCHES LEFT	each	ITEMIZED	10
100	4224200221500	PROSTHETIC HAND PASSIVE (NON FUNCTIONAL), COSMETIC, FOAM, SIZE 6 1/4 INCHES LEFT	each	ITEMIZED	10
101	4224200221600	PROSTHETIC HAND PASSIVE (NON FUNCTIONAL), COSMETIC, FOAM, SIZE 6 1/4 INCHES RIGHT	each	ITEMIZED	10
102	4224200221300	PROSTHETIC HAND PASSIVE (NON FUNCTIONAL), COSMETIC, FOAM, SIZE 6 1/8 INCHES LEFT	each	ITEMIZED	10
103	4224200221900	PROSTHETIC HAND PASSIVE (NON FUNCTIONAL), COSMETIC, FOAM, SIZE 6 3/4 INCHES LEFT	each	ITEMIZED	10
104	4224200222000	PROSTHETIC HAND PASSIVE (NON FUNCTIONAL), COSMETIC, FOAM, SIZE 6 3/4 INCHES RIGHT	each	ITEMIZED	15
105	4224200222100	PROSTHETIC HAND PASSIVE (NON FUNCTIONAL), COSMETIC, FOAM, SIZE 6 3/4 INCHES, LEFT, WITH EXTENDED WIRE	each	ITEMIZED	15

TENDER NAME: PROSTHESIS AND ORTHOSIS

SN	NUPCO CODE	ITEM DESCRIPTION	UOM	GROUP CATEGORY	INITIAL QUANTITY
106	4224200222200	PROSTHETIC HAND PASSIVE (NON FUNCTIONAL), COSMETIC, FOAM, SIZE 6 3/4 INCHES, RIGHT, WITH EXTENDED WIRE	each	ITEMIZED	10
107	4224200222400	PROSTHETIC HAND PASSIVE (NON FUNCTIONAL), COSMETIC, FOAM, SIZE 6 7/8 INCHES RIGHT	each	ITEMIZED	10
108	4224200221200	PROSTHETIC HAND PASSIVE (NON FUNCTIONAL), COSMETIC, FOAM, SIZE 6, RIGHT	each	ITEMIZED	10
109	4224200223300	PROSTHETIC HAND PASSIVE (NON FUNCTIONAL), COSMETIC, FOAM, SIZE 7 1/2 INCHES LEFT	each	ITEMIZED	10
110	4224200223400	PROSTHETIC HAND PASSIVE (NON FUNCTIONAL), COSMETIC, FOAM, SIZE 7 1/2 INCHES RIGHT	each	ITEMIZED	15
111	4224200222700	PROSTHETIC HAND PASSIVE (NON FUNCTIONAL), COSMETIC, FOAM, SIZE 7 1/4 INCHES LEFT	each	ITEMIZED	10
112	4224200222800	PROSTHETIC HAND PASSIVE (NON FUNCTIONAL), COSMETIC, FOAM, SIZE 7 1/4 INCHES RIGHT	each	ITEMIZED	10
113	4224200222900	PROSTHETIC HAND PASSIVE (NON FUNCTIONAL), COSMETIC, FOAM, SIZE 7 1/4 INCHES, LEFT, WITH EXTENDED WIRE	each	ITEMIZED	15
114	4224200223000	PROSTHETIC HAND PASSIVE (NON FUNCTIONAL), COSMETIC, FOAM, SIZE 7 1/4 INCHES, RIGHT, WITH EXTENDED WIRE	each	ITEMIZED	15
115	4224200223200	PROSTHETIC HAND PASSIVE (NON FUNCTIONAL), COSMETIC, FOAM, SIZE 7 3/8 INCHES RIGHT	each	ITEMIZED	10
116	4224200223500	PROSTHETIC HAND PASSIVE (NON FUNCTIONAL), COSMETIC, FOAM, SIZE 7 7/8 INCHES LEFT	each	ITEMIZED	10
117	4224200223600	PROSTHETIC HAND PASSIVE (NON FUNCTIONAL), COSMETIC, FOAM, SIZE 7 7/8 INCHES RIGHT	each	ITEMIZED	10
118	4224200224100	PROSTHETIC HAND PASSIVE (NON FUNCTIONAL), COSMETIC, FOAM, SIZE 8 1/4 INCHES LEFT	each	ITEMIZED	10
119	4224200224200	PROSTHETIC HAND PASSIVE (NON FUNCTIONAL), COSMETIC, FOAM, SIZE 8 1/4 INCHES RIGHT	each	ITEMIZED	10
120	4224200224300	PROSTHETIC HAND PASSIVE (NON FUNCTIONAL), COSMETIC, FOAM, SIZE 8 1/4 INCHES, LEFT, WITH EXTENDED WIRE	each	ITEMIZED	15
121	4224200224400	PROSTHETIC HAND PASSIVE (NON FUNCTIONAL), COSMETIC, FOAM, SIZE 8 1/4 INCHES, RIGHT, WITH EXTENDED WIRE	each	ITEMIZED	15
122	4224200224500	PROSTHETIC HAND PASSIVE (NON FUNCTIONAL), COSMETIC, FOAM, SIZE 8 5/8 INCHES LEFT	each	ITEMIZED	15
123	4224200224600	PROSTHETIC HAND PASSIVE (NON FUNCTIONAL), COSMETIC, FOAM, SIZE 8 5/8 INCHES RIGHT	each	ITEMIZED	15
124	4224200223900	PROSTHETIC HAND PASSIVE (NON FUNCTIONAL), COSMETIC, FOAM, SIZE 8, LEFT	each	ITEMIZED	15
125	4224200223700	PROSTHETIC HAND PASSIVE (NON FUNCTIONAL), COSMETIC, FOAM, SIZE 8, LEFT, WITH EXTENDED WIRE	each	ITEMIZED	15
126	4224200216900	PROSTHETIC MODULAR ARM COMPONENTS KIT, FOR SHOULDER DISARTICULATION WITH PASSIVE ELBOW LOCK AND ADAPTER FOR CONNECTION TO A SHOULDER JOINT WITH SHOULDER JOINT, TWO AXES WITH SEPARATE FRICTION, WITH TWO UPPER ARM PARTS, LENGTH 220 MM, APPROXIMATELY AND LAMINATION RING DIAMETER 43 MM, WITH PRE-SHAPED FOAM BLOCK TWO PIECES, BEIGE, FOREARM CIRCUMFERENCE 300 MM AND TWO METERS BEIGE COSMETIC STOCKINETTE, LEFT	SET	ITEMIZED	50
127	4224200217000	PROSTHETIC MODULAR ARM COMPONENTS KIT, FOR SHOULDER DISARTICULATION WITH PASSIVE ELBOW LOCK AND ADAPTER FOR CONNECTION TO A SHOULDER JOINT WITH SHOULDER JOINT, TWO AXES WITH SEPARATE FRICTION, WITH TWO UPPER ARM PARTS, LENGTH 220 MM, APPROXIMATELY AND LAMINATION RING DIAMETER 43 MM, WITH PRE-SHAPED FOAM BLOCK TWO PIECES, BEIGE, FOREARM CIRCUMFERENCE 300 MM AND TWO METERS BEIGE COSMETIC STOCKINETTE, RIGHT	SET	ITEMIZED	50
128	4224200216500	PROSTHETIC MODULAR ARM COMPONENTS KIT, FOR LONG ABOVE ELBOW WITH PASSIVE ELBOW LOCK UPPER ARM AND FOREARM ROTATION, SEPARATE FRICTION, WITH PRE-SHAPED FOAM BLOCK, BEIGE, FOREARM CIRCUMFERENCE 300 MM APPROXIMATELY WITH PROXIMALLY ATTACHED CONNECTION FLANGE AND 1 METER APPROXIMATELY COSMETIC STOCKINETTE BEIGE, LEFT	SET	ITEMIZED	60
129	4224200216700	PROSTHETIC MODULAR ARM COMPONENTS KIT, FOR LONG ABOVE ELBOW WITH PASSIVE ELBOW LOCK UPPER ARM AND FOREARM ROTATION, SEPARATE FRICTION, WITH PRE-SHAPED FOAM BLOCK, BEIGE, FOREARM CIRCUMFERENCE 300 MM APPROXIMATELY WITH PROXIMALLY ATTACHED CONNECTION FLANGE AND 1 METER APPROXIMATELY COSMETIC STOCKINETTE BEIGE, RIGHT	SET	ITEMIZED	60
130	4224200262900	PATTERN RECOGNITION TRANSRADIAL PROSTHETIC SYSTEM, PATTERN RECOGNITION TO TRANSLATE USER MUSCLE PATTERNS INTO PRECISE PROSTHETIC MOVEMENTS, PROVIDES INTUITIVE AND INDIVIDUALIZED CONTROL, ENHANCED SPEED, PROPORTIONAL RESPONSE, AND REAL-TIME APP FEEDBACK. COMPATIBLE WITH MICROPROCESSOR-CONTROLLED, MULTI-ARTICULATING HANDS	SET	ITEMIZED	10
131	4224200261800	CUSTOM MADE, COSMETIC PROSTHESIS, HIGH DEFINITION SILICONE, TRANSUMERAL, PEDIATRIC, STRETCHABLE SILICONE, WITH MULTI-COLORED SKIN TONE AND ATTENTION TO DETAIL INCLUDING HAIRS, MOLES, AND FRECKLES, SILICONE NAILS WHICH CAN BE PAINTED WITH NAIL VARNISH BY USER, TO INCLUDE SILICONE SOCKET, COMPONENTS AND TEST PIECE REQUIRED (APPENDIX B)	each	GROUP 1	10
132	4224200214700	CUSTOM MADE, COSMETIC PROSTHESIS, HIGH DEFINITION SILICONE, TRANSUMERAL, ADULT, STRETCHABLE SILICONE, WITH MULTI-COLORED SKIN TONE AND ATTENTION TO DETAIL INCLUDING HAIRS, MOLES, AND FRECKLES, SILICONE NAILS WHICH CAN BE PAINTED WITH NAIL VARNISH BY USER, TO INCLUDE SILICONE SOCKET, COMPONENTS AND TEST PIECE REQUIRED (APPENDIX B)	each	GROUP 1	35
133	4224200214800	CUSTOM MADE, COSMETIC PROSTHESIS, HIGH DEFINITION SILICONE, TRANSRADIAL, ADULT, STRETCHABLE SILICONE, WITH MULTI-COLORED SKIN TONE AND ATTENTION TO DETAIL INCLUDING HAIRS, MOLES, AND FRECKLES, SILICONE NAILS WHICH CAN BE PAINTED WITH NAIL VARNISH BY USER, TO INCLUDE SILICONE SOCKET, COMPONENTS AND TEST PIECE REQUIRED (APPENDIX B)	each	GROUP 1	75
134	4224200601500	CUSTOM MADE, COSMETIC PROSTHESIS, HIGH DEFINITION SILICONE, TRANSRADIAL, PEDIATRIC, STRETCHABLE SILICONE, WITH MULTI-COLORED SKIN TONE AND ATTENTION TO DETAIL INCLUDING HAIRS, MOLES, AND FRECKLES, SILICONE NAILS WHICH CAN BE PAINTED WITH NAIL VARNISH BY USER, TO INCLUDE SILICONE SOCKET, COMPONENTS AND TEST PIECE REQUIRED (APPENDIX B)	each	GROUP 1	15
135	4224200601600	CUSTOM MADE, COSMETIC PROSTHESIS, HIGH DEFINITION SILICONE, FINGER, PEDIATRIC, ONE DIGITS, STRETCHABLE SILICONE, WITH MULTI-COLORED SKIN TONE AND ATTENTION TO DETAIL INCLUDING HAIRS, MOLES, AND FRECKLES, SILICONE NAILS WHICH CAN BE PAINTED WITH NAIL VARNISH BY USER, TO INCLUDE SILICONE SOCKET, COMPONENTS AND TEST PIECE REQUIRED (APPENDIX B)	each	GROUP 1	15
136	4224200601700	CUSTOM MADE, COSMETIC PROSTHESIS, HIGH DEFINITION SILICONE, FINGER, PEDIATRIC, TWO DIGITS, STRETCHABLE SILICONE, WITH MULTI-COLORED SKIN TONE AND ATTENTION TO DETAIL INCLUDING HAIRS, MOLES, AND FRECKLES, SILICONE NAILS WHICH CAN BE PAINTED WITH NAIL VARNISH BY USER, TO INCLUDE SILICONE SOCKET, COMPONENTS AND TEST PIECE REQUIRED (APPENDIX B)	each	GROUP 1	15
137	4224200601800	CUSTOM MADE, COSMETIC PROSTHESIS, HIGH DEFINITION SILICONE, FINGER, PEDIATRIC, MORE THAN 3 DIGITS, STRETCHABLE SILICONE, WITH MULTI-COLORED SKIN TONE AND ATTENTION TO DETAIL INCLUDING HAIRS, MOLES, AND FRECKLES, SILICONE NAILS WHICH CAN BE PAINTED WITH NAIL VARNISH BY USER, TO INCLUDE SILICONE SOCKET, COMPONENTS AND TEST PIECE REQUIRED (APPENDIX B)	each	GROUP 1	15

TENDER NAME: PROSTHESIS AND ORTHOSIS

SN	NUPCO CODE	ITEM DESCRIPTION	UOM	GROUP CATEGORY	INITIAL QUANTITY
138	4224200214900	CUSTOM MADE, COSMETIC PROSTHESIS, HIGH DEFINITION SILICONE, FINGER, ADULT, ONE DIGITS, STRETCHABLE SILICONE, WITH MULTI-COLORED SKIN TONE AND ATTENTION TO DETAIL INCLUDING HAIRS, MOLES, AND FRECKLES, SILICONE NAILS WHICH CAN BE PAINTED WITH NAIL VARNISH BY USER, TO INCLUDE SILICONE SOCKET, COMPONENTS AND TEST PIECE REQUIRED (APPENDIX B)	each	GROUP 1	200
139	4224200215000	CUSTOM MADE, COSMETIC PROSTHESIS, HIGH DEFINITION SILICONE, FINGER, ADULT, TWO DIGITS, STRETCHABLE SILICONE, WITH MULTI-COLORED SKIN TONE AND ATTENTION TO DETAIL INCLUDING HAIRS, MOLES, AND FRECKLES, SILICONE NAILS WHICH CAN BE PAINTED WITH NAIL VARNISH BY USER, TO INCLUDE SILICONE SOCKET, COMPONENTS AND TEST PIECE REQUIRED (APPENDIX B)	each	GROUP 1	60
140	4224200215100	CUSTOM MADE, COSMETIC PROSTHESIS, HIGH DEFINITION SILICONE, FINGER, ADULT, MORE THAN 3 DIGITS, STRETCHABLE SILICONE, WITH MULTI-COLORED SKIN TONE AND ATTENTION TO DETAIL INCLUDING HAIRS, MOLES, AND FRECKLES, SILICONE NAILS WHICH CAN BE PAINTED WITH NAIL VARNISH BY USER, TO INCLUDE SILICONE SOCKET, COMPONENTS AND TEST PIECE REQUIRED (APPENDIX B)	each	GROUP 1	70
141	4224200111900	CUSTOM MADE, COSMETIC PROSTHESIS, HIGH DEFINITION SILICONE, TOE, ADULT, ONE TOE, STRETCHABLE SILICONE, WITH MULTI-COLORED SKIN TONE AND ATTENTION TO DETAIL INCLUDING HAIRS, MOLES, AND FRECKLES, SILICONE NAILS WHICH CAN BE PAINTED WITH NAIL VARNISH BY USER, INCLUDE SILICONE FOOT BAND, INCLUDE SILICONE SOCKET, COMPONENTS AND TEST PIECE REQUIRED (APPENDIX B)	each	GROUP 1	30
142	4224200111200	CUSTOM MADE, COSMETIC COVER, HIGH DEFINITION SILICONE, TRANSTIBIAL, ADULT, WITH MULTI-COLORED SKIN TONE AND ATTENTION TO DETAIL INCLUDING HAIRS, MOLES AND FRECKLES, SILICONE TOE NAILS WHICH CAN BE PAINTED WITH NAIL VARNISH BY PATIENT TO INCLUDE SILICONE TEST EACH IF REQUIRED (APPENDIX B)	each	GROUP 1	110
143	4224200114000	CUSTOM MADE, COSMETIC COVER, FULL LENGTH, HIGH DEFINITION SILICONE, TRANSFEMORAL, ADULT, WITH MULTI-COLORED SKIN TONE AND ATTENTION TO DETAIL INCLUDING HAIRS, MOLES AND FRECKLES, SILICONE TOE NAILS WHICH CAN BE PAINTED WITH NAIL VARNISH BY PATIENT TO INCLUDE SILICONE TEST EACH IF REQUIRED (APPENDIX B)	each	GROUP 1	50
144	4224200111300	CUSTOM MADE, COSMETIC COVER, HALF LENGTH, HIGH DEFINITION SILICONE, TRANSFEMORAL, ADULT, WITH MULTI-COLORED SKIN TONE AND ATTENTION TO DETAIL INCLUDING HAIRS, MOLES AND FRECKLES, SILICONE TOE NAILS WHICH CAN BE PAINTED WITH NAIL VARNISH BY PATIENT TO INCLUDE SILICONE TEST EACH IF REQUIRED (APPENDIX B)	each	GROUP 1	50
145	4224200111500	CUSTOM MADE, PARTIAL FOOT PROSTHESIS, HIGH DEFINITION SILICONE WITH CARBON FOOT PLATE, ADULT, MULTI-COLORED SKIN TONE, AND ATTENTION TO DETAIL INCLUDING HAIRS, MOLES, AND FRECKLES, SILICONE TOES NAILS WHICH CAN BE PAINTED WITH NAIL VARNISH BY THE USER TO INCLUDE SILICONE TEST PIECE IF REQUIRED (APPENDIX B)	each	GROUP 1	50
146	4224200601900	CUSTOM MADE, SILICONE PARTIAL HAND PROSTHESIS FOR CHILDREN, CUSTOM MADE FROM A MORE FLEXIBLE SILICONE TO STRETCH TO ALLOW GROWTH, HIGH DEFINITION WITH MULTI-COLORED SKIN TONE, AND ATTENTION TO DETAIL INCLUDING HAIRS, MOLES, AND FRECKLES, SILICONE NAILS WHICH CAN BE PAINTED WITH NAIL VARNISH BY THE USER TO INCLUDE SILICONE TEST PIECE IF REQUIRED (APPENDIX B)	each	GROUP 1	20
147	4224200111800	CUSTOM MADE, PARTIAL HAND PROSTHESIS, HIGH DEFINITION SILICONE, ADULT, MULTI-COLORED SKIN TONE, AND ATTENTION TO DETAIL INCLUDING HAIRS, MOLES, AND FRECKLES, SILICONE NAILS WHICH CAN BE PAINTED WITH NAIL VARNISH BY THE USER TO INCLUDE SILICONE TEST PIECE IF REQUIRED (APPENDIX B)	each	GROUP 1	60
148	4224200132400	ANKLE FOOT ORTHOSIS (AFO), PEDIATRIC, CARBON FIBER, SIZE LARGE, LEFT	each	ITEMIZED	200
149	4224200132500	ANKLE FOOT ORTHOSIS (AFO), PEDIATRIC, CARBON FIBER, SIZE LARGE, RIGHT	each	ITEMIZED	200
150	4224200132600	ANKLE FOOT ORTHOSIS (AFO), PEDIATRIC, CARBON FIBER, SIZE MEDIUM, LEFT	each	ITEMIZED	200
151	4224200132700	ANKLE FOOT ORTHOSIS (AFO), PEDIATRIC, CARBON FIBER, SIZE MEDIUM, RIGHT	each	ITEMIZED	200
152	4224200132800	ANKLE FOOT ORTHOSIS (AFO), PEDIATRIC, CARBON FIBER, SIZE SMALL, LEFT	each	ITEMIZED	200
153	4224200132900	ANKLE FOOT ORTHOSIS (AFO), PEDIATRIC, CARBON FIBER, SIZE SMALL, RIGHT	each	ITEMIZED	200
154	4224150901100	ANKLE FOOT ORTHOSIS (AFO), RIGID, POLYPROPYLENE, 4 MM, FULL FOOT ANATOMICAL DESIGN, PADDING IN CALF AREA, ASSISTS DORSIFLEXION IN THE FOOT, SIZE 35 - 37, LEFT	each	ITEMIZED	2500
155	4224200195900	ANKLE FOOT ORTHOSIS (AFO), RIGID, POLYPROPYLENE, 4 MM, FULL FOOT ANATOMICAL DESIGN, PADDING IN CALF AREA, ASSISTS DORSIFLEXION IN THE FOOT, SIZE 35 - 37, RIGHT	each	ITEMIZED	2500
156	4224150901300	ANKLE FOOT ORTHOSIS (AFO), RIGID, POLYPROPYLENE, 4 MM, FULL FOOT ANATOMICAL DESIGN, PADDING IN CALF AREA, ASSISTS DORSIFLEXION IN THE FOOT, SIZE 37 - 39, RIGHT	each	ITEMIZED	2500
157	4224150901200	ANKLE FOOT ORTHOSIS (AFO), RIGID, POLYPROPYLENE, 4 MM, FULL FOOT ANATOMICAL DESIGN, PADDING IN CALF AREA, ASSISTS DORSIFLEXION IN THE FOOT, SIZE 37 - 39, LEFT	each	ITEMIZED	3000
158	4224170644900	ANKLE FOOT ORTHOSIS (AFO), RIGID, POLYPROPYLENE, 4 MM, FULL FOOT ANATOMICAL DESIGN, PADDING IN CALF AREA, ASSISTS DORSIFLEXION IN THE FOOT, SIZE 39 - 41, RIGHT	each	ITEMIZED	3500
159	4224170644800	ANKLE FOOT ORTHOSIS (AFO), RIGID, POLYPROPYLENE, 4 MM, FULL FOOT ANATOMICAL DESIGN, PADDING IN CALF AREA, ASSISTS DORSIFLEXION IN THE FOOT, SIZE 39 - 41, LEFT	each	ITEMIZED	3000
160	4224170644700	ANKLE FOOT ORTHOSIS (AFO), RIGID, POLYPROPYLENE, 4 MM, FULL FOOT ANATOMICAL DESIGN, PADDING IN CALF AREA, ASSISTS DORSIFLEXION IN THE FOOT, SIZE 41 - 44, RIGHT	each	ITEMIZED	3500
161	4224170645000	ANKLE FOOT ORTHOSIS (AFO), RIGID, POLYPROPYLENE, 4 MM, FULL FOOT ANATOMICAL DESIGN, PADDING IN CALF AREA, ASSISTS DORSIFLEXION IN THE FOOT, SIZE 41 - 44, LEFT	each	ITEMIZED	3000
162	4224170701400	DYNAMIC ANKLE FOOT ORTHOSIS (DAFO), PREFABRICATED DYNAMIC ANKLE FOOT ORTHOSIS FOR PEDIATRIC (TOE WALKING, PLANTER FLEXION STABILITY, CORRECT PRONATION/SUPINATION) EACH ONE IS 2 EACH AND THREE COLORS "BLUE, PINK, WHITE", SIZE 4 INCHES LEFT	each	ITEMIZED	350
163	4224170701500	DYNAMIC ANKLE FOOT ORTHOSIS (DAFO), PREFABRICATED DYNAMIC ANKLE FOOT ORTHOSIS FOR PEDIATRIC (TOE WALKING, PLANTER FLEXION STABILITY, CORRECT PRONATION/SUPINATION), EACH ONE IS 2 PIECE AND THREE COLORS "BLUE, PINK, WHITE", SIZE 4 INCHES, RIGHT	each	ITEMIZED	350
164	4224170701600	DYNAMIC ANKLE FOOT ORTHOSIS (DAFO), PREFABRICATED DYNAMIC ANKLE FOOT ORTHOSIS FOR PEDIATRIC (TOE WALKING, PLANTER FLEXION STABILITY, CORRECT PRONATION/SUPINATION), EACH ONE IS 2 PIECE AND THREE COLORS "BLUE, PINK, WHITE", SIZE 4.25 INCHES, LEFT	each	ITEMIZED	350
165	4224170701700	DYNAMIC ANKLE FOOT ORTHOSIS (DAFO), PREFABRICATED DYNAMIC ANKLE FOOT ORTHOSIS FOR PEDIATRIC (TOE WALKING, PLANTER FLEXION STABILITY, CORRECT PRONATION/SUPINATION), EACH ONE IS 2 PIECE AND THREE COLORS "BLUE, PINK, WHITE", SIZE 4.25 INCHES, RIGHT	each	ITEMIZED	350

TENDER NAME: PROSTHESIS AND ORTHOSIS

SN	NUPCO CODE	ITEM DESCRIPTION	UOM	GROUP CATEGORY	INITIAL QUANTITY
196	4224170704800	DYNAMIC ANKLE FOOT ORTHOSIS (DAFO), PREFABRICATED DYNAMIC ANKLE FOOT ORTHOSIS FOR PEDIATRIC (TOE WALKING, PLANTER FLEXION STABILITY, CORRECT PRONATION/SUPINATION), EACH ONE IS 2 PIECE AND THREE COLORS "BLUE, PINK, WHITE", SIZE 8.25 INCHES, LEFT	each	ITEMIZED	300
197	4224170704900	DYNAMIC ANKLE FOOT ORTHOSIS (DAFO), PREFABRICATED DYNAMIC ANKLE FOOT ORTHOSIS FOR PEDIATRIC (TOE WALKING, PLANTER FLEXION STABILITY, CORRECT PRONATION/SUPINATION), EACH ONE IS 2 PIECE AND THREE COLORS "BLUE, PINK, WHITE", SIZE 8.25 INCHES, RIGHT	each	ITEMIZED	300
198	4224170705000	DYNAMIC ANKLE FOOT ORTHOSIS (DAFO), PREFABRICATED DYNAMIC ANKLE FOOT ORTHOSIS FOR PEDIATRIC (TOE WALKING, PLANTER FLEXION STABILITY, CORRECT PRONATION/SUPINATION), EACH ONE IS 2 PIECE AND THREE COLORS "BLUE, PINK, WHITE", SIZE 8.5 INCHES, LEFT	each	ITEMIZED	350
199	4224170705100	DYNAMIC ANKLE FOOT ORTHOSIS (DAFO), PREFABRICATED DYNAMIC ANKLE FOOT ORTHOSIS FOR PEDIATRIC (TOE WALKING, PLANTER FLEXION STABILITY, CORRECT PRONATION/SUPINATION), EACH ONE IS 2 PIECE AND THREE COLORS "BLUE, PINK, WHITE", SIZE 8.5 INCHES, RIGHT	each	ITEMIZED	350
200	4224200107600	DYNAMIC ANKLE FOOT ORTHOSIS (DAFO), RIGHT, FOOT SIZE 10 3/4 INCHES, FOOT PLATE 10 1/4 INCHES, HEIGHT AT THICKEST PART OF CALF 13 1/4 INCH-15 INCHES, PROXIMAL STRAP 14 1/4 INCHES, HEEL HEIGHT 3/5 INCHES APPROXIMATELY, CARBON FIBER INCORPORATED LIGHTWEIGHT ENERGY RETURN WITH TEXTILE COVER TO PREVENT SKIN CONTACT	items (Pieces)	ITEMIZED	500
201	4224200107700	DYNAMIC ANKLE FOOT ORTHOSIS (DAFO), RIGHT, FOOT SIZE 10 INCHES FOOT PLATE 93/4 INCHES, HEIGHT AT THICKEST PART OF CALF 12 1/2 INCHES - 14 1/4 INCHES, PROXIMAL STRAP 131/4 INCHES, HEEL HEIGHT 3/5 INCHES APPROXIMATELY, CARBON FIBER INCORPORATED LIGHTWEIGHT ENERGY RETURN WITH TEXTILE COVER TO PREVENT SKIN CONTACT	each	ITEMIZED	350
202	4224170705200	CARBON ANKLE STRUT, FOR AFO, GENERATE ENERGY DURING HEEL STRIKE UP TO 10 KG BODY WEIGHT, NORMAL ACTIVITY LEVEL, WIDTH 22 MM APPROXIMATELY	each	ITEMIZED	20
203	4224170705500	CARBON ANKLE STRUT, FOR AFO, GENERATE ENERGY DURING HEEL STRIKE UP TO 20 KG BODY WEIGHT, NORMAL ACTIVITY LEVEL, WIDTH 22 MM APPROXIMATELY	each	ITEMIZED	20
204	4224170705800	CARBON ANKLE STRUT, FOR AFO, GENERATE ENERGY DURING HEEL STRIKE UP TO 30 KG BODY WEIGHT, NORMAL ACTIVITY LEVEL, WIDTH 25 MM APPROXIMATELY	each	ITEMIZED	20
205	4224170705700	CARBON ANKLE STRUT, FOR AFO, GENERATE ENERGY DURING HEEL STRIKE UP TO 40 KG BODY WEIGHT, NORMAL ACTIVITY LEVEL, WIDTH 25 MM APPROXIMATELY	each	ITEMIZED	20
206	4224170705600	CARBON ANKLE STRUT, FOR AFO, GENERATE ENERGY DURING HEEL STRIKE UP TO 60 KG BODY WEIGHT, NORMAL ACTIVITY LEVEL, WIDTH 30 MM APPROXIMATELY	each	ITEMIZED	20
207	4224170705400	CARBON ANKLE STRUT, FOR AFO, GENERATE ENERGY DURING HEEL STRIKE UP TO 80 KG BODY WEIGHT, NORMAL ACTIVITY LEVEL, WIDTH 30 MM APPROXIMATELY	each	ITEMIZED	20
208	4224170705300	CARBON ANKLE STRUT, FOR AFO, GENERATE ENERGY DURING HEEL STRIKE UP TO 100 KG BODY WEIGHT, NORMAL ACTIVITY LEVEL, WIDTH 30 MM APPROXIMATELY	Pair	ITEMIZED	20
209	4618220704100	PROSTHETIC MULTIFUNCTION ANKLE ORTHOSIS, WITH A THREE - PHASE FITTING FOOT POSITIONING IN A SLIGHT PRONATION AND PLANTIGRADE POSITION, INCREASING THE LEVEL OF ACTIVITY, IMPROVING MUSCULAR STABILITY, IMPROVING FUNCTIONAL STABILITY AND MOBILITY, SIZE MEDIUM	each	ITEMIZED	300
210	4618220704200	PROSTHETIC MULTIFUNCTION ANKLE ORTHOSIS, WITH A THREE - PHASE FITTING FOOT POSITIONING IN A SLIGHT PRONATION AND PLANTIGRADE POSITION, INCREASING THE LEVEL OF ACTIVITY, IMPROVING MUSCULAR STABILITY, IMPROVING FUNCTIONAL STABILITY AND MOBILITY, SIZE SMALL	each	ITEMIZED	350
211	4224170617100	STATIC ANKLE-FOOT ORTHOSIS (AFO), PRESSURE RELIEF, TO CORRECT AND PREVENT FOOT AND ANKLE CONTRACTURES, SOFT PADDED, WITH EXTENSION STRAP, ALSO PROVIDES HEEL AND TOE CLEARANCE, HEEL CONNECTOR, ANTI-ROTATION BAR, 20 TO 22 CM APPROXIMATELY	each	ITEMIZED	70
212	4224170617200	STATIC ANKLE-FOOT ORTHOSIS (AFO), PRESSURE RELIEF, TO CORRECT AND PREVENT FOOT AND ANKLE CONTRACTURES, SOFT PADDED, WITH EXTENSION STRAP, ALSO PROVIDES HEEL AND TOE CLEARANCE, HEEL CONNECTOR, ANTI-ROTATION BAR, 22 TO 25 CM APPROXIMATELY	each	ITEMIZED	70
213	4224170617300	STATIC ANKLE-FOOT ORTHOSIS (AFO), PRESSURE RELIEF, TO CORRECT AND PREVENT FOOT AND ANKLE CONTRACTURES, SOFT PADDED, WITH EXTENSION STRAP, ALSO PROVIDES HEEL AND TOE CLEARANCE, HEEL CONNECTOR, ANTI-ROTATION BAR, 27 TO 31 CM APPROXIMATELY	each	ITEMIZED	70
214	4224170500800	NIGHT SPLINT ANKLE FOOT ORTHOSIS (AFO), ADULT, PROVIDES AN EFFECTIVE TREATMENT FOR PLANTAR FASCITIS AND ACHILLES TENDON, ADJUSTABLE FROM 10 TO 90 DEGREE, DORSI FLEXION WITH COOL FOAM LINER, SIZE LARGE	each	ITEMIZED	2500
215	4224170500900	NIGHT SPLINT ANKLE FOOT ORTHOSIS (AFO), ADULT, PROVIDES AN EFFECTIVE TREATMENT FOR PLANTAR FASCITIS AND ACHILLES TENDON, ADJUSTABLE FROM 10 TO 90 DEGREE, DORSI FLEXION WITH COOL FOAM LINER, SIZE MEDIUM	each	ITEMIZED	2500
216	4224150301100	NIGHT SPLINT ANKLE FOOT ORTHOSIS (AFO), ADULT, PROVIDES AN EFFECTIVE TREATMENT FOR PLANTAR FASCITIS AND ACHILLES TENDON, ADJUSTABLE FROM 10 TO 90 DEGREE, DORSI FLEXION WITH COOL FOAM LINER, SIZE SMALL	each	ITEMIZED	50
217	4224170500400	STRETCH NIGHT SPLINT, WITH ADJUSTABLE DORSIFLEXION STRAPS, NON-SKID BOTTOM FOR INCREASED SAFETY, TOE WEDGE INCLUDED, ANTIMICROBIAL MATERIAL, SIZE LARGE	Pair	ITEMIZED	1250
218	4224170500500	STRETCH NIGHT SPLINT, WITH ADJUSTABLE DORSIFLEXION STRAPS, NON-SKID BOTTOM FOR INCREASED SAFETY, TOE WEDGE INCLUDED, ANTIMICROBIAL MATERIAL, SIZE MEDIUM	Pair	ITEMIZED	1250
219	4224170500600	STRETCH NIGHT SPLINT, WITH ADJUSTABLE DORSIFLEXION STRAPS, NON-SKID BOTTOM FOR INCREASED SAFETY, TOE WEDGE INCLUDED, ANTIMICROBIAL MATERIAL, SIZE SMALL	Pair	ITEMIZED	1000
220	4225170700900	FOOT, DROP SYSTEM, CUFF STRAP, LARGE	each	ITEMIZED	650
221	4225170700800	FOOT, DROP SYSTEM, CUFF STRAP, MEDIUM	each	ITEMIZED	650
222	4225170700700	FOOT, DROP, SYSTEM, CUFF STRAP, SMALL	each	ITEMIZED	650
223	4224170643200	EXTERNAL FOOT DROP BRACE, CAN BE FIT EXTERNALLY ON HIGH HIKING FOOTWEAR, WINTER OR SAFETY BOOTS CAN BE ADJUSTED, MADE FROM HIGHLY DURABLE, ATTACHES TO THE OUTSIDE OF FOOTWEAR AND IS QUICKLY AND EASILY INTERCHANGEABLE FROM SHOE TO SHOE, ASSORTED SIZE AND SIDE	each	ITEMIZED	500
224	4224170501300	PRESSURE RELIEF ANKLE-FOOT ORTHOSIS (PRAFO), FLEECE, WITH EXTENSION STRAP, ELIMINATES HEEL PRESSURE AND TREATS FOOT AND ANKLE CONTRACTURES, SIZE EXTRA LARGE, 10-11 INCHES APPROXIMATELY	each	ITEMIZED	200
225	4224170501000	PRESSURE RELIEF ANKLE-FOOT ORTHOSIS (PRAFO), FLEECE, WITH EXTENSION STRAP, ELIMINATES HEEL PRESSURE AND TREATS FOOT AND ANKLE CONTRACTURES, SIZE LARGE, 9-10 INCHES APPROXIMATELY	each	ITEMIZED	200
226	4224170501100	PRESSURE RELIEF ANKLE-FOOT ORTHOSIS (PRAFO), FLEECE, WITH EXTENSION STRAP, ELIMINATES HEEL PRESSURE AND TREATS FOOT AND ANKLE CONTRACTURES, SIZE MEDIUM, 7.5-9 INCHES APPROXIMATELY	each	ITEMIZED	200
227	4224170501200	PRESSURE RELIEF ANKLE-FOOT ORTHOSIS (PRAFO), FLEECE, WITH EXTENSION STRAP, ELIMINATES HEEL PRESSURE AND TREATS FOOT AND ANKLE CONTRACTURES, SIZE SMALL, 6-7.5 INCHES APPROXIMATELY	each	ITEMIZED	50
228	4224170616100	AFO WITH HEEL RELIEF, USED TO DYNAMICALLY CORRECT AND PREVENT FOOT AND ANKLE CONTRACTURES, SHOE SIZE 40 - 43, RIGHT	each	ITEMIZED	500
229	4224170615900	AFO WITH HEEL RELIEF, USED TO DYNAMICALLY CORRECT AND PREVENT FOOT AND ANKLE CONTRACTURES, SHOE SIZE 37 - 40, RIGHT	each	ITEMIZED	500

TENDER NAME: PROSTHESIS AND ORTHOSIS

SN	NUPCO CODE	ITEM DESCRIPTION	UOM	GROUP CATEGORY	INITIAL QUANTITY
230	4224170616300	AFO WITH HEEL RELIEF, USED TO DYNAMICALLY CORRECT AND PREVENT FOOT AND ANKLE CONTRACTURES, SHOE SIZE 43 - 46, RIGHT	each	ITEMIZED	250
231	4224200196000	CUSTOM MADE, HINGED AFO, LIGHTWEIGHT, DURABLE MATERIAL (PA12 NYLON) FOR DEFINITIVE ORTHOSIS WITH EXCELLENT SMOOTH SURFACE, THICKNESS FROM 1-6MM DEPENDING ON THE WEIGHT AND ACTIVITY LEVEL OF THE PATIENT, OPTIONAL LEVELS OF PADDING AND LINING, OPTIONAL HEEL RAISE AND/OR REMOVABLE HEEL POST, MULTIPLE HEEL STRAP OPTIONS (STANDARD, ANTI VARUS, ANTI VALGUS), INCLUDES SERVICE FOR USE DURING REPAIRS AND SERVICE INSPECTIONS, SIZE, SIDE AND COLOR WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL, INCLUDES PATIENT ASSESSMENT AT CUSTOMERS PREMISES, SCANNING, INCLUDES ALL REQUIRED MATERIALS/COMPONENTS TO 3D PRINTED THE ORTHOSIS, DELIVERY, FITTING BY CERTIFIED ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP (APPENDIX A)	each	ITEMIZED	20
232	4224200196100	CUSTOM MADE, SOLID AFO, LIGHTWEIGHT, NDURABLE MATERIAL (PA12 NYLON) FOR DEFINITIVE ORTHOSIS WITH EXCELLENT SMOOTH SURFACE, THICKNESS FROM 1-6MM DEPENDING ON THE WEIGHT AND ACTIVITY LEVEL OF THE PATIENT, OPTIONAL LEVELS OF PADDING AND LINING, OPTIONAL HEEL RAISE AND/OR REMOVABLE HEEL POST, MULTIPLE HEEL STRAP OPTIONS (STANDARD, ANTI VARUS, ANTI VALGUS), INCLUDES SERVICE FOR USE DURING REPAIRS AND SERVICE INSPECTIONS, SIZE, SIDE AND COLOR WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL, INCLUDES PATIENT ASSESSMENT AT CUSTOMERS PREMISES, SCANNING, INCLUDES ALL REQUIRED MATERIALS/COMPONENTS TO 3D PRINTED THE ORTHOSIS, DELIVERY, FITTING BY CERTIFIED ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP (APPENDIX A)	each	ITEMIZED	20
233	4224200196200	CUSTOM MADE, SMO, LIGHTWEIGHT, DURABLE MATERIAL (PA12 NYLON) FOR DEFINITIVE ORTHOSIS WITH EXCELLENT SMOOTH SURFACE, THICKNESS FROM 1-6MM DEPENDING ON THE WEIGHT AND ACTIVITY LEVEL OF THE PATIENT, OPTIONAL LEVELS OF PADDING AND LINING, OPTIONAL HEEL RAISE AND/OR REMOVABLE HEEL POST, MULTIPLE HEEL STRAP OPTIONS (STANDARD, ANTI VARUS, ANTI VALGUS), INCLUDES SERVICE FOR USE DURING REPAIRS AND SERVICE INSPECTIONS, SIZE, SIDE AND COLOR WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL, INCLUDES PATIENT ASSESSMENT AT CUSTOMERS PREMISES, SCANNING, INCLUDES ALL REQUIRED MATERIALS/COMPONENTS TO 3D PRINTED THE ORTHOSIS, DELIVERY, FITTING BY CERTIFIED ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP (APPENDIX A)	each	ITEMIZED	20
234	4224151014800	CAP FOR THERMOFORMABLE ANKLE JOINTS, JOINTS SELF, ALIGN ALONG MEDIAL, LATERAL AXES, HIGH STRENGTH INNER FILAMENT CORE, EASY TO FABRICATE, DURABLE, MEDIAL/LATERAL CONTROL MOTION LIMITING	each	ITEMIZED	30
235	4224200020800	DORSIFLEXION ASSIST FLEXURE JOINT, PROVIDES MOTION, ASSIST POWER SIMILAR TO TRADITIONAL DORSI-ASSIST ANKLE JOINTS, ASSORTED DUROMETER AND SIZE	each	ITEMIZED	50
236	4224200013600	DUMMIES, FOR FIXING, ANKLE JOINT, SIZE: PEDIATRIC	Pair	ITEMIZED	50
237	4224200013400	DUMMIES, FOR FIXING, ANKLE JOINT, SIZE: LARGE	Pair	ITEMIZED	50
238	4224200013500	DUMMIES, FOR FIXING, ANKLE JOINT, SIZE: MEDIUM	Pair	ITEMIZED	50
239	4224151006800	FLEXURE JOINT, FOR AFO, ALLOWS LIMITED MOVEMENT, SIZE LARGE	Pair	ITEMIZED	200
240	4224151006900	FLEXURE JOINT, FOR AFO, ALLOWS LIMITED MOVEMENT, SIZE MEDIUM	Pair	ITEMIZED	200
241	4224151007000	FLEXURE JOINT, FOR AFO, ALLOWS LIMITED MOVEMENT, SIZE SMALL	Pair	ITEMIZED	200
242	4224150902000	LIMITER, MOTION CONTROL, VARIABLE PLANTAR FLEXION, STOP WITH SOME DAMPING CONSTRUCTED OF STAINLESS STEEL AND URETHANE, EASY TO FABRICATE PLANTARFLEXION STOP MOTION LIMITING	each	ITEMIZED	125
243	4224200020600	ORTHOTIC ANKLE JOINT, WITH DORSIFLEXION EFFECT .INDEPENDENTLY ADJUSTABLE PLANTAR FLEXION RESIST INDEPENDENTLY ADJUSTABLE RANGE OF MOTION INDEPENDENTLY ADJUSTABLE DORSIFLEXION RESIST INDEPENDENTLY ADJUSTABLE ANKLE ALIGNMENT, MEDIAL/LATERAL CONTROL MOTION LIMITING RESIST DORSIFLEXION AND/OR PLANTAR FLEXION, ASSORTED SIZE	each	ITEMIZED	80
244	4224171501200	PLATE, ORTHOTIC, CALIPER, LEFT SIDE, COMPATIBLE UPRIGHT SECTION 19 X 2.5 MM APPROXIMATELY STAINLESS STEEL, LARGE, WIDTH 75 MM APPROXIMATELY, WEIGHT 90 GRAMS, FOR ANKLE JOINT STIRRUPS	each	ITEMIZED	250
245	4224200020400	ORTHOTIC ANKLE JOINT, ANKLE ADJUSTABLE DORSIFLEXION ASSIST, PROVIDES RESISTANCE TO PLANTAR FLEXION, MOTION PROVIDES ASSISTANCE TO DORSIFLEXION, MOTION ANKLE JOINTS AND UPRIGHTS ARE AVAILABLE IN STAINLESS STEEL AND ALUMINUM, STIRRUPS ARE STAINLESS STEEL, MEDIAL/LATERAL CONTROL MOTION, LIMITING ASSIST DORSIFLEXION, ANKLE JOINTS, COMPONENTS AND ACCESSORIES FOR INCLUSION IN AN ORTHOSIS TO PROVIDE CONTROLLED DORSIFLEXION ASSIST/ PLANTARFLEXION RESIST	each	ITEMIZED	80
246	4224200136500	ORTHOTIC ANKLE JOINT, ANKLE FLEXIBLE SYSTEM, FULL RANGE OF OPTIONS, FOR THERMOPLASTIC ORTHOSIS POSTERIOR, STOP INCLUDED FLEXIBLE ANKLE JOINT SYSTEM, IDEAL FOR MAXIMUM FUNCTIONAL STRETCH, PROVIDES MEDIOLATERAL CONTROL LIMITS MOTION, MEDIAL/LATERAL CONTROL MOTION, LIMITING ASSIST DORSIFLEXION AND/OR PLANTAR FLEXION	each	ITEMIZED	170
247	4224200021300	ORTHOTIC ANKLE JOINT, NYLON, FUNCTIONS AS A FREE MOTION JOINT, COST - EFFECTIVE, PROVIDES MEDIOLATERAL CONTROL CAN BE CONFIGURED TO LIMIT MOTION WHEN COMBINED WITH A POSTERIOR, STOP STRONGER THAN POLYPROPYLENE VERSION, MEDIAL/LATERAL CONTROL MOTION, LIMITING ASSIST DORSIFLEXION AND/OR PLANTAR FLEXION	each	ITEMIZED	230
248	4224200021200	ORTHOTIC ANKLE JOINT, POLYPROPYLENE, FUNCTIONS AS A FREE MOTION JOINT, AVAILABLE IN NATURAL AND BLACK, COST - EFFECTIVE, PROVIDES MEDIOLATERAL CONTROL CAN BE CONFIGURED TO LIMIT MOTION WHEN COMBINED WITH A POSTERIOR STOP, MEDIAL/LATERAL CONTROL MOTION LIMITING ASSIST DORSIFLEXION AND/OR PLANTAR FLEXION	each	ITEMIZED	55
249	4618220700100	ANKLE BRACE, WITH FIGURE OF 8 STRAP, MADE OF FABRIC, ADJUSTMENT BY LACES, SPRAIN OF LIGAMENTS CHRONIC LIGAMENT LAXITY, SIZE: EXTRA LARGE	each	ITEMIZED	10000
250	4618220700000	ANKLE BRACE, WITH FIGURE OF 8 STRAP, MADE OF FABRIC, ADJUSTMENT BY LACES, SPRAIN OF LIGAMENTS CHRONIC LIGAMENT LAXITY, SIZE: LARGE	each	ITEMIZED	10000
251	4618220700200	ANKLE BRACE, WITH FIGURE OF 8 STRAP, MADE OF FABRIC, ADJUSTMENT BY LACES, SPRAIN OF LIGAMENTS CHRONIC LIGAMENT LAXITY, SIZE: MEDIUM	each	ITEMIZED	10000
252	4618220703600	ANKLE BRACE, WITH FIGURE OF 8 STRAP, MADE OF FABRIC, ADJUSTMENT BY LACES, SPRAIN OF LIGAMENTS CHRONIC LIGAMENT LAXITY, SIZE: SMALL	each	ITEMIZED	10000
253	4618220703000	ANKLE IMMOBILIZER WITH STEEL STAYS, RELEASING MALLEOLUS, SOFT AND COMFORT, ADJUSTMENT ON FOREFOOT AND SUPRAMALLEOLAR, CLOSURE AND ADJUSTMENT MADE OF VELCRO, ASSORTED SIZE	each	ITEMIZED	1250
254	4618220704800	ANKLE IMMOBILIZER, POLYETHYLENE DESIGN WITH OPEN HEEL PROTECTING MALLEOLUS FOR IMMOBILIZATION OF THE ANKLE ADJUSTMENT USING FOREFOOT ANKLE AND VELCRO, ASSORTED SIZE	each	ITEMIZED	220
255	4224170656100	CROW BOOT, CUSTOM MADE, CHARCOT RESTRAINT ORTHOTIC WALKERS/TOTAL CONTACT BRACE, INNER DIABETIC PADDING	each	ITEMIZED	10

TENDER NAME: PROSTHESIS AND ORTHOSIS

SN	NUPCO CODE	ITEM DESCRIPTION	UOM	GROUP CATEGORY	INITIAL QUANTITY
256	4224200111100	CUSTOM MADE, ELECTRONICALLY CONTROLLED SYSTEM ORTHOTIC KNEE JOINT WITH A LOCKED STANCE PHASE AND FREE SWING-THROUGH PHASE. KIT INCLUDES ALL COMPONENTS, TRAINING AND CERTIFICATION FOR CPO AND TECHNICIANS. SECURED STANCE PHASE - FREE SWING-THROUGH PHASE ELECTRONICALLY, LEFT OR RIGHT, INCLUDES - PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, INCLUDES ALL REQUIRED MATERIALS/COMPONENTS TO FABRICATE ORTHOSIS, DELIVERY, FITTING BY CERTIFIED ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP (APPENDIX C)	Kit	ITEMIZED	10
257	4224200111400	ELECTRONICALLY CONTROLLED SYSTEM ORTHOTIC KNEE JOINT, WITH A LOCKED STANCE PHASE AND FREE SWING THROUGH PHASE KIT INCLUDES ALL COMPONENTS, TRAINING, AND CERTIFICATION FOR CPO AND TECHNICIANS, SECURED STANCE PHASE FREE SWING THROUGH PHASE ELECTRONICALLY, RIGHT	SET	ITEMIZED	110
258	4224200110900	ELECTRONICALLY CONTROLLED SYSTEM ORTHOTIC KNEE JOINT, WITH A LOCKED STANCE PHASE AND FREE SWING THROUGH PHASE KIT INCLUDES ALL COMPONENTS, TRAINING, AND CERTIFICATION FOR CPO AND TECHNICIANS, SECURED STANCE PHASE FREE SWING THROUGH PHASE ELECTRONICALLY, LEFT	SET	ITEMIZED	100
259	4224200133200	CUSTOM MADE, KAFO, MICROPROCESSOR CONTROL KNEE, COMPLETE INCLUDING, SUPPORTS KNEE FLEXION, NAVIGATING SLOPES, WALKING ON UNEVEN TERRAIN OR, THE MICROPROCESSOR SENSOR MAKES THE ENTIRE GAIT PATTERN MORE DYNAMIC AND RESPONSIVE, THE USER CAN ALSO CHANGE SETTINGS ON THEIR JOINT SWITCHING BETWEEN DIFFERENT MODES USING THE SMARTPHONE APPLICATION INCLUDES PATIENT ASSESSMENT AT CUSTOMERS PREMISES MEASURING INCLUDES ALL REQUIRED MATERIALS/COMPONENTS TO FABRICATE ORTHOSIS FITTING AND DELIVERY BY CERTIFIED ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP (APPENDIX C)	Kit	ITEMIZED	10
260	4224200133300	KAFO, MICROPROCESSOR CONTROL KNEE, COMPLETE INCLUDING, SUPPORTS KNEE FLEXION, NAVIGATING SLOPES, WALKING ON UNEVEN TERRAIN OR, THE MICROPROCESSOR SENSOR MAKES THE ENTIRE GAIT PATTERN MORE DYNAMIC AND RESPONSIVE, THE USER CAN ALSO CHANGE SETTINGS ON THEIR JOINT SWITCHING BETWEEN DIFFERENT MODES USING THE SMARTPHONE APPLICATION	Kit	ITEMIZED	10
261	4224200117000	KNEE ANKLE FOOT ORTHOSIS (KAFO), FREE WALK OR EQUAL, FREE SWING PHASE SECURE STANCE PHASE, SMOOTH GAIT PATTERN, LIGHTWEIGHT, THIN, AND STABLE, SUITABLE FOR A WEIGHT OF UP TO 120 KILOGRAMS, UNILATERAL JOINT BAR, ASSORTED SIZE AND SIDE	each	ITEMIZED	35
262	4224200117200	KNEE ANKLE FOOT ORTHOSIS (KAFO), FREE WALK OR EQUAL, FREE SWING PHASE SECURE STANCE PHASE, SMOOTH GAIT PATTERN, LIGHTWEIGHT, THIN, AND STABLE, SUITABLE FOR A WEIGHT OF UP TO 80 KILOGRAMS, UNILATERAL JOINT BAR, ASSORTED SIDE AND COLOUR	SET	ITEMIZED	55
263	4224200010200	ORTHOTIC KNEE JOINT, POSTERIOR OFFSET RING LOCK, KNEE JOINT STAINLESS STEEL, MEDIAL AND LATERAL STRAIGHT WITH ROUND EDGE ALUMINUM UPRIGHTS, SIZE 3/16 INCHES X 1/2 INCHES, APPROXIMATELY, CHILD SET	SET	ITEMIZED	90
264	4224200114400	ORTHOTIC KNEE JOINT, RING LOCK, RING LOCKDROP, LOCK NO PROTRUSION, WHEN FLEXED ALUMINUM ROUNDED, ALUMINUM SQUARED, STAINLESS STEEL, AND TITANIUM UPRIGHTS, AVAILABLE, INFANT SIZE S, AVAILABLE VARUS/VALGUS CONTOURS, AVAILABLE, NO PROTRUSION WHEN FLEXED, PROVIDES STABILITY, DURING THE STANCE PHASE OF GAIT, MEDIAL/LATERAL CONTROL, GENU RECURVATUM, PROFOUND QUADRICEP INSTABILITY	each	ITEMIZED	85
265	4224200133400	ORTHOTIC KNEE JOINT, ANKLE, MODULAR SYSTEM, JOINT BODY, DOUBLE ACTION FUNCTION, INTERCHANGEABLE FUNCTION MODULES, ADJUSTABLE TO REHABILITATION, PROCESS, ENERGY RETURN, FUNCTION, CONTINUOUSLY ADJUSTABLE, CONTROL OF PLANTAR FLEXION, AND DORSAL EXTENSION, FOR PARTIAL OR TOTAL PARALYSIS, OF THE LEG MUSCLES, MAINLY IN CASE OF NEUROLOGICAL DISEASES, SUCH AS: INCOMPLETE SPINAL CORD, INJURY (ISC), TRAUMATIC BRAIN INJURY, INFANTILE, CEREBRAL PALSY, AND STROKE	Kit	ITEMIZED	210
266	4224200020000	ORTHOTIC KNEE JOINT, AUTOMATIC ANGLED LEVER LOCK, AUTOMATICALLY ENGAGES WHEN THE JOINT REACHES FULL EXTENSION, OPTIONAL ANTERIOR, PULL CABLE TO DISENGAGE BOTH LOCKS SIMULTANEOUSLY, ALUMINUM ROUNDED, STAINLESS STEEL, AND TITANIUM UPRIGHTS AVAILABLE, MODULAR DESIGN PROVIDE STABILITY DURING THE STANCE, PHASE OF GAIT, MEDIAL/LATERAL CONTROL, GENU RECURVATUM PROFOUND QUADRICEP INSTABILITY	each	ITEMIZED	200
267	4224200114700	ORTHOTIC KNEE JOINT, FREE MOTION, 180 DEGREE EXTENSION, STOP UNRESTRICTED FLEXION THROUGH FULL RANGE OF MOTION, ALUMINUM ROUNDED, ALUMINUM SQUARED, STAINLESS STEEL, AND TITANIUM UPRIGHTS AVAILABLE UNRESTRICTED FLEXION THROUGH FULL RANGE OF MOTION, MEDIAL/LATERAL CONTROL GENU RECURVATUM	each	ITEMIZED	35
268	4224200114600	ORTHOTIC KNEE JOINT, LEVER LOCK SYSTEM AXIS OF MOTION POSTERIOR TO UPRIGHT, ALUMINUM ROUNDED, ALUMINUM SQUARED, STAINLESS STEEL, AND TITANIUM UPRIGHTS AVAILABLE, VARUS/VALGUS CONTOURS, AVAILABLE CAN BE COMBINED WITH LEVER RELEASE KIT, PROVIDE STABILITY, DURING THE STANCE PHASE OF GAIT LEVER LOCKS, AUTOMATICALLY AT FULL EXTENSION, POSTERIOR OFFSET PROVIDES LOAD RESPONSE, STABILITY CONVENIENT, UNLOCKING WHEN COMBINED WITH LEVER RELEASE KIT, MEDIAL/LATERAL CONTROL,	each	ITEMIZED	10
269	4224200114900	ORTHOTIC KNEE JOINT, LEVER LOCK SYSTEM, INCREASE/DECREASE KNEE EXTENSION IN 6 DEGREE INTERVALS, KNEE LOCKS WHEN SET EXTENSION IS METAL ALUMINUM, ROUNDED, AND STAINLESS STEEL UPRIGHTS AVAILABLE CAN BE COMBINED WITH LEVER, RELEASE KIT VARYING DEGREES OF KNEE EXTENSION OPTIMAL FOR PERSONS THAT CANNOT REACH, FULL KNEE EXTENSION, MEDIAL/LATERAL CONTROL GENU RECURVATUM PROFOUND QUADRICEP INSTABILITY STATIC POSITIONING FLEXURE CONTRACTURE	each	ITEMIZED	80
270	4224200114500	ORTHOTIC KNEE JOINT, LEVER LOCK, SPRING LOADED LEVER SYSTEM, AUTOMATIC LOCKING, ALUMINUM ROUNDED, ALUMINUM SQUARED, STAINLESS STEEL AND TITANIUM UPRIGHTS, AVAILABLE VARUS/VALGUS CONTOURS, AVAILABLE CAN BE COMBINED WITH LEVER RELEASE KIT, PROVIDE STABILITY DURING THE STANCE PHASE OF GAIT, AUTOMATIC LOCKING, CONVENIENT UNLOCKING WHEN COMBINED WITH LEVER RELEASE KIT, GENU RECURVATUM, MEDIAL/LATERAL CONTROL, PROFOUND QUADRICEP INSTABILITY	each	ITEMIZED	120
271	4224200115000	ORTHOTIC KNEE JOINT, OFFSET, FREE MOTION WITH 180 DEGREE EXTENSION STOP POSTERIOR OFFSET PROVIDES MEDIOLATERAL KNEE STABILITY DOES NOT LIMIT FUNCTIONAL KNEE FLEXION RANGE OF MOTION VARUS/VALGUS CONTOURS AVAILABLE INFANT SIZE S AVAILABLE ALUMINUM ROUNDED ALUMINUM SQUARED STAINLESS STEEL AND TITANIUM UPRIGHTS AVAILABLE PROVIDE STABILITY DURING THE STANCE PHASE OF GAIT ALLOW UNRESTRICTED FLEXION THROUGH RANGE OF MOTION POSTERIOR OFFSET PROVIDES LOAD RESPONSE STABILITY MEDIAL/LATERAL CONTROL GENU RECURVATUM	each	ITEMIZED	30
272	4224200115700	ORTHOTIC KNEE JOINT, RATCHET, LOCK, PROMOTES FULL KNEE EXTENSION THROUGH INCREMENTAL RANGE OF KNEE FLEXION, SECURE SEMI - AUTOMATIC LOCKING MECHANISM, ALUMINUM ROUNDED, STAINLESS STEEL AND TITANIUM UPRIGHTS AVAILABLE, PROVIDE STABILITY DURING THE FLEXION STAGE OF THE KNEE, DISTINCTIVE ANTERIOR LOW PROFILE LOCKING MECHANISMS LOCK CAN BE QUICKLY AND EASILY DISENGAGED, MEDIAL LATERAL INSTABILITY, STATIC PROGRESSIVE POSITIONING RANGE OF MOTION LIMITING	each	ITEMIZED	130
273	4224200114300	ORTHOTIC KNEE JOINT, RING LOCK, RING LOCK EXTENDED, LOCKING SURFACE DROP, LOCK ALUMINUM ROUNDED, ALUMINUM SQUARED, STAINLESS STEEL, AND TITANIUM UPRIGHTS AVAILABLE, STRONGEST RING LOCK KNEE JOINT, PROVIDES STABILITY DURING THE STANCE PHASE OF GAIT, MEDIAL/LATERAL CONTROL, GENU RECURVATUM, PROFOUND QUADRICEP INSTABILITY	each	ITEMIZED	400
274	4224200115500	ORTHOTIC KNEE JOINT, RING LOCK, AXIS OF MOTION, POSTERIOR TO UPRIGHT POSTERIOR, OFFSET PROVIDES, MEDIOLATERAL, KNEE STABILITY, PROVIDES ANTERIO-POSTERIOR STABILITY, WITH LOCK ENGAGED, VARUS/VALGUS CONTOURS, AVAILABLE IN FANT SIZE S, AVAILABLE ALUMINUM ROUNDED, ALUMINUM SQUARED, STAINLESS STEEL, AND TITANIUM UPRIGHTS AVAILABLE, PROVIDE STABILITY, DURING THE STANCE PHASE OF GAIT, MEDIAL/LATERAL CONTROL, GENU RECURVATUM, PROFOUND QUADRICEP, INSTABILITY	each	ITEMIZED	10

TENDER NAME: PROSTHESIS AND ORTHOSIS

SN	NUPCO CODE	ITEM DESCRIPTION	UOM	GROUP CATEGORY	INITIAL QUANTITY
275	4224200115100	ORTHOTIC KNEE JOINT, RING, LOCK, ADJUSTABLE EXTENSION STOP IN 6 DEGREE INTERVALS, ADJUSTABLE FLEXION, STOP IN 19 DEGREE INTERVALS, (A AND B), OR 23.75 DEGREE INTERVALS, (C SIZE) ALUMINUM, ROUNDED, AND STAINLESS STEEL, UPRIGHTS AVAILABLE, PROVIDE STABILITY, DURING THE STANCE PHASE OF GAIT, ADJUSTABLE EXTENSION TO RESTRICT, FULL LEG EXTENSION, MEDIAL LATERAL INSTABILITY, STATIC PROGRESSIVE POSITIONING, RANGE OF MOTION LIMITING	each	ITEMIZED	110
276	4224200148500	ORTHOTIC KNEE JOINT, SINGLE AXIS, CHILDREN, MODULAR KNEE JOINT WITH INDIVIDUALLY ADJUSTABLE EXTENSION, ASSIST MECHANISM TO CONTROL THE SWING PHASE, MAXIMUM BODY WEIGHT 45 KG, ALUMINUM, MAXIMUM KNEE FLEXION ANGLE 145 DEGREES, KNEE CENTER TO PROXIMAL CONNECTION, 18 MM APPROXIMATELY	each	ITEMIZED	50
277	4224200020200	ORTHOTIC KNEE JOINT, STANCE, CONTROL, LOCKS THE KNEE, DURING STANCE PHASE, AND ALLOWS FREE KNEE MOTION, DURING SWING, RESISTS KNEE FLEXION, AT ANY ANGLE, POSITIVE LOCK, ENGAGED AT FULL EXTENSION, ALUMINUM ROUNDED, STAINLESS STEEL, AND TITANIUM UPRIGHTS, AVAILABLE, PROVIDE KNEE STABILITY, EVEN IF FULL EXTENSION IS NOT REACHED, MODULAR DESIGN, DURABLE, ACTIVE BUT RESISTIVE FLEXION, AT KNEE QUADRICEP, WEAKNESS, LACK OF KNEE CONTROL, KNEE FLEXURE CONTRACTURE, GENU RECURVATUM	each	ITEMIZED	50
278	4224200115300	ORTHOTIC KNEE JOINT, TRIGGER LOCK SPRING LOADED LEVER SYSTEM, AUTOMATICALLY ENGAGED LOCK, ALUMINUM ROUNDED, ALUMINUM SQUARED, STAINLESS STEEL AND TITANIUM UPRIGHTS, AVAILABLE TRIGGER LOCK RELEASE SYSTEM PROVIDE STABILITY DURING THE STANCE PHASE OF GAIT, TRIGGER ALLOWS THE JOINT TO BE UNLOCKED WITHOUT BENDING MEDIAL/LATERAL CONTROL, GENU RECURVATUM, PROFOUND QUADRICEP INSTABILITY	each	ITEMIZED	200
279	4224200117500	ORTHOTIC KNEE JOINTS WITH WEDGE LOCK AND PULL, RELEASE CABLE, LIGHT, AND STURDY, MODULAR JOINT SYSTEM, VERSATILE IN APPLICATION, EASY MAINTENANCE, YOU CAN EASILY DISASSEMBLE ALL COMPONENTS FOR MAINTENANCE PURPOSES AND REPLACE THEM IF NECESSARY, PAIR	each	ITEMIZED	150
280	4224170001300	GENU - VALGUS / VARUS BRACE, MERMAID TAIL, PASSIVE CORRECTIVE ORTHOSIS, COMPOSED OF TWO MEDIAL LEAFLETS, JOINED TOGETHER AND THAT FIT ON THE PATIENT'S TWO LEGS, THREE ADJUSTABLE, FASTENING POINTS, USING VELCRO AT THE LEVEL OF THIGH, KNEE AND CALF, MADE OF THERMOPLASTIC, LINED WITH BREATHABLE FOAM MATERIAL, NIGHT CORRECTION OF DEVIATIONS, IN VARUS OR VALGUS OF THE KNEE, CORRECTION OF ROTATIONAL ATTITUDES, OF THE TIBIA, COMFORTABLE BRACES AND LATEX FREE, TIBIA ROD ASSORTED SIZE	each	ITEMIZED	75
281	4224170314800	KNEE IMMOBILIZER, BIVALVE, THERMOPLASTIC, LARGE	each	ITEMIZED	110
282	4224170317600	SWEDISH, KNEE CAGE, EXTRA-LARGE	each	ITEMIZED	200
283	4224170317500	SWEDISH, KNEE CAGE, LARGE	each	ITEMIZED	200
284	4224170317400	SWEDISH, KNEE CAGE, MEDIUM	each	ITEMIZED	200
285	4224170317300	SWEDISH, KNEE CAGE, SMALL	each	ITEMIZED	200
286	4224200019100	DEEP FORMING KIT, AN ORTHOTICS AND PROSTHETICS METAL FRAME, FOR LAMINATING CASTING AND TEST SOCKETS BY VACUUM TECHNOLOGY, FOR LOWER LIMBS	Kit	ITEMIZED	10
287	4224200128900	PROSTHETIC MODULAR TRANSFEMORAL KIT, PEDIATRIC, INCLUDING POLYCENTRIC KNEE JOINT, CLAMP ADAPTER, COSMETIC FOAM, AND PERLON STOCKINGS OR EQUIVALENT	SET	ITEMIZED	10
288	4224200128500	PROSTHETIC MODULAR TRANSFEMORAL KIT, PEDIATRIC, INCLUDING SINGLE AXIS KNEE JOINT WITH LOCK CLAMP ADAPTER, COSMETIC FOAM, AND PERLON STOCKINGS OR EQUIVALENT	SET	ITEMIZED	10
289	4224200128300	PROSTHETIC MODULAR TRANSFEMORAL KIT, PEDIATRIC, INCLUDING SINGLE AXIS KNEE JOINT, CLAMP ADAPTER, COSMETIC FOAM, AND PERLON STOCKINGS KIT OR EQUIVALENT	SET	ITEMIZED	10
290	4224200127800	PROSTHETIC MODULAR TRANSTIBIAL KIT WITH LAMINATION ANCHOR AND COSMETIC FOAM, CE MARK OR EQUIVALENT	each	ITEMIZED	80
291	4224200126700	PROSTHETIC MODULAR TRANSTIBIAL KIT, TITANIUM, 34 MM, WITH COSMETIC FOAM MAX WEIGHT 150 KG, CE MARK OR EQUIVALENT	each	ITEMIZED	75
292	4224200030600	TOOLS KIT FOR TAKING THE MEASUREMENTS OF THE TRANSFEMORAL, INCLUDING SPRING-TENSIONED MEASURING TAPE LENGTH 1500MM TWO-SIDED CM BOTH SIDES, CALLIPERS : MEASUREMENT RANGE 30 MM - 500 MM TO BE USED FOR DETERMINING THE LENGTH OF THE RESIDUAL LIMB FROM THE ISCHIAL TUBEROSITY TO THE RESIDUAL LIMB END, AND CALLIPER TO TAKE BONY AND ANATOMIC MEASUREMENTS OF TRANSFEMORAL WITH SYNTHETIC MATERIAL WHICH IS PLEASANT ON THE SKIN, ADJUSTABLE GONIOMETER : DIMENSIONS (W X D X H) 250 X 20 X 125 MM APPROXIMATELY, ROTATABLE LEVEL, ALUMINUM SOLE WITH INSET MAGNETS, HANDY, ADJUSTABLE GONIOMETER, ROTATION DISC SCALE IN DEGREES AND MM/M	each	ITEMIZED	10
293	4224200011000	TRANSFEMORAL PROSTHESIS COMPONENT KIT, MODULAR, CONSISTING OF LIGHTWEIGHT SINGLE AXIS KNEE JOINT WITH LOCK, ROTATABLE SOCKET ADAPTER WITH PYRAMID RECEIVER, TUBE ADAPTER, AND COSMETIC FOAM, FOR LOW ACTIVITY, MAXIMUM WEIGHT 100 KG	SET	ITEMIZED	25
294	4224200004800	TRANSTIBIAL MODULAR KIT, WITH INNER TUBE ADAPTER AND TUBE CLAMP ADAPTER (TITANIUM), DIAMETER: 34 MM APPROXIMATELY, FOR BODY WEIGHT UP TO 150 KG	Kit	ITEMIZED	500
295	4224200126800	TRANSTIBIAL PROSTHETIC KIT, LIGHTWEIGHT ROBUST AND DURABLE CARBON FOOT, WITH LOW CLEARANCE RESISTANT AGAINST DUST, DIRT, AND SPLASH WATER, THE CARBON SPRING OFFERS A GOOD FOREFOOT STABILITY AND AN EFFICIENT ENERGY RETURN THE HEEL FOAM OFFERS A COMFORTABLE AND SAVE HEEL STRIKE, TOE INSERT PRE-INSTALLED IN THE FOOTSHELL SERVES TO EXTEND THE LENGTH OF THE FOREFOOT SUPPORTING DIFFERENT WALKING SPEEDS, LOW PROFILE FOOTSHELL FOR EASY ACCESS TO ADJUSTMENT SCREWS AND CONVENIENT INSTALLATION, ALIGNMENT MARKS ON THE FOOTSHELL AND CONNECTION CAP ALLOW AN EASY BENCH ALIGNMENT, INCLUDED TITANIUM TUBE ADAPTER, TITANIUM TUBE CLAMP ADAPTER, TITANIUM TRANS-TIBIAL LAMINATION ANCHOR WITH PYRAMID, AND COSMETIC FOAM, LEFT, SIZE 24	SET	ITEMIZED	25
296	4224200127000	TRANSTIBIAL PROSTHETIC KIT, LIGHTWEIGHT ROBUST AND DURABLE CARBON FOOT, WITH LOW CLEARANCE RESISTANT AGAINST DUST, DIRT, AND SPLASH WATER, THE CARBON SPRING OFFERS A GOOD FOREFOOT STABILITY AND AN EFFICIENT ENERGY RETURN THE HEEL FOAM OFFERS A COMFORTABLE AND SAVE HEEL STRIKE, TOE INSERT PRE-INSTALLED IN THE FOOTSHELL SERVES TO EXTEND THE LENGTH OF THE FOREFOOT SUPPORTING DIFFERENT WALKING SPEEDS, LOW PROFILE FOOTSHELL FOR EASY ACCESS TO ADJUSTMENT SCREWS AND CONVENIENT INSTALLATION, ALIGNMENT MARKS ON THE FOOTSHELL AND CONNECTION CAP ALLOW AN EASY BENCH ALIGNMENT, INCLUDED TITANIUM TUBE ADAPTER, TITANIUM TUBE CLAMP ADAPTER, TITANIUM TRANS-TIBIAL LAMINATION ANCHOR WITH PYRAMID, AND COSMETIC FOAM, RIGHT, SIZE 24	SET	ITEMIZED	25
297	4224200126900	TRANSTIBIAL PROSTHETIC KIT, LIGHTWEIGHT ROBUST AND DURABLE CARBON FOOT, WITH LOW CLEARANCE RESISTANT AGAINST DUST, DIRT, AND SPLASH WATER, THE CARBON SPRING OFFERS A GOOD FOREFOOT STABILITY AND AN EFFICIENT ENERGY RETURN THE HEEL FOAM OFFERS A COMFORTABLE AND SAVE HEEL STRIKE, TOE INSERT PRE-INSTALLED IN THE FOOTSHELL SERVES TO EXTEND THE LENGTH OF THE FOREFOOT SUPPORTING DIFFERENT WALKING SPEEDS, LOW PROFILE FOOTSHELL FOR EASY ACCESS TO ADJUSTMENT SCREWS AND CONVENIENT INSTALLATION, ALIGNMENT MARKS ON THE FOOTSHELL AND CONNECTION CAP ALLOW AN EASY BENCH ALIGNMENT, INCLUDED TITANIUM TUBE ADAPTER, TITANIUM TUBE CLAMP ADAPTER, TITANIUM TRANS-TIBIAL LAMINATION ANCHOR WITH PYRAMID, AND COSMETIC FOAM, LEFT, SIZE 25	SET	ITEMIZED	25

TENDER NAME: PROSTHESIS AND ORTHOSIS

SN	NUPCO CODE	ITEM DESCRIPTION	UOM	GROUP CATEGORY	INITIAL QUANTITY
298	4224200127100	TRANSTIBIAL PROSTHETIC KIT, LIGHTWEIGHT ROBUST AND DURABLE CARBON FOOT, WITH LOW CLEARANCE RESISTANT AGAINST DUST, DIRT, AND SPLASH WATER, THE CARBON SPRING OFFERS A GOOD FOREFOOT STABILITY AND AN EFFICIENT ENERGY RETURN THE HEEL FOAM OFFERS A COMFORTABLE AND SAVE HEEL STRIKE, TOE INSERT PRE-INSTALLED IN THE FOOTSHIELD SERVES TO EXTEND THE LENGTH OF THE FOREFOOT SUPPORTING DIFFERENT WALKING SPEEDS, LOW PROFILE FOOTSHIELD FOR EASY ACCESS TO ADJUSTMENT SCREWS AND CONVENIENT INSTALLATION, ALIGNMENT MARKS ON THE FOOTSHIELD AND CONNECTION CAP ALLOW AN EASY BENCH ALIGNMENT, INCLUDED TITANIUM TUBE ADAPTER, TITANIUM TUBE CLAMP ADAPTER, TITANIUM TRANS-TIBIAL LAMINATION ANCHOR WITH PYRAMID, AND COSMETIC FOAM, RIGHT, SIZE 25	SET	ITEMIZED	25
299	4224200127200	TRANSTIBIAL PROSTHETIC KIT, LIGHTWEIGHT ROBUST AND DURABLE CARBON FOOT, WITH LOW CLEARANCE RESISTANT AGAINST DUST, DIRT, AND SPLASH WATER, THE CARBON SPRING OFFERS A GOOD FOREFOOT STABILITY AND AN EFFICIENT ENERGY RETURN THE HEEL FOAM OFFERS A COMFORTABLE AND SAVE HEEL STRIKE, TOE INSERT PRE-INSTALLED IN THE FOOTSHIELD SERVES TO EXTEND THE LENGTH OF THE FOREFOOT SUPPORTING DIFFERENT WALKING SPEEDS, LOW PROFILE FOOTSHIELD FOR EASY ACCESS TO ADJUSTMENT SCREWS AND CONVENIENT INSTALLATION, ALIGNMENT MARKS ON THE FOOTSHIELD AND CONNECTION CAP ALLOW AN EASY BENCH ALIGNMENT, INCLUDED TITANIUM TUBE ADAPTER, TITANIUM TUBE CLAMP ADAPTER, TITANIUM TRANS-TIBIAL LAMINATION ANCHOR WITH PYRAMID, AND COSMETIC FOAM, LEFT, SIZE 26	SET	ITEMIZED	25
300	4224200127500	TRANSTIBIAL PROSTHETIC KIT, LIGHTWEIGHT ROBUST AND DURABLE CARBON FOOT, WITH LOW CLEARANCE RESISTANT AGAINST DUST, DIRT, AND SPLASH WATER, THE CARBON SPRING OFFERS A GOOD FOREFOOT STABILITY AND AN EFFICIENT ENERGY RETURN THE HEEL FOAM OFFERS A COMFORTABLE AND SAVE HEEL STRIKE, TOE INSERT PRE-INSTALLED IN THE FOOTSHIELD SERVES TO EXTEND THE LENGTH OF THE FOREFOOT SUPPORTING DIFFERENT WALKING SPEEDS, LOW PROFILE FOOTSHIELD FOR EASY ACCESS TO ADJUSTMENT SCREWS AND CONVENIENT INSTALLATION, ALIGNMENT MARKS ON THE FOOTSHIELD AND CONNECTION CAP ALLOW AN EASY BENCH ALIGNMENT, INCLUDED TITANIUM TUBE ADAPTER, TITANIUM TUBE CLAMP ADAPTER, TITANIUM TRANS-TIBIAL LAMINATION ANCHOR WITH PYRAMID, AND COSMETIC FOAM, RIGHT, SIZE 26	SET	ITEMIZED	25
301	4224200127300	TRANSTIBIAL PROSTHETIC KIT, LIGHTWEIGHT ROBUST AND DURABLE CARBON FOOT, WITH LOW CLEARANCE RESISTANT AGAINST DUST, DIRT, AND SPLASH WATER, THE CARBON SPRING OFFERS A GOOD FOREFOOT STABILITY AND AN EFFICIENT ENERGY RETURN THE HEEL FOAM OFFERS A COMFORTABLE AND SAVE HEEL STRIKE, TOE INSERT PRE-INSTALLED IN THE FOOTSHIELD SERVES TO EXTEND THE LENGTH OF THE FOREFOOT SUPPORTING DIFFERENT WALKING SPEEDS, LOW PROFILE FOOTSHIELD FOR EASY ACCESS TO ADJUSTMENT SCREWS AND CONVENIENT INSTALLATION, ALIGNMENT MARKS ON THE FOOTSHIELD AND CONNECTION CAP ALLOW AN EASY BENCH ALIGNMENT, INCLUDED TITANIUM TUBE ADAPTER, TITANIUM TUBE CLAMP ADAPTER, TITANIUM TRANS-TIBIAL LAMINATION ANCHOR WITH PYRAMID, AND COSMETIC FOAM, LEFT, SIZE 27	SET	ITEMIZED	25
302	4224200127600	TRANSTIBIAL PROSTHETIC KIT, LIGHTWEIGHT ROBUST AND DURABLE CARBON FOOT, WITH LOW CLEARANCE RESISTANT AGAINST DUST, DIRT, AND SPLASH WATER, THE CARBON SPRING OFFERS A GOOD FOREFOOT STABILITY AND AN EFFICIENT ENERGY RETURN THE HEEL FOAM OFFERS A COMFORTABLE AND SAVE HEEL STRIKE, TOE INSERT PRE-INSTALLED IN THE FOOTSHIELD SERVES TO EXTEND THE LENGTH OF THE FOREFOOT SUPPORTING DIFFERENT WALKING SPEEDS, LOW PROFILE FOOTSHIELD FOR EASY ACCESS TO ADJUSTMENT SCREWS AND CONVENIENT INSTALLATION, ALIGNMENT MARKS ON THE FOOTSHIELD AND CONNECTION CAP ALLOW AN EASY BENCH ALIGNMENT, INCLUDED TITANIUM TUBE ADAPTER, TITANIUM TUBE CLAMP ADAPTER, TITANIUM TRANS-TIBIAL LAMINATION ANCHOR WITH PYRAMID, AND COSMETIC FOAM, RIGHT, SIZE 27	SET	ITEMIZED	25
303	4224200127700	TRANSTIBIAL PROSTHETIC KIT, LIGHTWEIGHT ROBUST AND DURABLE CARBON FOOT, WITH LOW CLEARANCE RESISTANT AGAINST DUST, DIRT, AND SPLASH WATER, THE CARBON SPRING OFFERS A GOOD FOREFOOT STABILITY AND AN EFFICIENT ENERGY RETURN THE HEEL FOAM OFFERS A COMFORTABLE AND SAVE HEEL STRIKE, TOE INSERT PRE-INSTALLED IN THE FOOTSHIELD SERVES TO EXTEND THE LENGTH OF THE FOREFOOT SUPPORTING DIFFERENT WALKING SPEEDS, LOW PROFILE FOOTSHIELD FOR EASY ACCESS TO ADJUSTMENT SCREWS AND CONVENIENT INSTALLATION, ALIGNMENT MARKS ON THE FOOTSHIELD AND CONNECTION CAP ALLOW AN EASY BENCH ALIGNMENT, INCLUDED TITANIUM TUBE ADAPTER, TITANIUM TUBE CLAMP ADAPTER, TITANIUM TRANS-TIBIAL LAMINATION ANCHOR WITH PYRAMID, AND COSMETIC FOAM, RIGHT, SIZE 28	SET	ITEMIZED	20
304	4224200127400	TRANSTIBIAL PROSTHETIC KIT, LIGHTWEIGHT ROBUST AND DURABLE CARBON FOOT, WITH LOW CLEARANCE RESISTANT AGAINST DUST, DIRT, AND SPLASH WATER, THE CARBON SPRING OFFERS A GOOD FOREFOOT STABILITY AND AN EFFICIENT ENERGY RETURN THE HEEL FOAM OFFERS A COMFORTABLE AND SAVE HEEL STRIKE, TOE INSERT PRE-INSTALLED IN THE FOOTSHIELD SERVES TO EXTEND THE LENGTH OF THE FOREFOOT SUPPORTING DIFFERENT WALKING SPEEDS, LOW PROFILE FOOTSHIELD FOR EASY ACCESS TO ADJUSTMENT SCREWS AND CONVENIENT INSTALLATION, ALIGNMENT MARKS ON THE FOOTSHIELD AND CONNECTION CAP ALLOW AN EASY BENCH ALIGNMENT, INCLUDED TITANIUM TUBE ADAPTER, TITANIUM TUBE CLAMP ADAPTER, TITANIUM TRANS-TIBIAL LAMINATION ANCHOR WITH PYRAMID, AND COSMETIC FOAM, LEFT, SIZE 28	SET	ITEMIZED	20
305	4224200111000	CUSTOM MADE, COMPLETE BIONIC PROSTHETIC LEG SYSTEM, KIT, LIGHT, KNEE MICROPROCESSOR, ROTATION ADAPTER, DOUBLE ADAPTER, LAMINATION ANCHOR WITH PYRAMID ADAPTER, LAMINATION DUMMY, PYRAMID RECEIVER WITH THREADED CONNECTOR, CUSTOM CARBON PROTECTOR, FOOTSHIELD, PROSTHETIC FOOT, TUBE ADAPTER ALUMINUM WITH CONNECTION CABLE, KNEE JOINT SHOULD ALSO INCLUDE, CLIMBING STAIRS, SAFELY WALKING BACKWARDS AND OVERCOMING OBSTACLES, RELIEVES THE ENTIRE MUSCULOSKELETAL SYSTEM, WITH THE HYDRAULIC UNIT CONTROLS KNEE MOVEMENT, RESISTANCES ARE CONTROLLED INDEPENDENTLY OF ONE ANOTHER BY TWO CONTROL VALVES, WEATHERPROOF, CONTROLLED VIA THE APP, JOINT INCLUDE THE COMPLEX SENSOR SYSTEM, INCLUDES ALL REQUIRED MATERIALS/COMPONENTS TO FABRICATE PROSTHESIS, DELIVERY FITTING BY CERTIFIED ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP AND PROGRAM AND TRAINING (APPENDIX C)	SET	ITEMIZED	35
306	4224200113900	COMPLETE BIONIC PROSTHETIC LEG SYSTEM, KIT, LIGHT, KNEE MICROPROCESSOR, ROTATION ADAPTER, DOUBLE ADAPTER, LAMINATION ANCHOR WITH PYRAMID ADAPTER, LAMINATION DUMMY, PYRAMID RECEIVER WITH THREADED CONNECTOR, CUSTOM CARBON PROTECTOR, FOOTSHIELD, PROSTHETIC FOOT, TUBE ADAPTER ALUMINUM WITH CONNECTION CABLE, KNEE JOINT SHOULD ALSO INCLUDE, CLIMBING STAIRS, SAFELY WALKING BACKWARDS AND OVERCOMING OBSTACLES, RELIEVES THE ENTIRE MUSCULOSKELETAL SYSTEM, WITH THE HYDRAULIC UNIT CONTROLS KNEE MOVEMENT, RESISTANCES ARE CONTROLLED INDEPENDENTLY OF ONE ANOTHER BY TWO CONTROL VALVES, WEATHERPROOF, CONTROLLED VIA THE APP, JOINT INCLUDE THE COMPLEX SENSOR SYSTEM, INCLUDES ALL REQUIRED MATERIALS/COMPONENTS TO FABRICATE PROSTHESIS, CLIMBING WITH COMPLETE ACCESSORIES INCLUDING PROGRAM AND TRAINING	Kit	ITEMIZED	20
307	4224200139500	TRANSFEMORAL PROSTHESIS COMPONENT KIT, INCLUDING : DYNAMIC FOOT WITH PYRAMID, MEDIUM DENSITY HEEL AND RESEMBLES THE NATURAL FOOT SHAPE WITH SMOOTH SURFACE AND SANDAL TOE, TUBE ADAPTER AND TUBE CLAMP ADAPTER "TITANIUM", MODULAR KNEE JOINT "TITANIUM", POLYCENTRIC, WITH INTEGRATED EXTENSION ASSIST "FOUR BAR" SWING PHASE SETTINGS CAN BE CONTINUOUSLY ADJUSTED THROUGH THE AXIS FRICTION AND EXTENSION ASSIST, KNEE FLEXION ANGLE 110 DEGREE, MAXIMUM WEIGHT OF THE KNEE JOINT : 445 GRAMS APPROXIMATELY, FOR BODY WEIGHT UP TO 100 KG, LAMINATION ANCHOR WITH PYRAMID RECEIVER, ROTATABLE, FOAM COVER, PERLON COSMETIC STOCKINGS, INTERNAL SOFT SOCKET, SIZE AND SIDE WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL	Kit	ITEMIZED	15

TENDER NAME: PROSTHESIS AND ORTHOSIS

SN	NUPCO CODE	ITEM DESCRIPTION	UOM	GROUP CATEGORY	INITIAL QUANTITY
308	4224200139900	CUSTOM MADE, TRANSFEMORAL PROSTHESIS COMPONENT KIT, INCLUDING LIGHTWEIGHT CARBON FOOT WITH PYRAMID AND COMFORTABLE ROLLOVER CHARACTERISTICS, FOOT SHELL WITH COSMESIS CONNECTION CAP, MULTI-AXIAL MOBILITY, SHOCK ABSORPTION, PROGRESSIVE SPRING CHARACTERISTICS, TUBE ADAPTER AND TUBE CLAMP ADAPTER "TITANIUM", MODULAR POLYCENTRIC, KNEE JOINT WITH HYDRAULIC SWING PHASE CONTROL, FLEXION ANGLE OF 175 DEGREE, KNEE JOINT WEIGHT 850 GRAMS APPROX, ROTATION ADAPTER FOR MODULAR PROSTHESIS, WITH PYRAMID, STAINLESS STEEL, HEIGHT 22 MM, BODY WEIGHT UP TO 150 KG, ADAPTER (DOUBLE), FOUR TITANIUM ADJUSTMENT SCREWS FOR CONNECTION BETWEEN TWOPYRAMID ADAPTERS, LAMINATION ANCHOR WITH PYRAMID ROTATABLE STAINLESS STEEL, HEIGHT 2 MM, FOAM COVER, COSMETIC STOCKINGS, SEALING LINER WITH 2 SEALING RING, CUSHION, ANTIBACTERIAL AND SKINFRIENDLY, SIZE AND SIDE WILL BE SPECIFY, INCLUDES PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, INCLUDES ALL MATERIALS/COMPONENTS TO FABRICATE PROSTHESIS, DELIVERY, FITTING BY CERTIFIED ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP (APPENDIX C)	Kit	ITEMIZED	20
309	4224200137700	TRANSFEMORAL PROSTHESIS, DYNAMIC FOOT WITH PYRAMID WITH INNER FLEXIBLE FOOT, DORSAL REINFORCEMENT MEDIUM DENSITY HEEL AND RESEMBLES THE NATURAL FOOT SHAPE WITH SMOOTH SURFACE AND SANDAL TOE, TUBE CLAMP ADAPTER, TUBE ADAPTER, LAMINATION ANCHOR WITH PYRAMID, ROTATABLE, FOAM COVER, PERLON COSMETIC STOCKINGS, INTERNAL SOFT SOCKET OR DERMA SEAL DOUBLE FORTE, ALL COMPONENTS FROM STAINLESS STEEL, SIZE AND SIDE WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL	Kit	ITEMIZED	10
310	4224200137800	CUSTOM MADE, TRANSFEMORAL PROSTHESIS, DYNAMIC FOOT WITH PYRAMID WITH INNER FLEXIBLE FOOT, DORSAL REINFORCEMENT MEDIUM DENSITY HEEL AND RESEMBLES THE NATURAL FOOT SHAPE WITH SMOOTH SURFACE AND SANDAL TOE, TUBE CLAMP ADAPTER, TUBE ADAPTER, LAMINATION ANCHOR WITH PYRAMID, ROTATABLE, FOAM COVER, PERLON COSMETIC STOCKINGS, INTERNAL SOFT SOCKET OR DERMA SEAL DOUBLE FORTE, ALL COMPONENTS FROM STAINLESS STEEL, SIZE AND SIDE WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL. INCLUDES - PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, INCLUDES ALL REQUIRED MATERIALS/COMPONENTS TO FABRICATE PROSTHESIS, DELIVERY, FITTING BY CERTIFIED ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP, (APPENDIX C)	Kit	ITEMIZED	10
311	4224200137900	TRANSFEMORAL PROSTHESIS KIT, DYNAMIC FOOT WITH PYRAMID WITH INNER FLEXIBLE FOOT, DORSAL REINFORCEMENT MEDIUM DENSITY HEEL AND RESEMBLES THE NATURAL FOOT SHAPE WITH SMOOTH SURFACE AND SANDAL TOE, TUBE CLAMP ADAPTER, TUBE ADAPTER, LAMINATION ANCHOR WITH PYRAMID, ROTATABLE, FOAM COVER, PERLON COSMETIC STOCKINGS, INTERNAL SOFT SOCKET OR DERMA SEAL DOUBLE FORTE, ALL COMPONENTS FROM TITANIUM, SIZE AND SIDE WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL	Kit	ITEMIZED	10
312	4224200138000	CUSTOM MADE, TRANSFEMORAL PROSTHESIS, DYNAMIC FOOT WITH PYRAMID WITH INNER FLEXIBLE FOOT, DORSAL REINFORCEMENT MEDIUM DENSITY HEEL AND RESEMBLES THE NATURAL FOOT SHAPE WITH SMOOTH SURFACE AND SANDAL TOE, TUBE CLAMP ADAPTER, TUBE ADAPTER, LAMINATION ANCHOR WITH PYRAMID, ROTATABLE, FOAM COVER, PERLON COSMETIC STOCKINGS, INTERNAL SOFT SOCKET OR DERMA SEAL DOUBLE FORTE, ALL COMPONENTS FROM TITANIUM, SIZE AND SIDE WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL. INCLUDES - PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, INCLUDES ALL REQUIRED MATERIALS/COMPONENTS TO FABRICATE PROSTHESIS, DELIVERY, FITTING BY CERTIFIED ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP (APPENDIX C)	Kit	ITEMIZED	10
313	4224151800800	TRANSFEMORAL PROSTHESIS KIT, MULTIAXIAL FOOT WITH PYRAMID, DIVIDED HEEL, SPACER SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE, MODULAR POLYCENTRIC KNEE JOINT "ALUMINUM" WITH PNEUMATIC SWING PHASE CONTROL, KNEE FLEXION ANGLE 170 DEGREE AND THE LIGHT WEIGHT AND HIGH COMFORT, STANCE PHASE IS SECURED DUE TO THE 4-AXIS JOINT DESIGN, TUBE ADAPTER AND COSMETIC FOAM. WEIGHT OF KNEE JOINT: 790 GRAMS APPROXIMATELY, FOR BODY WEIGHT UP TO 100 KG., LAMINATION ANCHOR WITH PYRAMID RECEIVER, ROTATABLE, FOAM COVER, PERLON COSMETIC STOCKINGS OR EQUIVALENT, SEALING LINER WITH TWO SEALING RING HEIGHTS, WITHOUT DISTAL CONNECTION, ANTI-BACTERIAL AND SKIN-FRIENDLY LINER. SIZE AND SIDE WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL	Kit	ITEMIZED	10
314	4224151800900	CUSTOM MADE, TRANSFEMORAL PROSTHESIS, MULTIAXIAL FOOT WITH PYRAMID, DIVIDED HEEL, SPACER SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE, MODULAR POLYCENTRIC KNEE JOINT "ALUMINUM" WITH PNEUMATIC SWING PHASE CONTROL, KNEE FLEXION ANGLE 170 DEGREE AND THE LIGHT WEIGHT AND HIGH COMFORT, STANCE PHASE IS SECURED DUE TO THE 4-AXIS JOINT DESIGN, TUBE ADAPTER AND COSMETIC FOAM. WEIGHT OF KNEE JOINT: 790 GRAMS APPROXIMATELY, FOR BODY WEIGHT UP TO 100 KG., LAMINATION ANCHOR WITH PYRAMID RECEIVER, ROTATABLE, FOAM COVER, PERLON COSMETIC STOCKINGS OR EQUIVALENT, SEALING LINER WITH TWO SEALING RING HEIGHTS, WITHOUT DISTAL CONNECTION, ANTI-BACTERIAL AND SKIN-FRIENDLY LINER, SIZE AND SIDE WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL. INCLUDES - PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, INCLUDES ALL REQUIRED MATERIALS/COMPONENTS TO FABRICATE PROSTHESIS, DELIVERY, FITTING BY CERTIFIED ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP (APPENDIX C)	Kit	ITEMIZED	10
315	4224200139700	CUSTOM MADE, TRANSFEMORAL PROSTHESIS, MULTIAXIAL FOOT WITH PYRAMID, DIVIDED HEEL, SPACER SMOOTH TRANSITION FROM STANCE PHASE, TUBE CLAMP ADAPTER "TITANIUM" MODULAR MONOCENTRIC KNEE JOINT WITH ROTARY HYDRAULICS, BODY WEIGHT UP TO 150 KG, WATERPROOF, INTEGRATED MANUAL LOCK, INCLUDING TUBE ADAPTER DIAMETER 34MM, KNEE JOINT WEIGHT 1250 GR APPROX, ROTATION ADAPTER FOR MODULAR PROSTHESIS, WITH PYRAMID, STAINLESS STEEL, HEIGHT: 22 MM, ROTATION: MAX. 360 DEGREE, BODY WEIGHT UP TO 150 KG, ADAPTER (DOUBLE), TITANIUM WITH FOUR EACH ADJUSTMENT SCREWS FOR CONNECTION BETWEEN TWO PYRAMID ADAPTERS, LAMINATION ANCHOR WITH PYRAMID ROTATABLE, STAINLESS STEEL, HEIGHT 2 MM, FOAM COVER, COSMETIC STOCKINGS, SEALING LINER WITH TWO SEALING RING, CUSHION, ANTIBACTERIAL AND SKINFRIENDLY, SIZE AND SIDE WILL BE SPECIFY WHEN ORDERED, INCLUDES PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, INCLUDES ALL MATERIALS/COMPONENTS TO FABRICATE PROSTHESIS, DELIVERY, FITTING BY CERTIFIED ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP (APPENDIX C)	Kit	ITEMIZED	10
316	4224200139800	CUSTOM MADE, TRANSFEMORAL PROSTHESIS, MULTIAXIAL FOOT WITH PYRAMID, DIVIDED HEEL, SPACER SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE, TUBE CLAMP ADAPTER "TITANIUM" MODULAR MONOCENTRIC KNEE JOINT WITH ROTARY HYDRAULICS, BODY WEIGHT OF UP TO 150 KG, WATERPROOF, INTEGRATED MANUAL LOCK, INCLUDING TUBE ADAPTER DIAMETER 34MM, MAXIMUM MAXIMUM, WEIGHT OF THE KNEE JOINT: 1250 GRAMS APPROX., ROTATION ADAPTER FOR MODULAR PROSTHESIS, WITH PYRAMID, STAINLESS STEEL, SYSTEM HEIGHT: 22 MM, ROTATION: MAX. 360 DEGREE, FOR BODY WEIGHT UP TO 150 KG, ADAPTER (DOUBLE), TITANIUM ABOVE AND BELOW WITH FOUR EACH ADJUSTMENT SCREWS FOR CONNECTION BETWEEN TWOPYRAMID ADAPTERS, LAMINATION ANCHOR WITH PYRAMID ROTATABLE, STAINLESS STEEL, SYSTEM HEIGHT: 2 MM, FOAM COVER, COSMETIC STOCKINGS, SEALING LINER WITH TWO SEALING RING HEIGHTS, WITHOUT DISTAL CONNECTION, ANTI-BACTERIAL AND SKIN-FRIENDLY, SIZE AND SIDE WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL	Kit	ITEMIZED	10

TENDER NAME: PROSTHESIS AND ORTHOSIS

SN	NUPCO CODE	ITEM DESCRIPTION	UOM	GROUP CATEGORY	INITIAL QUANTITY
317	4224200138500	TRANSFEMORAL PROSTHESIS, MULTIAXIAL FOOT WITH PYRAMID, DIVIDED HEEL, SPACER SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE, TUBE CLAMP ADAPTER, TUBE ADAPTER, , LAMINATION ANCHOR WITH PYRAMID, ROTATABLE, FOAM COVER, COSMETIC STOCKINGS, ALL COMPONENTS FROM STAINLESS STEEL, SHUTTLE LOCK WITH DISTAL ADJUSTABLE PYRAMID COMPLETE SET, TO CONNECTION BETWEEN THE LINER AND PROSTHESIS, SYSTEM HEIGHT: 25 MM APPROXIMATELY, LAMINATION DUMMY SET WITH SCREW AND SILICONE LINER SOCKET WITH DISTAL CONNECTION, WITH HIGH SHOCK ABSORPTION, ANTI-BACTERIAL PROPERTIES AND SKIN-FRIENDLY, SIZE AND SIDE WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL	Kit	ITEMIZED	30
318	4224200138800	CUSTOM MADE, TRANSFEMORAL PROSTHESIS, MULTIAXIAL FOOT WITH PYRAMID, DIVIDED HEEL, SPACER SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE, TUBE CLAMP ADAPTER, TUBE ADAPTER, , LAMINATION ANCHOR WITH PYRAMID, ROTATABLE, FOAM COVER, COSMETIC STOCKINGS, ALL COMPONENTS FROM TITANIUM, SHUTTLE LOCK WITH DISTAL ADJUSTABLE PYRAMID COMPLETE SET, SYSTEM HEIGHT: 25 MM APPROXIMATELY INCLUDING LAMINATION DUMMY SET WITH SCREW AND SILICONE LINER SOCKET WITH DISTAL CONNECTION, WITH HIGH SHOCK ABSORPTION, WITH ANTI-BACTERIAL AND SKIN-FRIENDLY, SIZE AND SIDE WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL. INCLUDES - PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, INCLUDES ALL REQUIRED MATERIALS/COMPONENTS TO FABRICATE PROSTHESIS, DELIVERY, FITTING BY CERTIFIED ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP (APPENDIX C)	Kit	ITEMIZED	10
319	4224200138700	TRANSFEMORAL PROSTHESIS, MULTIAXIAL FOOT WITH PYRAMID, DIVIDED HEEL, SPACER SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE, TUBE CLAMP ADAPTER, TUBE ADAPTER, , LAMINATION ANCHOR WITH PYRAMID, ROTATABLE, FOAM COVER, COSMETIC STOCKINGS, ALL COMPONENTS FROM TITANIUM, SHUTTLE LOCK WITH DISTAL ADJUSTABLE PYRAMID COMPLETE SET, SYSTEM HEIGHT: 25 MM APPROXIMATELY INCLUDING LAMINATION DUMMY SET WITH SCREW AND SILICONE LINER SOCKET WITH DISTAL CONNECTION, WITH HIGH SHOCK ABSORPTION, WITH ANTI-BACTERIAL AND SKIN-FRIENDLY, SIZE AND SIDE WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL	Kit	ITEMIZED	10
320	4224200138600	CUSTOM MADE, TRANSFEMORAL PROSTHESIS, MULTIAXIAL FOOT WITH PYRAMID, DIVIDED HEEL, SPACER SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE, TUBE CLAMP ADAPTER, TUBE ADAPTER, LAMINATION ANCHOR WITH PYRAMID, ROTATABLE, FOAM COVER, COSMETIC STOCKINGS, ALL COMPONENTS FROM STAINLESS STEEL, SHUTTLE LOCK WITH DISTAL ADJUSTABLE PYRAMID COMPLETE SET, HEIGHT: 25 MM APPROXIMATELY, LAMINATION DUMMY SET WITH SCREW AND SILICONE LINER SOCKET WITH DISTAL CONNECTION, WITH HIGH SHOCK ABSORPTION, THE ANTI-BACTERIAL AND SKIN-FRIENDLY, SIZE AND SIDE WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL. INCLUDES - PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, INCLUDES ALL REQUIRED MATERIALS/COMPONENTS TO FABRICATE PROSTHESIS, DELIVERY, FITTING BY CERTIFIED ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP (APPENDIX C)	Kit	ITEMIZED	10
321	4224200138200	CUSTOM MADE, TRANSFEMORAL PROSTHESIS, CARBON FOOT, FOOTSHELL WITH COSMESIS CONNECTION CAP AND FOOT ADAPTER, TUBE CLAMP ADAPTER, TUBE ADAPTER, , LAMINATION ANCHOR WITH PYRAMID, ROTATABLE, FOAM COVER, COSMETIC STOCKINGS, ALL COMPONENTS FROM STAINLESS STEEL, SHUTTLE LOCK WITH DISTAL ADJUSTABLE PYRAMID COMPLETE SET, HEIGHT: 25 MM APPROXIMATELY, LAMINATION DUMMY SET WITH SCREW AND SILICONE LINER SOCKET WITH DISTAL CONNECTION, WITH HIGH SHOCK ABSORPTION, ANTIBACTERIAL AND SKIN-FRIENDLY, SIZE AND SIDE WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL, INCLUDES - PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, INCLUDES ALL REQUIRED MATERIALS/COMPONENTS TO FABRICATE PROSTHESIS, DELIVERY, FITTING BY CERTIFIED ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP (APPENDIX C)	Kit	ITEMIZED	10
322	4224200138400	CUSTOM MADE, TRANSFEMORAL PROSTHESIS, CARBON FOOT, FOOTSHELL WITH COSMESIS CONNECTION CAP AND FOOT ADAPTER, TUBE CLAMP ADAPTER, TUBE ADAPTER, , LAMINATION ANCHOR WITH PYRAMID, ROTATABLE, FOAM COVER, COSMETIC STOCKINGS, ALL COMPONENTS FROM TITANIUM, SHUTTLE LOCK WITH DISTAL ADJUSTABLE PYRAMID COMPLETE SET, HEIGHT: 25 MM APPROXIMATELY, LAMINATION DUMMY SET WITH SCREW AND SILICONE LINER SOCKET WITH DISTAL CONNECTION, WITH HIGH SHOCK ABSORPTION, ANTIBACTERIAL AND SKIN-FRIENDLY, SIZE AND SIDE WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL, INCLUDES - PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, INCLUDES ALL REQUIRED MATERIALS/COMPONENTS TO FABRICATE PROSTHESIS, DELIVERY, FITTING BY CERTIFIED ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP (APPENDIX C)	Kit	ITEMIZED	10
323	4224200138100	CUSTOM MADE, TRANSFEMORAL PROSTHESIS, PROSTHETIC CARBON FOOT, FOOTSHELL WITH COSMESIS CONNECTION CAP AND FOOT ADAPTER, TUBE CLAMP ADAPTER, TUBE ADAPTER, LAMINATION ANCHOR WITH PYRAMID, ROTATABLE, FOAM COVER, COSMETIC STOCKINGS, ALL COMPONENTS FROM STAINLESS STEEL, SHUTTLE LOCK WITH DISTAL ADJUSTABLE PYRAMID COMPLETE SET, HEIGHT: 25 MM APPROXIMATELY. INCLUDING LAMINATION DUMMY SET WITH SCREW AND SILICONE LINER SOCKET WITH DISTAL CONNECTION, WITH HIGH SHOCK ABSORPTION, ANTI-BACTERIAL AND SKIN FRIENDLY, SIZE AND SIDE WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL	Kit	ITEMIZED	10
324	4224200138300	TRANSFEMORAL PROSTHESIS, CARBON FOOT, FOOTSHELL WITH COSMESIS CONNECTION CAP AND FOOT ADAPTER, TUBE CLAMP ADAPTER, TUBE ADAPTER, LAMINATION ANCHOR WITH PYRAMID, ROTATABLE, FOAM COVER, COSMETIC STOCKINGS, ALL COMPONENTS FROM TITANIUM, SHUTTLE LOCK WITH DISTAL ADJUSTABLE PYRAMID COMPLETE SET, TO CONNECTION BETWEEN THE LINER AND PROSTHESIS, SYSTEM HEIGHT: 25 MM APPROXIMATELY. INCLUDING LAMINATION DUMMY SET WITH SCREW AND SILICONE LINER SOCKET WITH DISTAL CONNECTION, WITH HIGH SHOCK ABSORPTION, ANTI-BACTERIAL AND SKIN-FRIENDLY, SIZE AND SIDE WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL	Kit	ITEMIZED	10
325	4224151800600	TRANSFEMORAL PROSTHESIS, CARBON FOOT, FOOTSHELL WITH COSMESIS CONNECTION CAP AND FOOT, MODULAR POLYCENTRIC KNEE JOINT "ALUMINUM" WITH PNEUMATIC SWING PHASE CONTROL, KNEE FLEXION ANGLE 170 DEGREE AND THE LIGHT WEIGHT AND HIGH COMFORT, STANCE PHASE IS SECURED DUE TO THE 4-AXIS JOINT DESIGN, TUBE ADAPTER AND COSMETIC FOAM, KNEE JOINT WEIGHT:UP TO 800 GRAMS APPROXIMATELY, FOR BODY WEIGHT UP TO 100 KG, LAMINATION ANCHOR WITH PYRAMID RECEIVER, ROTATABLE, FOAM COVER, COSMETIC STOCKINGS, SEALING LINER WITH TWO SEALING RING HEIGHTS, WITHOUT DISTAL CONNECTION, ANTI-BACTERIAL AND SKIN-FRIENDLY, SIZE AND SIDE WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL	Kit	ITEMIZED	10
326	4224151800700	CUSTOM MADE, TRANSFEMORAL PROSTHESIS, CARBON FOOT, FOOTSHELL WITH COSMESIS CONNECTION CAP AND FOOT, MODULAR POLYCENTRIC KNEE JOINT "ALUMINUM" WITH PNEUMATIC SWING PHASE CONTROL, KNEE FLEXION ANGLE 170 DEGREE AND THE LIGHT WEIGHT AND HIGH COMFORT, STANCE PHASE IS SECURED DUE TO THE 4-AXIS JOINT DESIGN, TUBE ADAPTER AND COSMETIC FOAM, WEIGHT OF THE KNEE JOINT UP TO 800 GRAMS, FOR BODY WEIGHT UP TO 100 KG, LAMINATION ANCHOR WITH PYRAMID RECEIVER, ROTATABLE, FOAM COVER, COSMETIC STOCKINGS, SEALING LINER WITH TWO SEALING RING HEIGHTS, WITHOUT DISTAL CONNECTION, ANTIBACTERIAL AND SKIN-FRIENDLY, SIZE AND SIDE WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL, INCLUDES - PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, INCLUDES ALL REQUIRED MATERIALS/COMPONENTS TO FABRICATE PROSTHESIS, DELIVERY, FITTING BY CERTIFIED ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP (APPENDIX C)	Kit	ITEMIZED	10
327	4224200136900	TRANSFEMORAL PROSTHESIS, SACH FOOT WITH TOES, FOOT ADAPTER, TUBE CLAMP ADAPTER, TUBE ADAPTER, LAMINATION ANCHOR WITH PYRAMID, ROTATABLE, FOAM COVER, COSMETIC STOCKINGS, INTERNAL SOFT SOCKET OR DERMA SEAL DOUBLE FORTE, ALL COMPONENTS FROM STAINLESS STEEL SIZE AND SIDE WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL	Kit	ITEMIZED	35

TENDER NAME: PROSTHESIS AND ORTHOSIS

SN	NUPCO CODE	ITEM DESCRIPTION	UOM	GROUP CATEGORY	INITIAL QUANTITY
328	4224200138900	TRANSFEMORAL PROSTHESIS, SINGLE AXIS FOOT WITH TOES, SINGLE AXIS FOOT ADAPTER "ALUMINUM" WITH CONNECTION CAP, TUBE ADAPTER "ALUMINUM", MODULAR LIGHTWEIGHT SINGLE AXIS KNEE JOINT WITH LOCK, THE UPPER JOINT SECTION WITH PYRAMID ADAPTER AND LOWER JOINT SECTION WITH TUBE CLAMP ARE CONNECTED THROUGH THE KNEE AXIS, KNEE FLEXION ANGLE 155 DEGREE, MAXIMUM WEIGHT OF THE KNEE JOINT: 290 GRAMS, APPROXIMATELY, FOR BODY WEIGHT UP TO 150 KG., LAMINATION ANCHOR WITH PYRAMID RECEIVER, ROTATABLE, FOAM COVER, PERLON COSMETIC STOCKINGS, INTERNAL SOFT SOCKET SIZE AND SIDE WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL	Kit	ITEMIZED	10
329	4224200139000	CUSTOM MADE, TRANSFEMORAL PROSTHESIS, SINGLE AXIS FOOT WITH TOES, SINGLE AXIS FOOT ADAPTER "ALUMINUM" WITH CONNECTION CAP, TUBE ADAPTER "ALUMINUM", MODULAR LIGHTWEIGHT SINGLE AXIS KNEE JOINT, WITH LOCK, THE UPPER JOINT SECTION WITH PYRAMID ADAPTER AND LOWER JOINT SECTION WITH TUBE CLAMP ARE CONNECTED THROUGH THE KNEE AXIS, KNEE FLEXION ANGLE 155 DEGREE, MAXIMUM WEIGHT OF THE KNEE JOINT: 290 GRAMS APPROXIMATELY, FOR BODY WEIGHT UP TO 150 KG., LAMINATION ANCHOR WITH PYRAMID RECEIVER, ROTATABLE, FOAM COVER, PERLON COSMETIC STOCKINGS, INTERNAL SOFT SOCKET, SIZE AND SIDE WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL, INCLUDES - PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, INCLUDES ALL REQUIRED MATERIALS/COMPONENTS TO FABRICATE PROSTHESIS, DELIVERY, FITTING BY CERTIFIED ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP (APPENDIX C)	Kit	ITEMIZED	10
330	4224200139100	TRANSFEMORAL PROSTHESIS, SINGLE AXIS FOOT WITH TOES, SINGLE AXIS FOOT ADAPTER "STAINLESS STEEL" WITH CONNECTION CAP, TUBE ADAPTER AND TUBE CLAMP ADAPTER "STAINLESS STEEL", MODULAR MONOCENTRIC KNEE JOINT TITANIUM WITH FRICTION BRAKE, WITH EXTENSION ASSIST AND PROTECTIVE SLEEVE, LOAD-DEPENDENT BRAKE TO CONTROL THE SWING PHASE, THE AXIS FRICTION AND THE SPRING FORCE OF THE EXTENSION ASSIST ARE ADJUSTABLE KNEE FLEXION ANGLE 150 DEGREE, MAXIMUM WEIGHT OF THE KNEE JOINT: 490 GRAMS, APPROXIMATELY, FOR BODY WEIGHT UP TO 100 KG., LAMINATION ANCHOR WITH PYRAMID RECEIVER, ROTATABLE, FOAM COVER, PERLON COSMETIC STOCKINGS, INTERNAL SOFT SOCKET SIZE AND SIDE WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL	Kit	ITEMIZED	10
331	4224200139200	CUSTOM MADE, TRANSFEMORAL PROSTHESIS, SINGLE AXIS FOOT WITH TOES, SINGLE AXIS FOOT ADAPTER "STAINLESS STEEL" WITH CONNECTION CAP, TUBE ADAPTER, AND TUBE CLAMP ADAPTER "STAINLESS STEEL" MODULAR MONOCENTRIC KNEE JOINT TITANIUM WITH FRICTION BRAKE, WITH EXTENSION ASSIST AND PROTECTIVE SLEEVE, LOAD-DEPENDENT BRAKE TO CONTROL THE SWING PHASE, THE AXIS FRICTION AND THE SPRING FORCE OF THE EXTENSION ASSIST ARE ADJUSTABLE, KNEE FLEXION ANGLE 150 DEGREE, MAXIMUM WEIGHT OF THE KNEE JOINT: 490 GRAMS APPROXIMATELY, FOR BODY WEIGHT UP TO 100 KG., LAMINATION ANCHOR WITH PYRAMID RECEIVER, ROTATABLE, FOAM COVER, PERLON COSMETIC STOCKINGS, INTERNAL SOFT SOCKET, SIZE AND SIDE WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL, INCLUDES - PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, INCLUDES ALL REQUIRED MATERIALS/COMPONENTS TO FABRICATE PROSTHESIS, DELIVERY, FITTING BY CERTIFIED ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP (APPENDIX C)	Kit	ITEMIZED	10
332	4224200139300	TRANSFEMORAL PROSTHESIS, SINGLE AXIS FOOT WITH TOES, SINGLE AXIS FOOT ADAPTER "TITANIUM" WITH CONNECTION CAP, TUBE ADAPTER, AND TUBE CLAMP ADAPTER "TITANIUM", MODULAR KNEE JOINT "TITANIUM", POLYCENTRIC WITH INTEGRATED EXTENSION ASSIST "FOUR BAR" SWING PHASE SETTINGS CAN BE CONTINUOUSLY ADJUSTED THROUGH THE AXIS FRICTION AND EXTENSION ASSIST, THE EXTENSION STOP ALLOWS ADJUSTMENT OF THE INSTANTANEOUS CENTER OF ROTATION, KNEE FLEXION ANGLE 110 DEGREE, MAXIMUM WEIGHT OF THE KNEE JOINT: 445 GRAMS, APPROXIMATELY, FOR BODY WEIGHT UP TO 100 KG., LAMINATION ANCHOR WITH PYRAMID RECEIVER, ROTATABLE, FOAM COVER, PERLON COSMETIC STOCKINGS, INTERNAL SOFT SOCKET SIZE AND SIDE WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL	Kit	ITEMIZED	10
333	4224200139400	CUSTOM MADE, TRANSFEMORAL PROSTHESIS, SINGLE AXIS FOOT WITH TOES, SINGLE AXIS FOOT ADAPTER "TITANIUM" WITH CONNECTION CAP, TUBE ADAPTER, AND TUBE CLAMP ADAPTER "TITANIUM", MODULAR KNEE JOINT "TITANIUM", POLYCENTRIC WITH INTEGRATED EXTENSION ASSIST "FOUR BAR" SWING PHASE SETTINGS CAN BE CONTINUOUSLY ADJUSTED THROUGH THE AXIS FRICTION AND EXTENSION ASSIST, THE EXTENSION STOP ALLOWS ADJUSTMENT OF THE INSTANTANEOUS CENTER OF ROTATION, KNEE FLEXION ANGLE 110 DEGREE, KNEE JOINT WEIGHT UP TO 450 GRAMS, FOR BODY WEIGHT UP TO 100 KG., LAMINATION ANCHOR WITH PYRAMID RECEIVER, ROTATABLE, FOAM COVER, COSMETIC STOCKINGS OR ANY EQUIVALENT, INTERNAL SOFT SOCKET SIZE AND SIDE WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL, INCLUDES - PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, INCLUDES ALL REQUIRED MATERIALS/COMPONENTS TO FABRICATE PROSTHESIS, DELIVERY, FITTING BY CERTIFIED ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP (APPENDIX C)	Kit	ITEMIZED	10
334	4224200137500	TRANSFEMORAL PROSTHESIS, SINGLE AXIS FOOT WITH TOES, SINGLE AXIS FOOT ADAPTER CONNECTION CAP, TUBE CLAMP ADAPTER, TUBE ADAPTER, LAMINATION ANCHOR WITH PYRAMID, ROTATABLE, FOAM COVER, COSMETIC STOCKINGS, INTERNAL SOFT SOCKET OR DERMA SEAL DOUBLE FORTE, ALL COMPONENTS FROM TITANIUM SIZE AND SIDE WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL	Kit	ITEMIZED	10
335	4224200137600	CUSTOM MADE, TRANSFEMORAL PROSTHESIS, SINGLE AXIS FOOT WITH TOES, SINGLE AXIS FOOT ADAPTER CONNECTION CAP, TUBE CLAMP ADAPTER, TUBE ADAPTER, LAMINATION ANCHOR WITH PYRAMID, ROTATABLE, FOAM COVER, COSMETIC STOCKINGS, INTERNAL SOFT SOCKET OR DERMA SEAL DOUBLE FORTE, ALL COMPONENTS FROM TITANIUM, SIZE AND SIDE WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL, INCLUDES - PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, INCLUDES ALL REQUIRED MATERIALS/COMPONENTS TO FABRICATE PROSTHESIS, DELIVERY, FITTING BY CERTIFIED ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP (APPENDIX C)	Kit	ITEMIZED	10
336	4224200137300	TRANSFEMORAL PROSTHESIS, SINGLE AXIS FOOT WITH TOES, SINGLE AXIS FOOT ADAPTER WITH CONNECTION CAP, TUBE CLAMP ADAPTER, TUBE ADAPTER, LAMINATION ANCHOR WITH PYRAMID, ROTATABLE, FOAM COVER, PERLON COSMETIC STOCKINGS, INTERNAL SOFT SOCKET OR DERMA SEAL DOUBLE FORTE, ALL COMPONENTS FROM STAINLESS STEEL, SIZE AND SIDE WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL	Kit	ITEMIZED	10
337	4224200137400	CUSTOM MADE, TRANSFEMORAL PROSTHESIS, SINGLE AXIS FOOT WITH TOES, SINGLE AXIS FOOT ADAPTER WITH CONNECTION CAP, TUBE CLAMP ADAPTER, TUBE ADAPTER, LAMINATION ANCHOR WITH PYRAMID, ROTATABLE, FOAM COVER, PERLON COSMETIC STOCKINGS, INTERNAL SOFT SOCKET OR DERMA SEAL DOUBLE FORTE, ALL COMPONENTS FROM STAINLESS STEEL, SIZE AND SIDE WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL, INCLUDES - PATIENT ASSESSMENT AT CUSTOMERS PREMISES MEASURING, INCLUDES ALL REQUIRED MATERIALS/COMPONENTS TO FABRICATE PROSTHESIS DELIVERY FITTING BY CERTIFIED ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP (APPENDIX C)	Kit	ITEMIZED	10
338	4224200136700	CUSTOM MADE, PROSTHETIC KNEE, MICROPROCESSOR CONTROLLED SYSTEM, TRANSFEMORAL AND KNEE DISARTICULATION, HIGH RESISTANCE OUTPUT, STUMBLE RECOVERY, BATTERY LIFE UP TO 3 DAYS, CARBON FOOT, ANGLE SENSOR MEASURING KNEE ANGLE, ROBUST SENSOR, NO NEED FOR CALIBRATION, LOAD CELLS IN ANTERIOR AND POSTERIOR, MEASURING LOAD FROM HEEL STRIKE TO TOE OFF, KINEMATIC SENSOR, SECURE KNEELING AT UP TO 45 DEGREE ABDUCTION ANGLE, KNEE IMMEDIATE ADAPT TO USERS MOTIONS, LASTLY IT ENABLES EASY SWING INITIATION, MINIMAL INTERNAL FRICTION, MANUAL EXTENSION LOCK ADDED AT THE SIDE, COVERS AND MATERIALS ARE RATED IP34, CONTROLLED BY APP, MORE NATURAL GAIT AND MOVEMENT, LESS ENERGY CONSUMPTION AND MORE MOBILITY, KNEE CAN WITHSTAND CONDENSATION, WATERPROOF, USER CAN CHANGE SETTINGS, POSSIBILITY TO MONITOR PROGRESS, WEIGHT 135 KG, K-LEVEL: K3 AND K4, INCLUDES ALL REQUIRED MATERIALS/COMPONENTS TO FABRICATE PROSTHESIS, DELIVERY, FITTING BY CERTIFIED ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP (APPENDIX C)	Kit	ITEMIZED	45

TENDER NAME: PROSTHESIS AND ORTHOSIS

SN	NUPCO CODE	ITEM DESCRIPTION	UOM	GROUP CATEGORY	INITIAL QUANTITY
339	4224200116300	MICROPROCESSOR CONTROLLED PROSTHETIC LEG SYSTEM (COMPLETE KIT), INCLUDING MICROPROCESSOR KNEE PROSTHETIC FOOT ADAPTER, CHARGER AND WIRELESS CONNECTION WITH COMPLETE FITTING ACCESSORIES, INCLUDING FITTING AND TRAINING WITH FULL PROGRAM SYSTEM	Kit	ITEMIZED	25
340	4224200112400	CUSTOM MADE, MICROPROCESSOR CONTROLLED PROSTHETIC LEG SYSTEM (COMPLETE KIT), MICROPROCESSOR KNEE PROSTHETIC FOOT ADAPTER, CHARGER, AND WIRELESS CONNECTION WITH COMPLETE ACCESSORIES INCLUDING PROGRAM TRAINING, THE HYDRAULIC UNIT IS CONTROLLED BY THE MICROPROCESSOR, INCLUDE ADAPTATION USER ADJUSTABLE ACTIVITY MODES, EASY SWING PHASE RELEASE ALSO POSSIBLE WITH SMALL STEPS AND WHEN USING WALKING AIDS, HIGH DEGREE OF SAFETY, CONTROLLED SITTING AND STANDING, SAFE STANDING THANKS TO LOCKED STANCE PHASE OR INTUITIVE STANCE FUNCTION IN ACTIVITY, SMART CONTROL, INTEGRATED BLUETOOTH, KNEE JOINT WEIGHTUP TO 950 GRAMS, USER WEIGHT 120 KG, 3 YEARS WARRANTY INCLUDES SERVICE UNIT FOR USE DURING REPAIRS AND SERVICE INSPECTIONS, SIZE, SIDE AND COLOR WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL, INCLUDES PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, INCLUDES ALL REQUIRED MATERIALS/COMPONENTS TO FABRICATE PROSTHESIS, DELIVERY, FITTING BY CERTIFIED ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP (APPENDIX C)	Kit	ITEMIZED	20
341	4224200112500	MICROPROCESSOR CONTROLLED PROSTHETIC LEG SYSTEM (COMPLETE KIT), MICROPROCESSOR KNEE PROSTHETIC FOOT, TUBE ADAPTER, TITANIUM, CHARGER AND WIRELESS CONNECTION WITH COMPLETE ACCESSORIES INCLUDING PROGRAM AND TRAINING, THE STANCE AND SWING PHASE AND USES THE MEASUREMENTS OF AN INTEGRATED SENSOR SYSTEM AS A BASIS TO CONTROL A HYDRAULIC UNIT, THE SENSOR DATA ARE UPDATED AND EVALUATED 100 TIMES PER SECOND, ITEM IS ADAPTED TO THE CURRENT MOTION SITUATION, WEATHERPROOF, CONTROLLED BY APP, ONCE THE BATTERY IS DRAINED THE AUTOMATICALLY SWITCHES TO SAFETY MODE, EMPTY BATTERY MODE PERMITS SAFE WALKING, WALK BACKWARDS CONFIDENTLY WITHOUT SWING PHASE RELEASE, SMART CONTROL THROUGH INTEGRATED BLUETOOTH, KNEE JOINT WEIGHT UP TO 1300 GRAMS, USER WEIGHT 140 KG, 3 YEARS WARRANTY INCLUDES SERVICE UNIT FOR USE DURING REPAIRS AND SERVICE INSPECTIONS, SIZE, SIDE AND COLOR WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL	SET	ITEMIZED	100
342	4224200112200	MICROPROCESSOR CONTROLLED PROSTHETIC LEG SYSTEM (COMPLETE KIT), MICROPROCESSOR KNEE PROSTHETIC FOOT ADAPTER, CHARGER, AND WIRELESS CONNECTION WITH COMPLETE ACCESSORIES INCLUDING PROGRAM TRAINING, THE HYDRAULIC UNIT IS CONTROLLED BY THE MICROPROCESSOR, INCLUDE ADAPTATION USER ADJUSTABLE ACTIVITY MODES, EASY SWING PHASE RELEASE ALSO POSSIBLE WITH SMALL STEPS AND WHEN USING WALKING AIDS, HIGH DEGREE OF SAFETY, CONTROLLED SITTING AND STANDING, SAFE STANDING THANKS TO LOCKED STANCE PHASE OR INTUITIVE STANCE FUNCTION IN ACTIVITY, SMART CONTROL, INTEGRATED BLUETOOTH, KNEE JOINT WEIGHTUP TO 950 GRAMS, USER WEIGHT 120 KG, 3 YEARS WARRANTY INCLUDES SERVICE UNIT FOR USE DURING REPAIRS AND SERVICE INSPECTIONS, SIZE, SIDE AND COLOR WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL	SET	ITEMIZED	35
343	4224200133000	CUSTOM MADE, PROSTHETIC LEG SYSTEM, COMPLETE KIT, BIONIC OR EQUIVALENT, INCLUDING MICROPROCESSOR KNEE, PROSTHETIC FOOT, ADAPTER, CHARGER AND WIRELESS CONNECTION, WITH COMPLETE ACCESSORIES INCLUDING PROGRAM AND TRAINING, KNEE JOINT INCLUDE MICROPROCESSOR, SENSOR, AND CONTROL TECHNOLOGY KNEE, THE SENSOR DATA ARE UPDATED AND EVALUATED 100 TIMES PER SECOND, MAXIMUM KNEE FLEXION ANGLE MAXIMUM 135 DEGREE WITHOUT FLEXION STOP, PYRAMID ADAPTER, 5 DIFFERENT MODES, WATERPROOF, SMART CONTROL BLUETOOTH WITH APP, PROTECTIVE COVER IS MADE OF A DURABLE PU MATERIAL, INDUCTIVE CHARGER IS MAGNETICALLY ATTACHED TO THE BACK OF JOINT, BATTERY LIFE: 5 DAYS, KNEE JOINT WEIGHT UP TO 1.8 KG, BODY WEIGHT 125 KG, 3 YEARS WARRANTY, INCLUDES SERVICE UNIT FOR USE DURING REPAIRS AND SERVICE INSPECTIONS, SIZE, SIDE AND COLOR WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL, INCLUDES PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, INCLUDES ALL MATERIALS/COMPONENTS TO FABRICATE PROSTHESIS, DELIVERY, FITTING BY CERTIFIED ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP (APPENDIX C)	SET	ITEMIZED	20
344	4224200134500	HYDRAULIC KNEE, GEOMETRIC LOCK STANCE FLEXION CAN BE ADJUSTED MIMICKING KNEE FLEXION DURING EARLY STANCE MID SWING SHORTENING - FOR BETTER TOE CLEARANCE SWING CONTROL ADJUSTMENT TO ACCOMMODATE TO CHANGES IN WALKING SPEED APPLICABLE TO LONG TF OR KD USERS ENHANCED STABILITY OVER 4 - BAR SYSTEMS, FOR AMPUTEES TRANSFEMORAL AND KNEE DISARTICULATION AMPUTEES MULTI SPEED WALKERS MODERATE TO HIGH IMPACT MAX. USER WEIGHT 100 KG, LEVEL: K3 AND K4	each	ITEMIZED	40
345	4224200128700	POLYCENTRIC PROSTHETIC KNEE WITH HYDRAULIC SWING PHASE CONTROL, FOR KNEE DISARTICULATION, TUBE ADAPTER, TUBE CLAMP ADAPTER, AND COSMETIC FOAM, FOR HIGH TO V, HIGH ACTIVITY, MAXIMUM WEIGHT 120-130 KG, KIT	SET	ITEMIZED	10
346	4224200195600	PROSTHETIC GEOMETRIC KNEE, PEDIATRIC, FOUR BAR, MANUAL LOCK, CAN BE CONVERTED FOR FREE MOTION, VARIABLE FRICTION, EXTENSION ASSIST, WEIGHT UP TO 40-60 KG	each	ITEMIZED	25
347	4224200134900	PROSTHETIC KNEE JOINT, TRANSFEMORAL, LOCKING POSSIBILITY WHEN NEEDED STANCE PHASE STABILITY LOW VOLUNTARY CONTROL REQUIRED MID SWING SHORTENING - FOR BETTER TO CLEARANCE ADJUSTABLE EXTENSION TO OPTIMIZE EXTENSION SPEED MORE SAFETY WHEN NEEDED LESS EFFORT AND MORE CONFIDENCE DURING WALKING LESS RISK OF TRIPS AND FALLS INDIVIDUALLY ADAPTABLE TO INCREASE MOBILITY DURING REHABILITATION PHASE TRANSFEMORAL LOW TO MODERATE IMPACT LEVEL MAXIMUM USER WEIGHT 136 KG K - LEVEL: K1 AND K 2 2 - IN - 1 FUNCTION 4 - BAR GEOMETRY INTEGRATED EXTENSION SPRING	each	ITEMIZED	160
348	4224151800000	PROSTHETIC KNEE, PNEUMATIC SWING PHASE CONTROL, 4-BAR GEOMETRY, TRANSFEMORAL AND KNEE DISARTICULATION AMPUTEES, STANCE PHASE STABILITY, HIGHER DEGREE OF FLEXION AND EXTENSION, ADJUSTABLE STANCE SETTINGS FOR INDIVIDUAL, SMOOTH AND COMFORTABLE SWING PHASE FOR VARIABLE WALKING SPEEDS, MODERATE TO HIGH IMPACT LEVEL MAX, USER WEIGHT 125KG, K-LEVEL: K2 AND K3	each	ITEMIZED	30
349	4224200129000	PROSTHETIC MODULAR HYDRAULIC KNEE JOINT FOR CHILDREN ALUMINUM WITH 4 - AXIS - POLYCENTRIC WITH HYDRAULIC SWING PHASE CONTROL OFFERS ENHANCED SAFETY AND MAKES IT EASY TO INITIATE THE SWING PHASE HIGH FLEXION ANGLE OF 150 DEGREE ALLOWS THE CHILD MAXIMUM FREEDOM OF MOVEMENT HYDRAULIC SWING PHASE CONTROL SUPPORTS THE CHILD AT DIFFERENT WALKING SPEEDS FOR BODY WEIGHT UP TO 45 KG MAXIMUM WEIGHT OF THE KNEE JOINT 515 GRAM APPROXIMATELY	each	ITEMIZED	60
350	4224200128800	PROSTHETIC MODULAR KNEE JOINT POLYCENTRIC, ALUMINUM WITH INTEGRATED ROTATION, THE LOWER JOINT SECTION PERMITS ROTATION OF THE PROSTHETIC FOOT, THE FLEXION ANGLE OF APPROXIMATELY 165 DEGREES AND KNEE FLEXION APPROXIMATELY 175 DEGREES, ENABLES CHILDREN A GOOD KNEELING OR SQUATTING POSITION WITH FOOT ROTATED OUTWARD FOR BODY WEIGHT UP TO 35 KG	each	ITEMIZED	30
351	4224200116100	PROSTHETIC MODULAR KNEE JOINT, LIGHTWEIGHT, MONOCENTRIC WITH HYDRAULIC SWING PHASE CONTROL AND WITH POWERFUL LINEAR HYDRAULICS FOR SWING PHASE CONTROL, PARTICULARLY WELL SUITED FOR HIGHLY ACTIVE USERS, HYDRAULICS FOR SWING PHASE CONTROL ARE ADAPTED TO THE LOWER PENDULUM MASS, THE KNEE JOINT HOUSING HAS A DORSAL RECESS TO ALLOW FOR A LARGER FLEXION ANGLE, FOR LOADING UP TO 75 KG, INCLUDING ROTATABLE SOCKET ADAPTER WITH PYRAMID RECEIVER STAINLESS STEEL, TUBE ADAPTER, AND TUBE CLAMP ADAPTER ALUMINUM AND COSMETIC FOAM COVER, MAXIMUM WEIGHT OF THE KNEE JOINT: 350 GRAMS, APPROXIMATELY	SET	ITEMIZED	40

TENDER NAME: PROSTHESIS AND ORTHOSIS

SN	NUPCO CODE	ITEM DESCRIPTION	UOM	GROUP CATEGORY	INITIAL QUANTITY
352	4224200116200	PROSTHETIC MODULAR KNEE JOINT, LIGHTWEIGHT, MONOCENTRIC, WITH HYDRAULIC SWING PHASE CONTROL AND WITH POWERFUL LINEAR HYDRAULICS FOR SWING PHASE CONTROL, PARTICULARLY WELL SUITED FOR HIGHLY ACTIVE USERS. HYDRAULICS FOR SWING PHASE CONTROL ARE ADAPTED TO THE LOWER PENDULUM MASS, THE KNEE JOINT HOUSING HAS A DORSAL RECESS TO ALLOW FOR A LARGER FLEXION ANGLE, FOR LOADING UP TO 150 KG, INCLUDING : ROTATABLE SOCKET ADAPTER WITH PYRAMID RECEIVER STAINLESS STEEL, TUBE ADAPTER AND TUBE CLAMP ADAPTER STAINLESS STEEL, AND COSMETIC FOAM COVER, MAXIMUM WEIGHT OF THE KNEE JOINT : 370 GRAMS APPROXIMATELY	SET	ITEMIZED	40
353	4224200116000	PROSTHETIC MODULAR MONOCENTRIC KNEE JOINT, TITANIUM, WITH FRICTION BRAKE, WITH EXTENSION ASSIST AND PROTECTIVE SLEEVE, LOAD-DEPENDENT BRAKE, TO CONTROL THE SWING PHASE, THE AXIS FRICTION AND THE SPRING FORCE OF THE EXTENSION ASSIST ARE ADJUSTABLE, INCLUDING: ROTATABLE SOCKET ADAPTER WITH PYRAMID RECEIVER, TUBE ADAPTER, PROTECTIVE SLEEVE AND COSMETIC FOAM, MAXIMUM WEIGHT OF THE KNEE JOINT : 370 GRAMS APPROXIMATELY	SET	ITEMIZED	60
354	4224200113700	PROSTHETIC MODULAR MONOCENTRIC KNEE JOINT, WITH ROTARY HYDRAULICS, APPROVED FOR PROSTHESIS WEARERS WITH A BODY WEIGHT OF UP TO 150 KG, BOTH THE STANCE AND THE SWING PHASE ARE CONTROLLED BY THE HYDRAULICS AND WALKING DOWN INCLINES ARE EFFECTIVELY SUPPORTED BY CLOSELY APPROXIMATELY IMITATING A PHYSIOLOGICAL GAIT PATTERN EVEN AT VARIOUS WALKING SPEEDS WATER PROOF CONSTRUCTION, CAN BE USED IN THE SHOWER OR IN THE POOL, INTEGRATED MANUAL LOCK OFFERS IMPROVED SAFETY IN WET AREAS AND MORE COMFORTABLE WHEN STANDING FOR EXTENDED PERIODS, INCLUDING TUBE ADAPTER DIAMETER 34 MM, MAXIMUM WEIGHT OF THE KNEE JOINT 1250 GRAMS, APPROXIMATELY	SET	ITEMIZED	140
355	4224200113600	PROSTHETIC MODULAR POLYCENTRIC KNEE JOINT WITH HYDRAULIC SWING PHASE CONTROL HAS FIVE AXES ARRANGED IN A CIRCULAR FORM WHICH ALLOWS FOR TWO DIFFERENT MODES OF OPERATION: SWING AND STANCE, COMFORT AND SAFETY ARE ENSURED BY CHARACTERISTIC OF THE ELASTIC FLEXION UNIT WHICH SIMULATES THE NATURAL GAIT SWING PHASE HYDRAULICS THAT ARE VERY EASY TO ADJUST WITH EASY INITIATION OF THE SWING PHASE OPTIMUM PROGRESSIVE DAMPING FOR NATURAL MOVEMENT AND COMFORTABLE END POSITION DAMPING FOR A LARGE RANGE OF WALKING SPEEDS CONTROLLED STANCE PHASE FLEXION OF UP TO 15 DEGREE AND THUS COMFORTABLE WALKING WITH HIGH SAFETY EVEN ON ROUGH TERRAIN AND ON INCLINES UP TO 10 DEGREE LOW WEIGHT AND A VERY LARGE FLEXION ANGLE OF 175 DEGREE FOR GREATER FREEDOM OF MOVEMENT HIGH GROUND CLEARANCE IN THE SWING PHASE DUE TO MULTI - AXIAL JOINT DESIGN FLEXION AND EXTENSION MOVEMENT	each	ITEMIZED	160
356	4224151800100	PROSTHETIC MODULAR POLYCENTRIC KNEE JOINT, WITH PNEUMATIC SWING PHASE CONTROL, "PYRAMID ADAPTER (10 DEGREE INCLINED)" WIDE FLEXION ANGLE OF 170 DEGREE AND THE LIGHT WEIGHT AND HIGH COMFORT, STANCE PHASE IS SECURED DUE TO THE 4-AXIS JOINT DESIGN, POWER DUAL-CHAMBER PNEUMATICS WITH INTEGRATED EXTENSION ASSIST SPRING ENSURE HARMONIOUS PENDULUM MOVEMENTS OF THE PROSTHETIC LOWER LEG, EVEN AT HIGHER WALKING SPEEDS, MODERN POLYCENTRIC STRUCTURE RELIABLY STABILIZES THE KNEE JOINT DURING STANCE PHASE AND PROVIDES FOR INCREASED GROUND CLEARANCE DURING THE SWING PHASE, EASY INITIATION OF THE SWING PHASE, HARMONIOUS EXTENSION STOP, FLEXION AND EXTENSION DAMPING ARE INDIVIDUALLY ADJUSTABLE, INCLINED PYRAMID ADAPTER, ROTATABLE SOCKET ADAPTER WITH PYRAMID RECEIVER, TUBE ADAPTER AND COSMETIC FOAM. MAXIMUM WEIGHT OF THE KNEE JOINT: 795 GRAMS. APPROXIMATELY	SET	ITEMIZED	15
357	4224151800200	PROSTHETIC MODULAR POLYCENTRIC KNEE JOINT, WITH PNEUMATIC SWING PHASE CONTROL, "PYRAMID ADAPTER (10 DEGREE INCLINED)" WIDE FLEXION ANGLE OF 170 DEGREE AND THE LIGHT WEIGHT AND HIGH COMFORT, STANCE PHASE IS SECURED DUE TO THE 4-AXIS JOINT DESIGN, POWER DUAL-CHAMBER PNEUMATICS WITH INTEGRATED EXTENSION ASSIST SPRING ENSURE HARMONIOUS PENDULUM MOVEMENTS OF THE PROSTHETIC LOWER LEG, EVEN AT HIGHER WALKING SPEEDS, MODERN POLYCENTRIC STRUCTURE RELIABLY STABILIZES THE KNEE JOINT DURING STANCE PHASE AND PROVIDES FOR INCREASED GROUND CLEARANCE DURING THE SWING PHASE, EASY INITIATION OF THE SWING PHASE, HARMONIOUS EXTENSION STOP, FLEXION AND EXTENSION DAMPING ARE INDIVIDUALLY ADJUSTABLE, INCLINED PYRAMID ADAPTER, ROTATABLE SOCKET ADAPTER WITH PYRAMID RECEIVER, TUBE ADAPTER AND COSMETIC FOAM. MAXIMUM WEIGHT OF THE KNEE JOINT: 750 GRAMS. APPROXIMATELY	SET	ITEMIZED	15
358	4224151800300	PROSTHETIC MODULAR POLYCENTRIC KNEE JOINT, WITH PNEUMATIC SWING PHASE CONTROL, "PYRAMID ADAPTER (10 DEGREE INCLINED)" WIDE FLEXION ANGLE OF 170 DEGREE AND THE LIGHT WEIGHT AND HIGH COMFORT, STANCE PHASE IS SECURED DUE TO THE 4-AXIS JOINT DESIGN, POWER DUAL-CHAMBER PNEUMATICS WITH INTEGRATED EXTENSION ASSIST SPRING ENSURE HARMONIOUS PENDULUM MOVEMENTS OF THE PROSTHETIC LOWER LEG, EVEN AT HIGHER WALKING SPEEDS, MODERN POLYCENTRIC STRUCTURE RELIABLY STABILIZES THE KNEE JOINT DURING STANCE PHASE AND PROVIDES FOR INCREASED GROUND CLEARANCE DURING THE SWING PHASE, EASY INITIATION OF THE SWING PHASE, HARMONIOUS EXTENSION STOP, FLEXION AND EXTENSION DAMPING ARE INDIVIDUALLY ADJUSTABLE, INCLINED PYRAMID ADAPTER, ROTATABLE SOCKET ADAPTER WITH PYRAMID RECEIVER, TUBE ADAPTER AND COSMETIC FOAM. MAXIMUM WEIGHT OF THE KNEE JOINT: 765 GRAMS. APPROXIMATELY	SET	ITEMIZED	10
359	4224151800400	PROSTHETIC MODULAR POLYCENTRIC KNEE JOINT, WITH PNEUMATIC SWING PHASE CONTROL, "PYRAMID ADAPTER (10 DEGREE INCLINED)" WIDE FLEXION ANGLE OF 170 DEGREE AND THE LIGHT WEIGHT AND HIGH COMFORT, STANCE PHASE IS SECURED DUE TO THE 4-AXIS JOINT DESIGN, POWER DUAL-CHAMBER PNEUMATICS WITH INTEGRATED EXTENSION ASSIST SPRING ENSURE HARMONIOUS PENDULUM MOVEMENTS OF THE PROSTHETIC LOWER LEG, EVEN AT HIGHER WALKING SPEEDS, MODERN POLYCENTRIC STRUCTURE RELIABLY STABILIZES THE KNEE JOINT DURING STANCE PHASE AND PROVIDES FOR INCREASED GROUND CLEARANCE DURING THE SWING PHASE, EASY INITIATION OF THE SWING PHASE, HARMONIOUS EXTENSION STOP, FLEXION AND EXTENSION DAMPING ARE INDIVIDUALLY ADJUSTABLE, INCLINED PYRAMID ADAPTER, ROTATABLE SOCKET ADAPTER WITH PYRAMID RECEIVER, TUBE ADAPTER AND COSMETIC FOAM. MAXIMUM WEIGHT OF THE KNEE JOINT: 770 GRAMS. APPROXIMATELY	SET	ITEMIZED	10
360	4224200128100	PROSTHETIC MODULAR, POLYCENTRIC, FOUR BAR LINKAGE KNEE JOINT WITH INTERNAL, EXTENSION ASSIST, TITANIUM	each	ITEMIZED	35
361	4224200127900	PROSTHETIC MODULAR, SINGLE AXIS KNEE JOINT, STAINLESS STEEL WITH MANUAL LOCK AND INTERNAL EXTENSION ASSIST	each	ITEMIZED	55
362	4224200128000	PROSTHETIC MODULAR, SINGLE AXIS KNEE JOINT, TITANIUM, WITH MANUAL LOCK AND INTERNAL EXTENSION ASSIST	each	ITEMIZED	40
363	4224200128400	PROSTHETIC MODULAR, SINGLE AXIS KNEE JOINT, WITH LOCK FOR CHILDREN, ALUMINUM ALLOY WITH PROXIMAL ADJUSTMENT PYRAMID AND DISTAL TUBE, CLAMP	each	ITEMIZED	45
364	4224200129100	PROSTHETIC MONOCENTRIC KNEE JOINT, ALUMINUM, KNEE OFFERS TARGETED SUPPORT FOR THE THERAPY PROCESS FOLLOWING AN AMPUTATION THE RIGHT KNEE JOINT FROM THE FIRST STANDING AND WALKING EXERCISES, WITH THE INTERIM PROSTHESIS ALL THE WAY TO THE DEFINITIVE FITTING, IT IS A MONOCENTRIC KNEE JOINT WITH A LOAD - DEPENDENT BRAKE MECHANISM AND AN OPTIONAL LOCKING FUNCTION, THE SWING PHASE IS CONTROLLED BY AN INTEGRATED ADJUSTABLE SPRING EXTENSION ASSIST KNEE FLEXION ANGLE, 130 DEGREES, FOR BODY WEIGHT UP TO 125 KG	each	ITEMIZED	55
365	4224200137000	CUSTOM MADE, TRANSFEROMAL PROSTHESIS, SACH FOOT WITH TOES, FOOT ADAPTER, TUBE CLAMP ADAPTER, TUBE ADAPTER, LAMINATION ANCHOR WITH PYRAMID, ROTATABLE, FOAM COVER, PERLON COSMETIC STOCKINGS OR EQUIVALENT, INTERNAL SOFT SOCKET OR DERMA SEAL DOUBLE FORTE, ALL COMPONENTS FROM STAINLESS STEEL, SIZE AND SIDE WILL BE SPECIFY, INCLUDES - PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, INCLUDES ALL REQUIRED MATERIALS/COMPONENTS TO FABRICATE PROSTHESIS, DELIVERY, FITTING BY CERTIFIED ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP (APPENDIX C)	Kit	ITEMIZED	10

TENDER NAME: PROSTHESIS AND ORTHOSIS

SN	NUPCO CODE	ITEM DESCRIPTION	UOM	GROUP CATEGORY	INITIAL QUANTITY
366	4224200139600	CUSTOM MADE, TRANSFEMORAL PROSTHESIS, DYNAMIC FOOT WITH PYRAMID WITH INNER FLEXIBLE FOOT, DORSAL REINFORCEMENT MEDIUM DENSITY HEEL AND RESEMBLES THE NATURAL FOOT SHAPE WITH SMOOTH SURFACE AND SANDAL TOE, TUBE ADAPTER AND TUBE CLAMP ADAPTER "TITANIUM", MODULAR KNEE JOINT "TITANIUM", POLYCENTRIC, WITH INTEGRATED EXTENSION ASSIST "4 BAR" SWING PHASE SETTINGS, KNEE FLEXION ANGLE 110 DEGREE, MAXIMUM WEIGHT OF THE KNEE JOINT WEIGHT 445 G APPROX, FOR BODY WEIGHT UP TO 100 KG., LAMINATION ANCHOR WITH PYRAMID RECEIVER, ROTATABLE, FOAM COVER, COSMETIC STOCKINGS, INTERNAL SOFT SOCKET, SIZE AND SIDE WILL BE SPECIFY WHEN ORDERED FOR EACH PATIENT INDIVIDUAL. INCLUDES - PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, SIZE AND SIDE WILL BE SPECIFY, INCLUDES ALL REQUIRED MATERIALS/COMPONENTS TO FABRICATE PROSTHESIS, DELIVERY, FITTING BY CERTIFIED ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP (APPENDIX C)	Kit	ITEMIZED	10
367	4224200131800	PROSTHETICS HIP JOINT SYSTEM, COMBINATION WITH THE MICROPROCESSOR, KNEE JOINT AND THE CORRESPONDING SYSTEM COMPONENTS, FLEXION ANGLE 130 DEGREE, MAXIMUM BODY WEIGHT 100 KG, LEFT	each	ITEMIZED	10
368	4224200131900	PROSTHETICS HIP JOINT SYSTEM, COMBINATION WITH THE MICROPROCESSOR, KNEE JOINT AND THE CORRESPONDING SYSTEM COMPONENTS, FLEXION ANGLE 130 DEGREE, MAXIMUM BODY WEIGHT 100 KG, RIGHT	each	ITEMIZED	10
369	4224200132200	PROSTHETIC MODULAR HIP JOINT OF TITANIUM, WITH INTERNAL EXTENSION ASSIST ADJUSTABLE ABDUCTION FLEXION AND EXTENSION	each	ITEMIZED	20
370	4224200132300	PROSTHETIC MODULAR, HIP JOINT FOR CHILDREN, ALUMINUM ALLOY WITH PROXIMAL SOCKET ATTACHMENT PLATE AND DISTAL TUBE CLAMP (HIP DISARTICULATION)	each	ITEMIZED	10
371	4224200132100	PROSTHETIC MODULAR, SINGLE AXIS HIP JOINT, ALUMINUM WITH MANUAL LOCK, LEFT	each	ITEMIZED	10
372	4224200132000	PROSTHETIC MODULAR, SINGLE AXIS HIP JOINT, ALUMINUM WITH STRIDE CONTROL AND EXTENSION ASSIST	each	ITEMIZED	10
373	4920151900000	TIBIAL TWISTER KIT, ADJUSTMENT OVER THE LOWER LIMB, FEMORAL - TIBIAL ROTATION IS CORRECTED BY THE ACTION OF A TORSION ELEMENT, PLACED IN REVERSE ROTATION CORRECTION TREATMENT OF ROTATIONAL DISORDERS OF FEMUR AND TIBIA, KIT TWISTER BILATERAL ADJUSTABLE BELT WITH HIP ANKLE JOINT WITH CLAMP FOR BINDING TO THE FOOTWEAR, CALF ADJUSTMENT AND RING OF HEIGHT FIXATION, CABLE EASY TO CUT AND ADJUST TO PATIENT LENGTH	each	ITEMIZED	250
374	4618221106100	THIGH ORTHOSIS, POLYETHYLENE, SHAPED WITH ISCHIATIC SUPPORT, INTERNAL LINING WITH A PLEASANT TOUCH THAT PREVENTS SLIPPING WHILE PADDING, ADJUSTING TAPES, ADJUSTABLE AND REMOVABLE TERMINALS, FOR FRACTURES OF THE TIBIA AND FIBULA	each	ITEMIZED	55
375	4224170201900	DYNAMIC HIP ALIGNMENT ORTHOSIS, SWASH STEADY PELVIC, UNIQUE DESIGN ALLOWS BIOMECHANICALLY APPROPRIATE MOTION, CONTROLLED VARIABLE ABDUCTION, TRANSFERS ADDUCTOR TONE PROXIMALLY TO ACHIEVE MORE POSTURAL POSITIONING, TRI - PLANAR FUNCTION FOR PROPER CLOSED CHAIN MUSCLE FUNCTION, CONTROLS AMOUNT OF ADDUCTION FOR IMPROVED SITTING, STANDING, AND IF AMBULATORY ALSO WALKING FUNCTIONS, ENCOURAGES GREATER TRUNK EXTENSION FOR IMPROVED POSTURAL POSITIONING, IMPROVED SITTING POSTURE, OPENS UP THORAX, STABLE SEATING ALLOWS FOR PARTICIPATION WITH HANDS IN ACTIVITY, ELIMINATES SCISSORING IN STANDING AND WALKING, REDUCES STRESS ON THE HIPS, PROPRIOCEPTIVE RESPONSE HELPS ENHANCE POSITION IN SPACE WHEN WALKING, GUIDANCE FOR PROPER HIP ALIGNMENT CHILDREN WITH CP GMFCS II - V OR EQUIVALEN, ASSORTED SIZE	each	ITEMIZED	140
376	4224150700900	HIP ABDUCTION BRACE PEDIATRIC ADJUSTABLE POLYPROPYLENE LIGHTWEIGHT WITH ALUMINUM ADJUSTMENT SCREW ALLOWS ABDUCTION 40 TO 180 DEGREE, SOFT LINING, SIZE EXTRA LARGE	each	ITEMIZED	500
377	4224150700600	HIP ABDUCTION BRACE PEDIATRIC ADJUSTABLE POLYPROPYLENE LIGHTWEIGHT WITH ALUMINUM ADJUSTMENT SCREW ALLOWS ABDUCTION 40 TO 180 DEGREE, SOFT LINING, SIZE LARGE	each	ITEMIZED	2000
378	4224150700700	HIP ABDUCTION BRACE PEDIATRIC ADJUSTABLE POLYPROPYLENE LIGHTWEIGHT WITH ALUMINUM ADJUSTMENT SCREW ALLOWS ABDUCTION 40 TO 180 DEGREE, SOFT LINING, SIZE MEDIUM	each	ITEMIZED	2500
379	4224150700800	HIP ABDUCTION BRACE PEDIATRIC ADJUSTABLE POLYPROPYLENE LIGHTWEIGHT WITH ALUMINUM ADJUSTMENT SCREW ALLOWS ABDUCTION 40 TO 180 DEGREE, SOFT LINING, SIZE SMALL	each	ITEMIZED	2500
380	4224150700500	HIP ABDUCTION BRACE PEDIATRIC ADJUSTABLE POLYPROPYLENE LIGHTWEIGHT WITH ALUMINUM ADJUSTMENT SCREW ALLOWS ABDUCTION 40 TO 180 DEGREE, SOFT LINING, SIZE EXTRA SMALL	each	ITEMIZED	2500
381	4224150702800	HIP ABDUCTION ORTHOSIS, FOR CHILDREN FROM 6 TO 18 MONTHS OLD, WHEN THE CHILD STARTS CRAWLING OR WALKING, SIZE: UNIVERSAL	each	ITEMIZED	240
382	4224170800100	HIP ABDUCTION PILLOW, POLYFOAM WITH VINYL COVERING, 13-14 INCHES ANKLE, 8-9 INCHES KNEE, 16-18 INCHES LENGTH, SMALL	each	ITEMIZED	180
383	4224170202100	HIP ABDUCTION PILLOW, PEDIATRIC, FREJKA MODEL 480 OR EQUIVALENT, ADJUSTABLE AND LONG SHOULDER STRAPS WITH CLICK CLIPS, REMOVABLE PADDING AND HARD ABDUCTION SUPPORT, WASHABLE MATERIAL, SIZE 14-15	each	ITEMIZED	700
384	4224170202200	HIP ABDUCTION PILLOW, PEDIATRIC, FREJKA MODEL 480 OR EQUIVALENT, ADJUSTABLE AND LONG SHOULDER STRAPS WITH CLICK CLIPS, REMOVABLE PADDING AND HARD ABDUCTION SUPPORT, WASHABLE MATERIAL, SIZE 16-17	each	ITEMIZED	700
385	4224170202300	HIP ABDUCTION PILLOW, PEDIATRIC, FREJKA MODEL 480 OR EQUIVALENT, ADJUSTABLE AND LONG SHOULDER STRAPS WITH CLICK CLIPS, REMOVABLE PADDING AND HARD ABDUCTION SUPPORT, WASHABLE MATERIAL, SIZE 18-19	each	ITEMIZED	700
386	4224170202000	HIP ABDUCTION PILLOW, PEDIATRIC, FREJKA MODEL 480 OR EQUIVALENT, ADJUSTABLE AND LONG SHOULDER STRAPS WITH CLICK CLIPS, REMOVABLE PADDING AND HARD ABDUCTION SUPPORT, WASHABLE MATERIAL, SIZE 12	each	ITEMIZED	700
387	4224170202400	HIP ABDUCTION PILLOW, PEDIATRIC, FREJKA MODEL 480 OR EQUIVALENT, ADJUSTABLE AND LONG SHOULDER STRAPS WITH CLICK CLIPS, REMOVABLE PADDING AND HARD ABDUCTION SUPPORT, WASHABLE MATERIAL, SIZE 20-21	each	ITEMIZED	700
388	4224170202500	HIP ABDUCTION PILLOW, PEDIATRIC, FREJKA MODEL 480 OR EQUIVALENT, ADJUSTABLE AND LONG SHOULDER STRAPS WITH CLICK CLIPS, REMOVABLE PADDING AND HARD ABDUCTION SUPPORT, WASHABLE MATERIAL, SIZE 24-25	each	ITEMIZED	10
389	4224170202600	HIP ABDUCTION PILLOW, PEDIATRIC, FREJKA MODEL 480 OR EQUIVALENT, ADJUSTABLE AND LONG SHOULDER STRAPS WITH CLICK CLIPS, REMOVABLE PADDING AND HARD ABDUCTION SUPPORT, WASHABLE MATERIAL, SIZE 26-27	each	ITEMIZED	10
390	4224170202700	HIP ABDUCTION PILLOW, PEDIATRIC, FREJKA MODEL 480 OR EQUIVALENT, ADJUSTABLE AND LONG SHOULDER STRAPS WITH CLICK CLIPS, REMOVABLE PADDING AND HARD ABDUCTION SUPPORT, WASHABLE MATERIAL, SIZE 28-29	each	ITEMIZED	65
391	4224170201400	HIP BRACE, JOINT STABILIZER, ADULT, ADJUSTABLE HIP ROM, RESTRICTS MOVEMENT, PREVENTION AND TREATMENT OF TEP LOOSENING INSTABILITY OF THE HIP JOINT, SIZE LARGE, LEFT	each	ITEMIZED	55
392	4224170201500	HIP BRACE, JOINT STABILIZER, ADULT, ADJUSTABLE HIP ROM, RESTRICTS MOVEMENT, PREVENTION AND TREATMENT OF TEP LOOSENING INSTABILITY OF THE HIP JOINT, SIZE LARGE, RIGHT	each	ITEMIZED	60

TENDER NAME: PROSTHESIS AND ORTHOSIS

SN	NUPCO CODE	ITEM DESCRIPTION	UOM	GROUP CATEGORY	INITIAL QUANTITY
393	4224170201800	HIP BRACE, JOINT STABILIZER, ADULT, ADJUSTABLE HIP ROM, RESTRICTS MOVEMENT, PREVENTION AND TREATMENT OF TEP LOOSENING INSTABILITY OF THE HIP JOINT, SIZE MEDIUM, LEFT	each	ITEMIZED	60
394	4224170201600	HIP BRACE, JOINT STABILIZER, ADULT, ADJUSTABLE HIP ROM, RESTRICTS MOVEMENT, PREVENTION AND TREATMENT OF TEP LOOSENING INSTABILITY OF THE HIP JOINT, SIZE MEDIUM, RIGHT	each	ITEMIZED	60
395	4224170201300	HIP BRACE, JOINT STABILIZER, ADULT, ADJUSTABLE HIP ROM, RESTRICTS MOVEMENT, PREVENTION AND TREATMENT OF TEP LOOSENING INSTABILITY OF THE HIP JOINT, SIZE SMALL, LEFT	each	ITEMIZED	55
396	4224170201700	HIP BRACE, JOINT STABILIZER, ADULT, ADJUSTABLE HIP ROM, RESTRICTS MOVEMENT, PREVENTION AND TREATMENT OF TEP LOOSENING INSTABILITY OF THE HIP JOINT, SIZE SMALL, RIGHT	each	ITEMIZED	55
397	4224171300600	ISCHIAL BAND STEEL, 320 MM LENGTH APPROXIMATELY, 35 MM WIDTH APPROXIMATELY, 2 MM THICK APPROXIMATELY	items (Pieces)	ITEMIZED	800
398	4224170800000	PILLOW, ABDUCTION DELUXE, PEDIATRIC, 9 INCHES ANKLE APPROXIMATELY, 3 INCHES KNEE APPROXIMATELY, 10 INCHES LENGTH APPROXIMATELY, POLYFOAM WITH VINYL COVERING APPROXIMATELY	each	ITEMIZED	450
399	4224200124200	CARBON FOOT, WITH FOOTSHELL AND COSMESIS CONNECTION CAP, INCLUDES A SEPARATE BIG TOE AND CONNECTS THE FOREFOOT AND THE HEEL SPRING TO FORM A COMPLETE SYSTEM, , SAFETY WALKING ON UNEVEN SURFACES, AN INTERCONNECTED, LINEAR SPRING DESIGN PROVIDES THE LEVEL OF MIDSTANCE SUPPORT NEEDED FOR ACTIVITIES WHERE RESPONSIVENESS IS ESSENTIAL, FOR PATIENTS WITH LIMITED CLEARANCE, ROBUST TITANIUM ADAPTER, CUSTOMIZABLE SHOCK ABSORPTION WITH TWO DIFFERENT HEEL WEDGE OPTIONS, SUITABLE FOR A BROAD RANGE OF APPLICATION, FROM EVERYDAY LIFE TO DEMANDING PROFESSIONS AND EVEN LEISURE SPORTS, WATER AND CORROSION - RESISTANT, SIZE 24, LEFT	each	ITEMIZED	20
400	4224200124400	CARBON FOOT, WITH FOOTSHELL AND COSMESIS CONNECTION CAP, INCLUDES A SEPARATE BIG TOE AND CONNECTS THE FOREFOOT AND THE HEEL SPRING TO FORM A COMPLETE SYSTEM, , SAFETY WALKING ON UNEVEN SURFACES, AN INTERCONNECTED, LINEAR SPRING DESIGN PROVIDES THE LEVEL OF MIDSTANCE SUPPORT NEEDED FOR ACTIVITIES WHERE RESPONSIVENESS IS ESSENTIAL, FOR PATIENTS WITH LIMITED CLEARANCE, ROBUST TITANIUM ADAPTER, CUSTOMIZABLE SHOCK ABSORPTION WITH TWO DIFFERENT HEEL WEDGE OPTIONS, SUITABLE FOR A BROAD RANGE OF APPLICATION, FROM EVERYDAY LIFE TO DEMANDING PROFESSIONS AND EVEN LEISURE SPORTS, WATER AND CORROSION - RESISTANT, SIZE 25, LEFT	each	ITEMIZED	20
401	4224200124600	CARBON FOOT, WITH FOOTSHELL AND COSMESIS CONNECTION CAP, INCLUDES A SEPARATE BIG TOE AND CONNECTS THE FOREFOOT AND THE HEEL SPRING TO FORM A COMPLETE SYSTEM, , SAFETY WALKING ON UNEVEN SURFACES, AN INTERCONNECTED, LINEAR SPRING DESIGN PROVIDES THE LEVEL OF MIDSTANCE SUPPORT NEEDED FOR ACTIVITIES WHERE RESPONSIVENESS IS ESSENTIAL, FOR PATIENTS WITH LIMITED CLEARANCE, ROBUST TITANIUM ADAPTER, CUSTOMIZABLE SHOCK ABSORPTION WITH TWO DIFFERENT HEEL WEDGE OPTIONS, SUITABLE FOR A BROAD RANGE OF APPLICATION, FROM EVERYDAY LIFE TO DEMANDING PROFESSIONS AND EVEN LEISURE SPORTS, WATER AND CORROSION - RESISTANT, SIZE 26, LEFT	each	ITEMIZED	55
402	4224200124800	CARBON FOOT, WITH FOOTSHELL AND COSMESIS CONNECTION CAP, INCLUDES A SEPARATE BIG TOE AND CONNECTS THE FOREFOOT AND THE HEEL SPRING TO FORM A COMPLETE SYSTEM, , SAFETY WALKING ON UNEVEN SURFACES, AN INTERCONNECTED, LINEAR SPRING DESIGN PROVIDES THE LEVEL OF MIDSTANCE SUPPORT NEEDED FOR ACTIVITIES WHERE RESPONSIVENESS IS ESSENTIAL, FOR PATIENTS WITH LIMITED CLEARANCE, ROBUST TITANIUM ADAPTER, CUSTOMIZABLE SHOCK ABSORPTION WITH TWO DIFFERENT HEEL WEDGE OPTIONS, SUITABLE FOR A BROAD RANGE OF APPLICATION, FROM EVERYDAY LIFE TO DEMANDING PROFESSIONS AND EVEN LEISURE SPORTS, WATER AND CORROSION - RESISTANT, SIZE 27, LEFT	each	ITEMIZED	55
403	4224200125200	CARBON FOOT, WITH FOOTSHELL AND COSMESIS CONNECTION CAP, INCLUDES A SEPARATE BIG TOE AND CONNECTS THE FOREFOOT AND THE HEEL SPRING TO FORM A COMPLETE SYSTEM, , SAFETY WALKING ON UNEVEN SURFACES, AN INTERCONNECTED, LINEAR SPRING DESIGN PROVIDES THE LEVEL OF MIDSTANCE SUPPORT NEEDED FOR ACTIVITIES WHERE RESPONSIVENESS IS ESSENTIAL, FOR PATIENTS WITH LIMITED CLEARANCE, ROBUST TITANIUM ADAPTER, CUSTOMIZABLE SHOCK ABSORPTION WITH TWO DIFFERENT HEEL WEDGE OPTIONS, SUITABLE FOR A BROAD RANGE OF APPLICATION, FROM EVERYDAY LIFE TO DEMANDING PROFESSIONS AND EVEN LEISURE SPORTS, WATER AND CORROSION - RESISTANT, SIZE 29, LEFT	each	ITEMIZED	10
404	4224200133600	FOOT LIGHTWEIGHT CARBON WITH PYRAMID ADAPTER LIGHTWEIGHT WITH FOOTSHELL ROBUST AND DURABLE WITH LOW CLEARANCE WATER AND DUST RESISTANT CONFORMANCE ON UNEVEN TERRAIN FOR SAFE STANDING AND WALKING THE HEEL FOAM OFFERS A COMFORTABLE AND SAVE HEEL STRIKE TOE INSERT PRE - INSTALLED IN THE FOOTSHELL SERVES TO EXTEND MULTIPLE CADENCE MAXIMUM BODY WEIGHT: 125 KG FOOT ASSORTED SIZE	each	ITEMIZED	110
405	4224200150600	FOOT SACH (SOLID ANKLE CUSHION HEEL) PEDIATRIC SHAPED TOES WEIGHING UP TO 45 KG. LEFT SIZE 12	each	ITEMIZED	35
406	4224200150700	FOOT SACH (SOLID ANKLE CUSHION HEEL) PEDIATRIC SHAPED TOES WEIGHING UP TO 45 KG. LEFT SIZE 13	each	ITEMIZED	20
407	4224200151000	FOOT SACH (SOLID ANKLE CUSHION HEEL) PEDIATRIC SHAPED TOES WEIGHING UP TO 45 KG. LEFT SIZE 14	each	ITEMIZED	20
408	4224200151100	FOOT SACH (SOLID ANKLE CUSHION HEEL) PEDIATRIC SHAPED TOES WEIGHING UP TO 45 KG. LEFT SIZE 15	each	ITEMIZED	20
409	4224200151200	FOOT SACH (SOLID ANKLE CUSHION HEEL) PEDIATRIC SHAPED TOES WEIGHING UP TO 45 KG. LEFT SIZE 16	each	ITEMIZED	30
410	4224200151300	FOOT SACH (SOLID ANKLE CUSHION HEEL) PEDIATRIC SHAPED TOES WEIGHING UP TO 45 KG. LEFT SIZE 17	each	ITEMIZED	10
411	4224200149100	FOOT SACH (SOLID ANKLE CUSHION HEEL) PEDIATRIC SHAPED TOES WEIGHING UP TO 45 KG. LEFT SIZE 18	each	ITEMIZED	25
412	4224200149300	FOOT SACH (SOLID ANKLE CUSHION HEEL) PEDIATRIC SHAPED TOES WEIGHING UP TO 45 KG. LEFT SIZE 19	each	ITEMIZED	10
413	4224200149500	FOOT SACH (SOLID ANKLE CUSHION HEEL) PEDIATRIC SHAPED TOES WEIGHING UP TO 45 KG. LEFT SIZE 20	each	ITEMIZED	30
414	4224200149700	FOOT SACH (SOLID ANKLE CUSHION HEEL) PEDIATRIC SHAPED TOES WEIGHING UP TO 45 KG. LEFT SIZE 21	each	ITEMIZED	25
415	4224200150800	FOOT SACH (SOLID ANKLE CUSHION HEEL) PEDIATRIC SHAPED TOES WEIGHING UP TO 45 KG. RIGHT SIZE 12	each	ITEMIZED	20
416	4224200150900	FOOT SACH (SOLID ANKLE CUSHION HEEL) PEDIATRIC SHAPED TOES WEIGHING UP TO 45 KG. RIGHT SIZE 13	each	ITEMIZED	20
417	4224200151400	FOOT SACH (SOLID ANKLE CUSHION HEEL) PEDIATRIC SHAPED TOES WEIGHING UP TO 45 KG. RIGHT SIZE 14	each	ITEMIZED	20
418	4224200151500	FOOT SACH (SOLID ANKLE CUSHION HEEL) PEDIATRIC SHAPED TOES WEIGHING UP TO 45 KG. RIGHT SIZE 15	each	ITEMIZED	20
419	4224200151600	FOOT SACH (SOLID ANKLE CUSHION HEEL) PEDIATRIC SHAPED TOES WEIGHING UP TO 45 KG. RIGHT SIZE 16	each	ITEMIZED	25
420	4224200151700	FOOT SACH (SOLID ANKLE CUSHION HEEL) PEDIATRIC SHAPED TOES WEIGHING UP TO 45 KG. RIGHT SIZE 17	each	ITEMIZED	15
421	4224200149900	FOOT SACH (SOLID ANKLE CUSHION HEEL) PEDIATRIC SHAPED TOES WEIGHING UP TO 45 KG. RIGHT SIZE 18	each	ITEMIZED	25

TENDER NAME: PROSTHESIS AND ORTHOSIS

SN	NUPCO CODE	ITEM DESCRIPTION	UOM	GROUP CATEGORY	INITIAL QUANTITY
422	4224200150100	FOOT SACH (SOLID ANKLE CUSHION HEEL) PEDIATRIC SHAPED TOES WEIGHING UP TO 45 KG. RIGHT SIZE 19	each	ITEMIZED	30
423	4224200150300	FOOT SACH (SOLID ANKLE CUSHION HEEL) PEDIATRIC SHAPED TOES WEIGHING UP TO 45 KG. RIGHT SIZE 20	each	ITEMIZED	10
424	4224200150500	FOOT SACH (SOLID ANKLE CUSHION HEEL) PEDIATRIC SHAPED TOES WEIGHING UP TO 45 KG. RIGHT SIZE 21	each	ITEMIZED	30
425	4224171319300	FOOT, IMPRESSION, FOR TAKING FOOTPRINTS, FOR ORTHOPEDIC DEVICES, FOR FABRICATING INSOLES, THICKNESS, 50 MM APPROXIMATELY	each	ITEMIZED	1500
426	4224200134000	HYDRAULIC ANKLE FOOT SYSTEM, WITH SLIT TOE CARBON FIBER FOOT MODULE, INDEPENDENT HYDRAULIC CONTROL OF PLANTAR AND DORSIFLEXION, ACTIVITY LEVEL K3, ASSORTED SIDE AND SIZE.	each	ITEMIZED	55
427	4224200133500	MICROPROCESSOR FOOT AND ANKLE, COMPLETE PROSTHETIC FOOT SYSTEM, OFFERS A HIGH LEVEL OF SECURITY ALONG WITH INCREASED ADAPTABILITY AND A MORE NATURAL MOTION SEQUENCE, THE UNIQUE 4-AXIS DESIGN DURING FOOT ROLLOVER, THE FOUR AXES CAUSE THE ANKLE JOINT TO PLANTAR FLEX (FOOT LOWERING), HIS ENABLES A MORE EVEN AND MORE NATURAL GAIT PATTERN WHILE PREVENTING TIRING COMPENSATING MOVEMENTS WITH HYDRAULIC REAL-TIME CONTROL, THEREFORE, ADJUSTS ITSELF IMMEDIATELY TO THE USER'S WALKING SPEED AND GROUND CONDITIONS, CONTROLLED BY APP, MAXIMUM BODY WEIGHT 125 KG APPROXIMATELY, FOOT ASSORTED SIZES	Kit	ITEMIZED	30
428	4224200120200	PROSTHETIC FOOT FOR CHILDREN, SIZE 14, LEFT, SUPPLIED WITH FOOT ADAPTER AND SCREW CONNECTION, TUBE ADAPTER, TUBE CLAMP ADAPTER, SOCKET ADAPTER, COSMETIC FOAM, AND PERLON STOCKINGS	SET	ITEMIZED	55
429	4224200121000	PROSTHETIC FOOT FOR CHILDREN, SIZE 14, RIGHT, SUPPLIED WITH FOOT ADAPTER AND SCREW CONNECTION, TUBE ADAPTER, TUBE CLAMP ADAPTER, SOCKET ADAPTER, COSMETIC FOAM, AND PERLON STOCKINGS	SET	ITEMIZED	55
430	4224200120300	PROSTHETIC FOOT FOR CHILDREN, SIZE 15, LEFT, SUPPLIED WITH FOOT ADAPTER AND SCREW CONNECTION, TUBE ADAPTER, TUBE CLAMP ADAPTER, SOCKET ADAPTER, COSMETIC FOAM, AND PERLON STOCKINGS	SET	ITEMIZED	55
431	4224200121100	PROSTHETIC FOOT FOR CHILDREN, SIZE 15, RIGHT, SUPPLIED WITH FOOT ADAPTER AND SCREW CONNECTION, TUBE ADAPTER, TUBE CLAMP ADAPTER, SOCKET ADAPTER, COSMETIC FOAM, AND PERLON STOCKINGS	SET	ITEMIZED	55
432	4224200120400	PROSTHETIC FOOT FOR CHILDREN, SIZE 16, LEFT, SUPPLIED WITH FOOT ADAPTER AND SCREW CONNECTION, TUBE ADAPTER, TUBE CLAMP ADAPTER, SOCKET ADAPTER, COSMETIC FOAM, AND PERLON STOCKINGS	SET	ITEMIZED	55
433	4224200121200	PROSTHETIC FOOT FOR CHILDREN, SIZE 16, RIGHT, SUPPLIED WITH FOOT ADAPTER AND SCREW CONNECTION, TUBE ADAPTER, TUBE CLAMP ADAPTER, SOCKET ADAPTER, AND COSMETIC FOAM	SET	ITEMIZED	55
434	4224200120500	PROSTHETIC FOOT FOR CHILDREN, SIZE 17, LEFT, SUPPLIED WITH FOOT ADAPTER AND SCREW CONNECTION, TUBE ADAPTER, TUBE CLAMP ADAPTER, SOCKET ADAPTER, COSMETIC FOAM AND PERLON STOCKINGS	SET	ITEMIZED	55
435	4224200121300	PROSTHETIC FOOT FOR CHILDREN, SIZE 17, RIGHT, SUPPLIED WITH FOOT ADAPTER AND SCREW CONNECTION, TUBE ADAPTER, TUBE CLAMP ADAPTER, SOCKET ADAPTER, COSMETIC FOAM AND PERLON STOCKINGS	SET	ITEMIZED	55
436	4224200121400	PROSTHETIC FOOT FOR CHILDREN, SIZE 18, RIGHT. SUPPLIED WITH FOOT ADAPTER AND SCREW CONNECTION, TUBE ADAPTER, TUBE CLAMP ADAPTER, SOCKET ADAPTER, COSMETIC FOAM AND PERLON STOCKINGS	SET	ITEMIZED	55
437	4224200120700	PROSTHETIC FOOT FOR CHILDREN, SIZE 19, LEFT. SUPPLIED WITH FOOT ADAPTER AND SCREW CONNECTION, TUBE ADAPTER, TUBE CLAMP ADAPTER, SOCKET ADAPTER, COSMETIC FOAM AND PERLON STOCKINGS	SET	ITEMIZED	55
438	4224200121500	PROSTHETIC FOOT FOR CHILDREN, SIZE 19, RIGHT. SUPPLIED WITH FOOT ADAPTER AND SCREW CONNECTION, TUBE ADAPTER, TUBE CLAMP ADAPTER, SOCKET ADAPTER, COSMETIC FOAM AND PERLON STOCKINGS	SET	ITEMIZED	55
439	4224200121600	PROSTHETIC FOOT FOR CHILDREN, SIZE 20, RIGHT. SUPPLIED WITH FOOT ADAPTER AND SCREW CONNECTION, TUBE ADAPTER, TUBE CLAMP ADAPTER, SOCKET ADAPTER, COSMETIC FOAM, AND PERLON STOCKINGS	SET	ITEMIZED	55
440	4224200120900	PROSTHETIC FOOT FOR CHILDREN, SIZE 21, LEFT. SUPPLIED WITH FOOT ADAPTER AND SCREW CONNECTION, TUBE ADAPTER, TUBE CLAMP ADAPTER, SOCKET ADAPTER, COSMETIC FOAM, AND PERLON STOCKINGS	SET	ITEMIZED	55
441	4224200121700	PROSTHETIC FOOT FOR CHILDREN, SIZE 21, RIGHT, SUPPLIED WITH FOOT ADAPTER AND SCREW CONNECTION, TUBE ADAPTER, TUBE CLAMP ADAPTER, SOCKET ADAPTER, COSMETIC FOAM, AND PERLON STOCKINGS	SET	ITEMIZED	55
442	4224200107900	PROSTHETIC FOOT FOR MEN, WITH INNER FLEXIBLE FOOT, DORSAL REINFORCEMENT, MEDIUM DENSITY HEEL AND RESEMBLES THE NATURAL FOOT SHAPE WITH SMOOTH SURFACE, SHAPED TOES AND SANDAL TOE, COMFORTABLE HEEL STRIKE AND A SMOOTHER MORE DYNAMIC, HEEL HEIGHT 10 MM, LEFT, MEN, SIZE 22 CM	each	ITEMIZED	500
443	4224200108000	PROSTHETIC FOOT FOR MEN, WITH INNER FLEXIBLE FOOT, DORSAL REINFORCEMENT, MEDIUM DENSITY HEEL AND RESEMBLES THE NATURAL FOOT SHAPE WITH SMOOTH SURFACE, SHAPED TOES AND SANDAL TOE, COMFORTABLE HEEL STRIKE AND A SMOOTHER MORE DYNAMIC, HEEL HEIGHT 10 MM, LEFT, MEN, SIZE 23 CM	each	ITEMIZED	400
444	4224200108600	PROSTHETIC FOOT FOR MEN, WITH INNER FLEXIBLE FOOT, DORSAL REINFORCEMENT, MEDIUM DENSITY HEEL AND RESEMBLES THE NATURAL FOOT SHAPE WITH SMOOTH SURFACE, SHAPED TOES AND SANDAL TOE, COMFORTABLE HEEL STRIKE AND A SMOOTHER MORE DYNAMIC, HEEL HEIGHT 10 MM, LEFT, MEN, SIZE 24 CM	each	ITEMIZED	500
445	4224200108700	PROSTHETIC FOOT FOR MEN, WITH INNER FLEXIBLE FOOT, DORSAL REINFORCEMENT, MEDIUM DENSITY HEEL AND RESEMBLES THE NATURAL FOOT SHAPE WITH SMOOTH SURFACE, SHAPED TOES AND SANDAL TOE, COMFORTABLE HEEL STRIKE AND A SMOOTHER MORE DYNAMIC, HEEL HEIGHT 10 MM, LEFT, MEN, SIZE 25 CM	each	ITEMIZED	600
446	4224200108100	PROSTHETIC FOOT FOR MEN, WITH INNER FLEXIBLE FOOT, DORSAL REINFORCEMENT, MEDIUM DENSITY HEEL AND RESEMBLES THE NATURAL FOOT SHAPE WITH SMOOTH SURFACE, SHAPED TOES AND SANDAL TOE, COMFORTABLE HEEL STRIKE AND A SMOOTHER MORE DYNAMIC, HEEL HEIGHT 10 MM, LEFT, MEN, SIZE 26 CM	each	ITEMIZED	600
447	4224200108800	PROSTHETIC FOOT FOR MEN, WITH INNER FLEXIBLE FOOT, DORSAL REINFORCEMENT, MEDIUM DENSITY HEEL AND RESEMBLES THE NATURAL FOOT SHAPE WITH SMOOTH SURFACE, SHAPED TOES AND SANDAL TOE, COMFORTABLE HEEL STRIKE AND A SMOOTHER MORE DYNAMIC, HEEL HEIGHT 10 MM, LEFT, MEN, SIZE 27 CM	each	ITEMIZED	500
448	4224200108200	PROSTHETIC FOOT FOR MEN, WITH INNER FLEXIBLE FOOT, DORSAL REINFORCEMENT, MEDIUM DENSITY HEEL AND RESEMBLES THE NATURAL FOOT SHAPE WITH SMOOTH SURFACE, SHAPED TOES AND SANDAL TOE, COMFORTABLE HEEL STRIKE AND A SMOOTHER MORE DYNAMIC, HEEL HEIGHT 10 MM, LEFT, MEN, SIZE 28 CM	each	ITEMIZED	450
449	4224200108900	PROSTHETIC FOOT FOR MEN, WITH INNER FLEXIBLE FOOT, DORSAL REINFORCEMENT, MEDIUM DENSITY HEEL AND RESEMBLES THE NATURAL FOOT SHAPE WITH SMOOTH SURFACE, SHAPED TOES AND SANDAL TOE, COMFORTABLE HEEL STRIKE AND A SMOOTHER MORE DYNAMIC, HEEL HEIGHT 10 MM, RIGHT, MEN, SIZE 22 CM	each	ITEMIZED	650
450	4224200109000	PROSTHETIC FOOT FOR MEN, WITH INNER FLEXIBLE FOOT, DORSAL REINFORCEMENT, MEDIUM DENSITY HEEL AND RESEMBLES THE NATURAL FOOT SHAPE WITH SMOOTH SURFACE, SHAPED TOES AND SANDAL TOE, COMFORTABLE HEEL STRIKE AND A SMOOTHER MORE DYNAMIC, HEEL HEIGHT 10 MM, RIGHT, MEN, SIZE 23 CM	each	ITEMIZED	550
451	4224200108300	PROSTHETIC FOOT FOR MEN, WITH INNER FLEXIBLE FOOT, DORSAL REINFORCEMENT, MEDIUM DENSITY HEEL AND RESEMBLES THE NATURAL FOOT SHAPE WITH SMOOTH SURFACE, SHAPED TOES AND SANDAL TOE, COMFORTABLE HEEL STRIKE AND A SMOOTHER MORE DYNAMIC, HEEL HEIGHT 10 MM, RIGHT, MEN, SIZE 24 CM	each	ITEMIZED	800

TENDER NAME: PROSTHESIS AND ORTHOSIS

SN	NUPCO CODE	ITEM DESCRIPTION	UOM	GROUP CATEGORY	INITIAL QUANTITY
452	4224200108400	PROSTHETIC FOOT FOR MEN, WITH INNER FLEXIBLE FOOT, DORSAL REINFORCEMENT, MEDIUM DENSITY HEEL AND RESEMBLES THE NATURAL FOOT SHAPE WITH SMOOTH SURFACE, SHAPED TOES AND SANDAL TOE, COMFORTABLE HEEL STRIKE AND A SMOOTHER MORE DYNAMIC, HEEL HEIGHT 10 MM, RIGHT, MEN, SIZE 25 CM	each	ITEMIZED	800
453	4224200108500	PROSTHETIC FOOT FOR MEN, WITH INNER FLEXIBLE FOOT, DORSAL REINFORCEMENT, MEDIUM DENSITY HEEL AND RESEMBLES THE NATURAL FOOT SHAPE WITH SMOOTH SURFACE, SHAPED TOES AND SANDAL TOE, COMFORTABLE HEEL STRIKE AND A SMOOTHER MORE DYNAMIC, HEEL HEIGHT 10 MM, RIGHT, MEN, SIZE 26 CM	each	ITEMIZED	700
454	4224200110800	PROSTHETIC FOOT FOR MEN, WITH INNER FLEXIBLE FOOT, DORSAL REINFORCEMENT, MEDIUM DENSITY HEEL AND RESEMBLES THE NATURAL FOOT SHAPE WITH SMOOTH SURFACE, SHAPED TOES AND SANDAL TOE, COMFORTABLE HEEL STRIKE AND A SMOOTHER MORE DYNAMIC, HEEL HEIGHT 10 MM, RIGHT, MEN, SIZE 27 CM	each	ITEMIZED	600
455	4224200109100	PROSTHETIC FOOT FOR MEN, WITH INNER FLEXIBLE FOOT, DORSAL REINFORCEMENT, MEDIUM DENSITY HEEL AND RESEMBLES THE NATURAL FOOT SHAPE WITH SMOOTH SURFACE, SHAPED TOES AND SANDAL TOE, COMFORTABLE HEEL STRIKE AND A SMOOTHER MORE DYNAMIC, HEEL HEIGHT 10 MM, RIGHT, MEN, SIZE 28 CM	each	ITEMIZED	450
456	4224200120600	PROSTHETIC FOOTFOR CHILDREN, SIZE 18, LEFT. SUPPLIED WITH FOOT ADAPTER AND SCREW CONNECTION, TUBE ADAPTER, TUBE CLAMP ADAPTER, SOCKET ADAPTER, COSMETIC FOAM AND PERLON STOCKINGS	SET	ITEMIZED	55
457	4224200120800	PROSTHETIC FOOTFOR CHILDREN, SIZE 20, LEFT. SUPPLIED WITH FOOT ADAPTER AND SCREW CONNECTION, TUBE ADAPTER, TUBE CLAMP ADAPTER, SOCKET ADAPTER, COSMETIC FOAM AND PERLON STOCKINGS	SET	ITEMIZED	55
458	4224200135900	PROSTHETIC CARBON FOOT PLATE, USED FOR AMPUTEES WITH LONG RESIDUAL LIMB, INCLUDING PARTIAL FOOT AMPUTATION, PLATE SECURELY BONDS TO THE SOCKET FACILITATES COSMETIC FINISHING ENERGY STORING, LOW / MODERATE AND HIGH IMPACT LEVEL K - LEVEL: K1 K 2 K 3 AND K 4 MAXIMUM BODY WEIGHT UP TO 150 KG, FITS REGULAR FOOT COVER, ASSORTED SIZE	each	ITEMIZED	10
459	4224200133700	PROSTHETIC CARBON FOOT, FOOTSHELL DOUBLE SPRINGS AND A LONG CARBON BASE SPRING, SHOCK ABSORPTION, DIFFERENT HEEL WEDGE OPTIONS, WATER RESISTANT TO FRESH SALT AND CHLORINATED WATER, WITH SLIM CONNECTION ADAPTER MAXIMUM BODY WEIGHT 150 KG, ASSORTED SIZE AND SIDE	each	ITEMIZED	60
460	4224200195700	PROSTHETIC CARBON FOOT, FOOTSHELL WITH COSMESIS CONNECTION CAP, SPLIT BIG TOE AND CONNECTS THE FOREFOOT AND THE HEEL SPRING, K LEVEL K3 -K4, WITH CARBON HEEL SPRING CUSTOMIZABLE SHOCK ABSORPTION, WITH TWO DIFFERENT HEEL WEDGE OPTIONS WITH POSSIBILITY REPLACEABLE HEEL WEDGE, WATERPROOF, BODY WEIGHT 100 - 150 KG, SIZE 23, LEFT	each	ITEMIZED	10
461	4224200195800	PROSTHETIC CARBON FOOT, FOOTSHELL WITH COSMESIS CONNECTION CAP, SPLIT BIG TOE AND CONNECTS THE FOREFOOT AND THE HEEL SPRING, K LEVEL K3 -K4, WITH CARBON HEEL SPRING CUSTOMIZABLE SHOCK ABSORPTION, WITH TWO DIFFERENT HEEL WEDGE OPTIONS WITH POSSIBILITY REPLACEABLE HEEL WEDGE, WATERPROOF, BODY WEIGHT 100 - 150 KG, SIZE 23, RIGHT	each	ITEMIZED	10
462	4224200122700	PROSTHETIC CARBON FOOT, FOOTSHELL WITH COSMESIS CONNECTION CAP, SPLIT BIG TOE AND CONNECTS THE FOREFOOT AND THE HEEL SPRING, K LEVEL K3 -K4, WITH CARBON HEEL SPRING CUSTOMIZABLE SHOCK ABSORPTION, WITH TWO DIFFERENT HEEL WEDGE OPTIONS WITH POSSIBILITY REPLACEABLE HEEL WEDGE, WATERPROOF, BODY WEIGHT 100 - 150 KG, SIZE 24, LEFT	each	ITEMIZED	35
463	4224200123400	PROSTHETIC CARBON FOOT, FOOTSHELL WITH COSMESIS CONNECTION CAP, SPLIT BIG TOE AND CONNECTS THE FOREFOOT AND THE HEEL SPRING, K LEVEL K3 -K4, WITH CARBON HEEL SPRING CUSTOMIZABLE SHOCK ABSORPTION, WITH TWO DIFFERENT HEEL WEDGE OPTIONS WITH POSSIBILITY REPLACEABLE HEEL WEDGE, WATERPROOF, BODY WEIGHT 100 - 150 KG, SIZE 24, RIGHT	each	ITEMIZED	35
464	4224200122800	PROSTHETIC CARBON FOOT, FOOTSHELL WITH COSMESIS CONNECTION CAP, SPLIT BIG TOE AND CONNECTS THE FOREFOOT AND THE HEEL SPRING, K LEVEL K3 -K4, WITH CARBON HEEL SPRING CUSTOMIZABLE SHOCK ABSORPTION, WITH TWO DIFFERENT HEEL WEDGE OPTIONS WITH POSSIBILITY REPLACEABLE HEEL WEDGE, WATERPROOF, BODY WEIGHT 100 - 150 KG, SIZE 25, LEFT	each	ITEMIZED	35
465	4224200123500	PROSTHETIC CARBON FOOT, FOOTSHELL WITH COSMESIS CONNECTION CAP, SPLIT BIG TOE AND CONNECTS THE FOREFOOT AND THE HEEL SPRING, K LEVEL K3 -K4, WITH CARBON HEEL SPRING CUSTOMIZABLE SHOCK ABSORPTION, WITH TWO DIFFERENT HEEL WEDGE OPTIONS WITH POSSIBILITY REPLACEABLE HEEL WEDGE, WATERPROOF, BODY WEIGHT 100 - 150 KG, SIZE 25, RIGHT	each	ITEMIZED	20
466	4224200122900	PROSTHETIC CARBON FOOT, FOOTSHELL WITH COSMESIS CONNECTION CAP, SPLIT BIG TOE AND CONNECTS THE FOREFOOT AND THE HEEL SPRING, K LEVEL K3 -K4, WITH CARBON HEEL SPRING CUSTOMIZABLE SHOCK ABSORPTION, WITH TWO DIFFERENT HEEL WEDGE OPTIONS WITH POSSIBILITY REPLACEABLE HEEL WEDGE, WATERPROOF, BODY WEIGHT 100 - 150 KG, SIZE 26, LEFT	each	ITEMIZED	35
467	4224200123600	PROSTHETIC CARBON FOOT, FOOTSHELL WITH COSMESIS CONNECTION CAP, SPLIT BIG TOE AND CONNECTS THE FOREFOOT AND THE HEEL SPRING, K LEVEL K3 -K4, WITH CARBON HEEL SPRING CUSTOMIZABLE SHOCK ABSORPTION, WITH TWO DIFFERENT HEEL WEDGE OPTIONS WITH POSSIBILITY REPLACEABLE HEEL WEDGE, WATERPROOF, BODY WEIGHT 100 - 150 KG, SIZE 26, RIGHT	each	ITEMIZED	35
468	4224200123700	PROSTHETIC CARBON FOOT, FOOTSHELL WITH COSMESIS CONNECTION CAP, SPLIT BIG TOE AND CONNECTS THE FOREFOOT AND THE HEEL SPRING, K LEVEL K3 -K4, WITH CARBON HEEL SPRING CUSTOMIZABLE SHOCK ABSORPTION, WITH TWO DIFFERENT HEEL WEDGE OPTIONS WITH POSSIBILITY REPLACEABLE HEEL WEDGE, WATERPROOF, BODY WEIGHT 100 - 150 KG, SIZE 27, RIGHT	each	ITEMIZED	35
469	4224200123000	PROSTHETIC CARBON FOOT, FOOTSHELL WITH COSMESIS CONNECTION CAP, SPLIT BIG TOE AND CONNECTS THE FOREFOOT AND THE HEEL SPRING, K LEVEL K3 -K4, WITH CARBON HEEL SPRING CUSTOMIZABLE SHOCK ABSORPTION, WITH TWO DIFFERENT HEEL WEDGE OPTIONS WITH POSSIBILITY REPLACEABLE HEEL WEDGE, WATERPROOF, BODY WEIGHT 100 - 150 KG, SIZE 27, LEFT	each	ITEMIZED	35
470	4224200123100	PROSTHETIC CARBON FOOT, FOOTSHELL WITH COSMESIS CONNECTION CAP, SPLIT BIG TOE AND CONNECTS THE FOREFOOT AND THE HEEL SPRING, K LEVEL K3 -K4, WITH CARBON HEEL SPRING CUSTOMIZABLE SHOCK ABSORPTION, WITH TWO DIFFERENT HEEL WEDGE OPTIONS WITH POSSIBILITY REPLACEABLE HEEL WEDGE, WATERPROOF, BODY WEIGHT 100 - 150 KG, SIZE 28, LEFT	each	ITEMIZED	30
471	4224200123800	PROSTHETIC CARBON FOOT, FOOTSHELL WITH COSMESIS CONNECTION CAP, SPLIT BIG TOE AND CONNECTS THE FOREFOOT AND THE HEEL SPRING, K LEVEL K3 -K4, WITH CARBON HEEL SPRING CUSTOMIZABLE SHOCK ABSORPTION, WITH TWO DIFFERENT HEEL WEDGE OPTIONS WITH POSSIBILITY REPLACEABLE HEEL WEDGE, WATERPROOF, BODY WEIGHT 100 - 150 KG, SIZE 28, RIGHT	each	ITEMIZED	30
472	4224200123200	PROSTHETIC CARBON FOOT, FOOTSHELL WITH COSMESIS CONNECTION CAP, SPLIT BIG TOE AND CONNECTS THE FOREFOOT AND THE HEEL SPRING, K LEVEL K3 -K4, WITH CARBON HEEL SPRING CUSTOMIZABLE SHOCK ABSORPTION, WITH TWO DIFFERENT HEEL WEDGE OPTIONS WITH POSSIBILITY REPLACEABLE HEEL WEDGE, WATERPROOF, BODY WEIGHT 100 - 150 KG, SIZE 29, LEFT	each	ITEMIZED	25
473	4224200123900	PROSTHETIC CARBON FOOT, FOOTSHELL WITH COSMESIS CONNECTION CAP, SPLIT BIG TOE AND CONNECTS THE FOREFOOT AND THE HEEL SPRING, K LEVEL K3 -K4, WITH CARBON HEEL SPRING CUSTOMIZABLE SHOCK ABSORPTION, WITH TWO DIFFERENT HEEL WEDGE OPTIONS WITH POSSIBILITY REPLACEABLE HEEL WEDGE, WATERPROOF, BODY WEIGHT 100 - 150 KG, SIZE 29, RIGHT	each	ITEMIZED	25

TENDER NAME: PROSTHESIS AND ORTHOSIS

SN	NUPCO CODE	ITEM DESCRIPTION	UOM	GROUP CATEGORY	INITIAL QUANTITY
474	4224200123300	PROSTHETIC CARBON FOOT, FOOTSHELL WITH COSMESIS CONNECTION CAP, SPLIT BIG TOE AND CONNECTS THE FOREFOOT AND THE HEEL SPRING, K LEVEL K3 -K4, WITH CARBON HEEL SPRING CUSTOMIZABLE SHOCK ABSORPTION, WITH TWO DIFFERENT HEEL WEDGE OPTIONS WITH POSSIBILITY REPLACEABLE HEEL WEDGE, WATERPROOF, BODY WEIGHT 100 - 150 KG, SIZE 30, LEFT	each	ITEMIZED	10
475	4224200124000	PROSTHETIC CARBON FOOT, FOOTSHELL WITH COSMESIS CONNECTION CAP, SPLIT BIG TOE AND CONNECTS THE FOREFOOT AND THE HEEL SPRING, K LEVEL K3 -K4, WITH CARBON HEEL SPRING CUSTOMIZABLE SHOCK ABSORPTION, WITH TWO DIFFERENT HEEL WEDGE OPTIONS WITH POSSIBILITY REPLACEABLE HEEL WEDGE, WATERPROOF, BODY WEIGHT 100 - 150 KG, SIZE 30, RIGHT	each	ITEMIZED	10
476	4224200118800	PROSTHETIC FOOT, LIGHTWEIGHT, CARBON WITH COMFORTABLE ROLLOVER CHARACTERISTICS INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE MULTI - AXIAL MOBILITY TO COMPENSATE FOR UNEVEN SURFACES AND COMFORTABLE WALKING UPHILL AND ON INCLINES GOOD ENERGY RETURN IN THE FOREFOOT AND HEEL GOOD SHOCK ABSORPTION PROGRESSIVE SPRING CHARACTERISTICS SAFETY: CONTROLLED PLANTAR FLEXION OF UP TO 12 DEGREE VERY GOOD IN - /EVERSION AND PRO - SUPINATION GOOD INITIATION OF KNEE FLEXION, LEFT, SIZE 24	each	ITEMIZED	35
477	4224200118900	PROSTHETIC FOOT, LIGHTWEIGHT, CARBON WITH COMFORTABLE ROLLOVER CHARACTERISTICS INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE MULTI - AXIAL MOBILITY TO COMPENSATE FOR UNEVEN SURFACES AND COMFORTABLE WALKING UPHILL AND ON INCLINES GOOD ENERGY RETURN IN THE FOREFOOT AND HEEL GOOD SHOCK ABSORPTION PROGRESSIVE SPRING CHARACTERISTICS SAFETY: CONTROLLED PLANTAR FLEXION OF UP TO 12 DEGREE VERY GOOD IN - /EVERSION AND PRO - SUPINATION GOOD INITIATION OF KNEE FLEXION, LEFT, SIZE 25	each	ITEMIZED	35
478	4224200119000	PROSTHETIC FOOT, LIGHTWEIGHT, CARBON WITH COMFORTABLE ROLLOVER CHARACTERISTICS INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE MULTI - AXIAL MOBILITY TO COMPENSATE FOR UNEVEN SURFACES AND COMFORTABLE WALKING UPHILL AND ON INCLINES GOOD ENERGY RETURN IN THE FOREFOOT AND HEEL GOOD SHOCK ABSORPTION PROGRESSIVE SPRING CHARACTERISTICS SAFETY: CONTROLLED PLANTAR FLEXION OF UP TO 12 DEGREE VERY GOOD IN - /EVERSION AND PRO - SUPINATION GOOD INITIATION OF KNEE FLEXION, LEFT, SIZE 26	each	ITEMIZED	60
479	4224200119100	PROSTHETIC FOOT, LIGHTWEIGHT, CARBON WITH COMFORTABLE ROLLOVER CHARACTERISTICS INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE MULTI - AXIAL MOBILITY TO COMPENSATE FOR UNEVEN SURFACES AND COMFORTABLE WALKING UPHILL AND ON INCLINES GOOD ENERGY RETURN IN THE FOREFOOT AND HEEL GOOD SHOCK ABSORPTION PROGRESSIVE SPRING CHARACTERISTICS SAFETY: CONTROLLED PLANTAR FLEXION OF UP TO 12 DEGREE VERY GOOD IN - /EVERSION AND PRO - SUPINATION GOOD INITIATION OF KNEE FLEXION, LEFT, SIZE 27	each	ITEMIZED	55
480	4224200119200	PROSTHETIC FOOT, LIGHTWEIGHT, CARBON WITH COMFORTABLE ROLLOVER CHARACTERISTICS INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE MULTI - AXIAL MOBILITY TO COMPENSATE FOR UNEVEN SURFACES AND COMFORTABLE WALKING UPHILL AND ON INCLINES GOOD ENERGY RETURN IN THE FOREFOOT AND HEEL GOOD SHOCK ABSORPTION PROGRESSIVE SPRING CHARACTERISTICS SAFETY: CONTROLLED PLANTAR FLEXION OF UP TO 12 DEGREE VERY GOOD IN - /EVERSION AND PRO - SUPINATION GOOD INITIATION OF KNEE FLEXION, LEFT, SIZE 28	each	ITEMIZED	20
481	4224200119300	PROSTHETIC FOOT, LIGHTWEIGHT, CARBON WITH COMFORTABLE ROLLOVER CHARACTERISTICS INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE MULTI - AXIAL MOBILITY TO COMPENSATE FOR UNEVEN SURFACES AND COMFORTABLE WALKING UPHILL AND ON INCLINES GOOD ENERGY RETURN IN THE FOREFOOT AND HEEL GOOD SHOCK ABSORPTION PROGRESSIVE SPRING CHARACTERISTICS SAFETY: CONTROLLED PLANTAR FLEXION OF UP TO 12 DEGREE VERY GOOD IN - /EVERSION AND PRO - SUPINATION GOOD INITIATION OF KNEE FLEXION, LEFT, SIZE 29	each	ITEMIZED	30
482	4224200119500	PROSTHETIC FOOT, LIGHTWEIGHT, CARBON WITH COMFORTABLE ROLLOVER CHARACTERISTICS INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE MULTI - AXIAL MOBILITY TO COMPENSATE FOR UNEVEN SURFACES AND COMFORTABLE WALKING UPHILL AND ON INCLINES GOOD ENERGY RETURN IN THE FOREFOOT AND HEEL GOOD SHOCK ABSORPTION PROGRESSIVE SPRING CHARACTERISTICS SAFETY: CONTROLLED PLANTAR FLEXION OF UP TO 12 DEGREE VERY GOOD IN - /EVERSION AND PRO - SUPINATION GOOD INITIATION OF KNEE FLEXION, RIGHT, SIZE 24	each	ITEMIZED	10
483	4224200119600	PROSTHETIC FOOT, LIGHTWEIGHT, CARBON WITH COMFORTABLE ROLLOVER CHARACTERISTICS INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE MULTI - AXIAL MOBILITY TO COMPENSATE FOR UNEVEN SURFACES AND COMFORTABLE WALKING UPHILL AND ON INCLINES GOOD ENERGY RETURN IN THE FOREFOOT AND HEEL GOOD SHOCK ABSORPTION PROGRESSIVE SPRING CHARACTERISTICS SAFETY: CONTROLLED PLANTAR FLEXION OF UP TO 12 DEGREE VERY GOOD IN - /EVERSION AND PRO - SUPINATION GOOD INITIATION OF KNEE FLEXION, RIGHT, SIZE 25	each	ITEMIZED	60
484	4224200119700	PROSTHETIC FOOT, LIGHTWEIGHT, CARBON WITH COMFORTABLE ROLLOVER CHARACTERISTICS INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE MULTI - AXIAL MOBILITY TO COMPENSATE FOR UNEVEN SURFACES AND COMFORTABLE WALKING UPHILL AND ON INCLINES GOOD ENERGY RETURN IN THE FOREFOOT AND HEEL GOOD SHOCK ABSORPTION PROGRESSIVE SPRING CHARACTERISTICS SAFETY: CONTROLLED PLANTAR FLEXION OF UP TO 12 DEGREE VERY GOOD IN - /EVERSION AND PRO - SUPINATION GOOD INITIATION OF KNEE FLEXION, RIGHT, SIZE 26	each	ITEMIZED	60
485	4224200119800	PROSTHETIC FOOT, LIGHTWEIGHT, CARBON WITH COMFORTABLE ROLLOVER CHARACTERISTICS INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE MULTI - AXIAL MOBILITY TO COMPENSATE FOR UNEVEN SURFACES AND COMFORTABLE WALKING UPHILL AND ON INCLINES GOOD ENERGY RETURN IN THE FOREFOOT AND HEEL GOOD SHOCK ABSORPTION PROGRESSIVE SPRING CHARACTERISTICS SAFETY: CONTROLLED PLANTAR FLEXION OF UP TO 12 DEGREE VERY GOOD IN - /EVERSION AND PRO - SUPINATION GOOD INITIATION OF KNEE FLEXION, RIGHT, SIZE 27	each	ITEMIZED	30
486	4224200119900	PROSTHETIC FOOT, LIGHTWEIGHT, CARBON WITH COMFORTABLE ROLLOVER CHARACTERISTICS INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE MULTI - AXIAL MOBILITY TO COMPENSATE FOR UNEVEN SURFACES AND COMFORTABLE WALKING UPHILL AND ON INCLINES GOOD ENERGY RETURN IN THE FOREFOOT AND HEEL GOOD SHOCK ABSORPTION PROGRESSIVE SPRING CHARACTERISTICS SAFETY: CONTROLLED PLANTAR FLEXION OF UP TO 12 DEGREE VERY GOOD IN - /EVERSION AND PRO - SUPINATION GOOD INITIATION OF KNEE FLEXION, RIGHT, SIZE 28	each	ITEMIZED	20
487	4224200120000	PROSTHETIC FOOT, LIGHTWEIGHT, CARBON WITH COMFORTABLE ROLLOVER CHARACTERISTICS INCLUDES THE FOOTSHELL WITH COSMESIS CONNECTION CAP SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE MULTI - AXIAL MOBILITY TO COMPENSATE FOR UNEVEN SURFACES AND COMFORTABLE WALKING UPHILL AND ON INCLINES GOOD ENERGY RETURN IN THE FOREFOOT AND HEEL GOOD SHOCK ABSORPTION PROGRESSIVE SPRING CHARACTERISTICS SAFETY: CONTROLLED PLANTAR FLEXION OF UP TO 12 DEGREE VERY GOOD IN - /EVERSION AND PRO - SUPINATION GOOD INITIATION OF KNEE FLEXION, RIGHT, SIZE 29	each	ITEMIZED	30
488	4224200133900	PROSTHETIC FOOT AND ANKLE, MICROPROCESSOR CONTROLLED HYDRAULIC ANKLE VARIABLE RESPONSE CADENCE INCREASE STABILITY DOWN SLOPE, ASSORTED SIDE AND SIZE	each	ITEMIZED	30
489	4224200113400	PROSTHETIC FOOT WITH FOOT SHELL, WITH DIVIDED FOREFOOT AREA, CUSHIONING HEEL, HIGH ENERGY RETURN, MULTI AXIAL FUNCTION, SIZE: 31 CM, LEFT	each	ITEMIZED	50
490	4224200117600	PROSTHETIC FOOT, MULTI - AXIAL FUNCTION, FLEXIBLE KEEL FOOT WITH TOES WITH ASSEMBLED, TITANIUM ADAPTER, PERMITS MULTI AXIAL ANKLE MOVEMENT AND HAS PRONATION SUPINATION AND ROTATION IN THE HORIZONTAL PLANE, FOAM CONNECTION CAP, K LEVEL UP TO K3, MAX. BODY WEIGHT 100 KG, SIZE: 24 LEFT	each	ITEMIZED	10

TENDER NAME: PROSTHESIS AND ORTHOSIS

SN	NUPCO CODE	ITEM DESCRIPTION	UOM	GROUP CATEGORY	INITIAL QUANTITY
491	4224200117700	PROSTHETIC FOOT, MULTI - AXIAL FUNCTION, FLEXIBLE KEEL FOOT WITH TOES WITH ASSEMBLED, TITANIUM ADAPTER, PERMITS MULTI AXIAL ANKLE MOVEMENT AND HAS PRONATION SUPINATION AND ROTATION IN THE HORIZONTAL PLANE, FOAM CONNECTION CAP, K LEVEL UP TO K3, MAX. BODY WEIGHT 100 KG, SIZE: 25 LEFT	each	ITEMIZED	25
492	4224200117800	PROSTHETIC FOOT, MULTI - AXIAL FUNCTION, FLEXIBLE KEEL FOOT WITH TOES WITH ASSEMBLED, TITANIUM ADAPTER, PERMITS MULTI AXIAL ANKLE MOVEMENT AND HAS PRONATION SUPINATION AND ROTATION IN THE HORIZONTAL PLANE, FOAM CONNECTION CAP, K LEVEL UP TO K3, MAX. BODY WEIGHT 100 KG, SIZE: 26 LEFT	each	ITEMIZED	25
493	4224200117900	PROSTHETIC FOOT, MULTI - AXIAL FUNCTION, FLEXIBLE KEEL FOOT WITH TOES WITH ASSEMBLED, TITANIUM ADAPTER, PERMITS MULTI AXIAL ANKLE MOVEMENT AND HAS PRONATION SUPINATION AND ROTATION IN THE HORIZONTAL PLANE, FOAM CONNECTION CAP, K LEVEL UP TO K3, MAX. BODY WEIGHT 100 KG, SIZE: 27 LEFT	each	ITEMIZED	30
494	4224200118000	PROSTHETIC FOOT, MULTI - AXIAL FUNCTION, FLEXIBLE KEEL FOOT WITH TOES WITH ASSEMBLED, TITANIUM ADAPTER, PERMITS MULTI AXIAL ANKLE MOVEMENT AND HAS PRONATION SUPINATION AND ROTATION IN THE HORIZONTAL PLANE, FOAM CONNECTION CAP, K LEVEL UP TO K3, MAX. BODY WEIGHT 100 KG, SIZE: 28 LEFT	each	ITEMIZED	30
495	4224200118100	PROSTHETIC FOOT, MULTI - AXIAL FUNCTION, FLEXIBLE KEEL FOOT WITH TOES WITH ASSEMBLED, TITANIUM ADAPTER, PERMITS MULTI AXIAL ANKLE MOVEMENT AND HAS PRONATION SUPINATION AND ROTATION IN THE HORIZONTAL PLANE, FOAM CONNECTION CAP, K LEVEL UP TO K3, MAX. BODY WEIGHT 100 KG, SIZE: 29 LEFT	each	ITEMIZED	30
496	4224200118200	PROSTHETIC FOOT, MULTI - AXIAL FUNCTION, FLEXIBLE KEEL FOOT WITH TOES WITH ASSEMBLED, TITANIUM ADAPTER, PERMITS MULTI AXIAL ANKLE MOVEMENT AND HAS PRONATION SUPINATION AND ROTATION IN THE HORIZONTAL PLANE, FOAM CONNECTION CAP, K LEVEL UP TO K3, MAX. BODY WEIGHT 100 KG, SIZE: 24 RIGHT	each	ITEMIZED	25
497	4224200118300	PROSTHETIC FOOT, MULTI - AXIAL FUNCTION, FLEXIBLE KEEL FOOT WITH TOES WITH ASSEMBLED, TITANIUM ADAPTER, PERMITS MULTI AXIAL ANKLE MOVEMENT AND HAS PRONATION SUPINATION AND ROTATION IN THE HORIZONTAL PLANE, FOAM CONNECTION CAP, K LEVEL UP TO K3, MAX. BODY WEIGHT 100 KG, SIZE: 25 RIGHT	each	ITEMIZED	25
498	4224200118400	PROSTHETIC FOOT, MULTI - AXIAL FUNCTION, FLEXIBLE KEEL FOOT WITH TOES WITH ASSEMBLED, TITANIUM ADAPTER, PERMITS MULTI AXIAL ANKLE MOVEMENT AND HAS PRONATION SUPINATION AND ROTATION IN THE HORIZONTAL PLANE, FOAM CONNECTION CAP, K LEVEL UP TO K3, MAX. BODY WEIGHT 100 KG, SIZE: 26 RIGHT	each	ITEMIZED	25
499	4224200118500	PROSTHETIC FOOT, MULTI - AXIAL FUNCTION, FLEXIBLE KEEL FOOT WITH TOES WITH ASSEMBLED, TITANIUM ADAPTER, PERMITS MULTI AXIAL ANKLE MOVEMENT AND HAS PRONATION SUPINATION AND ROTATION IN THE HORIZONTAL PLANE, FOAM CONNECTION CAP, K LEVEL UP TO K3, MAX. BODY WEIGHT 100 KG, SIZE: 27 RIGHT	each	ITEMIZED	30
500	4224200118600	PROSTHETIC FOOT, MULTI - AXIAL FUNCTION, FLEXIBLE KEEL FOOT WITH TOES WITH ASSEMBLED, TITANIUM ADAPTER, PERMITS MULTI AXIAL ANKLE MOVEMENT AND HAS PRONATION SUPINATION AND ROTATION IN THE HORIZONTAL PLANE, FOAM CONNECTION CAP, K LEVEL UP TO K3, MAX. BODY WEIGHT 100 KG, SIZE: 28 RIGHT	each	ITEMIZED	30
501	4224200118700	PROSTHETIC FOOT, MULTI - AXIAL FUNCTION, FLEXIBLE KEEL FOOT WITH TOES WITH ASSEMBLED, TITANIUM ADAPTER, PERMITS MULTI AXIAL ANKLE MOVEMENT AND HAS PRONATION SUPINATION AND ROTATION IN THE HORIZONTAL PLANE, FOAM CONNECTION CAP, K LEVEL UP TO K3, MAX. BODY WEIGHT 100 KG, SIZE: 29 RIGHT	each	ITEMIZED	30
502	4224200145500	PROSTHETIC FOOT, SACH (SOLID ANKLE CUSHION HEEL), HAS A NATURAL SHAPE, SHAPED TOES, AND A SANDAL TOE, DESIGNED FOR USE IN MODULAR AND EXOSKELETAL PROSTHESIS, BODY WEIGHT OF UP TO 125 KG., MEN, 10 MM TOES, LEFT, SIZE 22	each	ITEMIZED	65
503	4224200145600	PROSTHETIC FOOT, SACH (SOLID ANKLE CUSHION HEEL), HAS A NATURAL SHAPE, SHAPED TOES, AND A SANDAL TOE, DESIGNED FOR USE IN MODULAR AND EXOSKELETAL PROSTHESIS, BODY WEIGHT OF UP TO 125 KG., MEN, 10 MM TOES, LEFT, SIZE 23	each	ITEMIZED	60
504	4224200145700	PROSTHETIC FOOT, SACH (SOLID ANKLE CUSHION HEEL), HAS A NATURAL SHAPE, SHAPED TOES, AND A SANDAL TOE, DESIGNED FOR USE IN MODULAR AND EXOSKELETAL PROSTHESIS, BODY WEIGHT OF UP TO 125 KG., MEN, 10 MM TOES, LEFT, SIZE 24	each	ITEMIZED	60
505	4224200145800	PROSTHETIC FOOT, SACH (SOLID ANKLE CUSHION HEEL), HAS A NATURAL SHAPE, SHAPED TOES, AND A SANDAL TOE, DESIGNED FOR USE IN MODULAR AND EXOSKELETAL PROSTHESIS, BODY WEIGHT OF UP TO 125 KG., MEN, 10 MM TOES, LEFT, SIZE 25	each	ITEMIZED	65
506	4224200145900	PROSTHETIC FOOT, SACH (SOLID ANKLE CUSHION HEEL), HAS A NATURAL SHAPE, SHAPED TOES, AND A SANDAL TOE, DESIGNED FOR USE IN MODULAR AND EXOSKELETAL PROSTHESIS, BODY WEIGHT OF UP TO 125 KG., MEN, 10 MM TOES, LEFT, SIZE 26	each	ITEMIZED	35
507	4224200146000	PROSTHETIC FOOT, SACH (SOLID ANKLE CUSHION HEEL), HAS A NATURAL SHAPE, SHAPED TOES, AND A SANDAL TOE, DESIGNED FOR USE IN MODULAR AND EXOSKELETAL PROSTHESIS, BODY WEIGHT OF UP TO 125 KG., MEN, 10 MM TOES, LEFT, SIZE 27	each	ITEMIZED	65
508	4224200146100	PROSTHETIC FOOT, SACH (SOLID ANKLE CUSHION HEEL), HAS A NATURAL SHAPE, SHAPED TOES, AND A SANDAL TOE, DESIGNED FOR USE IN MODULAR AND EXOSKELETAL PROSTHESIS, BODY WEIGHT OF UP TO 125 KG., MEN, 10 MM TOES, LEFT, SIZE 28	each	ITEMIZED	30
509	4224200146200	PROSTHETIC FOOT, SACH (SOLID ANKLE CUSHION HEEL), HAS A NATURAL SHAPE, SHAPED TOES, AND A SANDAL TOE, DESIGNED FOR USE IN MODULAR AND EXOSKELETAL PROSTHESIS, BODY WEIGHT OF UP TO 125 KG., MEN, 10 MM TOES, RIGHT, SIZE 21	each	ITEMIZED	30
510	4224200146300	PROSTHETIC FOOT, SACH (SOLID ANKLE CUSHION HEEL), HAS A NATURAL SHAPE, SHAPED TOES, AND A SANDAL TOE, DESIGNED FOR USE IN MODULAR AND EXOSKELETAL PROSTHESIS, BODY WEIGHT OF UP TO 125 KG., MEN, 10 MM TOES, RIGHT, SIZE 22	each	ITEMIZED	55
511	4224200146400	PROSTHETIC FOOT, SACH (SOLID ANKLE CUSHION HEEL), HAS A NATURAL SHAPE, SHAPED TOES, AND A SANDAL TOE, DESIGNED FOR USE IN MODULAR AND EXOSKELETAL PROSTHESIS, BODY WEIGHT OF UP TO 125 KG., MEN, 10 MM TOES, RIGHT, SIZE 23	each	ITEMIZED	60
512	4224200146500	PROSTHETIC FOOT, SACH (SOLID ANKLE CUSHION HEEL), HAS A NATURAL SHAPE, SHAPED TOES, AND A SANDAL TOE, DESIGNED FOR USE IN MODULAR AND EXOSKELETAL PROSTHESIS, BODY WEIGHT OF UP TO 125 KG., MEN, 10 MM TOES, RIGHT, SIZE 24	each	ITEMIZED	60
513	4224200146600	PROSTHETIC FOOT, SACH (SOLID ANKLE CUSHION HEEL), HAS A NATURAL SHAPE, SHAPED TOES, AND A SANDAL TOE, DESIGNED FOR USE IN MODULAR AND EXOSKELETAL PROSTHESIS, BODY WEIGHT OF UP TO 125 KG., MEN, 10 MM TOES, RIGHT, SIZE 25	each	ITEMIZED	35
514	4224200146700	PROSTHETIC FOOT, SACH (SOLID ANKLE CUSHION HEEL), HAS A NATURAL SHAPE, SHAPED TOES, AND A SANDAL TOE, DESIGNED FOR USE IN MODULAR AND EXOSKELETAL PROSTHESIS, BODY WEIGHT OF UP TO 125 KG., MEN, 10 MM TOES, RIGHT, SIZE 26	each	ITEMIZED	35
515	4224200146800	PROSTHETIC FOOT, SACH (SOLID ANKLE CUSHION HEEL), HAS A NATURAL SHAPE, SHAPED TOES, AND A SANDAL TOE, DESIGNED FOR USE IN MODULAR AND EXOSKELETAL PROSTHESIS, BODY WEIGHT OF UP TO 125 KG., MEN, 10 MM TOES, RIGHT, SIZE 27	each	ITEMIZED	60
516	4224200146900	PROSTHETIC FOOT, SACH (SOLID ANKLE CUSHION HEEL), HAS A NATURAL SHAPE, SHAPED TOES, AND A SANDAL TOE, DESIGNED FOR USE IN MODULAR AND EXOSKELETAL PROSTHESIS, BODY WEIGHT OF UP TO 125 KG., MEN, 10 MM TOES, RIGHT, SIZE 28	each	ITEMIZED	25
517	4224200135100	PROSTHETIC FOOT, SHOCK - ABSORPTION, FULL-LENGTH TOE LEVER VERTICAL FORCES GENERATED AT HEEL CONTACT ARE INITIALLY ABSORBED AND TRANSLATED INTO FORWARD MOTION MORE COMFORT PROTECTING SOUND SIDE - MORE NATURAL GAIT BALANCE AND LESS EFFORT FOR PUSH OFF MORE NATURAL GAIT AND REDUCED WALKING EFFORT TRANSTIBIAL AND TRANSFEMORAL LOW IMPACT LEVEL MAXIMUM USER WEIGHT 136 KG. K - LEVEL: K 1 AND K 2 LIGHTWEIGHT PROPORTIONAL RESPONSE ACTIVE HEEL OPTIMAL ROLL - OVER ACTIVE TIBIAL PROGRESSION, ASSORTED SIZE	each	ITEMIZED	20
518	4224200147000	PROSTHETIC FOOT, SINGLE AXIS, 10 MM HEEL HEIGHT APPROXIMATELY, NATURAL SHAPE, SMOOTH SURFACE, AND SHAPED TOES SUITABLE FOR TRANSFEMORAL FITTINGS, BODY WEIGHT OF UP TO 100 KG MEN, LEFT, SIZE 22	each	ITEMIZED	30
519	4224200147100	PROSTHETIC FOOT, SINGLE AXIS, 10 MM HEEL HEIGHT APPROXIMATELY, NATURAL SHAPE, SMOOTH SURFACE, AND SHAPED TOES SUITABLE FOR TRANSFEMORAL FITTINGS, BODY WEIGHT OF UP TO 100 KG MEN, LEFT, SIZE 23	each	ITEMIZED	30

TENDER NAME: PROSTHESIS AND ORTHOSIS

SN	NUPCO CODE	ITEM DESCRIPTION	UOM	GROUP CATEGORY	INITIAL QUANTITY
520	4224200147200	PROSTHETIC FOOT, SINGLE AXIS, 10 MM HEEL HEIGHT APPROXIMATELY, NATURAL SHAPE, SMOOTH SURFACE, AND SHAPED TOES SUITABLE FOR TRANSFEMORAL FITTINGS, BODY WEIGHT OF UP TO 100 KG MEN, LEFT, SIZE 24	each	ITEMIZED	30
521	4224200147300	PROSTHETIC FOOT, SINGLE AXIS, 10 MM HEEL HEIGHT APPROXIMATELY, NATURAL SHAPE, SMOOTH SURFACE, AND SHAPED TOES SUITABLE FOR TRANSFEMORAL FITTINGS, BODY WEIGHT OF UP TO 100 KG MEN, LEFT, SIZE 25	each	ITEMIZED	30
522	4224200147400	PROSTHETIC FOOT, SINGLE AXIS, 10 MM HEEL HEIGHT APPROXIMATELY, NATURAL SHAPE, SMOOTH SURFACE, AND SHAPED TOES SUITABLE FOR TRANSFEMORAL FITTINGS, BODY WEIGHT OF UP TO 100 KG MEN, LEFT, SIZE 26	each	ITEMIZED	30
523	4224200147500	PROSTHETIC FOOT, SINGLE AXIS, 10 MM HEEL HEIGHT APPROXIMATELY, NATURAL SHAPE, SMOOTH SURFACE, AND SHAPED TOES SUITABLE FOR TRANSFEMORAL FITTINGS, BODY WEIGHT OF UP TO 100 KG MEN, LEFT, SIZE 27	each	ITEMIZED	25
524	4224200147600	PROSTHETIC FOOT, SINGLE AXIS, 10 MM HEEL HEIGHT APPROXIMATELY, NATURAL SHAPE, SMOOTH SURFACE, AND SHAPED TOES SUITABLE FOR TRANSFEMORAL FITTINGS, BODY WEIGHT OF UP TO 100 KG MEN, LEFT, SIZE 28	each	ITEMIZED	25
525	4224200147700	PROSTHETIC FOOT, SINGLE AXIS, 10 MM HEEL HEIGHT APPROXIMATELY, NATURAL SHAPE, SMOOTH SURFACE, AND SHAPED TOES SUITABLE FOR TRANSFEMORAL FITTINGS, BODY WEIGHT OF UP TO 100 KG MEN, RIGHT, SIZE 21	each	ITEMIZED	30
526	4224200147800	PROSTHETIC FOOT, SINGLE AXIS, 10 MM HEEL HEIGHT APPROXIMATELY, NATURAL SHAPE, SMOOTH SURFACE, AND SHAPED TOES SUITABLE FOR TRANSFEMORAL FITTINGS, BODY WEIGHT OF UP TO 100 KG MEN, RIGHT, SIZE 22	each	ITEMIZED	30
527	4224200147900	PROSTHETIC FOOT, SINGLE AXIS, 10 MM HEEL HEIGHT APPROXIMATELY, NATURAL SHAPE, SMOOTH SURFACE, AND SHAPED TOES SUITABLE FOR TRANSFEMORAL FITTINGS, BODY WEIGHT OF UP TO 100 KG MEN, RIGHT, SIZE 23	each	ITEMIZED	30
528	4224200148000	PROSTHETIC FOOT, SINGLE AXIS, 10 MM HEEL HEIGHT APPROXIMATELY, NATURAL SHAPE, SMOOTH SURFACE, AND SHAPED TOES SUITABLE FOR TRANSFEMORAL FITTINGS, BODY WEIGHT OF UP TO 100 KG MEN, RIGHT, SIZE 24	each	ITEMIZED	30
529	4224200148100	PROSTHETIC FOOT, SINGLE AXIS, 10 MM HEEL HEIGHT APPROXIMATELY, NATURAL SHAPE, SMOOTH SURFACE, AND SHAPED TOES SUITABLE FOR TRANSFEMORAL FITTINGS, BODY WEIGHT OF UP TO 100 KG MEN, RIGHT, SIZE 25	each	ITEMIZED	30
530	4224200148200	PROSTHETIC FOOT, SINGLE AXIS, 10 MM HEEL HEIGHT APPROXIMATELY, NATURAL SHAPE, SMOOTH SURFACE, AND SHAPED TOES SUITABLE FOR TRANSFEMORAL FITTINGS, BODY WEIGHT OF UP TO 100 KG MEN, RIGHT, SIZE 26	each	ITEMIZED	30
531	4224200148300	PROSTHETIC FOOT, SINGLE AXIS, 10 MM HEEL HEIGHT APPROXIMATELY, NATURAL SHAPE, SMOOTH SURFACE, AND SHAPED TOES SUITABLE FOR TRANSFEMORAL FITTINGS, BODY WEIGHT OF UP TO 100 KG MEN, RIGHT, SIZE 27	each	ITEMIZED	25
532	4224200148400	PROSTHETIC FOOT, SINGLE AXIS, 10 MM HEEL HEIGHT APPROXIMATELY, NATURAL SHAPE, SMOOTH SURFACE, AND SHAPED TOES SUITABLE FOR TRANSFEMORAL FITTINGS, BODY WEIGHT OF UP TO 100 KG MEN, RIGHT, SIZE 28	each	ITEMIZED	25
533	4224200112000	PROSTHETIC MULTIAXIAL FOOT WITH DIVIDED HEEL, 3 - D SPACER SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE, PHYSIOLOGICAL ROLLOVER AND S - SPRING MULTI - AXIAL MOBILITY TO COMPENSATE FOR UNEVEN SURFACES AND COMFORTABLE WALKING UPHILL AND ON INCLINES ELASTIC FOAM COMPRESSION SPRING ARCH AT HEEL STRIKE OF THE BACK SPRING ARCH AT ROLLOVER, SIZE: 24 CM, RIGHT	each	ITEMIZED	110
534	4224200112300	PROSTHETIC MULTIAXIAL FOOT WITH DIVIDED HEEL, 3 - D SPACER SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE, PHYSIOLOGICAL ROLLOVER AND S - SPRING MULTI - AXIAL MOBILITY TO COMPENSATE FOR UNEVEN SURFACES AND COMFORTABLE WALKING UPHILL AND ON INCLINES ELASTIC FOAM COMPRESSION SPRING ARCH AT HEEL STRIKE OF THE BACK SPRING ARCH AT ROLLOVER, SIZE: 25 CM, LEFT	each	ITEMIZED	80
535	4224200112600	PROSTHETIC MULTIAXIAL FOOT WITH DIVIDED HEEL, 3 - D SPACER SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE, PHYSIOLOGICAL ROLLOVER AND S - SPRING MULTI - AXIAL MOBILITY TO COMPENSATE FOR UNEVEN SURFACES AND COMFORTABLE WALKING UPHILL AND ON INCLINES ELASTIC FOAM COMPRESSION SPRING ARCH AT HEEL STRIKE OF THE BACK SPRING ARCH AT ROLLOVER, SIZE: 25 CM, RIGHT	each	ITEMIZED	80
536	4224200112800	PROSTHETIC MULTIAXIAL FOOT WITH DIVIDED HEEL, 3 - D SPACER SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE, PHYSIOLOGICAL ROLLOVER AND S - SPRING MULTI - AXIAL MOBILITY TO COMPENSATE FOR UNEVEN SURFACES AND COMFORTABLE WALKING UPHILL AND ON INCLINES ELASTIC FOAM COMPRESSION SPRING ARCH AT HEEL STRIKE OF THE BACK SPRING ARCH AT ROLLOVER, SIZE: 26 CM, LEFT	each	ITEMIZED	85
537	4224200113000	PROSTHETIC MULTIAXIAL FOOT WITH DIVIDED HEEL, 3 - D SPACER SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE, PHYSIOLOGICAL ROLLOVER AND S - SPRING MULTI - AXIAL MOBILITY TO COMPENSATE FOR UNEVEN SURFACES AND COMFORTABLE WALKING UPHILL AND ON INCLINES ELASTIC FOAM COMPRESSION SPRING ARCH AT HEEL STRIKE OF THE BACK SPRING ARCH AT ROLLOVER, SIZE: 27 CM, LEFT	each	ITEMIZED	75
538	4224200113100	PROSTHETIC MULTIAXIAL FOOT WITH DIVIDED HEEL, 3 - D SPACER SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE, PHYSIOLOGICAL ROLLOVER AND S - SPRING MULTI - AXIAL MOBILITY TO COMPENSATE FOR UNEVEN SURFACES AND COMFORTABLE WALKING UPHILL AND ON INCLINES ELASTIC FOAM COMPRESSION SPRING ARCH AT HEEL STRIKE OF THE BACK SPRING ARCH AT ROLLOVER, SIZE: 28 CM, LEFT	each	ITEMIZED	130
539	4224200107300	PROSTHETIC MULTIAXIAL FOOT WITH DIVIDED HEEL, 3 - D SPACER SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE, PHYSIOLOGICAL ROLLOVER AND S - SPRING MULTI - AXIAL MOBILITY TO COMPENSATE FOR UNEVEN SURFACES AND COMFORTABLE WALKING UPHILL AND ON INCLINES ELASTIC FOAM COMPRESSION SPRING ARCH AT HEEL STRIKE OF THE BACK SPRING ARCH AT ROLLOVER, SIZE: 28 CM, RIGHT	each	ITEMIZED	120
540	4224200113200	PROSTHETIC MULTIAXIAL FOOT WITH DIVIDED HEEL, 3 - D SPACER SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE, PHYSIOLOGICAL ROLLOVER AND S - SPRING MULTI - AXIAL MOBILITY TO COMPENSATE FOR UNEVEN SURFACES AND COMFORTABLE WALKING UPHILL AND ON INCLINES ELASTIC FOAM COMPRESSION SPRING ARCH AT HEEL STRIKE OF THE BACK SPRING ARCH AT ROLLOVER, SIZE: 29 CM, LEFT	each	ITEMIZED	90
541	4224200111700	PROSTHETIC MULTIAXIAL FOOT WITH DIVIDED HEEL, 3 - D SPACER SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE, PHYSIOLOGICAL ROLLOVER AND S - SPRING MULTI - AXIAL MOBILITY TO COMPENSATE FOR UNEVEN SURFACES AND COMFORTABLE WALKING UPHILL AND ON INCLINES, ELASTIC FOAM COMPRESSION SPRING ARCH AT HEEL STRIKE OF THE BACK SPRING ARCH AT ROLLOVER, SIZE: 24 CM LEFT	each	ITEMIZED	120
542	4224200113300	PROSTHETIC MULTIAXIAL FOOT WITH DIVIDED HEEL, 3 - D SPACER SMOOTH TRANSITION FROM STANCE PHASE TO SWING PHASE, PHYSIOLOGICAL ROLLOVER AND S - SPRING MULTI - AXIAL MOBILITY TO COMPENSATE FOR UNEVEN SURFACES AND COMFORTABLE WALKING UPHILL AND ON INCLINES, ELASTIC FOAM COMPRESSION SPRING ARCH AT HEEL STRIKE OF THE BACK SPRING ARCH AT ROLLOVER, SIZE: 30 CM LEFT	each	ITEMIZED	80
543	4618220704000	PROSTHETIC MULTIFUNCTION ANKLE ORTHOSIS, WITH A THREE - PHASE FITTING FOOT POSITIONING IN A SLIGHT PRONATION AND PLANTIGRADE POSITION, INCREASING THE LEVEL OF ACTIVITY, IMPROVING MUSCULAR STABILITY, IMPROVING FUNCTIONAL STABILITY AND MOBILITY, SIZE LARGE	each	ITEMIZED	400
544	4224200149800	PROSTHETIC FOOT, DYNAMIC, PEDIATRIC, FOR USERS IN MOBILITY GRADES 1 - 2, THE FOOT HAS ASSEMBLED TITANIUM ADAPTER AND IS APPROVED FOR A BODY WEIGHT OF UP TO 50 KG, NATURAL, FOR CHILDREN, LEFT, SIZE 14	each	ITEMIZED	20

TENDER NAME: PROSTHESIS AND ORTHOSIS

SN	NUPCO CODE	ITEM DESCRIPTION	UOM	GROUP CATEGORY	INITIAL QUANTITY
545	4224200150000	PROSTHETIC FOOT, DYNAMIC, PEDIATRIC, FOR USERS IN MOBILITY GRADES 1 - 2, THE FOOT HAS ASSEMBLED TITANIUM ADAPTER AND IS APPROVED FOR A BODY WEIGHT OF UP TO 50 KG, NATURAL, FOR CHILDREN, LEFT, SIZE 15	each	ITEMIZED	20
546	4224200150200	PROSTHETIC FOOT, DYNAMIC, PEDIATRIC, FOR USERS IN MOBILITY GRADES 1 - 2, THE FOOT HAS ASSEMBLED TITANIUM ADAPTER AND IS APPROVED FOR A BODY WEIGHT OF UP TO 50 KG, NATURAL, FOR CHILDREN, LEFT, SIZE 16	each	ITEMIZED	20
547	4224200150400	PROSTHETIC FOOT, DYNAMIC, PEDIATRIC, FOR USERS IN MOBILITY GRADES 1 - 2, THE FOOT HAS ASSEMBLED TITANIUM ADAPTER AND IS APPROVED FOR A BODY WEIGHT OF UP TO 50 KG, NATURAL, FOR CHILDREN, LEFT, SIZE 17	each	ITEMIZED	20
548	4224200152200	PROSTHETIC FOOT, DYNAMIC, PEDIATRIC, FOR USERS IN MOBILITY GRADES 1 - 2, THE FOOT HAS ASSEMBLED TITANIUM ADAPTER AND IS APPROVED FOR A BODY WEIGHT OF UP TO 50 KG, NATURAL, FOR CHILDREN, LEFT, SIZE 18	each	ITEMIZED	20
549	4224200152300	PROSTHETIC FOOT, DYNAMIC, PEDIATRIC, FOR USERS IN MOBILITY GRADES 1 - 2, THE FOOT HAS ASSEMBLED TITANIUM ADAPTER AND IS APPROVED FOR A BODY WEIGHT OF UP TO 50 KG, NATURAL, FOR CHILDREN, LEFT, SIZE 19	each	ITEMIZED	20
550	4224200152400	PROSTHETIC FOOT, DYNAMIC, PEDIATRIC, FOR USERS IN MOBILITY GRADES 1 - 2, THE FOOT HAS ASSEMBLED TITANIUM ADAPTER AND IS APPROVED FOR A BODY WEIGHT OF UP TO 50 KG, NATURAL, FOR CHILDREN, LEFT, SIZE 20	each	ITEMIZED	20
551	4224200152500	PROSTHETIC FOOT, DYNAMIC, PEDIATRIC, FOR USERS IN MOBILITY GRADES 1 - 2, THE FOOT HAS ASSEMBLED TITANIUM ADAPTER AND IS APPROVED FOR A BODY WEIGHT OF UP TO 50 KG, NATURAL, FOR CHILDREN, LEFT, SIZE 21	each	ITEMIZED	20
552	4224200152600	PROSTHETIC FOOT, DYNAMIC, PEDIATRIC, FOR USERS IN MOBILITY GRADES 1 - 2, THE FOOT HAS ASSEMBLED TITANIUM ADAPTER AND IS APPROVED FOR A BODY WEIGHT OF UP TO 50 KG, NATURAL, FOR CHILDREN, RIGHT, SIZE 14	each	ITEMIZED	20
553	4224200149200	PROSTHETIC FOOT, DYNAMIC, PEDIATRIC, FOR USERS IN MOBILITY GRADES 1 - 2, THE FOOT HAS ASSEMBLED TITANIUM ADAPTER AND IS APPROVED FOR A BODY WEIGHT OF UP TO 50 KG, NATURAL, FOR CHILDREN, RIGHT, SIZE 15	each	ITEMIZED	20
554	4224200149400	PROSTHETIC FOOT, DYNAMIC, PEDIATRIC, FOR USERS IN MOBILITY GRADES 1 - 2, THE FOOT HAS ASSEMBLED TITANIUM ADAPTER AND IS APPROVED FOR A BODY WEIGHT OF UP TO 50 KG, NATURAL, FOR CHILDREN, RIGHT, SIZE 16	each	ITEMIZED	20
555	4224200149600	PROSTHETIC FOOT, DYNAMIC, PEDIATRIC, FOR USERS IN MOBILITY GRADES 1 - 2, THE FOOT HAS ASSEMBLED TITANIUM ADAPTER AND IS APPROVED FOR A BODY WEIGHT OF UP TO 50 KG, NATURAL, FOR CHILDREN, RIGHT, SIZE 17	each	ITEMIZED	20
556	4224200151800	PROSTHETIC FOOT, DYNAMIC, PEDIATRIC, FOR USERS IN MOBILITY GRADES 1 - 2, THE FOOT HAS ASSEMBLED TITANIUM ADAPTER AND IS APPROVED FOR A BODY WEIGHT OF UP TO 50 KG, NATURAL, FOR CHILDREN, RIGHT, SIZE 18	each	ITEMIZED	20
557	4224200151900	PROSTHETIC FOOT, DYNAMIC, PEDIATRIC, FOR USERS IN MOBILITY GRADES 1 - 2, THE FOOT HAS ASSEMBLED TITANIUM ADAPTER AND IS APPROVED FOR A BODY WEIGHT OF UP TO 50 KG, NATURAL, FOR CHILDREN, RIGHT, SIZE 19	each	ITEMIZED	20
558	4224200152000	PROSTHETIC FOOT, DYNAMIC, PEDIATRIC, FOR USERS IN MOBILITY GRADES 1 - 2, THE FOOT HAS ASSEMBLED TITANIUM ADAPTER AND IS APPROVED FOR A BODY WEIGHT OF UP TO 50 KG, NATURAL, FOR CHILDREN, RIGHT, SIZE 20	each	ITEMIZED	20
559	4224200152100	PROSTHETIC FOOT, DYNAMIC, PEDIATRIC, FOR USERS IN MOBILITY GRADES 1 - 2, THE FOOT HAS ASSEMBLED TITANIUM ADAPTER AND IS APPROVED FOR A BODY WEIGHT OF UP TO 50 KG, NATURAL, FOR CHILDREN, RIGHT, SIZE 21	each	ITEMIZED	20
560	4224200136800	CUSTOM MADE, ANKLE FOOT MICROPROCESSOR SYSTEM, CARBON FIBER FOOT, ANKLE ALIGNMENT, SWING DORSIFLEXION, ROUGHLY 70% GREATER MINIMUM TOE CLEARANCE INCREASED RANGE OF MOTION HIGHER GROUND COMPLIANCE ANKLE ADJUSTS TO THE HEEL HEIGHT OR BAREFOOT SITUATION OF USER, STAIR ADAPTATION, RAMP ADAPTATION, RELAX/CHAIR EXIT, FASTER TERRAIN ADAPTATION, AUTOMATIC CYCLING RECOGNITION, STANDB, WEATHERPROOF, WATER RESISTING, APP TO ADJUST SETTINGS, FIT FOR ANY FOOTWEAR, NATURAL MOVEMENTS, LOW TO MODERATE IMPACT LEVEL, MAX. WEIGHT 125 KG, CONTROLK-LEVEL: K2 AND K3, INCLUDES - PATIENT ASSESSMENT AT CUSTOMERS PREMISES, MEASURING, INCLUDES ALL REQUIRED MATERIALS/COMPONENTS TO FABRICATE PROSTHESIS, DELIVERY FITTING BY CERTIFIED ORTHOTIST IN MULTIPLE CLINICS AND DIFFERENT REGIONS WITH FOLLOW UP (APPENDIX C)	Kit	ITEMIZED	20
561	4224170119400	BUNION ALIGNER, HALLUX VALGUS SPLINT, SIZE LARGE, LEFT	each	ITEMIZED	180
562	4224170119500	BUNION ALIGNER, HALLUX VALGUS SPLINT, SIZE MEDIUM, LEFT	each	ITEMIZED	180
563	4224170119900	BUNION ALIGNER, HALLUX VALGUS SPLINT, SIZE SMALL, LEFT	each	ITEMIZED	230
564	4224170119700	BUNION ALIGNER, HALLUX VALGUS SPLINT, SIZE LARGE, RIGHT	each	ITEMIZED	180
565	4224170119800	BUNION ALIGNER, HALLUX VALGUS SPLINT, SIZE MEDIUM, RIGHT	each	ITEMIZED	280
566	4224170119600	BUNION ALIGNER, HALLUX VALGUS SPLINT, SIZE SMALL, RIGHT	each	ITEMIZED	180
567	4224170001800	SILICONE TOE CAP, PROTECTION TUBE, LIGHT, AND FUNCTIONAL, MADE OF EXTRA - SOFT MEDICAL SILICONE, WASHABLE, INTERDIGITAL SEPARATOR AND CUSHION, FACILITATES TOES ALIGNMENT, FOR FIRST TOE	each	ITEMIZED	400
568	4224170641200	HALLUX VALGUS CORRECTOR ORTHOSIS, ANATOMICAL CONFORMATION, CUSHION PAD FOR 1ST TOE METATARSAL STRAP RULED ON THE 5 TH METATARSAL FOR THE CONTROL OF THE CORRECTIVE PRESSURE METATARSAL STRAP ON THE 1ST METATARSAL ANATOMY AND RETROCAPITAL IT INCORPORATES COMFORT PAD ON THE 5 TH METATARSAL, MADE OF THERMOPLASTIC, SOFT VELCRO CLOSURE, FORCES EXERTED BY THE ORTHOSIS THROUGH 3 POINTS OF SUPPORT PLACES THE BIG TOE ACCORDING TO ITS AXIS CORRECTING ITS DEVIATION IN VALGUS (BUNION) AND ACHIEVING THE METATARSOPHALANGEAL ALIGNMENT GENERATES A SIGNIFICANT ELONGATION,	each	ITEMIZED	1600
569	4224170119300	BUNION PROTECTOR, GEL, WITH ELASTIC FABRIC, THE GEL GLOVE IS MADE OF AN ELASTIC FABRIC WITH AN INNER CUSHION PROTECTING THE HALLUX VALGUS AREA, DISCHARGE OF THE LATERAL HALLUX VALGUS, PROTECTION OF BUNION FRICTION, AND LATERAL PRESSURES, LATERAL PROTECTOR OF HALLUS VALGUS (BUNION), HALLUX VALGUS BURISITIS, GOUT IN FOOT	each	ITEMIZED	220
570	4224170114900	BUNION PROTECTOR WITH METATARSAL PAD, GEL, WITH ELASTIC FABRIC, THIS IS MADE OF AN HYPOALLERGENIC FABRIC WHICH IS VERY ELASTIC AND SOFT IF INCORPORATES A LARGE PROTECTIVE GEL PAD THAT COVERS THE BUNION AND THE METATARSAL AREA DAMPING AND UPLOADING OF THE METATARSAL HEADS, PREVENTS FRICTION AND CHAFING, PROVIDES A CONSTANT MESSAGE ON SOFT TISSUES AND JOINTS, LATERAL DISCHARGE OF HALLUX VALGUS, PROTECTS THE BUNION FORM FRICTION AND LATERAL PRESSURES, HALLUX VALGUS, BUNION WITH RELIEF OF THE METATARSAL ZONE, METATARSAL OVERLOADS, METATARSAL CALLUSES, ASSORTED SIZE	each	ITEMIZED	280
571	4224170114600	TOE TUBE, GEL, PROTECTIVE TUBE WITH ELASTIC FABRIC, THE ELASTIC FABRIC, COVERS THE PROTECTIVE GEL, IT CAN BE CUT AND SHORTENED IN ORDER TO FIT YOUR TOE, WASHABLE, AND REUSABLE, LENGTH IS 7.5 CM, CONTAINS 2 UNITS, PROTECTS, HYDRATES, SOFTENS CALLUSES, REDUCES FRICTION AND PRESSURE ON THE SKIN, RELIEVES PAIN, SCRATCHES, CALLUSES, HELOMAS, ASSORTED SIZE	each	ITEMIZED	60

TENDER NAME: PROSTHESIS AND ORTHOSIS

SN	NUPCO CODE	ITEM DESCRIPTION	UOM	GROUP CATEGORY	INITIAL QUANTITY
572	4224170114700	TOE CAP, GEL, PROTECTIVE TUBE, CLOSED WITH ELASTIC FABRIC, OFFERS PROTECTION AGAINST INJURIES ON THE SURFACE OF THE TOE SPECIALLY IN THE NAIL AREA, LENGTH IS 60 MM, IT IS WASHABLE AND REUSABLE, CONTAINS 1 UNIT, PROTECTS HYDRATES RELIEVES PRESSURE AND FRICTION BETWEEN TOES, PROTECTION FOR PARTIALLY AMPUTATED TOES, PROTECTION OF TOE SURFACE LESIONS, INTERDIGITAL CALLUSES, HAMMER TOES, SUPERIMPOSED OR INFRAIMPOSED, KERATOTIC LESIONS, PARTIALLY AMPUTATED TOES, CUTANEOUS, OR UNREGULAR PROBLEMS DUE TO DRYNESS, INGROWN NAILS, ASSORTED SIZE	each	ITEMIZED	35
573	4224170641700	SILICONE TOE SEPARATOR, FOR HALLUX VALGUS, ASSORTED SIZE	each	ITEMIZED	3500
574	4224170641500	SILICONE BUNION HALLUX VALGUS, COVERS LATERALLY THE BUNION AREA, HOLDING ITSELF WITH THE HOOP IN A TOE, WASHABLE, ASSORTED SIZE	each	ITEMIZED	3000
575	4224170641600	SILICONE SHIELD, VARUS QUINTUS LATERAL DISCHARGE OF THE BUNION AREA, HOLDING ITSELF WITH THE HOOP IN THE FIFTH TOE, MADE OF EXTRA - SOFT MEDICAL SILICONE, IT FITS TO BODY TEMPERATURE, WASHABLE, LATERAL DISCHARGE OF THE BUNION AREA, PROTECTION OF FRICTION AND PRESSURES OF BUNION QUINTUS VALGUS SIDE SHIELD, QUINTUS VALGUS BURSITIS	each	ITEMIZED	1000
576	4224170105900	HALLUX VALGUS NIGHT SPLINT, LEFT	each	ITEMIZED	1600
577	4224170106000	HALLUX VALGUS NIGHT SPLINT, RIGHT	each	ITEMIZED	1600
578	4224170629400	DENIS BROWNE BOOTS, OPEN TOE, FOR FOOT ABDUCTION SPLINT, STRAIGHT LAST; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT ; MADE FROM COW/CALF LEATHER ; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE ; FULL GRAIN LEATHER INSOLE ; REMOVABLE PROFILED CORK INLAY ; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT ; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT ; NAVICULAR STRAP, SIZE 0	Pair	ITEMIZED	90
579	4224170629500	DENIS BROWNE BOOTS, OPEN TOE, FOR FOOT ABDUCTION SPLINT, STRAIGHT LAST; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT ; MADE FROM COW/CALF LEATHER ; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE ; FULL GRAIN LEATHER INSOLE ; REMOVABLE PROFILED CORK INLAY ; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT ; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT ; NAVICULAR STRAP, SIZE 00	Pair	ITEMIZED	65
580	4224170629600	DENIS BROWNE BOOTS, OPEN TOE, FOR FOOT ABDUCTION SPLINT, STRAIGHT LAST; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT ; MADE FROM COW/CALF LEATHER ; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE ; FULL GRAIN LEATHER INSOLE ; REMOVABLE PROFILED CORK INLAY ; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT ; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT ; NAVICULAR STRAP, SIZE 000	Pair	ITEMIZED	65
581	4224170629700	DENIS BROWNE BOOTS, OPEN TOE, FOR FOOT ABDUCTION SPLINT, STRAIGHT LAST; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT ; MADE FROM COW/CALF LEATHER ; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE ; FULL GRAIN LEATHER INSOLE ; REMOVABLE PROFILED CORK INLAY ; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT ; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT ; NAVICULAR STRAP, SIZE 0000	Pair	ITEMIZED	50
582	4224170629800	DENIS BROWNE BOOTS, OPEN TOE, FOR FOOT ABDUCTION SPLINT, STRAIGHT LAST; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT ; MADE FROM COW/CALF LEATHER ; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE ; FULL GRAIN LEATHER INSOLE ; REMOVABLE PROFILED CORK INLAY ; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT ; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT ; NAVICULAR STRAP, SIZE 1	Pair	ITEMIZED	150
583	4224170629900	DENIS BROWNE BOOTS, OPEN TOE, FOR FOOT ABDUCTION SPLINT, STRAIGHT LAST; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT ; MADE FROM COW/CALF LEATHER ; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE ; FULL GRAIN LEATHER INSOLE ; REMOVABLE PROFILED CORK INLAY ; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT ; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT ; NAVICULAR STRAP, SIZE 1.5	Pair	ITEMIZED	50
584	4224170630000	DENIS BROWNE BOOTS, OPEN TOE, FOR FOOT ABDUCTION SPLINT, STRAIGHT LAST; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT ; MADE FROM COW/CALF LEATHER ; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE ; FULL GRAIN LEATHER INSOLE ; REMOVABLE PROFILED CORK INLAY ; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT ; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT ; NAVICULAR STRAP, SIZE 2	Pair	ITEMIZED	140
585	4224170630100	DENIS BROWNE BOOTS, OPEN TOE, FOR FOOT ABDUCTION SPLINT, STRAIGHT LAST; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT ; MADE FROM COW/CALF LEATHER ; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE ; FULL GRAIN LEATHER INSOLE ; REMOVABLE PROFILED CORK INLAY ; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT ; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT ; NAVICULAR STRAP, SIZE 2.5	Pair	ITEMIZED	50
586	4224170630200	DENIS BROWNE BOOTS, OPEN TOE, FOR FOOT ABDUCTION SPLINT, STRAIGHT LAST; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT ; MADE FROM COW/CALF LEATHER ; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE ; FULL GRAIN LEATHER INSOLE ; REMOVABLE PROFILED CORK INLAY ; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT ; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT ; NAVICULAR STRAP, SIZE 3	Pair	ITEMIZED	140
587	4224170630300	DENIS BROWNE BOOTS, OPEN TOE, FOR FOOT ABDUCTION SPLINT, STRAIGHT LAST; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT ; MADE FROM COW/CALF LEATHER ; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE ; FULL GRAIN LEATHER INSOLE ; REMOVABLE PROFILED CORK INLAY ; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT ; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT ; NAVICULAR STRAP, SIZE 3.5	Pair	ITEMIZED	50
588	4224170630400	DENIS BROWNE BOOTS, OPEN TOE, FOR FOOT ABDUCTION SPLINT, STRAIGHT LAST; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT ; MADE FROM COW/CALF LEATHER ; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE ; FULL GRAIN LEATHER INSOLE ; REMOVABLE PROFILED CORK INLAY ; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT ; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT ; NAVICULAR STRAP, SIZE 4	Pair	ITEMIZED	120
589	4224170630500	DENIS BROWNE BOOTS, OPEN TOE, FOR FOOT ABDUCTION SPLINT, STRAIGHT LAST; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT ; MADE FROM COW/CALF LEATHER ; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE ; FULL GRAIN LEATHER INSOLE ; REMOVABLE PROFILED CORK INLAY ; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT ; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT ; NAVICULAR STRAP, SIZE 4.5	Pair	ITEMIZED	50
590	4224170630600	DENIS BROWNE BOOTS, OPEN TOE, FOR FOOT ABDUCTION SPLINT, STRAIGHT LAST; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT ; MADE FROM COW/CALF LEATHER ; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE ; FULL GRAIN LEATHER INSOLE ; REMOVABLE PROFILED CORK INLAY ; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT ; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT ; NAVICULAR STRAP, SIZE 5	Pair	ITEMIZED	120
591	4224170630700	DENIS BROWNE BOOTS, OPEN TOE, FOR FOOT ABDUCTION SPLINT, STRAIGHT LAST; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT ; MADE FROM COW/CALF LEATHER ; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE ; FULL GRAIN LEATHER INSOLE ; REMOVABLE PROFILED CORK INLAY ; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT ; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT ; NAVICULAR STRAP, SIZE 5.5	Pair	ITEMIZED	50
592	4224170630800	DENIS BROWNE BOOTS, OPEN TOE, FOR FOOT ABDUCTION SPLINT, STRAIGHT LAST; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT ; MADE FROM COW/CALF LEATHER ; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE ; FULL GRAIN LEATHER INSOLE ; REMOVABLE PROFILED CORK INLAY ; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT ; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT ; NAVICULAR STRAP, SIZE 6	Pair	ITEMIZED	50
593	4224170630900	DENIS BROWNE BOOTS, OPEN TOE, FOR FOOT ABDUCTION SPLINT, STRAIGHT LAST; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT ; MADE FROM COW/CALF LEATHER ; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE ; FULL GRAIN LEATHER INSOLE ; REMOVABLE PROFILED CORK INLAY ; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT ; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT ; NAVICULAR STRAP, SIZE 7	Pair	ITEMIZED	50

TENDER NAME: PROSTHESIS AND ORTHOSIS

SN	NUPCO CODE	ITEM DESCRIPTION	UOM	GROUP CATEGORY	INITIAL QUANTITY
594	4224170631000	DENIS BROWNE BOOTS, OPEN TOE, FOR FOOT ABDUCTION SPLINT, STRAIGHT LAST; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT ; MADE FROM COW/CALF LEATHER ; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE ; FULL GRAIN LEATHER INSOLE ; REMOVABLE PROFILED CORK INLAY ; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT ; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT ; NAVICULAR STRAP, SIZE 8	Pair	ITEMIZED	50
595	4224170631100	DENIS BROWNE BOOTS, OPEN TOE, FOR FOOT ABDUCTION SPLINT, STRAIGHT LAST; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT ; MADE FROM COW/CALF LEATHER ; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE ; FULL GRAIN LEATHER INSOLE ; REMOVABLE PROFILED CORK INLAY ; EXTRA PADDING AROUND THE ANKLE FOR MORE COMFORT ; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT ; NAVICULAR STRAP, SIZE 9	Pair	ITEMIZED	50
596	4224150708000	DENIS BROWNE KIT, BILATERAL FOOT ORTHOSIS, WITH ADJUSTABLE CONNECTING BAR AND MOBILE FOOT PLATES TO CONTROL FOOT ROTATION, WITH STRAIGHT LAST BOOT, FULL GRAIN COW/CALF SOFT LEATHER UPPER, SOFT PADDING AROUND HEEL CUFFS, FULL GRAIN COW LEATHER INSOLE, REMOVABLE AND ADAPTABLE SOLE-UNIT, REMOVABLE CORK INLAY, SOFT TONGUE, SIZE 11	SET	ITEMIZED	1500
597	4224150708100	DENIS BROWNE KIT, BILATERAL FOOT ORTHOSIS, WITH ADJUSTABLE CONNECTING BAR AND MOBILE FOOT PLATES TO CONTROL FOOT ROTATION, WITH STRAIGHT LAST BOOT, FULL GRAIN COW/CALF SOFT LEATHER UPPER, SOFT PADDING AROUND HEEL CUFFS, FULL GRAIN COW LEATHER INSOLE, REMOVABLE AND ADAPTABLE SOLE-UNIT, REMOVABLE CORK INLAY, SOFT TONGUE, SIZE 12	SET	ITEMIZED	2000
598	4224150708200	DENIS BROWNE KIT, BILATERAL FOOT ORTHOSIS, WITH ADJUSTABLE CONNECTING BAR AND MOBILE FOOT PLATES TO CONTROL FOOT ROTATION, WITH STRAIGHT LAST BOOT, FULL GRAIN COW/CALF SOFT LEATHER UPPER, SOFT PADDING AROUND HEEL CUFFS, FULL GRAIN COW LEATHER INSOLE, REMOVABLE AND ADAPTABLE SOLE-UNIT, REMOVABLE CORK INLAY, SOFT TONGUE, SIZE 13.5	SET	ITEMIZED	1900
599	4224150708300	DENIS BROWNE KIT, BILATERAL FOOT ORTHOSIS, WITH ADJUSTABLE CONNECTING BAR AND MOBILE FOOT PLATES TO CONTROL FOOT ROTATION, WITH STRAIGHT LAST BOOT, FULL GRAIN COW/CALF SOFT LEATHER UPPER, SOFT PADDING AROUND HEEL CUFFS, FULL GRAIN COW LEATHER INSOLE, REMOVABLE AND ADAPTABLE SOLE-UNIT, REMOVABLE CORK INLAY, SOFT TONGUE, SIZE 14.5	SET	ITEMIZED	1600
600	4224150708400	DENIS BROWNE KIT, BILATERAL FOOT ORTHOSIS, WITH ADJUSTABLE CONNECTING BAR AND MOBILE FOOT PLATES TO CONTROL FOOT ROTATION, WITH STRAIGHT LAST BOOT, FULL GRAIN COW/CALF SOFT LEATHER UPPER, SOFT PADDING AROUND HEEL CUFFS, FULL GRAIN COW LEATHER INSOLE, REMOVABLE AND ADAPTABLE SOLE-UNIT, REMOVABLE CORK INLAY, SOFT TONGUE, SIZE 15.5	SET	ITEMIZED	1700
601	4224150708500	DENIS BROWNE KIT, BILATERAL FOOT ORTHOSIS, WITH ADJUSTABLE CONNECTING BAR AND MOBILE FOOT PLATES TO CONTROL FOOT ROTATION, WITH STRAIGHT LAST BOOT, FULL GRAIN COW/CALF SOFT LEATHER UPPER, SOFT PADDING AROUND HEEL CUFFS, FULL GRAIN COW LEATHER INSOLE, REMOVABLE AND ADAPTABLE SOLE-UNIT, REMOVABLE CORK INLAY, SOFT TONGUE, SIZE 16	SET	ITEMIZED	1500
602	4224150708600	DENIS BROWNE KIT, BILATERAL FOOT ORTHOSIS, WITH ADJUSTABLE CONNECTING BAR AND MOBILE FOOT PLATES TO CONTROL FOOT ROTATION, WITH STRAIGHT LAST BOOT, FULL GRAIN COW/CALF SOFT LEATHER UPPER, SOFT PADDING AROUND HEEL CUFFS, FULL GRAIN COW LEATHER INSOLE, REMOVABLE AND ADAPTABLE SOLE-UNIT, REMOVABLE CORK INLAY, SOFT TONGUE, SIZE 17	SET	ITEMIZED	1300
603	4224150708700	DENIS BROWNE KIT, BILATERAL FOOT ORTHOSIS, WITH ADJUSTABLE CONNECTING BAR AND MOBILE FOOT PLATES TO CONTROL FOOT ROTATION, WITH STRAIGHT LAST BOOT, FULL GRAIN COW/CALF SOFT LEATHER UPPER, SOFT PADDING AROUND HEEL CUFFS, FULL GRAIN COW LEATHER INSOLE, REMOVABLE AND ADAPTABLE SOLE-UNIT, REMOVABLE CORK INLAY, SOFT TONGUE, SIZE 17.5	SET	ITEMIZED	1300
604	4224150708800	DENIS BROWNE KIT, BILATERAL FOOT ORTHOSIS, WITH ADJUSTABLE CONNECTING BAR AND MOBILE FOOT PLATES TO CONTROL FOOT ROTATION, WITH STRAIGHT LAST BOOT, FULL GRAIN COW/CALF SOFT LEATHER UPPER, SOFT PADDING AROUND HEEL CUFFS, FULL GRAIN COW LEATHER INSOLE, REMOVABLE AND ADAPTABLE SOLE-UNIT, REMOVABLE CORK INLAY, SOFT TONGUE, SIZE 18	SET	ITEMIZED	1600
605	4224150709100	DENIS BROWNE KIT, BILATERAL FOOT ORTHOSIS, WITH ADJUSTABLE CONNECTING BAR AND MOBILE FOOT PLATES TO CONTROL FOOT ROTATION, WITH STRAIGHT LAST BOOT, FULL GRAIN COW/CALF SOFT LEATHER UPPER, SOFT PADDING AROUND HEEL CUFFS, FULL GRAIN COW LEATHER INSOLE, REMOVABLE AND ADAPTABLE SOLE-UNIT, REMOVABLE CORK INLAY, SOFT TONGUE, SIZE 18.5	SET	ITEMIZED	900
606	4224150708900	DENIS BROWNE KIT, BILATERAL FOOT ORTHOSIS, WITH ADJUSTABLE CONNECTING BAR AND MOBILE FOOT PLATES TO CONTROL FOOT ROTATION, WITH STRAIGHT LAST BOOT, FULL GRAIN COW/CALF SOFT LEATHER UPPER, SOFT PADDING AROUND HEEL CUFFS, FULL GRAIN COW LEATHER INSOLE, REMOVABLE AND ADAPTABLE SOLE-UNIT, REMOVABLE CORK INLAY, SOFT TONGUE, SIZE 19.5	SET	ITEMIZED	800
607	4224150709000	DENIS BROWNE KIT, BILATERAL FOOT ORTHOSIS, WITH ADJUSTABLE CONNECTING BAR AND MOBILE FOOT PLATES TO CONTROL FOOT ROTATION, WITH STRAIGHT LAST BOOT, FULL GRAIN COW/CALF SOFT LEATHER UPPER, SOFT PADDING AROUND HEEL CUFFS, FULL GRAIN COW LEATHER INSOLE, REMOVABLE AND ADAPTABLE SOLE-UNIT, REMOVABLE CORK INLAY, SOFT TONGUE, SIZE 20	SET	ITEMIZED	750
608	4224170619700	ANTI-VARUS SHOES, PEDIATRIC, FULL COW/CALF LEATHER UPPER, SPLIT COW LEATHER LINING, HIGH ANKLE, HARD HEEL, TWO VELCRO STRAP, MADE ON ANTI VARUS LASTS ; SOFT PADDING AROUND THE COLLAR; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE ; FULL LEATHER INSOLE; ADAPTABLE (HARD-WEARING) SOLE-UNIT ; SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; HIGH TOE-BOX AND STRONG TOE-CAP; EXTENDED FACINGS; EXTRA PADDING AROUND THE ANKLE; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT, BLUE, SIZE: 18	Pair	ITEMIZED	65
609	4224170619200	ANTI-VARUS SHOES, PEDIATRIC, FULL COW/CALF LEATHER UPPER, SPLIT COW LEATHER LINING, HIGH ANKLE, HARD HEEL, TWO VELCRO STRAP, MADE ON ANTI VARUS LASTS ; SOFT PADDING AROUND THE COLLAR; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE ; FULL LEATHER INSOLE; ADAPTABLE (HARD-WEARING) SOLE-UNIT ; SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; HIGH TOE-BOX AND STRONG TOE-CAP; EXTENDED FACINGS; EXTRA PADDING AROUND THE ANKLE; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT, BLUE, SIZE: 19	Pair	ITEMIZED	55
610	4224170619300	ANTI-VARUS SHOES, PEDIATRIC, FULL COW/CALF LEATHER UPPER, SPLIT COW LEATHER LINING, HIGH ANKLE, HARD HEEL, TWO VELCRO STRAP, MADE ON ANTI VARUS LASTS ; SOFT PADDING AROUND THE COLLAR; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE ; FULL LEATHER INSOLE; ADAPTABLE (HARD-WEARING) SOLE-UNIT ; SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; HIGH TOE-BOX AND STRONG TOE-CAP; EXTENDED FACINGS; EXTRA PADDING AROUND THE ANKLE; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT, BLUE, SIZE: 20	Pair	ITEMIZED	20
611	4224170619400	ANTI-VARUS SHOES, PEDIATRIC, FULL COW/CALF LEATHER UPPER, SPLIT COW LEATHER LINING, HIGH ANKLE, HARD HEEL, TWO VELCRO STRAP, MADE ON ANTI VARUS LASTS ; SOFT PADDING AROUND THE COLLAR; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE ; FULL LEATHER INSOLE; ADAPTABLE (HARD-WEARING) SOLE-UNIT ; SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; HIGH TOE-BOX AND STRONG TOE-CAP; EXTENDED FACINGS; EXTRA PADDING AROUND THE ANKLE; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT, BLUE, SIZE: 21	Pair	ITEMIZED	20

TENDER NAME: PROSTHESIS AND ORTHOSIS

SN	NUPCO CODE	ITEM DESCRIPTION	UOM	GROUP CATEGORY	INITIAL QUANTITY
627	4224170618400	ANTI-VARUS SHOES, PEDIATRIC, FULL COW/CALF LEATHER UPPER, SPLIT COW LEATHER LINING, HIGH ANKLE, HARD HEEL, TWO VELCRO STRAP, MADE ON ANTI VARUS LASTS ; SOFT PADDING AROUND THE COLLAR; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE ; FULL LEATHER INSOLE; ADAPTABLE (HARD-WEARING) SOLE-UNIT ; SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; HIGH TOE-BOX AND STRONG TOE-CAP; EXTENDED FACINGS; EXTRA PADDING AROUND THE ANKLE; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT, PINK, SIZE: 26	Pair	ITEMIZED	100
628	4224170618500	ANTI-VARUS SHOES, PEDIATRIC, FULL COW/CALF LEATHER UPPER, SPLIT COW LEATHER LINING, HIGH ANKLE, HARD HEEL, TWO VELCRO STRAP, MADE ON ANTI VARUS LASTS ; SOFT PADDING AROUND THE COLLAR; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE ; FULL LEATHER INSOLE; ADAPTABLE (HARD-WEARING) SOLE-UNIT ; SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; HIGH TOE-BOX AND STRONG TOE-CAP; EXTENDED FACINGS; EXTRA PADDING AROUND THE ANKLE; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT, PINK, SIZE: 27	Pair	ITEMIZED	100
629	4224170620100	ANTI-VARUS SHOES, PEDIATRIC, FULL COW/CALF LEATHER UPPER, SPLIT COW LEATHER LINING, HIGH ANKLE, HARD HEEL, TWO VELCRO STRAP, MADE ON ANTI VARUS LASTS ; SOFT PADDING AROUND THE COLLAR; SPECIAL EXTENDED STIFFENER WITH CURVED WALL TO CORRECT THE FOOT SHAPE ; FULL LEATHER INSOLE; ADAPTABLE (HARD-WEARING) SOLE-UNIT ; SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF; HIGH TOE-BOX AND STRONG TOE-CAP; EXTENDED FACINGS; EXTRA PADDING AROUND THE ANKLE; SOFT TONGUE PADDING TO MOULD THE SHOE ROUND THE FOOT, PINK, SIZE: 28	Pair	ITEMIZED	80
630	4224170615100	DIABETIC SANDALS, FEMALE, FULL LEATHER UPPER, VELCRO CLOSURE, STIFF BOAT-SHAPED OUTSOLE, EXTRA DEEP FIT FOR ACCOMMODATION OF MOLDED INSOLES, REMOVABLE INSOLES, ANKLE BACK STRAP, BIG OPENING; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, INSIDE SEAMLESS, NON-BINDING UPPERS; LIGHTWEIGHT, CUSHIONING SOLES, STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS, BLACK, SIZE 36	Pair	ITEMIZED	55
631	4224170615200	DIABETIC SANDALS, FEMALE, FULL LEATHER UPPER, VELCRO CLOSURE, STIFF BOAT-SHAPED OUTSOLE, EXTRA DEEP FIT FOR ACCOMMODATION OF MOLDED INSOLES, REMOVABLE INSOLES, ANKLE BACK STRAP, BIG OPENING; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, INSIDE SEAMLESS, NON-BINDING UPPERS; LIGHTWEIGHT, CUSHIONING SOLES, STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS, BLACK, SIZE 37	Pair	ITEMIZED	55
632	4224170615300	DIABETIC SANDALS, FEMALE, FULL LEATHER UPPER, VELCRO CLOSURE, STIFF BOAT-SHAPED OUTSOLE, EXTRA DEEP FIT FOR ACCOMMODATION OF MOLDED INSOLES, REMOVABLE INSOLES, ANKLE BACK STRAP, BIG OPENING; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, INSIDE SEAMLESS, NON-BINDING UPPERS; LIGHTWEIGHT, CUSHIONING SOLES, STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS, BLACK, SIZE 38	Pair	ITEMIZED	55
633	4224170615400	DIABETIC SANDALS, FEMALE, FULL LEATHER UPPER, VELCRO CLOSURE, STIFF BOAT-SHAPED OUTSOLE, EXTRA DEEP FIT FOR ACCOMMODATION OF MOLDED INSOLES, REMOVABLE INSOLES, ANKLE BACK STRAP, BIG OPENING; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, INSIDE SEAMLESS, NON-BINDING UPPERS; LIGHTWEIGHT, CUSHIONING SOLES, STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS, BLACK, SIZE 39	Pair	ITEMIZED	55
634	4224170615500	DIABETIC SANDALS, FEMALE, FULL LEATHER UPPER, VELCRO CLOSURE, STIFF BOAT-SHAPED OUTSOLE, EXTRA DEEP FIT FOR ACCOMMODATION OF MOLDED INSOLES, REMOVABLE INSOLES, ANKLE BACK STRAP, BIG OPENING; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, INSIDE SEAMLESS, NON-BINDING UPPERS; LIGHTWEIGHT, CUSHIONING SOLES, STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS, BLACK, SIZE 40	Pair	ITEMIZED	55
635	4224170615600	DIABETIC SANDALS, FEMALE, FULL LEATHER UPPER, VELCRO CLOSURE, STIFF BOAT-SHAPED OUTSOLE, EXTRA DEEP FIT FOR ACCOMMODATION OF MOLDED INSOLES, REMOVABLE INSOLES, ANKLE BACK STRAP, BIG OPENING; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, INSIDE SEAMLESS, NON-BINDING UPPERS; LIGHTWEIGHT, CUSHIONING SOLES, STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT AND HELP ELIMINATE PRESSURE POINTS, BLACK, SIZE 41	Pair	ITEMIZED	55
636	4224170629200	DIABETIC SHOES, FEMALE, WIDE/EXTRA-WIDE TOE BOX, SOFT COW/CALF LEATHER, VELCRO CLOSURE, FLEXIBLE LINING, PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE, NON-BINDING UPPERS, EXTRA DEPTH DESIGN, CAN ACCOMMODATE THICK ORTHOTIC INSERTS ; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT, LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT, BEIGE, SIZE 38	Pair	ITEMIZED	15
637	4224170629000	DIABETIC SHOES, FEMALE, WIDE/EXTRA-WIDE TOE BOX, SOFT COW/CALF LEATHER, VELCRO CLOSURE, FLEXIBLE LINING, PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE, NON-BINDING UPPERS, EXTRA DEPTH DESIGN, CAN ACCOMMODATE THICK ORTHOTIC INSERTS ; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT, LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT, BEIGE, SIZE 39	Pair	ITEMIZED	15
638	4224170629100	DIABETIC SHOES, FEMALE, WIDE/EXTRA-WIDE TOE BOX, SOFT COW/CALF LEATHER, VELCRO CLOSURE, FLEXIBLE LINING, PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE, NON-BINDING UPPERS, EXTRA DEPTH DESIGN, CAN ACCOMMODATE THICK ORTHOTIC INSERTS ; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT, LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT, BEIGE, SIZE 40	Pair	ITEMIZED	15
639	4224170629300	DIABETIC SHOES, FEMALE, WIDE/EXTRA-WIDE TOE BOX, SOFT COW/CALF LEATHER, VELCRO CLOSURE, FLEXIBLE LINING, PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE, NON-BINDING UPPERS, EXTRA DEPTH DESIGN, CAN ACCOMMODATE THICK ORTHOTIC INSERTS ; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT, LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT, BEIGE, SIZE 41	Pair	ITEMIZED	15
640	4224170628900	DIABETIC SHOES, FEMALE, WIDE/EXTRA-WIDE TOE BOX, SOFT COW/CALF LEATHER, VELCRO CLOSURE, FLEXIBLE LINING, PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE, NON-BINDING UPPERS, EXTRA DEPTH DESIGN, CAN ACCOMMODATE THICK ORTHOTIC INSERTS ; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT, LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT, BEIGE, SIZE 42	Pair	ITEMIZED	15
641	4224170625300	DIABETIC SHOES, FEMALE, WIDE/EXTRA-WIDE TOE BOX, SOFT COW/CALF LEATHER, NEOPRENE VAMP PADDED COLLARS THROUGH WEDGE SOLE, VELCRO CLOSURE; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION ; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT ; EXTRA DEPTH DESIGN, CAN ACCOMMODATE THICK ORTHOTIC INSERTS ; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT, LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT, BLACK, SIZE 36	Pair	ITEMIZED	55
642	4224170620200	DIABETIC SHOES, WIDE/EXTRA-WIDE TOE BOX, COMBINATION OF SOFT COW/CALF LEATHER AND NEOPRENE, VELCRO CLOSURE, FLEXIBLE LINING, PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE, NON-BINDING UPPERS, EXTRA DEPTH DESIGN, CAN ACCOMMODATE THICK ORTHOTIC INSERTS ; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT, LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT, BLACK, SIZE 34	Pair	ITEMIZED	55

TENDER NAME: PROSTHESIS AND ORTHOSIS

SN	NUPCO CODE	ITEM DESCRIPTION	UOM	GROUP CATEGORY	INITIAL QUANTITY
657	4224170624500	DIABETIC SHOES, MALE, WIDE/EXTRA-WIDE TOE BOX, SOFT COW/CALF LEATHER, NEOPRENE VAMP PADDED COLLARS THROUGH WEDGE SOLE, VELCRO CLOSURE; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION ; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT ; EXTRA DEPTH DESIGN, CAN ACCOMMODATE THICK ORTHOTIC INSERTS ; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT, LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT, BLACK, SIZE 39	Pair	ITEMIZED	80
658	4224170620700	DIABETIC SHOES, WIDE/EXTRA-WIDE TOE BOX, COMBINATION OF SOFT COW/CALF LEATHER AND NEOPRENE, VELCRO CLOSURE, FLEXIBLE LINING, PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE, NON-BINDING UPPERS, EXTRA DEPTH DESIGN, CAN ACCOMMODATE THICK ORTHOTIC INSERTS ; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT, LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT, BLACK, SIZE 39	Pair	ITEMIZED	260
659	4224170624600	DIABETIC SHOES, MALE, WIDE/EXTRA-WIDE TOE BOX, SOFT COW/CALF LEATHER, NEOPRENE VAMP PADDED COLLARS THROUGH WEDGE SOLE, VELCRO CLOSURE; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION ; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT ; EXTRA DEPTH DESIGN, CAN ACCOMMODATE THICK ORTHOTIC INSERTS ; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT, LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT, BLACK, SIZE 39.5	Pair	ITEMIZED	20
660	4224170625800	DIABETIC SHOES, FEMALE, WIDE/EXTRA-WIDE TOE BOX, SOFT COW/CALF LEATHER, NEOPRENE VAMP PADDED COLLARS THROUGH WEDGE SOLE, LACE CLOSING, PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION ; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT ; EXTRA DEPTH DESIGN, CAN ACCOMMODATE THICK ORTHOTIC INSERTS ; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT, LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT, BLACK, SIZE 40	Pair	ITEMIZED	55
661	4224170623400	DIABETIC SHOES, FEMALE, WIDE/EXTRA-WIDE TOE BOX, SOFT COW/CALF LEATHER, NEOPRENE VAMP PADDED COLLARS THROUGH WEDGE SOLE, VELCRO CLOSURE; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION ; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT ; EXTRA DEPTH DESIGN, CAN ACCOMMODATE THICK ORTHOTIC INSERTS ; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT, LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT, BLACK, SIZE 40	Pair	ITEMIZED	35
662	4224170627400	DIABETIC SHOES, MALE, WIDE/EXTRA-WIDE TOE BOX, SOFT COW/CALF LEATHER, NEOPRENE VAMP PADDED COLLARS THROUGH WEDGE SOLE, LACE CLOSING, PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION ; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT ; EXTRA DEPTH DESIGN, CAN ACCOMMODATE THICK ORTHOTIC INSERTS ; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT, LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT, BLACK, SIZE 40	Pair	ITEMIZED	80
663	4224170624700	DIABETIC SHOES, MALE, WIDE/EXTRA-WIDE TOE BOX, SOFT COW/CALF LEATHER, NEOPRENE VAMP PADDED COLLARS THROUGH WEDGE SOLE, VELCRO CLOSURE; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION ; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT ; EXTRA DEPTH DESIGN, CAN ACCOMMODATE THICK ORTHOTIC INSERTS ; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT, LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT, BLACK, SIZE 40	Pair	ITEMIZED	260
664	4224170620800	DIABETIC SHOES, WIDE/EXTRA-WIDE TOE BOX, COMBINATION OF SOFT COW/CALF LEATHER AND NEOPRENE, VELCRO CLOSURE, FLEXIBLE LINING, PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE, NON-BINDING UPPERS, EXTRA DEPTH DESIGN, CAN ACCOMMODATE THICK ORTHOTIC INSERTS ; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT, LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT, BLACK, SIZE 40	Pair	ITEMIZED	80
665	4224170625900	DIABETIC SHOES, FEMALE, WIDE/EXTRA-WIDE TOE BOX, SOFT COW/CALF LEATHER, NEOPRENE VAMP PADDED COLLARS THROUGH WEDGE SOLE, LACE CLOSING, PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION ; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT ; EXTRA DEPTH DESIGN, CAN ACCOMMODATE THICK ORTHOTIC INSERTS ; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT, LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT, BLACK, SIZE 40.5	Pair	ITEMIZED	20
666	4224170624800	DIABETIC SHOES, MALE, WIDE/EXTRA-WIDE TOE BOX, SOFT COW/CALF LEATHER, NEOPRENE VAMP PADDED COLLARS THROUGH WEDGE SOLE, VELCRO CLOSURE; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION ; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT ; EXTRA DEPTH DESIGN, CAN ACCOMMODATE THICK ORTHOTIC INSERTS ; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT, LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT, BLACK, SIZE 40.5	Pair	ITEMIZED	55
667	4224170626000	DIABETIC SHOES, FEMALE, WIDE/EXTRA-WIDE TOE BOX, SOFT COW/CALF LEATHER, NEOPRENE VAMP PADDED COLLARS THROUGH WEDGE SOLE, LACE CLOSING, PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION ; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT ; EXTRA DEPTH DESIGN, CAN ACCOMMODATE THICK ORTHOTIC INSERTS ; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT, LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT, BLACK, SIZE 41	Pair	ITEMIZED	35
668	4224170623600	DIABETIC SHOES, FEMALE, WIDE/EXTRA-WIDE TOE BOX, SOFT COW/CALF LEATHER, NEOPRENE VAMP PADDED COLLARS THROUGH WEDGE SOLE, VELCRO CLOSURE; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION ; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT ; EXTRA DEPTH DESIGN, CAN ACCOMMODATE THICK ORTHOTIC INSERTS ; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT, LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT, BLACK, SIZE 41	Pair	ITEMIZED	80
669	4224170627500	DIABETIC SHOES, MALE, WIDE/EXTRA-WIDE TOE BOX, SOFT COW/CALF LEATHER, NEOPRENE VAMP PADDED COLLARS THROUGH WEDGE SOLE, LACE CLOSING, PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION ; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT ; EXTRA DEPTH DESIGN, CAN ACCOMMODATE THICK ORTHOTIC INSERTS ; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT, LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT, BLACK, SIZE 41	Pair	ITEMIZED	260

TENDER NAME: PROSTHESIS AND ORTHOSIS

SN	NUPCO CODE	ITEM DESCRIPTION	UOM	GROUP CATEGORY	INITIAL QUANTITY
683	4224170623900	DIABETIC SHOES, MALE, WIDE/EXTRA-WIDE TOE BOX, SOFT COW/CALF LEATHER, NEOPRENE VAMP PADDED COLLARS THROUGH WEDGE SOLE, VELCRO CLOSURE; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION ; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT ; EXTRA DEPTH DESIGN, CAN ACCOMMODATE THICK ORTHOTIC INSERTS ; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT, LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT, BLACK, SIZE 43	Pair	ITEMIZED	260
684	4224170626500	DIABETIC SHOES, FEMALE, WIDE/EXTRA-WIDE TOE BOX, SOFT COW/CALF LEATHER, NEOPRENE VAMP PADDED COLLARS THROUGH WEDGE SOLE, LACE CLOSING, PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION ; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT ; EXTRA DEPTH DESIGN, CAN ACCOMMODATE THICK ORTHOTIC INSERTS ; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT, LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT, BLACK, SIZE 44	Pair	ITEMIZED	10
685	4224170626700	DIABETIC SHOES, MALE, WIDE/EXTRA-WIDE TOE BOX, SOFT COW/CALF LEATHER, NEOPRENE VAMP PADDED COLLARS THROUGH WEDGE SOLE, LACE CLOSING, PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION ; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT ; EXTRA DEPTH DESIGN, CAN ACCOMMODATE THICK ORTHOTIC INSERTS ; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT, LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT, BLACK, SIZE 44	Pair	ITEMIZED	80
686	4224170624000	DIABETIC SHOES, MALE, WIDE/EXTRA-WIDE TOE BOX, SOFT COW/CALF LEATHER, NEOPRENE VAMP PADDED COLLARS THROUGH WEDGE SOLE, VELCRO CLOSURE; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION ; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT ; EXTRA DEPTH DESIGN, CAN ACCOMMODATE THICK ORTHOTIC INSERTS ; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT, LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT, BLACK, SIZE 44	Pair	ITEMIZED	10
687	4224170626800	DIABETIC SHOES, MALE, WIDE/EXTRA-WIDE TOE BOX, SOFT COW/CALF LEATHER, NEOPRENE VAMP PADDED COLLARS THROUGH WEDGE SOLE, LACE CLOSING, PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION ; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT ; EXTRA DEPTH DESIGN, CAN ACCOMMODATE THICK ORTHOTIC INSERTS ; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT, LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT, BLACK, SIZE 45	Pair	ITEMIZED	35
688	4224170624100	DIABETIC SHOES, MALE, WIDE/EXTRA-WIDE TOE BOX, SOFT COW/CALF LEATHER, NEOPRENE VAMP PADDED COLLARS THROUGH WEDGE SOLE, VELCRO CLOSURE; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION ; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT ; EXTRA DEPTH DESIGN, CAN ACCOMMODATE THICK ORTHOTIC INSERTS ; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT, LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT, BLACK, SIZE 45	Pair	ITEMIZED	80
689	4224170626900	DIABETIC SHOES, MALE, WIDE/EXTRA-WIDE TOE BOX, SOFT COW/CALF LEATHER, NEOPRENE VAMP PADDED COLLARS THROUGH WEDGE SOLE, LACE CLOSING, PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION ; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT ; EXTRA DEPTH DESIGN, CAN ACCOMMODATE THICK ORTHOTIC INSERTS ; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT, LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT, BLACK, SIZE 46	Pair	ITEMIZED	15
690	4224170624200	DIABETIC SHOES, MALE, WIDE/EXTRA-WIDE TOE BOX, SOFT COW/CALF LEATHER, NEOPRENE VAMP PADDED COLLARS THROUGH WEDGE SOLE, VELCRO CLOSURE; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION ; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT ; EXTRA DEPTH DESIGN, CAN ACCOMMODATE THICK ORTHOTIC INSERTS ; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT, LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT, BLACK, SIZE 46	Pair	ITEMIZED	35
691	4224170627000	DIABETIC SHOES, MALE, WIDE/EXTRA-WIDE TOE BOX, SOFT COW/CALF LEATHER, NEOPRENE VAMP PADDED COLLARS THROUGH WEDGE SOLE, LACE CLOSING, PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION ; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT ; EXTRA DEPTH DESIGN, CAN ACCOMMODATE THICK ORTHOTIC INSERTS ; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT, LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT, BLACK, SIZE 47	Pair	ITEMIZED	80
692	4224170624300	DIABETIC SHOES, MALE, WIDE/EXTRA-WIDE TOE BOX, SOFT COW/CALF LEATHER, NEOPRENE VAMP PADDED COLLARS THROUGH WEDGE SOLE, VELCRO CLOSURE; PROTECTIVE INTERIOR THAT IS MADE FROM SOFT MATERIAL, AND STITCHING THAT DOESN'T PROTRUDE SO AS NOT TO CAUSE IRRITATION ; NON-BINDING UPPERS THAT ENSURE THAT THERE IS NO PRESSURE ON THE FOOT ; EXTRA DEPTH DESIGN, CAN ACCOMMODATE THICK ORTHOTIC INSERTS ; A DEEP TOE BOX THAT PROVIDES EXTRA ROOM FOR TOE MOVEMENT, LIGHTWEIGHT, CUSHIONING SOLES THAT FACILITATE MOBILITY AND STABILITY; STRETCHABLE SHOES CONFORM TO THE CONTOURS OF THE FOOT, BLACK, SIZE 47	Pair	ITEMIZED	35
693	4224170636200	BOOT, ORTHOPEDIC, PEDIATRIC, FULL GRAIN COW/CALF LEATHER, PLAIN FRONTED WITH SEAM FREE VAMPS PADDED COLLARS, BOOT HEIGHT APPROXIMATELY 125 MM, LACING; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT ; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE ; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF ; REMOVABLE PROFILED CORK INLAY ; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES ; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; SOFT TONGUE PADDING; FIRM HEEL COUNTER, BLACK, SIZE 18	Pair	ITEMIZED	80
694	4224170908100	BOOT, ORTHOPEDIC, PEDIATRIC, FULL GRAIN COW/CALF LEATHER, PLAIN FRONTED WITH SEAM FREE VAMPS PADDED COLLARS, BOOT HEIGHT APPROXIMATELY 125 MM, LACING; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT ; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE ; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF ; REMOVABLE PROFILED CORK INLAY ; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES ; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; SOFT TONGUE PADDING; FIRM HEEL COUNTER, BLACK, SIZE 19	Pair	ITEMIZED	35
695	4224170636300	BOOT, ORTHOPEDIC, PEDIATRIC, FULL GRAIN COW/CALF LEATHER, PLAIN FRONTED WITH SEAM FREE VAMPS PADDED COLLARS, BOOT HEIGHT APPROXIMATELY 125 MM, LACING; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT ; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE ; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF ; REMOVABLE PROFILED CORK INLAY ; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES ; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; SOFT TONGUE PADDING; FIRM HEEL COUNTER, BLACK, SIZE 20	Pair	ITEMIZED	80
696	4224170903200	BOOT, ORTHOPEDIC, PEDIATRIC, FULL GRAIN COW/CALF LEATHER, PLAIN FRONTED WITH SEAM FREE VAMPS PADDED COLLARS, BOOT HEIGHT APPROXIMATELY 125 MM, LACING; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT ; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE ; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF ; REMOVABLE PROFILED CORK INLAY ; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES ; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; SOFT TONGUE PADDING; FIRM HEEL COUNTER, BLACK, SIZE 21	Pair	ITEMIZED	35
697	4224170903300	BOOT, ORTHOPEDIC, PEDIATRIC, FULL GRAIN COW/CALF LEATHER, PLAIN FRONTED WITH SEAM FREE VAMPS PADDED COLLARS, BOOT HEIGHT APPROXIMATELY 125 MM, LACING; SOFT PADDING AROUND THE COLLAR FOR A BETTER FIT ; A HIGH AND EXTRA LONG STIFFENER TO SUPPORT THE ANKLE ; FULL GRAIN LEATHER INSOLE; EASILY REMOVABLE AND ADAPTABLE (HARD-WEARING) SOLE. SUFFICIENT TOE-SPRING FOR EASY ROLL-OFF ; REMOVABLE PROFILED CORK INLAY ; HIGH TOE-BOX AND STRONG TOE-CAP FOR PROTECTION OF THE TOES ; EXTENDED FACINGS FOR MAXIMUM ACCESSIBILITY; SOFT TONGUE PADDING; FIRM HEEL COUNTER, BLACK, SIZE 22	Pair	ITEMIZED	80

TENDER NAME: PROSTHESIS AND ORTHOSIS

SN	NUPCO CODE	ITEM DESCRIPTION	UOM	GROUP CATEGORY	INITIAL QUANTITY
845	4224170637600	TARSO MEDIUS BOOT, OR EQUIVALENT, ADULT, SURGICAL, STRAIGHT LAST; SOFT PADDING AROUND HEEL CUFFS ; MADE FROM COW/CALF LEATHER ; A HIGH AND EXTRA-LONG STIFFENER TO SUPPORT ANKLE ; FULL LEATHER INSOLE ; EASILY REMOVABLE AND ADAPTABLE SOLE ; GOOD TOE SPRING ; REMOVABLE CORK INLAY ; HIGH TOE BOX ; STRONG TOE CAP ; SOFT TONGUE TO ASSIST SHOE FIT ; HIGH AND EXTENDED CORSET STIFFENERS, PAIR, BROWN, SIZE 44	each	ITEMIZED	65
846	4224170637700	TARSO MEDIUS BOOT, OR EQUIVALENT, ADULT, SURGICAL, STRAIGHT LAST; SOFT PADDING AROUND HEEL CUFFS ; MADE FROM COW/CALF LEATHER ; A HIGH AND EXTRA-LONG STIFFENER TO SUPPORT ANKLE ; FULL LEATHER INSOLE ; EASILY REMOVABLE AND ADAPTABLE SOLE ; GOOD TOE SPRING ; REMOVABLE CORK INLAY ; HIGH TOE BOX ; STRONG TOE CAP ; SOFT TONGUE TO ASSIST SHOE FIT ; HIGH AND EXTENDED CORSET STIFFENERS, PAIR, BROWN, SIZE 45	each	ITEMIZED	35
847	4224170706700	AIR WALKER BOOT WITH PATENTED PNEUMATIC SYSTEM PADDED WITH SOFT LINERS AND EASY TO FIT EXTRA-LARGE LOW PROFILE	each	ITEMIZED	35
848	4224170706800	AIR WALKER BOOT WITH PATENTED PNEUMATIC SYSTEM PADDED WITH SOFT LINERS AND EASY TO FIT EXTRA-LARGE STANDARD	each	ITEMIZED	35
849	4224170706200	AIR WALKER BOOT WITH PATENTED PNEUMATIC SYSTEM, PADDED WITH SOFT LINERS AND EASY TO FIT, LARGE, LOW PROFILE	each	ITEMIZED	35
850	4224170706600	AIR WALKER BOOT WITH PATENTED PNEUMATIC SYSTEM, PADDED WITH SOFT LINERS AND EASY TO FIT, LARGE, STANDARD	each	ITEMIZED	55
851	4224170706000	AIR WALKER BOOT WITH PATENTED PNEUMATIC SYSTEM, PADDED WITH SOFT LINERS AND EASY TO FIT MEDIUM LOW PROFILE	each	ITEMIZED	55
852	4224170706300	AIR WALKER BOOT WITH PATENTED PNEUMATIC SYSTEM, PADDED WITH SOFT LINERS AND EASY TO FIT, MEDIUM, STANDARD	each	ITEMIZED	55
853	4224170706100	AIR WALKER BOOT WITH PATENTED PNEUMATIC SYSTEM, PADDED WITH SOFT LINERS AND EASY TO FIT, SMALL, LOW PROFILE	each	ITEMIZED	55
854	4224170706400	AIR WALKER BOOT WITH PATENTED PNEUMATIC SYSTEM, PADDED WITH SOFT LINERS AND EASY TO FIT SMALL, STANDARD	each	ITEMIZED	450
855	4224170706500	AIR WALKER BOOT WITH PATENTED PNEUMATIC SYSTEM, PADDED WITH SOFT LINERS AND EASY TO FIT, EXTRA SMALL, LOW PROFILE	each	ITEMIZED	400
856	4224170705900	AIR WALKER BOOT WITH PATENTED PNEUMATIC SYSTEM, PADDED WITH SOFT LINERS AND EASY TO FIT, EXTRA SMALL, STANDARD	each	ITEMIZED	800
857	4221150601300	OFF LOADING WALKING BOOT, LOW PROFILE ROCKER BOTTOM, WITH ACTIVE OFFLOADING INSOLE, SIZE EXTRA LARGE	each	ITEMIZED	850
858	4221150601000	OFF LOADING WALKING BOOT, LOW PROFILE ROCKER BOTTOM, WITH ACTIVE OFFLOADING INSOLE, SIZE LARGE	each	ITEMIZED	1000
859	4221150601100	OFF LOADING WALKING BOOT, LOW PROFILE ROCKER BOTTOM, WITH ACTIVE OFFLOADING INSOLE, SIZE MEDIUM	each	ITEMIZED	950
860	4221150601200	OFF LOADING WALKING BOOT, LOW PROFILE ROCKER BOTTOM, WITH ACTIVE OFFLOADING INSOLE, SIZE SMALL	each	ITEMIZED	750
861	4221150601400	OFF LOADING WALKING BOOT, LOW PROFILE ROCKER BOTTOM, WITH ACTIVE OFFLOADING INSOLE, SIZE EXTRA SMALL	each	ITEMIZED	500
862	4224170711100	OFF LOADING WALKING BOOT, STANDARD PROFILE, PEDIATRIC, SIZE LARGE	each	ITEMIZED	310
863	4224170711200	OFF LOADING WALKING BOOT, STANDARD PROFILE, PEDIATRIC, SIZE MEDIUM	each	ITEMIZED	400
864	4224170711300	OFF LOADING WALKING BOOT, STANDARD PROFILE, PEDIATRIC, SIZE SMALL	each	ITEMIZED	140
865	4224170908700	HEEL OFFLOAD SHOE, TO OFFLOAD WEIGHT AND PRESSURE FROM THE REARFOOT, SIZE 3 - 5	each	ITEMIZED	140
866	4224170908800	HEEL OFFLOAD SHOE, TO OFFLOAD WEIGHT AND PRESSURE FROM THE REARFOOT, SIZE 6 - 7	each	ITEMIZED	140
867	4224170908900	HEEL OFFLOAD SHOE, TO OFFLOAD WEIGHT AND PRESSURE FROM THE REARFOOT, SIZE 8 - 10 +	each	ITEMIZED	140
868	4224150100800	CAST SHOE, OPEN TOE, EXTRA LARGE, 12 INCHES - 13 INCHES APPROXIMATELY	Pair	ITEMIZED	20
869	4224150100600	CAST SHOE, OPEN TOE, LARGE, 11 INCHES - 12 INCHES APPROXIMATELY	Pair	ITEMIZED	750
870	4224150100700	CAST SHOE, OPEN TOE, MEDIUM, 10 INCHES -10 1/2 INCHES APPROXIMATELY	Pair	ITEMIZED	1500
871	4224150300200	CAST SHOE, OPEN TOE, SMALL, 8 INCHES - 8.5 INCHES APPROXIMATELY	each	ITEMIZED	1500
872	4224150300400	CAST SHOE, OPEN TOE, FOREFOOT OFF-LOADING, ASSORTED SIZE	each	ITEMIZED	500
873	4224150300300	CAST SHOE, PEDIATRIC, OPEN TOE, ASSORTED SIZE	each	ITEMIZED	500
874	4214170000900	HEEL OFF-LOADING ORTHOSIS, ULCER PREVENTION, EASY PLACEMENT, COMFORTABLE, BREATHABLE, RELEASES HEEL MALLEUS AND POSSIBLE PRESSURE ON TOES, SOFT STRAPS WITH D-RING/HOOK CLOSURES, EXTRA FOAM PIECE WITH ADHESIVE CAN BE ATTACHED TO SIDE OF BOOT TO PREVENT FOOT ROTATION	each	ITEMIZED	500
875	4618220704600	HEEL UNLOADING BRACE, (PTB) TYPE, CALCANEUS, UNLOADING INTERNAL LINING WITH SILKY TOUCH THAT PREVENTS SLIPPING WHILE ACTS AS CUSHIONING, ADJUSTABLE AND REMOVABLE FITTING TAPES, CUSHIONS THE IMPACT DURING THE STANCE PHASE, DESIGNED FOR THE FUNCTIONAL TREATMENT OF EACH SECTION IN EASY ADAPTATION MATERIAL, TRIM AND FIT FUNCTIONAL TREATMENT OF UNLOADING FOR FRACTURES OF THE CALCANEUS AND TALUS, ASSORTED SIZE AND SIDE	each	ITEMIZED	110
876	4224170107900	SHOES FOR ORTHOSIS, MADE TO ACCOMMODATE ORTHOTIC DEVICES, MADE FROM COW/CALF LEATHER ; SOFT PADDING ; EXTENDED HEEL STIFFENERS ; FULL LEATHER FLAT INSOLE ; LIGHTWEIGHT SOLE ; ANTI-SLIP FULL RUBBER SOLE ; HIGH TOE BOX ; STRONG TOE-CAP ; EXTENDED OPENINGS ; SOFT TONGUE, SIZE 24	Pair	ITEMIZED	1000
877	4224170108000	SHOES FOR ORTHOSIS, MADE TO ACCOMMODATE ORTHOTIC DEVICES, MADE FROM COW/CALF LEATHER ; SOFT PADDING ; EXTENDED HEEL STIFFENERS ; FULL LEATHER FLAT INSOLE ; LIGHTWEIGHT SOLE ; ANTI-SLIP FULL RUBBER SOLE ; HIGH TOE BOX ; STRONG TOE-CAP ; EXTENDED OPENINGS ; SOFT TONGUE, SIZE 26	Pair	ITEMIZED	2250
878	4224170108100	SHOES FOR ORTHOSIS, MADE TO ACCOMMODATE ORTHOTIC DEVICES, MADE FROM COW/CALF LEATHER ; SOFT PADDING ; EXTENDED HEEL STIFFENERS ; FULL LEATHER FLAT INSOLE ; LIGHTWEIGHT SOLE ; ANTI-SLIP FULL RUBBER SOLE ; HIGH TOE BOX ; STRONG TOE-CAP ; EXTENDED OPENINGS ; SOFT TONGUE, SIZE 28	Pair	ITEMIZED	35
879	4224170108200	SHOES FOR ORTHOSIS, MADE TO ACCOMMODATE ORTHOTIC DEVICES, MADE FROM COW/CALF LEATHER ; SOFT PADDING ; EXTENDED HEEL STIFFENERS ; FULL LEATHER FLAT INSOLE ; LIGHTWEIGHT SOLE ; ANTI-SLIP FULL RUBBER SOLE ; HIGH TOE BOX ; STRONG TOE-CAP ; EXTENDED OPENINGS ; SOFT TONGUE, SIZE 30	Pair	ITEMIZED	140
880	4224170108300	SHOES FOR ORTHOSIS, MADE TO ACCOMMODATE ORTHOTIC DEVICES, MADE FROM COW/CALF LEATHER ; SOFT PADDING ; EXTENDED HEEL STIFFENERS ; FULL LEATHER FLAT INSOLE ; LIGHTWEIGHT SOLE ; ANTI-SLIP FULL RUBBER SOLE ; HIGH TOE BOX ; STRONG TOE-CAP ; EXTENDED OPENINGS ; SOFT TONGUE, SIZE 32	Pair	ITEMIZED	35
881	4224170108400	SHOES FOR ORTHOSIS, MADE TO ACCOMMODATE ORTHOTIC DEVICES, MADE FROM COW/CALF LEATHER ; SOFT PADDING ; EXTENDED HEEL STIFFENERS ; FULL LEATHER FLAT INSOLE ; LIGHTWEIGHT SOLE ; ANTI-SLIP FULL RUBBER SOLE ; HIGH TOE BOX ; STRONG TOE-CAP ; EXTENDED OPENINGS ; SOFT TONGUE, SIZE 34	Pair	ITEMIZED	25
882	4224170108500	SHOES FOR ORTHOSIS, MADE TO ACCOMMODATE ORTHOTIC DEVICES, MADE FROM COW/CALF LEATHER ; SOFT PADDING ; EXTENDED HEEL STIFFENERS ; FULL LEATHER FLAT INSOLE ; LIGHTWEIGHT SOLE ; ANTI-SLIP FULL RUBBER SOLE ; HIGH TOE BOX ; STRONG TOE-CAP ; EXTENDED OPENINGS ; SOFT TONGUE, SIZE 36	Pair	ITEMIZED	35
883	4224170108600	SHOES FOR ORTHOSIS, MADE TO ACCOMMODATE ORTHOTIC DEVICES, MADE FROM COW/CALF LEATHER ; SOFT PADDING ; EXTENDED HEEL STIFFENERS ; FULL LEATHER FLAT INSOLE ; LIGHTWEIGHT SOLE ; ANTI-SLIP FULL RUBBER SOLE ; HIGH TOE BOX ; STRONG TOE-CAP ; EXTENDED OPENINGS ; SOFT TONGUE, SIZE 38	Pair	ITEMIZED	130

TENDER NAME: PROSTHESIS AND ORTHOSIS

SN	NUPCO CODE	ITEM DESCRIPTION	UOM	GROUP CATEGORY	INITIAL QUANTITY
884	4224170111500	SHOES FOR ORTHOSIS, MADE TO ACCOMMODATE ORTHOTIC DEVICES, MADE FROM COW/CALF LEATHER ; SOFT PADDING ; EXTENDED HEEL STIFFENERS ; FULL LEATHER FLAT INSOLE ; LIGHTWEIGHT SOLE ; ANTI-SLIP FULL RUBBER SOLE ; HIGH TOE BOX ; STRONG TOE-CAP ; EXTENDED OPENINGS ; SOFT TONGUE, SIZE 40	Pair	ITEMIZED	120
885	4224170111600	SHOES FOR ORTHOSIS, MADE TO ACCOMMODATE ORTHOTIC DEVICES, MADE FROM COW/CALF LEATHER ; SOFT PADDING ; EXTENDED HEEL STIFFENERS ; FULL LEATHER FLAT INSOLE ; LIGHTWEIGHT SOLE ; ANTI-SLIP FULL RUBBER SOLE ; HIGH TOE BOX ; STRONG TOE-CAP ; EXTENDED OPENINGS ; SOFT TONGUE, SIZE 42	Pair	ITEMIZED	120
886	4224170656000	SUPRA MALLEOLAR ORTHOSIS, CUSTOM MADE, COMBO THICKNESS 1-3MM POLYETHYLENE WITH ANKLE FOOT ORTHOSIS THICKNESS 2- 4MM POLYPROPYLENE	each	ITEMIZED	120
887	4224170655900	SUPRA MALLEOLAR ORTHOSIS, CUSTOM MADE, PEDIATRIC, THICKNESS 1-3MM POLYETHYLENE, COLOR UPON REQUEST	each	ITEMIZED	140
888	4618160903900	3/4 INSOLE, ADJUSTABLE ARCH HEIGHT, SIZE 37-38	Pair	ITEMIZED	120
889	4618160904000	3/4 INSOLE, ADJUSTABLE ARCH HEIGHT, SIZE 39-40	Pair	ITEMIZED	120
890	4618160904100	3/4 INSOLE, ADJUSTABLE ARCH HEIGHT, SIZE 41-42	Pair	ITEMIZED	120
891	4618160904200	3/4 INSOLE, ADJUSTABLE ARCH HEIGHT, SIZE 43-44	Pair	ITEMIZED	130
892	4618160904300	3/4 INSOLE, ADJUSTABLE ARCH HEIGHT, SIZE 45-48	Pair	ITEMIZED	120
893	4618160904500	3/4 RIGID INSOLE, PEDIATRIC, SIZE 21-22	Pair	ITEMIZED	10
894	4618160904600	3/4 RIGID INSOLE, PEDIATRIC, SIZE 23-24	Pair	ITEMIZED	10
895	4618160904700	3/4 RIGID INSOLE, PEDIATRIC, SIZE 25	Pair	ITEMIZED	1200
896	4618160904800	3/4 RIGID INSOLE, PEDIATRIC, SIZE 26	Pair	ITEMIZED	1300
897	4618160904900	3/4 RIGID INSOLE, PEDIATRIC, SIZE 27-28	Pair	ITEMIZED	1400
898	4618160905000	3/4 RIGID INSOLE, PEDIATRIC, SIZE 31-32	Pair	ITEMIZED	1300
899	4618160905100	3/4 RIGID INSOLE, PEDIATRIC, SIZE 33-34	Pair	ITEMIZED	1100
900	4618160905200	3/4 RIGID INSOLE, PEDIATRIC, SIZE 35	Pair	ITEMIZED	1150
901	4618160905300	3/4 RIGID INSOLE, PEDIATRIC, SIZE 36	Pair	ITEMIZED	1150
902	4618160900300	RIGID INSOLES, FULL LENGTH, FLEXIBLE AT THE TOE SIDE, PAIR, SIZE (35-37)	Pair	ITEMIZED	1150
903	4618160900200	RIGID INSOLES, FULL LENGTH, FLEXIBLE AT THE TOE SIDE, PAIR, SIZE (37-39)	Pair	ITEMIZED	1150
904	4618160900100	RIGID INSOLES, FULL LENGTH, FLEXIBLE AT THE TOE SIDE, PAIR, SIZE (39-41)	Pair	ITEMIZED	1150
905	4618160900500	RIGID INSOLES, FULL LENGTH, FLEXIBLE AT THE TOE SIDE, PAIR, SIZE (41-44)	Pair	ITEMIZED	1300
906	4618160900400	RIGID INSOLES, FULL LENGTH, FLEXIBLE AT THE TOE SIDE, PAIR, SIZE (44-46)	Pair	ITEMIZED	1300
907	4618160901100	RIGID INSOLES, PEDIATRIC, FULL LENGTH, FLEXIBLE AT THE TOE SIDE, PAIR, SIZE 18	Pair	ITEMIZED	1300
908	4618160901200	RIGID INSOLES, PEDIATRIC, FULL LENGTH, FLEXIBLE AT THE TOE SIDE, PAIR, SIZE 19	Pair	ITEMIZED	1300
909	4618160901300	RIGID INSOLES, PEDIATRIC, FULL LENGTH, FLEXIBLE AT THE TOE SIDE, PAIR, SIZE 20	Pair	ITEMIZED	6000
910	4618160901400	RIGID INSOLES, PEDIATRIC, FULL LENGTH, FLEXIBLE AT THE TOE SIDE, PAIR, SIZE 21	Pair	ITEMIZED	6000
911	4618160908100	RIGID INSOLES, PEDIATRIC, FULL LENGTH, FLEXIBLE AT THE TOE SIDE, PAIR, SIZE 22	Pair	ITEMIZED	6000
912	4224170606600	RIGID INSOLES, PEDIATRIC, FULL LENGTH, FLEXIBLE AT THE TOE SIDE, PAIR, SIZE 23	SET	ITEMIZED	6000
913	4618160901500	RIGID INSOLES, PEDIATRIC, FULL LENGTH, FLEXIBLE AT THE TOE SIDE, PAIR, SIZE 24	Pair	ITEMIZED	6000
914	4618160901600	RIGID INSOLES, PEDIATRIC, FULL LENGTH, FLEXIBLE AT THE TOE SIDE, PAIR, SIZE 25	Pair	ITEMIZED	6000
915	4224170611100	RIGID INSOLES, PEDIATRIC, FULL LENGTH, FLEXIBLE AT THE TOE SIDE, PAIR, SIZE 26	Pair	ITEMIZED	6000
916	4618160901700	RIGID INSOLES, PEDIATRIC, FULL LENGTH, FLEXIBLE AT THE TOE SIDE, PAIR, SIZE 27	Pair	ITEMIZED	6000
917	4224170610900	RIGID INSOLES, PEDIATRIC, FULL LENGTH, FLEXIBLE AT THE TOE SIDE, PAIR, SIZE 28	Pair	ITEMIZED	6000
918	4224170606400	RIGID INSOLES, PEDIATRIC, FULL LENGTH, FLEXIBLE AT THE TOE SIDE, PAIR, SIZE 29	SET	ITEMIZED	6000
919	4224170611000	RIGID INSOLES, PEDIATRIC, FULL LENGTH, FLEXIBLE AT THE TOE SIDE, PAIR, SIZE 30	Pair	ITEMIZED	6000
920	4618160901800	RIGID INSOLES, PEDIATRIC, FULL LENGTH, FLEXIBLE AT THE TOE SIDE, PAIR, SIZE 31	Pair	ITEMIZED	6000
921	4618160901900	RIGID INSOLES, PEDIATRIC, FULL LENGTH, FLEXIBLE AT THE TOE SIDE, PAIR, SIZE 32	Pair	ITEMIZED	6000
922	4224170606300	RIGID INSOLES, PEDIATRIC, FULL LENGTH, FLEXIBLE AT THE TOE SIDE, PAIR, SIZE 33	SET	ITEMIZED	6000
923	4224170611200	RIGID INSOLES, PEDIATRIC, FULL LENGTH, FLEXIBLE AT THE TOE SIDE, PAIR, SIZE 34	Pair	ITEMIZED	6000
924	4618160902000	RIGID INSOLES, PEDIATRIC, FULL LENGTH, FLEXIBLE AT THE TOE SIDE, PAIR, SIZE 35	Pair	ITEMIZED	6000
925	4618160900700	SEMI RIGID INSOLES, FULL LENGTH, FLEXIBLE AT THE TOE SIDE, PAIR, SIZE (35-37)	Pair	ITEMIZED	6000
926	4618160900600	SEMI RIGID INSOLES, FULL LENGTH, FLEXIBLE AT THE TOE SIDE, PAIR, SIZE (37-39)	Pair	ITEMIZED	6000
927	4618160901000	SEMI RIGID INSOLES, FULL LENGTH, FLEXIBLE AT THE TOE SIDE, PAIR, SIZE (39-41)	Pair	ITEMIZED	6000
928	4618160900800	SEMI RIGID INSOLES, FULL LENGTH, FLEXIBLE AT THE TOE SIDE, PAIR, SIZE (41-44)	Pair	ITEMIZED	6000
929	4618160900900	SEMI RIGID INSOLES, FULL LENGTH, FLEXIBLE AT THE TOE SIDE, PAIR, SIZE (44-46)	Pair	ITEMIZED	6000
930	4618160903200	SILICONE INSOLES, FULL LENGTH, DUAL DENSITY PROVIDES CUSHIONING TO HEEL AND METATARSAL HEADS PAIR, PAIR, SIZE 36	each	ITEMIZED	6000
931	4618160903000	SILICONE INSOLES, FULL LENGTH, DUAL DENSITY PROVIDES CUSHIONING TO HEEL AND METATARSAL HEADS PAIR, PAIR, SIZE 38	each	ITEMIZED	6000
932	4618160902800	SILICONE INSOLES, FULL LENGTH, DUAL DENSITY PROVIDES CUSHIONING TO HEEL AND METATARSAL HEADS PAIR, PAIR, SIZE 40	each	ITEMIZED	6000

TENDER NAME: PROSTHESIS AND ORTHOSIS

SN	NUPCO CODE	ITEM DESCRIPTION	UOM	GROUP CATEGORY	INITIAL QUANTITY
933	4618160902700	SILICONE INSOLES, FULL LENGTH, DUAL DENSITY PROVIDES CUSHIONING TO HEEL AND METATARSAL HEADS PAIR, PAIR, SIZE 42	each	ITEMIZED	6000
934	4618160903100	SILICONE INSOLES, FULL LENGTH, DUAL DENSITY PROVIDES CUSHIONING TO HEEL AND METATARSAL HEADS PAIR, PAIR, SIZE 44	each	ITEMIZED	6000
935	4618160903300	SILICONE INSOLES, FULL LENGTH, DUAL DENSITY PROVIDES CUSHIONING TO HEEL AND METATARSAL HEADS PAIR, PAIR, SIZE 46	each	ITEMIZED	6000
936	4618160907900	3/4 SILICONE INSOLE, DUAL DENSITY SILICONE PROVIDES CUSHIONING TO HEEL AND METATARSAL HEADS, PAIR SIZE: EXTRA LARGE	each	ITEMIZED	6000
937	4618160907600	3/4 SILICONE INSOLE, DUAL DENSITY SILICONE PROVIDES CUSHIONING TO HEEL AND METATARSAL HEADS, PAIR SIZE: LARGE	each	ITEMIZED	1300
938	4618160907700	3/4 SILICONE INSOLE, DUAL DENSITY SILICONE PROVIDES CUSHIONING TO HEEL AND METATARSAL HEADS, PAIR SIZE: MEDIUM	each	ITEMIZED	1500
939	4618160907800	3/4 SILICONE INSOLE, DUAL DENSITY SILICONE PROVIDES CUSHIONING TO HEEL AND METATARSAL HEADS, PAIR SIZE: SMALL	each	ITEMIZED	10000
940	4224170601900	HEEL PAD SILICONE, COMFORT, NON-COMPRESSIBLE, DUAL DENSITY, WASHABLE, TRANSFERABLE, HYPOALLERGENIC, NON-TOXIC, NON-FLAMMABLE, ODOR FREE, SIZE EXTRA LARGE	items (Pieces)	ITEMIZED	10000
941	4224170601700	HEEL PAD SILICONE, COMFORT, NON-COMPRESSIBLE, DUAL DENSITY, WASHABLE, TRANSFERABLE, HYPOALLERGENIC, NON-TOXIC, NON-FLAMMABLE, ODOR FREE, SIZE LARGE	items (Pieces)	ITEMIZED	1400
942	4224170601800	HEEL PAD SILICONE, COMFORT, NON-COMPRESSIBLE, DUAL DENSITY, WASHABLE, TRANSFERABLE, HYPOALLERGENIC, NON-TOXIC, NON-FLAMMABLE, ODOR FREE, SIZE MEDIUM	items (Pieces)	ITEMIZED	1300
943	4224170114800	METATARSAL PAD, GEL, PROTECTIVE, ELASTIC BAND, WITH ELASTIC FABRIC, EASY TO USE IN ALL TYPES OF FOOTWEAR, ITS HEART - SHAPED GEL DESIGN ENSURES CUSHIONING THE METATARSAL PART CLOSEST TO THE TOES, THE STITCHING BETWEEN THE FIRST AND SECOND TOE CAN BE UNSEEN DAMPING AND UNLOADING OF THE METATARSAL HEADS, PREVENTS FRICTION AND CHAFING, RELIEVES THE IMPACT ON THE METATARSALS CAUSED BY WALKING AND IMMEDIATELY REDUCES PAIN, PROVIDES A CONSTANT MASSAGE ON SOFT TISSUES AND JOINTS, RELIEF OF THE METATARSAL ZONE, METATARSAL OVERLOADS, METATARSAL CALLUSES, ASSORTED SIZE	each	ITEMIZED	250
944	4224170644200	ORTHOSIS, FOOT METATARSAL PAD, BALL OF FOOT, REGULAR, LARGE	each	ITEMIZED	1150
945	4224170644300	ORTHOSIS, FOOT METATARSAL PAD, BALL OF FOOT, REGULAR, MEDIUM	each	ITEMIZED	500
946	4224200503100	SILICONE LINER, LOCKING FOR TRANSFEMORAL AMPUTEES, WITHOUT SKIN GUARD, SUITABLE FOR AMPUTEES WITH EXCESS SOFT TISSUE, SIZE 280 MM APPROXIMATELY, THICKNESS: 2.5-3 MM	each	ITEMIZED	1500
947	4224200503200	SILICONE LINER, LOCKING FOR TRANSFEMORAL AMPUTEES, WITHOUT SKIN GUARD, SUITABLE FOR AMPUTEES WITH EXCESS SOFT TISSUE, SIZE 300 MM APPROXIMATELY, THICKNESS: 2.5-3 MM	each	ITEMIZED	10000
948	4224200503300	SILICONE LINER, LOCKING FOR TRANSFEMORAL AMPUTEES, WITHOUT SKIN GUARD, SUITABLE FOR AMPUTEES WITH EXCESS SOFT TISSUE, SIZE 320 MM APPROXIMATELY, THICKNESS: 2.5-3 MM	each	ITEMIZED	10000
949	4224200503400	SILICONE LINER, LOCKING FOR TRANSFEMORAL AMPUTEES, WITHOUT SKIN GUARD, SUITABLE FOR AMPUTEES WITH EXCESS SOFT TISSUE, SIZE 340 MM APPROXIMATELY, THICKNESS: 2.5-3 MM	each	ITEMIZED	10000
950	4224200503500	SILICONE LINER, LOCKING FOR TRANSFEMORAL AMPUTEES, WITHOUT SKIN GUARD, SUITABLE FOR AMPUTEES WITH EXCESS SOFT TISSUE, SIZE 360 MM APPROXIMATELY, THICKNESS: 2.5-3 MM	each	ITEMIZED	550
951	4224200503600	SILICONE LINER, LOCKING FOR TRANSFEMORAL AMPUTEES, WITHOUT SKIN GUARD, SUITABLE FOR AMPUTEES WITH EXCESS SOFT TISSUE, SIZE 380 MM APPROXIMATELY, THICKNESS: 2.5-3 MM	each	ITEMIZED	2100
952	4224200503700	SILICONE LINER, LOCKING FOR TRANSFEMORAL AMPUTEES, WITHOUT SKIN GUARD, SUITABLE FOR AMPUTEES WITH EXCESS SOFT TISSUE, SIZE 400 MM APPROXIMATELY, THICKNESS: 2.5-3 MM	each	ITEMIZED	2000
953	4224200506000	SILICONE LINER, LOCKING FOR TRANSFEMORAL AMPUTEES, WITHOUT SKIN GUARD, SUITABLE FOR AMPUTEES WITH EXCESS SOFT TISSUE, SIZE 450 MM APPROXIMATELY, THICKNESS: 2.5-3 MM	each	ITEMIZED	35
954	4224200506100	SILICONE LINER, LOCKING FOR TRANSFEMORAL AMPUTEES, WITHOUT SKIN GUARD, SUITABLE FOR AMPUTEES WITH EXCESS SOFT TISSUE, SIZE 500 MM APPROXIMATELY, THICKNESS: 2.5-3 MM	each	ITEMIZED	65
955	4224200506200	SILICONE LINER, LOCKING FOR TRANSFEMORAL AMPUTEES, WITHOUT SKIN GUARD, SUITABLE FOR AMPUTEES WITH EXCESS SOFT TISSUE, SIZE 550 MM APPROXIMATELY, THICKNESS: 2.5-3 MM	each	ITEMIZED	60
956	4224200433300	SILICONE LINER, CUSHION FOR TRANSFEMORAL AMPUTEES, ANTIBACTERIAL MATERIAL SUITABLE FOR AMPUTEES WITH EXCESS SOFT TISSUE, SIZE 200 MM APPROXIMATELY, THICKNESS: 2.5-3 MM	each	ITEMIZED	40
957	4224200433500	SILICONE LINER, CUSHION FOR TRANSFEMORAL AMPUTEES, ANTIBACTERIAL MATERIAL SUITABLE FOR AMPUTEES WITH EXCESS SOFT TISSUE, SIZE 220 MM APPROXIMATELY, THICKNESS: 2.5-3 MM	each	ITEMIZED	50
958	4224200433700	SILICONE LINER, CUSHION FOR TRANSFEMORAL AMPUTEES, ANTIBACTERIAL MATERIAL SUITABLE FOR AMPUTEES WITH EXCESS SOFT TISSUE, SIZE 240 MM APPROXIMATELY, THICKNESS: 2.5-3 MM	each	ITEMIZED	60
959	4224200433900	SILICONE LINER, CUSHION FOR TRANSFEMORAL AMPUTEES, ANTIBACTERIAL MATERIAL SUITABLE FOR AMPUTEES WITH EXCESS SOFT TISSUE, SIZE 260 MM APPROXIMATELY, THICKNESS: 2.5-3 MM	each	ITEMIZED	90
960	4224200434100	SILICONE LINER, CUSHION FOR TRANSFEMORAL AMPUTEES, ANTIBACTERIAL MATERIAL SUITABLE FOR AMPUTEES WITH EXCESS SOFT TISSUE, SIZE 280 MM APPROXIMATELY, THICKNESS: 2.5-3 MM	each	ITEMIZED	90
961	4224200434300	SILICONE LINER, CUSHION FOR TRANSFEMORAL AMPUTEES, ANTIBACTERIAL MATERIAL SUITABLE FOR AMPUTEES WITH EXCESS SOFT TISSUE, SIZE 300 MM APPROXIMATELY, THICKNESS: 2.5-3 MM	each	ITEMIZED	110
962	4224200434500	SILICONE LINER, CUSHION FOR TRANSFEMORAL AMPUTEES, ANTIBACTERIAL MATERIAL SUITABLE FOR AMPUTEES WITH EXCESS SOFT TISSUE, SIZE 320 MM APPROXIMATELY, THICKNESS: 2.5-3 MM	each	ITEMIZED	85
963	4224200434700	SILICONE LINER, CUSHION FOR TRANSFEMORAL AMPUTEES, ANTIBACTERIAL MATERIAL SUITABLE FOR AMPUTEES WITH EXCESS SOFT TISSUE, SIZE 350 MM APPROXIMATELY, THICKNESS: 2.5-3 MM	each	ITEMIZED	15
964	4224200434900	SILICONE LINER, CUSHION FOR TRANSFEMORAL AMPUTEES, ANTIBACTERIAL MATERIAL SUITABLE FOR AMPUTEES WITH EXCESS SOFT TISSUE, SIZE 380 MM APPROXIMATELY, THICKNESS: 2.5-3 MM	each	ITEMIZED	15

TENDER NAME: PROSTHESIS AND ORTHOSIS

SN	NUPCO CODE	ITEM DESCRIPTION	UOM	GROUP CATEGORY	INITIAL QUANTITY
1057	4224200504300	SILICONE LINER, LOCKING FOR TRANSTIBIAL AMPUTEES, WITH DISTAL CONNECTION, ANTIBACTERIAL MATERIAL SUITABLE FOR AMPUTEES WITH EXCESS SOFT TISSUE, CLOTH COVER, SIZE 200 MM APPROXIMATELY, THICKNESS: 2.5-3 MM	each	ITEMIZED	55
1058	4224200504400	SILICONE LINER, LOCKING FOR TRANSTIBIAL AMPUTEES, WITH DISTAL CONNECTION, ANTIBACTERIAL MATERIAL SUITABLE FOR AMPUTEES WITH EXCESS SOFT TISSUE, CLOTH COVER, SIZE 210 MM APPROXIMATELY, THICKNESS: 2.5-3 MM	each	ITEMIZED	55
1059	4224200504500	SILICONE LINER, LOCKING FOR TRANSTIBIAL AMPUTEES, WITH DISTAL CONNECTION, ANTIBACTERIAL MATERIAL SUITABLE FOR AMPUTEES WITH EXCESS SOFT TISSUE, CLOTH COVER, SIZE 220 MM APPROXIMATELY, THICKNESS: 2.5-3 MM	each	ITEMIZED	50
1060	4224200504600	SILICONE LINER, LOCKING FOR TRANSTIBIAL AMPUTEES, WITH DISTAL CONNECTION, ANTIBACTERIAL MATERIAL SUITABLE FOR AMPUTEES WITH EXCESS SOFT TISSUE, CLOTH COVER, SIZE 235 MM APPROXIMATELY, THICKNESS: 2.5-3 MM	each	ITEMIZED	30
1061	4224200504700	SILICONE LINER, LOCKING FOR TRANSTIBIAL AMPUTEES, WITH DISTAL CONNECTION, ANTIBACTERIAL MATERIAL SUITABLE FOR AMPUTEES WITH EXCESS SOFT TISSUE, CLOTH COVER, SIZE 250 MM APPROXIMATELY, THICKNESS: 2.5-3 MM	each	ITEMIZED	25
1062	4224200504800	SILICONE LINER, LOCKING FOR TRANSTIBIAL AMPUTEES, WITH DISTAL CONNECTION, ANTIBACTERIAL MATERIAL SUITABLE FOR AMPUTEES WITH EXCESS SOFT TISSUE, CLOTH COVER, SIZE 265 MM APPROXIMATELY, THICKNESS: 2.5-3 MM	each	ITEMIZED	45
1063	4224200504900	SILICONE LINER, LOCKING FOR TRANSTIBIAL AMPUTEES, WITH DISTAL CONNECTION, ANTIBACTERIAL MATERIAL SUITABLE FOR AMPUTEES WITH EXCESS SOFT TISSUE, CLOTH COVER, SIZE 280 MM APPROXIMATELY, THICKNESS: 2.5-3 MM	each	ITEMIZED	35
1064	4224200505000	SILICONE LINER, LOCKING FOR TRANSTIBIAL AMPUTEES, WITH DISTAL CONNECTION, ANTIBACTERIAL MATERIAL SUITABLE FOR AMPUTEES WITH EXCESS SOFT TISSUE, CLOTH COVER, SIZE 300 MM APPROXIMATELY, THICKNESS: 2.5-3 MM	each	ITEMIZED	310
1065	4224200505100	SILICONE LINER, LOCKING FOR TRANSTIBIAL AMPUTEES, WITH DISTAL CONNECTION, ANTIBACTERIAL MATERIAL SUITABLE FOR AMPUTEES WITH EXCESS SOFT TISSUE, CLOTH COVER, SIZE 320 MM APPROXIMATELY, THICKNESS: 2.5-3 MM	each	ITEMIZED	250
1066	4224200505200	SILICONE LINER, LOCKING FOR TRANSTIBIAL AMPUTEES, WITH DISTAL CONNECTION, ANTIBACTERIAL MATERIAL SUITABLE FOR AMPUTEES WITH EXCESS SOFT TISSUE, CLOTH COVER, SIZE 340 MM APPROXIMATELY, THICKNESS: 2.5-3 MM	each	ITEMIZED	290
1067	4224200505300	SILICONE LINER, LOCKING FOR TRANSTIBIAL AMPUTEES, WITH DISTAL CONNECTION, ANTIBACTERIAL MATERIAL SUITABLE FOR AMPUTEES WITH EXCESS SOFT TISSUE, CLOTH COVER, SIZE 360 MM APPROXIMATELY, THICKNESS: 2.5-3 MM	each	ITEMIZED	240
1068	4224200505400	SILICONE LINER, LOCKING FOR TRANSTIBIAL AMPUTEES, WITH DISTAL CONNECTION, ANTIBACTERIAL MATERIAL SUITABLE FOR AMPUTEES WITH EXCESS SOFT TISSUE, CLOTH COVER, SIZE 380 MM APPROXIMATELY, THICKNESS: 2.5-3 MM	each	ITEMIZED	230
1069	4224200505500	SILICONE LINER, LOCKING FOR TRANSTIBIAL AMPUTEES, WITH DISTAL CONNECTION, ANTIBACTERIAL MATERIAL SUITABLE FOR AMPUTEES WITH EXCESS SOFT TISSUE, CLOTH COVER, SIZE 400 MM APPROXIMATELY, THICKNESS: 2.5-3 MM	each	ITEMIZED	290
1070	4224200016000	SILICONE LINER, BREATHABLE, CUSHION FOR TRANSTIBIAL AMPUTEES, SUITABLE FOR AMPUTEES WITH EXCESS SOFT TISSUE, CLOTH COVER, THICKNESS: 2.5-3 MM, ASSORTED SIZES	each	ITEMIZED	350
1071	4224200016100	SILICONE LINER, BREATHABLE, LOCKING FOR TRANSTIBIAL AMPUTEES, SUITABLE FOR AMPUTEES WITH EXCESS SOFT TISSUE, CLOTH COVER, THICKNESS: 2.5-3 MM, ASSORTED SIZES	each	ITEMIZED	400
1072	4224171324600	GEL LINER, CUSHION, CONTOURED SHAPE, STRETCHABLE, PROVIDES PRESSURE DISTRIBUTION, REDUCE FRICTION, COMFORT, DURABILITY AND OPTIMAL SOCKET FITTING, THICKNESS: 2.5-3 MM, ASSORTED SIZES	each	ITEMIZED	450
1073	4224171324700	GEL LINER, CUSHION, CONTOURED SHAPE, STRETCHABLE, PROVIDES PRESSURE DISTRIBUTION, REDUCE FRICTION, COMFORT, DURABILITY AND OPTIMAL SOCKET FITTING, THICKNESS: 6 MM, ASSORTED SIZES	each	ITEMIZED	320
1074	4224171324800	GEL LINER, CUSHION, CONTOURED SHAPE, STRETCHABLE, PROVIDES PRESSURE DISTRIBUTION, REDUCE FRICTION, COMFORT, DURABILITY AND OPTIMAL SOCKET FITTING, THICKNESS: 9 MM, ASSORTED SIZES	each	ITEMIZED	400
1075	4224171324900	GEL LINER, CUSHION, TAPERED SHAPE, STRETCHABLE, PROVIDES PRESSURE DISTRIBUTION, REDUCE FRICTION, COMFORT, DURABILITY AND OPTIMAL SOCKET FITTING, THICKNESS: 2.5-3 MM, ASSORTED SIZES	each	ITEMIZED	310
1076	4224171325000	GEL LINER, CUSHION, TAPERED SHAPE, STRETCHABLE, PROVIDES PRESSURE DISTRIBUTION, REDUCE FRICTION, COMFORT, DURABILITY AND OPTIMAL SOCKET FITTING, THICKNESS: 6 MM, ASSORTED SIZES	each	ITEMIZED	350
1077	4224171325100	GEL LINER, CUSHION, TAPERED SHAPE, STRETCHABLE, PROVIDES PRESSURE DISTRIBUTION, REDUCE FRICTION, COMFORT, DURABILITY AND OPTIMAL SOCKET FITTING, THICKNESS: 9 MM, ASSORTED SIZES	each	ITEMIZED	260
1078	4224171324300	GEL LINER, CUSHION, UNIFORM SHAPE, STRETCHABLE, PROVIDES PRESSURE DISTRIBUTION, REDUCE FRICTION, COMFORT, DURABILITY AND OPTIMAL SOCKET FITTING, THICKNESS: 2.5-3 MM, ASSORTED SIZES	each	ITEMIZED	150
1079	4224171324400	GEL LINER, CUSHION, UNIFORM SHAPE, STRETCHABLE, PROVIDES PRESSURE DISTRIBUTION, REDUCE FRICTION, COMFORT, DURABILITY AND OPTIMAL SOCKET FITTING, THICKNESS: 6 MM, ASSORTED SIZES	each	ITEMIZED	10
1080	4224171324500	GEL LINER, CUSHION, UNIFORM SHAPE, STRETCHABLE, PROVIDES PRESSURE DISTRIBUTION, REDUCE FRICTION, COMFORT, DURABILITY AND OPTIMAL SOCKET FITTING, THICKNESS: 9 MM, ASSORTED SIZES	each	ITEMIZED	15
1081	4224171323700	GEL LINER, LOCKING, CONTOURED SHAPE, STRETCHABLE, PROVIDES PRESSURE DISTRIBUTION, REDUCE FRICTION, COMFORT, DURABILITY AND OPTIMAL SOCKET FITTING, THICKNESS: 2.5-3 MM, ASSORTED SIZES	each	ITEMIZED	10
1082	4224171323800	GEL LINER, LOCKING, CONTOURED SHAPE, STRETCHABLE, PROVIDES PRESSURE DISTRIBUTION, REDUCE FRICTION, COMFORT, DURABILITY AND OPTIMAL SOCKET FITTING, THICKNESS: 6 MM, ASSORTED SIZES	each	ITEMIZED	15
1083	4224171323900	GEL LINER, LOCKING, CONTOURED SHAPE, STRETCHABLE, PROVIDES PRESSURE DISTRIBUTION, REDUCE FRICTION, COMFORT, DURABILITY AND OPTIMAL SOCKET FITTING, THICKNESS: 9 MM, ASSORTED SIZES	each	ITEMIZED	10
1084	4224171324000	GEL LINER, LOCKING, TAPERED SHAPE, STRETCHABLE, PROVIDES PRESSURE DISTRIBUTION, REDUCE FRICTION, COMFORT, DURABILITY AND OPTIMAL SOCKET FITTING, THICKNESS: 2.5-3 MM, ASSORTED SIZES	each	ITEMIZED	10
1085	4224171324100	GEL LINER, LOCKING, TAPERED SHAPE, STRETCHABLE, PROVIDES PRESSURE DISTRIBUTION, REDUCE FRICTION, COMFORT, DURABILITY AND OPTIMAL SOCKET FITTING, THICKNESS: 6 MM, ASSORTED SIZES	each	ITEMIZED	15
1086	4224171324200	GEL LINER, LOCKING, TAPERED SHAPE, STRETCHABLE, PROVIDES PRESSURE DISTRIBUTION, REDUCE FRICTION, COMFORT, DURABILITY AND OPTIMAL SOCKET FITTING, THICKNESS: 9 MM, ASSORTED SIZES	each	ITEMIZED	10

TENDER NAME: PROSTHESIS AND ORTHOSIS

SN	NUPCO CODE	ITEM DESCRIPTION	UOM	GROUP CATEGORY	INITIAL QUANTITY
1087	4224171323400	GEL LINER, LOCKING, UNIFORM SHAPE, STRETCHABLE, PROVIDES PRESSURE DISTRIBUTION, REDUCE FRICTION, COMFORT, DURABILITY AND OPTIMAL SOCKET FITTING, THICKNESS: 2.5-3 MM, ASSORTED SIZES	each	ITEMIZED	15
1088	4224171323500	GEL LINER, LOCKING, UNIFORM SHAPE, STRETCHABLE, PROVIDES PRESSURE DISTRIBUTION, REDUCE FRICTION, COMFORT, DURABILITY AND OPTIMAL SOCKET FITTING, THICKNESS: 6 MM, ASSORTED SIZES	each	ITEMIZED	15
1089	4224171323600	GEL LINER, LOCKING, UNIFORM SHAPE, STRETCHABLE, PROVIDES PRESSURE DISTRIBUTION, REDUCE FRICTION, COMFORT, DURABILITY AND OPTIMAL SOCKET FITTING, THICKNESS: 9 MM, ASSORTED SIZES	each	ITEMIZED	15
1090	4224200008100	PROXIMAL SEALING SYSTEM, PROSEAL OR EQUIVALENT IS A PROXIMAL VACUUM SOCKET SEALING SYSTEM FOR USE IN TRANSFEMORAL FITTINGS, WHICH DISTINGUISHES ITSELF THROUGH SIMPLICITY AND EXCELLENT WEARER COMFORT, SIZE 320 MM	each	ITEMIZED	10
1091	4224200008200	PROXIMAL SEALING SYSTEM, PROSEAL OR EQUIVALENT IS A PROXIMAL VACUUM SOCKET SEALING SYSTEM FOR USE IN TRANSFEMORAL FITTINGS, WHICH DISTINGUISHES ITSELF THROUGH SIMPLICITY AND EXCELLENT WEARER COMFORT, SIZE 340 MM	each	ITEMIZED	10
1092	4224200008300	PROXIMAL SEALING SYSTEM, PROSEAL OR EQUIVALENT IS A PROXIMAL VACUUM SOCKET SEALING SYSTEM FOR USE IN TRANSFEMORAL FITTINGS, WHICH DISTINGUISHES ITSELF THROUGH SIMPLICITY AND EXCELLENT WEARER COMFORT, SIZE 360 MM	each	ITEMIZED	15
1093	4224200008400	PROXIMAL SEALING SYSTEM, PROSEAL OR EQUIVALENT IS A PROXIMAL VACUUM SOCKET SEALING SYSTEM FOR USE IN TRANSFEMORAL FITTINGS, WHICH DISTINGUISHES ITSELF THROUGH SIMPLICITY AND EXCELLENT WEARER COMFORT, SIZE 380 MM	each	ITEMIZED	10
1094	4224200008500	PROXIMAL SEALING SYSTEM, PROSEAL OR EQUIVALENT IS A PROXIMAL VACUUM SOCKET SEALING SYSTEM FOR USE IN TRANSFEMORAL FITTINGS, WHICH DISTINGUISHES ITSELF THROUGH SIMPLICITY AND EXCELLENT WEARER COMFORT, SIZE 400 MM	each	ITEMIZED	15
1095	4224171310700	PROXIMAL SEALING SYSTEM, PROSEAL OR EQUIVALENT IS A PROXIMAL VACUUM SOCKET SEALING SYSTEM FOR USE IN TRANSFEMORAL FITTINGS, WHICH DISTINGUISHES ITSELF THROUGH SIMPLICITY AND EXCELLENT WEARER COMFORT, SIZE 420 MM	each	ITEMIZED	10
1096	4224171310900	PROXIMAL SEALING SYSTEM, PROSEAL OR EQUIVALENT IS A PROXIMAL VACUUM SOCKET SEALING SYSTEM FOR USE IN TRANSFEMORAL FITTINGS, WHICH DISTINGUISHES ITSELF THROUGH SIMPLICITY AND EXCELLENT WEARER COMFORT, SIZE 440 MM	each	ITEMIZED	10
1097	4224171311100	PROXIMAL SEALING SYSTEM, PROSEAL OR EQUIVALENT IS A PROXIMAL VACUUM SOCKET SEALING SYSTEM FOR USE IN TRANSFEMORAL FITTINGS, WHICH DISTINGUISHES ITSELF THROUGH SIMPLICITY AND EXCELLENT WEARER COMFORT, SIZE 460 MM	each	ITEMIZED	35
1098	4224171311200	PROXIMAL SEALING SYSTEM, PROSEAL OR EQUIVALENT IS A PROXIMAL VACUUM SOCKET SEALING SYSTEM FOR USE IN TRANSFEMORAL FITTINGS, WHICH DISTINGUISHES ITSELF THROUGH SIMPLICITY AND EXCELLENT WEARER COMFORT, SIZE 480 MM	each	ITEMIZED	15
1099	4224171311300	PROXIMAL SEALING SYSTEM, PROSEAL OR EQUIVALENT IS A PROXIMAL VACUUM SOCKET SEALING SYSTEM FOR USE IN TRANSFEMORAL FITTINGS, WHICH DISTINGUISHES ITSELF THROUGH SIMPLICITY AND EXCELLENT WEARER COMFORT, SIZE 560 MM	each	ITEMIZED	15
1100	4224171311400	PROXIMAL SEALING SYSTEM, PROSEAL OR EQUIVALENT IS A PROXIMAL VACUUM SOCKET SEALING SYSTEM FOR USE IN TRANSFEMORAL FITTINGS, WHICH DISTINGUISHES ITSELF THROUGH SIMPLICITY AND EXCELLENT WEARER COMFORT, SIZE 580 MM	each	ITEMIZED	10
1101	4618230600000	HARNESS, PAVLIK WITH SOFT INNER LINING AND HOOK - AND - LOOP FASTENERS FOR SECURE ADJUSTMENT, SIZE LARGE	each	ITEMIZED	10
1102	4224170201000	HARNESS, PAVLIK WITH SOFT INNER LINING AND HOOK - AND - LOOP FASTENERS FOR SECURE ADJUSTMENT, SIZE MEDIUM	each	ITEMIZED	10
1103	4224170201100	HARNESS, PAVLIK WITH SOFT INNER LINING AND HOOK - AND - LOOP FASTENERS FOR SECURE ADJUSTMENT, SIZE SMALL	each	ITEMIZED	15
1104	4224200407000	DISTAL CUP, SILICONE, FOR USE ON CONICAL STUMPS THAT REQUIRE VOLUME BUILD - UP, SIZE: 26 CM APPROXIMATELY	each	ITEMIZED	15
1105	4224200406900	DISTAL CUP, SILICONE, FOR USE ON CONICAL STUMPS THAT REQUIRE VOLUME BUILD - UP, SIZE: 24 CM APPROXIMATELY	each	ITEMIZED	15
1106	4224171319200	DONNING SHEATH FOR TRANSFEMORAL PROSTHESIS WASHABLE SIZE XX-LARGE	each	ITEMIZED	15
1107	4224171318800	DONNING SHEATH FOR TRANSFEMORAL PROSTHESIS WASHABLE SIZE: LARGE	each	ITEMIZED	15
1108	4224171318900	DONNING SHEATH FOR TRANSFEMORAL PROSTHESIS WASHABLE SIZE: MEDIUM	each	ITEMIZED	70
1109	4224171319100	DONNING SHEATH FOR TRANSFEMORAL PROSTHESIS WASHABLE SIZE X-LARGE	each	ITEMIZED	100
1110	4224171320100	DONNING SHEATH FOR TRANSFEMORAL PROSTHESIS WASHABLE SIZE: EXTRA SMALL	each	ITEMIZED	150
1111	4224171319000	DONNING SHEATH, FOR TRANSFEMORAL PROSTHESIS, WASHABLE, SIZE: SMALL	each	ITEMIZED	130
1112	4224171320700	DONNING SHEATH, ARM, WASHABLE, SIZE PEDIATRIC	each	ITEMIZED	130
1113	4224171320900	DONNING SHEATH, ARM, WASHABLE, SIZE TRANSHUMERAL	each	ITEMIZED	140
1114	4224171320800	DONNING SHEATH, ARM, WASHABLE, SIZE TRANSRADIAL	each	ITEMIZED	150
1115	4224200015800	LOCK MAGNOFLEX OR EQUIVALENT THE STRAIGHTFORWARD PIN GUIDE ELIMINATES THE ARDUOUS TASK OF SEARCHING FOR THE OPENING IN THE SHUTTLE LOCK 1 - STEP FABRICATION: QUICK AND STRAIGHTFORWARD INTEGRATION INTO THE PROSTHESIS THE OPTIONAL SLIDER PLATE MAKES IT EASIER TO OPTIMIZE THE PROSTHESIS SETTINGS AREA OF APPLICATION: TRANSFEMORAL AND TRANSTIBIAL AMPUTATION SYSTEM HEIGHT: 25 MM MAXIMUM BODY WEIGHT: 125 KG	each	ITEMIZED	150
1116	4224200009300	LOCK SET FOR SILICONE ARM LINER	each	ITEMIZED	140
1117	4224200037400	SHUTTLE LOCK WITH PYRAMID, ATTACHED OUTSIDE SOCKET, ALUMINUM BODY	each	ITEMIZED	35
1118	4224200504100	SHUTTLE LOCK, FOR SILICONE LINER, WITH DISTAL ADJUSTABLE PYRAMID COMPLETE SET, TO CONNECTION BETWEEN THE LINER AND PROSTHESIS, SYSTEM HEIGHT: 25 MM APPROXIMATELY, INCLUDING LAMINATION DUMMY SET WITH SCREW, FOR BODY WEIGHT UP TO 120 KG	SET	ITEMIZED	150
1119	4224200015600	SHUTTLE LOCK, PLASTIC, LIGHTWEIGHT, WATER-RESISTANT, EASY TO UNLOCK RATCHET UNIT UNDER TENSILE LOAD, LOCKING IS CONTINUOUSLY VARIABLE, CONTINUOUSLY VARIABLE LOCKING MECHANISM FOR SECURE SUPPORT, LOCK HAS NO WEIGHT LIMIT AND IS EMBEDDED DIRECTLY IN THE SOCKET, IT IS USED WITH LINERS HAVING A DISTAL CONNECTION FOR LIGHTWEIGHT PLASTIC HOUSING, THEREFORE SUITABLE FOR USE IN BATHING PROSTHESIS	SET	ITEMIZED	50
1120	4224200015700	SHUTTLE LOCK, WITH SERRATED PIN CARTIER, ALUMINUM HOUSING, EASY TO UNLOCK, RATCHET UNIT EVEN UNDER TENSILE LOAD, CONTINUOUSLY VARIABLE LOCKING MECHANISM FOR SECURE SUPPORT, ADJUSTABLE, ENGAGES SILENTLY, OR AUDIBLY	SET	ITEMIZED	55
1121	4224200504200	SHUTTLE LOCK, FOR SILICONE LINER, WITH DISTAL ADJUSTABLE SCREW COMPLETE SET, TO CONNECTION BETWEEN THE LINER AND PROSTHESIS, SYSTEM HEIGHT: 79 MM APPROXIMATELY, INCLUDING LAMINATION DUMMY SET WITH SCREW, FOR BODY WEIGHT UP TO 120 KG	SET	ITEMIZED	50
1122	4224200010900	SOCKET SUSPENSION SYSTEM, KISS LANYARD, FOR TRANSFEMORAL / TRANSTIBIAL AMPUTATIONS, CAN BE DONNED WHILE SITTING, SUITED, FOR GERIATRIC USERS	each	ITEMIZED	75

TENDER NAME: PROSTHESIS AND ORTHOSIS

SN	NUPCO CODE	ITEM DESCRIPTION	UOM	GROUP CATEGORY	INITIAL QUANTITY
1123	4224200113500	ELEVATED VACUUM SYSTEM, PREVENTS VOLUME LOSS AND MINIMIZES VOLUME FLUCTUATIONS IN THE RESIDUAL LIMB, TUBE CLAMP 34 MM, SYSTEM HEIGHT 95 MM, FOR BODY WEIGHT UP TO 125 KG, INCLUDING SEALING SLEEVE AND LINER W/ COMPLETE ACCESSORIES AND TRAINING	Kit	ITEMIZED	75
1124	4224200010800	ELEVATED VACUUM SYSTEM, PREVENTS VOLUME LOSS, AND MINIMIZES VOLUME FLUCTUATIONS, IN THE RESIDUAL LIMB, INCLUDES, PATIENT ASSESSMENT, AT CUSTOMERS PREMISES, MEASURING, INCLUDES ALL REQUIRED MATERIALS/COMPONENTS, TO FABRICATE PROSTHESIS, DELIVERY, FITTING BY CERTIFIED ORTHOTIST, IN MULTIPLE CLINICS, AND DIFFERENT REGIONS WITH FOLLOW UP	Kit	ITEMIZED	15
1125	4618150500100	KNEE SLEEVES, DERMA PROTECTION AND DERMA PROFLEX ARE MADE FROM A COPOLYMER GEL KNEE SLEEVES, PROVIDE INCREASED SUSPENSION BETWEEN SOCKET AND SKIN WHILE THEIR ELASTICITY ALLOWS A GOOD RANGE OF MOTION AT THE KNEE JOINT, CAN BE USED AS PRIMARY SUSPENSION OR WITH A VALVE OR THE HARMONY SYSTEM, THE COPOLYMER GEL IS MOLDED WITH A MEDICAL MINERAL OIL WHICH HAS A BENEFICIAL EFFECT ON THE SKIN DURING WEAR THE OIL, SLOWLY DIFFUSES FROM THE GEL THUS LUBRICATING AND MOISTURIZING THE SKIN OR EQUIVALENT. SIZE: 1	each	ITEMIZED	1200
1126	4618150500200	KNEE SLEEVES, DERMA PROTECTION AND DERMA PROFLEX ARE MADE FROM A COPOLYMER GEL KNEE SLEEVES, PROVIDE INCREASED SUSPENSION BETWEEN SOCKET AND SKIN WHILE THEIR ELASTICITY ALLOWS A GOOD RANGE OF MOTION AT THE KNEE JOINT, CAN BE USED AS PRIMARY SUSPENSION OR WITH A VALVE OR THE HARMONY SYSTEM, THE COPOLYMER GEL IS MOLDED WITH A MEDICAL MINERAL OIL WHICH HAS A BENEFICIAL EFFECT ON THE SKIN DURING WEAR THE OIL, SLOWLY DIFFUSES FROM THE GEL THUS LUBRICATING AND MOISTURIZING THE SKIN OR EQUIVALENT. SIZE: 2	each	ITEMIZED	230
1127	4618150500300	KNEE SLEEVES, DERMA PROTECTION AND DERMA PROFLEX ARE MADE FROM A COPOLYMER GEL KNEE SLEEVES, PROVIDE INCREASED SUSPENSION BETWEEN SOCKET AND SKIN WHILE THEIR ELASTICITY ALLOWS A GOOD RANGE OF MOTION AT THE KNEE JOINT, CAN BE USED AS PRIMARY SUSPENSION OR WITH A VALVE OR THE HARMONY SYSTEM, THE COPOLYMER GEL IS MOLDED WITH A MEDICAL MINERAL OIL WHICH HAS A BENEFICIAL EFFECT ON THE SKIN DURING WEAR THE OIL, SLOWLY DIFFUSES FROM THE GEL THUS LUBRICATING AND MOISTURIZING THE SKIN OR EQUIVALENT. SIZE: 3	each	ITEMIZED	130
1128	4618150500400	KNEE SLEEVES, DERMA PROTECTION AND DERMA PROFLEX ARE MADE FROM A COPOLYMER GEL KNEE SLEEVES, PROVIDE INCREASED SUSPENSION BETWEEN SOCKET AND SKIN WHILE THEIR ELASTICITY ALLOWS A GOOD RANGE OF MOTION AT THE KNEE JOINT, CAN BE USED AS PRIMARY SUSPENSION OR WITH A VALVE OR THE HARMONY SYSTEM, THE COPOLYMER GEL IS MOLDED WITH A MEDICAL MINERAL OIL WHICH HAS A BENEFICIAL EFFECT ON THE SKIN DURING WEAR THE OIL, SLOWLY DIFFUSES FROM THE GEL THUS LUBRICATING AND MOISTURIZING THE SKIN OR EQUIVALENT. SIZE: 4	each	ITEMIZED	450
1129	4224200408000	PROSTHETIC SEALING SLEEVE, TRANSTIBIAL, PLUS FLAT SEAM REGULAR PROFLEX OR EQUIVALENT, KNEE CONICAL SHAPE THE SEALING SLEEVE IS TAPERED BOTH FROM THE DISTAL END TOWARDS THE KNEE AS WELL AS FROM THE KNEE TOWARDS THE PROXIMAL END THIS INCREASES THE GRIP ON THE PROSTHETIC SOCKET AND AT THE SAME TIME REDUCES PRESSURE ON THE THIGH KNEE CENTER CIRCUMFERENCE 24 - 32 CM SIZE 1	each	ITEMIZED	160
1130	4224200408100	PROSTHETIC SEALING SLEEVE, TRANSTIBIAL, PLUS FLAT SEAM REGULAR PROFLEX OR EQUIVALENT, KNEE CONICAL SHAPE THE SEALING SLEEVE IS TAPERED BOTH FROM THE DISTAL END TOWARDS THE KNEE AS WELL AS FROM THE KNEE TOWARDS THE PROXIMAL END THIS INCREASES THE GRIP ON THE PROSTHETIC SOCKET AND AT THE SAME TIME REDUCES PRESSURE ON THE THIGH KNEE CENTER CIRCUMFERENCE 30 - 40 CM SIZE 1	each	ITEMIZED	60
1131	4224200408200	PROSTHETIC SEALING SLEEVE, TRANSTIBIAL, PLUS FLAT SEAM REGULAR PROFLEX OR EQUIVALENT, KNEE CONICAL SHAPE THE SEALING SLEEVE IS TAPERED BOTH FROM THE DISTAL END TOWARDS THE KNEE AS WELL AS FROM THE KNEE TOWARDS THE PROXIMAL END THIS INCREASES THE GRIP ON THE PROSTHETIC SOCKET AND AT THE SAME TIME REDUCES PRESSURE ON THE THIGH KNEE CENTER CIRCUMFERENCE 36 - 47 CM SIZE 1	each	ITEMIZED	10
1132	4224200408300	PROSTHETIC SEALING SLEEVE, TRANSTIBIAL, PLUS FLAT SEAM SHORT PROFLEX OR EQUIVALENT, KNEE CONICAL SHAPE THE SEALING SLEEVE IS TAPERED BOTH FROM THE DISTAL END TOWARDS THE KNEE AS WELL AS FROM THE KNEE TOWARDS THE PROXIMAL END THIS INCREASES THE GRIP ON THE PROSTHETIC SOCKET AND AT THE SAME TIME REDUCES PRESSURE ON THE THIGH KNEE CENTER CIRCUMFERENCE 24 - 32 CM SIZE 1	each	ITEMIZED	310
1133	4224200408400	PROSTHETIC SEALING SLEEVE, TRANSTIBIAL, PLUS FLAT SEAM SHORT PROFLEX OR EQUIVALENT, KNEE CONICAL SHAPE THE SEALING SLEEVE IS TAPERED BOTH FROM THE DISTAL END TOWARDS THE KNEE AS WELL AS FROM THE KNEE TOWARDS THE PROXIMAL END THIS INCREASES THE GRIP ON THE PROSTHETIC SOCKET AND AT THE SAME TIME REDUCES PRESSURE ON THE THIGH KNEE CENTER CIRCUMFERENCE 30 - 40 CM SIZE 1	each	ITEMIZED	310
1134	4224200408500	PROSTHETIC SEALING SLEEVE, TRANSTIBIAL, PLUS FLAT SEAM SHORT PROFLEX OR EQUIVALENT, KNEE CONICAL SHAPE THE SEALING SLEEVE IS TAPERED BOTH FROM THE DISTAL END TOWARDS THE KNEE AS WELL AS FROM THE KNEE TOWARDS THE PROXIMAL END THIS INCREASES THE GRIP ON THE PROSTHETIC SOCKET AND AT THE SAME TIME REDUCES PRESSURE ON THE THIGH KNEE CENTER CIRCUMFERENCE 36 - 47 CM SIZE 1	each	ITEMIZED	310
1135	4224170307000	PROSTHETIC SUSPENSION BELT, TRANSFEMORAL, NEOPRENE ADHESIVE STRIP, SIZE HIP CIRCUMFERENCE 58 - 65 CM APPROXIMATELY LEFT	each	ITEMIZED	310
1136	4224170306800	PROSTHETIC SUSPENSION BELT, TRANSFEMORAL, NEOPRENE ADHESIVE STRIP, SIZE HIP CIRCUMFERENCE 58 - 65 CM APPROXIMATELY RIGHT	each	ITEMIZED	70
1137	4224171307500	PROSTHETIC SUSPENSION BELT, TRANSFEMORAL, NEOPRENE ADHESIVE STRIP, SIZE HIP CIRCUMFERENCE 60 - 74 CM APPROXIMATELY RIGHT	each	ITEMIZED	70
1138	4224171307400	PROSTHETIC SUSPENSION BELT, TRANSFEMORAL, NEOPRENE ADHESIVE STRIP, SIZE HIP CIRCUMFERENCE 60-74 CM APPROXIMATELY LEFT	each	ITEMIZED	70
1139	4224171307600	PROSTHETIC SUSPENSION BELT, TRANSFEMORAL, NEOPRENE ADHESIVE STRIP, SIZE HIP CIRCUMFERENCE 66-80 CM APPROXIMATELY LEFT	each	ITEMIZED	30
1140	4224171307700	PROSTHETIC SUSPENSION BELT, TRANSFEMORAL, NEOPRENE ADHESIVE STRIP, SIZE HIP CIRCUMFERENCE 66-80 CM APPROXIMATELY RIGHT	each	ITEMIZED	30
1141	4224171307800	PROSTHETIC SUSPENSION BELT, TRANSFEMORAL, NEOPRENE ADHESIVE STRIP, SIZE HIP CIRCUMFERENCE 76-90 CM APPROXIMATELY LEFT	each	ITEMIZED	30
1142	4224171307900	PROSTHETIC SUSPENSION BELT, TRANSFEMORAL, NEOPRENE ADHESIVE STRIP, SIZE HIP CIRCUMFERENCE 76-90 CM APPROXIMATELY RIGHT	each	ITEMIZED	310
1143	4224171308000	PROSTHETIC SUSPENSION BELT, TRANSFEMORAL, NEOPRENE ADHESIVE STRIP, SIZE HIP CIRCUMFERENCE 86 - 100 CM APPROXIMATELY LEFT	each	ITEMIZED	350
1144	4224171308100	PROSTHETIC SUSPENSION BELT, TRANSFEMORAL, NEOPRENE ADHESIVE STRIP, SIZE HIP CIRCUMFERENCE 86 - 100 CM APPROXIMATELY RIGHT	each	ITEMIZED	15
1145	4224170306900	SLEEVE TRANSFEMORAL NEOPRENE SUSPENSION SIZE XX-LARGE LEFT	each	ITEMIZED	20
1146	4224171308800	SLEEVE, PAIR OF SUSPENSION, TWO - WAY STRETCH FOR BELOW KNEE AMPUTATION PROSTHESIS, LENGTH 250 MM, LOWER CIRCUMFERENCE 310 MM, UPPER CIRCUMFERENCE 410 MM, APPROXIMATELY	each	ITEMIZED	15
1147	4224171308600	SLEEVE, PAIR OF SUSPENSION, TWO - WAY STRETCH FOR BELOW KNEE AMPUTATION PROSTHESIS, LENGTH 250 MM, LOWER CIRCUMFERENCE 295 MM, UPPER CIRCUMFERENCE 425 MM, APPROXIMATELY	each	ITEMIZED	15
1148	4224171308700	SLEEVE, PAIR OF SUSPENSION, TWO - WAY STRETCH FOR BELOW KNEE AMPUTATION PROSTHESES, LENGTH 250 MM, LOWER CIRCUMFERENCE 310 MM, UPPER CIRCUMFERENCE 440 MM, APPROXIMATELY	each	ITEMIZED	15
1149	4214280210800	SLEEVE, PAIR OF SUSPENSION, TWO - WAY STRETCH FOR BELOW KNEE AMPUTATION PROSTHESES, LENGTH 250 MM, LOWER CIRCUMFERENCE 325 MM, UPPER CIRCUMFERENCE 455 MM, APPROXIMATELY	each	ITEMIZED	20

TENDER NAME: PROSTHESIS AND ORTHOSIS

SN	NUPCO CODE	ITEM DESCRIPTION	UOM	GROUP CATEGORY	INITIAL QUANTITY
1150	422420006000	SUCTION VALVE FOR FLEXIBLE SOCKETS, AUTO EXPULSION THREADED BODY PUSH BUTTON RELEASE	SET	ITEMIZED	15
1151	4224200006100	SUCTION VALVE FOR SOCKETS, PUSH BUTTON RELEASE TRANSTIBIAL	each	ITEMIZED	15
1152	4224200015900	THREADED VALVE WITH HOUSING FOR VACUUM FORMING, PUSH BUTTON RELEASE WITH HOUSING	each	ITEMIZED	300
1153	4224200408600	PROTECTION SEALING SLEEVE, TRANSTIBIAL, HYPOBARIC, PROVIDES EXTREME WEAR AND TEAR STRENGTH AND DURABILITY WHILE ALLOWING RADIAL STRETCH AND COMFORTABLE ELASTICITY VASELINE AND ALOE VERA ARE INCORPORATED IN DERMASIL SILICONE, LOW TO HIGH IMPACT, LEVEL: K1 AND K2 AND K3 AND K4, ASSORTED SIZE	each	ITEMIZED	1000
1154	4224170308600	NEOPRENE TRANSFEMORAL SUSPENSION SLEEVE, SIZE MEDIUM, LEFT	each	ITEMIZED	1400
1155	4224200407900	NEOPRENE TRANSFEMORAL SUSPENSION SLEEVE, SIZE SMALL, LEFT	each	ITEMIZED	2000
1156	4224200431700	A PROSTHETIC SOCKS (STRETCHABLE) DESIGNED TO BE WORN UNDER A SUSPENSION LINER NEXT TO THE SKIN. RELIEVES SKIN SHEAR IRRITATIONS AND IMPROVES COMFORT WITH LINERS. SIZE EXTRA SHORT	each	ITEMIZED	1000
1157	4224200431800	A PROSTHETIC SOCKS (STRETCHABLE) DESIGNED TO BE WORN UNDER A SUSPENSION LINER NEXT TO THE SKIN. RELIEVES SKIN SHEAR IRRITATIONS AND IMPROVES COMFORT WITH LINERS. SIZE SHORT	each	ITEMIZED	850
1158	4224200401100	ELASTIC NYLON SOCKS, WITH INNER POLYMER GEL COATING FOR TRANSTIBIA AMPUTATION, SOCKS LENGTH 500 MM, GEL LENGTH 330 MM, DISTAL CIRCUMFERENCE 270 - 400 MM, PROXIMAL CIRCUMFERENCE 270 - 450 MM, APPROXIMATELY	each	ITEMIZED	950
1159	4224200400600	ELASTIC NYLON SOCKS, WITH INNER POLYMER GEL COATING FOR TRANSTIBIAL AMPUTATION, SOCKS LENGTH 400 MM, GEL LENGTH 200 MM, DISTAL CIRCUMFERENCE 160 - 220 MM, PROXIMAL CIRCUMFERENCE 160 - 250 MM, APPROXIMATELY	each	ITEMIZED	450
1160	4224200401000	ELASTIC NYLON SOCKS, WITH INNER POLYMER GEL COATING FOR TRANSTIBIAL AMPUTATION, SOCKS LENGTH 450 MM, GEL LENGTH 250 MM, DISTAL CIRCUMFERENCE 200 - 310 MM, PROXIMAL CIRCUMFERENCE 200 - 350 MM, APPROXIMATELY	each	ITEMIZED	310
1161	4224200400700	ELASTIC NYLON SOCKS, WITH INNER POLYMER GEL COATING FOR TRANSTIBIAL AMPUTATION, SOCKS LENGTH 450 MM, GEL LENGTH 250 MM, DISTAL CIRCUMFERENCE 230 - 350 MM, PROXIMAL CIRCUMFERENCE 230 - 400 MM, APPROXIMATELY	each	ITEMIZED	240
1162	4224200430900	PROSTHETIC BELOW KNEE STUMP SOCKS MEDIUM LONG REGULAR, 85 % COTTON, 15% LYCRA (LENGTH 22-26 INCH), TOE WIDTH 3 ½ INCH TOP WIDTH 6-6 ½ INCH), 1 PLY	each	ITEMIZED	240
1163	4224200431500	PROSTHETIC BELOW KNEE STUMP SOCKS MEDIUM LONG REGULAR, 85 % COTTON, 15% LYCRA (LENGTH 22-26 INCH), TOE WIDTH 3 ½ INCH TOP WIDTH 6-6 ½ INCH), 5 PLY	each	ITEMIZED	10
1164	4224200431200	PROSTHETIC BELOW KNEE STUMP SOCKS MEDIUM LONG REGULAR, 85 % COTTON, 15% LYCRA(LENGTH 22-26 INCH), TOE WIDTH 3 ½ INCH TOP WIDTH 6-6 ½ INCH), 3 PLY	each	ITEMIZED	10
1165	4224200430800	PROSTHETIC BELOW KNEE STUMP SOCKS MEDIUM REGULAR, 85 % COTTON, 15% LYCRA (LENGTH 16-20 INCH), TOE WIDTH 3 ½ INCH, TOP WIDTH 6-6 ½ INCH), 1 PLY	each	ITEMIZED	450
1166	4224200431100	PROSTHETIC BELOW KNEE STUMP SOCKS MEDIUM REGULAR, 85 % COTTON, 15% LYCRA (LENGTH 16-20 INCH), TOE WIDTH 3 ½ INCH, TOP WIDTH 6-6 ½ INCH), 3 PLY	each	ITEMIZED	320
1167	4224200431400	PROSTHETIC BELOW KNEE STUMP SOCKS MEDIUM REGULAR, 85 % COTTON, 15% LYCRA (LENGTH 16-20 INCH), TOE WIDTH 3 ½ INCH, TOP WIDTH 6-6 ½ INCH), 5 PLY	each	ITEMIZED	400
1168	4224200431600	PROSTHETIC BELOW KNEE STUMP SOCKS MEDIUM SHORT, 85 % COTTON, 15% LYCRA (LENGTH 10-14 INCH, TOE WIDTH 3 ½ INCH TOP WIDTH 6-6 ½ INCH), 5 PLY	each	ITEMIZED	550
1169	4224200431300	PROSTHETIC BELOW KNEE STUMP SOCKS MEDIUM SHORT, 85 % COTTON, 15% LYCRA(LENGTH 10-14 INCH APPROXIMATELY, TOE WIDTH 3 ½ INCH TOP WIDTH 6-6 ½ INCH) APPROXIMATELY, 3 PLY	each	ITEMIZED	10
1170	4224200431000	PROSTHETIC BELOW KNEE STUMP SOCKS MEDIUM SHORT, 85 % COTTON, 15% LYCRA(LENGTH 10-14 INCH, TOE WIDTH 3 ½ INCH TOP WIDTH 6-6 ½ INCH), 1 PLY	each	ITEMIZED	25
1171	4224200402000	RESIDUAL LIMB SOCK WITH SILICONE FOR ADDITIONAL PROTECTION OF BONY AREAS AND 2 LAYERS OF COOLMAX FABRIC, DERMA SEAL DOUBLE FORTE, SIZE 1	each	ITEMIZED	25
1172	4224200402200	RESIDUAL LIMB SOCK WITH SILICONE FOR ADDITIONAL PROTECTION OF BONY AREAS AND 2 LAYERS OF COOLMAX FABRIC, DERMA SEAL DOUBLE FORTE, SIZE 2	each	ITEMIZED	10
1173	4224200402400	RESIDUAL LIMB SOCK WITH SILICONE FOR ADDITIONAL PROTECTION OF BONY AREAS AND 2 LAYERS OF COOLMAX FABRIC, DERMA SEAL DOUBLE FORTE, SIZE 3	each	ITEMIZED	25
1174	4224200402100	RESIDUAL LIMB SOCK WITH SILICONE FOR ADDITIONAL PROTECTION OF BONY AREAS AND 2 LAYERS OF COOLMAX FABRIC, DERMA SEAL DOUBLE FORTE, SIZE 10	each	ITEMIZED	25
1175	4224200402300	RESIDUAL LIMB SOCK WITH SILICONE FOR ADDITIONAL PROTECTION OF BONY AREAS AND 2 LAYERS OF COOLMAX FABRIC, DERMA SEAL DOUBLE FORTE, SIZE 20	each	ITEMIZED	25
1176	4224200402500	RESIDUAL LIMB SOCK WITH SILICONE FOR ADDITIONAL PROTECTION OF BONY AREAS, DERMA SEAL FORTE, SIZE 1	each	ITEMIZED	25
1177	4224200402600	RESIDUAL LIMB SOCK WITH SILICONE FOR ADDITIONAL PROTECTION OF BONY AREAS, DERMA SEAL FORTE, SIZE 2	each	ITEMIZED	10
1178	4224200402700	RESIDUAL LIMB SOCK WITH SILICONE FOR ADDITIONAL PROTECTION OF BONY AREAS, DERMA SEAL FORTE, SIZE 3	each	ITEMIZED	40
1179	4224200402800	RESIDUAL LIMB SOCK WITH SILICONE FOR ADDITIONAL PROTECTION OF BONY AREAS, DERMA SEAL FORTE, SIZE 4	each	ITEMIZED	40
1180	4224200402900	RESIDUAL LIMB SOCK WITH SILICONE FOR ADDITIONAL PROTECTION OF BONY AREAS, DERMA SEAL FORTE, SIZE 5	each	ITEMIZED	30
1181	4224200403000	RESIDUAL LIMB SOCK, WITH SILICONE FOR ADDITIONAL PROTECTION OF BONY AREAS, DERMA SEAL FORTE, SIZE 6	each	ITEMIZED	40
1182	4224200403100	RESIDUAL LIMB SOCK, WITH SILICONE FOR ADDITIONAL PROTECTION OF BONY AREAS, DERMA SEAL FORTE, SIZE 7	each	ITEMIZED	30
1183	4224200405900	SOCK, COMPRESSION, SHRINKER, TRANSFEMORAL, RESIDUAL LIMB, CLASS 1 SIZE: XX-LARGE, ASSORTED LENGTH	each	ITEMIZED	80
1184	4224200406500	SOCK, COMPRESSION, SHRINKER, TRANSTIBIAL, RESIDUAL LIMB, CLASS 1 SIZE: XX-LARGE, ASSORTED LENGTH	each	ITEMIZED	80
1185	4224200405700	SOCK, COMPRESSION, SHRINKER, TRANSFEMORAL, RESIDUAL LIMB, CLASS 1 SIZE: X-LARGE, ASSORTED LENGTH	each	ITEMIZED	110
1186	4224200405500	SOCK, COMPRESSION, SHRINKER, TRANSFEMORAL, RESIDUAL LIMB, CLASS 1 SIZE: LARGE, ASSORTED LENGTH	each	ITEMIZED	110
1187	4224200405600	SOCK, COMPRESSION, SHRINKER, TRANSFEMORAL, RESIDUAL LIMB, CLASS 1 SIZE: MEDIUM, ASSORTED LENGTH	each	ITEMIZED	80
1188	4224200454000	SOCK, COMPRESSION, SHRINKER, TRANSFEMORAL, RESIDUAL LIMB, CLASS 1 SIZE: SMALL, ASSORTED LENGTH	each	ITEMIZED	80
1189	4224200405800	SOCK, COMPRESSION, SHRINKER, TRANSFEMORAL, RESIDUAL LIMB, CLASS 1 SIZE: X-SMALL, ASSORTED LENGTH	each	ITEMIZED	80
1190	4224200406300	SOCK, COMPRESSION, SHRINKER, TRANSTIBIAL, RESIDUAL LIMB, CLASS 1 SIZE: X-LARGE, ASSORTED LENGTH	each	ITEMIZED	250
1191	4224200406000	SOCK, COMPRESSION, SHRINKER, TRANSTIBIAL, RESIDUAL LIMB, CLASS 1 SIZE: LARGE, ASSORTED LENGTH	each	ITEMIZED	170
1192	4224200406100	SOCK, COMPRESSION, SHRINKER, TRANSTIBIAL, RESIDUAL LIMB, CLASS 1 SIZE: MEDIUM, ASSORTED LENGTH	each	ITEMIZED	260
1193	4224200406200	SOCK, COMPRESSION, SHRINKER, TRANSTIBIAL, RESIDUAL LIMB, CLASS 1 SIZE: SMALL, ASSORTED LENGTH	each	ITEMIZED	260
1194	4224200406400	SOCK, COMPRESSION, SHRINKER, TRANSTIBIAL, RESIDUAL LIMB, CLASS 1 SIZE: X-SMALL, ASSORTED LENGTH	each	ITEMIZED	150

TENDER NAME: PROSTHESIS AND ORTHOSIS

SN	NUPCO CODE	ITEM DESCRIPTION	UOM	GROUP CATEGORY	INITIAL QUANTITY
1195	4224200410300	SOCK, COMPRESSION, SHRINKER, TRANSFEMORAL, RESIDUAL LIMB, CLASS 2 SIZE: XX-LARGE, LENGTH 30 CM APPROXIMATELY	each	ITEMIZED	10
1196	4224200409700	SOCK, COMPRESSION, SHRINKER, TRANSFEMORAL, RESIDUAL LIMB, CLASS 2 SIZE: X-LARGE, LENGTH 30 CM APPROXIMATELY	each	ITEMIZED	35
1197	4224200410000	SOCK, COMPRESSION, SHRINKER, TRANSFEMORAL, RESIDUAL LIMB, CLASS 2 SIZE: X-SMALL, LENGTH 30 CM APPROXIMATELY	each	ITEMIZED	260
1198	4224200410600	SOCK, COMPRESSION, SHRINKER, TRANSFEMORAL, RESIDUAL LIMB, CLASS 2 SIZE: LARGE, LENGTH 20 CM APPROXIMATELY	each	ITEMIZED	260
1199	4224200410700	SOCK, COMPRESSION, SHRINKER, TRANSFEMORAL, RESIDUAL LIMB, CLASS 2 SIZE: LARGE, LENGTH 25 CM APPROXIMATELY	each	ITEMIZED	250
1200	4224200408800	SOCK, COMPRESSION, SHRINKER, TRANSFEMORAL, RESIDUAL LIMB, CLASS 2 SIZE: LARGE, LENGTH 30 CM APPROXIMATELY	each	ITEMIZED	140
1201	4224200409100	SOCK, COMPRESSION, SHRINKER, TRANSFEMORAL, RESIDUAL LIMB, CLASS 2 SIZE: MEDIUM, LENGTH 30 CM APPROXIMATELY	each	ITEMIZED	35
1202	4224200409400	SOCK, COMPRESSION, SHRINKER, TRANSFEMORAL, RESIDUAL LIMB, CLASS 2 SIZE: SMALL, LENGTH 30 CM APPROXIMATELY	each	ITEMIZED	180
1203	4224200403800	SOCK, COTTON, MULTIPLE PLY, RESIDUAL LIMB, 20 CM APPROXIMATELY	each	ITEMIZED	180
1204	4224200403900	SOCK, COTTON, MULTIPLE PLY, RESIDUAL LIMB, 25 CM APPROXIMATELY	each	ITEMIZED	65
1205	4224200404000	SOCK, COTTON, MULTIPLE PLY, RESIDUAL LIMB, 30 CM APPROXIMATELY	each	ITEMIZED	180
1206	4224200404100	SOCK, COTTON, MULTIPLE PLY, RESIDUAL LIMB, 35 CM APPROXIMATELY	each	ITEMIZED	180
1207	4224200404200	SOCK, COTTON, MULTIPLE PLY, RESIDUAL LIMB, 40 CM APPROXIMATELY	each	ITEMIZED	180
1208	4224200404300	SOCK, COTTON, MULTIPLE PLY, RESIDUAL LIMB, 45 CM APPROXIMATELY	each	ITEMIZED	170
1209	4224200404400	SOCK, COTTON, MULTIPLE PLY, RESIDUAL LIMB, 50 CM APPROXIMATELY	each	ITEMIZED	65
1210	4224200404500	SOCK, COTTON, MULTIPLE PLY, RESIDUAL LIMB, 60 CM APPROXIMATELY	each	ITEMIZED	120
1211	4224200403600	SOCK, NYLON, MULTIPLE PLY, PROTECTIVE, LENGTH 20 CM APPROXIMATELY	each	ITEMIZED	130
1212	4224200403700	SOCK, NYLON, MULTIPLE PLY, PROTECTIVE, LENGTH 25 CM APPROXIMATELY	each	ITEMIZED	1050
1213	4224200403400	SOCK, NYLON, MULTIPLE PLY, PROTECTIVE, LENGTH 30 CM APPROXIMATELY	each	ITEMIZED	150
1214	4224200403500	SOCK, NYLON, MULTIPLE PLY, PROTECTIVE, LENGTH 35 CM APPROXIMATELY	each	ITEMIZED	1100
1215	4224200403200	SOCK, NYLON, MULTIPLE PLY, PROTECTIVE, LENGTH 40 CM APPROXIMATELY	each	ITEMIZED	110
1216	4224200403300	SOCK, NYLON, MULTIPLE PLY, PROTECTIVE, LENGTH 45 CM APPROXIMATELY	each	ITEMIZED	85
1217	4224200400800	SOCKS, MULTIPLE PLY, WOOL, TRANSIBIAL AMPUTATION, NATURAL LENGTH 35 CM, UPPER WIDTH 15 CM APPROXIMATELY, LOWER WIDTH 9 CM APPROXIMATELY	each	ITEMIZED	85
1218	4224200400900	SOCKS, MULTIPLE PLY, WOOL, TRANSIBIAL AMPUTATION, NATURAL LENGTH 45 CM, UPPER WIDTH 15 CM APPROXIMATELY, LOWER WIDTH 9 CM APPROXIMATELY	each	ITEMIZED	110
1219	4224200401200	SOCKS, MULTIPLE PLY, WOOL, TRANSIBIAL AMPUTATION, NATURAL LENGTH 50 CM, UPPER WIDTH 15 CM APPROXIMATELY, LOWER WIDTH 9 CM APPROXIMATELY	each	ITEMIZED	85
1220	4224200407100	SOCKS, MULTIPLE PLY, TERRY CLOTH, WHITE, THIN - WALLED FOR TRANSIBIAL AMPUTATION, LENGTH 20 CM APPROXIMATELY	each	ITEMIZED	110
1221	4224200407200	SOCKS, MULTIPLE PLY, TERRY CLOTH, WHITE, THIN - WALLED FOR TRANSIBIAL AMPUTATION, LENGTH 25 CM APPROXIMATELY	each	ITEMIZED	85
1222	4224200401600	SOCKS, MULTIPLE PLY, TERRY CLOTH, WHITE, THIN - WALLED FOR TRANSIBIAL AMPUTATION, LENGTH 30 CM APPROXIMATELY	each	ITEMIZED	85
1223	4224200407600	SOCKS, MULTIPLE PLY, TERRY CLOTH, WHITE, THIN - WALLED FOR TRANSIBIAL AMPUTATION, LENGTH 45 CM APPROXIMATELY	each	ITEMIZED	85
1224	4224200401400	SOCKS, MULTIPLE PLY, TERRY CLOTH, WHITE, THIN - WALLED FOR TRANSIBIAL AMPUTATION, LENGTH 40 CM APPROXIMATELY	each	ITEMIZED	1900
1225	4224200407400	SOCKS, MULTIPLE PLY, TERRY CLOTH, WHITE, THIN - WALLED FOR TRANSIBIAL AMPUTATION, LENGTH 35 CM APPROXIMATELY	each	ITEMIZED	1900
1226	4224200401500	SOCKS, MULTIPLE PLY, TERRY CLOTH, WHITE, THIN - WALLED FOR TRANSIBIAL AMPUTATION, LENGTH 50 CM APPROXIMATELY	each	ITEMIZED	900
1227	4224200401300	SOCKS, MULTIPLE PLY, TERRY CLOTH, WHITE, THIN - WALLED FOR TRANSIBIAL AMPUTATION, LENGTH 60 CM APPROXIMATELY	each	ITEMIZED	75
1228	4224200430600	SOCKS, WITH DISTAL HOLE, TERRY CLOTH, FOR USING WITH LINERS WITH A CONNECTOR, TRANSFEMORAL AMPUTATION, LENGTH 30 CM APPROXIMATELY	each	ITEMIZED	75
1229	4224200430700	SOCKS, WITH DISTAL HOLE, TERRY CLOTH, FOR USING WITH LINERS WITH A CONNECTOR, TRANSFEMORAL AMPUTATION, LENGTH 40 CM APPROXIMATELY	each	ITEMIZED	2500
1230	4224200430400	SOCKS, WITH DISTAL HOLE, TERRY CLOTH, FOR USING WITH LINERS WITH A CONNECTOR, TRANSIBIAL AMPUTATION, LENGTH 30 CM APPROXIMATELY	each	ITEMIZED	100
1231	4224200430500	SOCKS, WITH DISTAL HOLE, TERRY CLOTH, FOR USING WITH LINERS WITH A CONNECTOR, TRANSIBIAL AMPUTATION, LENGTH 40 CM APPROXIMATELY	each	ITEMIZED	2500
1232	4224200404600	SOCK, STRETCHABLE, FOR LISFRANC/CHOPART AMPUTATION, SEAMLESS DISTAL END OF SOCK, HAS POLYMER GEL FOR PROTECTION OF BONY AREAS, DERMA SEAL TRANS PED, SIZE: SMALL STANDARD	each	ITEMIZED	120
1233	4224200401900	SOCKS, ELASTIC, FABRIC, WITH INNER POLYMER GEL COATING FOR TRANSIBIAL AMPUTATION, SOCKS LENGTH 650 MM, GEL LENGTH 250 MM, DISTAL CIRCUMFERENCE 150 - 220 MM, PROXIMAL CIRCUMFERENCE 220 - 320 MM, APPROXIMATELY	each	ITEMIZED	1900
1234	4224200430300	STOCKINGS, COSMETIC, FOR BELOW KNEE PROSTHESIS, SIZE 1, LENGTH 38.5 CM, APPROXIMATELY	each	ITEMIZED	1200
1235	4224200405100	STOCKINGS, COSMETIC, FOR BELOW KNEE PROSTHESIS, SIZE 2, LENGTH 40.5 CM, APPROXIMATELY	each	ITEMIZED	10
1236	4224200426200	STOCKINGS, COSMETIC, FOR BELOW KNEE PROSTHESIS, SIZE 3, LENGTH 44.5 CM, APPROXIMATELY	each	ITEMIZED	10
1237	4224200405200	STOCKINGS, NYLON, COSMETIC, TRANSFEMORAL, FOR PEDIATRIC, 34 CM APPROXIMATELY	each	ITEMIZED	10
1238	4224200405300	STOCKINGS, NYLON, COSMETIC, TRANSFEMORAL, FOR PEDIATRIC, 37 CM APPROXIMATELY	each	ITEMIZED	10
1239	4224200405400	STOCKINGS, NYLON, COSMETIC, TRANSFEMORAL, FOR PEDIATRIC, 44 CM APPROXIMATELY	each	ITEMIZED	65
1240	4618153501300	STOCKINGS, NYLON, WITH TOPBAND, ARE INTENDED FOR THE OUTER COSMETIC FINISH OF MODULAR KNEE DISARTICULATION PROSTHESIS AND TRANSFEMORAL PROSTHESIS, LENGTH 100-105 CM, FOOT LENGTH 18-19 CM, SIZE HIP DISARTICULATION, LIGHT BROWN	Pair	ITEMIZED	90
1241	4618153500300	STOCKINGS, NYLON, WITH TOPBAND, ARE INTENDED FOR THE OUTER COSMETIC FINISH OF MODULAR KNEE DISARTICULATION PROSTHESIS AND TRANSFEMORAL PROSTHESIS, LENGTH 59 CM, FOOT LENGTH 18-20 CM, BEIGE	Pair	ITEMIZED	10

TENDER NAME: PROSTHESIS AND ORTHOSIS

SN	NUPCO CODE	ITEM DESCRIPTION	UOM	GROUP CATEGORY	INITIAL QUANTITY
1242	4618153500400	STOCKINGS, NYLON, WITH TOPBAND, ARE INTENDED FOR THE OUTER COSMETIC FINISH OF MODULAR KNEE DISARTICULATION PROSTHESIS AND TRANSFEMORAL PROSTHESIS, LENGTH 59 CM, FOOT LENGTH 18-20 CM, LIGHT BROWN	Pair	ITEMIZED	120
1243	4618153500500	STOCKINGS, NYLON, WITH TOPBAND, ARE INTENDED FOR THE OUTER COSMETIC FINISH OF MODULAR KNEE DISARTICULATION PROSTHESIS AND TRANSFEMORAL PROSTHESIS, LENGTH 61-62 CM, FOOT LENGTH 19-20 CM, BEIGE	Pair	ITEMIZED	10
1244	4618153500600	STOCKINGS, NYLON, WITH TOPBAND, ARE INTENDED FOR THE OUTER COSMETIC FINISH OF MODULAR KNEE DISARTICULATION PROSTHESIS AND TRANSFEMORAL PROSTHESIS, LENGTH 61-62 CM, FOOT LENGTH 19-20 CM, LIGHT BROWN	Pair	ITEMIZED	400
1245	4618153500700	STOCKINGS, NYLON, WITH TOPBAND, ARE INTENDED FOR THE OUTER COSMETIC FINISH OF MODULAR KNEE DISARTICULATION PROSTHESIS AND TRANSFEMORAL PROSTHESIS, LENGTH 66 CM, FOOT LENGTH 20-21 CM, BEIGE	Pair	ITEMIZED	400
1246	4618153500800	STOCKINGS, NYLON, WITH TOPBAND, ARE INTENDED FOR THE OUTER COSMETIC FINISH OF MODULAR KNEE DISARTICULATION PROSTHESIS AND TRANSFEMORAL PROSTHESIS, LENGTH 66 CM, FOOT LENGTH 20-21 CM, LIGHT BROWN	Pair	ITEMIZED	400
1247	4618153500900	STOCKINGS, NYLON, WITH TOPBAND, ARE INTENDED FOR THE OUTER COSMETIC FINISH OF MODULAR KNEE DISARTICULATION PROSTHESIS AND TRANSFEMORAL PROSTHESIS, LENGTH 72 CM, FOOT LENGTH 20-21 CM, BEIGE	Pair	ITEMIZED	60
1248	4618153501000	STOCKINGS, NYLON, WITH TOPBAND, ARE INTENDED FOR THE OUTER COSMETIC FINISH OF MODULAR KNEE DISARTICULATION PROSTHESIS AND TRANSFEMORAL PROSTHESIS, LENGTH 72 CM, FOOT LENGTH 20-21 CM, LIGHT BROWN	Pair	ITEMIZED	140
1249	4618153501100	STOCKINGS, NYLON, WITH TOPBAND, ARE INTENDED FOR THE OUTER COSMETIC FINISH OF MODULAR KNEE DISARTICULATION PROSTHESIS AND TRANSFEMORAL PROSTHESIS, LENGTH 83-84 CM, FOOT LENGTH 20-21 CM, BEIGE	Pair	ITEMIZED	120
1250	4618153501200	STOCKINGS, NYLON, WITH TOPBAND, ARE INTENDED FOR THE OUTER COSMETIC FINISH OF MODULAR KNEE DISARTICULATION PROSTHESIS AND TRANSFEMORAL PROSTHESIS, LENGTH 83-84 CM, FOOT LENGTH 20-21 CM, LIGHT BROWN	Pair	ITEMIZED	150
1251	4224171202500	COVER, FOAM, PEDIATRIC, ABOVE KNEE, TRANSFEMORAL	each	ITEMIZED	120
1252	4224171202400	COVER, FOAM, PEDIATRIC, BELOW KNEE, TRANSTIBIAL	each	ITEMIZED	150
1253	4224171200800	FOAM COVER COSMETIC PURE FLEXIBLE FOAM SLIGHTLY PREFORMED TAN COLOR 30 DEGREES KNEE FLEXION WITH CENTER HOLE PROXIMALLY TO FLAME RESISTANCE FOR MODULAR TRANS - FEMORAL AND HIP DISARTICULATION PROSTHESIS LEFT SIDE WITH CALF CIRCUMFERENCE 44 CM APPROXIMATELY	each	ITEMIZED	120
1254	4224200406600	NYLON CONNECTOR, CONNECTION PIECE FOR COSMETIC FOAM, PERLON CONNECTION, 1	each	ITEMIZED	150
1255	4224200406700	NYLON CONNECTOR, CONNECTION PIECE FOR COSMETIC FOAM, PERLON CONNECTION, 2	each	ITEMIZED	120
1256	4224200406800	NYLON CONNECTOR, CONNECTION PIECE FOR COSMETIC FOAM, PERLON CONNECTION, 3	each	ITEMIZED	150
1257	4224200010300	CONNECTION PLATE, GLUED TO THE COSMETIC FOAM COVER AND SNAPPED ONTO THE ADAPTER	each	ITEMIZED	120
1258	4224200012300	VACUUM, FORMING, TOOL, FOR UPPER EXTREMITY USED, OUTER Q, 26 CM APPROXIMATELY	each	ITEMIZED	320
1259	4224152003100	DOUBLE TUBULAR RIVET (SPEED RIVET), CAP AND LOWER PART CLOSED, IRON NICKEL PLATED, 11 MM X 9 MM APPROXIMATELY	each	ITEMIZED	320
1260	4224152003000	DOUBLE TUBULAR RIVET (SPEED RIVET), CAP AND LOWER PART CLOSED, IRON NICKEL PLATED, 13 MM X 12 MM APPROXIMATELY	each	ITEMIZED	400
1261	4224152003200	DOUBLE TUBULAR RIVET (SPEED RIVET), CAP AND LOWER PART CLOSED, IRON NICKEL PLATED, 9 MM X 9 MM APPROXIMATELY	each	ITEMIZED	25
1262	422420006300	TUBULAR RIVET (SPEED RIVET), CAP CLOSED, LOWER PART OPEN, STEEL, WITH MALE AND FEMALE PARTS, HEAD DIAMETER 8 MM, LENGTH 9 M APPROXIMATELY	each	ITEMIZED	35
1263	4224200300200	FOUR HOLE MALE PYRAMID, ALUMINUM WITH STAINLESS STEEL INSERT, HEIGHT 23 MM APPROXIMATELY, WEIGHT CAPACITY IS UP TO 100 KG	each	ITEMIZED	30
1264	4224200007300	LAMINATION ANCHOR WITH PYRAMID RECEIVER ALUMINUM USED IN TRANSTIBIAL AND TRANSFEMORAL PROSTHESIS FOR CHILDREN AND IS LAMINATED INTO THE SOCKET SYSTEM HEIGHT: 35 MM FOR BODY WEIGHT UP TO 45 KG.	each	ITEMIZED	3000
1265	4224200007500	LAMINATION ANCHOR WITH PYRAMID ROTATABLE STAINLESS STEEL SYSTEM HEIGHT: 2 MM WEIGHT: UP TO 170 GRAMS APPROXIMATELY FOR BODY WEIGHT UP TO 150 KG.	each	ITEMIZED	10
1266	4224200007600	LAMINATION ANCHOR WITH PYRAMID ROTATABLE STAINLESS STEEL USED TO CONNECT THE PROSTHETIC SOCKET TO THE DISTAL PROSTHETIC COMPONENTS SYSTEM HEIGHT: 3 MM APPROXIMATELY WEIGHT: UP TO 180 GRAMS FOR BODY WEIGHT UP TO 125 KG.	each	ITEMIZED	20000
1267	4224200010500	LAMINATION ANCHOR, PEDIATRIC, WITH PYRAMID FOR TRANSTIBIAL AND TRANSFEMORAL	each	ITEMIZED	20000
1268	4224200021700	MALE INSERT PYRAMID FOR PRONG, STAINLESS STEEL, INSERT HEIGHT 31 MM APPROXIMATELY, WEIGHT UP TO 100 GRAMS, WEIGHT CAPACITY IS UP TO 100 KG	each	ITEMIZED	15000
1269	4224200509700	ADAPTER, 4 - HOLE, ALUMINUM, HEIGHT 11 MM APPROXIMATELY, WEIGHT CAPACITY IS UP TO 100 KG	each	ITEMIZED	15000
1270	4224200021900	ADAPTER, 4 - HOLE, THREADED TOP, ALUMINUM, HEIGHT 22 MM APPROXIMATELY, WEIGHT CAPACITY IS UP TO 100 KG	each	ITEMIZED	65
1271	4224200510100	ADAPTER, FEMALE, SINGLE, SHORT, ALUMINUM, HEIGHT 200 MM APPROXIMATELY, AND CAN BE CUT TO LENGTH 60 MM, WEIGHT CAPACITY IS UP TO 100 KG	each	ITEMIZED	140
1272	4224200509800	ADAPTER, SINGLE, MALE, SHORT, ALUMINUM WITH STAINLESS STEEL PYRAMID INSERT, HEIGHT 50 MM APPROXIMATELY, WEIGHT CAPACITY IS UP TO 100 KG	each	ITEMIZED	90
1273	4224200509900	ADAPTER, MALE, SINGLE, LONG, ALUMINUM, WITH STAINLESS STEEL, PYRAMID INSERT, HEIGHT 77 MM APPROXIMATELY, AND CAN BE CUT TO 70 MM, WEIGHT CAPACITY IS UP TO 100 KG	each	ITEMIZED	450
1274	4224200508500	ADAPTER, DOUBLE WITH PYRAMID, TITANIUM, FUNCTIONAL, HEIGHT 30 MM APPROXIMATELY	each	ITEMIZED	15
1275	4224200300000	ADAPTER, DOUBLE, TITANIUM, ABOVE AND BELOW WITH FOUR EACH ADJUSTMENT SCREWS FOR CONNECTION BETWEEN TWO PYRAMID ADAPTERS, HEIGHT: 69 MM APPROXIMATELY, FOR BODY WEIGHT UP TO 150 KG	items (Pieces)	ITEMIZED	110
1276	4224200504000	ADAPTER DOUBLE TITANIUM ABOVE AND BELOW WITH FOUR EACH ADJUSTMENT SCREWS FOR CONNECTION BETWEEN TWO PYRAMID ADAPTERS SYSTEM HEIGHT: 82 MM APPROXIMATELY, BODY WEIGHT UP TO 150 KG	each	ITEMIZED	70
1277	4224200503800	ADAPTER DOUBLE TITANIUM ABOVE AND BELOW WITH FOUR EACH ADJUSTMENT SCREWS FOR CONNECTION BETWEEN TWO PYRAMID ADAPTERS SYSTEM HEIGHT: 97 MM APPROXIMATELY, BODY WEIGHT UP TO 150 KG	each	ITEMIZED	65
1278	4224200503900	ADAPTER DOUBLE TITANIUM ABOVE AND BELOW WITH FOUR EACH ADJUSTMENT SCREWS FOR CONNECTION BETWEEN TWO PYRAMID ADAPTERS SYSTEM HEIGHT: 112 MM APPROXIMATELY, BODY WEIGHT UP TO 150 KG	each	ITEMIZED	10
1279	4224200510200	ADAPTER, FEMALE, DOUBLE, ALUMINUM, HEIGHT 32 MM APPROXIMATELY, WEIGHT CAPACITY IS UP TO 100 KG	each	ITEMIZED	35
1280	4224200510300	ADAPTER, DOUBLE, FEMALE, ALUMINUM, HEIGHT 45 MM APPROXIMATELY, WEIGHT CAPACITY IS UP TO 100 KG	each	ITEMIZED	30

TENDER NAME: PROSTHESIS AND ORTHOSIS

SN	NUPCO CODE	ITEM DESCRIPTION	UOM	GROUP CATEGORY	INITIAL QUANTITY
1281	4224200510400	ADAPTER, DOUBLE, FEMALE, ALUMINUM, HEIGHT 60 MM APPROXIMATELY, WEIGHT CAPACITY IS UP TO 100 KG	each	ITEMIZED	35
1282	4224200510500	ADAPTER, DOUBLE, FEMALE, ALUMINUM, HEIGHT 75 MM APPROXIMATELY, WEIGHT CAPACITY IS UP TO 100 KG	each	ITEMIZED	750
1283	4224200510600	ADAPTER, MALE, DOUBLE, ALUMINUM, WITH STAINLESS STEEL, PYRAMID INSERT, HEIGHT 41 MM APPROXIMATELY, WEIGHT CAPACITY IS UP TO 100 KG	each	ITEMIZED	900
1284	4224200006500	ADAPTER, DOUBLE, MALE/MALE 32 MM STAINLESS STEEL SYSTEM HEIGHT: 32 MM APPROXIMATELY, FOR BODY WEIGHT UP TO 150 KG	each	ITEMIZED	800
1285	4224200007200	ADAPTER, DOUBLE, TITANIUM MALE/FEMALE SYSTEM HEIGHT: 36 MM FOR BODY WEIGHT UP TO 150 KG	each	ITEMIZED	850
1286	4224200510900	ADAPTER, MALE - FEMALE, DOUBLE, WITH 8 MM OFFSET, AND 10 DEGREES ANGLE, STAINLESS STEEL, HEIGHT 40 MM APPROXIMATELY, WEIGHT CAPACITY IS UP TO 125 KG	each	ITEMIZED	10
1287	4224200510700	ADAPTER, SACH FOOT, ALUMINUM, WITH STAINLESS STEEL, PYRAMID INSERT, HEIGHT 25 MM APPROXIMATELY, WEIGHT CAPACITY IS UP TO 100 KG	each	ITEMIZED	160
1288	4224200510800	ADAPTER, SHIFT, WITH TITANIUM, HEIGHT 60 MM APPROXIMATELY, WEIGHT CAPACITY IS UP TO 100 KG	each	ITEMIZED	160
1289	4224200508000	ADAPTER, SOCKET WITH FOUR ADJUSTMENT SET SCREW S, TITANIUM	each	ITEMIZED	160
1290	4224200508100	ADAPTER, SOCKET, PEDIATRIC, FOR TRANSTIBIAL AND TRANSFEMORAL	each	ITEMIZED	45
1291	4219180300600	ADAPTER, SOCKET, PEDIATRIC, WITH FOUR ADJUSTMENT SET SCREWS	each	ITEMIZED	230
1292	4224200507900	ADAPTER, SOCKET, ROTATABLE, TITANIUM, APPLICATION AS FOR SOCKET ADAPTER, WITH ADJUSTMENT SET SCREW S	each	ITEMIZED	140
1293	4224200300100	ADAPTER, TUBE CLAMP, TITANIUM WITH 4 ADJUSTMENT SET SCREWS INNER DIAMETER 30 MM APPROXIMATELY SYSTEM HEIGHT: 33 MM APPROXIMATELY FOR BODY WEIGHT UP TO 100 KG	each	ITEMIZED	50
1294	4224200508600	ADAPTER, TUBE CLAMP, FEMALE, TITANIUM, MOVABLE, 34 MM	each	ITEMIZED	210
1295	4224200508300	ADAPTER, TUBE CLAMP, PEDIATRIC	each	ITEMIZED	160
1296	4224200508400	ADAPTER, TUBE CLAMP, PEDIATRIC, WITH UPPER PYRAMID AND LOWER TUBE CLAMP WITH CLAMP SCREW FOR TRANSTIBIAL PROSTHESIS	each	ITEMIZED	60
1297	4224171317000	TUBE ADAPTER, ALUMINUM, FOR CHILDREN, FOR FOOT ADAPTER, TUBE LENGTH 300 MM APPROXIMATELY WITH FOUR ADJUSTMENT SET SCREWS	each	ITEMIZED	75
1298	4224171317100	TUBE ADAPTER, ALUMINUM, FOR CHILDREN, FOR FOOT ADAPTER, TUBE LENGTH 260 MM APPROXIMATELY WITH FOUR ADJUSTMENT SET SCREWS	each	ITEMIZED	140
1299	4224171317200	TUBE ADAPTER, FOR CHILDREN, ANGLED, FOR MODULAR HIP JOINT, TUBE LENGTH 200 MM APPROXIMATELY, WITH FOUR ADJUSTMENT SET SCREWS	each	ITEMIZED	35
1300	4224171309000	TUBE ADAPTER TITANIUM MINIMUM SYSTEM HEIGHT: 97 MM APPROXIMATELY, MAXIMUM SYSTEM HEIGHT: 232 MM APPROXIMATELY DIAMETER: 30 MM APPROXIMATELY WEIGHT: 160 G APPROXIMATELY FOR BODY WEIGHT UP TO 100 KG	each	ITEMIZED	2500
1301	4224171309100	TUBE ADAPTER TITANIUM MINIMUM SYSTEM HEIGHT: 97 MM MAXIMUM SYSTEM HEIGHT: 472 MM APPROXIMATELY DIAMETER: 30 MM APPROXIMATELY WEIGHT: 275 G APPROXIMATELY FOR BODY WEIGHT UP TO 100 KG	each	ITEMIZED	90
1302	4224171316800	TUBE ADAPTER STAINLESS STEEL 30 MM DIAMETER WITH 30 X 2 MM ALUMINUM ALLOY TUBE LENGTH 200 MM APPROXIMATELY	each	ITEMIZED	280
1303	4224171316900	TUBE ADAPTER STAINLESS STEEL 30 MM DIAMETER WITH 30 X 2 MM ALUMINUM ALLOY TUBE LENGTH 440 MM APPROXIMATELY	each	ITEMIZED	50
1304	4224200005600	ANGLE TUBE ADAPTER TITANIUM WITH 10 DEGREES INNER DIAMETER 30 MM APPROXIMATELY, HEIGHT: 34 MM APPROXIMATELY, BODY WEIGHT UP TO 100 KG	each	ITEMIZED	35
1305	4224200004200	ANGLE TUBE ADAPTER TITANIUM WITH 20 DEGREES INNER DIAMETER 30 MM APPROXIMATELY, HEIGHT: 34 MM APPROXIMATELY, BODY WEIGHT UP TO 100 KG	each	ITEMIZED	60
1306	4224200300500	TUBE CLAMP, 4 - HOLE TUBE, ALUMINUM, HEIGHT 38 MM APPROXIMATELY, BUILD HEIGHT 4 MM, APPROXIMATELY, WEIGHT CAPACITY IS UP TO 100 KG	each	ITEMIZED	10
1307	4224200300400	CLAMP, FEMALE, PYRAMID TUBE, ALUMINUM, HEIGHT 50 MM, BUILD HEIGHT 16 MM, WEIGHT 64 GRAMS, WEIGHT CAPACITY IS UPTO 100 KG	each	ITEMIZED	1100
1308	4224200300600	CLAMP, FEMALE, PYRAMID, TUBE, WITH 14 MM OFFSET, ALUMINUM, HEIGHT 69 MM, BUILD HEIGHT 35 MM, WEIGHT 135 GRAMS, WEIGHT CAPACITY IS UP TO 100 KG	each	ITEMIZED	1400
1309	4224200300300	CLAMP, MALE, PYRAMID, TUBE, ALUMINUM, WITH STAINLESS STEEL, INSERT, HEIGHT 56 MM, BUILD HEIGHT 41.5 MM, WEIGHT 62 GRAMS, WEIGHT CAPACITY IS UPTO 100 KG	each	ITEMIZED	300
1310	4224200005700	ECCENTRIC ADAPTER TITANIUM APPLICATION AS FOR SOCKET ADAPTER WITH ADJUSTMENT PYRAMID AXIALLY OFFSET APPROXIMATELY 7 MM SYSTEM HEIGHT: 11 MM FOR BODY WEIGHT UP TO 150 KG.	each	ITEMIZED	120
1311	4224200005800	ECCENTRIC ADAPTER TITANIUM APPLICATION AS FOR SOCKET ADAPTER WITH ADJUSTMENT PYRAMID DIAGONALLY OFFSET APPROXIMATELY 5 MM SYSTEM HEIGHT: 11 MM FOR BODY WEIGHT UP TO 150 KG.	each	ITEMIZED	160
1312	4224200110700	FOOT ADAPTER FOR SACH AND DYNAMIC FOOT FOR CHILDREN WITH M6 THREAD	each	ITEMIZED	750
1313	4224200004600	FOOT ADAPTER TITANIUM WITH CAP SCREW (FOOT BOLT) FOR ALL DYNAMIC AND SACH FEET BOLT SIZE M10 THREAD FOR BODY WEIGHT UP TO 125 KG	each	ITEMIZED	10
1314	4224200004700	FOOT ADAPTER TITANIUM WITH CAP SCREW (FOOT BOLT) FOR ALL DYNAMIC AND SACH FEET BOLT SIZE M8 THREAD FOR BODY WEIGHT UP TO 100 KG	each	ITEMIZED	110
1315	4224200010400	FOOT ADAPTER FOR SACH AND DYNAMIC FOOT FOR CHILDREN WITH M8 THREAD FOR BODY WEIGHT UP TO 60 KG	each	ITEMIZED	55
1316	4224200006700	SLIDING ADAPTER WITH ADJUSTABLE SCREW S "TITANIUM" CONNECTS 2 PROSTHETIC COMPONENTS WITH PYRAMID ADAPTER ALLOWS TRANSLATION ADJUSTMENT MEDIALY OR LATERALLY, IN THE FRONTAL PLANE OR DORSALLY OR VENTRALLY IN THE SAGITTAL PLANE, HEIGHT: 112 MM APPROXIMATELY, BODY WEIGHT UP TO 100 KG	each	ITEMIZED	50
1317	4224171316100	SLIDING ADAPTER ALUMINUM FOR MODULAR PROSTHESIS, HEIGHT: 25 MM, MAXIMUM BODY WEIGHT: 100 KG, APPROXIMATELY	each	ITEMIZED	100
1318	4224171309300	SLIDING ADAPTER WITH TUBE CLAMP ADAPTER, TITANIUM 30 MM DIAMETER ALLOWS ADDITIONAL SLIDING ADJUSTMENTS BETWEEN THE PROSTHETIC SOCKET AND TUBE ADAPTER CAN BE SHIFTED MEDIALY OR LATERALLY SYSTEM, HEIGHT: 51 MM APPROXIMATELY WEIGHT: 190 APPROXIMATELY GRAMS FOR BODY WEIGHT UP TO 85 KG	each	ITEMIZED	100
1319	4224171309200	SLIDING DOUBLE ADAPTER WITH ADJUSTABLE SCREWS "TITANIUM" WITH PYRAMID RECEIVER, ALLOWS TRANSLATION ADJUSTMENT MEDIALY OR LATERALLY IN THE FRONTAL PLANE OR DORSALLY OR VENTRALLY IN THE SAGITTAL PLANE HEIGHT: 60 MM APPROXIMATELY SYSTEM HEIGHT: 97 MM APPROXIMATELY FOR BODY WEIGHT UP TO 100 KG	each	ITEMIZED	250
1320	4224200509100	SOCKET ATTACHMENT BLOCK WITH FOUR COUNTERSUNK HEAD SCREWS AND LAMINATION DUMMY 120 MM WOOD CONNECTION DIAMETER 30 MM HEIGHT APPROXIMATELY	each	ITEMIZED	1900
1321	4224200508900	SOCKET ATTACHMENT BLOCK WITH FOUR COUNTERSUNK HEAD SCREWS AND LAMINATION DUMMY 120 MM WOOD CONNECTION DIAMETER 64 MM HEIGHT APPROXIMATELY	each	ITEMIZED	800
1322	4224200508700	SOCKET ATTACHMENT BLOCK WITH FOUR COUNTERSUNK HEAD SCREWS AND LAMINATION DUMMY 147 MM WOOD CONNECTION DIAMETER 64 MM HEIGHT APPROXIMATELY	each	ITEMIZED	450
1323	4224200507500	SOCKET ATTACHMENT PIECE FOR ALIGNMENT OF FOREARM PIECE	each	ITEMIZED	65

TENDER NAME: PROSTHESIS AND ORTHOSIS

SN	NUPCO CODE	ITEM DESCRIPTION	UOM	GROUP CATEGORY	INITIAL QUANTITY
1324	4224200509200	SOCKET, ATTACHMENT, BLOCK, PEDIATRIC, FOR TRANSTIBIAL AND TRANSFEMORAL	each	ITEMIZED	35
1325	4224200509300	SOCKET, ATTACHMENT, BLOCK, PLASTIC, FOR CHILDREN, WITH FOUR COUNTER SUNK HEAD SCREWS AND 4 X 8 APPROXIMATELY LAMINATION CAP	each	ITEMIZED	400
1326	4224200505800	SOCKET ADAPTER WITH PYRAMID RECEIVER STAINLESS STEEL, SYSTEM HEIGHT: 33 MM APPROXIMATELY FOR BODY WEIGHT UP TO 125 KG.	each	ITEMIZED	500
1327	4224200507300	SOCKET ADAPTER WITH PYRAMID ROTATABLE TITANIUM SYSTEM HEIGHT: 9 MM APPROXIMATELY, FOR BODY WEIGHT UP TO 150 KG.	each	ITEMIZED	110
1328	4224200507800	SOCKET ADAPTER, STAINLESS STEEL, WITH PYRAMID AND LAMINATION ANCHOR, WITH 4 X 3 LAMINATION DUMMY APPROXIMATELY	each	ITEMIZED	20
1329	4224200023200	TUBE, ALUMINUM, LENGTH 250 MM APPROXIMATELY, WEIGHT UP TO 100 KG	each	ITEMIZED	20
1330	4224200023300	TUBE, ALUMINUM, LENGTH 400 MM APPROXIMATELY, WEIGHT UP TO 100 KG	each	ITEMIZED	35
1331	4224171317300	TUBE ADAPTER, TITANIUM, 34 MM, MAXIMUM 150 KG, LENGTH 282 MM APPROXIMATELY	each	ITEMIZED	25
1332	4224171317400	TUBE ADAPTER, TITANIUM, 34 MM, MAXIMUM 150 KG, LENGTH 472 MM APPROXIMATELY	each	ITEMIZED	15
1333	4224200010600	SHOCK ABSORBER, TORSION CONTROL WITH TUBE CLAMP ADAPTER	each	ITEMIZED	550
1334	4224200008000	LAMINATION ANCHOR WITH PYRAMID ADAPTER, ROTATABLE, STAINLESS STEEL, CONNECT THE PROSTHETIC SOCKET TO THE DISTAL PROSTHETIC COMPONENTS, SYSTEM HEIGHT: 44 MM, WEIGHT: UP TO 160 GRAMS, FOR BODY WEIGHT UP TO 150 KG.	Kit	ITEMIZED	80
1335	4224200007700	LAMINATION ANCHOR WITH THREADED CONNECTOR STAINLESS STEEL SYSTEM HEIGHT: 8 MM WEIGHT: UP TO 100 GRAMS FOR BODY WEIGHT UP TO 125 KG.	each	ITEMIZED	500
1336	4224200007800	LAMINATION DUMMY, FOR ANCHORS, CE MARK OR EQUIVALENT	each	ITEMIZED	65
1337	4224200007900	LAMINATION DUMMY, FOR ROTATION ADAPTER, CE MARK OR EQUIVALENT	each	ITEMIZED	120
1338	4224171319600	PUMP MECHANICAL ELEVATED VACUUM SYSTEM, INTEGRATED INTO THE SOCKET BUILT IN SHOCK ABSORPTION AND A TORSION FEATURE, THE USER CAN MOVE AND POSITION THE PROSTHETIC FOOT MORE CONFIDENTLY MOTION INCREASED PROPRIOCEPTION, DUE TO DECREASED MOVEMENT BETWEEN THE SOCKET AND THE RESIDUAL LIMB MAXIMUM BODY WEIGHT FROM 50 - 150 KG, PART WEIGHT UP TO 600 GRAMS APPROXIMATELY	each	ITEMIZED	55
1339	4224171319500	PUMP MECHANICAL ELEVATED VACUUM SYSTEM, INTEGRATED INTO THE SOCKET BUILT IN SHOCK ABSORPTION AND A TORSION FEATURE, THE USER CAN MOVE AND POSITION THE PROSTHETIC FOOT MORE CONFIDENTLY MOTION INCREASED PROPRIOCEPTION, DUE TO DECREASED MOVEMENT BETWEEN THE SOCKET AND THE RESIDUAL LIMB MAXIMUM BODY WEIGHT FROM 50 - 100 KG, PART WEIGHT UP TO 500 GRAMS APPROXIMATELY	each	ITEMIZED	65
1340	4224200023100	PYLON FEMALE KIT 1, LONG ALUMINUM TUB, CLAMP, STAINLESS STEEL TUBE, LENGTH 250 MM APPROXIMATELY, WEIGHT LIMIT 100 KG	each	ITEMIZED	55
1341	4224200022700	PYLON FEMALE KIT 1, LONG TITANIUM TUBE CLAMP, CARBON TUBE, AND SOCKET ADAPTER, LENGTH UP TO 400 MM, WEIGHT LIMIT 150-170 KG	each	ITEMIZED	130
1342	4224200023000	PYLON FEMALE KIT 1, SHORT ALUMINUM TUBE CLAMP, STAINLESS STEEL TUBE, LENGTH 250 MM, WEIGHT LIMIT 100 KG	each	ITEMIZED	200
1343	4224200007400	ROTATABLE SOCKET ADAPTER STAINLESS STEEL AND LAMINATION ANCHOR FOR LAMINATION DIRECTLY ONTO THE DISTAL END OF ABOVE KNEE SOCKET SYSTEM HEIGHT: 39 MM APPROXIMATELY FOR BODY WEIGHT UP TO 120 KG	each	ITEMIZED	140
1344	4224200011100	ROTATABLE, SOCKET, ADAPTER, APPLICATION, AS FOR SOCKET ADAPTER, WITH ADJUSTMENT SET SCREW S, STAINLESS STEEL	each	ITEMIZED	140
1345	4224200008600	ROTATION ADAPTER FOR MODULAR PROSTHESIS WITH PYRAMID STAINLESS STEEL THE LOWER LEG MAY BE ROTATED MEDIALLY OR Laterally RELATIVE TO THE SOCKET WITH THE KNEE FLEXED THROUGH THE ROTATION ADAPTER SYSTEM HEIGHT: 22 MM APPROXIMATELY WEIGHT: 170 GRAMS APPROXIMATELY ROTATION: MAXIMUM 360 DEGREE FOR BODY WEIGHT UP TO 150 KG	each	ITEMIZED	35
1346	4224200008700	ROTATION ADAPTER FOR MODULAR PROSTHESIS WITH THREAD STAINLESS STEEL THE LOWER LEG MAY BE ROTATED MEDIALLY OR Laterally RELATIVE TO THE SOCKET WITH THE KNEE FLEXED THROUGH THE ROTATION ADAPTER SYSTEM HEIGHT: 42 MM APPROXIMATELY WEIGHT: 185 GRAMS APPROXIMATELY ROTATION: MAXIMUM 360 DEGREE FOR BODY WEIGHT UP TO 150 KG	each	ITEMIZED	30
1347	4224200505600	CAP SCREW, STAINLESS STEEL, WITH SERRATED LOCK WASHER AND FLAT WASHER, SIZE: M 10 X 60 APPROXIMATELY, FOR FOOT ADAPTER, COMPLETE SET	SET	ITEMIZED	60
1348	4224200009100	BATTERY CONNECTION CABLE, FOR CONNECTION BATTERY, WITH THE DISTRIBUTER	each	ITEMIZED	15
1349	4224200012900	CONTROL ELEMENT, FOR ASSEMBLY BETWEEN THE OUTER AND INNER PROSTHETIC SOCKET	each	ITEMIZED	60
1350	4224171316700	HARNESS FOR BELOW ELBOW PROSTHESIS WITH HARNESS RING AND PERLON CABLE FOR ADULT, COMPLETE	SET	ITEMIZED	450
1351	4224171316600	HARNESS FOR BELOW ELBOW PROSTHESIS WITH HARNESS RING AND PERLON CABLE WITH TRIPLE PULL STRAPS FOR ADULT, COMPLETE	SET	ITEMIZED	55
1352	4229680220600	MEASURING CUPS, CALIBRATED, 100 ML APPROXIMATELY	each	ITEMIZED	240
1353	4224171306000	MEASURING CUPS, CALIBRATED, 200 ML APPROXIMATELY	items (Pieces)	ITEMIZED	230
1354	4810180400000	MEASURING CUPS, CALIBRATED, 400 ML APPROXIMATELY	each	ITEMIZED	310
1355	4215251602400	MIXING BOWL, PLASTER, 0.5 LITERS	each	ITEMIZED	25
1356	4224200016400	MIXING TIPS FOR QUICK ADHESIVE	SET	ITEMIZED	15
1357	4222170601000	P.V.A. BAGS FOR LAMINATION, 1000 X 260 X 50 MM, APPROXIMATELY	items (Pieces)	ITEMIZED	30
1358	4224150300700	P.V.A. BAGS FOR LAMINATION, 1000 X 300 X 50 MM, APPROXIMATELY	each	ITEMIZED	35
1359	4224171308400	P.V.A. BAGS FOR LAMINATION, 1300 X 260 X 50 MM, APPROXIMATELY	each	ITEMIZED	250
1360	4224171308300	P.V.A. BAGS, FOR LAMINATION, 1000 X 190 X 50 MM APPROXIMATELY	each	ITEMIZED	200000
1361	4222170601100	P.V.A. BAGS, FOR LAMINATION, 1300 X 220 X 50MM APPROXIMATELY	items (Pieces)	ITEMIZED	1000
1362	4222170600700	P.V.A. BAGS, FOR LAMINATION, 600 X 110 X 40MM APPROXIMATELY	each	ITEMIZED	230
1363	4222170600800	P.V.A. BAGS, FOR LAMINATION, 700 X 190 X 50MM APPROXIMATELY	items (Pieces)	ITEMIZED	200

TENDER NAME: PROSTHESIS AND ORTHOSIS

SN	NUPCO CODE	ITEM DESCRIPTION	UOM	GROUP CATEGORY	INITIAL QUANTITY
1364	4222170600900	P.V.A. BAGS, FOR LAMINATION, 700 X 270 X 50MM APPROXIMATELY	items (Pieces)	ITEMIZED	3500
1365	4224200011700	ACRYLIC VARNISH FOR PLASTER, PARTING AGENT FOR RESINS, NET CONTENTS, 1 KG., APPROXIMATELY	each	ITEMIZED	10
1366	4224150001000	ACRYLIC VARNISH FOR PLASTER, SPRAY, NET CONTENTS 400 ML, SPRAY CAN, APPROXIMATELY	each	ITEMIZED	4000
1367	4224200030100	FAST SETTING ADHESIVE TWO COMPONENTS, 4 TO 10 MINUTES CURING TIME, FOR ATTACHMENTS OF SOCKET ADAPTER METAL AND PLASTIC, HIGH TEMPERATURE RESISTANCE, INCLUDING GUN OF SUPERGLUE, NET CONTENTS 50 ML GRAMS APPROXIMATELY	each	ITEMIZED	4000
1368	4224200005000	FLEXIBLE RESIN FOR FLEXIBLE LAMINATION, NET CONTENTS 900 GM APPROXIMATELY	each	ITEMIZED	4000
1369	4231155203800	FOAM ADHESIVE TAPE, WIDTH 25 MM, LENGTH 10 METERS, THICKNESS 4 MM, APPROXIMATELY	each	ITEMIZED	3000
1370	4224200011900	GLUE FOR LEATHER, NET CONTENTS 650 GM, APPROXIMATELY	each	ITEMIZED	3000
1371	4224200005100	LAMINATION RESIN FOR RIGID LAMINATION 80: 20 NET CONTENTS 900 GRAMS APPROXIMATELY	each	ITEMIZED	2100
1372	4224150202000	MICRO HOOK STRIP, SELF - ADHESIVE, USED WITH TERRY CLOTH PADDING FABRIC, WIDTH 50 MM APPROXIMATELY, LENGTH 10 METER APPROXIMATELY, WHITE COLOR	each	ITEMIZED	45
1373	4224200017600	PASTE MODELING MEDICAL SHORE HARDNESS A10 OR EQUIVALENT EXTRA SOFT TWO POTS A AND B TO MIX IN SAME PROPORTION TO MAKE THE PODIATRIC ORTHOSIS ONCE MADE LEAVE IT TO GET DRY TO MAKE CUSTOM-MADE PODIATRIC ORTHOSIS TO MAKE CUSTOM-MADE PODIATRIC ORTHO	each	ITEMIZED	75
1374	4224200017700	PASTE MODELING MEDICAL SHORE HARDNESS A20 OR EQUIVALENT SOFT TWO POTS A AND B TO MIX IN SAME PROPORTION TO MAKE THE PODIATRIC ORTHOSIS ONCE MADE LEAVE IT TO GET DRY TO MAKE CUSTOM-MADE PODIATRIC ORTHOSIS TO MAKE CUSTOM-MADE PODIATRIC ORTHO	each	ITEMIZED	10
1375	4224171318100	PASTE, PIGMENT, BLACK, NET CONTENTS 250 GRAMS, APPROXIMATELY	each	ITEMIZED	600
1376	4224171318000	PASTE, PIGMENT, BLUE, NET CONTENTS 250 GRAMS, APPROXIMATELY	each	ITEMIZED	800
1377	4224171317900	PASTE, PIGMENT, RED, NET CONTENTS 250 GRAMS, APPROXIMATELY	each	ITEMIZED	3000
1378	4224171317600	PASTE, PIGMENT, SKIN COLOR BROWN, NET CONTENTS 250 GRAMS, APPROXIMATELY	each	ITEMIZED	3000
1379	4224171317700	PASTE, PIGMENT, WHITE, NET CONTENTS 250 GRAMS, APPROXIMATELY	each	ITEMIZED	45
1380	4224171317800	PASTE, PIGMENT, YELLOW, NET CONTENTS 250 GRAMS, APPROXIMATELY	each	ITEMIZED	50
1381	4224171317500	PASTE, PIGMENT, SKIN COLOR, CAUCASIAN, NET CONTENTS 1 KG., APPROXIMATELY	each	ITEMIZED	55
1382	4224151015000	PEDILIN OR EQUIVALENT, PERFORATED, H3, CAUCASIAN COLOR, 1000 X 1000 X 3 MM THICKNESS, APPROXIMATELY	each	ITEMIZED	65
1383	4224151015100	PEDILIN OR EQUIVALENT, PERFORATED, H4, CAUCASIAN COLOR, 1000 X 1000 X 4 MM THICKNESS, APPROXIMATELY	each	ITEMIZED	50
1384	4224151015200	PEDILIN OR EQUIVALENT, PERFORATED, H5, CAUCASIAN COLOR, 1000 X 1000 X 5 MM THICKNESS, APPROXIMATELY	each	ITEMIZED	50
1385	4224151015300	PEDILIN OR EQUIVALENT, PERFORATED, H6, CAUCASIAN COLOR, 1000 X 1000 X 6 MM THICKNESS, APPROXIMATELY	each	ITEMIZED	150
1386	4224200011800	PLASTABAND OR EQUAL, FOR SEALING FILLING AND PROTECTION IN CONJUNCTION WITH LAMINATION APPLICATIONS AND TEMPERATURE RESISTANT LENGTH 10 METER WIDTH: 20 MM THICKNESS: 2 MM APPROXIMATELY COLOR: GRAY	each	ITEMIZED	55
1387	4224160001600	POROUS PLASTER, FOR SMOOTH PLASTER CAST, 500 GRAMS APPROXIMATELY	each	ITEMIZED	50
1388	4224210000100	POWDER HARDENER FOR RESIN, WITH 1 GRAM MEASURING SPOON 150 GM, APPROXIMATELY	each	ITEMIZED	65
1389	4224200005300	RIGID FOAM FOR AVERAGE WEIGHT BEARING VOLUME INCREASE 6.5 TIMES, 865 GRAMS APPROXIMATELY. HARDNESS WILL BE ON DEMAND	each	ITEMIZED	270
1390	4224200005200	SEALING RESIN, FOR SEALING AND BONDING, NET CONTENTS 900 GRAMS, APPROXIMATELY	each	ITEMIZED	280
1391	4224200012200	SILICONE FOR IMPRESSION, TAKING AND CORRECTION OF TRIAL FITTINGS ON THE PATIENT, INCLUDING FINGER PROSTHESIS, PARTIAL HAND PROSTHESIS, SCAR COMPRESSION, MASKS, AND GLOVES, PARTIAL FOOT PROSTHESIS, TRANSFEMORAL, AND TIBIAL PROSTHESIS LINERS AS WELL AS ORTHOSIS	each	ITEMIZED	85
1392	4224171318200	SILICONE, GREASE, FOR ISOLATING COMPONENTS WITH LAMINATION TECHNIQUE, TUBE, 10-15 GM	each	ITEMIZED	150
1393	4224200013800	TAPE LINEN ADHESIVE FOR SEALING LAMINATION RESIN LENGTH : 50 METER APPROXIMATELY WIDTH: 25 MM APPROXIMATELY COLOR: RAW WHITE	each	ITEMIZED	45
1394	4224200011600	THINNER, FOR QUICK DRYING, RUBBER CEMENT, FOR BONDING, FLEXIBLE MATERIALS, NET CONTENTS, 800 GM, APPROXIMATELY	each	ITEMIZED	35
1395	4224200011500	THINNER, FOR RESIN, NET CONTENTS, 800 GM, APPROXIMATELY	each	ITEMIZED	550
1396	4224200016300	TWO COMPONENT ADHESIVE SETTING TIME, 60 SECOND, TO SECURE ADAPTER TO SOCKET DURING TRIAL FITTING	each	ITEMIZED	950
1397	4224171318300	CLEANER TUBE, FOR PROSTHETIC GLOVE CLEANING	each	ITEMIZED	2250
1398	4224200011400	LUBRICANT, TO AID IN DONNING THE PROSTHETIC GLOVE OVER THE INNER HAND, NET CONTENTS 250 GRAMS, APPROXIMATELY	each	ITEMIZED	10
1399	4224200012100	SPECIAL CLEANER FOR PROSTHETIC GLOVES, NET CONTENTS 0.45 KG, APPROXIMATELY	each	ITEMIZED	70
1400	4224150202200	MINI NON - SLIP, NORA LUNASOFT OR EQUIVALENT, 840 X 530 MM APPROXIMATELY, SHORE VALUE A 50, BLACK 4 MM APPROXIMATELY	each	ITEMIZED	100
1401	4224150202300	MINI NON - SLIP, NORA LUNASOFT OR EQUIVALENT, 840 X 530 MM APPROXIMATELY, SHORE VALUE A 50, BLACK 6 MM APPROXIMATELY	each	ITEMIZED	90
1402	4224150202400	MINI NON - SLIP, NORA LUNASOFT OR EQUIVALENT, 840 X 530 MM APPROXIMATELY, SHORE VALUE A 50, BLACK 8 MM APPROXIMATELY	each	ITEMIZED	210
1403	4224150202100	MINI NON - SLIP, NORA LUNASOFT OR EQUIVALENT, 840 X 530 MM APPROXIMATELY, SHORE VALUE A 50, BLACK 10 MM APPROXIMATELY	each	ITEMIZED	170
1404	4224171308900	RUBBER SOLE SHEET, BLACK, SIZE: 4 X 610 X 910 MM, APPROXIMATELY	each	ITEMIZED	50
1405	4224171308500	POLYOLEFIN FOAMS, POGISTER MATERIAL OR EQUIVALENT, SELF-ADHESIVE WHITE SIZE: 3 MM X 100 CM X 50 CM APPROXIMATELY	each	ITEMIZED	120
1406	4224200019400	POLYETHYLENE TEREPHTHALATE GLYCOL (PETG) LIGHT WEIGHT, HIGH PERFORMANCE FILAMENT, HIGH STRENGTH DESIGNED FOR VERY STRONG MECHANICAL PROPERTIES, RESISTANT TO WEAR AND TEAR, ALLOWS FOR VARIETY OF COMBINATION IN THICKNESS AND DESIGN OF DIFFERENT PROSTHETIC AND ORTHOTIC DEVICES, USED IN 3D PRINTING OF PROSTHETIC SOCKET AND ORTHOTIC BRACES, 1.75MM APPROXIMATELY, 1000 G APPROXIMATELY, COLOR ON DEMAND	Role	ITEMIZED	25

TENDER NAME: PROSTHESIS AND ORTHOSIS

SN	NUPCO CODE	ITEM DESCRIPTION	UOM	GROUP CATEGORY	INITIAL QUANTITY
1407	4224200019600	POLYPROPYLENE CARBON FIBER LIGHT WEIGHT, HIGH PERFORMANCE FILAMENT, HIGH STRENGTH DESIGNED FOR VERY STRONG MECHANICAL PROPERTIES, RESISTANT TO WEAR AND TEAR, ALLOWS FOR VARIETY OF COMBINATION IN THICKNESS AND DESIGN OF DIFFERENT PROSTHETIC AND ORTHOTIC DEVICES, USED IN 3D PRINTING OF PROSTHETIC SOCKET AND ORTHOTIC BRACES, 1.75MM APPROXIMATELY, 1000 G APPROXIMATELY, BLACK COLOR	Role	ITEMIZED	160
1408	4224200019300	POLYPROPYLENE LIGHT WEIGHT, HIGH PERFORMANCE FILAMENT, HIGH STRENGTH DESIGNED FOR VERY STRONG MECHANICAL PROPERTIES, RESISTANT TO WEAR AND TEAR, ALLOWS FOR VARIETY OF COMBINATION IN THICKNESS AND DESIGN OF DIFFERENT PROSTHETIC AND ORTHOTIC DEVICES, USED IN 3D PRINTING OF PROSTHETIC SOCKET AND ORTHOTIC BRACES, 1.75MM APPROXIMATELY, 1000 G APPROXIMATELY, COLOR ON DEMAND	Role	ITEMIZED	10
1409	4224200019500	THERMOPLASTIC POLYURETHANE (TPU) LIGHT WEIGHT, HIGH PERFORMANCE FILAMENT, HIGH STRENGTH DESIGNED FOR VERY STRONG MECHANICAL PROPERTIES, RESISTANT TO WEAR AND TEAR, ALLOWS FOR VARIETY OF COMBINATION IN THICKNESS AND DESIGN OF DIFFERENT PROSTHETIC AND ORTHOTIC DEVICES, USED IN 3D PRINTING OF PROSTHETIC SOCKET AND ORTHOTIC BRACES, 1.75MM APPROXIMATELY, 1000 G APPROXIMATELY, COLOR ON DEMAND	Role	ITEMIZED	10
1410	4224151008700	ELASTIC THERMO - FORMING SHEET, STREIFLYFLEX COLOR, NEON YELLOW, THICKNESS 2 MM, SIZE: 1.115 X 900 MM APPROXIMATELY	each	ITEMIZED	80
1411	4224151002100	PADDING SHEET, POLYETHYLENE FOAM, BLACK, RIGID DENSITY, NON - PERFORATED, SIZE: 46 X 71 X 1 CM, APPROXIMATELY	each	ITEMIZED	400
1412	4224151001700	PADDING SHEET, POLYETHYLENE FOAM, BLACK, VERY RIGID, SIZE: 10 X 560 X 750 MM APPROXIMATELY	each	ITEMIZED	900
1413	4224151007800	PADDING SHEET, POLYETHYLENE FOAM, CAUCASIAN COLOR, 1000 X 1000, 2 MM THICKNESS, APPROXIMATELY	each	ITEMIZED	10
1414	4224151007900	PADDING SHEET, POLYETHYLENE FOAM, CAUCASIAN COLOR, 1000 X 1000, 3 MM THICKNESS, APPROXIMATELY	each	ITEMIZED	10
1415	4224151001900	PADDING SHEET, POLYETHYLENE FOAM, CAUCASIAN COLOR, SIZE 1000 X 750 X 3 MM THICKNESS, APPROXIMATELY	each	ITEMIZED	10
1416	4224151008600	PADDING SHEET, POLYETHYLENE FOAM, WHITE, SIZE: 150 MM X 100 MM X 3 MM APPROXIMATELY	each	ITEMIZED	10
1417	4224151008000	PADDING SHEET, POLYETHYLENE FOAM, CAUCASIAN COLOR, 1000 X 1000, 4 MM THICKNESS, APPROXIMATELY	each	ITEMIZED	50
1418	4224151008200	PADDING SHEET, POLYETHYLENE FOAM, CAUCASIAN COLOR, 1000 X 1000, 6 MM THICKNESS, APPROXIMATELY	each	ITEMIZED	500
1419	4224151014900	PADDING SHEET, POLYETHYLENE FOAM, CAUCASIAN COLOR, 1000 X 1000 X 8 MM THICKNESS, APPROXIMATELY	each	ITEMIZED	300
1420	4224200030200	PADDING SHEET, POLYETHYLENE FOAM, HARDNESS APPROX. SHORE A 15-20, LOW DENSITY: APPROX. 45 KG/M ³ , GOOD RESILIENCE, WASHABLE, CAUCASIAN COLOR, SIZE 1000 X 1000 MM, THICKNESS 3 MM	each	ITEMIZED	80
1421	4224200030300	PADDING SHEET, POLYETHYLENE FOAM, HARDNESS APPROX. SHORE A 15-20, LOW DENSITY: APPROX. 45 KG/M ³ , GOOD RESILIENCE, WASHABLE, CAUCASIAN COLOR, SIZE 1000 X 1000 MM, THICKNESS 4 MM	each	ITEMIZED	130
1422	4224200030400	PADDING SHEET, POLYETHYLENE FOAM, HARDNESS APPROX. SHORE A 15-20, LOW DENSITY: APPROX. 45 KG/M ³ , GOOD RESILIENCE, WASHABLE, CAUCASIAN COLOR, SIZE 1000 X 1000 MM, THICKNESS 5 MM	each	ITEMIZED	2500
1423	4224150201800	PADDING SHEET, TECHNOGEL OR EQUIVALENT, FOR PADDING FOS, AFO AND KAFO, HIGH SHOCK ABSORPTION, WASHABLE, LENGTH 50 CM, WIDTH 50 CM, THICKNESS 0.3 CM, APPROXIMATELY, BLUE COLOR	each	ITEMIZED	550
1424	4224150201900	PADDING SHEET, TECHNOGEL OR EQUIVALENT, FOR PADDING FOS, AFO AND KAFO, HIGH SHOCK ABSORPTION, WASHABLE, LENGTH 50 CM, WIDTH 50 CM, THICKNESS 0.3 CM, SKIN COLOR	each	ITEMIZED	220
1425	4224170610700	POLYETHYLENE SHEET, BLACK, RIGID DENSITY, NON - PERFORATED, SIZE: 46 X 71 X 2 CM, APPROXIMATELY	each	ITEMIZED	270
1426	4224151002400	POLYETHYLENE SHEET, FLEXIBLE, 1000 MM X 500 MM, 1 MM THICK, NATURAL, APPROXIMATELY	each	ITEMIZED	250
1427	4224151002500	POLYETHYLENE SHEET, FLEXIBLE, 1000 MM X 500 MM, 2 MM THICK, NATURAL, APPROXIMATELY	each	ITEMIZED	10
1428	4224151007700	POLYETHYLENE SHEET, SIZE 2000 MM X 1000 MM, THICKNESS 2 MM, WHITE, APPROXIMATELY	each	ITEMIZED	10
1429	4224151002200	POLYETHYLENE SHEET, SIZE 2000 MM X 1000 MM, THICKNESS 3 MM, WHITE, APPROXIMATELY	each	ITEMIZED	10
1430	4224151002300	POLYETHYLENE SHEET, SIZE 2000 MM X 1000 MM, THICKNESS 4 MM, WHITE, APPROXIMATELY	each	ITEMIZED	45
1431	4224151002600	POLYFORM SHEET, 2 MM THICK, SKIN COLOR, SIZE: 1 M X 1 M APPROXIMATELY	each	ITEMIZED	55
1432	4224151002800	POLYFORM SHEET, 5 MM THICK, SKIN COLOR, SIZE: 1 M X 1 M APPROXIMATELY	each	ITEMIZED	400
1433	4224151002900	POLYFORM SHEET, 6 MM THICK, SKIN COLOR, SIZE: 1 M X 1 M APPROXIMATELY	each	ITEMIZED	400
1434	4224200013900	POLYPROPYLENE COPOLYMER SHEET, 1200 MM X 1200 MM X 5 MM, APPROXIMATELY	each	ITEMIZED	600
1435	4224151003100	POLYPROPYLENE COPOLYMER SHEET, NATURAL, SIZE 2000 X 1000 X 3 MM, APPROXIMATELY	each	ITEMIZED	35
1436	4224151003200	POLYPROPYLENE COPOLYMER SHEET, NATURAL, SIZE 2000 X 1000 X 4 MM, APPROXIMATELY	each	ITEMIZED	900
1437	4224151006000	POLYPROPYLENE COPOLYMER SHEET, NATURAL, SIZE 2000 X 1000 X 5 MM, APPROXIMATELY	each	ITEMIZED	1050
1438	4224200015400	THERMO PAPER, BROWN, FOR DYEING SHEET MATERIALS, LENGTH 2000 X 800 MM, APPROXIMATELY	each	ITEMIZED	1200
1439	4224200015500	THERMO PAPER, RED, FOR DYEING SHEET MATERIALS, LENGTH 2000 X 800 MM, APPROXIMATELY	each	ITEMIZED	1150
1440	4224200015100	THERMO PAPERS, BEIGE, LENGTH 2000 X 800 MM, APPROXIMATELY	each	ITEMIZED	1100
1441	4224200015300	THERMO PAPERS, GRAY, LENGTH 2000 X 800 MM, APPROXIMATELY	each	ITEMIZED	550
1442	4224200015200	THERMO PAPERS, GREEN, LENGTH 2000 X 800 MM, APPROXIMATELY	each	ITEMIZED	800
1443	4410311900000	THERMO PAPERS, LIGHT BLUE, LENGTH 1000 X 1550 MM, APPROXIMATELY	each	ITEMIZED	950
1444	4410311900100	THERMO PAPERS, PINK, LENGTH 1000 X 1550 MM, APPROXIMATELY	each	ITEMIZED	1050
1445	4224151007100	THERMOFORMING SHEETS, STREIFLEX COLOR, ELASTIC, THICKNESS 2 MM, GOLDEN, SIZE 1.115 X 900 MM APPROXIMATELY	each	ITEMIZED	110
1446	4224151007200	THERMOFORMING SHEETS, STREIFLEX COLOR, ELASTIC, THICKNESS 2 MM, TRANSPARENT, SIZE 1.115 X 900 MM APPROXIMATELY	each	ITEMIZED	110
1447	4224151007500	THERMOFORMING SHEETS, STREIFLEX COLOR, ELASTIC, THICKNESS 4 MM, LIGHT BLUE, SIZE 1.115 X 900 MM APPROXIMATELY	each	ITEMIZED	110
1448	4224151007400	THERMOFORMING SHEETS, STREIFLEX COLOR, ELASTIC, THICKNESS 4 MM, NEON GREEN, SIZE 1.115 X 900 MM APPROXIMATELY	each	ITEMIZED	110

TENDER NAME: PROSTHESIS AND ORTHOSIS

SN	NUPCO CODE	ITEM DESCRIPTION	UOM	GROUP CATEGORY	INITIAL QUANTITY
1449	4224151007300	THERMOFORMING SHEETS, STREIFLEX COLOR, ELASTIC, THICKNESS 4 MM, SILVER, SIZE 1.115 X 900 MM APPROXIMATELY	each	ITEMIZED	650
1450	4224151008300	THERMOPLASTIC MATERIAL, HOMOGENEOUS, WITH HIGH RIGIDITY, WORKING TEMPERATURE, 165 DEGREES, CAUCASIAN COLOR, 2000 X 1000 X 2 MM, APPROXIMATELY	each	ITEMIZED	300
1451	4224151015900	THERMOPLASTIC SHEET, ANTIBACTERIAL OR EQUIVALENT, POLYPROPYLENE, LENGTH 2000 MM APPROXIMATELY WIDTH 1000 MM APPROXIMATELY THICKNESS 5 MM	each	ITEMIZED	180
1452	4224151015600	THERMOPLASTIC SHEET, ANTIBACTERIAL, POLYETHYLENE TEREPHTHALATE GLYCOL (PETG), LENGTH 400 MM APPROXIMATELY WIDTH 400 MM APPROXIMATELY THICKNESS 3 MM	each	ITEMIZED	25
1453	4224151015700	THERMOPLASTIC SHEET, ANTIBACTERIAL, POLYETHYLENE TEREPHTHALATE GLYCOL (PETG), LENGTH 400 MM APPROXIMATELY WIDTH 400 MM APPROXIMATELY THICKNESS 5 MM	each	ITEMIZED	25
1454	4224151016000	THERMOPLASTIC SHEET, ANTIBACTERIAL, POLYPROPYLENE HOMOPOLYMER, LENGTH 2000 MM APPROXIMATELY WIDTH 1000 MM APPROXIMATELY THICKNESS 6 MM	each	ITEMIZED	50
1455	4224151015800	THERMOPLASTIC SHEET, ANTIBACTERIAL, POLYPROPYLENE, LENGTH 2000 MM APPROXIMATELY WIDTH 1000 MM APPROXIMATELY THICKNESS 4 MM	each	ITEMIZED	25
1456	4224151015400	THERMOPLASTIC SHEET, POLYETHYLENE, LENGTH 2000 MM APPROXIMATELY WIDTH 1000 MM APPROXIMATELY THICKNESS 3 MM	each	ITEMIZED	85
1457	4224151015500	THERMOPLASTIC SHEET, POLYETHYLENE, LENGTH 2000 MM APPROXIMATELY WIDTH 1000 APPROXIMATELY MM THICKNESS 6 MM	each	ITEMIZED	25
1458	4224151008900	THERMOPLASTIC SHEET, POLYPROPYLENE COPOLYMER, POSSIBLE, APPLICATIONS, ANKLE - FOOT - ORTHOSIS, KNEE - ANKLE - FOOT - ORTHOSIS, FOS, TLSOS, LENGTH, 2000 MM, WIDTH, 1000 MM, THICKNESS, 3 MM APPROXIMATELY	each	ITEMIZED	600
1459	4224151009100	THERMOPLASTIC SHEET, POLYPROPYLENE COPOLYMER, POSSIBLE, APPLICATIONS, ANKLE - FOOT - ORTHOSIS, KNEE - ANKLE - FOOT - ORTHOSIS, FOS, TLSOS, LENGTH, 2000 MM, WIDTH, 1000 MM, THICKNESS, 5 MM APPROXIMATELY	each	ITEMIZED	140
1460	4224151009000	THERMOPLASTIC SHEET, POLYPROPYLENE COPOLYMER, POSSIBLE, APPLICATIONS, ANKLE - FOOT - ORTHOSIS, KNEE - ANKLE - FOOT - ORTHOSIS, FOS, TLSOS, LENGTH 2000 MM, WIDTH, 1000 MM, THICKNESS, 4 MM APPROXIMATELY	each	ITEMIZED	180
1461	4224151008800	THERMOPLASTIC SHEET, POLYPROPYLENE COPOLYMER, POSSIBLE, APPLICATIONS, ANKLE - FOOT - ORTHOSIS, KNEE - ANKLE - FOOT - ORTHOSIS, FOS, TLSOS, LENGTH, 2000 MM, WIDTH, 1000 MM, THICKNESS, 2 MM APPROXIMATELY	each	ITEMIZED	290
1462	4224151020700	THERMOPLASTIC SHEET, RIGID FOR FABRICATING SELF-SUPPORTING CHECK SOCKETS FOR TT, TF AND HD, WITH GOOD FRACTURE RESISTANCE, HIGH STIFFNESS, HIGH THERMOPLASTIC DIMENSIONAL STABILITY, HIGH RESISTANCE AGAINST THE FORMATION OF STRESS CRACKS, LENGTH 400 MM, WIDTH 400 MM, THICKNESS 8 MM APPROXIMATELY	each	ITEMIZED	600
1463	4224151021900	THERMOPLASTIC SHEET, RIGID FOR FABRICATING SELF-SUPPORTING CHECK SOCKETS FOR TT, TF AND HD, WITH GOOD FRACTURE RESISTANCE, HIGH STIFFNESS, HIGH THERMOPLASTIC DIMENSIONAL STABILITY, HIGH RESISTANCE AGAINST THE FORMATION OF STRESS CRACKS, LENGTH 400 MM, WIDTH 400 MM, THICKNESS 10 MM APPROXIMATELY	each	ITEMIZED	500
1464	4224151022000	THERMOPLASTIC SHEET, RIGID FOR FABRICATING SELF-SUPPORTING CHECK SOCKETS FOR TT, TF AND HD, WITH GOOD FRACTURE RESISTANCE, HIGH STIFFNESS, HIGH THERMOPLASTIC DIMENSIONAL STABILITY, HIGH RESISTANCE AGAINST THE FORMATION OF STRESS CRACKS, LENGTH 400 MM, WIDTH 400 MM, THICKNESS 12 MM APPROXIMATELY	each	ITEMIZED	350
1465	4224151022100	THERMOPLASTIC SHEET, RIGID FOR FABRICATING SELF-SUPPORTING CHECK SOCKETS FOR TT, TF AND HD, WITH GOOD FRACTURE RESISTANCE, HIGH STIFFNESS, HIGH THERMOPLASTIC DIMENSIONAL STABILITY, HIGH RESISTANCE AGAINST THE FORMATION OF STRESS CRACKS, LENGTH 400 MM, WIDTH 400 MM, THICKNESS 15 MM APPROXIMATELY	each	ITEMIZED	170
1466	4224151020900	THERMOPLASTIC SHEET, SILVERSHIELD FOR FABRICATING FLEXIBLE INNER SOCKETS IN LOWER LIMB PROSTHETICS, ANTIBACTERIAL EFFECT, VERY HIGH FLEXIBILITY, LENGTH 400 MM, WIDTH 400 MM, THICKNESS 12 MM APPROXIMATELY	each	ITEMIZED	130
1467	4224151021000	THERMOPLASTIC SHEET, SILVERSHIELD FOR FABRICATING FLEXIBLE INNER SOCKETS IN LOWER LIMB PROSTHETICS, ANTIBACTERIAL EFFECT, VERY HIGH FLEXIBILITY, LENGTH 400 MM, WIDTH 400 MM, THICKNESS 16 MM APPROXIMATELY	each	ITEMIZED	130
1468	4224151020800	THERMOPLASTIC SHEET, SILVERSHIELD FOR FABRICATING FLEXIBLE INNER SOCKETS IN LOWER LIMB PROSTHETICS, ANTIBACTERIAL EFFECT, VERY HIGH FLEXIBILITY, LENGTH 400 MM, WIDTH 400 MM, THICKNESS 9 MM APPROXIMATELY	each	ITEMIZED	130
1469	4224151021100	THERMOPLASTIC SHEET, SOFT FOR FABRICATING FLEXIBLE INNER PROSTHETIC SOCKETS IN LOWER LIMB PROSTHETICS, HIGH FLEXIBILITY, HIGH SURFACE QUALITY, CAN BE SUBSEQUENTLY THERMOFORMED, COMFORTABLE TO WEAR, WASHABLE, LENGTH 400 MM, WIDTH 400 MM, THICKNESS 10 MM APPROXIMATELY	each	ITEMIZED	15
1470	4224150902300	THERMOPLASTIC SHEET, SOFT FOR FABRICATING FLEXIBLE INNER PROSTHETIC SOCKETS IN LOWER LIMB PROSTHETICS, HIGH FLEXIBILITY, HIGH SURFACE QUALITY, CAN BE SUBSEQUENTLY THERMOFORMED, COMFORTABLE TO WEAR, WASHABLE, LENGTH 400 MM, WIDTH 400 MM, THICKNESS 12 MM APPROXIMATELY	each	ITEMIZED	10
1471	4224151021200	THERMOPLASTIC SHEET, SOFT FOR FABRICATING FLEXIBLE INNER PROSTHETIC SOCKETS IN LOWER LIMB PROSTHETICS, HIGH FLEXIBILITY, HIGH SURFACE QUALITY, CAN BE SUBSEQUENTLY THERMOFORMED, COMFORTABLE TO WEAR, WASHABLE, LENGTH 400 MM, WIDTH 400 MM, THICKNESS 15 MM APPROXIMATELY	each	ITEMIZED	10
1472	4224151021600	THERMOPLASTIC SHEET, SUPRA SOFT WITH SILICONE FOR FABRICATING HIGHLY FLEXIBLE SOFT-WALLED INNER SOCKETS FOR THE THIGH, VERY HIGH FLEXIBILITY, COMFORTABLE SOCKET BRIMS, HIGH SURFACE QUALITY, COMFORTABLE TO WEAR, EASY TO SAND, WASHABLE, LENGTH 400 MM, WIDTH 400 MM, THICKNESS 9 MM APPROXIMATELY	each	ITEMIZED	10
1473	4224151021700	THERMOPLASTIC SHEET, SUPRA SOFT WITH SILICONE FOR FABRICATING HIGHLY FLEXIBLE SOFT-WALLED INNER SOCKETS FOR THE THIGH, VERY HIGH FLEXIBILITY, COMFORTABLE SOCKET BRIMS, HIGH SURFACE QUALITY, COMFORTABLE TO WEAR, EASY TO SAND, WASHABLE, LENGTH 400 MM, WIDTH 400 MM, THICKNESS 12 MM APPROXIMATELY	each	ITEMIZED	10
1474	4224151021300	THERMOPLASTIC SHEET, SUPRA SOFT, FOR FABRICATING HIGHLY FLEXIBLE SOFT-WALLED INNER SOCKETS FOR THE THIGH, VERY HIGH FLEXIBILITY AND MORE COMFORTABLE SOCKET BRIMS, HIGH SURFACE QUALITY, COMFORTABLE TO WEAR, WASHABLE, LENGTH 400 MM, WIDTH 400 MM, THICKNESS 10 MM APPROXIMATELY	each	ITEMIZED	15
1475	4224151021400	THERMOPLASTIC SHEET, SUPRA SOFT, FOR FABRICATING HIGHLY FLEXIBLE SOFT-WALLED INNER SOCKETS FOR THE THIGH, VERY HIGH FLEXIBILITY AND MORE COMFORTABLE SOCKET BRIMS, HIGH SURFACE QUALITY, COMFORTABLE TO WEAR, WASHABLE, LENGTH 400 MM, WIDTH 400 MM, THICKNESS 12 MM APPROXIMATELY	each	ITEMIZED	15
1476	4224151021500	THERMOPLASTIC SHEET, SUPRA SOFT, FOR FABRICATING HIGHLY FLEXIBLE SOFT-WALLED INNER SOCKETS FOR THE THIGH, VERY HIGH FLEXIBILITY AND MORE COMFORTABLE SOCKET BRIMS, HIGH SURFACE QUALITY, COMFORTABLE TO WEAR, WASHABLE, LENGTH 400 MM, WIDTH 400 MM, THICKNESS 15 MM APPROXIMATELY	each	ITEMIZED	15
1477	4224151020300	THERMOPLASTIC SHEET, CLEAR FOR THE FABRICATION OF SELF-SUPPORTING CHECK SOCKETS, SHEET, TRANSPARENCY OF THE CHECK SOCKET TO FACILITATES PRECISE VERIFICATION OF THE FIT AND SKIN, LENGTH 400 MM, WIDTH 400 MM, THICKNESS 10 MM APPROXIMATELY	each	ITEMIZED	15

TENDER NAME: PROSTHESIS AND ORTHOSIS

SN	NUPCO CODE	ITEM DESCRIPTION	UOM	GROUP CATEGORY	INITIAL QUANTITY
1478	4224151020400	THERMOPLASTIC SHEET, CLEAR FOR THE FABRICATION OF SELF-SUPPORTING CHECK SOCKETS, SHEET, TRANSPARENCY OF THE CHECK SOCKET TO FACILITATES PRECISE VERIFICATION OF THE FIT AND SKIN, LENGTH 400 MM, WIDTH 400 MM, THICKNESS 12 MM APPROXIMATELY	each	ITEMIZED	10
1479	4224151020500	THERMOPLASTIC SHEET, CLEAR FOR THE FABRICATION OF SELF-SUPPORTING CHECK SOCKETS, SHEET, TRANSPARENCY OF THE CHECK SOCKET TO FACILITATES PRECISE VERIFICATION OF THE FIT AND SKIN, LENGTH 400 MM, WIDTH 400 MM, THICKNESS 15 MM APPROXIMATELY	each	ITEMIZED	20
1480	4224151020600	THERMOPLASTIC SHEET, CLEAR FOR THE FABRICATION OF SELF-SUPPORTING CHECK SOCKETS, SHEET, TRANSPARENCY OF THE CHECK SOCKET TO FACILITATES PRECISE VERIFICATION OF THE FIT AND SKIN, LENGTH 400 MM, WIDTH 400 MM, THICKNESS 20 MM APPROXIMATELY	each	ITEMIZED	20
1481	4224151021800	THERMOPLASTIC SHEET, CLEAR FOR THE FABRICATION OF SELF-SUPPORTING CHECK SOCKETS, SHEET, TRANSPARENCY OF THE CHECK SOCKET TO FACILITATES PRECISE VERIFICATION OF THE FIT AND SKIN, LENGTH 400 MM, WIDTH 400 MM, THICKNESS 8 MM APPROXIMATELY	each	ITEMIZED	15
1482	4224151007600	THERMOPLASTIC SHEET, CLEAR, (ANTIBACTERIAL), FOR THE FABRICATION OF SELF - SUPPORTING CHECK SOCKETS, SHEET, LENGTH 400 MM, WIDTH 400 MM, THICKNESS 8 MM APPROXIMATELY	each	ITEMIZED	15
1483	4224200012000	TALCUM, POWDER, NET CONTENTS, 1 KG., APPROXIMATELY	each	ITEMIZED	15
1484	4224150205400	DACRON FELT, WHITE COLOR, FILLING MATERIAL FOR LAMINATION, WIDTH 1000 MM, APPROXIMATELY	each	ITEMIZED	20
1485	4224200018700	MILLING BLOCK FOR INSOLES (BLUE COLOR), SIZE 2 DIMENSIONS (350X3000X35MM) APPROXIMATELY, FEATURES A MEDIUM HARDNESS AND SOFT HARDNESS ETHYLENE-VINYL ACETATE, (EVA) LAYERS, COMBINED WITH A BOTTOM STIFFENING LAYER	each	ITEMIZED	15
1486	4224200018600	MILLING BLOCK FOR INSOLES (BROWN COLOR), SIZE 2 DIMENSIONS (350X3000X35MM) APPROXIMATELY, FEATURES TWO SOFT ETHYLENE-VINYL ACETATE, (EVA) LAYERS, COMBINED WITH A BOTTOM STIFFENING LAYER	each	ITEMIZED	10
1487	4224200018900	MILLING BLOCK FOR INSOLES (GREEN COLOR), SIZE 2 DIMENSIONS (350X3000X35MM) APPROXIMATELY, FEATURES A MEDIUM DENSITY ETHYLENE-VINYL ACETATE, (EVA) LAYERS, COMBINED WITH A BOTTOM STIFFENING LAYER	each	ITEMIZED	10
1488	4224200018800	MILLING BLOCK FOR INSOLES (RED COLOR), SIZE 2 DIMENSIONS (350X3000X35MM) APPROXIMATELY, FEATURES A FIRM HARDNESS AND MEDIUM-SOFT HARDNESS ETHYLENE-VINYL ACETATE, (EVA) LAYERS, COMBINED WITH A BOTTOM STIFFENING LAYER	each	ITEMIZED	15
1489	4224171310400	CARBON FIBER WEBBING, WIDTH 50 MM APPROXIMATELY, LENGTH 10 APPROXIMATELY	each	ITEMIZED	220
1490	4224171309700	CARBON FIBERGLASS WEBBING UNIDIRECTIONAL WIDTH 25 MM LENGTH /ROLL 50 METERS APPROXIMATELY	each	ITEMIZED	180
1491	4224171309500	CARBON FIBERGLASS WEBBING UNIDIRECTIONAL WIDTH 50 MM LENGTH /ROLL 50 METERS APPROXIMATELY	each	ITEMIZED	240
1492	4224171309900	CARBON FIBERGLASS WEBBING UNIDIRECTIONAL WIDTH 75 MM LENGTH /ROLL 50 METERS APPROXIMATELY	each	ITEMIZED	10
1493	4224171310200	CARBON UD STOCKINETTE FOR AXIAL REINFORCEMENT BENDING FORCES OF THIN - WALLED, HIGH - STRENGTH, LAMINATES SIZE 40 X 5 APPROXIMATELY	each	ITEMIZED	10
1494	4224171310300	CARBON UD STOCKINETTE FOR AXIAL REINFORCEMENT BENDING FORCES OF THIN - WALLED, HIGH - STRENGTH, LAMINATES SIZE 70 X 5 APPROXIMATELY	each	ITEMIZED	10
1495	4224171310100	CARBON UD STOCKINETTE FOR AXIAL REINFORCEMENT BENDING FORCES OF THIN - WALLED, HIGH - STRENGTH, LAMINATES SIZE 100 X 5 APPROXIMATELY	each	ITEMIZED	10
1496	4231155304700	CASTING STOCKINETTE, COTTON, WIDTH 100 MM APPROXIMATELY, WEIGHT/ROLL 25-30 M	each	ITEMIZED	80
1497	4224150401400	CASTING STOCKINETTE, COTTON, WIDTH 80 MM APPROXIMATELY, WEIGHT/ROLL 17-20 M	each	ITEMIZED	55
1498	4224171310800	CLOTH, PROSTHETIC DEVICE, W 1200 MM APPROXIMATELY, CARBON FIBER, FOR LOCALIZED AND HIGH STRENGTH LAMINATE REINFORCEMENT	items (Pieces)	ITEMIZED	160
1499	4224200019900	DIRECT SOCKET LAMINATION SYSTEM, TRANSFEMORAL AMPUTEES OF ALL PATIENT ACTIVITY LEVELS, WITH USE OF THE DIRECT SOCKET MATERIALS, TOOLS, BRIM, THE MATERIAL ARE PROVIDED IN KIT WHERE EACH KIT PROVIDES ALL THE CONSUMABLES NEEDED TO FABRICATE ONE SOCKET	Kit	ITEMIZED	130
1500	4224200029900	DIRECT SOCKET MATERIAL, GLASS FIBER, LARGE DISTAL CONNECTOR, SIZE 7 INCH APPROXIMATELY	each	ITEMIZED	110
1501	4224200030000	DIRECT SOCKET MATERIAL, GLASS FIBER, LARGE DISTAL CONNECTOR, SIZE 9 INCH APPROXIMATELY	each	ITEMIZED	130
1502	4224200029700	DIRECT SOCKET MATERIAL, GLASS FIBER, STANDARD DISTAL CONNECTOR, SIZE 5 INCH APPROXIMATELY	each	ITEMIZED	280
1503	4224200029800	DIRECT SOCKET MATERIAL, GLASS FIBER, STANDARD DISTAL CONNECTOR, SIZE 7 INCH APPROXIMATELY	each	ITEMIZED	270
1504	4224150000900	FABRIC FOR LAMINATION, BLUE FOREST, FABRIC BAG FOR REINFORCEMENT OF LAMINATION RESIN, WIDTH 20 CM X LENGTH 150 CM APPROXIMATELY	each	ITEMIZED	120
1505	4231155304600	STOCKINETTE, PERLON, WHITE, WIDTH 60 MM APPROXIMATELY, L/ROLL 25-28 METER	each	ITEMIZED	1000
1506	4231155305100	STOCKINETTE, PERLON, WHITE, WIDTH 80 MM APPROXIMATELY, L/ROLL 25-27 METER	each	GROUP 2	25
1507	4231155304000	STOCKINETTE, PERLON, WHITE, WIDTH 100 MM APPROXIMATELY, L/ROLL 36-38 METER	each	GROUP 2	15
1508	4231155304200	STOCKINETTE, PERLON, WHITE, WIDTH 120 MM APPROXIMATELY, L/ROLL 33-35 METER	each	GROUP 2	15
1509	4231155304100	STOCKINETTE, PERLON, WHITE, WIDTH 150 MM APPROXIMATELY, L/ROLL 27-30 METER	each	GROUP 2	10
1510	4231155305200	STOCKINETTE, PERLON, WHITE, WIDTH 200 MM APPROXIMATELY, L/ROLL 19-22 METER	each	GROUP 2	15
1511	4231155305300	STOCKINETTE, PERLON, WHITE, WIDTH 250 MM APPROXIMATELY, L/ROLL 24-26 METER	each	ITEMIZED	750
1512	4231155305400	STOCKINETTE, PERLON, WHITE, WIDTH 300 MM APPROXIMATELY, L/ROLL 29-31 METER	each	ITEMIZED	950
1513	4224150400700	STOCKINETTE FIBERGLASS FOR FABRICATION OF THIN - WALLED (LIGHTWEIGHT DESIGN) WIDTH 100 MM APPROXIMATELY LENGTH /ROLL 5-7 METER	each	ITEMIZED	500
1514	4224150400800	STOCKINETTE FIBERGLASS FOR FABRICATION OF THIN - WALLED (LIGHTWEIGHT DESIGN) WIDTH 80 MM APPROXIMATELY LENGTH /ROLL 8-10 METER	each	ITEMIZED	850
1515	4224150401200	STOCKINETTE FIBERGLASS HIGH ELASTICITY TWO - WAY STRETCH WIDTH 60 MM APPROXIMATELY LENGTH /ROLL 28-30 METER	each	ITEMIZED	1200
1516	4224150401300	STOCKINETTE FIBERGLASS HIGH ELASTICITY TWO - WAY STRETCH WIDTH 80 MM APPROXIMATELY LENGTH /ROLL 17-20 METER	each	ITEMIZED	900
1517	4214280204800	STOCKINETTE FIBERGLASS HIGH ELASTICITY TWO - WAY STRETCH WIDTH 100 MM APPROXIMATELY LENGTH /ROLL 15-16 METER	Role	ITEMIZED	180
1518	4214280204700	STOCKINETTE FIBERGLASS HIGH ELASTICITY TWO - WAY STRETCH WIDTH 120 MM APPROXIMATELY LENGTH /ROLL 12-13 METER	Role	ITEMIZED	110
1519	4214280204600	STOCKINETTE FIBERGLASS HIGH ELASTICITY TWO - WAY STRETCH WIDTH 150 MM APPROXIMATELY LENGTH /ROLL 9-10 METER	Role	ITEMIZED	110
1520	4224150400900	STOCKINETTE FIBERGLASS HIGH ELASTICITY TWO - WAY STRETCH WIDTH 200 MM APPROXIMATELY LENGTH /ROLL 7-10 METER	each	ITEMIZED	180

TENDER NAME: PROSTHESIS AND ORTHOSIS

SN	NUPCO CODE	ITEM DESCRIPTION	UOM	GROUP CATEGORY	INITIAL QUANTITY
1521	4224150401000	STOCKINETTE FIBERGLASS HIGH ELASTICITY TWO - WAY STRETCH WIDTH 250 MM APPROXIMATELY LENGTH /ROLL 5-6 METER	each	ITEMIZED	100
1522	4224150401100	STOCKINETTE FIBERGLASS HIGH ELASTICITY TWO - WAY STRETCH WIDTH 300 MM APPROXIMATELY LENGTH /ROLL 4-5 METER	each	ITEMIZED	30
1523	4224150300100	NYLGLASS STOCKINETTE, OFF - WHITE, 50/50% BLEND OF NYLON AND FIBERGLASS, WIDTH 150 MM, LENGTH 23.8 METERS APPROXIMATELY	each	ITEMIZED	130
1524	4214280205200	NYLGLASS STOCKINETTE, OFFWHITE, 50/50 % BLEND OF NYLON AND FIBERGLASS, WIDTH 80 MM, LENGTH 35.7 METER, APPROXIMATELY	Role	ITEMIZED	320
1525	4224150400500	STOCKINETTE NYLON CAUCASIAN SKIN COLOR 120 MM X 38-40 METER LENGTH /ROLL APPROXIMATELY	each	ITEMIZED	240
1526	4224150401800	STOCKINETTE NYLON CAUCASIAN SKIN COLOR 150 MM X 32-35 METER LENGTH /ROLL APPROXIMATELY	each	ITEMIZED	240
1527	4224150401900	STOCKINETTE NYLON CAUCASIAN SKIN COLOR 60 MM X 48-50 METER LENGTH /ROLL APPROXIMATELY	each	ITEMIZED	45
1528	4224150402000	STOCKINETTE NYLON CAUCASIAN SKIN COLOR 90 MM X 35-37 METER LENGTH /ROLL APPROXIMATELY	each	ITEMIZED	100
1529	4224200016600	STOCKING, NYLON, USED FOR DRAPING PROCESS, 30 X 1.25 METER APPROXIMATELY	each	ITEMIZED	40
1530	4224150401500	STOCKINETTE, ELASTIC, WIDTH 100 MM APPROXIMATELY, WEIGHT/ROLL 75-80 M	each	ITEMIZED	400
1531	4224150401600	STOCKINETTE, ELASTIC, WIDTH 150 MM APPROXIMATELY, WEIGHT/ROLL 40-45 M	each	ITEMIZED	450
1532	4224150401700	STOCKINETTE, ELASTIC, WIDTH 60 MM APPROXIMATELY, WEIGHT/ROLL 45-50 M	each	ITEMIZED	500
1533	4224150400400	STOCKINETTE, POLYESTER AND FIBERGLASS MIX, WIDTH 100 MM APPROXIMATELY, LENGTH 32-35 METER APPROXIMATELY	each	ITEMIZED	110
1534	4224150603700	STOCKINETTE, POLYESTER AND FIBERGLASS MIX, WIDTH 120 MM APPROXIMATELY, LENGTH 26-28 METER APPROXIMATELY	each	ITEMIZED	55
1535	4224150603600	STOCKINETTE, POLYESTER AND FIBERGLASS MIX, WIDTH 200 MM APPROXIMATELY, LENGTH 18-20 METER	each	ITEMIZED	90
1536	4224150603800	STOCKINETTE, POLYESTER AND FIBERGLASS MIX, WIDTH 250 MM APPROXIMATELY, LENGTH 15-17 METER APPROXIMATELY	each	ITEMIZED	15
1537	4224150402100	STOCKINETTE, POLYESTER AND FIBERGLASS MIX, WIDTH 300 MM APPROXIMATELY, LENGTH 11-13 METER APPROXIMATELY	each	ITEMIZED	80
1538	4224150400600	WOVEN CARBON FIBER STOCKINETTE FOR FABRICATION OF RIGID FRAME STRUTS CLASPS AND CONNECTION WIDTH 20 MM LENGTH /ROLL 25 METER APPROXIMATELY	each	ITEMIZED	80
1539	4214280205000	WOVEN CARBON FIBER STOCKINETTE, FOR FABRICATION OF THIN -WALLED, HIGH-STRENGTH, WIDTH 100 MM, LENGTH/ROLL 10-15 METER	Role	ITEMIZED	35
1540	4214280204900	WOVEN CARBON FIBERGLASS STOCKINETTE FOR FABRICATION OF THIN -WALLED, HIGH-STRENGTH, WIDTH 80 MM, LENGTH/ROLL 11 METER, APPROXIMATELY	Role	ITEMIZED	1150
1541	4224171310500	DOUBLE - SIDED ADHESIVE TAPE FOR ADHERING INNER SOCKET TO OUTER FRAME, TRANSPARENT, LENGTH 50 METERS APPROXIMATELY, WIDTH 19 MM APPROXIMATELY	each	ITEMIZED	1700
1542	4224200004500	CALF LEATHER LINING, FOR SHOE MAKING, BLACK	each	ITEMIZED	1100
1543	4224200013000	CHAMOIS LEATHER, ULTRA SOFT, TRIMMED, SIZE BY FEET	each	ITEMIZED	550
1544	4224200012700	CHARGER, FOR MYOENERGY, INTEGRAL BATTERY SYSTEM	each	ITEMIZED	450
1545	4218260000500	CHROME LEATHER LINING, BLACK, THICKNESS 1.0-1.8 MM APPROXIMATELY	each	ITEMIZED	210
1546	4218260000400	CHROME LEATHER LINING, BLUE, THICKNESS 1.0-1.8 MM APPROXIMATELY	each	ITEMIZED	250
1547	4218260000600	CHROME LEATHER LINING, COGNAC, 1.0-1.8 MM	each	ITEMIZED	200
1548	4224171400000	CHROME LINING, CORDOVAN OR EQUIVALENT	each	ITEMIZED	100
1549	4224200013100	COW, ORTHOPEDIC, SIDE LEATHER, 0.8 - 1 MM APPROXIMATELY, BLACK, BY FEET	each	ITEMIZED	4000
1550	4224200013200	COW, ORTHOPEDIC, SIDE LEATHER, 0.8 - 1 MM APPROXIMATELY, PEACH, BY FEET	each	ITEMIZED	850
1551	4224200013300	COW, ORTHOPEDIC, SIDE LEATHER, 0.8 - 1 MM APPROXIMATELY, YELLOW, BY FEET	each	ITEMIZED	25
1552	4214280205700	LADIES BEST WILLOW CALF SKIN BURGUNDY	each	ITEMIZED	4000
1553	4224171400100	LADIES BEST WILLOW, CALF SKIN, BLUE	each	ITEMIZED	6000
1554	4224171400200	LADIES BEST WILLOW, CALF SKIN, WHITE	each	ITEMIZED	800
1555	4224200004900	NATURAL CALF LINING, 1.1 MM, APPROXIMATELY	each	ITEMIZED	4000
1556	4224150402400	NATURAL LINING HIDES, 1.5 MM, APPROXIMATELY	each	ITEMIZED	2000
1557	4214360501000	T - STRAP, STANDARD DESIGN, LEATHER, LINED WITH COWHIDE, BLACK, EXTRA LARGE	each	ITEMIZED	150
1558	4214360500800	T - STRAP, STANDARD DESIGN, LEATHER, LINED WITH COWHIDE, BLACK, LARGE	each	ITEMIZED	1000
1559	4214360500900	T - STRAP, STANDARD DESIGN, LEATHER, LINED WITH COWHIDE, BLACK, MEDIUM	each	ITEMIZED	6000
1560	4214360501300	T - STRAP, STANDARD DESIGN, LEATHER, LINED WITH COWHIDE, BROWN, EXTRA LARGE	each	ITEMIZED	8000
1561	4214360501100	T - STRAP, STANDARD DESIGN, LEATHER, LINED WITH COWHIDE, BROWN, LARGE	each	ITEMIZED	8000
1562	4214360501200	T - STRAP, STANDARD DESIGN, LEATHER, LINED WITH COWHIDE, BROWN, MEDIUM	each	ITEMIZED	10000
1563	4412211900300	FASTENER, SELF ADHESIVE, HOOK, VELCRO OR EQUIVALENT, WHITE, 25 MM, APPROXIMATELY, WIDTH, 25 METER/ROLL APPROXIMATELY	each	ITEMIZED	1500
1564	4412211900000	FASTENER, SELF ADHESIVE, HOOK, VELCRO OR EQUIVALENT, WHITE, 50 MM APPROXIMATELY, WIDTH 25 METER/ROLL APPROXIMATELY	each	ITEMIZED	110
1565	4412210900700	HOOK AND PILE CLOSURE WITH LOOP, WIDTH 25 MM APPROXIMATELY, LENGTH 380 MM APPROXIMATELY, BLUE, VELCRO OR EQUIVALENT	SET	ITEMIZED	110
1566	4412210900800	HOOK AND PILE CLOSURE WITH LOOP, WIDTH 25 MM APPROXIMATELY, LENGTH 380 MM APPROXIMATELY, RED, VELCRO OR EQUIVALENT	SET	ITEMIZED	110
1567	4412210900900	HOOK AND PILE CLOSURE WITH LOOP, WIDTH 25 MM APPROXIMATELY, LENGTH 380 MM APPROXIMATELY, WHITE, VELCRO OR EQUIVALENT	SET	ITEMIZED	110
1568	4412210901000	HOOK AND PILE CLOSURE WITH LOOP, WIDTH 30 MM APPROXIMATELY, LENGTH 380 MM APPROXIMATELY, BLUE, VELCRO OR EQUIVALENT	SET	ITEMIZED	110
1569	4412210901100	HOOK AND PILE CLOSURE WITH LOOP, WIDTH 30 MM APPROXIMATELY, LENGTH 380 MM APPROXIMATELY, RED, VELCRO OR EQUIVALENT	SET	ITEMIZED	110
1570	4412210901200	HOOK AND PILE CLOSURE WITH LOOP, WIDTH 30 MM APPROXIMATELY, LENGTH 380 MM APPROXIMATELY, WHITE, VELCRO OR EQUIVALENT	SET	ITEMIZED	230

TENDER NAME: PROSTHESIS AND ORTHOSIS

SN	NUPCO CODE	ITEM DESCRIPTION	UOM	GROUP CATEGORY	INITIAL QUANTITY
1571	4412210901300	HOOK AND PILE CLOSURE WITH LOOP, WIDTH 35 MM APPROXIMATELY, LENGTH 380 MM APPROXIMATELY, BLUE, VELCRO OR EQUIVALENT	SET	ITEMIZED	500
1572	4412210901500	HOOK AND PILE CLOSURE WITH LOOP, WIDTH 35 MM APPROXIMATELY, LENGTH 380 MM APPROXIMATELY, RED, VELCRO OR EQUIVALENT	SET	ITEMIZED	2250
1573	4412210901400	HOOK AND PILE CLOSURE WITH LOOP, WIDTH 35 MM APPROXIMATELY, LENGTH 380 MM APPROXIMATELY, WHITE, VELCRO OR EQUIVALENT	SET	ITEMIZED	2250
1574	4224152002600	HOOK AND PILE CLOSURE, W=50 MM APPROXIMATELY, SALMON (VELCRO) ROLL 25 M APPROXIMATELY	each	ITEMIZED	2250
1575	4412210901600	HOOK AND PILE CLOSURE, WIDTH 20 MM APPROXIMATELY, BLUE, VELCRO OR EQUIVALENT, ROLL 25 METERS APPROXIMATELY	each	ITEMIZED	2100
1576	4412210900300	HOOK AND PILE CLOSURE, WIDTH 20 MM APPROXIMATELY, SALMON (VELCRO OR EQUIVALENT), ROLL 25 METERS APPROXIMATELY	each	ITEMIZED	2250
1577	4412210900400	HOOK AND PILE CLOSURE, WIDTH 20 MM APPROXIMATELY, WHITE (VELCRO OR EQUIVALENT), ROLL 25 METERS APPROXIMATELY	each	ITEMIZED	2100
1578	4412210901900	HOOK AND PILE CLOSURE, WIDTH 25 MM APPROXIMATELY, BLUE, VELCRO OR EQUIVALENT, ROLL 25 METERS APPROXIMATELY	each	ITEMIZED	2100
1579	4412210900500	HOOK AND PILE CLOSURE, WIDTH 25 MM APPROXIMATELY, SALMON (VELCRO OR EQUIVALENT), ROLL 25 METERS APPROXIMATELY	each	ITEMIZED	2100
1580	4412210900600	HOOK AND PILE CLOSURE, WIDTH 25 MM APPROXIMATELY, WHITE (VELCRO OR EQUIVALENT), ROLL 25 METERS APPROXIMATELY	each	ITEMIZED	2100
1581	4412210902000	HOOK AND PILE, CLOSURE, WIDTH 25 MM APPROXIMATELY, DARK BROWN, (VELCRO OR EQUIVALENT), ROLL 25 METERS APPROXIMATELY	each	ITEMIZED	650
1582	4412210902200	HOOK AND PILE CLOSURE, WIDTH 30 MM APPROXIMATELY, BLUE, VELCRO OR EQUIVALENT, ROLL 25 METER APPROXIMATELY	each	ITEMIZED	290
1583	4224152002400	HOOK AND PILE CLOSURE, WIDTH 30 MM APPROXIMATELY, SALMON (VELCRO OR EQUIVALENT), ROLL 25 METERS APPROXIMATELY	items (Pieces)	ITEMIZED	450
1584	4224152002500	HOOK AND PILE CLOSURE, WIDTH 30 MM APPROXIMATELY, WHITE (VELCRO OR EQUIVALENT), ROLL 25 METERS APPROXIMATELY	each	ITEMIZED	650
1585	4224152002700	HOOK AND PILE CLOSURE, WIDTH 50 MM APPROXIMATELY, WHITE (VELCRO OR EQUIVALENT), ROLL 25 METERS APPROXIMATELY	each	ITEMIZED	320
1586	4412210902600	HOOK AND LOOP, WIDTH 25 MM APPROXIMATELY, LENGTH 400 MM APPROXIMATELY, SKIN COLOR/WHITE	each	ITEMIZED	750
1587	4412210902700	HOOK AND LOOP, WIDTH 30 MM APPROXIMATELY, LENGTH 400 MM APPROXIMATELY, SKIN COLOR/WHITE	each	ITEMIZED	800
1588	4412210902800	HOOK AND LOOP, WIDTH 40 MM APPROXIMATELY, LENGTH 400 MM APPROXIMATELY, SKIN COLOR/WHITE	each	ITEMIZED	65
1589	4412210902900	HOOK AND LOOP, WIDTH 50 MM APPROXIMATELY, LENGTH, 400 MM APPROXIMATELY, COLOR, SKIN, COLOR/WHITE	each	ITEMIZED	50
1590	4224171319400	LOOP, IRON NICKEL PLATED, WELDED, INSIDE WIDTH 30 MM APPROXIMATELY	each	ITEMIZED	750
1591	4224171313200	LOOP, IRON NICKEL PLATED, WELDED, INSIDE WIDTH 35 MM APPROXIMATELY	each	ITEMIZED	2250
1592	4224170617900	PADDING FOR ORTHOTICS, FABRIC, BREATHABLE, STRETCHABLE, WATERPROOF, MOISTURE WICKING, VERY COMFORTABLE, AIR PERMEABLE, WIDTH 1400 MM APPROXIMATELY, LENGTH 5 METER APPROXIMATELY, THICKNESS 3 MM, ASSORTED COLORS.	each	ITEMIZED	1200
1593	4214360501600	ROLL LOOP, INSIDE WIDTH 35 MM APPROXIMATELY	each	ITEMIZED	1500
1594	4224200005400	ROLL LOOP, INSIDE WIDTH 50 MM APPROXIMATELY	each	ITEMIZED	1500
1595	4224170642700	SOFT PADDING KIT, FOR AFO, INTERFACE, BETWEEN ORTHOSIS AND TIBIAL CREST COMFORT AND RELIEF OF POTENTIAL DISCOMFORT FROM BONY PROMINENCES, AN EXTRA PAD IS INCLUDED TO ALLOW REPLACEMENT WHILE WASHING, ASSORTED SIZE AND SIDE	each	ITEMIZED	1600
1596	4224152004600	WEBBING, ELASTIC, WIDTH 20 MM APPROXIMATELY, BEIGE, WITH WHITE STRIPES, ROLL OF 25 METERS APPROXIMATELY	each	ITEMIZED	2000
1597	4224152002100	WEBBING ELASTIC WIDTH 21 MM APPROXIMATELY, GRAY WITH WHITE STRIPES ROLL OF 25 METERS APPROXIMATELY	each	ITEMIZED	1900
1598	4224152004200	WEBBING, NON - ELASTIC, WIDTH 25 MM APPROXIMATELY, WHITE, ROLL OF 50 METERS APPROXIMATELY	each	ITEMIZED	3000
1599	4224152002800	WEBBING, NON ELASTIC, WIDTH 30 MM APPROXIMATELY, WHITE, ROLL OF 50 METERS APPROXIMATELY	each	ITEMIZED	65
1600	4224152003800	WEBBING ELASTIC WIDTH 30 MM APPROXIMATELY, GRAY WITH WHITE STRIPES ROLL OF 25 METERS APPROXIMATELY	each	ITEMIZED	10
1601	4224152003900	WEBBING ELASTIC WIDTH 35 MM APPROXIMATELY, GRAY WITH WHITE STRIPES ROLL OF 25 METERS APPROXIMATELY	each	ITEMIZED	60000
1602	4224152004700	WEBBING, ELASTIC, WIDTH 35 MM APPROXIMATELY, BEIGE, WITH WHITE STRIPES, ROLL OF 25 METERS APPROXIMATELY	each	ITEMIZED	10
1603	4224152004000	WEBBING ELASTIC WIDTH 45 MM APPROXIMATELY, GRAY WITH WHITE STRIPES ROLL OF 25 METERS APPROXIMATELY	each	ITEMIZED	80
1604	4224152004800	WEBBING, ELASTIC, WIDTH 45 MM APPROXIMATELY, BEIGE, WITH WHITE STRIPES, ROLL OF 25 METERS APPROXIMATELY	each	ITEMIZED	200
1605	4224200035800	ADJUSTABLE GONIOMETER, MANAGEABLE, AN ORTHOTICS WORKSHOP TOOL, POSITIONING OF THE ROTATING LEVEL USING A HAND WHEEL. SOLE MADE OF ALUMINUM WITH INTEGRATED MAGNETS. ROTATION DISK SCALE IN DEGREES AND MM/M, DIMENSIONS (L X W X H) 250 X 20 X 125 MM APPROXIMATELY, WEIGHT 0.370 KG	each	ITEMIZED	230
1606	4224200030700	ANVILS, AN ORTHOTICS WORKSHOP TOOL, HIGH-GRADE STEEL WHICH FEATURES HIGH HARDNESS AND DURABILITY, DIMENSIONS WXH 500 X 190 MM, ITS EXCELLENT FOR RIVETING, FLATTENING AND FORMING METAL, WEIGHT 40-80 KG	each	ITEMIZED	90
1607	4224200033500	AVIATION SNIPS SHEAR, STEEL, AN ORTHOTICS WORKSHOP TOOL	each	ITEMIZED	200
1608	4224200032200	BALL-PEEN HAMMER, AN ORTHOTICS WORKSHOP TOOL, DOUBLE CHANNEL, HEMISPHERIC/FLAT-ROUND, WITH SHAFT	each	ITEMIZED	170
1609	4224200030800	BENCH VICE WITH SURFACE-HARDENED CLAMPING JAWS, ADJUSTABLE, HARDENED GUIDE RAIL, MEASURING SCALE FOR QUICK PRE-ADJUSTMENT OF THE CLAMPING WIDTH, ROUND, STABLE, JAW WIDTH 140-160 MM, HOLE SPACING 140-160 MM, WEIGHT 15-20 KG	each	ITEMIZED	65
1610	4224200035100	BENDING FORK, AN ORTHOTICS WORKSHOP TOOL, FOR SHAPING OF STEELS, METALS PLATE AND ORTHOTICS BRACES	each	ITEMIZED	200
1611	4224200034900	BENDING IRONS KIT, AN ORTHOTICS WORKSHOP TOOL, FOR SHAPING OF STEELS, METAL PLATE AND ORTHOTICS BRACES	Kit	ITEMIZED	290
1612	4224160201300	BLADE, CAST, CUTTER, SEGMENT SAW BLADE, COMPATIBLE WITH HOSPITAL DEVICE	each	ITEMIZED	15
1613	4224160002000	BLADE, JIG SAW, FOR PLASTICS, LENGTH 50 MM, TEETH 2.0 MM, APPROXIMATELY	each	ITEMIZED	10
1614	4224200013700	BLADE, JIG SAW, FOR STEEL SHEET, LENGTH 50 MM, TEETH 1.2 MM, APPROXIMATELY	each	ITEMIZED	15
1615	4224160002100	BLADE, JIG SAW, FOR WOOD, LENGTH 75 MM, TEETH 3.0 MM, APPROXIMATELY	each	ITEMIZED	10
1616	4229300100600	BODY CALIPER FOR SIT CAST, FOR MEASURING BODY SEGMENT, SCALE RANGE 600 MM APPROXIMATELY	each	ITEMIZED	15

TENDER NAME: PROSTHESIS AND ORTHOSIS

SN	NUPCO CODE	ITEM DESCRIPTION	UOM	GROUP CATEGORY	INITIAL QUANTITY
1617	4229300100500	BODY CALIPER, FOR MEASURING BODY SEGMENT, SCALE RANGE 600 MM APPROXIMATELY	each	ITEMIZED	15
1618	4224200031100	C CLAMPS, AN ORTHOTICS WORKSHOP TOOL, CLAMPING ARM MADE OF MALLEABLE IRON, PROFILED STEEL SLIDE RAIL, WOODEN HANDLE, JAW OPENING 180-220 MM APPROXIMATELY, WORKING RADIUS 100 MM, WEIGHT 1-3 KG	each	ITEMIZED	10
1619	4224200034000	CENTER PUNCH KIT, AN ORTHOTICS WORKSHOP TOOL, STEEL, OCTAGONAL SHAFT, PAINTED	Kit	ITEMIZED	230
1620	4224200031500	COMBINATION PLIERS, AN ORTHOTICS WORKSHOP TOOL, SIDE PIECE WITH PVC COATING, LENGTH 140-160 MM	each	ITEMIZED	400
1621	4224160001700	CONICAL, PLASTIC, DRILL, DIAMETER 14 MM APPROXIMATELY	each	ITEMIZED	270
1622	4224160001800	CONICAL, SANDING, DRUM, THREAD, 5/8 INCHES, LENGTH 60 MM APPROXIMATELY, DIAMETER 36/22 MM APPROXIMATELY	each	ITEMIZED	70
1623	4224160001900	CONICAL, SANDING, DRUM, THREAD, M16, LENGTH 60 MM APPROXIMATELY, DIAMETER 36/22 MM APPROXIMATELY	each	ITEMIZED	30
1624	4224200034400	CORDLESS HAND DRILL 18 VOLT, AN ORTHOTICS WORKSHOP TOOL, WORK ON RECHARGEABLE BATTERIES, ALLOWING THE USER TO INSERT A BATTERY PACK AND INSTANTLY HAVE AN OPERATING DRILL WITHOUT A POWER CABLE	Kit	ITEMIZED	65
1625	4224200033800	CORDLESS JIGSAW, AN ORTHOTICS WORKSHOP TOOL, 4-STAGE PENDULUM STROKE, KNOB HANDLE, ELECTRONICS INCLUDE CHOICE OF PROPER STROKE FOR RESPECTIVE MATERIAL, FIXTEC QUICK-CLAMPING SYSTEM FOR CHANGING SAW BLADES WITHOUT THE NEED FOR TOOLS, QUICK-ADJUSTMENT SYSTEM FOR 45 DEGREE BEVEL CUTS, STABLE ALUMINUM CAST BASE PLATE FOR PRECISION WORK, METAL CHIP BLOWER, IDLE SPEED 450 - 3,000 MIN-1, STROKE DEPTH 26 MM	each	ITEMIZED	15
1626	4224200031800	DIAGONAL-CUTTING AND SIDE-CUTTING PLIERS, AN ORTHOTICS WORKSHOP TOOL, SIDE PIECE WITH PVC COATING, FOR HARD WIRE, LENGTH 160-200 MM APPROXIMATELY	each	ITEMIZED	10
1627	4224200033200	DRAW KNIFE FOR MODIFICATION PURPOSES, AN ORTHOTICS WORKSHOP TOOL, STEEL BLADE, WITH WOODEN HANDLE	each	ITEMIZED	20
1628	4224200034600	DRILL BITS KIT, AN ORTHOTICS WORKSHOP TOOL, USING FOR CUT AND MAKE HOLE FOR METAL SURFACES	Kit	ITEMIZED	55
1629	4224200034700	DRILL BITS KIT, AN ORTHOTICS WORKSHOP TOOL, USING FOR CUT AND MAKE HOLE FOR STEEL SURFACES	Kit	ITEMIZED	40
1630	4224200034500	DRILL BITS KIT, AN ORTHOTICS WORKSHOP TOOL, USING FOR CUT AND MAKE HOLE FOR WOOD SURFACES	Kit	ITEMIZED	170
1631	4229170102700	DRILL, CONICAL, PLASTIC, DIAMETER 20 MM APPROXIMATELY	each	ITEMIZED	10
1632	4229170102800	DRILL, CONICAL, PLASTIC, DIAMETER 30 MM APPROXIMATELY	each	ITEMIZED	15
1633	4229170102600	DRILL, SET, HSS DIN 338 OR EQUIVALENT, CLOCKWISE CUTTING WITH CYLINDRICAL, SHAFT DIAMETER, 1-1 MM, INCREASING BY 0.5 MM INCREMENTS, 19 EACH IN STEEL CASE	SET	ITEMIZED	15
1634	4224200036300	ELECTRONIC WEIGHING SCALES OF MATERIAL IN A CONTAINER, AN ORTHOTICS WORKSHOP TOOL, SUITABLE FOR BATTERY AND MAINS OPERATION, ROBUST DESIGN, CAN BE TARED, TOTAL WEIGHT IS DISPLAYED AFTER THE WEIGHT IS REMOVED FROM THE SCALE PAN, DIMENSIONS (W X D X H) 140-250 X 200-240 X 60-90 MM APPROXIMATELY, WEIGHING RANGE UP TO 6000 G	each	ITEMIZED	15
1635	4224200031700	END-CUTTING PLIERS, AN ORTHOTICS WORKSHOP TOOL, INDUCTIVELY HARDENED CUTTING, SIDE PIECE WITH PVC COATING, FOR HARD WIRE, LENGTH 160-200 MM APPROXIMATELY	each	ITEMIZED	15
1636	4224200035200	FIXTURE FOR BENDING BANDS, AN ORTHOTICS WORKSHOP TOOL, FOR BRACES AN ORTHOTICS FOR SHAPING OF STEELS AND METALS PLATE	each	ITEMIZED	15
1637	4224200035300	FLAT SURFORM FILE, AN ORTHOTICS WORKSHOP TOOL, FOR SHAPING OF CASTING AND MODIFICATION PURPOSE	each	ITEMIZED	15
1638	4224200033000	FOLD UP POCKET HEX KEY KIT, AN ORTHOTICS WORKSHOP TOOL, STEEL, INCLUDES HOLDER, WRENCH SIZE 2, 5 / 3 / 4 / 5 / 6 / 8 / 10	Kit	ITEMIZED	45
1639	4224200033700	HACKSAW TO CUT METAL, AN ORTHOTICS WORKSHOP TOOL, STEEL, WITH PLASTIC HANDLE	each	ITEMIZED	20
1640	4224200035400	HALF-ROUND SURFORM FILE, AN ORTHOTICS WORKSHOP TOOL, FOR SHAPING OF CASTING AND MODIFICATION PURPOSE	each	ITEMIZED	75
1641	4224200033600	HAND BEVERLY SHEAR, AN ORTHOTICS WORKSHOP TOOL, FOR CUTTING METAL PLATES	each	ITEMIZED	10
1642	4224200031600	LASTING PLIERS, AN ORTHOTICS WORKSHOP TOOL, JAW WIDTH 8-10 MM APPROXIMATELY, LENGTH 180-220 MM APPROXIMATELY	each	ITEMIZED	15
1643	4224200034300	LEATHER DRIVE PUNCH KIT, AN ORTHOTICS WORKSHOP TOOL, TOOL STEEL, 13 PARTS, Ø 2, 3, 4, 5, 6, 8, 10, 11, 13, 14, 16, 19 AND 20 MM	Kit	ITEMIZED	10
1644	4412161800000	LEATHER SHEARS, WITH SERRATED EDGE, 8 INCHES LONG APPROXIMATELY	each	ITEMIZED	10
1645	4224200031300	LONG-NOSED PLIERS, AN ORTHOTICS WORKSHOP TOOL, OIL HARDENED, SIDE PIECE WITH PVC COATING, POLISHED HEAD, LENGTH 140-160 MM	each	ITEMIZED	10
1646	4224200034200	PIN PUNCH KIT, AN ORTHOTICS WORKSHOP TOOL, CHROME-VANADIUM STEEL, SIX PARTS, IN WOODEN STAND, OCTAGONAL SHAFT, Ø 2, 3, 4, 5, 6 AND 8 MM	Kit	ITEMIZED	15
1647	4224171310600	PINCH GAUGE, FOR TESTING THE GRIP FORCE OF SYSTEM ELECTRIC HAND	each	ITEMIZED	10
1648	4224200031000	PIPE VISE OR PIPE-HOLDING FIXTURE, AN ORTHOTICS WORKSHOP TOOL, HINGED DESIGN WITH AUTOMATICALLY CLOSING SECURING HOOK, DROP FORGED MOVABLE JAW, MOVABLE JAW AND FIXED JAW EXCHANGEABLE, GRIPPING SURFACES MILLED AND HARDENED, STRONG SPINDLE WITH ADJUSTABLE T-HANDLE, TO BE USED FOR FOR PIPES UP TO 2 INCHES, JAW OPENING 60-80 MM, WEIGHT 4-6 KG	each	ITEMIZED	20
1649	4224200036700	PLASTIC HEAD HAMMER, AN ORTHOTICS WORKSHOP TOOL	each	ITEMIZED	15
1650	4224200032800	RATCHET WRENCHES KIT, STEEL, AN ORTHOTICS WORKSHOP TOOL, SHORT DESIGN, RING HEAD ANGLED AT 15 DEGREE, 17 PARTS, IN TRANSPARENT BAG, FROM 6 TO 22 IN 1 MM INCREMENTS	Kit	ITEMIZED	10
1651	4224152004400	RIVET, HEADER, 3 MM, CHROME VANADIUM STEEL, OCTAGONAL SHAFT, LENGTH 100 MM, APPROXIMATELY	each	ITEMIZED	20
1652	4224152004500	RIVET, HEADER, 4 MM, CHROME VANADIUM STEEL, OCTAGONAL SHAFT, LENGTH 100 MM, APPROXIMATELY	each	ITEMIZED	15
1653	4224200032100	RIVETING HAMMER, AN ORTHOTICS WORKSHOP TOOL, DOUBLE CHANNEL, CHASING HAMMER WITH SHAFT	each	ITEMIZED	10
1654	4224200036600	ROTARY HOLE LEATHER PUNCHER, AN ORTHOTICS WORKSHOP TOOL, PUNCHED, WITH SIX PUNCHING TUBES DIAMETERS: 2 / 2.5 / 3 / 3.5 / 4 AND 5 MM	Kit	ITEMIZED	35
1655	4224200035500	ROUND SURFORM FILE, AN ORTHOTICS WORKSHOP TOOL, FOR SHAPING OF CASTING AND MODIFICATION PURPOSE	each	ITEMIZED	10
1656	4224200031400	ROUND-NOSED PLIERS, AN ORTHOTICS WORKSHOP TOOL, SIDE PIECE WITH PVC COATING, LENGTH 140-160 MM	each	ITEMIZED	10
1657	4224200032500	RUBBER HEAD HAMMER, AN ORTHOTICS WORKSHOP TOOL, RUBBER Mallet WITH SHAFT	each	ITEMIZED	20
1658	4224160002200	SAND PAPER, WET - DRY, 230 X 280 MM APPROXIMATELY, GRIT 240	each	ITEMIZED	550
1659	4224160001300	SANDING SLEEVES, OUTER DIAMETER 73 MM APPROXIMATELY, LENGTH 200 MM APPROXIMATELY, GRIT 40	each	ITEMIZED	550

TENDER NAME: PROSTHESIS AND ORTHOSIS

SN	NUPCO CODE	ITEM DESCRIPTION	UOM	GROUP CATEGORY	INITIAL QUANTITY
1660	4224160001400	SANDING SLEEVES, OUTER DIAMETER 73 MM APPROXIMATELY, LENGTH 200 MM APPROXIMATELY, GRIT 60	each	ITEMIZED	10
1661	4224160001500	SANDING SLEEVES, OUTER DIAMETER 73 MM APPROXIMATELY, LENGTH 200 MM APPROXIMATELY, GRIT 80	each	ITEMIZED	15
1662	4224160201000	SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 50 MM, APPROXIMATELY	each	ITEMIZED	10
1663	4224160201100	SAW BLADE, FOR ELECTRIC CAST CUTTER, DIAMETER 65 MM, APPROXIMATELY	each	ITEMIZED	10
1664	4224200036100	SCHMID PERIMETER GAGE (INSIDE CIRCUMFERENCE GAUGE), AN ORTHOTICS WORKSHOP TOOL, USED FOR MEASURING THE DISTANCE AROUND THE INSIDE OF A SOCKET AT ANY SELECTED DEPTH BELOW THE LOWEST PORTION OF THE TOP OF THE SOCKET	each	ITEMIZED	15
1665	4412161800200	SCISSOR, LISTER BANDAGE, 7.5 INCHES LONG APPROXIMATELY	each	ITEMIZED	230
1666	4412161800300	SCISSORS, PLASTER, CAST CUTTING, LENGTH 210 MM APPROXIMATELY	each	ITEMIZED	450
1667	4412161800400	SCISSORS, PLASTER, CAST CUTTING, LENGTH 220 MM APPROXIMATELY	each	ITEMIZED	280
1668	4224200033900	SCRATCH AWL, AN ORTHOTICS WORKSHOP TOOL, STEEL, WITH ROUND BLADE AND PLASTIC HANDLE	each	ITEMIZED	300
1669	4410171600100	SET, REVOLVING PUNCH, STAMPED, 6 HOLES, 2 MM APPROXIMATELY	each	ITEMIZED	240
1670	4224150001100	SHEET, DUR, ALUMINUM, 1000 X 500 MM, 3 MM THICKNESS, APPROXIMATELY	each	ITEMIZED	260
1671	4224200033300	SKIVING KNIFE, LEATHER CUTTING KNIFE HALF-ROUND, AN ORTHOTICS WORKSHOP TOOL, WOODEN HANDLE WITH BRASS COLLAR	each	ITEMIZED	10
1672	4224200032300	SLEDGE HAMMER, AN ORTHOTICS WORKSHOP TOOL	each	ITEMIZED	290
1673	4224200036500	SPANNER WRENCHES KIT, STEEL, AN ORTHOTICS WORKSHOP TOOL	Kit	ITEMIZED	270
1674	4224200035700	STEEL RULER, AN ORTHOTICS WORKSHOP TOOL, SCALES 30 CM APPROXIMATELY	each	ITEMIZED	320
1675	4224200035600	STEEL RULER, AN ORTHOTICS WORKSHOP TOOL, SCALES 50-60 CM APPROXIMATELY	each	ITEMIZED	10
1676	4224200035000	STORAGE CONTAINER FOR GLUE, AN ORTHOTICS WORKSHOP TOOL, FLAT BRUSH, FOR ADHESIVE, VARNISH, CONTENTS 450-800 ML	each	ITEMIZED	60
1677	4224200033400	STRAIGHT HAND SHEARS OR SNIPS, AN ORTHOTICS WORKSHOP TOOL, STEEL, STRAIGHT, WITH TOOTHED BLADE, PAINTED HANDLE	each	ITEMIZED	50
1678	4224200033100	T- HANDLE HEX KEY SET, STEEL BLADE, AN ORTHOTICS WORKSHOP TOOL, WITH PLASTIC T-HANDLE, WRENCH SIZE 2 / 3 / 4 / 5 / 6 / 8 / 10	Kit	ITEMIZED	20
1679	4224200016200	TAPERED, MANDREL, USED IN CAST PROCESSING, RE - USABLE	each	ITEMIZED	20
1680	4224200030500	TORQUE WRENCH WITH CONNECTION PIECE, ADJUSTABLE AT THE HANDLE AND APPEARS ON THE SCALE, TOTAL WRENCH LENGTH 290 MM AND MEASUREMENT RANGE 1 - 25 NM, INCLUDES THREE BITS OF THE SIZE 3, 4, 5	each	ITEMIZED	15
1681	4224200036200	TRY SQUARE, AN ORTHOTICS WORKSHOP TOOL, STEEL SQUARE 90 DEGREE, STEEL, GALVANISED, SIDE PIECE, LENGTH 200 X 130 MM APPROXIMATELY	each	ITEMIZED	15
1682	4224200034800	TUBE CUTTER, AN ORTHOTICS WORKSHOP TOOL, ESPECIALLY COMPACT AND HANDY DESIGN, CUTTING WHEEL FOR ESPECIALLY LONG SERVICE LIVES AND ESPECIALLY SUITABLE FOR STAINLESS STEEL	each	ITEMIZED	15
1683	4224200016700	TUBE GUILD, FOR SQUARE CUTTING LENGTH, 30 MM DIAMETER APPROXIMATELY	each	ITEMIZED	20
1684	4224200036400	VERTICAL FABRICATING JIG, AN ORTHOTICS WORKSHOP TOOL, FOR ASSEMBLING A PROSTHESIS	each	ITEMIZED	10
1685	4229680373300	WISE-GRIP PLIERS, AN ORTHOTICS WORKSHOP TOOL, TOTAL LENGTH 220-250 MM APPROXIMATELY	each	ITEMIZED	15
1686	4224200036000	WATER LEVEL TOOL FOR ALIGNMENT, AN ORTHOTICS WORKSHOP TOOL, ALUMINUM ALLOY, WITH HORIZONTAL AND VERTICAL LEVEL MADE OF PLEXIGLAS, LENGTH 300-400 MM APPROXIMATELY	each	ITEMIZED	10
1687	4224200031200	YATES CLAMPS, AN ORTHOTICS WORKSHOP TOOL	each	ITEMIZED	10