

| SN | Tender No. | NUPCO Code | NUPCO DESCRIPTION | UOM | GROUP / ITEMIZED | Initial Quantity |
|----|------------|---------------|--|-----|------------------|------------------|
| 1 | NPT0025-26 | 4111610700800 | VIAL, CONTROL CHEMISTRY NORMAL SERUM, CHEMISTRY | PAC | ITEMIZED | 62 |
| 2 | NPT0025-26 | 4111601403000 | KIT, CELLCLEAN-U, AUTOMATED URINE READER, COMPATIBLE WITH UF SERIES | KIT | ITEMIZED | 19384 |
| 3 | NPT0025-26 | 4111584900600 | TEST, SODIUM, ELECTRODE, CHEMISTRY, COMPATIBLE WITH ROCHE AVL 9180 ELECTROLYTE ANALYZER | TET | G06 | 100 |
| 4 | NPT0025-26 | 4110530902200 | KIT, ELECTROPHORESIS FIX- ANTI-IGG, ANTI-IGM, ANTI- IGA, ANTI-KAPPA, ANTI-LAMBDA, SET OF ANTISERA, COMPATIBLE WITH SEBIA HYDRASYS SYSTEM | TET | G12 | 160 |
| 5 | NPT0025-26 | 4110530901700 | TEST, IF, ELECTROPHORESIS, WITHOUT ANTISERA, COMPATIBLE WITH SEBIA HYDRASYS SYSTEM | TET | G12 | 50 |
| 6 | NPT0025-26 | 4111600776100 | KIT, ONE PAIR OF DOB TEST GASES IN BAGS, BIOCHEMISTRY, COMPATIBLE WITH VERIFICATION | KIT | ITEMIZED | 152 |
| 7 | NPT0025-26 | 4111601402500 | KIT, CELLSHEATH, AUTOMATED URINE FLOWCYTOMETRY, COMPATIBLE WITH UN SERIES | KIT | ITEMIZED | 2425 |
| 8 | NPT0025-26 | 4111612617700 | TEST, RSV, POCT, COMPATIBLE WITH BD VERITOR | TET | ITEMIZED | 272670 |
| 9 | NPT0025-26 | 4111612625600 | TEST, IMMUNO FIXATION, ELECTROPHORESIS, IMMUNOLOGY, COMPLETE, 10GEL X 9TEST, COMPATIBLE WITH HELENA SAS3, SAS4 | TET | G07 | 4500 |
| 10 | NPT0025-26 | 4120210223800 | TEST, GDF-15, CHEMISTRY, COMPATIBLE WITH COBAS E402, E801 | TET | G06 | 6600 |
| 11 | NPT0025-26 | 4110530901800 | TEST, 4 IF, ELECTROPHORESIS, COMPATIBLE WITH SEBIA HYDRASYS SYSTEM | TET | G12 | 840 |
| 12 | NPT0025-26 | 4111613601000 | KIT, IQ LAMINA IRIS, COMPLETE URINALYSIS WORKCELLS, COMPATIBLE WITH BECKMAN COULTER | KIT | ITEMIZED | 949 |
| 13 | NPT0025-26 | 4110530800000 | TEST, CAPILLARY ELECTROPHORESIS V8, CHEMISTRY, COMPATIBLE WITH HELENA | PAC | G07 | 10 |
| 14 | NPT0025-26 | 4111600475100 | TEST, HAPTOGLOBIN, CHEMISTRY, COMPATIBLE WITH SPA PLUS | KIT | G16 | 100 |
| 15 | NPT0025-26 | 4111600416300 | TEST, NT-BRAIN NATRIURETIC PEPTIDE (NT-PRO BNP), CHEMISTRY, COMPATIBLE WITH AQT90 | TET | G14 | 257920 |
| 16 | NPT0025-26 | 4111601404700 | ELEKTRONIKA 77 DIP AND SPIN REAGENT LEVEL 1 AND 2, COMPATIBLE WITH ELEKTRONIKA 77 4 BOTTLES/BOX | TET | ITEMIZED | 12 |
| 17 | NPT0025-26 | 4111600419000 | TEST, HBA1C, CHEMISTRY, COMPATIBLE WITH BIO-RAD VARIANT II | PAC | G10 | 171 |

| SN | Tender No. | NUPCO Code | NUPCO DESCRIPTION | UOM | GROUP / ITEMIZED | Initial Quantity |
|----|------------|---------------|---|-----|------------------|------------------|
| 18 | NPT0025-26 | 4110530901400 | TEST, HEMOGLOBIN, ELECTROPHORESIS, ALK, COMPATIBLE WITH SEBIA HYDRASYS SYSTEM | TET | G12 | 70 |
| 19 | NPT0025-26 | 4111600453500 | TEST, LIPASE, COMPATIBLE WITH DXC SERIES/ AU SERIES | TET | G03 | 552600 |
| 20 | NPT0025-26 | 4114000046700 | CARTRIDGE, B HCG, POCT, COMPATIBLE WITH ISTAT | TET | G01 | 129800 |
| 21 | NPT0025-26 | 4114170012700 | TEST, PROCALCITONIN (PCT), CHEMISTRY, COMPATIBLE WITH ALINITY | TET | G01 | 44400 |
| 22 | NPT0025-26 | 4111620101900 | TEST, BLOOD GAS (PH PCO2 PO2 GLC LAC NA K CL CA TH), POCT, COMPATIBLE WITH GASTAT-G700 ANALYZER | TET | ITEMIZED | 152760 |
| 23 | NPT0025-26 | 4114170009300 | TEST, BRAIN NATRIURETIC PEPTIDE (BNP), CHEMISTRY, COMPATIBLE WITH ATELLICA | TET | G05 | 18100 |
| 24 | NPT0025-26 | 4110530901500 | TEST, HR, ELECTROPHORESIS, 150 TEST, COMPATIBLE WITH SEBIA HYDRASYS SYSTEM | TET | G12 | 600 |
| 25 | NPT0025-26 | 4111601403100 | KIT, CONTROL, (30 ML X 2 LEVELS EACH), COMPATIBLE WITH UF SERIES | KIT | ITEMIZED | 9696 |
| 26 | NPT0025-26 | 4114170009500 | TEST, C-PEPTIDE, CHEMISTRY, COMPATIBLE WITH IMMULITE | TET | G09 | 7200 |
| 27 | NPT0025-26 | 4114170013100 | TEST, NT-BRAIN NATRIURETIC PEPTIDE (NT-PRO BNP), CHEMISTRY, COMPATIBLE WITH ALINITY | TET | G01 | 27600 |
| 28 | NPT0025-26 | 4114170010600 | TEST, FERRITIN, CHEMISTRY, COMPATIBLE WITH ALINITY CI | TET | G01 | 306800 |
| 29 | NPT0025-26 | 4111601203300 | TEST, GLUCOSE-6-PHOSPHATE DEHYDROGENASE (G6PD), COMPATIBLE WITH MINDRAY 200 | TET | G20 | 6001242 |
| 30 | NPT0025-26 | 4111600423300 | TEST, ENHANCED LIVER FIBROSIS, CHEMISTRY, COMPATIBLE WITH ATELLICA | TET | G05 | 9650 |
| 31 | NPT0025-26 | 4111580803000 | CARTRIDGE, CTNL, POCT, COMPATIBLE WITH ISTAT | CTG | G01 | 42575 |
| 32 | NPT0025-26 | 4110530901300 | TEST, HEMOGLOBIN, ELECTROPHORESIS, ACID, COMPATIBLE WITH SEBIA HYDRASYS SYSTEM | TET | G12 | 70 |
| 33 | NPT0025-26 | 4111620102300 | TEST, GENERAL BIOCHEMISTRY PANEL (ALB ALP ALT AST BUN CREA GGT GLU TBIL TC TP UA A/G# EGFR# GLOB#), POCT, COMPATIBLE WITH SKYLA HB1 | TET | ITEMIZED | 2301042 |
| 34 | NPT0025-26 | 4111620009000 | TEST, P1NP, CHEMISTRY, COMPATIBLE WITH ELECSYS, COBAS E402, E801 | TET | G06 | 15000 |

| SN | Tender No. | NUPCO Code | NUPCO DESCRIPTION | UOM | GROUP / ITEMIZED | Initial Quantity |
|----|------------|---------------|---|-----|------------------|------------------|
| 35 | NPT0025-26 | 4111617309400 | TEST, C-REACTIVE PROTEIN (CRP), POCT, COMPATIBLE WITH AQT90 | TET | G14 | 206880 |
| 36 | NPT0025-26 | 4114170012100 | TEST, MICROALBUMIN (MALB), CHEMISTRY, COMPATIBLE WITH ATELLICA | TET | G05 | 188160 |
| 37 | NPT0025-26 | 4110260011700 | KIT, IRON COLORIMETRIC ASSAY, CHEMISTRY | KIT | ITEMIZED | 10 |
| 38 | NPT0025-26 | 4120210221700 | TEST, ACTIVE B12, CHEMISTRY, COMPATIBLE WITH COBAS E402, E801 | CTG | G06 | 137 |
| 39 | NPT0025-26 | 4114170014500 | TEST, TRANSFERRIN (TRF), CHEMISTRY, COMPATIBLE WITH ATELLICA | TET | G05 | 93280 |
| 40 | NPT0025-26 | 4111600442000 | TEST, GROWTH HORMONE (GH), CHEMISTRY, COMPATIBLE WITH ACCESS, DXI600, DXI800 | TET | G03 | 195500 |
| 41 | NPT0025-26 | 4111584900100 | TEST, POTASSIUM, ELECTRODE, CHEMISTRY, COMPATIBLE WITH ROCHE AVL 9180 ELECTROLYTE ANALYZER | TET | G06 | 19128 |
| 42 | NPT0025-26 | 4111600302700 | CARTRIDGE, BLOOD GASES (PH, PO2, PCO2) ELECTROLYTES (NA, K, CL, ICA) METABOLITES (GLUCOSE, LACTATE) + BILIRUBIN, POCT, WITH CAPILLARY AND SAMPLER COMPATIBLE WITH ABL90 | TET | G14 | 78000 |
| 43 | NPT0025-26 | 4111620008600 | TEST, APOLIPOPROTEIN A1, CHEMISTRY, COMPATIBLE WITH COBAS C303, C503 | TET | G06 | 38000 |
| 44 | NPT0025-26 | 4111600904100 | TEST, MILD TRAUMATIC BRAIN INJURY MTBI - GLIAL FIBRILLARY ACIDIC PROTEIN GFAP, CHEMISTRY, COMPATIBLE WITH ALINITY | TET | G01 | 1400 |
| 45 | NPT0025-26 | 4111600809400 | BOTTLE, WASH / HEMOLYSIS, SOLUTION, IMMUNOCHEMISTRY, COMPATIBLE WITH TOSOH | BOX | ITEMIZED | 30 |
| 46 | NPT0025-26 | 4111613802100 | STRIP, COMPATIBLE WITH MEDITAPE UC-9A | KIT | ITEMIZED | 4291 |
| 47 | NPT0025-26 | 4111600450600 | TEST, CERULOPLASMIN, CHEMISTRY, COMPATIBLE WITH DXC SERIES/AU SERIES | TET | G03 | 38000 |
| 48 | NPT0025-26 | 4111600401700 | TEST, TOTAL PROTEIN CSF/U (TP CSF/U), CHEMISTRY, COMPATIBLE WITH DIMENSION | TET | G05 | 164320 |
| 49 | NPT0025-26 | 4111600416000 | TEST, VITAMIN D, CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 257100 |
| 50 | NPT0025-26 | 4114000044300 | TEST, CREATINE KINASE-MB (CK-MB), CHEMISTRY, COMPATIBLE WITH FUJI ANALYZERS | KIT | G08 | 2856 |
| 51 | NPT0025-26 | 4111333300100 | TEST, CARBAMAZEPINE, CHEMISTRY, COMPATIBLE WITH COBAS C303, C503 | TET | G06 | 20100 |

| SN | Tender No. | NUPCO Code | NUPCO DESCRIPTION | UOM | GROUP / ITEMIZED | Initial Quantity |
|----|------------|---------------|---|-----|------------------|------------------|
| 52 | NPT0025-26 | 4111620009100 | TEST, PROCALCITONIN (PCT), CHEMISTRY, COMPATIBLE WITH COBAS E402, E801 | TET | G06 | 91200 |
| 53 | NPT0025-26 | 4111600432500 | TEST, VITAMIN D, CHEMISTRY, COMPATIBLE WITH ATELLICA | TET | G05 | 1312600 |
| 54 | NPT0025-26 | 4111600437800 | TEST, C-PEPTIDE, CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 50500 |
| 55 | NPT0025-26 | 4111620008200 | TEST, INSULIN, CHEMISTRY, COMPATIBLE WITH COBAS ELECSYS E402, E801 | TET | G06 | 140900 |
| 56 | NPT0025-26 | 4111620102200 | TEST ER PANEL (ALT AMY AST BUN CA CL CPK CREA GLU K LIPA NA PHOS EGFR#) POCT COMPATIBLE WITH SKYLA HB1 | TET | ITEMIZED | 1404042 |
| 57 | NPT0025-26 | 4114170010400 | TEST, DEHYDROEPIANDROSTERONE SULPHATE (DHEA-S), CHEMISTRY, COMPATIBLE WITH ALINITY | TET | G01 | 17200 |
| 58 | NPT0025-26 | 4111620009200 | TEST, PREALBUMIN, CHEMISTRY, COMPATIBLE WITH COBAS C303, C503 | TET | G06 | 66400 |
| 59 | NPT0025-26 | 4111600405500 | TEST, LACTIC ACID (LA), CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 44400 |
| 60 | NPT0025-26 | 4111620006900 | TEST, HBA1C, CHEMISTRY, COMPATIBLE WITH COBAS C303, C503 | TET | G06 | 1276500 |
| 61 | NPT0025-26 | 4111620009900 | TEST, CYSTATIN C, CHEMISTRY, COMPATIBLE WITH COBAS C303, C503 | TET | G06 | 20500 |
| 62 | NPT0025-26 | 4111620008700 | TEST, APOLIPOPROTEIN B, CHEMISTRY, COMPATIBLE WITH COBAS C303, C503 | TET | G06 | 42500 |
| 63 | NPT0025-26 | 4114000019100 | TEST, NT-BRAIN NATRIURETIC PEPTIDE (NT-PRO BNP), CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 8100 |
| 64 | NPT0025-26 | 4111617308700 | TEST, ALPHA FETOPROTEIN L3 SUBFRACTION (AFP-L3%), DES-Γ-CARBOXY-PROTHROMBIN (DCP), CHEMISTRY, COMPATIBLE WITH TAS WAKO | TET | G08 | 3590 |
| 65 | NPT0025-26 | 4111617309500 | TEST, NEURON SPECIFIC ENOLASE (NSE), COMPATIBLE WITH MAGLUMI | TET | G02 | 3000 |
| 66 | NPT0025-26 | 4110530902700 | TEST, HIGH RESOLUTION PROTEIN, ELECTROPHORESIS, COMPLETE REAGENTS, CONTROL, STANDARD, CALIBRATOR, CONSUMABLE, 10GEL X 24TEST, COMPATIBLE WITH HELENA SAS3, SAS4 | TET | G07 | 1080 |
| 67 | NPT0025-26 | 4120210221000 | TEST, HBA1C, CHEMISTRY, COMPATIBLE WITH D100 ANALYZER | KIT | ITEMIZED | 5000 |
| 68 | NPT0025-26 | 4114170009100 | TEST, VITAMIN B12, CHEMISTRY, COMPATIBLE WITH ATELLICA | TET | G05 | 974600 |

| SN | Tender No. | NUPCO Code | NUPCO DESCRIPTIUON | UOM | GROUP / ITEMIZED | Initial Quantity |
|----|------------|---------------|---|-----|------------------|------------------|
| 69 | NPT0025-26 | 4111613600000 | KIT, URINALYSIS, COMPLETE TEST, REAGENT, CONTROL, CONSUMABLE, COMPATIBLE WITH IRIS IQ 200 ELITE MICROSCOPY/ICHEM VELOCITY | PAC | ITEMIZED | 30742 |
| 70 | NPT0025-26 | 4111620008500 | TEST, ALPHA-FETOPROTEIN (AFP), CHEMISTRY, COMPATIBLE WITH ELECSYS COBAS E402, E801 | TET | G06 | 105300 |
| 71 | NPT0025-26 | 4111601402700 | KIT, CELLPACK SF, (2.1L X 2), COMPATIBLE WITH UF SERIES | KIT | ITEMIZED | 19382 |
| 72 | NPT0025-26 | 4111620010100 | TEST, GROWTH HORMONE (GH), CHEMISTRY, COMPATIBLE WITH ELECSYS, COBAS E402, E801 | TET | G06 | 65900 |
| 73 | NPT0025-26 | 4111620009800 | TEST, NEURON SPECIFIC ENOLASE (NSE), CHEMISTRY, COMPATIBLE WITH ELECSYS, COBAS E402, E801 | TET | G06 | 3000 |
| 74 | NPT0025-26 | 4111610702800 | PACK, ABNORMAL CSF CONTROL, CHEMISTRY | PAC | G10 | 96 |
| 75 | NPT0025-26 | 4114000043900 | TEST, TRIGLYCERIDE, CHEMISTRY, COMPATIBLE WITH FUJI ANALYZERS | KIT | G08 | 8040 |
| 76 | NPT0025-26 | 4111620010000 | TEST, TROPONIN I, CHEMISTRY, COMPATIBLE WITH ELECSYS, COBAS E402, E801 | TET | G06 | 170400 |
| 77 | NPT0025-26 | 4111613601400 | CONTROL, URINALYSIS AND PREGNANCY HCG, POCT, NORMAL AND ABNORMAL | TET | ITEMIZED | 2000 |
| 78 | NPT0025-26 | 4111620007200 | TEST, AMMONIA, CHEMISTRY, COMPATIBLE WITH COBAS C111 | TET | G06 | 76500 |
| 79 | NPT0025-26 | 4111600417400 | TEST, HBA1C, CHEMISTRY, COMPATIBLE WITH COBAS C311, C501, C502 | TET | G06 | 871800 |
| 80 | NPT0025-26 | 4110530900600 | TEST, ELECTROPHORESIS ACID HEMOGLOBINT, CHEMISTRY, COMPATIBLE WITH HELENA | TET | G07 | 4200 |
| 81 | NPT0025-26 | 4111617309100 | TEST, C-PEPTIDE, COMPATIBLE WITH MAGLUMI | TET | G02 | 1200 |
| 82 | NPT0025-26 | 4110530902100 | TEST, PROTEINURIA, ELECTROPHORESIS, COMPATIBLE WITH SEBIA HYDRASYS SYSTEM | TET | G12 | 900 |
| 83 | NPT0025-26 | 4111580802900 | CARTRIDGE, CK-MB, POCT, COMPATIBLE WITH ISTAT | CTG | G01 | 373450 |
| 84 | NPT0025-26 | 4111600440000 | TEST, OSTASE , COMPATIBLE WITH ACCESS, DXI600, DXI800 | TET | G03 | 13000 |
| 85 | NPT0025-26 | 4111600438000 | TEST, C-PEPTIDE, CHEMISTRY, COMPATIBLE WITH ATELLICA | TET | G05 | 144900 |

| SN | Tender No. | NUPCO Code | NUPCO DESCRIPTION | UOM | GROUP / ITEMIZED | Initial Quantity |
|-----|------------|---------------|--|-----|------------------|------------------|
| 86 | NPT0025-26 | 4110530902300 | KIT ELECTROPHORESIS FIX- ANTI-IG GAM, ANTI-KAPPA, ANTI-LAMBDA, SET OF ANTISERA, COMPATIBLE WITH SEBIA HYDRASYS SYSTEM | TET | G12 | 80 |
| 87 | NPT0025-26 | 4111600456200 | TEST, TRANSFERRINE, CHEMISTRY, COMPATIBLE WITH DXC SERIES/ AU SERIES | TET | G03 | 60480 |
| 88 | NPT0025-26 | 4111600453400 | TEST, LOW DENSITY LIPOPROTEIN (LDL), CHEMISTRY, COMPATIBLE WITH DXC SERIES/ AU SERIES | TET | G03 | 1588040 |
| 89 | NPT0025-26 | 4110530901600 | TEST, HR, ELECTROPHORESIS, 70 TEST, COMPATIBLE WITH SEBIA HYDRASYS SYSTEM | TET | G12 | 140 |
| 90 | NPT0025-26 | 4111620009600 | TEST, SIX HEMOGLOBIN BINDING GLOBIN (SHBG), CHEMISTRY, COMPATIBLE WITH ELECSYS, COBAS E402, E801 | TET | G06 | 13500 |
| 91 | NPT0025-26 | 4111600704500 | TEST, TOBRAMYCIN, CHEMISTRY, COMPATIBLE WITH VIVA | TET | G18 | 1176 |
| 92 | NPT0025-26 | 4114170010900 | TEST, FOLATE, CHEMISTRY, COMPATIBLE WITH SIEMENS ATELLICA | TET | G05 | 253120 |
| 93 | NPT0025-26 | 4111620013100 | TEST, LACTIC ACID (LA), CHEMISTRY, COMPATIBLE WITH ALINITY | TET | G01 | 43600 |
| 94 | NPT0025-26 | 4111600405600 | TEST, LACTIC ACID (LA), CHEMISTRY, COMPATIBLE WITH DIMENSION | TET | G05 | 257040 |
| 95 | NPT0025-26 | 4111600300500 | CARTRIDGE, BLOOD GASES (PH, PO2, PCO2, HCO3) ELECTROLYTES (NA, K, ICA, CL) OXIMETRY (COOX THB, MHB, CHB, OHB, HCT), METABOLITES (LACTATE, GLUCOSE), POCT, COMPATIBLE WITH GEM PREMIER 5000 | TET | ITEMIZED | 5520300 |
| 96 | NPT0025-26 | 4111601402600 | KIT, CELLPACK CR, (2.1L X 2), COMPATIBLE WITH UF SERIES | KIT | ITEMIZED | 19382 |
| 97 | NPT0025-26 | 4111600423500 | TEST, ETHANOL, CHEMISTRY, COMPATIBLE WITH ATELLICA | TET | G05 | 102000 |
| 98 | NPT0025-26 | 4111620013300 | TEST, AMMONIA, CHEMISTRY, COMPATIBLE WITH ALINITY | TET | G01 | 23800 |
| 99 | NPT0025-26 | 4111600451400 | TEST, ESTRADIOL (E2), CHEMISTRY, COMPATIBLE WITH VITROS | TET | G11 | 88100 |
| 100 | NPT0025-26 | 4111610544700 | TEST, HBA1C, CHEMISTRY, COMPATIBLE WITH ATELLICA | TET | G05 | 820800 |
| 101 | NPT0025-26 | 4111600405400 | TEST, LACTIC ACID (LA), CHEMISTRY, COMPATIBLE WITH COBAS C311, C501, C502 | TET | G06 | 189100 |
| 102 | NPT0025-26 | 4111600719700 | TEST, DIGOXIN, CHEMISTRY, COMPATIBLE WITH ATELLICA | TET | G05 | 19150 |

| SN | Tender No. | NUPCO Code | NUPCO DESCRIPTION | UOM | GROUP / ITEMIZED | Initial Quantity |
|-----|------------|---------------|---|-----|------------------|------------------|
| 103 | NPT0025-26 | 4120210224300 | TEST, URINE PROTEIN, ELECTROPHORESIS, COMPATIBLE WITH SEBIA | TET | G12 | 10000 |
| 104 | NPT0025-26 | 4111616432900 | TEST, BILE ACID, CHEMISTRY, COMPATIBLE WITH ALINITY | TET | G01 | 4400 |
| 105 | NPT0025-26 | 4111620102800 | TEST RENAL PANEL (ALB BUN CA CL CPK CREA GLU K NA PHOS EGFR#) POCT COMPATIBLE WITH SKYLA HB1 | TET | ITEMIZED | 550842 |
| 106 | NPT0025-26 | 4114000043700 | TEST, LACTATE DEHYDROGENASE (LDH), CHEMISTRY, COMPATIBLE WITH FUJI ANALYZERS | KIT | G08 | 7512 |
| 107 | NPT0025-26 | 4110530901900 | TEST, PROTEIN, ELECTROPHORESIS, COMPATIBLE WITH SEBIA HYDRAGEL | TET | G12 | 1680 |
| 108 | NPT0025-26 | 4111620009300 | TEST, PREALBUMIN, CHEMISTRY, COMPATIBLE WITH COBAS C701, C702 | TET | G06 | 39300 |
| 109 | NPT0025-26 | 4111620007300 | TEST, AMYLASE, CHEMISTRY, COMPATIBLE WITH COBAS C303, C503 | TET | G06 | 855750 |
| 110 | NPT0025-26 | 4111620008800 | TEST, CHOLINESTERASE, CHEMISTRY, COMPATIBLE WITH COBAS C303, C503 | TET | G06 | 95550 |
| 111 | NPT0025-26 | 4114170011900 | TEST, LOW DENSITY LIPOPROTEIN (LDL), CHEMISTRY, COMPATIBLE WITH ATELLICA | TET | G05 | 707200 |
| 112 | NPT0025-26 | 4111600407400 | TEST, NT-BRAIN NATRIURETIC PEPTIDE (NT-PRO BNP), CHEMISTRY, COMPATIBLE WITH DIMENSION | TET | G05 | 23280 |
| 113 | NPT0025-26 | 4111620013800 | TEST, UNSATURATED IRON BINDING CAPACITY (UIBC), CHEMISTRY, COMPATIBLE WITH ALINITY | TET | G01 | 159900 |
| 114 | NPT0025-26 | 4111600702200 | TEST, AMIKACIN ,CHEMISTRY ,COMPATIBLE WITH VIVA | TET | G18 | 25200 |
| 115 | NPT0025-26 | 4111600439100 | TEST, FERRITIN, CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 224400 |
| 116 | NPT0025-26 | 4120210220700 | CARTRIDGE, VISCOELASTIC COAGULATION MONITOR TEST CARTRIDGE VCM, POCT, COMPATIBLE WITH ENTEGRION'S ANALYZER | TET | ITEMIZED | 6000 |
| 117 | NPT0025-26 | 4111600709100 | TEST, TOBRAMYCIN, CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 6020 |
| 118 | NPT0025-26 | 4120210224200 | TEST, SODIUM, CHEMISTRY, COMPATIBLE WITH ALINITY | TET | G01 | 250000 |
| 119 | NPT0025-26 | 4114170034500 | TEST, HOMOCYSTEINE, CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 500 |

| SN | Tender No. | NUPCO Code | NUPCO DESCRIPTION | UOM | GROUP / ITEMIZED | Initial Quantity |
|-----|------------|---------------|--|-----|------------------|------------------|
| 120 | NPT0025-26 | 4111600407800 | TEST, AMMONIA, CHEMISTRY ANALYZER, COMPATIBLE WITH VITROS | TET | G11 | 55200 |
| 121 | NPT0025-26 | 4111620009400 | TEST, VITAMIN B12, CHEMISTRY, COMPATIBLE WITH COBAS ELECSYS E402, E801 | TET | G06 | 511500 |
| 122 | NPT0025-26 | 4114170010100 | TEST, TROPONIN I, CHEMISTRY, COMPATIBLE WITH ATELLICA | TET | G05 | 279800 |
| 123 | NPT0025-26 | 4111600776900 | TEST, SIROLIMUS, CHEMISTRY, COMPATIBLE WITH COBAS E402, E801 | TET | G06 | 7500 |
| 124 | NPT0025-26 | 4111610600500 | TEST, MEASURE WHOLE BLOOD KETONE, POCT, WITH QC, (CALIBRATOR / CLEANER IF APPLICABLE), ONE MACHINE FOR EACH 2000 TESTS | TET | ITEMIZED | 6000 |
| 125 | NPT0025-26 | 4111600720900 | TEST, THEOPHYLLINE, CHEMISTRY, COMPATIBLE WITH SIEMENS ATELLICA | TET | G05 | 32000 |
| 126 | NPT0025-26 | 4111330900100 | TEST, GLUCOSE-6-PHOSPHATE DEHYDROGENASE (G6PD), POCT, WHOLE BLOOD | TET | ITEMIZED | 106000 |
| 127 | NPT0025-26 | 4111600415100 | TEST, TRANSFERRIN, CHEMISTRY, COMPATIBLE WITH DIMENSION | TET | G05 | 8160 |
| 128 | NPT0025-26 | 4111600450800 | TEST, ICT, (CHLORIDE-POTASSIUM-SODIUM), CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 33840000 |
| 129 | NPT0025-26 | 4111600447000 | TEST, VITAMIN B12, COMPATIBLE WITH ACCESS, DXI600, DXI800 | TET | G03 | 1364900 |
| 130 | NPT0025-26 | 4114170010800 | TEST, FOLATE, CHEMISTRY, COMPATIBLE WITH ALINITY CI | TET | G01 | 72600 |
| 131 | NPT0025-26 | 4111600720200 | TEST, PHENOBARBITAL, CHEMISTRY, COMPATIBLE WITH ALINITY CI | TET | G01 | 12800 |
| 132 | NPT0025-26 | 4111601900300 | TEST, ESTRADIOL (E2), CHEMISTRY, COMPATIBLE WITH ATELLICA | TET | G05 | 183700 |
| 133 | NPT0025-26 | 4111620101500 | TEST LIVER PANEL (ALB ALP ALT AST DBIL GGT GLU TBIL TP A/G GLOB IBIL) POCT COMPATIBLE WITH SKYLA HB1 | TET | ITEMIZED | 414042 |
| 134 | NPT0025-26 | 4111620007000 | TEST, LIPASE, CHEMISTRY, COMPATIBLE WITH COBAS C303, C503 | TET | G06 | 613800 |
| 135 | NPT0025-26 | 4114201700100 | TEST, LIPASE, CHEMISTRY, COMPATIBLE WITH FUJI ANALYZERS | TET | G08 | 2472 |
| 136 | NPT0025-26 | 4111581000800 | CARTRIDGE, ANALYZER, COLLAGEN-ADP, PFA-100, SPECIAL CHEMISTRY | PC | ITEMIZED | 7720 |

| SN | Tender No. | NUPCO Code | NUPCO DESCRIPTION | UOM | GROUP / ITEMIZED | Initial Quantity |
|-----|------------|---------------|---|-----|------------------|------------------|
| 137 | NPT0025-26 | 4111620008300 | TEST, ACID PHOSPHATASE, CHEMISTRY, COMPATIBLE WITH COBAS C303, C503 | TET | G06 | 318080 |
| 138 | NPT0025-26 | 4111581000700 | CARTRIDGE ANALYZER, COLLAGEN EPINEPHRINE, PFA-100, SPECIAL CHEMISTRY | PC | ITEMIZED | 7720 |
| 139 | NPT0025-26 | 4114170009800 | TEST, CREATINE KINASE (CK), CHEMISTRY, COMPATIBLE WITH ATELLICA | TET | G05 | 520908 |
| 140 | NPT0025-26 | 4111600414000 | TEST, PROLACTIN, CHEMISTRY, COMPATIBLE WITH ACCESS, DXI600, DXI800 | TET | G03 | 684400 |
| 141 | NPT0025-26 | 4114170010700 | TEST, FERRITIN CHEMISTRY, COMPATIBLE WITH SIEMENS ATELLICA | TET | G05 | 805500 |
| 142 | NPT0025-26 | 4111600418200 | TEST, CREATINE KINASE MB (CK-MB), CHEMISTRY, COMPATIBLE WITH COBAS C311, C501, C502 | TET | G06 | 816100 |
| 143 | NPT0025-26 | 4111600436500 | TEST,CA-15-3, CHEMISTRY, COMPATIBLE WITH ATELLICA | TET | G05 | 22300 |
| 144 | NPT0025-26 | 4111600419800 | TEST, TESTOSTERONE, COMPATIBLE WITH ACCESS, DXI600, DXI800 | TET | G03 | 554500 |
| 145 | NPT0025-26 | 4110530900300 | TEST, IMMUNOTYPING S/U, COMPATIBLE WITH SEBIA CAPILLARY SYSTEM | TET | G12 | 4740 |
| 146 | NPT0025-26 | 4111601901100 | TEST, PARATHYROID HORMONE (PTH), CHEMISTRY, COMPATIBLE WITH SIEMENS ATELLICA | TET | G05 | 230660 |
| 147 | NPT0025-26 | 4111601900900 | TEST, PROLACTIN, CHEMISTRY, COMPATIBLE WITH SIEMENS ATELLICA | TET | G05 | 271450 |
| 148 | NPT0025-26 | 4111620007100 | TEST, AMMONIA, CHEMISTRY, COMPATIBLE WITH COBAS C303, C503 | TET | G06 | 328800 |
| 149 | NPT0025-26 | 4111600409600 | TEST, TRIGLYCERIDE, CHEMISTRY, COMPATIBLE WITH VITROS | TET | G11 | 575400 |
| 150 | NPT0025-26 | 4114170011400 | TEST, HIGH DENSITY LIPOPROTEIN (HDL), CHEMISTRY, COMPATIBLE WITH ATELLICA | TET | G05 | 926464 |
| 151 | NPT0025-26 | 4111601901300 | TEST, TESTOSTERONE, CHEMISTRY, COMPATIBLE WITH ATELLICA | TET | G05 | 240800 |
| 152 | NPT0025-26 | 4111620014700 | TEST, S-100, CHEMISTRY, COMPATIBLE WITH COBAS, ELECSYS, COBAS E402, E801 | BT | G06 | 155 |
| 153 | NPT0025-26 | 4111610400700 | TEST, RENAL FUNCTION PANEL, POCT, COMPATIBLE WITH PICCOLO ABAXIS | TET | ITEMIZED | 125550 |

| SN | Tender No. | NUPCO Code | NUPCO DESCRIPTION | UOM | GROUP / ITEMIZED | Initial Quantity |
|-----|------------|---------------|---|-----|------------------|------------------|
| 154 | NPT0025-26 | 4114000020700 | TEST, ANTI-MULLERIAN HORMONE (AMH), CHEMISTRY, COMPATIBLE WITH ACCESS | TET | G03 | 35800 |
| 155 | NPT0025-26 | 4114000031600 | TEST, NEPHROCHECK ,CHEMISTRY ,COMPATIBLE WITH VITROS | TET | G11 | 1350 |
| 156 | NPT0025-26 | 4111620007400 | TEST, CREATINE KINASE (CK), CHEMISTRY, COMPATIBLE WITH COBAS C303, C503 | TET | G06 | 907500 |
| 157 | NPT0025-26 | 4111580861700 | TEST, BLOOD GASES (PH, PO2, PCO2 AND TCO2), ELECTROLYTES (NA, K, CA, CL), METABOLITES (GLUCOSE AND LACTATE), CREATININE AND BUN, COMPLETE WITH EPOC ANALYZER | TET | ITEMIZED | 361525 |
| 158 | NPT0025-26 | 4111600404700 | TEST, IRON, CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 188500 |
| 159 | NPT0025-26 | 4111620010500 | TEST, CALCITONIN, CHEMISTRY, COMPATIBLE WITH ELECYS, COBAS E402, E801 | TET | G06 | 58000 |
| 160 | NPT0025-26 | 4111613014500 | VIAL, ABNORMAL URINE CONTROL, URINALYSIS | VIA | ITEMIZED | 3792 |
| 161 | NPT0025-26 | 4111600414100 | TEST, PROLACTIN, CHEMISTRY, COMPATIBLE WITH ELECSYS E411, E601, E602 | TET | G06 | 231400 |
| 162 | NPT0025-26 | 4111601900100 | TEST, CORTISOL, CHEMISTRY, COMPATIBLE WITH SIEMENS ATELICA | TET | G05 | 190800 |
| 163 | NPT0025-26 | 4111600709500 | TEST, VANCOMYCIN, CHEMISTRY, COMPATIBLE WITH DIMENSION | TET | G05 | 35920 |
| 164 | NPT0025-26 | 4114000039700 | CARTRIDGE, LIPID PANEL, POCT, COMPATIBLE WITH AFINION | TET | G01 | 134700 |
| 165 | NPT0025-26 | 4110530902900 | TEST, LIPOPROTEIN, ELECTROPHORESIS, COMPLETE REAGENTS, CONTROL, STANDARD, CALIBRATOR, CONSUMABLE, 10GEL X 20TEST, COMPATIBLE WITH HELENA SAS3, SAS4 | TET | G07 | 6960 |
| 166 | NPT0025-26 | 4111600439500 | TEST, FREE TRIIODOTHYRONINE (FT3), CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 201500 |
| 167 | NPT0025-26 | 4111600302000 | CARTRIDGE, BLOOD GASES (PH, PO2, PCO2) ELECTROLYTES (NA, K, CL, ICA) METABOLITES (GLUCOSE, LACTATE) + BILIRUBIN, POCT, COMPATIBLE WITH SIEMENS MODEL1200, PR500 | TET | ITEMIZED | 716400 |
| 168 | NPT0025-26 | 4114205500800 | TEST, THYROID STIMULATING HORMONE (TSH), CHEMISTRY, COMPATIBLE WITH ATELICA | TET | G05 | 248560 |
| 169 | NPT0025-26 | 4111600402600 | TEST, CREATINE KINASE MB (CK-MB), CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 72500 |
| 170 | NPT0025-26 | 4111601013200 | TEST, HE4, CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 1100 |

| SN | Tender No. | NUPCO Code | NUPCO DESCRIPTION | UOM | GROUP / ITEMIZED | Initial Quantity |
|-----|------------|---------------|--|-----|------------------|------------------|
| 171 | NPT0025-26 | 4111610703100 | PACK, NORMAL CSF CONTROL, CHEMISTRY | PAC | G10 | 96 |
| 172 | NPT0025-26 | 4111620008000 | TEST, TRIGLYCERIDE, CHEMISTRY, COMPATIBLE WITH COBAS C303, C503 | TET | G06 | 1288000 |
| 173 | NPT0025-26 | 4110530900100 | TEST, HB A1C, ELECTROPHORESIS, COMPATIBLE WITH SEBIA CAPILLARY SYSTEM | TET | G12 | 120000 |
| 174 | NPT0025-26 | 4111600402500 | TEST, CREATINE KINASE MB (CK-MB), CHEMISTRY, COMPATIBLE WITH DIMENSION | TET | G05 | 1174080 |
| 175 | NPT0025-26 | 4111600417600 | TEST, LIPASE, CHEMISTRY, COMPATIBLE WITH COBAS C311, C501, C502 | TET | G06 | 402400 |
| 176 | NPT0025-26 | 4111600405800 | TEST, LIPASE, CHEMISTRY, COMPATIBLE WITH DIMENSION | TET | G05 | 608160 |
| 177 | NPT0025-26 | 4111617303600 | TEST, ALDOSTERONE, COMPATIBLE WITH MAGLUMI | TET | G02 | 18800 |
| 178 | NPT0025-26 | 4111620017700 | TEST, VITAMIN D, CHEMISTRY, COMPATIBLE WITH ALINITY | TET | G01 | 449600 |
| 179 | NPT0025-26 | 4111600409000 | TEST, LIPASE, CHEMISTRY ANALYZER, COMPATIBLE WITH VITROS | TET | G11 | 163800 |
| 180 | NPT0025-26 | 4111601900500 | TEST, INSULIN, CHEMISTRY, COMPATIBLE WITH SIEMENS ATELLICA | TET | G05 | 146900 |
| 181 | NPT0025-26 | 4111600420000 | TEST, THYROID STIMULATING HORMONE (TSH), CHEMISTRY, COMPATIBLE WITH ELECSYS E411, E601, E602 | TET | G06 | 804400 |
| 182 | NPT0025-26 | 4111600436900 | TEST, CERULOPLASMIN, CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 16284 |
| 183 | NPT0025-26 | 4111600431000 | TEST, THYROID UPTAKE (TUP), CHEMISTRY, COMPATIBLE WITH ATELLICA | TET | G05 | 2700 |
| 184 | NPT0025-26 | 4111600417300 | TEST, HBA1C, CHEMISTRY, COMPATIBLE WITH DIMENSION | TET | G05 | 1495440 |
| 185 | NPT0025-26 | 4114170011700 | TEST, LACTIC ACID (LA), CHEMISTRY, COMPATIBLE WITH ATELLICA | TET | G05 | 119400 |
| 186 | NPT0025-26 | 4111600709200 | TEST, TOBRAMYCIN, CHEMISTRY, COMPATIBLE WITH DIMENSION | TET | G05 | 13840 |
| 187 | NPT0025-26 | 4114170012800 | TEST, PROCALCITONIN (PCT), CHEMISTRY, COMPATIBLE WITH ATELLICA | TET | G05 | 117100 |

| SN | Tender No. | NUPCO Code | NUPCO DESCRIPTION | UOM | GROUP / ITEMIZED | Initial Quantity |
|-----|------------|---------------|--|-----|------------------|------------------|
| 188 | NPT0025-26 | 4111600423800 | TEST, FREE THYROXINE (FT4), CHEMISTRY, COMPATIBLE WITH ATELLICA | TET | G05 | 1625350 |
| 189 | NPT0025-26 | 4111620026200 | TEST, TOTAL PROTEIN CSF/URINE (TP CSF/U) CHEMISTRY, COMPATIBLE WITH COBAS C503, C303 | TET | G06 | 254150 |
| 190 | NPT0025-26 | 4114170010200 | TEST, CYSTATIN C, CHEMISTRY, COMPATIBLE WITH ATELLICA | TET | G05 | 25600 |
| 191 | NPT0025-26 | 4111600453100 | TEST, LACTIC ACID (LA), CHEMISTRY, COMPATIBLE WITH DXC SERIES/AU SERIES | TET | G03 | 347820 |
| 192 | NPT0025-26 | 4114170014200 | TEST, TOTAL IRON BINDING CAPACITY (TIBC), CHEMISTRY, COMPATIBLE WITH ATELLICA | TET | G05 | 437600 |
| 193 | NPT0025-26 | 4111601900400 | TEST, INSULIN, CHEMISTRY, COMPATIBLE WITH ALINITY-CI | TET | G01 | 30400 |
| 194 | NPT0025-26 | 4111620014100 | TEST, MICROALBUMIN (MALB), CHEMISTRY, COMPATIBLE WITH ALINITY | TET | G01 | 65920 |
| 195 | NPT0025-26 | 4111600407000 | TEST, MICROALBUMIN (MALB), CHEMISTRY, COMPATIBLE WITH DIMENSION | TET | G05 | 116240 |
| 196 | NPT0025-26 | 4111600416700 | TEST, FREE THYROXINE (FT4), CHEMISTRY, COMPATIBLE WITH ACCESS, DXI600, DXI800 | TET | G03 | 1437800 |
| 197 | NPT0025-26 | 4111620013900 | TEST, TOTAL PROTEIN CSF/URINE (TP CSF/U), CHEMISTRY, COMPATIBLE WITH ALINITY | TET | G01 | 51600 |
| 198 | NPT0025-26 | 4111601900200 | TEST, ESTRADIOL (E2), CHEMISTRY, COMPATIBLE WITH ALINITY | TET | G01 | 59000 |
| 199 | NPT0025-26 | 4114170014700 | TEST, TROPONIN I, CHEMISTRY, COMPATIBLE WITH ALINITY | TET | G01 | 129200 |
| 200 | NPT0025-26 | 4111620006000 | TEST, LOW DENSITY LIPOPROTEIN (LDL), CHEMISTRY, COMPATIBLE WITH COBAS C303, C503 | TET | G06 | 1013400 |
| 201 | NPT0025-26 | 4114170011200 | TEST, HBA1C, CHEMISTRY, COMPATIBLE WITH ALINITY CI | TET | G01 | 371800 |
| 202 | NPT0025-26 | 4111600415900 | TEST, TOTAL PROTEIN CSF/URINE (TP CSF/U), CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 64163 |
| 203 | NPT0025-26 | 4111620006500 | TEST, PARATHYROID HORMONE (PTH), ANALYZER, CHEMISTRY, COMPATIBLE WITH COBAS ELECSYS E402, E801 | TET | G06 | 218100 |
| 204 | NPT0025-26 | 4111600712900 | TEST, METHOTREXATE, IMMUNOASSAY, SERUM/PLASMA, COMPLETE WITH DIMENSION | TET | G05 | 27300 |

| SN | Tender No. | NUPCO Code | NUPCO DESCRIPTION | UOM | GROUP / ITEMIZED | Initial Quantity |
|-----|------------|---------------|---|-----|------------------|------------------|
| 205 | NPT0025-26 | 4111600303200 | CARTRIDGE, BLOOD GASES (PH, PO2, PCO2, HCO3) ELECTROLYTES (NA, K, ICA, CL) METABOLITES (LACTATE, GLUCOSE) + BILIRUBIN, COMPATIBLE WITH ABL800/815 | TET | G14 | 79900 |
| 206 | NPT0025-26 | 4114000020600 | TEST, VITAMIN D, CHEMISTRY, COMPATIBLE WITH DXI600, DXI800 | TET | G03 | 1058800 |
| 207 | NPT0025-26 | 4111613801900 | STRIP, COMPATIBLE WITH AUTOMATED URINE STRIP READER MEDITAPE UC-11A | KIT | ITEMIZED | 39482 |
| 208 | NPT0025-26 | 4111601900000 | TEST, CORTISOL, CHEMISTRY, COMPATIBLE WITH ALINITY CI | TET | G01 | 54400 |
| 209 | NPT0025-26 | 4114170009000 | TEST, VITAMIN B12, CHEMISTRY, COMPATIBLE WITH ALINITY | TET | G01 | 312600 |
| 210 | NPT0025-26 | 4214252500100 | TEST, ROTATION THROMBOELASTOMETRY EX-TEM S, COMPATIBLE WITH ROTEM MACHINE | KIT | ITEMIZED | 2860 |
| 211 | NPT0025-26 | 4114170014400 | TEST, TRANSFERRIN (TRF), CHEMISTRY, COMPATIBLE WITH ALINITY | TET | G01 | 16800 |
| 212 | NPT0025-26 | 4111620005900 | TEST, NT-BRAIN NATRIURETIC PEPTIDE (NT-PRO BNP), CHEMISTRY, COMPATIBLE WITH ATELLICA | TET | G05 | 13000 |
| 213 | NPT0025-26 | 4111600405900 | TEST, LIPASE, CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 127592 |
| 214 | NPT0025-26 | 4111613014000 | VIAL, NORMAL URINE CONTROL, URINALYSIS | BT | ITEMIZED | 1524 |
| 215 | NPT0025-26 | 4111600406600 | TEST, MAGNESIUM, CHEMISTRY, COMPATIBLE WITH COBAS COBAS C311, C501, C502 | TET | G06 | 1015000 |
| 216 | NPT0025-26 | 4111600446100 | TEST, TROPONIN T, POCT, COMPATIBLE WITH AQT90 ANALYZER. | TET | G14 | 419520 |
| 217 | NPT0025-26 | 4114205500700 | TEST, THYROID STIMULATING HORMONE (TSH), CHEMISTRY, COMPATIBLE WITH ALINITY | TET | G01 | 473400 |
| 218 | NPT0025-26 | 4111600709400 | TEST, VANCOMYCIN, CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 63600 |
| 219 | NPT0025-26 | 4111600491400 | TEST, THYROID STIMULATING HORMONE (TSH), CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 387800 |
| 220 | NPT0025-26 | 4111602002400 | TEST, TOTAL BETA-HCG, CMIA, CHEMISTRY, COMPATIBLE WITH ALINITY | TET | G01 | 645603 |
| 221 | NPT0025-26 | 4111600436100 | TEST, VITAMIN B12, CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 163600 |

| SN | Tender No. | NUPCO Code | NUPCO DESCRIPTION | UOM | GROUP / ITEMIZED | Initial Quantity |
|-----|------------|---------------|--|-----|------------------|------------------|
| 222 | NPT0025-26 | 4114170014600 | TEST, TRIGLYCERIDE, CHEMISTRY, COMPATIBLE WITH ATELLICA | TET | G05 | 992000 |
| 223 | NPT0025-26 | 4114196400100 | TEST, FOLLICLE-STIMULATING HORMONE (FSH), CHEMISTRY, COMPATIBLE WITH ALINITY | TET | G01 | 97800 |
| 224 | NPT0025-26 | 4114000044100 | TEST, URIC ACID, CHEMISTRY, COMPATIBLE WITH FUJI ANALYZERS | KIT | G08 | 9696 |
| 225 | NPT0025-26 | 4111600433900 | TEST, LACTIC ACID (LA), CHEMISTRY, COMPATIBLE WITH VITROS | TET | G11 | 69750 |
| 226 | NPT0025-26 | 4111600428100 | TEST, APOLIPOPROTEIN A II, CHEMISTRY, COMPATIBLE WITH BN PROSPEC ANALYZER | TET | G17 | 1960 |
| 227 | NPT0025-26 | 4111620015600 | TEST, LIPASE, CHEMISTRY, COMPATIBLE WITH ALINITY | TET | G01 | 114280 |
| 228 | NPT0025-26 | 4114000030300 | TEST, NTX ,CHEMISTRY ,COMPATIBLE WITH VITROS | TET | G11 | 300 |
| 229 | NPT0025-26 | 4114000043500 | TEST, GLUCOSE, CHEMISTRY, COMPATIBLE WITH FUJI ANALYZERS | KIT | G08 | 12144 |
| 230 | NPT0025-26 | 4111620007900 | TEST, TOTAL IRON BINDING CAPACITY (TIBC), CHEMISTRY, COMPATIBLE WITH COBAS C303, C503 | TET | G06 | 696100 |
| 231 | NPT0025-26 | 4111620013700 | TEST, TRIGLYCERIDE, CHEMISTRY, COMPATIBLE WITH ALINITY | TET | G01 | 459200 |
| 232 | NPT0025-26 | 4111600482700 | TEST, ANTI MULLERIAN HORMONE (AMH), CHEMISTRY, COMPATIBLE WITH COBAS E402, E411 | TET | G06 | 65100 |
| 233 | NPT0025-26 | 4111600704000 | TEST, PHENYTOIN, CHEMISTRY, COMPATIBLE WITH VIVA | TET | G18 | 1612 |
| 234 | NPT0025-26 | 4111620010600 | TEST, VITAMIN D, CHEMISTRY, COMPATIBLE WITH COBAS ELECSYS E402, E802 | TET | G06 | 732300 |
| 235 | NPT0025-26 | 4111600448200 | TEST, ALANINE AMINOTRANSFERASE (ALT), CHEMISTRY, COMPATIBLE WITH DXC SERIES/ AU SERIES | TET | G03 | 4166960 |
| 236 | NPT0025-26 | 4111600418800 | TEST, ESTRADIOL (E2), CHEMISTRY, COMPATIBLE WITH ELECSYS E411, E601, E602 | TET | G06 | 121000 |
| 237 | NPT0025-26 | 4111600712400 | TEST, VALPROIC ACID, CHEMISTRY, COMPATIBLE WITH DXC SERIES/ AU SERIES | TET | G03 | 16000 |
| 238 | NPT0025-26 | 4111600437000 | TEST, CHOLINESTERASE, CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 23826 |

| SN | Tender No. | NUPCO Code | NUPCO DESCRIPTION | UOM | GROUP / ITEMIZED | Initial Quantity |
|-----|------------|---------------|--|-----|------------------|------------------|
| 239 | NPT0025-26 | 4111600406900 | TEST, MICROALBUMIN (MALB), CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 59500 |
| 240 | NPT0025-26 | 4111600456900 | TEST, URIC ACID, CHEMISTRY, COMPATIBLE WITH DXC SERIES/ AU SERIES | TET | G03 | 2756000 |
| 241 | NPT0025-26 | 4111614758000 | KIT, EVOLUTION 9 PLEX URINE (900 TEST/KIT) | TET | ITEMIZED | 10000 |
| 242 | NPT0025-26 | 4111600430100 | TEST, PREALBUMIN, CHEMISTRY, COMPATIBLE WITH BN PROSPEC | TET | G17 | 4080 |
| 243 | NPT0025-26 | 4111600455900 | TEST, TOTAL BILIRUBIN, COMPATIBLE WITH DXC SERIES/ AU SERIES | TET | G03 | 4075720 |
| 244 | NPT0025-26 | 4111600474800 | TEST, LITHIUM, CHEMISTRY, COMPATIBLE WITH DXC SERIES/ AU SERIES | TET | G03 | 16800 |
| 245 | NPT0025-26 | 4111612760900 | TEST, INSULIN-LIKE GROWTH FACTOR-1 (IGF-1), CHEMISTRY, COMPATIBLE WITH COBAS ELECSYS E402, E801 | TET | G06 | 50900 |
| 246 | NPT0025-26 | 4120210216600 | CARTRIDGE, BLOOD GASES (PH, PO2, PCO2, HCO3) ELECTROLYTES (NA, K, ICA, CL) OXIMETRY (COOX THB, MHB, CHB, OHB, HCT), METABOLITES (LACTATE, GLUCOSE) + BILIRUBIN, POCT, COMPATIBLE WITH GEM PREMIER 5000 | TET | ITEMIZED | 781800 |
| 247 | NPT0025-26 | 4111620010200 | TEST, FREE TRIIODOTHYRONINE (FT3), CHEMISTRY, COMPATIBLE WITH ELECSYS, COBAS E402, E801 | TET | G06 | 525900 |
| 248 | NPT0025-26 | 4111600452600 | TEST, HIGH DENSITY LIPOPROTEIN (HDL), CHEMISTRY, COMPATIBLE WITH DXC SERIES/ AU SERIES | TET | G03 | 2370220 |
| 249 | NPT0025-26 | 4111600402800 | TEST, CORTISOL, CHEMISTRY, COMPATIBLE WITH COBAS ELECSYS E411, E601, E602 | TET | G06 | 123400 |
| 250 | NPT0025-26 | 4111600402700 | TEST, CORTISOL, COMPATIBLE WITH ACCESS, DXI600, DXI800 | TET | G03 | 245800 |
| 251 | NPT0025-26 | 4114000043600 | TEST, HIGH DENSITY LIPOPROTEIN (HDL), CHEMISTRY, COMPATIBLE WITH FUJI ANALYZERS | KIT | G08 | 5928 |
| 252 | NPT0025-26 | 4110530900200 | TEST, HEMOGLOBIN, ELECTROPHORESIS, COMPATIBLE WITH SEBIA MINICAP SYSTEM | TET | G12 | 10800 |
| 253 | NPT0025-26 | 4111600413800 | TEST, PROGESTERONE, CHEMISTRY, COMPATIBLE WITH ACCESS, DXI600, DXI800 | TET | G03 | 486800 |
| 254 | NPT0025-26 | 4111600420100 | TEST, THYROID STIMULATING HORMONE (TSH), COMPATIBLE WITH ACCESS | TET | G03 | 1779400 |
| 255 | NPT0025-26 | 4111600428700 | TEST, HUMAN CHORIONIC GONADOTROPIN (B-HCG), CHEMISTRY, COMPATIBLE WITH MINI VIDAS | TET | G10 | 75480 |

| SN | Tender No. | NUPCO Code | NUPCO DESCRIPTION | UOM | GROUP / ITEMIZED | Initial Quantity |
|-----|------------|---------------|--|-----|------------------|------------------|
| 256 | NPT0025-26 | 4111600412000 | TEST, AMMONIA, CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 31347 |
| 257 | NPT0025-26 | 4111600719800 | TEST, GENTAMICIN, CHEMISTRY, COMPATIBLE WITH ALINITY CI | TET | G01 | 24600 |
| 258 | NPT0025-26 | 4114170008900 | TEST, ASPARTATE AMINOTRANSFERASE (AST), CHEMISTRY, COMPATIBLE WITH ATELLICA | TET | G05 | 1364250 |
| 259 | NPT0025-26 | 4114170011500 | TEST, IRON, CHEMISTRY, COMPATIBLE WITH ALINITY-CI | TET | G01 | 297000 |
| 260 | NPT0025-26 | 4120210211300 | TEST, HIGH SENSITIVE TROPONIN I, POCT, COMPATIBLE WITH QUIDEL TRIAGE METERPRO | TET | ITEMIZED | 22125 |
| 261 | NPT0025-26 | 4111600720600 | TEST, TACROLIMUS, CHEMISTRY, COMPATIBLE WITH ALINITY CI | TET | G01 | 29600 |
| 262 | NPT0025-26 | 4120210219700 | TEST, HBA1C, POCT, COMPATIBLE WITH COBAS B101 | TET | G06 | 21572 |
| 263 | NPT0025-26 | 4111600440200 | TEST, PARATHYROID HORMONE (PTH), COMPATIBLE WITH ACCESS, DXI600, DXI800 | TET | G03 | 463300 |
| 264 | NPT0025-26 | 4111600453000 | TEST, IRON, COMPATIBLE WITH DXC SERIES/ AU SERIES | TET | G03 | 2624000 |
| 265 | NPT0025-26 | 4120210217700 | CARTRIDGE, RSV/ FLU A/ FLU B, POCT, COMPATIBLE WITH ROCHE LIAT ANALYZER | KIT | ITEMIZED | 17 |
| 266 | NPT0025-26 | 4111614757900 | TEST, EVOLUTION 8 PLEX, URINEM, CHEMISTRY | TET | ITEMIZED | 10000 |
| 267 | NPT0025-26 | 4114000043800 | TEST, TOTAL PROTEIN, CHEMISTRY, COMPATIBLE WITH FUJI ANALYZERS | KIT | G08 | 5856 |
| 268 | NPT0025-26 | 4111600463600 | TEST, CREATINE KINASE-MB (CK-MB), CHEMISTRY, COMPATIBLE WITH DXC SERIES/ AU SERIES | TET | G03 | 1114120 |
| 269 | NPT0025-26 | 4111600701900 | TEST, GENTAMICIN, CHEMISTRY, COMPATIBLE WITH VIVA | TET | G18 | 3472 |
| 270 | NPT0025-26 | 4111600719400 | TEST, CYCLOSPORINE CHEMISTRY, COMPATIBLE WITH SIEMENS ATELLICA | TET | G05 | 14050 |
| 271 | NPT0025-26 | 4111620013200 | TEST, MAGNESIUM, CHEMISTRY, COMPATIBLE WITH ALINITY | TET | G01 | 451440 |
| 272 | NPT0025-26 | 4111600419600 | TEST, CREATINE KINASE-MB (CK-MB) MASS, CHEMISTRY, COMPATIBLE WITH AQT90 | TET | G14 | 336800 |

| SN | Tender No. | NUPCO Code | NUPCO DESCRIPTIUON | UOM | GROUP / ITEMIZED | Initial Quantity |
|-----|------------|---------------|---|-----|------------------|------------------|
| 273 | NPT0025-26 | 4111600420900 | TEST, TROPONIN I, CHEMISTRY, COMPATIBLE WITH AQT90 | TET | G14 | 996000 |
| 274 | NPT0025-26 | 4111602000200 | CARTRIDGE, THROMBOELASTOMETRY SYSTEM, POCT, ROTEM SIGMA COMPLATE, COMPATIBLE WITH ROTEM SIGMA | TET | ITEMIZED | 1400 |
| 275 | NPT0025-26 | 4114170008400 | TEST, ALBUMIN, CHEMISTRY, COMPATIBLE WITH SIEMENS ATELLICA | TET | G05 | 1149200 |
| 276 | NPT0025-26 | 4111600708400 | TEST, SIROLIMUS, CHEMISTRY, COMPLETE WITH ARCHITECT | TET | G01 | 8100 |
| 277 | NPT0025-26 | 4111600410800 | TEST, ALANINE AMINOTRANSFERASE (ALT), CHEMISTRY, COMPATIBLE WITH COBAS C311, C501, C502 | TET | G06 | 1828000 |
| 278 | NPT0025-26 | 4111600404900 | TEST, UNSATURATED IRON BINDING CAPACITY (UIBC), CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 147900 |
| 279 | NPT0025-26 | 4120210211600 | TEST, BETA-TRACE PROTEIN, CHEMISTRY, COMPATIBLE WITH ATELLICA | TET | G05 | 200 |
| 280 | NPT0025-26 | 4111600829100 | TEST, TBI PLASMA CARTRIDGE, CHEMISTRY, COMPATIBLE WITH I-STAT | TET | G01 | 27600 |
| 281 | NPT0025-26 | 4114000039500 | TEST, ACR, POCT, COMPATIBLE WITH AFINION | TET | G01 | 147540 |
| 282 | NPT0025-26 | 4114170009400 | TEST, UREA, CHEMISTRY, COMPATIBLE WITH ATELLICA | TET | G05 | 1566240 |
| 283 | NPT0025-26 | 4111600406200 | TEST, LOW DENSITY LIPOPROTEIN (LDL), CHEMISTRY, COMPATIBLE WITH DIMENSION | TET | G05 | 681000 |
| 284 | NPT0025-26 | 4111614606400 | TEST, LIDOCAINE, CHEMISTRY, COMPATIBLE WITH DIMENSION | TET | G05 | 45920 |
| 285 | NPT0025-26 | 4111600403000 | TEST, CREATININE KINASE (CK), CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 181250 |
| 286 | NPT0025-26 | 4111600721300 | TEST, VANCOMYCIN, CHEMISTRY, COMPATIBLE WITH SIEMENS ATELLICA | TET | G05 | 70800 |
| 287 | NPT0025-26 | 4111621300400 | TEST, HEMOGLOBIN A1C (HBA1C), POCT | TET | ITEMIZED | 783675 |
| 288 | NPT0025-26 | 4111600406500 | TEST, MAGNESIUM, CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 373000 |
| 289 | NPT0025-26 | 4114205500400 | TEST, FREE TRIIODOTHYRONINE (FT3), CHEMISTRY, COMPATIBLE WITH ATELLICA | TET | G05 | 662460 |

| SN | Tender No. | NUPCO Code | NUPCO DESCRIPTIUON | UOM | GROUP / ITEMIZED | Initial Quantity |
|-----|------------|---------------|---|-----|------------------|------------------|
| 290 | NPT0025-26 | 4111600424900 | TEST, HUMAN EPITHELIAL RECEPTOR- 2, CHEMISTRY, COMPATIBLE WITH ATELLICA | TET | G05 | 2150 |
| 291 | NPT0025-26 | 4111580802600 | CARTRIDGE, CHEM8, POCT, COMPATIBLE WITH ISTAT | CTG | G01 | 1613750 |
| 292 | NPT0025-26 | 4111600438800 | TEST, ERYTHROPOIETIN (EPO), COMPATIBLE WITH ACCESS, DXI600, DXI800 | TET | G03 | 38100 |
| 293 | NPT0025-26 | 4111600403300 | TEST, FERRITIN, CHEMISTRY, COMPATIBLE WITH DIMENSION | TET | G05 | 35760 |
| 294 | NPT0025-26 | 4111600432900 | TEST, APOLIPOPROTEIN B CHEMISTRY, COMPATIBLE WITH VITROS | TET | G11 | 6600 |
| 295 | NPT0025-26 | 4111600300800 | CARTRIDGE, BLOOD GASSES(PH,PO2,PCO2 , HCO3) ELCTROLYTES (NA, K, ICA, CL) METABOLITES(LACTATE, GLUCOSE)+ BILIRUBIN, COMPATIBLE WITH COBAS 221 | TET | ITEMIZED | 152946 |
| 296 | NPT0025-26 | 4111600432700 | TEST, ALPHA-1ANTITRYPSIN (AAT), CHEMISTRY, COMPATIBLE WITH VITROS | TET | G11 | 1500 |
| 297 | NPT0025-26 | 4111600459600 | TEST, CORTISOL, CHEMISTRY, COMPATIBLE WITH VITROS | TET | G11 | 58800 |
| 298 | NPT0025-26 | 4111620012700 | TEST, CREATINE KINASE (CK), CHEMISTRY, COMPATIBLE WITH ALINITY | TET | G01 | 302400 |
| 299 | NPT0025-26 | 4114170011000 | TEST, GAMMA GLUTAMYL TRANSFERASE (GGT), CHEMISTRY, COMPATIBLE WITH ATELLICA | TET | G05 | 664832 |
| 300 | NPT0025-26 | 4111620012600 | TEST, CREATININE, CHEMISTRY, COMPATIBLE WITH ALINITY | TET | G01 | 1179000 |
| 301 | NPT0025-26 | 4111600435600 | TEST, ALPHA-FETOPROTEIN (AFP), CHEMISTRY, COMPATIBLE WITH ATELLICA | TET | G05 | 157800 |
| 302 | NPT0025-26 | 4111620012500 | TEST, BICARBONATE (CO2), CHEMISTRY, COMPATIBLE WITH ALINITY | TET | G01 | 84000 |
| 303 | NPT0025-26 | 4111620006600 | TEST, PROGESTERONE, CHEMISTRY, COMPATIBLE WITH COBAS ELECSYS E402, E801 | TET | G06 | 192300 |
| 304 | NPT0025-26 | 4114000031100 | TEST, TROPONIN I ,CHEMISTRY ,COMPATIBLE WITH VITROS | TET | G11 | 27200 |
| 305 | NPT0025-26 | 4111600407200 | TEST, MYOGLOBIN, CHEMISTRY, COMPATIBLE WITH AQT90 | TET | G14 | 124000 |
| 306 | NPT0025-26 | 4111600412900 | TEST, UREA, CHEMISTRY, COMPATIBLE WITH DIMENSION | TET | G05 | 3794880 |

| SN | Tender No. | NUPCO Code | NUPCO DESCRIPTION | UOM | GROUP / ITEMIZED | Initial Quantity |
|-----|------------|---------------|---|-----|------------------|------------------|
| 307 | NPT0025-26 | 4111600406300 | TEST, LUTEINIZING HORMONE (LH), COMPATIBLE WITH ACCESS, DXI600, DXI800 | TET | G03 | 612400 |
| 308 | NPT0025-26 | 4111600404200 | TEST, SAMPLE DILUENT, ICT, CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 5663000 |
| 309 | NPT0025-26 | 4111620500100 | TEST, URINE, PREGNANCY, RAPID, POCT, DETECTING HUMAN CHORIONIC GONADOTROPHIN, SENSITIVITY LESS THAN OR 20 MIU/ML HCG | TET | ITEMIZED | 3980900 |
| 310 | NPT0025-26 | 4111620007800 | TEST, TOTAL BILIRUBIN, CHEMISTRY, COMPATIBLE WITH COBAS C303, C503 | TET | G06 | 1420650 |
| 311 | NPT0025-26 | 4111600421600 | TEST, VITAMIN D, COMPATIBLE WITH ACCESS | TET | G03 | 541300 |
| 312 | NPT0025-26 | 4111600419300 | TEST, AMYLASE, CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 194560 |
| 313 | NPT0025-26 | 4111600402000 | TEST, CHOLESTEROL, CHEMISTRY, COMPATIBLE WITH DIMENSION | TET | G05 | 1572480 |
| 314 | NPT0025-26 | 4114000030400 | TEST, MYOGLOBIN ,CHEMISTRY ,COMPATIBLE WITH VITROS | TET | G11 | 6400 |
| 315 | NPT0025-26 | 4111600412100 | TEST, AMMONIA, CHEMISTRY COMPATIBLE WITH DIMENSION | TET | G05 | 195840 |
| 316 | NPT0025-26 | 4114000022600 | TEST, HBA1C, CHEMISTRY, COMPATIBLE WITH DXC SERIES/ AU SERIES | TET | G03 | 1273000 |
| 317 | NPT0025-26 | 4111620011400 | TEST, BICARBONATE (CO2), CHEMISTRY, COMPATIBLE WITH ATELLICA | TET | G05 | 190000 |
| 318 | NPT0025-26 | 4111600433700 | TEST, HOMOCYSTEINE, CHEMISTRY, COMPATIBLE WITH VITROS | TET | G11 | 2400 |
| 319 | NPT0025-26 | 4111600302300 | TEST, BICARBONATE (CO2), CHEMISTRY, COMPATIBLE WITH DXC SERIES/ AU SERIES | TET | G03 | 157760 |
| 320 | NPT0025-26 | 4111613800500 | STRIP, URINALYSIS, 11 PARAMETER DETERMINE (GLUCOSE, UROBILINOGEN, KETONES, BILIRUBIN, PROTEIN) | TET | ITEMIZED | 1774200 |
| 321 | NPT0025-26 | 4111600303100 | CARTRIDGE, BLOOD GASES (PH, PO2, PCO2, HCO3) ELECTROLYTES (NA, K, ICA, CL) METABOLITES (LACTATE, GLUCOSE), COMPATIBLE WITH ABL800/815 | TET | G14 | 74700 |
| 322 | NPT0025-26 | 4111600404400 | TEST, TOTAL IRON BINDING CAPACITY (TIBC), CHEMISTRY, COMPATIBLE WITH DIMENSION | TET | G05 | 1205040 |
| 323 | NPT0025-26 | 4111600439600 | TEST, FREE THYROXINE (FT4), CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 270600 |

| SN | Tender No. | NUPCO Code | NUPCO DESCRIPTION | UOM | GROUP / ITEMIZED | Initial Quantity |
|-----|------------|---------------|---|-----|------------------|------------------|
| 324 | NPT0025-26 | 4111303900700 | BOX, OSMOMETER A20, WIPER COMPATIBLE WITH ADVANCED INSTRUMENT A20 | BOX | G01 | 10 |
| 325 | NPT0025-26 | 4111600719600 | TEST, DIGOXIN, CHEMISTRY, COMPATIBLE WITH ALINITY CI | TET | G01 | 23200 |
| 326 | NPT0025-26 | 4111600409900 | TEST, AMYLASE, CHEMISTRY, COMPATIBLE WITH RANDOX DAYTONA PLUS | TET | G04 | 600 |
| 327 | NPT0025-26 | 4114170011300 | TEST, HOMOCYSTEINE, CHEMISTRY, COMPATIBLE WITH ATELLICA | TET | G05 | 13200 |
| 328 | NPT0025-26 | 4111600409500 | TEST, TOTAL BILIRUBIN, CHEMISTRY ANALYZER, COMPATIBLE WITH VITROS | TET | G11 | 725400 |
| 329 | NPT0025-26 | 4111600453200 | TEST, LACTATE DEHYDROGENASE (LDH26), CHEMISTRY, COMPATIBLE WITH DXC SERIES/ AU SERIES | TET | G03 | 95120 |
| 330 | NPT0025-26 | 4111600405100 | TEST, LACTATE DEHYDROGENASE (LDH), CHEMISTRY, COMPATIBLE WITH COBAS C311, C501, C502 | TET | G06 | 995700 |
| 331 | NPT0025-26 | 4114170011100 | TEST, GLUCOSE, CHEMISTRY, COMPATIBLE WITH SIEMENS ATELLICA | TET | G05 | 1435200 |
| 332 | NPT0025-26 | 4111600708500 | TEST, TACROLIMUS, CHEMISTRY, COMPATIBLE WITH DIMENSION | TET | G05 | 23440 |
| 333 | NPT0025-26 | 4114000020500 | TEST, HIGH-SENSITIVITY TROPONIN I (HSTNI), CHEMISTRY, COMPATIBLE WITH ACCESS | TET | G03 | 250500 |
| 334 | NPT0025-26 | 4111600409700 | TEST, UREA, CHEMISTRY ANALYZER, COMPATIBLE WITH VITROS | TET | G11 | 1256100 |
| 335 | NPT0025-26 | 4111600408700 | TEST, HIGH DENSITY LIPOPROTEIN (HDL), CHEMISTRY, COMPATIBLE WITH VITROS | TET | G11 | 693300 |
| 336 | NPT0025-26 | 4111600721100 | TEST, VALPROIC ACID, CHEMISTRY, COMPATIBLE WITH SIEMENS ATELLICA | TET | G05 | 42400 |
| 337 | NPT0025-26 | 4111600434000 | TEST, LITHIUM, CHEMISTRY ANALYZER, COMPATIBLE WITH VITROS | TET | G11 | 2700 |
| 338 | NPT0025-26 | 4114000044000 | TEST, UREA, CHEMISTRY, COMPATIBLE WITH FUJI ANALYZERS | KIT | G08 | 9600 |
| 339 | NPT0025-26 | 4111600719300 | TEST, CARBAMAZEPINE, CHEMISTRY, COMPATIBLE WITH SIEMENS ATELLICA | TET | G05 | 79600 |
| 340 | NPT0025-26 | 4114170011600 | TEST, IRON, CHEMISTRY, COMPATIBLE WITH SIEMENS ATELLICA | TET | G05 | 602112 |

| SN | Tender No. | NUPCO Code | NUPCO DESCRIPTION | UOM | GROUP / ITEMIZED | Initial Quantity |
|-----|------------|---------------|--|-----|------------------|------------------|
| 341 | NPT0025-26 | 4111600400600 | TEST, GAMMA GLUTAMYL TRANSFERASE (GGT), MICRO SLIDE FORMAT, COMPATIBLE WITH VITROS | TET | G11 | 393500 |
| 342 | NPT0025-26 | 4114201900100 | TEST, LOW DENSITY LIPOPROTEIN (LDL), CHEMISTRY, COMPATIBLE WITH MINDRAY 200 | TET | G20 | 400 |
| 343 | NPT0025-26 | 4111616430600 | TEST, BILE ACID, CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 1620 |
| 344 | NPT0025-26 | 4114205500500 | TEST, FREE THYROXINE (FT4), CHEMISTRY, COMPATIBLE WITH ALINITY | TET | G01 | 333400 |
| 345 | NPT0025-26 | 4111600433500 | TEST, LOW DENSITY LIPOPROTEIN (LDL), CHEMISTRY, COMPATIBLE WITH VITROS | TET | G11 | 408600 |
| 346 | NPT0025-26 | 4111600703400 | TEST, MYCOPHENOLIC ACID, IMMUNOASSAY, SERUM/PLASMA, COMPLETE WITH VIVA | TET | G18 | 600 |
| 347 | NPT0025-26 | 4111582800100 | CUVETTE, URINE SEDIMENT TEST, COMPATIBLE WITH AUTOMATED URISED URINEANALYSIS | TET | ITEMIZED | 1460400 |
| 348 | NPT0025-26 | 4114170013600 | TEST, HOMOCYSTEINE, CHEMISTRY, COMPATIBLE WITH BN PROSPEC ANALYZER | TET | G17 | 240 |
| 349 | NPT0025-26 | 4111600428300 | TEST, APOLIPOPROTEIN B CHEMISTRY, COMPATIBLE WITH BN PROSPEC ANALYZER | TET | G17 | 9160 |
| 350 | NPT0025-26 | 4114170008600 | TEST, ALANINE AMINOTRANSFERASE (ALT), CHEMISTRY, COMPATIBLE WITH ATELLICA | TET | G05 | 1361700 |
| 351 | NPT0025-26 | 4111600413600 | TEST, POTASSIUM, CHEMISTRY, COMPATIBLE WITH RANDOX DAYTONA PLUS | TET | G04 | 400 |
| 352 | NPT0025-26 | 4114000027800 | TEST, PRESEPSIN, POCT, COMPATIBLE WITH PATHFAST | TET | G22 | 36360 |
| 353 | NPT0025-26 | 4120210218600 | TEST, GASTRIN, CHEMISTRY, COMPATIBLE WITH IMMULITE | TET | G09 | 1200 |
| 354 | NPT0025-26 | 4111613144000 | TEST, EVEROLIMUS, CHEMISTRY, COMPATIBLE WITH COBAS E402, E801 | TET | G06 | 4500 |
| 355 | NPT0025-26 | 4110530901100 | TEST, ELECTROPHORESIS CDT AUTO COMPLETE, CHEMISTRY, COMPATIBLE WITH HELENA | TET | G07 | 10000 |
| 356 | NPT0025-26 | 4114170012300 | TEST, CREATINE KINASE-MB (CK-MB), CHEMISTRY, COMPATIBLE WITH ATELLICA | TET | G05 | 390400 |
| 357 | NPT0025-26 | 4111600403900 | TEST, HBA1C, CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 318000 |

| SN | Tender No. | NUPCO Code | NUPCO DESCRIPTION | UOM | GROUP / ITEMIZED | Initial Quantity |
|-----|------------|---------------|--|-----|------------------|------------------|
| 358 | NPT0025-26 | 4111617303400 | TEST, PARATHYROID HORMONE (IPTH), COMPATIBLE WITH MAGLUMI | TET | G02 | 6600 |
| 359 | NPT0025-26 | 4111620013600 | TEST, URIC ACID, CHEMISTRY, COMPATIBLE WITH ALINITY | TET | G01 | 352640 |
| 360 | NPT0025-26 | 4111580802800 | CARTRIDGE, CG4+, POCT, COMPATIBLE WITH ISTAT | CTG | G01 | 1513250 |
| 361 | NPT0025-26 | 4111620009500 | TEST, N-MID OSTEOCALCIN, CHEMISTRY, COMPATIBLE WITH ELECSYS, COBAS E402, E801 | TET | G06 | 33200 |
| 362 | NPT0025-26 | 4111600439400 | TEST, FOLATE, COMPATIBLE WITH ACCESS, DXI600, DXI800 | TET | G03 | 299600 |
| 363 | NPT0025-26 | 4111600707400 | TEST, GENTAMICIN, CHEMISTRY, COMPATIBLE WITH DIMENSION | TET | G05 | 38480 |
| 364 | NPT0025-26 | 4111600409100 | TEST, MAGNESIUM, CHEMISTRY ANALYZER, COMPATIBLE WITH VITROS | TET | G11 | 476730 |
| 365 | NPT0025-26 | 4114000019200 | TEST, GALECTIN ,CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 2200 |
| 366 | NPT0025-26 | 4111600440100 | TEST, P1NP, CHEMISTRY, COMPATIBLE WITH ELECSYS, COBAS E411, E601, E602 | TET | G06 | 6400 |
| 367 | NPT0025-26 | 4114170009700 | TEST, CHOLESTEROL, CHEMISTRY, COMPATIBLE WITH SIEMENS ATELLICA | TET | G05 | 1041600 |
| 368 | NPT0025-26 | 4111600719900 | TEST, GENTAMICIN, CHEMISTRY, COMPATIBLE WITH SIEMENS ATELLICA | TET | G05 | 60400 |
| 369 | NPT0025-26 | 4111601010900 | TEST, CAERULOPLASMIN, CHEMISTRY, COMPATIBLE WITH SPA PLUS | KIT | G16 | 100 |
| 370 | NPT0025-26 | 4114205900100 | TEST, TOTAL T3, CHEMISTRY, COMPATIBLE WITH ALINITY CI | TET | G01 | 3600 |
| 371 | NPT0025-26 | 4111600416800 | TEST, FREE TRIIODOTHYRONINE (FT3), CHEMISTRY, COMPATIBLE WITH ACCESS, DXI600, DXI800 | TET | G03 | 1253400 |
| 372 | NPT0025-26 | 4111600481800 | TEST, LOW DENSITY LIPOPROTEIN (LDL), CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 268650 |
| 373 | NPT0025-26 | 4111600456600 | TEST, UNSATURATED IRON BINDING CAPACITY (UIBC), CHEMISTRY, COMPATIBLE WITH DXC SERIES/ AU SERIES | TET | G03 | 1184800 |
| 374 | NPT0025-26 | 4111600452000 | TEST, GAMMA GLUTAMYL TRANSFERASE (GGT), CHEMISTRY, COMPATIBLE WITH DXC SERIES/ AU SERIES | TET | G03 | 1950000 |

| SN | Tender No. | NUPCO Code | NUPCO DESCRIPTION | UOM | GROUP / ITEMIZED | Initial Quantity |
|-----|------------|---------------|---|-----|------------------|------------------|
| 375 | NPT0025-26 | 4111600413500 | TEST, POTASSIUM TEST, STANDARDS, ION-SELECTIVE ELECTRODE, CHEMISTRY, COMPATIBLE WITH COBAS C311, C501, C502, C701, C702, C303, C503 | TET | G06 | 5796000 |
| 376 | NPT0025-26 | 4111600829600 | TEST, TOTAL T4, CHEMISTRY, COMPATIBLE WITH ALINITY CI | TET | G01 | 3800 |
| 377 | NPT0025-26 | 4111600418600 | TEST, CREATININE KINASE (CK), CHEMISTRY, COMPATIBLE WITH RANDOX DAYTONA PLUS | TET | G04 | 1920 |
| 378 | NPT0025-26 | 4111600433400 | TEST, HBA1C, CHEMISTRY, COMPATIBLE WITH VITROS | TET | G11 | 208000 |
| 379 | NPT0025-26 | 4111620007600 | TEST, TESTOSTERONE, ANALYZER, CHEMISTRY, COMPATIBLE WITH COBAS ELECSYS E402, E801 | TET | G06 | 172200 |
| 380 | NPT0025-26 | 4114170010300 | TEST, BILIRUBIN DIRECT, CHEMISTRY, COMPATIBLE WITH ATELLICA | TET | G05 | 1030400 |
| 381 | NPT0025-26 | 4111600439200 | TEST, FERRITIN, COMPATIBLE WITH ACCESS, DXI600, DXI800 | TET | G03 | 1028400 |
| 382 | NPT0025-26 | 4111620102400 | TEST LIPID PANEL (GLU HDL TC TG LDL# VLDL#) POCT COMPATIBLE WITH SKYLA HB1 | TET | ITEMIZED | 60000 |
| 383 | NPT0025-26 | 4111617306700 | STRIP, COMPATIBLE WITH AUTOMATED URINANALYSIS SYSTEM ATELLICA 1500 | TET | G05 | 538650 |
| 384 | NPT0025-26 | 4111600418100 | TEST, CREATINE KINASE (CK), CHEMISTRY, COMPATIBLE WITH COBAS C311, C501, C502 | TET | G06 | 1011600 |
| 385 | NPT0025-26 | 4118160154100 | TEST, THYROID STIMULATING HORMONE (TSH), CHEMISTRY, COMPATIBLE WITH DRG HYBRID-XL ANALYZER IMMUNOASSAY | TET | G15 | 71000 |
| 386 | NPT0025-26 | 4111600716800 | TEST, ACETAMINOPHEN, CHEMISTRY, COMPLETE WITH ARCHITECT | TET | G01 | 20200 |
| 387 | NPT0025-26 | 4111614612800 | TEST, C-PEPTIDE, CHEMISTRY, COMPATIBLE WITH ACCESS, DXI600, DXI800 | TET | G03 | 68700 |
| 388 | NPT0025-26 | 4111600775700 | TEST, TOBRAMYCIN, CHEMISTRY, COMPATIBLE WITH DXC SERIES/ AU SERIES | TET | G03 | 8400 |
| 389 | NPT0025-26 | 4111580044800 | CARTRIDGE, CARDIOVASCULAR AND MAJOR ORTHOPEDIC SURGERY (CT, CTH, CTR, CS, PCS, FCS) POCT COMPATIBLE WITH QUANTRA HEMOSTASIS | TET | ITEMIZED | 3100 |
| 390 | NPT0025-26 | 4111580044900 | CARTRIDGE, TRAUMA, LIVER TRANSPLANTATION, AND PERIPARTUM OBSTETRIC PROCEDURES(CT, CS, PCS, FCS, CSL) POCT COMPATIBLE WITH QUANTRA HEMOSTASIS | TET | ITEMIZED | 3100 |
| 391 | NPT0025-26 | 4114170012000 | TEST, LIPASE, CHEMISTRY, COMPATIBLE WITH ATELLICA | TET | G05 | 367360 |

| SN | Tender No. | NUPCO Code | NUPCO DESCRIPTION | UOM | GROUP / ITEMIZED | Initial Quantity |
|-----|------------|---------------|--|-----|------------------|------------------|
| 392 | NPT0025-26 | 4111600415300 | TEST, TRIGLYCERIDE, CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 337600 |
| 393 | NPT0025-26 | 4111600713100 | TEST, PHENOBARBITAL, CHEMISTRY, COMPATIBLE WITH DIMENSION | TET | G05 | 7200 |
| 394 | NPT0025-26 | 4111600457800 | TEST, MYCOPHENOLIC ACID, CHEMISTRY, COMPATIBLE WITH DIMENSION | TET | G05 | 8160 |
| 395 | NPT0025-26 | 4114000019300 | TEST, PROCALCITONIN (PCT) ,CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 45200 |
| 396 | NPT0025-26 | 4111600444600 | TEST, TROPONIN-I, CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 162000 |
| 397 | NPT0025-26 | 4120210220200 | STRIP, URISCAN TEST, SUPER CASSETTE, COMPATIBLE WITH YD DIAGNOSTICS | TET | ITEMIZED | 251600 |
| 398 | NPT0025-26 | 4111620012200 | TEST, UREA, CHEMISTRY, COMPATIBLE WITH ALINITY | TET | G01 | 976000 |
| 399 | NPT0025-26 | 4114205500300 | TEST, FREE TRIIODOTHYRONINE (FT3), CHEMISTRY, COMPATIBLE WITH ALINITY | TET | G01 | 280400 |
| 400 | NPT0025-26 | 4111600415500 | TEST, HIGH DENSITY LIPOPROTEIN (HDL), CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 342720 |
| 401 | NPT0025-26 | 4111600407100 | TEST, MYOGLOBIN, CHEMISTRY, COMPATIBLE WITH DIMENSION | TET | G05 | 40800 |
| 402 | NPT0025-26 | 4111600430200 | TEST, PREALBUMIN, CHEMISTRY, COMPATIBLE WITH IMMAGE | TET | G03 | 3000 |
| 403 | NPT0025-26 | 4114170014300 | TEST, TOTAL PROTEIN, CHEMISTRY, COMPATIBLE WITH ATELICA | TET | G05 | 1028600 |
| 404 | NPT0025-26 | 4111600439000 | TEST, ESTRADIOL (E2), CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 24500 |
| 405 | NPT0025-26 | 4111580802700 | CARTRIDGE, BNP, POCT, COMPATIBLE WITH ISTAT | CTG | G01 | 281450 |
| 406 | NPT0025-26 | 4111600438400 | TEST, DEHYDROEPIANDROSTERONE SULPHATE (DHEA-S), CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 30500 |
| 407 | NPT0025-26 | 4111600413000 | TEST, PARATHYROID HORMONE (PTH), CHEMISTRY, COMPATIBLE WITH ELECSYS E411, E601,E602 | TET | G06 | 186900 |
| 408 | NPT0025-26 | 4111600438200 | TEST, CREATININE KINASE (CK), CHEMISTRY, COMPATIBLE WITH COBAS C111 | TET | G06 | 35000 |

| SN | Tender No. | NUPCO Code | NUPCO DESCRIPTION | UOM | GROUP / ITEMIZED | Initial Quantity |
|-----|------------|---------------|--|-----|------------------|------------------|
| 409 | NPT0025-26 | 4111600411900 | TEST, ALKALINE PHOSPHATASE (ALP), CHEMISTRY COMPATIBLE WITH DIMENSION | TET | G05 | 2637720 |
| 410 | NPT0025-26 | 4111600403200 | TEST, DIRECT BILIRUBIN, CHEMISTRY, COMPATIBLE WITH DIMENSION | TET | G05 | 2747840 |
| 411 | NPT0025-26 | 4111622400300 | TEST, MEASURE WHOLE BLOOD GLUCOSE, POCT, WITH QC, (CALIBRATOR / CLEANER IF APPLICABLE), ONE MACHINE FOR EACH 2000 TESTS, INPATIENT, HOSPITALIZED | TET | ITEMIZED | 44921100 |
| 412 | NPT0025-26 | 4111600403700 | TEST, GLUCOSE, CHEMISTRY, COMPATIBLE WITH DIMENSION | TET | G05 | 4177440 |
| 413 | NPT0025-26 | 4111600444800 | TEST, THYROGLOBULIN (TG), CHEMISTRY, COMPATIBLE WITH ACCESS, DXI600, DXI800 | TET | G03 | 67700 |
| 414 | NPT0025-26 | 4111617308000 | TEST, INSULIN, COMPATIBLE WITH MAGLUMI | TET | G02 | 6700 |
| 415 | NPT0025-26 | 4111601025700 | TEST, BRAIN NATRIURETIC PEPTIDE (BNP), CHEMISTRY, COMPATIBLE WITH ALINITY | TET | G01 | 14000 |
| 416 | NPT0025-26 | 4112170900900 | TUBE HEPARINIZED CAPILLARY BLOOD GAS ANALYZER 125UL | PC | ITEMIZED | 126500 |
| 417 | NPT0025-26 | 4111600447900 | TEST, ALPHA 1 ACID GLYCOPROTEIN, COMPATIBLE WITH DXC SERIES/ AU SERIES | TET | G03 | 25440 |
| 418 | NPT0025-26 | 4114000029400 | TEST, PHENYTOIN ,CHEMISTRY ,COMPATIBLE WITH VITROS | TET | G11 | 4140 |
| 419 | NPT0025-26 | 4110530900400 | TEST, PROTEIN SERUM ELECTROPHORESIS, COMPATIBLE WITH SEBIA-3, CAPILLARY SYSTEM | TET | G12 | 34500 |
| 420 | NPT0025-26 | 4111620009700 | TEST, THYROID UPTAKE (TUP), CHEMISTRY, COMPATIBLE WITH ELECSYS, COBAS E402, E801 | TET | G06 | 6100 |
| 421 | NPT0025-26 | 4111601009500 | TEST, TOTAL PSA, TUMOR MARKER, CMIA, COMPATIBLE WITH ARCHITECT ANALYZER | TET | G01 | 104676 |
| 422 | NPT0025-26 | 4114170017600 | TEST, URIC ACID, CHEMISTRY, COMPATIBLE WITH SIEMENS ATELLICA | TET | G05 | 907200 |
| 423 | NPT0025-26 | 4111614766300 | TEST CREATININE SCREEN IMMUNOASSAY SERUM COMPLETE WITH ALL TEST FOR VIVA V TWIN | TET | G18 | 413442 |
| 424 | NPT0025-26 | 4114000046400 | CARTRIDGE, CREA, POCT, COMPATIBLE WITH ISTAT | TET | G01 | 68175 |
| 425 | NPT0025-26 | 4114202000200 | TEST, LUTEINIZING HORMONE (LH), CHEMISTRY, COMPATIBLE WITH SIEMENS ATELLICA | TET | G05 | 247720 |

| SN | Tender No. | NUPCO Code | NUPCO DESCRIPTION | UOM | GROUP / ITEMIZED | Initial Quantity |
|-----|------------|---------------|---|-----|------------------|------------------|
| 426 | NPT0025-26 | 4111560800500 | TEST, CHLORIDE (CL), CHEMISTRY, COMPATIBLE WITH COBAS C111 | TET | G06 | 82800 |
| 427 | NPT0025-26 | 4111600474900 | TEST, C-PEPTIDE, CHEMISTRY, COMPATIBLE WITH VITROS | TET | G11 | 31000 |
| 428 | NPT0025-26 | 4111600416500 | TEST, FOLATE, CHEMISTRY, COMPATIBLE WITH ELECSYS COBAS E411, E601, E602 | TET | G06 | 124700 |
| 429 | NPT0025-26 | 4111600437200 | TEST, CHOLINESTERASE, CHEMISTRY, COMPATIBLE WITH COBAS C311, C501, C502 | TET | G06 | 6200 |
| 430 | NPT0025-26 | 4111600439700 | TEST, FOLLICLE STIMULATING HORMONE (FSH), CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 81300 |
| 431 | NPT0025-26 | 4111600429200 | TEST, MICROALBUMIN (MALB), CHEMISTRY, COMPATIBLE WITH IMMAGE | TET | G03 | 3150 |
| 432 | NPT0025-26 | 4111601085900 | TEST, GROWTH HORMONE (GH), CHEMISTRY, COMPATIBLE WITH MAGLUMI | TET | G02 | 15500 |
| 433 | NPT0025-26 | 4111600413100 | TEST, PHOSPHORUS, CHEMISTRY COMPATIBLE WITH DIMENSION | TET | G05 | 1589280 |
| 434 | NPT0025-26 | 4114170009600 | TEST, CALCIUM, CHEMISTRY, COMPATIBLE WITH SIEMENS ATELLICA | TET | G05 | 4090440 |
| 435 | NPT0025-26 | 4120210216200 | TEST, CYSTATIN C, CHEMISTRY, COMPATIBLE WITH COBAS C701, C702 | TET | G06 | 6300 |
| 436 | NPT0025-26 | 4120210219900 | TEST, AMYLASE, CHEMISTRY, COMPATIBLE WITH ATELLICA | VIA | G05 | 574350 |
| 437 | NPT0025-26 | 4111600415800 | TEST, URIC ACID, CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 403200 |
| 438 | NPT0025-26 | 4114170012900 | TEST, PHOSPHORUS, CHEMISTRY, COMPATIBLE WITH SIEMENS ATELLICA | TET | G05 | 729300 |
| 439 | NPT0025-26 | 4111600438600 | TEST, DEHYDROEPIANDROSTERONE SULPHATE (DHEA-S), CHEMISTRY, COMPATIBLE WITH ATELLICA | TET | G05 | 128950 |
| 440 | NPT0025-26 | 4111600444400 | TEST, BRAIN NATRIURETIC PEPTIDE (BNP), CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 48600 |
| 441 | NPT0025-26 | 4111600450200 | TEST, CALCITONIN, CHEMISTRY, COMPATIBLE WITH ATELLICA | TET | G05 | 28300 |
| 442 | NPT0025-26 | 4120210214300 | TEST, FRUCTOSAMINE, CHEMISTRY, COMPATIBLE WITH COBAS C303, C503 | TET | G06 | 41250 |

| SN | Tender No. | NUPCO Code | NUPCO DESCRIPTION | UOM | GROUP / ITEMIZED | Initial Quantity |
|-----|------------|---------------|---|-----|------------------|------------------|
| 443 | NPT0025-26 | 4111600431600 | TEST, TRANSFERRIN, CHEMISTRY, COMPATIBLE WITH IMMAGE | TET | G03 | 17700 |
| 444 | NPT0025-26 | 4114000041500 | TEST, HIGH-SENSITIVITY TROPONIN I, CHEMISTRY, COMPATIBLE WITH VITROS | TET | G11 | 80000 |
| 445 | NPT0025-26 | 4111600405700 | TEST, LACTATE DEHYDROGENASE (LDH), CHEMISTRY, COMPATIBLE WITH DIMENSION | TET | G05 | 1517760 |
| 446 | NPT0025-26 | 4114170011800 | TEST, LACTATE DEHYDROGENASE (LDH), CHEMISTRY, COMPATIBLE WITH ATELLICA | TET | G05 | 512512 |
| 447 | NPT0025-26 | 4114170014000 | TEST, TOTAL BILIRUBIN, CHEMISTRY, COMPATIBLE WITH ATELLICA | TET | G05 | 1125376 |
| 448 | NPT0025-26 | 4111600450900 | TEST, CHOLESTEROL, CHEMISTRY, COMPATIBLE WITH DXC SERIES/ AU SERIES | TET | G03 | 2821000 |
| 449 | NPT0025-26 | 4111600409800 | TEST, URIC ACID, CHEMISTRY ANALYZER, COMPATIBLE WITH VITROS | TET | G11 | 517200 |
| 450 | NPT0025-26 | 4111614615900 | TEST, SALICYLATE, CHEMISTRY, COMPATIBLE WITH DXC SERIES/ AU SERIES | TET | G03 | 27300 |
| 451 | NPT0025-26 | 4114170014800 | TEST, TOTAL PROTEIN CSF/URINE (TP CSF/U), CHEMISTRY, COMPATIBLE WITH ATELLICA | TET | G05 | 179080 |
| 452 | NPT0025-26 | 4111601901000 | TEST, PARATHYROID HORMONE (PTH), CHEMISTRY, COMPATIBLE WITH ALINITY-CI | TET | G01 | 81200 |
| 453 | NPT0025-26 | 4114000028400 | TEST, MICROALBUMIN (MALB), CHEMISTRY, COMPATIBLE WITH VITROS | TET | G11 | 77100 |
| 454 | NPT0025-26 | 4111600462900 | TEST, SIX HEMOGLOBIN BINDING GLOBIN (SHBG), CHEMISTRY, COMPATIBLE WITH ATELLICA | TET | G05 | 39200 |
| 455 | NPT0025-26 | 4114000046600 | CARTRIDGE, CG8+, POCT, COMPATIBLE WITH ISTAT | TET | G01 | 169425 |
| 456 | NPT0025-26 | 4114000016000 | TEST, FREE THYROXINE (FT4), CHEMISTRY, COMPATIBLE WITH ELECYS, COBAS E411, E601, E602 | TET | G06 | 401200 |
| 457 | NPT0025-26 | 4111620006800 | TEST, GLUCOSE, CHEMISTRY, COMPATIBLE WITH COBAS C303, C503 | TET | G06 | 2224200 |
| 458 | NPT0025-26 | 4111600441100 | TEST, PROLACTIN, CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 90200 |
| 459 | NPT0025-26 | 4114170008300 | TEST, ISE (SODIUM, POTASSIUM, AND CHLORIDE), CHEMISTRY, COMPATIBLE WITH ATELLICA | TET | G05 | 3360000 |

| SN | Tender No. | NUPCO Code | NUPCO DESCRIPTION | UOM | GROUP / ITEMIZED | Initial Quantity |
|-----|------------|---------------|--|-----|------------------|------------------|
| 460 | NPT0025-26 | 4111600456300 | TEST, TRIGLYCERIDE, CHEMISTRY, COMPATIBLE WITH DXC SERIES/ AU SERIES | TET | G03 | 2826920 |
| 461 | NPT0025-26 | 4111600418500 | TEST, CREATININE, CHEMISTRY, COMPATIBLE WITH RANDOX DAYTONA PLUS | TET | G04 | 2560 |
| 462 | NPT0025-26 | 4111600401000 | TEST, DIRECT BILIRUBIN, CHEMISTRY, COMPATIBLE WITH COBAS C311, C501, C502 | TET | G06 | 1339450 |
| 463 | NPT0025-26 | 4111600408300 | TEST, CHOLESTEROL, CHEMISTRY ANALYZER, COMPATIBLE WITH VITROS | TET | G11 | 709800 |
| 464 | NPT0025-26 | 4111620012800 | TEST, GLUCOSE, CHEMISTRY, COMPATIBLE WITH ALINITY | TET | G01 | 812000 |
| 465 | NPT0025-26 | 4120210213900 | TEST, CREATINE KINASE MB (CK-MB), CHEMISTRY, COMPATIBLE WITH COBAS C303, C503 | TET | G06 | 709050 |
| 466 | NPT0025-26 | 4111610550600 | TEST, TROPONIN T, CHEMISTRY, COMPATIBLE WITH ELECSYS, COBAS E402, E801 | TET | G06 | 128400 |
| 467 | NPT0025-26 | 4111600703300 | TEST, METHOTREXATE, IMMUNOASSAY, SERUM/PLASMA, COMPLETE WITH VIVA | TET | G18 | 3948 |
| 468 | NPT0025-26 | 4111620008100 | TEST, URIC ACID, CHEMISTRY, COMPATIBLE WITH COBAS C303, C503 | TET | G06 | 1034800 |
| 469 | NPT0025-26 | 4111620012000 | TEST, DIRECT BILIRUBIN, CHEMISTRY, COMPATIBLE WITH ALINITY | TET | G01 | 452160 |
| 470 | NPT0025-26 | 4111610706800 | PIECE, ION-SELECTIVE ELECTRODE (ISE), CHEMISTRY, COMPATIBLE WITH DXC SERIES/ AU SERIES | TET | G03 | 6963000 |
| 471 | NPT0025-26 | 4111600707100 | TEST, DIGOXIN, CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 23000 |
| 472 | NPT0025-26 | 4111620008900 | TEST, C-PEPTIDE, CHEMISTRY, COMPATIBLE WITH ELECSYS, COBAS E402, E801 | TET | G06 | 94600 |
| 473 | NPT0025-26 | 4111600718900 | TEST, AMIKACIN, CHEMISTRY, COMPATIBLE WITH ALINITY | TET | G01 | 19400 |
| 474 | NPT0025-26 | 4111580057400 | TEST, STREPTOCOCCUS, POCT, COMPATIBLE WITH GENEXPERT XPRESS SYSTEM | TET | ITEMIZED | 7500 |
| 475 | NPT0025-26 | 4114170008500 | TEST, ALKALINE PHOSPHATASE (ALP), CHEMISTRY, COMPATIBLE WITH ATELLICA | TET | G05 | 1195200 |
| 476 | NPT0025-26 | 4111600501100 | CARTRIDGE, PT/INR, POCT, COMPATIBLE WITH ISTAT | TET | G01 | 1555440 |

| SN | Tender No. | NUPCO Code | NUPCO DESCRIPTION | UOM | GROUP / ITEMIZED | Initial Quantity |
|-----|------------|---------------|--|-----|------------------|------------------|
| 477 | NPT0025-26 | 4111581604600 | TEST, CUVETTE, ACT LOW RANGE,POCT,COMPATABLE WITH HEMOCHRON | TET | ITEMIZED | 1800 |
| 478 | NPT0025-26 | 4111600435500 | TEST, ALPHA-FETOPROTEIN (AFP), CHEMISTRY, COMPATIBLE WITH ELECSYS COBAS E411, E601, E602 | TET | G06 | 46000 |
| 479 | NPT0025-26 | 4111600408100 | TEST, CALCIUM SLIDES, CHEMISTRY, COMPATIBLE WITH VITROS | TET | G11 | 722400 |
| 480 | NPT0025-26 | 4118160101800 | TEST, BETA HCG (HCG), COMPATIBLE WITH COBAS E402, E801 | TET | G06 | 302442 |
| 481 | NPT0025-26 | 4111620012100 | TEST, TOTAL BILIRUBIN, CHEMISTRY, COMPATIBLE WITH ALINITY | TET | G01 | 669500 |
| 482 | NPT0025-26 | 4111600720500 | TEST, PHENYTOIN, CHEMISTRY, COMPATIBLE WITH SIEMENS ATELICA | TET | G05 | 41200 |
| 483 | NPT0025-26 | 4111600404500 | TEST, IRON, CHEMISTRY, COMPATIBLE WITH DIMENSION | TET | G05 | 1447920 |
| 484 | NPT0025-26 | 4111600445200 | TEST, TOTAL BETA-HCG, CMIA, COMPATIBLE WITH ARCHITECT | TET | G01 | 128442 |
| 485 | NPT0025-26 | 4111600708200 | TEST, SALICYLATE, CHEMISTRY, COMPATIBLE WITH DIMENSION | TET | G05 | 7800 |
| 486 | NPT0025-26 | 4111600436700 | TEST, BICARBONATE (CO ₂), CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 127500 |
| 487 | NPT0025-26 | 4111610803300 | TEST, ACTIVATED CLOTTING TIME HIGH RANGE (ACT+), POCT, COMPATIBLE WITH SIGNATURE ELITE HEMOCHRON | PC | ITEMIZED | 495 |
| 488 | NPT0025-26 | 4111600705800 | TEST, TRANSFERRIN, CHEMISTRY, COMPATIBLE WITH VITROS | TET | G11 | 7500 |
| 489 | NPT0025-26 | 4111620024400 | TEST, ACTIVE B12, CHEMISTRY, COMPATIBLE WITH COBAS E411, E601, E602 | CTG | G06 | 2494 |
| 490 | NPT0025-26 | 4118160099700 | TEST, CARCINO EMBRYONIC ANTIGEN (CEA), TUMOR MARKER, COMPATIBLE WITH COBAS E402, E801 ANALYZER | TET | G06 | 265200 |
| 491 | NPT0025-26 | 4111620011900 | TEST, ASPARTATE AMINOTRANSFERASE (AST), CHEMISTRY, COMPATIBLE WITH ALINITY | TET | G01 | 787200 |
| 492 | NPT0025-26 | 4111620014200 | TEST, CREATINE KINASE-MB STAT (CK-MB), CHEMISTRY, COMPATIBLE WITH ALINITY | TET | G01 | 52600 |
| 493 | NPT0025-26 | 4111600462500 | TEST, PHENYLKETONURIA, CHEMISTRY, COMPATIBLE WITH WALLAC-VECTOR2 | KIT | ITEMIZED | 100 |

| SN | Tender No. | NUPCO Code | NUPCO DESCRIPTION | UOM | GROUP / ITEMIZED | Initial Quantity |
|-----|------------|---------------|---|-----|------------------|------------------|
| 494 | NPT0025-26 | 4111600400800 | TEST, URINE PROTEIN, SLIDE FORMAT CHEMISTRY SLIDE CHEMISTRY, COMPATIBLE WITH VITROS | TET | G11 | 36630 |
| 495 | NPT0025-26 | 4111600437500 | TEST, COPPER, CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 3900 |
| 496 | NPT0025-26 | 4111600408900 | TEST, LACTATE DEHYDROGENASE (LDH), CHEMISTRY ANALYZER, COMPATIBLE WITH VITROS | TET | G11 | 464000 |
| 497 | NPT0025-26 | 4118160099600 | TEST, CA 15-3, TUMOR MARKER, COMPATIBLE WITH COBAS E402, E801 ANALYZER | TET | G06 | 222900 |
| 498 | NPT0025-26 | 4111600498600 | TEST, CALCITONIN, CHEMISTRY, COMPATIBLE WITH IMMULITE | TET | G09 | 23200 |
| 499 | NPT0025-26 | 4120210220500 | CARTRIDGE, PT/TT/APTT/FIB, POCT, COMPATIBLE WITH MC100 | TET | ITEMIZED | 84580 |
| 500 | NPT0025-26 | 4111600449100 | TEST, ASPARTATE AMINOTRANSFERASE (AST) IFCC, CHEMISTRY, COMPATIBLE WITH DXC SERIES/ AU SERIES | TET | G03 | 4174800 |
| 501 | NPT0025-26 | 4118160113400 | TEST, HEPcidIN25 (BIOACTIVE) KIT OF 40 TEST, CHEMISTRY, COMPATIBLE WITH DRG HYBRID-XL ANALYZER IMMUNOASSAY. | TET | G15 | 880 |
| 502 | NPT0025-26 | 4111600408800 | TEST, IRON, CHEMISTRY ANALYZER, COMPATIBLE WITH VITROS | TET | G11 | 457500 |
| 503 | NPT0025-26 | 4111620011600 | TEST, ALKALINE PHOSPHATASE (ALP), CHEMISTRY, COMPATIBLE WITH ALINITY | TET | G01 | 650000 |
| 504 | NPT0025-26 | 4118160101700 | TEST, CA19-9, TUMOR MARKER, COMPATIBLE WITH COBAS E402, E801 ANALYZER | TET | G06 | 237300 |
| 505 | NPT0025-26 | 4111600720000 | TEST, METHOTREXATE, CHEMISTRY, COMPATIBLE WITH ALINITY CI | TET | G01 | 6000 |
| 506 | NPT0025-26 | 4111600442700 | TEST, LUTEINIZING HORMONE (LH), CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 82700 |
| 507 | NPT0025-26 | 4111620010900 | TEST, PHOSPHORUS, CHEMISTRY, COMPATIBLE WITH COBAS C303, C503 | TET | G06 | 929250 |
| 508 | NPT0025-26 | 4111600447700 | TEST, ALKALINE PHOSPHATASE (ALP) IFCC, CHEMISTRY, COMPATIBLE WITH DXC SERIES/ AU SERIES | TET | G03 | 3907240 |
| 509 | NPT0025-26 | 4114000046500 | CARTRIDGE, ACTK (KAOLIN), POCT, COMPATIBLE WITH ISTAT | TET | G01 | 46050 |
| 510 | NPT0025-26 | 4111600458300 | TEST, VITAMIN D, CHEMISTRY, COMPATIBLE WITH DIMENSION | TET | G05 | 51600 |

| SN | Tender No. | NUPCO Code | NUPCO DESCRIPTION | UOM | GROUP / ITEMIZED | Initial Quantity |
|-----|------------|---------------|--|-----|------------------|------------------|
| 511 | NPT0025-26 | 4111620011700 | TEST, ALANINE AMINOTRANSFERASE (ALT), CHEMISTRY, COMPATIBLE WITH ALINITY | TET | G01 | 789840 |
| 512 | NPT0025-26 | 4111600452200 | TEST, GLUCOSE, CHEMISTRY, COMPATIBLE WITH DXC SERIES/ AU SERIES | TET | G03 | 4182160 |
| 513 | NPT0025-26 | 4111600453700 | TEST, MAGNESIUM, COMPATIBLE WITH DXC SERIES/ AU SERIES | TET | G03 | 2548000 |
| 514 | NPT0025-26 | 4111600431500 | TEST, TRANSFERRIN, CHEMISTRY, COMPATIBLE WITH BN PROSPEC | TET | G17 | 4560 |
| 515 | NPT0025-26 | 4111600408400 | TEST, CREATINE KINASE (CK), CHEMISTRY, COMPATIBLE WITH VITROS | TET | G11 | 663750 |
| 516 | NPT0025-26 | 4111620010300 | TEST, FOLLICLE STIMULATING HORMONE (FSH), CHEMISTRY, COMPATIBLE WITH ELECSYS, COBAS E402, E801 | TET | G06 | 265500 |
| 517 | NPT0025-26 | 4111600704300 | TEST, TACROLIMUS, CHEMISTRY, COMPATIBLE WITH VIVA | TET | G18 | 3960 |
| 518 | NPT0025-26 | 4111620013000 | TEST, HIGH DENSITY LIPOPROTEIN (HDL), CHEMISTRY, COMPATIBLE WITH ALINITY | TET | G01 | 456400 |
| 519 | NPT0025-26 | 4111600409300 | TEST, POTASSIUM, CHEMISTRY ANALYZER, COMPATIBLE WITH VITROS | TET | G11 | 893750 |
| 520 | NPT0025-26 | 4114000029800 | TEST, T3 UPTAKE ,CHEMISTRY ,COMPATIBLE WITH VITROS | TET | G11 | 300 |
| 521 | NPT0025-26 | 4111600706700 | TEST, CYCLOSPORINE, CHEMISTRY, COMPATIBLE WITH DIMENSION | TET | G05 | 22880 |
| 522 | NPT0025-26 | 4114000039600 | TEST, C-REACTIVE PROTEIN (CRP), POCT, COMPATIBLE WITH AFINION | TET | G01 | 210465 |
| 523 | NPT0025-26 | 4114200200000 | TEST, HUMAN CHORIONIC GONADOTROPIN (HCG), POCT, COMPATIBLE WITH AQT 90 FLEX | TET | G14 | 383840 |
| 524 | NPT0025-26 | 4111617302700 | TEST, HIGH-SENSITIVITY TROPONIN I, POCT, COMPATIBLE WITH PATHFAST | TET | G22 | 1186080 |
| 525 | NPT0025-26 | 4111600424400 | TEST, HAPTOGLOBIN, NEPHELOMETRY, COMPATIBLE WITH BN | TET | G09 | 87942 |
| 526 | NPT0025-26 | 4111600498300 | TEST, HBA1C, CHEMISTRY, COMPATIBLE WITH DCA VANTAGE ANALYZER CHEMISTRY | TET | ITEMIZED | 12100 |
| 527 | NPT0025-26 | 4111600442300 | TEST, PARATHYROID HORMONE (IPTH), CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 69900 |

| SN | Tender No. | NUPCO Code | NUPCO DESCRIPTION | UOM | GROUP / ITEMIZED | Initial Quantity |
|-----|------------|---------------|--|-----|------------------|------------------|
| 528 | NPT0025-26 | 4111620015800 | TEST, CREATINE KINASE MB (CK-MB), CHEMISTRY, COMPATIBLE WITH COBAS C111 | TET | G06 | 78000 |
| 529 | NPT0025-26 | 4111600418900 | TEST, SODIUM, ISE, CHEMISTRY, COMPATIBLE WITH COBAS C311, C501, C502, C303, C503, C701, C702 | TET | G06 | 6858000 |
| 530 | NPT0025-26 | 4111600401400 | TEST, CALCIUM, CHEMISTRY, COMPATIBLE WITH DIMENSION | TET | G05 | 2622240 |
| 531 | NPT0025-26 | 4111620012400 | TEST, CHOLESTEROL, CHEMISTRY, COMPATIBLE WITH ALINITY | KIT | G01 | 483200 |
| 532 | NPT0025-26 | 4111600407600 | TEST, ALKALINE PHOSPHATASE (ALP), CHEMISTRY, COMPATIBLE WITH VITROS | TET | G11 | 712500 |
| 533 | NPT0025-26 | 4111600444700 | TEST, TESTOSTERONE, CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 74700 |
| 534 | NPT0025-26 | 4111600422300 | TEST, CERULOPLASMIN, NEPHELOMETRY, COMPATIBLE WITH BN | TET | G09 | 84042 |
| 535 | NPT0025-26 | 4111601006500 | TEST, CA 125, CHEMISTRY, COMPATIBLE WITH ACCESS, DXI600, DXI800 | TET | G03 | 145400 |
| 536 | NPT0025-26 | 4111601006700 | TEST, CA15-3, CHEMISTRY, COMPATIBLE WITH ACCESS, DXI600, DXI800 | TET | G03 | 162000 |
| 537 | NPT0025-26 | 4114202000100 | TEST, LUTEINIZING HORMONE (LH), CHEMISTRY, COMPATIBLE WITH ALINITY-CI | TET | G01 | 85800 |
| 538 | NPT0025-26 | 4111600441000 | TEST, PROGESTERONE, CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 69800 |
| 539 | NPT0025-26 | 4111600426800 | TEST, ALBUMIN, CHEMISTRY, COMPATIBLE WITH IMAGE | TET | G03 | 10800 |
| 540 | NPT0025-26 | 4111600721200 | TEST, VANCOMYCIN, CHEMISTRY, COMPATIBLE WITH ALINITY CI | TET | G01 | 51600 |
| 541 | NPT0025-26 | 4111600407900 | TEST, ASPARTATE AMINOTRANSFERASE (AST), CHEMISTRY, COMPATIBLE WITH VITROS | TET | G11 | 752700 |
| 542 | NPT0025-26 | 4111620011800 | TEST, AMYLASE, CHEMISTRY, COMPATIBLE WITH ALINITY | TET | G01 | 152960 |
| 543 | NPT0025-26 | 4111580829400 | CUVETTE, URINE SEDIMENT TEST, COMPATIBLE WITH AUTOMATED URINE ANALYSIS, ATELLICA | TET | G05 | 456750 |
| 544 | NPT0025-26 | 4111600408500 | TEST, CREATINE KINASE-MB (CK-MB), CHEMISTRY, COMPATIBLE WITH VITROS | TET | G11 | 158700 |

| SN | Tender No. | NUPCO Code | NUPCO DESCRIPTION | UOM | GROUP / ITEMIZED | Initial Quantity |
|-----|------------|---------------|--|-----|------------------|------------------|
| 545 | NPT0025-26 | 4111600408000 | TEST, BUBC SLIDE, CHEMISTRY, COMPATIBLE WITH VITROS | TET | G11 | 468990 |
| 546 | NPT0025-26 | 4111600411700 | TEST, ALKALINE PHOSPHATASE (ALP), CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 523200 |
| 547 | NPT0025-26 | 4114190900000 | TEST, ADRENOCORTICOTROPIC HORMONE (ACTH), CHEMISTRY, COMPATIBLE WITH IMMULITE | TET | G09 | 15600 |
| 548 | NPT0025-26 | 4111601088700 | TEST, CSF OLIGO, ELECTROPHORESIS, COMPATIBLE WITH SEBIA HYDRASYS SYSTEM | KIT | G12 | 200 |
| 549 | NPT0025-26 | 4111600421800 | TEST, VITAMIN D, CHEMISTRY, COMPATIBLE WITH ELECSYS E411, E601, E602 | TET | G06 | 521500 |
| 550 | NPT0025-26 | 4111600435200 | TEST, ALPHA-FETOPROTEIN (AFP), CHEMISTRY, COMPATIBLE WITH ACCESS, DXI600, DXI800 | TET | G03 | 169400 |
| 551 | NPT0025-26 | 4111600415600 | TEST, UREA, CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 704200 |
| 552 | NPT0025-26 | 4111600412700 | TEST, BILIRUBIN DIRECT, CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 578000 |
| 553 | NPT0025-26 | 4111600721000 | TEST, VALPROIC ACID, CHEMISTRY, COMPATIBLE WITH ALINITY CI | TET | G01 | 20800 |
| 554 | NPT0025-26 | 4114000019000 | TEST, PIVKA-II, CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 2400 |
| 555 | NPT0025-26 | 4111600407700 | TEST, ALANINE AMINOTRANSFERASE (ALT), CHEMISTRY, COMPATIBLE WITH VITROS | TET | G11 | 752100 |
| 556 | NPT0025-26 | 4111600448500 | TEST, AMYLASE IFCC, CHEMISTRY, COMPATIBLE WITH DXC SERIES/ AU SERIES | TET | G03 | 1784000 |
| 557 | NPT0025-26 | 4118160061700 | TEST, ANTI-MULLERIAN HORMONE (AMH), CHEMISTRY, COMPATIBLE WITH DRG HYBRID-XL ANALYZER IMMUNOASSAY. | TET | G15 | 4480 |
| 558 | NPT0025-26 | 4111600460400 | TEST, DIRECT BILIRUBIN, CHEMISTRY, COMPATIBLE WITH DXC SERIES/ AU SERIES | TET | G03 | 3321200 |
| 559 | NPT0025-26 | 4111600434600 | TEST, ACID PHOSPHATASE, CHEMISTRY, COMPATIBLE WITH COBAS C311, C501, C502 | TET | G06 | 62000 |
| 560 | NPT0025-26 | 4111601027900 | TEST, TOTAL PSA, TUMOR MARKER, CMIA, COMPATIBLE WITH ALINITY I ANALYZER | TET | G01 | 54200 |
| 561 | NPT0025-26 | 4114170012200 | TEST, MAGNESIUM, CHEMISTRY, COMPATIBLE WITH SIEMENS ATELLICA | TET | G05 | 688800 |

| SN | Tender No. | NUPCO Code | NUPCO DESCRIPTION | UOM | GROUP / ITEMIZED | Initial Quantity |
|-----|------------|---------------|--|-----|------------------|------------------|
| 562 | NPT0025-26 | 4114000033500 | TEST, TOTAL T4 ,CHEMISTRY ,COMPATIBLE WITH VITROS | TET | G11 | 22400 |
| 563 | NPT0025-26 | 4111620005600 | TEST, HIGH DENSITY LIPOPROTEIN (HDL), CHEMISTRY, COMPATIBLE WITH COBAS C303, C503 | TET | G06 | 1146600 |
| 564 | NPT0025-26 | 4111600706900 | TEST, DIGITOXINE , CHEMISTRY, COMPATIBLE WITH DIMENSION | TET | G05 | 11440 |
| 565 | NPT0025-26 | 4111620021900 | TEST, ALPHA 1-ANTITRYPSIN (AAT), CHEMISTRY, COMPATIBLE WITH COBAS C701, C702 | EA | G06 | 1500 |
| 566 | NPT0025-26 | 4111600447400 | TEST, ALBUMIN, COMPATIBLE WITH DXC SERIES/ AU SERIES | TET | G03 | 3913440 |
| 567 | NPT0025-26 | 4111600402900 | TEST, CREATININE ENZYMATIC, CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 727200 |
| 568 | NPT0025-26 | 4111600412300 | TEST, ASPARTATE AMINOTRANSFERASE (AST), CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 680400 |
| 569 | NPT0025-26 | 4111600475700 | TEST, NT-BRAIN NATRIURETIC PEPTIDE (NT-PRO BNP), CHEMISTRY, COMPATIBLE WITH MINI VIDAS | TET | G10 | 17160 |
| 570 | NPT0025-26 | 4111600720700 | TEST, TACROLIMUS, CHEMISTRY, SIEMENS ATELICA | TET | G05 | 4800 |
| 571 | NPT0025-26 | 4111620013400 | TEST, PHOSPHORUS, CHEMISTRY, COMPATIBLE WITH ALINITY | TET | G01 | 386400 |
| 572 | NPT0025-26 | 4111620011500 | TEST, ALBUMIN, CHEMISTRY, COMPATIBLE WITH ALINITY | TET | G01 | 562716 |
| 573 | NPT0025-26 | 4111600436300 | TEST, HUMAN CHORIONIC GONADOTROPIN (B-HCG), CHEMISTRY, COMPATIBLE WITH ATELICA | TET | G05 | 465300 |
| 574 | NPT0025-26 | 4111600417100 | TEST, GLUCOSE, CHEMISTRY, COMPATIBLE WITH COBAS C311, C501, C502 | TET | G06 | 2472800 |
| 575 | NPT0025-26 | 4111600410700 | TEST, ALANINE AMINOTRANSFERASE (ALT), CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 669600 |
| 576 | NPT0025-26 | 4111601088500 | TEST, HE4, CHEMISTRY, COMPATIBLE WITH ALINITY | TET | G01 | 400 |
| 577 | NPT0025-26 | 4111600426000 | TEST, LITHIUM, CHEMISTRY, COMPATIBLE WITH ATELICA | TET | G05 | 3200 |
| 578 | NPT0025-26 | 4111600411100 | TEST, ALBUMIN, CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 566892 |

| SN | Tender No. | NUPCO Code | NUPCO DESCRIPTION | UOM | GROUP / ITEMIZED | Initial Quantity |
|-----|------------|---------------|--|-----|------------------|------------------|
| 579 | NPT0025-26 | 4114000020300 | TEST, METHOTREXATE ,CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 3900 |
| 580 | NPT0025-26 | 4111600451300 | TEST, CREATINE KINASE (CK) NAC-IFCC, CHEMISTRY, COMPATIBLE WITH DXC SERIES/ AU SERIES | TET | G03 | 1803200 |
| 581 | NPT0025-26 | 4111600707000 | TEST, DIGITOXIN, CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 7938 |
| 582 | NPT0025-26 | 4111600407500 | TEST, ALBUMIN, CHEMISTRY ANALYZER, COMPATIBLE WITH VITROS | TET | G11 | 720180 |
| 583 | NPT0025-26 | 4111600438500 | TEST, DEHYDROEPIANDROSTERONE SULPHATE (DHEA-S), CHEMISTRY, COMPATIBLE WITH ACCESS, DXI600, DXI800 | TET | G03 | 101100 |
| 584 | NPT0025-26 | 4111620301400 | CARTRIDGE, BLOOD GASES (PH, PO2, PCO2, HCO3) ELECTROLYTES (NA, K, ICA, CL) OXIMETRY (COOX THB, MHB, CHB, OHB, HCT), METABOLITES (LACTATE, GLUCOSE), POCT, COMPATIBLE WITH GEM PREMIER 4000 | TET | ITEMIZED | 99600 |
| 585 | NPT0025-26 | 4111601026100 | TEST, CARCINO EMBRYONIC ANTIGEN (CEA), TUMOR MARKER, CMIA, COMPATIBLE WITH ALINITY I ANALYZER | TET | G01 | 50800 |
| 586 | NPT0025-26 | 4111600421900 | TEST, BICARBONATE (CO2), COMPATIBLE WITH DIMENSION | TET | G05 | 9720 |
| 587 | NPT0025-26 | 4111600413400 | TEST, PHOSPHORUS, CHEMISTRY, COMPATIBLE WITH RANDOX DAYTONA PLUS | TET | G04 | 6400 |
| 588 | NPT0025-26 | 4114000031500 | TEST, FREE PROSTATIC SPECIFIC ANTIGEN (FPSA), CHEMISTRY, COMPATIBLE WITH VITROS | TET | G11 | 48800 |
| 589 | NPT0025-26 | 4111600901900 | TEST, ALANINE AMINOTRANSFERASE (ALT), CHEMISTRY, COMPATIBLE WITH UDILIPSE | TET | G19 | 18000 |
| 590 | NPT0025-26 | 4111620005300 | TEST, ALDOLASE, CHEMISTRY, CHEMISTRY, COMPATIBLE WITH ATELLICA | BT | ITEMIZED | 20040 |
| 591 | NPT0025-26 | 4111610400300 | TEST, GENERAL13, POCT, COMPATIBLE WITH PICCOLO ABAXIS | TET | ITEMIZED | 339420 |
| 592 | NPT0025-26 | 4114170010000 | TEST, CREATININE, CHEMISTRY, COMPATIBLE WITH ATELLICA | TET | G05 | 1689856 |
| 593 | NPT0025-26 | 4111600404000 | TEST, HIGH DENSITY LIPOPROTEIN (HDL), CHEMISTRY, COMPATIBLE WITH COBAS C311, C501, C502 | TET | G06 | 977200 |
| 594 | NPT0025-26 | 4111600401900 | TEST, CHLORIDE (CL), CHEMISTRY, COMPATIBLE WITH COBAS C311, C501, C502 | TET | G06 | 5913000 |
| 595 | NPT0025-26 | 4110530903300 | TEST, HEMOGLOBIN IEF PART 1 AND 2, ELECTROPHORESIS, COMPATIBLE WITH HELENA V8 | TET | G07 | 4000 |

| SN | Tender No. | NUPCO Code | NUPCO DESCRIPTION | UOM | GROUP / ITEMIZED | Initial Quantity |
|-----|------------|---------------|---|-----|------------------|------------------|
| 596 | NPT0025-26 | 4111600428400 | TEST, APOLIPOPROTEIN E, CHEMISTRY, COMPATIBLE WITH BN PROSPEC ANALYZER | TET | G17 | 1920 |
| 597 | NPT0025-26 | 4120210220900 | CARTRIDGE, CBC 3 PART, POCT COMPATIBLE WITH DP-H10 ANALYZER | TET | ITEMIZED | 93700 |
| 598 | NPT0025-26 | 4111620015500 | TEST, LOW DENSITY LIPOPROTEIN (LDL), CHEMISTRY, COMPATIBLE WITH ALINITY | TET | G01 | 278400 |
| 599 | NPT0025-26 | 4111600409400 | TEST, SODIUM, CHEMISTRY ANALYZER, COMPATIBLE WITH VITROS | TET | G11 | 1101000 |
| 600 | NPT0025-26 | 4111601007300 | TEST, CARCINO EMBRYONIC ANTIGEN (CEA), TUMOR MARKER, CMIA, COMPATIBLE WITH ARCHITECT ANALYZER | TET | G01 | 46800 |
| 601 | NPT0025-26 | 4111600436800 | TEST, CARDIAC PROBNP, CHEMISTRY, COMPATIBLE WITH CARDIAC READER | TET | G06 | 49280 |
| 602 | NPT0025-26 | 4111600706500 | TEST, CYCLOSPORINE, CHEMISTRY, COMPLETE WITH ARCHITECT | TET | G01 | 9800 |
| 603 | NPT0025-26 | 4111620011200 | TEST, ASPARTATE AMINOTRANSFERASE (AST), CHEMISTRY, COMPATIBLE WITH COBAS C303, 503 | TET | G06 | 1578500 |
| 604 | NPT0025-26 | 4110631316100 | BOTTLE, CLEANCELL M, SOLUTION, 2 X 2 L, COMPATIBLE WITH ELECSYS COBAS E | BOX | G06 | 3894 |
| 605 | NPT0025-26 | 4111600408200 | TEST, CHLORIDE (CL), CHEMISTRY, COMPATIBLE WITH VITROS | TET | G11 | 1192500 |
| 606 | NPT0025-26 | 4111600406100 | TEST, LOW DENSITY LIPOPROTEIN (LDL), CHEMISTRY, COMPATIBLE WITH COBAS C311, C501, C502 | TET | G06 | 879200 |
| 607 | NPT0025-26 | 4111600708100 | TEST, SALICYLATE, CHEMISTRY, COMPLETE WITH ARCHITECT | TET | G01 | 22000 |
| 608 | NPT0025-26 | 4111600450300 | TEST, CALCIUM, CHEMISTRY, COMPATIBLE WITH DXC SERIES/ AU SERIES | TET | G03 | 3556000 |
| 609 | NPT0025-26 | 4111600706000 | TEST, VANCOMYCIN, TOXICOLOGY, COMPATIBLE WITH VITROS | TET | G11 | 17100 |
| 610 | NPT0025-26 | 4111600409200 | TEST, PHOSPHORUS, CHEMISTRY, COMPATIBLE WITH VITROS | TET | G11 | 504900 |
| 611 | NPT0025-26 | 4110631316200 | BOTTLE, PROCELL M, 2 X 2 L, SOLUTION, COMPATIBLE WITH ELECSYS COBAS E | BOX | G06 | 1740 |
| 612 | NPT0025-26 | 4111620012900 | TEST, GAMMA GLUTAMYL TRANSFERASE (GGT), CHEMISTRY, COMPATIBLE WITH ALINITY | TET | G01 | 252300 |

| SN | Tender No. | NUPCO Code | NUPCO DESCRIPTION | UOM | GROUP / ITEMIZED | Initial Quantity |
|-----|------------|---------------|---|-----|------------------|------------------|
| 613 | NPT0025-26 | 4111600706200 | TEST, AMIKACIN, CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 14980 |
| 614 | NPT0025-26 | 4111600708600 | TEST, SIROLIMUS, CHEMISTRY, COMPATIBLE WITH DIMENSION | TET | G05 | 11200 |
| 615 | NPT0025-26 | 4111584901000 | TEST, REFERENCE ELECTRODE, CHEMISTRY, COMPATIBLE WITH ROCHE AVL 9180 ELECTROLYTE ANALYZER | PC | G06 | 1 |
| 616 | NPT0025-26 | 4111600707300 | TEST, GENTAMICIN, CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 52900 |
| 617 | NPT0025-26 | 4111601900800 | TEST, PROLACTIN, CHEMISTRY, COMPATIBLE WITH ALINITY-CI | TET | G01 | 80000 |
| 618 | NPT0025-26 | 4111600401600 | TEST, TOTAL PROTEIN CSF/URINE (TP CSF/U), CHEMISTRY, COMPATIBLE WITH COBAS C311, C501, C502 | TET | G06 | 156900 |
| 619 | NPT0025-26 | 4111600720300 | TEST, PHENOBARBITAL, CHEMISTRY, COMPATIBLE WITH SIEMENS ATELLICA | TET | G05 | 42400 |
| 620 | NPT0025-26 | 4111601006200 | TEST, CA-125 II, TUMOR MARKER, CMIA, COMPATIBLE WITH ARCHITECT ANALYZER | TET | G01 | 43000 |
| 621 | NPT0025-26 | 4111614763400 | TEST, PHENYTOIN, CHEMISTRY, COMPATIBLE WITH COBAS C303, C502, C503 | TET | G06 | 19000 |
| 622 | NPT0025-26 | 4111601007800 | TEST, FREE PSA, TUMOR MARKER, CMIA, COMPATIBLE WITH ARCHITECT ANALYZER | TET | G01 | 40800 |
| 623 | NPT0025-26 | 4111600408600 | TEST, CREATININE, CHEMISTRY, COMPATIBLE WITH VITROS | TET | G11 | 1079400 |
| 624 | NPT0025-26 | 4114170003900 | TEST, FRUCTOSAMINE, CHEMISTRY, COMPATIBLE WITH ALINITY CI | TET | G01 | 3600 |
| 625 | NPT0025-26 | 4111600456700 | TEST, UREA, CHEMISTRY, COMPATIBLE WITH DXC SERIES/ AU SERIES | TET | G03 | 5555200 |
| 626 | NPT0025-26 | 4111600435400 | TEST, ALPHA AMYLASE PANCREATIC, CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 12432 |
| 627 | NPT0025-26 | 4111601901200 | TEST, TESTOSTERONE, CHEMISTRY, COMPATIBLE WITH ALINITY | TET | G01 | 58600 |
| 628 | NPT0025-26 | 4111600718800 | TEST, ACETAMINOPHEN, CHEMISTRY, COMPATIBLE WITH ATELLICA | TET | G05 | 33600 |
| 629 | NPT0025-26 | 4118160092500 | TEST, DHEA, CHEMISTRY, COMPATIBLE WITH DRG HYBRID-XL ANALYZER IMMUNOASSAY. | TET | G15 | 15000 |

| SN | Tender No. | NUPCO Code | NUPCO DESCRIPTION | UOM | GROUP / ITEMIZED | Initial Quantity |
|-----|------------|---------------|---|-----|------------------|------------------|
| 630 | NPT0025-26 | 4118160066100 | TEST, VITAMIN D, CHEMISTRY, COMPATIBLE WITH DRG HYBRID-XL ANALYZER IMMUNOASSAY | TET | G15 | 17640 |
| 631 | NPT0025-26 | 4111601025800 | TEST, CA-125 II, TUMOR MARKER, CMIA, COMPATIBLE WITH ALINITY I ANALYZER | TET | G01 | 41000 |
| 632 | NPT0025-26 | 4111620013500 | TEST, TOTAL PROTEIN, CHEMISTRY, COMPATIBLE WITH ALINITY | TET | G01 | 380000 |
| 633 | NPT0025-26 | 4111600434500 | TEST, ACID PHOSPHATASE, CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 41741 |
| 634 | NPT0025-26 | 4111600444500 | TEST, CREATINE KINASE-MB STAT (CK-MB), CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 149700 |
| 635 | NPT0025-26 | 4111582004500 | RACK, ASSAY TIP/CUP, COMPATIBLE WITH COBAS 602 | BOX | G06 | 9503 |
| 636 | NPT0025-26 | 4111600416100 | TEST, TROPONIN I, CHEMISTRY, COMPATIBLE WITH DIMENSION | TET | G05 | 124848 |
| 637 | NPT0025-26 | 4111601026000 | TEST, CA19-9, TUMOR MARKER, CMIA, COMPATIBLE WITH ALINITY I ANALYZER | TET | G01 | 40400 |
| 638 | NPT0025-26 | 4111601006300 | TEST, CA15-3, TUMOR MARKER, CMIA, COMPATIBLE WITH ARCHITECT ANALYZER | TET | G01 | 40400 |
| 639 | NPT0025-26 | 4111600779600 | TEST, ZINC, COMPATIBLE WITH ALINITY CI | TET | G01 | 35000 |
| 640 | NPT0025-26 | 4111580060200 | TEST, ZINC,SERUM CHEMISTRY, COMPATIBLE WITH COBAS ELECSYS C703 C503 C303 | TET | G06 | 99072 |
| 641 | NPT0025-26 | 4110631311900 | BOTTLE, PRECLEAN M, 5 X 600 ML, SOLUTION, COMPATIBLE WITH ELECSYS COBAS E | BOX | G06 | 1401 |
| 642 | NPT0025-26 | 4110631315700 | BOTTLE, PROBE WASH M, SOLUTION, 12 X 70 ML, COMPATIBLE WITH ELECSYS COBAS E | BOX | G06 | 274 |
| 643 | NPT0025-26 | 4111620007500 | TEST, ESTRADIOL (E2), ANALYZER, CHEMISTRY, COMPATIBLE WITH COBAS ELECSYS E402, E801 | TET | G06 | 153300 |
| 644 | NPT0025-26 | 4111600436400 | TEST, BETA-CROSSLAPS, CHEMISTRY, COMPATIBLE WITH ELECSYS COBAS E411, E601, E602 | TET | G06 | 3900 |
| 645 | NPT0025-26 | 4111601025900 | TEST, CA15-3, TUMOR MARKER, CMIA, COMPATIBLE WITH ALINITY I ANALYZER | TET | G01 | 38800 |
| 646 | NPT0025-26 | 4114000042600 | TEST, ALKALINE PHOSPHATASE (ALP), CHEMISTRY, COMPATIBLE WITH FUJI ANALYZERS | KIT | G08 | 5496 |

| SN | Tender No. | NUPCO Code | NUPCO DESCRIPTION | UOM | GROUP / ITEMIZED | Initial Quantity |
|-----|------------|---------------|--|-----|------------------|------------------|
| 647 | NPT0025-26 | 4111600457600 | TEST, FOLATE, CHEMISTRY, COMPATIBLE WITH DIMENSION | TET | G05 | 25520 |
| 648 | NPT0025-26 | 4111620012300 | TEST, CALCIUM, CHEMISTRY, COMPATIBLE WITH ALINITY | KIT | G01 | 555360 |
| 649 | NPT0025-26 | 4111600432400 | TEST, URINE TRANSFERRIN, CHEMISTRY, COMPATIBLE WITH IMMAGE | TET | G03 | 5850 |
| 650 | NPT0025-26 | 4111600426200 | TEST, A1 MICROGLOBULIN, CHEMISTRY, COMPATIBLE WITH BN PROSPEC ANALYZER | TET | G17 | 1800 |
| 651 | NPT0025-26 | 4110321000400 | BOTTLE, SED 1 AUTION STAINING SOLUTION, COMPATIBLE WITH ARKRAY SYSTEM | BT | ITEMIZED | 500 |
| 652 | NPT0025-26 | 4110321000500 | BOTTLE, STAINING SOLUTION, BAC 1, 25 ML, COMPATIBLE WITH ARKRAY SYSTEM | BT | ITEMIZED | 500 |
| 653 | NPT0025-26 | 4111580047900 | TEST, BETA-AMYLOID (1-42) IN CSF, CHEMISTRY, COMPATIBLE WITH COBAS E411, E601, E602 | TET | G06 | 500 |
| 654 | NPT0025-26 | 4111580056900 | TEST, PHOSPHO-TAU (181P) IN PLASMA, CHEMISTRY, COMPATIBLE WITH COBAS E801, E402 | TET | G06 | 500 |
| 655 | NPT0025-26 | 4111600704400 | TEST, THEOPHYLLINE, CHEMISTRY, COMPATIBLE WITH VIVA | TET | G18 | 44268 |
| 656 | NPT0025-26 | 4111600419500 | TEST, HUMAN CHORIONIC GONADOTROPIN (B-HCG), CHEMISTRY, COMPATIBLE WITH ACCESS, DXI600, DXI800 | TET | G03 | 467000 |
| 657 | NPT0025-26 | 4114194900100 | TEST, CREATININE, POCT, COMPATIBLE WITH NOVA | TET | ITEMIZED | 2000 |
| 658 | NPT0025-26 | 4114000079400 | TEST, CREATINE KINASE-MB ENZYMATI (CK-MB), CHEMISTRY, COMPATIBLE WITH VITROS | TET | G11 | 290700 |
| 659 | NPT0025-26 | 4111580057500 | TEST, SWEAT CHLORIDE, CHEMISTRY, COMPATIBLE WITH ELITECH NANODUCT 1030 ANALYZER | TET | ITEMIZED | 3180 |
| 660 | NPT0025-26 | 4114000031700 | TEST, INSULIN ,CHEMISTRY ,COMPATIBLE WITH VITROS | TET | G11 | 39000 |
| 661 | NPT0025-26 | 4118160145300 | TEST, TOTAL T3, CHEMISTRY, COMPATIBLE WITH DRG HYBRID-XL ANALYZER IMMUNOASSAY | TET | G15 | 60000 |
| 662 | NPT0025-26 | 4111610005100 | TEST, 1, 25 VITD, CHEMISTRY, COMPATIBLE WITH IDS | TET | G13 | 14700 |
| 663 | NPT0025-26 | 4111610560300 | KIT, WASH BUFFER II, ON BOARD DILUTION (OBD), CHEMISTRY, COMPATIBLE WITH BECKMAN COULTER DXI 800 | PAC | G03 | 10 |

| SN | Tender No. | NUPCO Code | NUPCO DESCRIPTION | UOM | GROUP / ITEMIZED | Initial Quantity |
|-----|------------|---------------|---|-----|------------------|------------------|
| 664 | NPT0025-26 | 4111600448000 | TEST, ALPHA-1 ANTITRYPSIN, CHEMISTRY, COMPATIBLE WITH DXC SERIES/ AU SERIES | TET | G03 | 18240 |
| 665 | NPT0025-26 | 4111580701300 | TEST, LITHIUM ELECTRODE, CHEMISTRY, COMPATIBLE WITH ROCHE AVL 9180 ELECTROLYTE ANALYZER | PAC | G06 | 600 |
| 666 | NPT0025-26 | 4111600705000 | TEST, VANCOMYCIN, COMPATIBLE WITH VIVA | TET | G18 | 11036 |
| 667 | NPT0025-26 | 4111600703000 | TEST, SALICYLATE, CHEMISTRY, COMPATIBLE WITH VIVA | TET | G18 | 1560 |
| 668 | NPT0025-26 | 4114000031200 | TEST, PARATHYROID HORMONE (IPTH), CHEMISTRY, COMPATIBLE WITH VITROS | TET | G11 | 113700 |
| 669 | NPT0025-26 | 4111600701000 | TEST, VALPROIC ACID, CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 52100 |
| 670 | NPT0025-26 | 4111601026300 | TEST, FREE PSA, TUMOR MARKER, CMIA, COMPATIBLE WITH ALINITY I ANALYZER | TET | G01 | 32800 |
| 671 | NPT0025-26 | 4111610406000 | TEST, THYROGLOBULIN, CLIA, COMPATIBLE WITH LIAISON | TET | G16 | 31722 |
| 672 | NPT0025-26 | 4118160071600 | TEST, ANDROSTENEDIONE, CHEMISTRY, COMPATIBLE WITH DRG HYBRID-XL ANALYZER IMMUNOASSAY. | TET | G15 | 31160 |
| 673 | NPT0025-26 | 4111600400700 | TEST, GLUCOSE, DRY SLIDE CHEMISTRY, COMPATIBLE WITH VITROS | TET | G11 | 1215000 |
| 674 | NPT0025-26 | 4118160103500 | TEST, FREE TESTOSTERONE, CHEMISTRY, COMPATIBLE WITH DRG HYBRID-XL ANALYZER IMMUNOASSAY. | TET | G15 | 58720 |
| 675 | NPT0025-26 | 4120210223600 | TEST, B-AMYLOID (1-42) CSF II (ABETA42), CHEMISTRY, COMPATIBLE WITH IDS | TET | G13 | 300 |
| 676 | NPT0025-26 | 4111612712200 | VIAL, ANTI IGG PER, CHEMISTRY, HYDRAGEL | TET | ITEMIZED | 1 |
| 677 | NPT0025-26 | 4111600401800 | TEST, CHLORIDE (CL), CHEMISTRY, QUIKLYTE, COMPATIBLE WITH DIMENSION | TET | G05 | 5619000 |
| 678 | NPT0025-26 | 4114000020900 | TEST, SOLUBLE TRANSFERRIN RECEPTOR (STFR), CHEMISTRY, COMPATIBLE WITH IMMAGE | TET | G03 | 5700 |
| 679 | NPT0025-26 | 4111600416600 | TEST, FOLLICLE STIMULATING HORMONE (FSH), COMPATIBLE WITH ACCESS, DXI600, DXI800 | TET | G03 | 637300 |
| 680 | NPT0025-26 | 4111620005400 | TEST, CHOLESTEROL, CHEMISTRY, COMPATIBLE WITH COBAS C303, C503 | TET | G06 | 1279200 |

| SN | Tender No. | NUPCO Code | NUPCO DESCRIPTION | UOM | GROUP / ITEMIZED | Initial Quantity |
|-----|------------|---------------|---|-----|------------------|------------------|
| 681 | NPT0025-26 | 4111601006400 | TEST, CA19-9, TUMOR MARKER, CMIA, COMPATIBLE WITH ARCHITECT ANALYZER | TET | G01 | 31400 |
| 682 | NPT0025-26 | 4120210211500 | TEST, HCG, POCT, COMPATIBLE WITH CLINITEK STATUS | TET | ITEMIZED | 3000 |
| 683 | NPT0025-26 | 4111600405000 | TEST, CREATINE KINASE-MB (CK-MB) MASS, CHEMISTRY, COMPATIBLE WITH DIMENSION | TET | G05 | 402080 |
| 684 | NPT0025-26 | 4120210218500 | TEST, INSULIN-LIKE GROWTH FACTOR-1 (IGF-1), CHEMISTRY, COMPATIBLE WITH IMMULITE | TET | G09 | 11200 |
| 685 | NPT0025-26 | 4111620006200 | TEST, ALANINE AMINOTRANSFERASE (ALT), CHEMISTRY, COMPATIBLE WITH COBAS C303, C503, C703 | TET | G06 | 1516000 |
| 686 | NPT0025-26 | 4111600420200 | TEST, TOTAL BILIRUBIN, CHEMISTRY, COMPATIBLE WITH COBAS C311, C501, C502 | TET | G06 | 1723750 |
| 687 | NPT0025-26 | 4111600410900 | TEST, ALANINE AMINOTRANSFERASE (ALT), CHEMISTRY, COMPATIBLE WITH DIMENSION | TET | G05 | 2405520 |
| 688 | NPT0025-26 | 4111620011000 | TEST, MAGNESIUM, CHEMISTRY, COMPATIBLE WITH COBAS C303, C503 | TET | G06 | 934260 |
| 689 | NPT0025-26 | 4111600412800 | TEST, TOTAL BILIRUBIN, CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 624250 |
| 690 | NPT0025-26 | 4111600402100 | TEST, CHOLESTEROL, CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 343000 |
| 691 | NPT0025-26 | 4111582003300 | TEST, CA 72-4, CHEMISTRY, COMPATIBLE WITH ELECSYS 411, 601, 602 | TET | G06 | 7300 |
| 692 | NPT0025-26 | 4111617304200 | TEST, PROCALCITONIN (PCT), POCT, COMPATIBLE WITH PATHFAST | TET | G22 | 7080 |
| 693 | NPT0025-26 | 4110534300000 | BOTTLE, CLEAN, 25ML, COMPATIBLE WITH SEBIA MINICAP | PC | G12 | 4 |
| 694 | NPT0025-26 | 4111610755600 | KIT, BIORAD LYPHOCHECK IMMUNO ASSAY PLUS CONTROL TRI-LEVEL, 5 ML, CHEMISTRY | VIA | G10 | 120 |
| 695 | NPT0025-26 | 4111614618200 | TEST, AMIKACIN, CHEMISTRY, COMPATIBLE WITH DXC SERIES/ AU SERIES | TET | G03 | 48150 |
| 696 | NPT0025-26 | 4111600435800 | TEST, APOLIPOPROTEIN A1, CHEMISTRY, COMPATIBLE WITH COBAS C 311, C501, C502 | TET | G06 | 20200 |
| 697 | NPT0025-26 | 4111600708800 | TEST, THEOPHYLLINE, CHEMISTRY, COMPATIBLE WITH DIMENSION | TET | G05 | 13840 |

| SN | Tender No. | NUPCO Code | NUPCO DESCRIPTION | UOM | GROUP / ITEMIZED | Initial Quantity |
|-----|------------|---------------|---|-----|------------------|------------------|
| 698 | NPT0025-26 | 4111617303500 | TEST, DIRECT RENIN, COMPATIBLE WITH MAGLUMI | TET | G02 | 17400 |
| 699 | NPT0025-26 | 4111610005400 | TEST, ADRENOCORTICOTROPIC HORMONE (ACTH), CHEMISTRY, COMPATIBLE WITH IDS | TET | G13 | 5300 |
| 700 | NPT0025-26 | 4114000025400 | TEST, FREE TESTOSTERONE, COMPATIBLE WITH MAGLUMI | TET | G02 | 8400 |
| 701 | NPT0025-26 | 4120210214000 | TEST, CREATININE, CHEMISTRY, COMPATIBLE WITH COBAS C303, C503 | TET | G06 | 2015000 |
| 702 | NPT0025-26 | 4111600441700 | TEST, HBA1C, CHEMISTRY, COMPATIBLE WITH COBAS C111 | TET | G06 | 75800 |
| 703 | NPT0025-26 | 4111600418000 | TEST, AMYLASE, CHEMISTRY, COMPATIBLE WITH COBAS C311, C501, C502 | TET | G06 | 857400 |
| 704 | NPT0025-26 | 4111600421100 | TEST, TROPONIN I, CHEMISTRY, COMPATIBLE WITH MINI VIDAS | TET | G10 | 199320 |
| 705 | NPT0025-26 | 4111600403600 | TEST, GLUCOSE, CHEMISTRY, HIGH QUALITY, COMPATIBLE WITH ARCHITECT | TET | G01 | 564000 |
| 706 | NPT0025-26 | 4111600420700 | TEST, TRIGLYCERIDE, CHEMISTRY, COMPATIBLE WITH COBAS C311, C501, C502 | TET | G06 | 1535250 |
| 707 | NPT0025-26 | 4111600724300 | TEST, VANCOMYCIN, CHEMISTRY, COMPATIBLE WITH COBAS C311, C501, C502 | TET | G06 | 34800 |
| 708 | NPT0025-26 | 4114170008700 | TEST, AMMONIA , CHEMISTRY, COMPATIBLE WITH ATELLICA | TET | G05 | 146400 |
| 709 | NPT0025-26 | 4120210220600 | CARTRIDGE, PT/TT/APTT/FIB/D-DIMER, POCT, COMPATIBLE WITH MC100 | TET | ITEMIZED | 150160 |
| 710 | NPT0025-26 | 4111600460100 | TEST, CREATININE ENZYMATIC, CHEMISTRY, COMPATIBLE WITH DXC SERIES/ AU SERIES | TET | G03 | 898560 |
| 711 | NPT0025-26 | 4111600411500 | TEST, ALBUMIN, CHEMISTRY, COMPATIBLE WITH COBAS C311, C501, C502 | TET | G06 | 1667400 |
| 712 | NPT0025-26 | 4111600427900 | TEST, APOLIPOPROTEIN A1, CHEMISTRY, COMPATIBLE WITH BN PROSPEC ANALYZER | TET | G17 | 9080 |
| 713 | NPT0025-26 | 4110530902400 | TEST, KF-LF, ELECTROPHORESIS, SET OF ANTISERA, 1ML, COMPATIBLE WITH SEBIA HYDRASYS SYSTEM | TET | G12 | 80 |
| 714 | NPT0025-26 | 4111620005700 | TEST, IRON, CHEMISTRY, COMPATIBLE WITH COBAS C303, C503 | TET | G06 | 808500 |

| SN | Tender No. | NUPCO Code | NUPCO DESCRIPTION | UOM | GROUP / ITEMIZED | Initial Quantity |
|-----|------------|---------------|---|-----|------------------|------------------|
| 715 | NPT0025-26 | 4111600438900 | TEST, ESTRIOL, CHEMISTRY, COMPATIBLE WITH ACCESS, DXI600, DXI800 | TET | G03 | 75600 |
| 716 | NPT0025-26 | 4118160047400 | TEST, OSTEOCALCIN, COMPATIBLE WITH MAGLUMI | TET | G02 | 2900 |
| 717 | NPT0025-26 | 4118160104600 | TEST, FOLLICLE STIMULATING HORMONE (FSH), CHEMISTRY, COMPATIBLE WITH DRG HYBRID-XL ANALYZER IMMUNOASSAY | TET | G15 | 32080 |
| 718 | NPT0025-26 | 4111601086200 | TEST, ALPHA FETOPROTEIN L3 SUBFRACTION (AFP-L3%), TUMOR MARKER, COMPATIBLE WITH μ TASWAKO I29 | TET | ITEMIZED | 1000 |
| 719 | NPT0025-26 | 4111617302800 | TEST, ISLET CELL CYTOPLASMIC (ICA), COMPATIBLE WITH MAGLUMI | TET | G02 | 7000 |
| 720 | NPT0025-26 | 4111600460000 | TEST, CREATININE, CHEMISTRY, COMPATIBLE WITH DXC SERIES/ AU SERIES | TET | G03 | 4435200 |
| 721 | NPT0025-26 | 4111580058300 | TEST, TOTAL-TAU IN CSF, CHEMISTRY, COMPATIBLE WITH COBAS E411, E601, E602 | TET | G06 | 500 |
| 722 | NPT0025-26 | 4111580047300 | TEST, APOE4, CHEMISTRY, COMPATIBLE WITH COBAS E801, E402 | TET | G06 | 500 |
| 723 | NPT0025-26 | 4111600415200 | TEST, TRIGLYCERIDE, CHEMISTRY, COMPATIBLE WITH DIMENSION | TET | G05 | 1926240 |
| 724 | NPT0025-26 | 4111611101600 | BOTTLE, AUTION CHECK II, 25X2, COMPATIBLE WITH ARKRAY | BT | ITEMIZED | 250 |
| 725 | NPT0025-26 | 4114000025500 | TEST, 17-OH PROGESTERONE, COMPATIBLE WITH MAGLUMI | TET | G02 | 12000 |
| 726 | NPT0025-26 | 4111620010800 | TEST, DIRECT BILIRUBIN, CHEMISTRY, COMPATIBLE WITH COBAS C303, C503 | TET | G06 | 1333000 |
| 727 | NPT0025-26 | 4111600402300 | TEST, CHOLESTEROL, CHEMISTRY, COMPATIBLE WITH COBAS C311, C501, C502 | TET | G06 | 1452800 |
| 728 | NPT0025-26 | 4111600707200 | TEST, DIGOXIN, CHEMISTRY, COMPATIBLE WITH DIMENSION | TET | G05 | 20240 |
| 729 | NPT0025-26 | 4111600705300 | TEST, DIGOXIN, CHEMISTRY, COMPATIBLE WITH VITROS | TET | G11 | 8190 |
| 730 | NPT0025-26 | 4111600403800 | TEST, HIGH DENSITY LIPOPROTEIN (HDL), CHEMISTRY, COMPATIBLE WITH DIMENSION | TET | G05 | 1365840 |
| 731 | NPT0025-26 | 4118160100200 | TEST, FREE ESTRIOL, CHEMISTRY, COMPATIBLE WITH DRG HYBRID-XL ANALYZER IMMUNOASSAY. | TET | G15 | 15000 |

| SN | Tender No. | NUPCO Code | NUPCO DESCRIPTION | UOM | GROUP / ITEMIZED | Initial Quantity |
|-----|------------|---------------|--|-----|------------------|------------------|
| 732 | NPT0025-26 | 4111600705900 | TEST, VALPROIC ACID, TOXICOLOGY, COMPATIBLE WITH VITROS | TET | G11 | 13200 |
| 733 | NPT0025-26 | 4118160068300 | TEST, ALDOSTERONE, CHEMISTRY, COMPATIBLE WITH DRG HYBRID-XL ANALYZER IMMUNOASSAY. | TET | G15 | 22480 |
| 734 | NPT0025-26 | 4111600502100 | TEST, D-DIMER, POCT, COMPATIBLE WITH AQT90 ANALYZER. | EA | G14 | 360880 |
| 735 | NPT0025-26 | 4114000041700 | TEST, TRIG-CHOL, CHEMISTRY, COMPATIBLE WITH VITROS | TET | G11 | 19500 |
| 736 | NPT0025-26 | 4111600426400 | TEST, A2 MACROGLOBULIN, CHEMISTRY, COMPATIBLE WITH BN PROSPEC ANALYZER | TET | G17 | 2960 |
| 737 | NPT0025-26 | 4111580044500 | CARTRIDGE, NT-PROBNP, POCT, COMPATIBLE WITH BODITECH | TET | ITEMIZED | 3000 |
| 738 | NPT0025-26 | 4111600460900 | TEST, FOLLICLE STIMULATING HORMONE (FSH), CHEMISTRY, COMPLETE WITH CENTAUR XP | EA | G05 | 570 |
| 739 | NPT0025-26 | 4111620006700 | TEST, GAMMA GLUTAMYL TRANSFERASE (GGT), CHEMISTRY, COMPATIBLE WITH COBAS C303, C503 | TET | G06 | 1035200 |
| 740 | NPT0025-26 | 4111620005800 | TEST, LACTATE DEHYDROGENASE (LDH), CHEMISTRY, COMPATIBLE WITH COBAS C303, C503 | TET | G06 | 748850 |
| 741 | NPT0025-26 | 4118160120000 | TEST, INSULIN, CHEMISTRY, COMPATIBLE WITH DRG HYBRID-XL ANALYZER IMMUNOASSAY. | TET | G15 | 142480 |
| 742 | NPT0025-26 | 4114000016100 | TEST, CREATININE KINASE (CK), CHEMISTRY, COMPATIBLE WITH DIMENSION | TET | G05 | 1952160 |
| 743 | NPT0025-26 | 4111600707600 | TEST, PHENOBARBITAL, CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 40300 |
| 744 | NPT0025-26 | 4111620011300 | TEST, UREA, CHEMISTRY, COMPATIBLE WITH COBAS C303, C503 | TET | G06 | 1887000 |
| 745 | NPT0025-26 | 4111600403500 | TEST, GAMMA GLUTAMYL TRANSFERASE (GGT), CHEMISTRY, COMPATIBLE WITH DIMENSION | TET | G05 | 1064160 |
| 746 | NPT0025-26 | 4111600401300 | TEST, CALCIUM, CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 523500 |
| 747 | NPT0025-26 | 4114000018900 | TEST, CYFRA 21, CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 400 |
| 748 | NPT0025-26 | 4118160101300 | TEST, FREE TRIIODOTHYRONINE (FT3), CHEMISTRY, COMPATIBLE WITH DRG HYBRID-XL ANALYZER IMMUNOASSAY | TET | G15 | 53160 |

| SN | Tender No. | NUPCO Code | NUPCO DESCRIPTION | UOM | GROUP / ITEMIZED | Initial Quantity |
|-----|------------|---------------|--|-----|------------------|------------------|
| 749 | NPT0025-26 | 4111600456100 | TEST, TOTAL PROTEIN, COMPATIBLE WITH DXC SERIES/ AU SERIES | TET | G03 | 3270000 |
| 750 | NPT0025-26 | 4111600442500 | TEST, LACTATE DEHYDROGENASE (LDH), CHEMISTRY, COMPATIBLE WITH COBAS C111 | TET | G06 | 600 |
| 751 | NPT0025-26 | 4111600720400 | TEST, PHENYTOIN, CHEMISTRY, COMPATIBLE WITH ALINITY CI | TET | G01 | 16000 |
| 752 | NPT0025-26 | 4111601900600 | TEST, PROGESTERONE, CHEMISTRY, COMPATIBLE WITH ALINITY | TET | G01 | 53400 |
| 753 | NPT0025-26 | 4111600403400 | TEST, GAMMA GLUTAMYL TRANSFERASE (GGT), CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 235200 |
| 754 | NPT0025-26 | 4114000043100 | TEST, CHOLESTEROL, CHEMISTRY, COMPATIBLE WITH FUJI ANALYZERS | KIT | G08 | 12960 |
| 755 | NPT0025-26 | 4111600437900 | TEST, C-PEPTIDE, CHEMISTRY, COMPATIBLE WITH ELECSYS, COBAS E411, E601, E602 | TET | G06 | 35000 |
| 756 | NPT0025-26 | 4111617310000 | TEST, PROCALCITONIN (PCT), POCT, COMPATIBLE WITH AQT90 | TET | G14 | 161920 |
| 757 | NPT0025-26 | 4111614612700 | TEST, VANCOMYCIN, CHEMISTRY, COMPATIBLE WITH DXC SERIES/ AU SERIES | TET | G03 | 34400 |
| 758 | NPT0025-26 | 4111600413200 | TEST, PHOSPHORUS, CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 395600 |
| 759 | NPT0025-26 | 4111600427200 | TEST, ALPHA-1 ANTITRYPSIN, CHEMISTRY, COMPATIBLE WITH IMMAGE | TET | G03 | 8400 |
| 760 | NPT0025-26 | 4111601402800 | KIT, FLUOROCCELL CR, (29 ML X 2 PACKS), COMPATIBLE WITH UF SERIES | KIT | ITEMIZED | 19382 |
| 761 | NPT0025-26 | 4118160137600 | TEST, RENIN (ACTIVE), CHEMISTRY, COMPATIBLE WITH DRG HYBRID-XL ANALYZER IMMUNOASSAY. | TET | G15 | 11640 |
| 762 | NPT0025-26 | 4114000043000 | TEST, TOTAL BILIRUBIN, CHEMISTRY, COMPATIBLE WITH FUJI ANALYZERS | KIT | G08 | 17664 |
| 763 | NPT0025-26 | 4114000043300 | TEST, CREATININE, CHEMISTRY, COMPATIBLE WITH FUJI ANALYZERS | KIT | G08 | 11352 |
| 764 | NPT0025-26 | 4118160096900 | TEST, ESTRIOL-S, CHEMISTRY, COMPATIBLE WITH DRG HYBRID-XL ANALYZER IMMUNOASSAY. | TET | G15 | 26640 |
| 765 | NPT0025-26 | 4114000042800 | TEST, ASPARTATE AMINOTRANSFERASE (AST), CHEMISTRY, COMPATIBLE WITH FUJI ANALYZERS | KIT | G08 | 10080 |

| SN | Tender No. | NUPCO Code | NUPCO DESCRIPTION | UOM | GROUP / ITEMIZED | Initial Quantity |
|-----|------------|---------------|--|-----|------------------|------------------|
| 766 | NPT0025-26 | 4111620005500 | TEST, CORTISOL, ANALYZER, CHEMISTRY, COMPATIBLE WITH COBAS ELECSYS E402, E801 | TET | G06 | 132300 |
| 767 | NPT0025-26 | 4114192300400 | TEST, BICARBONATE (CO2), CHEMISTRY COMPATIBLE WITH FUJI ANALYZERS, | TET | G08 | 5184 |
| 768 | NPT0025-26 | 4111600477400 | TEST, FOLLICLE STIMULATING HORMONE (FSH), CHEMISTRY, COMPATIBLE WITH ELECSYS, COBAS E411, E601, E602 | TET | G06 | 150700 |
| 769 | NPT0025-26 | 4111620014400 | TEST, LACTATE DEHYDROGENASE (LDH), CHEMISTRY, COMPATIBLE WITH ALINITY | TET | G01 | 238200 |
| 770 | NPT0025-26 | 4111601090500 | TEST, THYROGLOBULIN (TG), CHEMISTRY, COMPATIBLE WITH ALINITY | TET | G01 | 11580 |
| 771 | NPT0025-26 | 4114000041800 | TEST, GLU-CA ,CHEMISTRY ,COMPATIBLE WITH VITROS | TET | G11 | 18000 |
| 772 | NPT0025-26 | 4111600401500 | TEST, CALCIUM, CHEMISTRY, COMPATIBLE WITH COBAS C311, C501, C502 | TET | G06 | 1436100 |
| 773 | NPT0025-26 | 4114195600100 | TEST, ESTRADIOL (E2), CHEMISTRY, COMPATIBLE WITH ACCESS, DXI600, DXI800 | TET | G03 | 44500 |
| 774 | NPT0025-26 | 4111600450700 | TEST, CERULOPLASMIN, CHEMISTRY, COMPATIBLE WITH ATELLICA | TET | G05 | 3680 |
| 775 | NPT0025-26 | 4110534200100 | TEST, CSF WITHOUT ANTISERA, ELECTROPHORESIS, COMPATIBLE WITH SEBIA HYDRASYS SYSTEM | TET | G12 | 510 |
| 776 | NPT0025-26 | 4111601009300 | TEST, TOTAL PROSTATIC SPECIFIC ANTIGEN (TPSA), CHEMISTRY, COMPATIBLE WITH ACCESS, DXI600, DXI800 | TET | G03 | 278800 |
| 777 | NPT0025-26 | 4111580047600 | TEST, ASPERGILLUS GALACTOMANNAN AG ASSAY (FIA) COMPATIBLE WITH TRUVUE-TV100 ANALYZER | TET | ITEMIZED | 5000 |
| 778 | NPT0025-26 | 4111580048000 | TEST, FUNGUS 1-3 B-D GLUCAN ASSAY (FIA) COMPATIBLE WITH TRUVUE-TV100 ANALYZER | TET | ITEMIZED | 5000 |
| 779 | NPT0025-26 | 4111580048700 | TEST, CANDIDA MANNAN ASSAY (FIA) , COMPATIBLE WITH TRUVUE-TV100 ANALYZER | TET | ITEMIZED | 5000 |
| 780 | NPT0025-26 | 4111580050800 | TEST, CRYPTOCOCCAL ANTIGEN ASSAY (FIA) COMPATIBLE WITH TRUVUE-TV100 ANALYZER | TET | ITEMIZED | 5000 |
| 781 | NPT0025-26 | 4111600416900 | TEST, GAMMA GLUTAMYL TRANSFERASE (GGT), CHEMISTRY, COMPATIBLE WITH COBAS C311, C501, C502 | TET | G06 | 719200 |
| 782 | NPT0025-26 | 4120210215600 | TEST, ADRENOCORTICOTROPIC (ACTH), CHEMISTRY, COMPATIBLE WITH ELECSYS, COBAS E402, E801 | TET | G06 | 52100 |

| SN | Tender No. | NUPCO Code | NUPCO DESCRIPTION | UOM | GROUP / ITEMIZED | Initial Quantity |
|-----|------------|---------------|--|-----|------------------|------------------|
| 783 | NPT0025-26 | 4111613802200 | TEST, URINE ANALYSIS UA SPECIFIC GRAVITY PH LEUKOCYTE PROTEIN GLUCOSE KETONE BILIRUBIN BLOOD UROBILINOGEN AND NITRITE, POCT, STRIP, COMPATIBLE WITH CLINITEK STATUS PLUS | TET | ITEMIZED | 54000 |
| 784 | NPT0025-26 | 4111600707700 | TEST, PHENYTOIN, CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 29000 |
| 785 | NPT0025-26 | 4114170001200 | TEST, INSULIN-LIKE GROWTH FACTOR-1 (IGF-1), CHEMISTRY, COMPATIBLE WITH LIAISON XL | TET | G16 | 11466 |
| 786 | NPT0025-26 | 4111600454100 | TEST, TOTAL PROTEIN CSF/URINE (TP CSF/U), CHEMISTRY, COMPATIBLE WITH DXC SERIES/ AU SERIES | TET | G03 | 238000 |
| 787 | NPT0025-26 | 4114000030000 | TEST, FOLATE ,CHEMISTRY ,COMPATIBLE WITH VITROS | TET | G11 | 40000 |
| 788 | NPT0025-26 | 4114000042700 | TEST, ALANINE AMINOTRANSFERASE (ALT), CHEMISTRY, COMPATIBLE WITH FUJI ANALYZERS | KIT | G08 | 9936 |
| 789 | NPT0025-26 | 4111600420400 | TEST, TOTAL IRON BINDING CAPACITY (TIBC), CHEMISTRY, COMPATIBLE WITH COBAS C311, C501, C502 | TET | G06 | 673400 |
| 790 | NPT0025-26 | 4111600457100 | TEST, VITAMIN D, IMMUNOCHEMISTRY, COMPATIBLE WITH VITROS | TET | G11 | 326600 |
| 791 | NPT0025-26 | 4114000041600 | TEST, UREA-CREA, CHEMISTRY, COMPATIBLE WITH VITROS | TET | G11 | 13800 |
| 792 | NPT0025-26 | 4111600448400 | TEST, AMYLASE, CNPG3, COMPATIBLE WITH COMPATIBLE WITH DXC SERIES/ AU SERIES | TET | G03 | 30240 |
| 793 | NPT0025-26 | 4111600704700 | TEST, VALPORIC ACID, COMPATIBLE WITH VIVA | TET | G18 | 19072 |
| 794 | NPT0025-26 | 4111620021400 | TEST, HAPTOGLOBIN, CHEMISTRY, COMPATIBLE WITH COBAS C311, C501, C502, INTEGRA 400 | TET | G06 | 1500 |
| 795 | NPT0025-26 | 4111600719500 | TEST, CYCLOSPORINE, CHEMISTRY, COMPATIBLE WITH ALINITY CI | TET | G01 | 5800 |
| 796 | NPT0025-26 | 4111600454800 | TEST, PHOSPHORUS, COMPATIBLE WITH DXC SERIES/ AU SERIES | TET | G03 | 2329320 |
| 797 | NPT0025-26 | 4111620017100 | KIT, LIQUICHECK THERAPEUTIC DRUGS MONITORING CONTROL (TDM) TRILEVEL, CHEMISTRY | TET | ITEMIZED | 96 |
| 798 | NPT0025-26 | 4111600428200 | TEST, APOLIPOPROTEIN B, CHEMISTRY, COMPATIBLE WITH IMAGE | TET | G03 | 6600 |
| 799 | NPT0025-26 | 4111600421200 | TEST, UREA, CHEMISTRY, COMPATIBLE WITH COBAS C311, C501, C502 | TET | G06 | 1861000 |

| SN | Tender No. | NUPCO Code | NUPCO DESCRIPTION | UOM | GROUP / ITEMIZED | Initial Quantity |
|-----|------------|---------------|--|-----|------------------|------------------|
| 800 | NPT0025-26 | 4111600415000 | TEST, TOTAL PROTIEN , CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 406400 |
| 801 | NPT0025-26 | 4120210215500 | TEST, CA 72-4, CHEMISTRY, COMPATIBLE WITH COBAS ELECSYS E402, E801 | TET | G06 | 28800 |
| 802 | NPT0025-26 | 4111600428000 | TEST, APOLIPOPROTEIN A1, CHEMISTRY, COMPATIBLE WITH IMMAGE | TET | G03 | 5400 |
| 803 | NPT0025-26 | 4111600433600 | TEST, TOTAL IRON BINDING CAPACITY (TIBC), CHEMISTRY, COMPATIBLE WITH VITROS | TET | G11 | 235200 |
| 804 | NPT0025-26 | 4111614614900 | TEST, ACETAMINOPHEN, CHEMISTRY, COMPATIBLE WITH DXC SERIES/ AU SERIES | TET | G03 | 21840 |
| 805 | NPT0025-26 | 4118160067200 | TEST, ALPHA-FETOPROTEIN (AFP), CHEMISTRY, COMPATIBLE WITH DRG HYBRID-XL ANALYZER IMMUNOASSAY | TET | G15 | 3200 |
| 806 | NPT0025-26 | 4111600463800 | TEST, AMYLASE, CHEMISTRY, COMPATIBLE WITH VITROS | TET | G11 | 363300 |
| 807 | NPT0025-26 | 4114170012400 | TEST, NGAL (NEUTROPHIL GELATINASE-ASSOCIATED LIPOCALIN), CHEMISTRY, COMPATIBLE WITH ALINITY CI | TET | G01 | 1200 |
| 808 | NPT0025-26 | 4111600411400 | TEST, ALBUMIN, CHEMISTRY, COMPATIBLE WITH RANDOX DAYTONA PLUS | TET | G04 | 1504 |
| 809 | NPT0025-26 | 4120210221800 | TEST, BETA HYDROXY BUTYRATE (KETONE), CHEMISTRY, COMPATIBLE WITH COBAS C311, C501, C502 | CTG | G06 | 3680 |
| 810 | NPT0025-26 | 4111600484200 | TEST, CORTISOL , CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 35500 |
| 811 | NPT0025-26 | 4111600422700 | TEST, CREATINE KINASE-MB (CK-MB) MASS, CHEMISTRY, COMPATIBLE WITH MINI VIDAS | TET | G10 | 36300 |
| 812 | NPT0025-26 | 4111600427300 | TEST, ALPHA 1 MICROGLOBULIN, CHEMISTRY, COMPATIBLE WITH IMMAGE | TET | G03 | 2550 |
| 813 | NPT0025-26 | 4111600419900 | TEST, TESTOSTERONE, CHEMISTRY, COMPATIBLE WITH ELECSYS E411, E601, E602 | TET | G06 | 206300 |
| 814 | NPT0025-26 | 4111600441200 | TEST, PSEUDOCHELINESTERASE, CHEMISTRY, COMPATIBLE WITH DIMENSION | TET | G05 | 4200 |
| 815 | NPT0025-26 | 4114000042900 | TEST, DIRECT BILIRUBIN, CHEMISTRY, COMPATIBLE WITH FUJI ANALYZERS | KIT | G08 | 16248 |
| 816 | NPT0025-26 | 4111620021800 | TEST, ALPHA 1-ANTITRYPSIN (AAT), CHEMISTRY, COMPATIBLE WITH COBAS C503, C303 | EA | G06 | 1600 |

| SN | Tender No. | NUPCO Code | NUPCO DESCRIPTION | UOM | GROUP / ITEMIZED | Initial Quantity |
|-----|------------|---------------|--|-----|------------------|------------------|
| 817 | NPT0025-26 | 4111600434400 | TEST, ACID PHOSPHATASE, CHEMISTRY, COMPATIBLE WITH DIMENSION | TET | G05 | 21720 |
| 818 | NPT0025-26 | 4111620014500 | TEST, LITHIUM, CHEMISTRY, COMPATIBLE WITH ALINITY | TET | G01 | 6270 |
| 819 | NPT0025-26 | 4120210213400 | TEST, LIPASE, CHEMISTRY, COMPATIBLE WITH COBAS C111 | TET | G06 | 4700 |
| 820 | NPT0025-26 | 4111580049800 | TEST, CK-MB/CTNI/MYO COMBO TEST (FIA) POCT, COMPATIBLE WITH TRUVUE-TV100 ANALYZER | TET | ITEMIZED | 5000 |
| 821 | NPT0025-26 | 4114000042300 | TEST, PROCALCITONIN (PCT), CHEMISTRY, COMPATIBLE WITH VITROS | TET | G11 | 15000 |
| 822 | NPT0025-26 | 4118160111200 | TEST, HBA1C, CHEMISTRY, COMPATIBLE WITH DRG HYBRID-XL ANALYZER IMMUNOASSAY. | TET | G15 | 63200 |
| 823 | NPT0025-26 | 4111621500000 | TEST, MEASURE WHOLE BLOOD GLUCOSE, POCT, WITH QC, (CALIBRATOR / CLEANER IF APPLICABLE), ONE MACHINE FOR EACH 800 TESTS, OUTPATIENT, HOME USE | TET | ITEMIZED | 100000 |
| 824 | NPT0025-26 | 4111600708300 | TEST, LITHIUM, CHEMISTRY, COMPATIBLE WITH DIMENSION | TET | G05 | 20880 |
| 825 | NPT0025-26 | 4111600453300 | TEST, LACTATE DEHYDROGENASE (LDH28), CHEMISTRY, COMPATIBLE WITH DXC SERIES/ AU SERIES | TET | G03 | 1502720 |
| 826 | NPT0025-26 | 4111580042900 | CARTRIDGE, AMH, POCT, COMPATIBLE WITH BODITECH | TET | ITEMIZED | 3000 |
| 827 | NPT0025-26 | 4114000042500 | TEST, ALBUMIN, CHEMISTRY, COMPATIBLE WITH FUJI ANALYZERS | KIT | G08 | 5712 |
| 828 | NPT0025-26 | 4111601007600 | TEST, FREE PROSTATIC SPECIFIC ANTIGEN (FPSA), CHEMISTRY, COMPATIBLE WITH ACCESS, DXI600, DXI800 | TET | G03 | 203100 |
| 829 | NPT0025-26 | 4111601007100 | TEST, CARCINO EMBRYONIC ANTIGEN (CEA), TUMOR MARKER, COMPATIBLE WITH COBAS E411, E601, E602 ANALYZER | TET | G06 | 45400 |
| 830 | NPT0025-26 | 4114170033700 | TEST, MICROALBUMIN (MALB), CHEMISTRY, COMPATIBLE WITH COBAS C311, C501, C502 | TET | G06 | 5000 |
| 831 | NPT0025-26 | 4111620017500 | TEST, CALCIUM, CHEMISTRY, COMPATIBLE WITH COBAS C303, C503 | TET | G06 | 1332000 |
| 832 | NPT0025-26 | 4111600438700 | TEST, DIRECT BILIRUBIN, CHEMISTRY, COMPATIBLE WITH COBAS C111 | TET | G06 | 62000 |
| 833 | NPT0025-26 | 4111600453800 | TEST, MICROALBUMIN (MALB), CHEMISTRY, COMPATIBLE WITH DXC SERIES/ AU SERIES | TET | G03 | 321984 |

| SN | Tender No. | NUPCO Code | NUPCO DESCRIPTION | UOM | GROUP / ITEMIZED | Initial Quantity |
|-----|------------|---------------|--|-----|------------------|------------------|
| 834 | NPT0025-26 | 4114000041900 | TEST,TBIL-ALKP, CHEMISTRY, COMPATIBLE WITH VITROS | TET | G11 | 18300 |
| 835 | NPT0025-26 | 4118160118900 | TEST, C-TERMINAL TELOPEPTIDES OF TYPE II COLLAGEN (CTX-II) IN NON-HUMAN URINE AND CELL CULTURE SUPERNATANT EIA METHOD, CHEMISTRY, COMPATIBLE WITH IDS. | TET | G13 | 2800 |
| 836 | NPT0025-26 | 4118160136500 | TEST, QUANTITATIVE DETERMINATION OF N-TERMINAL PROPEPTIDE OF TYPE I PROCOLLAGEN (PINP) EIA METHOD, COMPATIBLE WITH IDS. | TET | G13 | 2800 |
| 837 | NPT0025-26 | 4118160143100 | TEST, SERUM PRE-CLINICAL (CTX-II) EIA METHOD, COMPATIBLE WITH IDS. | TET | G13 | 2800 |
| 838 | NPT0025-26 | 4111612617800 | TEST, URINE IMMUNOFIXATION ELECTROPHORESIS (BENCE JONES), AGAROSE GEL, ACID VIOLET STAIN, COMPATIBLE WITH SEBIA HYDRASYS | TET | G12 | 3160 |
| 839 | NPT0025-26 | 4114000042100 | TEST, ALTV-AST, CHEMISTRY, COMPATIBLE WITH VITROS | TET | G11 | 18300 |
| 840 | NPT0025-26 | 4111600412400 | TEST, ASPARTATE AMINOTRANSFERASE (AST), CHEMISTRY, COMPATIBLE WITH COBAS C311, C501, C502 | TET | G06 | 2015625 |
| 841 | NPT0025-26 | 4111600413700 | TEST, POTASSIUM , CHEMISTRY, COMPATIBLE WITH DIMENSION | TET | G05 | 5688000 |
| 842 | NPT0025-26 | 4111600452400 | TEST, HAPTOGLOBIN, CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 20976 |
| 843 | NPT0025-26 | 4114170013000 | TEST, PREALBUMIN, CHEMISTRY, COMPATIBLE WITH ATELLICA | TET | G05 | 16400 |
| 844 | NPT0025-26 | 4120210212500 | TEST, LOW DENSITY LIPOPROTEIN (LDL), CHEMISTRY, COMPATIBLE WITH COBAS C111 | TET | G06 | 5000 |
| 845 | NPT0025-26 | 4111620015200 | VIAL, LIQUICHECK ETHANOL/AMMONIA CONTROL LEVEL 1, CHEMISTRY | TET | ITEMIZED | 30 |
| 846 | NPT0025-26 | 4111601023400 | TEST, ALPHA FETOPROTEIN, CMIA, COMPATIBLE WITH ALINITY I ANALYZER | TET | G01 | 12000 |
| 847 | NPT0025-26 | 4111610400600 | TEST, LIVER PANEL PLUS, POCT, COMPATIBLE WITH PICCOLO ABAXIS | TET | ITEMIZED | 98420 |
| 848 | NPT0025-26 | 4118160089200 | TEST, C-TERMINAL TELOPEPTIDES OF TYPE II COLLAGEN EIA METHOD, COMPATIBLE WITH IDS. | TET | G13 | 2800 |
| 849 | NPT0025-26 | 4111601006600 | TEST, CA125, TUMOR MARKER, COMPATIBLE WITH COBAS E411, E601, E602 ANALYZER | TET | G06 | 42900 |
| 850 | NPT0025-26 | 4111600435700 | TEST, AMYLASE, CHEMISTRY, COMPATIBLE WITH COBAS C111 | TET | G06 | 44200 |

| SN | Tender No. | NUPCO Code | NUPCO DESCRIPTION | UOM | GROUP / ITEMIZED | Initial Quantity |
|-----|------------|---------------|---|-----|------------------|------------------|
| 851 | NPT0025-26 | 4111600491200 | TEST, CSF PROTEIN OCD, CHEMISTRY, COMPATIBLE WITH VITROS | TET | G11 | 33840 |
| 852 | NPT0025-26 | 4118160080400 | TEST, HUMAN CHORIONIC GONADOTROPIN (B-HCG), CHEMISTRY, COMPATIBLE WITH DRG HYBRID-XL ANALYZER IMMUNOASSAY | TET | G15 | 40040 |
| 853 | NPT0025-26 | 4111600406000 | TEST, LITHIUM, CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 17848 |
| 854 | NPT0025-26 | 4111600475800 | TEST, MYOGLOBIN, CHEMISTRY, COMPATIBLE WITH MINI VIDAS | TET | G10 | 11070 |
| 855 | NPT0025-26 | 4111620020800 | TEST, THYROID STIMULATING HORMONE (TSH), CHEMISTRY, COMPATIBLE WITH COBAS E402, E801 | TET | G06 | 2902800 |
| 856 | NPT0025-26 | 4111620015300 | TEST, FERRITIN, CHEMISTRY, COMPATIBLE WITH COBASE402, E801 | TET | G06 | 690300 |
| 857 | NPT0025-26 | 4111600437100 | TEST, CHOLESTEROL, CHEMISTRY, COMPATIBLE WITH COBAS C111 | TET | G06 | 86800 |
| 858 | NPT0025-26 | 4111601006800 | TEST, CA 15-3, TUMOR MARKER, COMPATIBLE WITH COBAS E411, E601, E602 ANALYZER | TET | G06 | 33700 |
| 859 | NPT0025-26 | 4111617305900 | TEST, CREATINE PHOSPHOKINASE (CPK), CHEMISTRY, COMPATIBLE WITH FUJI ANALYZERS | TET | G08 | 124008 |
| 860 | NPT0025-26 | 4111600450000 | TEST, HUMAN CHORIONIC GONADOTROPIN (B-HCG), CHEMISTRY, COMPATIBLE WITH VITROS | TET | G11 | 111000 |
| 861 | NPT0025-26 | 4111614612600 | TEST, THEOPHYLLINE, CHEMISTRY, COMPATIBLE WITH DXC SERIES/ AU SERIES | TET | G03 | 3360 |
| 862 | NPT0025-26 | 4111600439300 | TEST, FOLATE, CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 61500 |
| 863 | NPT0025-26 | 4111580055300 | TEST, NT-PROBNP TEST (FIA) POCT, COMPATIBLE WITH TRUVUE-TV100 ANALYZER | TET | ITEMIZED | 5000 |
| 864 | NPT0025-26 | 4111580048600 | TEST, CALPROTECTIN TEST (FIA) POCT, COMPATIBLE WITH TRUVUE-TV100 ANALYZER | TET | ITEMIZED | 5000 |
| 865 | NPT0025-26 | 4111600405200 | TEST, LACTATE DEHYDROGENASE (LDH), CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 222000 |
| 866 | NPT0025-26 | 4114191400100 | TEST, ALKALINE PHOSPHATASE (ALP), CHEMISTRY, COMPATIBLE WITH C311, C501, C502 | TET | G06 | 120600 |
| 867 | NPT0025-26 | 4111600427100 | TEST, ALPHA 1 ACID GLYCOPROTEIN, CHEMISTRY, COMPATIBLE WITH IMMAGE | TET | G03 | 3150 |

| SN | Tender No. | NUPCO Code | NUPCO DESCRIPTION | UOM | GROUP / ITEMIZED | Initial Quantity |
|-----|------------|---------------|---|-----|------------------|------------------|
| 868 | NPT0025-26 | 4111620019500 | TEST, LIPOPROTEIN A, COMPATIBLE WITH ALINITY | TET | G01 | 3000 |
| 869 | NPT0025-26 | 4112181300100 | CARTRIDGE, CO-OXIMETRY, POCT, COMPATIBLE WITH AVOXIMETER | BOX | ITEMIZED | 469 |
| 870 | NPT0025-26 | 4114000043400 | TEST, GAMMA GLUTAMYL TRANSFERASE (GGT), CHEMISTRY, COMPATIBLE WITH FUJI ANALYZERS | KIT | G08 | 8952 |
| 871 | NPT0025-26 | 4111600417200 | TEST, GLUCOSE, CHEMISTRY, COMPATIBLE WITH RANDOX DAYTONA PLUS | TET | G04 | 22440 |
| 872 | NPT0025-26 | 4111600435900 | TEST, APOLIPOPROTEIN B, CHEMISTRY, COMPATIBLE WITH COBAS C 311, C501, C502 | TET | G06 | 18400 |
| 873 | NPT0025-26 | 4111620016600 | TEST, MICROALBUMIN (MALB), CHEMISTRY, COMPATIBLE WITH COBAS C303, C503 | TET | G06 | 258000 |
| 874 | NPT0025-26 | 4111600413300 | TEST, PHOSPHORUS, CHEMISTRY, COMPATIBLE WITH COBAS C311, C501, C502 | TET | G06 | 668750 |
| 875 | NPT0025-26 | 4120210222900 | TEST, LIPOPROTEIN A, CHEMISTRY, COMPATIBLE WITH COBAS C701, C702 | TET | G06 | 800 |
| 876 | NPT0025-26 | 4114000014800 | TEST, GLUCOSE-6-PHOSPHATE DEHYDROGENASE (G6PD), COMPATIBLE WITH UDILIPSE | TET | G19 | 33000 |
| 877 | NPT0025-26 | 4111620019100 | VIAL, BIORAD LIQUICHEK CARDIAC MARKERS LEVEL 1B, CHEMISTRY | TET | ITEMIZED | 120 |
| 878 | NPT0025-26 | 4111600442200 | TEST, INSULIN, BECKMAN COULTER COMPATIBLE WITH ACCESS, DXI600, DXI800 | TET | G03 | 199900 |
| 879 | NPT0025-26 | 4111600411200 | TEST, ALBUMIN, CHEMISTRY, COMPATIBLE WITH DIMENSION | TET | G05 | 2705280 |
| 880 | NPT0025-26 | 4111600426500 | TEST, ALPHA 1 ACID GLYCOPROTEIN, CHEMISTRY, COMPATIBLE WITH BN PROSPEC ANALYZER ANALYZER | TET | G17 | 1960 |
| 881 | NPT0025-26 | 4111600422400 | TEST, CERULOPLASMIN, CHEMISTRY, COMPATIBLE WITH IMAGE | TET | G03 | 12000 |
| 882 | NPT0025-26 | 4118160047500 | TEST, FOLATE, COMPATIBLE WITH MAGLUMI | TET | G02 | 21200 |
| 883 | NPT0025-26 | 4118160093600 | TEST, DEHYDROEPIANDROSTERONE SULPHATE (DHEA-S), CHEMISTRY, COMPATIBLE WITH DRG HYBRID-XL ANALYZER IMMUNOASSAY | TET | G15 | 39520 |
| 884 | NPT0025-26 | 4114180900100 | TEST, FRUCTOSAMINE, CHEMISTRY, COMPATIBLE WITH COBAS C311, C501, C502 | KIT | G06 | 16 |

| SN | Tender No. | NUPCO Code | NUPCO DESCRIPTION | UOM | GROUP / ITEMIZED | Initial Quantity |
|-----|------------|---------------|---|-----|------------------|------------------|
| 885 | NPT0025-26 | 4118160046700 | TEST, MAGNESIUM, CHEMISTRY, COMPATIBLE WITH FUJI ANALYZERS | TET | G08 | 12888 |
| 886 | NPT0025-26 | 4111600418300 | TEST, CREATININE, CHEMISTRY, COMPATIBLE WITH COBAS C311, C501, C502 | TET | G06 | 2056600 |
| 887 | NPT0025-26 | 4111600404800 | TEST, IRON, CHEMISTRY, COMPATIBLE WITH COBAS C311, C501, C502 | TET | G06 | 1052600 |
| 888 | NPT0025-26 | 4118160083700 | TEST, CORTICOSTERONE, CHEMISTRY, COMPATIBLE WITH IDS | TET | G13 | 2800 |
| 889 | NPT0025-26 | 4111620023900 | TEST, HOMOCYSTEINE, CHEMISTRY, COMPATIBLE WITH COBAS C701, C702 | TET | G06 | 1600 |
| 890 | NPT0025-26 | 4111600421400 | TEST, URIC ACID, CHEMISTRY, COMPATIBLE WITH COBAS C311, C501, C502 | TET | G06 | 1342800 |
| 891 | NPT0025-26 | 4111601600300 | BOTTLE, DEPROTEINIZER, CHEMISTRY, COMPATIBLE WITH ROCHE AVL 9180 ELECTROLYTE ANALYZER | BT | G06 | 10 |
| 892 | NPT0025-26 | 4111580044200 | CARTRIDGE, IGRA-TB, POCT, COMPATIBLE WITH BODITECH | TET | ITEMIZED | 3200 |
| 893 | NPT0025-26 | 4111600494700 | TEST, GROWTH HORMONE (GH), CHEMISTRY, COMPATIBLE WITH LIAISON XL | TET | G16 | 10634 |
| 894 | NPT0025-26 | 4111600412500 | TEST, ASPARTATE AMINOTRANSFERASE (AST), CHEMISTRY, COMPATIBLE WITH DIMENSION | TET | G05 | 3107880 |
| 895 | NPT0025-26 | 4111303901000 | BOTTLE, OSMOMETER A20, SYSTEM FLUID, COMPATIBLE WITH ADVANCED INSTRUMENT A20 | BT | G01 | 50 |
| 896 | NPT0025-26 | 4111580055600 | TEST, PCT TEST (FIA) POCT, COMPATIBLE WITH TRUVUE-TV100 ANALYZER | TET | ITEMIZED | 5000 |
| 897 | NPT0025-26 | 4111580046700 | TEST, ANTI-CCP TEST (FIA) POCT, COMPATIBLE WITH TRUVUE-TV100 ANALYZER | TET | ITEMIZED | 5000 |
| 898 | NPT0025-26 | 4111580053200 | TEST, HP-AB TEST (FIA) POCT, COMPATIBLE WITH TRUVUE-TV100 ANALYZER | TET | ITEMIZED | 5000 |
| 899 | NPT0025-26 | 4111600776500 | TEST, ETHANOL, CHEMISTRY, COMPATIBLE WITH ALINITY | TET | G01 | 64400 |
| 900 | NPT0025-26 | 4111600415700 | TEST, URIC ACID, CHEMISTRY, COMPATIBLE WITH DIMENSION | TET | G05 | 2495520 |
| 901 | NPT0025-26 | 4111303900500 | VIAL, OSMOMETER A20CAL 2000 MOSM, CHEMISTRY, COMPATIBLE WITH ADVANCED INSTRUMENT A20 | TET | G01 | 10 |

| SN | Tender No. | NUPCO Code | NUPCO DESCRIPTION | UOM | GROUP / ITEMIZED | Initial Quantity |
|-----|------------|---------------|---|-----|------------------|------------------|
| 902 | NPT0025-26 | 4111616600100 | TEST, PH ADULTERATION, CHEMISTRY | TET | ITEMIZED | 25155 |
| 903 | NPT0025-26 | 4118160123300 | TEST, LUTEINIZING HORMONE (LH), CHEMISTRY, COMPATIBLE WITH DRG HYBRID-XL ANALYZER IMMUNOASSAY | TET | G15 | 54200 |
| 904 | NPT0025-26 | 4111600403100 | TEST, CREATININE, CHEMISTRY, COMPATIBLE WITH DIMENSION | TET | G05 | 4200480 |
| 905 | NPT0025-26 | 4111600426700 | TEST, ALBUMIN, NEPHELOMETRY, COMPATIBLE WITH BN | TET | G09 | 11742 |
| 906 | NPT0025-26 | 4118160054000 | TEST, CARTILAGE OLIGOMERIC MATRIX PROTEIN EIA METHOD, CHEMISTRY, COMPATIBLE WITH IDS. | TET | G13 | 2800 |
| 907 | NPT0025-26 | 4118160155200 | TEST, URINE ALPHA (CTX-I), CHEMISTRY, COMPATIBLE WITH IDS | TET | G13 | 2800 |
| 908 | NPT0025-26 | 4111580044600 | CARTRIDGE, PCT PLUS G, POCT, COMPATIBLE WITH BODITECH | TET | ITEMIZED | 3200 |
| 909 | NPT0025-26 | 4111600454400 | TEST, NT-BRAIN NATRIURETIC PEPTIDE (NT-PRO BNP), POCT, COMPATIBLE WITH PATHFAST | TET | G22 | 15000 |
| 910 | NPT0025-26 | 4111600495100 | KIT, EQAS HBA1C MONTHLY PROGRAM | KIT | G10 | 10 |
| 911 | NPT0025-26 | 4111610006700 | TEST, DIRECT RENIN, CHEMISTRY, COMPATIBLE WITH IDS | TET | G13 | 7400 |
| 912 | NPT0025-26 | 4114195300200 | TEST, FREE THYROXINE (FT4), CHEMISTRY, COMPATIBLE WITH ELECYS, COBAS E402, E801 | TET | G06 | 576300 |
| 913 | NPT0025-26 | 4111610007600 | TEST, INSULIN-LIKE GROWTH FACTOR-I (IGF-I), CHEMISTRY, COMPATIBLE WITH IDS | TET | G13 | 10200 |
| 914 | NPT0025-26 | 4111600705600 | TEST, SALICYLATE, CHEMISTRY, COMPATIBLE WITH VITROS | TET | G11 | 2610 |
| 915 | NPT0025-26 | 4111580056200 | TEST, platelet reactivity, POCT, compatible with verify now | EA | ITEMIZED | 450 |
| 916 | NPT0025-26 | 4111601085700 | TEST, NAPA, CHEMISTRY, COMPATIBLE WITH DXC SERIES/ AU SERIES | TET | G03 | 2880 |
| 917 | NPT0025-26 | 4111580044700 | CARTRIDGE, RSV, POCT, COMPATIBLE WITH BODITECH | TET | ITEMIZED | 2600 |
| 918 | NPT0025-26 | 4111582003100 | TEST, 1.25 VIT D, COMPATIBLE WITH LIAISON XL | TET | G16 | 1000 |

| SN | Tender No. | NUPCO Code | NUPCO DESCRIPTION | UOM | GROUP / ITEMIZED | Initial Quantity |
|-----|------------|---------------|---|-----|------------------|------------------|
| 919 | NPT0025-26 | 4118160084800 | TEST, CORTICOSTERONE HIGH SENSITIVITY, COMPATIBLE WITH IDS | TET | G13 | 2800 |
| 920 | NPT0025-26 | 4218320215800 | TEST, POCT ALLERGY, IMMUNO ASSAY AI70 SCREENING PANEL COMPATIBLE WITH BIOIC/BA ANALYZER | TET | ITEMIZED | 250 |
| 921 | NPT0025-26 | 4120210217800 | CARTRIDGE, SARS COV-19/ FLU A/ FLU B, POCT, COMPATIBLE WITH ROCHE LIAT ANALYZER | TET | ITEMIZED | 176 |
| 922 | NPT0025-26 | 4114180100300 | TEST, ALBUMIN, CHEMISTRY, COMPATIBLE WITH COBAS C303, C503 | TET | G06 | 1125000 |
| 923 | NPT0025-26 | 4111600445700 | TEST, TRANSFERRIN, CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 19110 |
| 924 | NPT0025-26 | 4110534300500 | BOTTLE, CLEAN PROTECT, SOLUTION, 5ML, COMPATIBLE WITH SEBIA MINICAP | BT | G12 | 200 |
| 925 | NPT0025-26 | 4114000015100 | TEST, CA19-9, TUMOR MARKER, COMPATIBLE WITH COBAS E411, E601, E602 ANALYZER | EA | G06 | 26600 |
| 926 | NPT0025-26 | 4118160156300 | TEST, URINE BETA (CTX-I), CHEMISTRY, COMPATIBLE WITH IDS | TET | G13 | 2800 |
| 927 | NPT0025-26 | 4111580044400 | CARTRIDGE, MYOGLOBIN, POCT, COMPATIBLE WITH BODITECH | TET | ITEMIZED | 2700 |
| 928 | NPT0025-26 | 4111600420500 | TEST, TOTAL PROTEIN (TP), CHEMISTRY, COMPATIBLE WITH COBAS C311, C501, C502 | TET | G06 | 1329900 |
| 929 | NPT0025-26 | 4114191600100 | TEST, AMYLASE, CHEMISTRY, COMPATIBLE WITH FUJI ANALYZERS | TET | G08 | 110064 |
| 930 | NPT0025-26 | 4111600719200 | TEST, CARBAMAZEPINE, CHEMISTRY, COMPATIBLE WITH ALINITY CI | TET | G01 | 12800 |
| 931 | NPT0025-26 | 4111600439800 | TEST, GAMMA GLUTAMYL TRANSFERASE (GGT), CHEMISTRY, COMPATIBLE WITH COBAS C111 | TET | G06 | 47600 |
| 932 | NPT0025-26 | 4111600424700 | TEST, HAPTOGLOBIN, CHEMISTRY, COMPATIBLE WITH IMAGE | TET | G03 | 13500 |
| 933 | NPT0025-26 | 4111620025400 | TEST, EVEROLIMUS, CHEMISTRY, COMPATIBLE WITH COBAS E411, E601, E602 | TET | G06 | 1500 |
| 934 | NPT0025-26 | 4111584900500 | TEST, REFERENCE ELECTRODE HOUSING, CHEMISTRY, COMPATIBLE WITH ROCHE AVL 9180 ELECTROLYTE ANALYZER | TET | G06 | 192 |
| 935 | NPT0025-26 | 4111580045300 | TEST, 25-OH-VD TEST (FIA) POCT, COMPATIBLE WITH TRUVUE-TV100 ANALYZER | TET | ITEMIZED | 5000 |

| SN | Tender No. | NUPCO Code | NUPCO DESCRIPTION | UOM | GROUP / ITEMIZED | Initial Quantity |
|-----|------------|---------------|---|-----|------------------|------------------|
| 936 | NPT0025-26 | 4111620011100 | TEST, TOTAL PROTEIN, CHEMISTRY, COMPATIBLE WITH COBAS C303, C503 | TET | G06 | 1211700 |
| 937 | NPT0025-26 | 4111600421700 | TEST, VITAMIN B12, CHEMISTRY, COMPATIBLE WITH ELECSYS E411, E601, E602 | TET | G06 | 459400 |
| 938 | NPT0025-26 | 4111580046300 | TEST, AMH TEST (FIA) POCT, COMPATIBLE WITH TRUVUE-TV100 ANALYZER | TET | ITEMIZED | 5000 |
| 939 | NPT0025-26 | 4111580053400 | TEST, HP-AG TEST (FIA) POCT, COMPATIBLE WITH TRUVUE-TV100 ANALYZER | TET | ITEMIZED | 5000 |
| 940 | NPT0025-26 | 4111580043600 | CARTRIDGE, CRP, POCT, COMPATIBLE WITH BODITECH | TET | ITEMIZED | 3000 |
| 941 | NPT0025-26 | 4111580055500 | TEST, PREGNANCY- ASSOCIATED PLASMA PROTEIN A (PAPP-A), CHEMISTRY COMPATIBLE WITH DXI 9000 | TET | G03 | 5000 |
| 942 | NPT0025-26 | 4111600411600 | TEST, ALKALINE PHOSPHATASE (ALP), CHEMISTRY, COMPATIBLE WITH COBAS PRO, PURE | TET | G06 | 2469500 |
| 943 | NPT0025-26 | 4111600436600 | TEST, CALCIUM, CHEMISTRY, COMPATIBLE WITH COBAS C111 | TET | G06 | 90000 |
| 944 | NPT0025-26 | 4114170033600 | BOTTLE, URINE DILUENT ISE, COMPATIBLE WITH AVL 9180 | BT | ITEMIZED | 8 |
| 945 | NPT0025-26 | 4111614618700 | TEST, ADRENOCORTICOTROPIC HORMONE (ACTH), COMPATIBLE WITH MAGLUMI | TET | G02 | 45600 |
| 946 | NPT0025-26 | 4118160044800 | CONTROL, RIQAS EXTERNAL QUALITY CONTROL SAMPLES | CRT | ITEMIZED | 30 |
| 947 | NPT0025-26 | 4111601011200 | TEST, CA 19-9, TUMOR MARKER, COMPATIBLE WITH VITROS ANALYZER | EA | G11 | 16300 |
| 948 | NPT0025-26 | 4111600462600 | TEST, PROGESTERONE, CHEMISTRY, COMPLETE WITH CENTAUR XP | EA | G05 | 270 |
| 949 | NPT0025-26 | 4115171102000 | TEST, PHOSPHORUS, CHEMISTRY, COMPATIBLE WITH FUJI ANALYZERS | TET | G08 | 1296 |
| 950 | NPT0025-26 | 4111580053900 | TEST, LACTOFERRIN RAPID , POCT (COLLOIDAL GOLD) COMPATIBLE WITH AVE ANALYZER | TET | ITEMIZED | 4000 |
| 951 | NPT0025-26 | 4111600442100 | TEST, INSULIN, CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 26900 |
| 952 | NPT0025-26 | 4111600406400 | TEST, LUTEINIZING HORMONE (LH), CHEMISTRY, COMPATIBLE WITH COBAS C311, C501, C502 | TET | G06 | 249300 |

| SN | Tender No. | NUPCO Code | NUPCO DESCRIPTION | UOM | GROUP / ITEMIZED | Initial Quantity |
|-----|------------|---------------|--|-----|------------------|------------------|
| 953 | NPT0025-26 | 4111580043800 | CARTRIDGE, DENGUE NS1 AG, POCT, COMPATIBLE WITH BODITECH | TET | ITEMIZED | 2600 |
| 954 | NPT0025-26 | 4111580816200 | BOTTLE, CLEANING SOLUTION, CHEMISTRY, COMPATIBLE WITH ROCHE AVL 9180 ELECTROLYTE ANALYZER | BT | G06 | 10 |
| 955 | NPT0025-26 | 4114000025700 | TEST, HA HEPATIC FIBROSIS, CLIA, TUMOR MARKER, COMPATIBLE WITH SNIBE ANALYZER | EA | G18 | 7100 |
| 956 | NPT0025-26 | 4111600434900 | TEST, ALANINE AMINOTRANSFERASE (ALT), CHEMISTRY, COMPATIBLE WITH COBAS C111 | TET | G06 | 83200 |
| 957 | NPT0025-26 | 4111620026100 | TEST, GDF-15, CHEMISTRY, COMPATIBLE WITH COBAS E411, E601, E602 | TET | G06 | 500 |
| 958 | NPT0025-26 | 4111580048100 | TEST, B-HCG TEST (FIA) POCT, COMPATIBLE WITH TRUVUE-TV100 ANALYZER | TET | ITEMIZED | 5000 |
| 959 | NPT0025-26 | 4111580043400 | CARTRIDGE, CK-MB, POCT, COMPATIBLE WITH BODITECH | TET | ITEMIZED | 2800 |
| 960 | NPT0025-26 | 4111600427400 | TEST, ALPHA 2 MACROGLOBULIN, CHEMISTRY, COMPATIBLE WITH IMMAGE | TET | G03 | 5250 |
| 961 | NPT0025-26 | 4118160135400 | TEST, TOTAL PROSTATIC SPECIFIC ANTIGEN (TPSA, CHEMISTRY, COMPATIBLE WITH DRG HYBRID-XL ANALYZER | TET | G15 | 21680 |
| 962 | NPT0025-26 | 4111600477300 | TEST, FREE TRIIODOTHYRONINE (FT3), CHEMISTRY, COMPATIBLE WITH ELECSYS, COBAS E411, E601, E602 | TET | G06 | 379000 |
| 963 | NPT0025-26 | 4111580043100 | POCT CARTRIDGE, BLOOD GASES (PH, PO2, PCO2) ELECTROLYTES (NA, K, CL, ICA) METABOLITES (GLUCOSE, LACTATE) + UREA + CREATININE + BILIRUBIN, COMPATIBLE WITH I-SMARTCARE ANALYZER | TET | ITEMIZED | 4600 |
| 964 | NPT0025-26 | 4111580043500 | CARTRIDGE, COVID-19 AG,, POCT, COMPATIBLE WITH BODITECH | TET | ITEMIZED | 2300 |
| 965 | NPT0025-26 | 4111580044100 | CARTRIDGE, FLU A+B,, POCT, COMPATIBLE WITH BODITECH | TET | ITEMIZED | 2300 |
| 966 | NPT0025-26 | 4111580048500 | TEST, CALPROTECTIN RAPID , POCT (COLLOIDAL GOLD) COMPATIBLE WITH AVE ANALYZER | TET | ITEMIZED | 5000 |
| 967 | NPT0025-26 | 4118160062800 | TEST, BONE-SPECIFIC ALKALINE PHOSPHATASE (BAP), COMPATIBLE WITH IDS | TET | G13 | 2800 |
| 968 | NPT0025-26 | 4118160131000 | TEST, OSTEOCALCIN, COMPATIBLE WITH IDS | TET | G13 | 2800 |
| 969 | NPT0025-26 | 4118160132100 | TEST, OSTEOCLAST-DERIVED-TARTRATE-RESISTANT ACID PHOSPHATASE ISOFORM 5B (TRACP 5B) EIA METHOD, CHEMISTRY, COMPATIBLE WITH IDS. | TET | G13 | 2800 |

| SN | Tender No. | NUPCO Code | NUPCO DESCRIPTION | UOM | GROUP / ITEMIZED | Initial Quantity |
|-----|------------|---------------|---|-----|------------------|------------------|
| 970 | NPT0025-26 | 4111600497000 | KIT, RIQAS MONTHLY GENERAL CLINICAL CHEMISTRY PROGRAM, CHEMISTRY | KIT | ITEMIZED | 30 |
| 971 | NPT0025-26 | 4111600701300 | TEST, CYCLOSPORINE, CHEMISTRY, COMPATIBLE WITH VIVA | TET | G18 | 2641 |
| 972 | NPT0025-26 | 4111601011000 | TEST, CA 125, TUMOR MARKER, COMPATIBLE WITH VITROS ANALYZER | EA | G11 | 16600 |
| 973 | NPT0025-26 | 4111580051100 | TEST, D-DIMER TEST (FIA) POCT, COMPATIBLE WITH TRUVUE-TV100 ANALYZER | TET | ITEMIZED | 5000 |
| 974 | NPT0025-26 | 4111580057900 | TEST, TOTAL IGE TEST (FIA) POCT, COMPATIBLE WITH TRUVUE-TV100 ANALYZER | TET | ITEMIZED | 5000 |
| 975 | NPT0025-26 | 4111580055700 | TEST, PG I/PG II TEST (FIA) POCT, COMPATIBLE WITH TRUVUE-TV100 ANALYZER | TET | ITEMIZED | 5000 |
| 976 | NPT0025-26 | 4111620020500 | TEST, PHOSPHO-TAU (181P) CSF ALZHEIMER'S DISEASE, CHEMISTRY, COMPATIBLE WITH COBAS E411, E601, E602 | TET | G06 | 800 |
| 977 | NPT0025-26 | 4111580044300 | CARTRIDGE, INSULIN, POCT, COMPATIBLE WITH BODITECH | TET | ITEMIZED | 2200 |
| 978 | NPT0025-26 | 4111600463300 | TEST, GROWTH HORMONE (GH), CHEMISTRY, COMPLETE WITH IMMULITE | TET | G09 | 9400 |
| 979 | NPT0025-26 | 4111600724600 | TEST, ACETAMINOPHEN, CHEMISTRY, COMPATIBLE WITH COBAS C311, C501, C502 | TET | G06 | 18450 |
| 980 | NPT0025-26 | 4118160090300 | TEST, CYSTATIN C, CHEMISTRY, COMPATIBLE WITH DRG HYBRID-XL ANALYZER IMMUNOASSAY. | TET | G15 | 5360 |
| 981 | NPT0025-26 | 4114000046300 | CARTRIDGE, G, POCT, COMPATIBLE WITH ISTAT | TET | G01 | 32050 |
| 982 | NPT0025-26 | 4111600414800 | TEST, TOTAL BILIRUBIN, CHEMISTRY, COMPATIBLE WITH DIMENSION | TET | G05 | 2903040 |
| 983 | NPT0025-26 | 4113172800400 | TEST, PT/INR, POCT, COMPATIBLE WITH COAGUSENSE | TET | ITEMIZED | 1000 |
| 984 | NPT0025-26 | 4111580053300 | TEST, HELICOBACTER PYLORI ANTIGEN, RAPID , POCT (COLLOIDAL GOLD) COMPATIBLE WITH AVE ANALYZER | TET | ITEMIZED | 3200 |
| 985 | NPT0025-26 | 4120210223100 | TEST, CERULOPLASMIN, CHEMISTRY, COMPATIBLE WITH COBAS C311, C501, C502 | TET | G06 | 1600 |
| 986 | NPT0025-26 | 4120210223400 | TEST, TOTAL PROTEIN CSF/URINE (TP CSF/U), CHEMISTRY, COMPATIBLE WITH COBAS, C701, C702 | TET | G06 | 3600 |

| SN | Tender No. | NUPCO Code | NUPCO DESCRIPTION | UOM | GROUP / ITEMIZED | Initial Quantity |
|------|------------|---------------|---|-----|------------------|------------------|
| 987 | NPT0025-26 | 4114000074700 | TEST, APTT, POCT, COMPATIBLE WITH COAGUCHEK PRO II | TET | ITEMIZED | 45648 |
| 988 | NPT0025-26 | 4114000042400 | TEST, NT-BRAIN NATRIURETIC PEPTIDE (NT-PRO BNP), CHEMISTRY, COMPATIBLE WITH VITROS | TET | G11 | 4800 |
| 989 | NPT0025-26 | 4111600432800 | TEST, APOLIPOPROTEIN A 1, CHEMISTRY, COMPATIBLE WITH VITROS | TET | G11 | 10500 |
| 990 | NPT0025-26 | 4111580803400 | TEST, SODIUM ISE, ELECTRODE, CHEMISTRY, COMPATIBLE WITH DIMENSION | TET | G05 | 4464000 |
| 991 | NPT0025-26 | 4114000025300 | TEST, GASTRIN-17, CLIA, TUMOR MARKER, COMPATIBLE WITH SNIBE ANALYZER | EA | G18 | 7600 |
| 992 | NPT0025-26 | 4218320215900 | TEST, POCT ALLERGY, IMMUNO ASSAY AP40 SCREENING PANEL COMPATIBLE WITH BIOIC/BA ANALYZER | TET | ITEMIZED | 250 |
| 993 | NPT0025-26 | 4111600709000 | TEST, THEOPHYLLINE, CHEMISTRY, COMPLETE WITH ARCHITECT | TET | G01 | 20400 |
| 994 | NPT0025-26 | 4218320216000 | TEST, POCT ALLERGY, IMMUNO ASSAY AS40 SCREENING PANEL COMPATIBLE WITH BIOIC/BA ANALYZER | TET | ITEMIZED | 250 |
| 995 | NPT0025-26 | 4111580050900 | TEST, CTNI TEST (FIA) POCT, COMPATIBLE WITH TRUVUE-TV100 ANALYZER | TET | ITEMIZED | 5000 |
| 996 | NPT0025-26 | 4111580051800 | TEST, FERRITIN TEST (FIA) POCT, COMPATIBLE WITH TRUVUE-TV100 ANALYZER | TET | ITEMIZED | 5000 |
| 997 | NPT0025-26 | 4111580056500 | TEST, PROGESTERONE TEST (FIA) POCT, COMPATIBLE WITH TRUVUE-TV100 ANALYZER | TET | ITEMIZED | 5000 |
| 998 | NPT0025-26 | 4218320216100 | TEST, POCT ALLERGY, IMMUNO ASSAY AD40 SCREENING PANEL COMPATIBLE WITH BIOIC/BA ANALYZER | TET | ITEMIZED | 250 |
| 999 | NPT0025-26 | 4218320216200 | TEST, POCT ALLERGY, IMMUNO ASSAY AI40 SCREENING PANEL COMPATIBLE WITH BIOIC/BA ANALYZER | TET | ITEMIZED | 250 |
| 1000 | NPT0025-26 | 4111600473700 | TEST, THYROID STIMULATING HORMONE (TSH), CHEMISTRY, COMPATIBLE WITH VITROS | TET | G11 | 288900 |
| 1001 | NPT0025-26 | 4114000025000 | TEST, PEPSINOGEN I, CLIA, TUMOR MARKER, COMPATIBLE WITH SNIBE ANALYZER | EA | G18 | 6400 |
| 1002 | NPT0025-26 | 4114000025200 | TEST, PEPSINOGEN II, CLIA, TUMOR MARKER, COMPATIBLE WITH SNIBE ANALYZER | EA | G18 | 6400 |
| 1003 | NPT0025-26 | 4111580049400 | TEST, CK-MB TEST (FIA) POCT, COMPATIBLE WITH TRUVUE-TV100 ANALYZER | TET | ITEMIZED | 5000 |

| SN | Tender No. | NUPCO Code | NUPCO DESCRIPTION | UOM | GROUP / ITEMIZED | Initial Quantity |
|------|------------|---------------|---|-----|------------------|------------------|
| 1004 | NPT0025-26 | 4111580055000 | TEST, MYO TEST (FIA) POCT, COMPATIBLE WITH TRUVUE-TV100 ANALYZER | TET | ITEMIZED | 5000 |
| 1005 | NPT0025-26 | 4111580053500 | TEST, HS-CTNI TEST (FIA) POCT, COMPATIBLE WITH TRUVUE-TV100 ANALYZER | TET | ITEMIZED | 5000 |
| 1006 | NPT0025-26 | 4110534300300 | TEST, HYDRA GEL 4 BENICE JONES, CHEMISTRY, COMPATIBLE WITH SEBIA HYDRASYS | KIT | G12 | 40 |
| 1007 | NPT0025-26 | 4111600422000 | TEST, INSULIN, CHEMISTRY, COMPATIBLE WITH ELECSYS E411, E601, E602 | TET | G06 | 97200 |
| 1008 | NPT0025-26 | 4111600427700 | TEST, AMYLASE, CHEMISTRY, COMPATIBLE WITH SIEMENS DIMENSION | TET | G05 | 406560 |
| 1009 | NPT0025-26 | 4111580045900 | TEST, AFP TEST (FIA) POCT, COMPATIBLE WITH TRUVUE-TV100 ANALYZER | TET | ITEMIZED | 5000 |
| 1010 | NPT0025-26 | 4111580048900 | TEST, CEA TEST (FIA) POCT, COMPATIBLE WITH TRUVUE-TV100 ANALYZER | TET | ITEMIZED | 5000 |
| 1011 | NPT0025-26 | 4111580057000 | TEST, RF TEST (FIA) POCT, COMPATIBLE WITH TRUVUE-TV100 ANALYZER | TET | ITEMIZED | 5000 |
| 1012 | NPT0025-26 | 4111600776700 | TEST, SIROLIMUS, CHEMISTRY, COMPATIBLE WITH ALINITY | TET | G01 | 3600 |
| 1013 | NPT0025-26 | 4111600441800 | TEST, HIGH DENSITY LIPOPROTEIN (HDL), CHEMISTRY, COMPATIBLE WITH COBAS C111 | TET | G06 | 75000 |
| 1014 | NPT0025-26 | 4111610758200 | TEST, URINE PROTEIN SAS1, SPECIAL CHEMISTRY, (SAS-1 PLUS), COMPATIBLE WITH HELENA | TET | G07 | 2160 |
| 1015 | NPT0025-26 | 4114000029500 | TEST, TOTAL PROTEIN (TP), CHEMISTRY ,COMPATIBLE WITH VITROS | TET | G11 | 669750 |
| 1016 | NPT0025-26 | 4111600550300 | TEST, VITAMIN D, CHEMISTRY, COMPATIBLE WITH LIAISON XL | TET | G16 | 5000 |
| 1017 | NPT0025-26 | 4111600451900 | TEST, FREE TRIIODOTHYRONINE (FT3), CHEMISTRY, COMPATIBLE WITH VITROS | TET | G11 | 288000 |
| 1018 | NPT0025-26 | 4111580043200 | TEST , BLOOD GAS CARTRIDGE (NA K CL CA PH CO2 O2 GLU LAC HCT), POCT , COMPATIBLE WITH TRUOX ANALYZER | TET | ITEMIZED | 2000 |
| 1019 | NPT0025-26 | 4111600451600 | TEST, FERRITIN, CHEMISTRY, COMPATIBLE WITH VITROS | TET | G11 | 224100 |
| 1020 | NPT0025-26 | 4114000000200 | G6PDH REAGENT KIT 50 TEST FOR UDILIPS SYSTEM, 50 TEST / KIT, COMPLETE WITH ALL CONTROLS, STANDARDS TO PERFORM THE TEST. | TET | G19 | 91350 |

| SN | Tender No. | NUPCO Code | NUPCO DESCRIPTION | UOM | GROUP / ITEMIZED | Initial Quantity |
|------|------------|---------------|---|-----|------------------|------------------|
| 1021 | NPT0025-26 | 4111620102100 | TEST, BLOOD GAS (PH PCO2 PO2 NA+ K+ CL- ICA IMG TCO2 GLU LCT HCT SO2% THB O2HB COHB METHB HHB TBIL), POCT COMPATIBLE WITH PRIME-PLUS ANALYZER | TET | ITEMIZED | 5000 |
| 1022 | NPT0025-26 | 4111580050400 | TEST, CREATININE STRIPS , POCT , COMPATIBLE WITH TR100 ANALYZER | TET | ITEMIZED | 5000 |
| 1023 | NPT0025-26 | 4111610007000 | TEST, FREE TESTOSTERONE, CHEMISTRY, COMPATIBLE WITH IDS | TET | G13 | 6500 |
| 1024 | NPT0025-26 | 4111610577600 | TEST, HBA1C, CHEMISTRY, COMPATIBLE WITH HUMANEX A1C | TET | ITEMIZED | 5000 |
| 1025 | NPT0025-26 | 4111580054200 | TEST, LH TEST (FIA) POCT, COMPATIBLE WITH TRUVUE-TV100 ANALYZER | TET | ITEMIZED | 5000 |
| 1026 | NPT0025-26 | 4111580052200 | TEST, FSH TEST (FIA) POCT, COMPATIBLE WITH TRUVUE-TV100 ANALYZER | TET | ITEMIZED | 5000 |
| 1027 | NPT0025-26 | 4111580043900 | CARTRIDGE, ELECTROLYTES (NA / K / CL / CA++) 'POCT COMPATIBLE WITH SG1 ANALYZER | TET | ITEMIZED | 4000 |
| 1028 | NPT0025-26 | 4111580053100 | TEST, POCT, H-FABP (FIA) COMPATIBLE WITH TRUVUE ANALYZER | TET | ITEMIZED | 3000 |
| 1029 | NPT0025-26 | 4111600457000 | TEST, VITAMIN B12, IMMUNOCHEMISTRY, COMPATIBLE WITH VITROS | TET | G11 | 306900 |
| 1030 | NPT0025-26 | 4114000029700 | TEST, TOTAL T3 ,CHEMISTRY ,COMPATIBLE WITH VITROS | TET | G11 | 11800 |
| 1031 | NPT0025-26 | 4120210220800 | CARTRIDGE, CBC 3 PART, POCT COMPATIBLE WITH PB30 | TET | ITEMIZED | 5000 |
| 1032 | NPT0025-26 | 4111620022900 | TEST, LIPOPROTEIN A, CHEMISTRY, COMPATIBLE WITH COBAS C503, C303 | TET | G06 | 10000 |
| 1033 | NPT0025-26 | 4120210220100 | STRIP, URISCAN ACR TEST, SUPER CASSETTE, COMPATIBLE WITH YD DIAGNOSTICS | TET | ITEMIZED | 401600 |
| 1034 | NPT0025-26 | 4114161300000 | TEST, CREATINE KINASE (CK), CHEMISTRY, COMPATIBLE WITH MINDRAY 200 | KIT | G20 | 5000 |
| 1035 | NPT0025-26 | 4111600414900 | TEST, TOTAL PROTEIN, CHEMISTRY, COMPATIBLE WITH DIMENSION | TET | G05 | 2597760 |
| 1036 | NPT0025-26 | 4111600708700 | TEST, TACROLIMUS, CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 22600 |
| 1037 | NPT0025-26 | 4111600720800 | TEST, THEOPHYLLINE, CHEMISTRY, COMPATIBLE WITH ALINITY CI | TET | G01 | 7600 |

| SN | Tender No. | NUPCO Code | NUPCO DESCRIPTION | UOM | GROUP / ITEMIZED | Initial Quantity |
|------|------------|---------------|--|-----|------------------|------------------|
| 1038 | NPT0025-26 | 4111617307100 | TEST, PROCALCITONIN (PCT), CHEMISTRY, COMPATIBLE WITH ACCESS | TET | G03 | 47000 |
| 1039 | NPT0025-26 | 4111613800000 | STRIP, URINALYSIS, 10 PARAMETER DETERMINE (GLUCOSE, UROBILINOGEN, KETONES, BILIRUBIN, PROTEIN) | TET | ITEMIZED | 4635500 |
| 1040 | NPT0025-26 | 4111580057200 | TEST, SAA TEST (FIA) POCT, COMPATIBLE WITH TRUVUE-TV100 ANALYZER | TET | ITEMIZED | 5000 |
| 1041 | NPT0025-26 | 4111580058800 | TEST, TSH TEST (FIA) POCT, COMPATIBLE WITH TRUVUE-TV100 ANALYZER | TET | ITEMIZED | 5000 |
| 1042 | NPT0025-26 | 4111580057600 | TEST, T3 TEST (FIA) POCT, COMPATIBLE WITH TRUVUE-TV100 ANALYZER | TET | ITEMIZED | 5000 |
| 1043 | NPT0025-26 | 4111580057700 | TEST, T4 TEST (FIA) POCT, COMPATIBLE WITH TRUVUE-TV100 ANALYZER | TET | ITEMIZED | 5000 |
| 1044 | NPT0025-26 | 4111580052300 | TEST, FT3 TEST (FIA) POCT, COMPATIBLE WITH TRUVUE-TV100 ANALYZER | TET | ITEMIZED | 5000 |
| 1045 | NPT0025-26 | 4111580052400 | TEST, FT4 TEST (FIA) POCT, COMPATIBLE WITH TRUVUE-TV100 ANALYZER | TET | ITEMIZED | 5000 |
| 1046 | NPT0025-26 | 4111580056300 | TEST, PRL TEST (FIA) POCT, COMPATIBLE WITH TRUVUE-TV100 ANALYZER | TET | ITEMIZED | 5000 |
| 1047 | NPT0025-26 | 4111600406800 | TEST, MAGNESIUM CHEMISTRY, COMPATIBLE WITH DIMENSION | TET | G05 | 1512720 |
| 1048 | NPT0025-26 | 4111601086000 | TEST, HER2, BREAST QTY, IMMUNOHISTOCHEMISTRY, COMPATIBLE WITH MAGLUMI | TET | G02 | 5900 |
| 1049 | NPT0025-26 | 4111610005500 | TEST, ALDOSTERONE, CHEMISTRY, COMPATIBLE WITH IDS | TET | G13 | 5100 |
| 1050 | NPT0025-26 | 4111580057300 | TEST, SFLT-1, CHEMISTRY, COMPATIBLE WITH COBAS E411, E601, E602 | TET | G06 | 500 |
| 1051 | NPT0025-26 | 4111580056100 | TEST, PLGF, CHEMISTRY, COMPATIBLE WITH COBAS E411, E601, E602 | TET | G06 | 500 |
| 1052 | NPT0025-26 | 4111610008400 | TEST, SALIVARY CORTISOL, CHEMISTRY, COMPATIBLE WITH IDS | TET | G13 | 4400 |
| 1053 | NPT0025-26 | 4114000015800 | TEST, THYROGLOBULIN (TG), CHEMISTRY, COMPATIBLE WITH ELECYS, COBAS E411, E601, E602 | TET | G06 | 16900 |
| 1054 | NPT0025-26 | 4111610400500 | TEST, LIPID PANEL PLUS, POCT, FOR COMPATIBLE WITH PICCOLO ABAXIS | TET | ITEMIZED | 242000 |

| SN | Tender No. | NUPCO Code | NUPCO DESCRIPTION | UOM | GROUP / ITEMIZED | Initial Quantity |
|------|------------|---------------|---|-----|------------------|------------------|
| 1055 | NPT0025-26 | 4111580055400 | TEST, OSMOMALITY TEST , COMPATIBLE WITH ARKRAY INSTRUMENT | TET | ITEMIZED | 4000 |
| 1056 | NPT0025-26 | 4120210221900 | TEST, HOMOCYSTEINE, CHEMISTRY, COMPATIBLE WITH COBAS COBAS C311, C501, C502 | TET | G06 | 3300 |
| 1057 | NPT0025-26 | 4111600416400 | TEST, FERRITIN, CHEMISTRY, COMPATIBLE WITH ELECSYS 411, 601, 602 | TET | G06 | 342600 |
| 1058 | NPT0025-26 | 4118160138700 | TEST, SALIVARY CORTISOL, CHEMISTRY, COMPATIBLE WITH DRG HYBRID-XL ANALYZER IMMUNOASSAY. | TET | G15 | 24240 |
| 1059 | NPT0025-26 | 4111601007000 | TEST, CEA, CHEMISTRY, COMPATIBLE WITH ACCESS, DXI600, DXI800 | TET | G03 | 99700 |
| 1060 | NPT0025-26 | 4111620600000 | BOTTLE, GLUCOSE, ORANGE FLAVOR BEVERAGE, 75GM | PC | ITEMIZED | 152760 |
| 1061 | NPT0025-26 | 4114000029300 | TEST, BICARBONATE (CO2), CHEMISTRY, COMPATIBLE WITH VITROS | TET | G11 | 17700 |
| 1062 | NPT0025-26 | 4111600522600 | KIT, EQAS THERAPEUTIC DRUG MONITORING PROGRAM, 12/BOX | KIT | G10 | 12 |
| 1063 | NPT0025-26 | 4111600436000 | TEST, ASPARTATE AMINOTRANSFERASE (AST), CHEMISTRY, COMPATIBLE WITH COBAS C111 | TET | G06 | 92000 |
| 1064 | NPT0025-26 | 4111600438300 | TEST, CREATININE, CHEMISTRY, COMPATIBLE WITH COBAS C111 | TET | G06 | 135600 |
| 1065 | NPT0025-26 | 4111580043300 | CARTRIDGE, BLOOD GASES (PH, PO2, PCO2) ELECTROLYTES (NA, K, CL, ICA) METABOLITES (GLUCOSE, LACTATE) + UREA + CREATININE + BILIRUBIN, COMPATIBLE WITH RADIOMETER ABL90 FLEX PLUS | TET | ITEMIZED | 1400 |
| 1066 | NPT0025-26 | 4111580048300 | TEST, BNP, CHEMISTRY, COMPATIBLE WITH ACCESS | TET | ITEMIZED | 2000 |
| 1067 | NPT0025-26 | 4111600475200 | TEST, ALBUMIN, CHEMISTRY, COMPATIBLE WITH SPA PLUS | KIT | G16 | 50 |
| 1068 | NPT0025-26 | 4111584900000 | TEST, CHLORIDE (CL), ELECTRODE, CHEMISTRY, COMPATIBLE WITH ROCHE AVL 9180 ELECTROLYTE ANALYZER | TET | G06 | 100 |
| 1069 | NPT0025-26 | 4111580047800 | TEST, B-2-MICROGLOBULIN, COMPATIBLE WITH SANTHIA SERIES CLINICAL CHEMISTRY ANALYZER | TET | ITEMIZED | 3000 |
| 1070 | NPT0025-26 | 4111580050700 | TEST, CRP TEST (FIA) POCT, COMPATIBLE WITH TRUVUE-TV100 ANALYZER | TET | ITEMIZED | 5000 |
| 1071 | NPT0025-26 | 4111580050600 | TEST, CREATININE JAFFE, COMPATIBLE WITH SANTHIA SERIES CLINICAL CHEMISTRY ANALYZER | TET | ITEMIZED | 5000 |

| SN | Tender No. | NUPCO Code | NUPCO DESCRIPTION | UOM | GROUP / ITEMIZED | Initial Quantity |
|------|------------|---------------|--|-----|------------------|------------------|
| 1072 | NPT0025-26 | 4111580046800 | TEST, ANTITROMBIN III, COMPATIBLE WITH SANTHIA SERIES CLINICAL CHEMISTRY ANALYZER | TET | ITEMIZED | 3000 |
| 1073 | NPT0025-26 | 4120210218100 | TEST, HOMOCYSTEINE, CHEMISTRY, COMPATIBLE WITH ALINITY | TET | G01 | 4200 |
| 1074 | NPT0025-26 | 4111617308100 | TEST, CORTISOL, CHEMISTRY, COMPATIBLE WITH MAGLUMI | TET | G02 | 4200 |
| 1075 | NPT0025-26 | 4111580043700 | CARTRIDGE, DENGUE IGG/IGM, POCT, COMPATIBLE WITH BODITECH | TET | ITEMIZED | 1300 |
| 1076 | NPT0025-26 | 4118160085900 | TEST, CORTISOL, CHEMISTRY, COMPATIBLE WITH DRG HYBRID-XL ANALYZER IMMUNOASSAY. | TET | G15 | 42320 |
| 1077 | NPT0025-26 | 4111580050200 | TEST, COPPER (CU), CHEMISTRY, COMPATIBLE WITH ATELICA | TET | G05 | 2000 |
| 1078 | NPT0025-26 | 4110533204000 | TEST, GROWTH HORMONE (GH), CHEMILUMINESCENT, COMPATIBLE WITH IDS ANALYZER | TET | G13 | 2000 |
| 1079 | NPT0025-26 | 4111613802000 | STRIP, SEMI-AUTOMATED URINE ANALYSIS, COMPATIBLE WITH MEDITAPE UC-10S (1X100STRIPS | TET | ITEMIZED | 46200 |
| 1080 | NPT0025-26 | 4111620021700 | TEST, GENTAMICIN, CHEMISTRY, COMPATIBLE WITH COBAS C503, C303 | TET | G06 | 2200 |
| 1081 | NPT0025-26 | 4114000027900 | TEST, THEOPHYLLINE, CHEMISTRY, COMPATIBLE WITH VITROS | TET | G11 | 2430 |
| 1082 | NPT0025-26 | 4111580043000 | CARTRIDGE, BLOOD GASSES PH , PCO2, PO2, K+, NA+, CL-, CA2+, HCT, GLU, AND LAC COMAPATIBLE WITH SG1 | TET | ITEMIZED | 4000 |
| 1083 | NPT0025-26 | 4111600445800 | TEST, TRIGLYCERIDE, CHEMISTRY, COMPATIBLE WITH COBAS C111 | TET | G06 | 108400 |
| 1084 | NPT0025-26 | 4111600442900 | TEST, MAGNESIUM, CHEMISTRY, COMPATIBLE WITH ROCHE COBAS C111 | TET | G06 | 80200 |
| 1085 | NPT0025-26 | 4111580059000 | TEST, URINARY & CSF PROTEINS, COMPATIBLE WITH SANTHIA SERIES CLINICAL CHEMISTRY ANALYZER | TET | ITEMIZED | 5000 |
| 1086 | NPT0025-26 | 4111580058600 | TEST, TRANSFERRIN, COMPATIBLE WITH SANTHIA SERIES CLINICAL CHEMISTRY ANALYZER | TET | ITEMIZED | 5000 |
| 1087 | NPT0025-26 | 4111600439900 | TEST, GLUCOSE, CHEMISTRY COMPATIBLE WITH COBAS C111 | TET | G06 | 99200 |
| 1088 | NPT0025-26 | 4111580052800 | TEST, HPLC HAEMOGLOBIN A1C FRACTION TEST, COMPATIBLE WITH MINDRAY H12X SERIES , COMPLETE WITH REAGENT, CONTROL AND CONSUMABLES | TET | G20 | 8000 |

| SN | Tender No. | NUPCO Code | NUPCO DESCRIPTION | UOM | GROUP / ITEMIZED | Initial Quantity |
|------|------------|---------------|--|-----|------------------|------------------|
| 1089 | NPT0025-26 | 4111600523900 | TEST ADRENO CORTICO TROPIC HORMONE (ACTH) COMPATIBLE WITH LIAISON XL | TET | G16 | 3000 |
| 1090 | NPT0025-26 | 4111580060300 | TEST, ZINC , CHEMISTRY, COMPATIBLE WITH ATELLICA | TET | G05 | 2300 |
| 1091 | NPT0025-26 | 4111600451800 | TEST, FREE THYROXINE (FT4), CHEMISTRY, COMPATIBLE WITH VITROS | TET | G11 | 301400 |
| 1092 | NPT0025-26 | 4120210218200 | TEST, NEURON SPECIFIC ENOLASE (NSE), CHEMISTRY, COMPATIBLE WITH ALINITY | TET | G01 | 200 |
| 1093 | NPT0025-26 | 4111601087500 | TEST, VITAMIN B12, CHEMISTRY, COMPATIBLE WITH MAGLUMI | TET | G02 | 5000 |
| 1094 | NPT0025-26 | 4111580051400 | TEST, FERRITIN (FER) , CHEMISTRY, COMPATIBLE WITH IMAGE | TET | ITEMIZED | 1200 |
| 1095 | NPT0025-26 | 4112181301000 | CUVETTE, OPTICAL GLASS ABSORPTION STANDARD CELL MACRO HELIMA, CHEMISTRY | PAC | ITEMIZED | 150 |
| 1096 | NPT0025-26 | 4111580057100 | TEST, ROTAVIRUS ANTIGEN RAPID , POCT (COLLOIDAL GOLD) COMPATIBLE WITH AVE ANALYZER | TET | ITEMIZED | 4000 |
| 1097 | NPT0025-26 | 4111580045800 | TEST, ADENOVIRUS ANTIGEN , RAPID , POCT (COLLOIDAL GOLD) COMPATIBLE WITH AVE ANALYZER | TET | ITEMIZED | 4000 |
| 1098 | NPT0025-26 | 4111580049900 | TEST, CK-NAC, COMPATIBLE WITH SANTHIA SERIES CLINICAL CHEMISTRY ANALYZER | TET | ITEMIZED | 5000 |
| 1099 | NPT0025-26 | 4120210223700 | TEST, INSULIN-LIKE GROWTH FACTOR BINDING PROTEINS (IGFBP-3), CHEMISTRY, COMPATIBLE WITH COBAS E402, E801 | TET | G06 | 10800 |
| 1100 | NPT0025-26 | 4111600705700 | TEST, TOBRAMYCIN, CHEMISTRY, COMPATIBLE WITH VITROS | TET | G11 | 12300 |
| 1101 | NPT0025-26 | 4111601006900 | TEST, CA 19-9, CHEMISTRY, COMPATIBLE WITH ACCESS, DXI600, DXI800 | TET | G03 | 124000 |
| 1102 | NPT0025-26 | 4111580049700 | TEST, CK-MB, COMPATIBLE WITH SANTHIA SERIES CLINICAL CHEMISTRY ANALYZER | TET | ITEMIZED | 5000 |
| 1103 | NPT0025-26 | 4111580047500 | TEST, ASO, COMPATIBLE WITH SANTHIA SERIES CLINICAL CHEMISTRY ANALYZER | TET | ITEMIZED | 2000 |
| 1104 | NPT0025-26 | 4111303901900 | KIT, STANDARD KIT, CHEMISTRY, COMPATIBLE WITH OSMOMETER 3320 | KIT | G01 | 4 |
| 1105 | NPT0025-26 | 4111600001000 | TEST, LUTEINIZING HORMONE (LH), CHEMISTRY, COMPATIBLE WITH VIDAS | TET | G10 | 2310 |

| SN | Tender No. | NUPCO Code | NUPCO DESCRIPTION | UOM | GROUP / ITEMIZED | Initial Quantity |
|------|------------|---------------|--|-----|------------------|------------------|
| 1106 | NPT0025-26 | 4111612730700 | TEST, INSULIN-LIKE GROWTH FACTOR-1 (IGF1), CHEMISTRY, COMPATIBLE WITH ELECSYS E411, 601, 602 | KIT | G06 | 184 |
| 1107 | NPT0025-26 | 4111580048200 | TEST, TOTAL BILE ACID, CHEMISTRY, COMPATIBLE WITH BECKMAN AU SYSTEMS | TET | ITEMIZED | 3000 |
| 1108 | NPT0025-26 | 4111600001500 | TEST, FOLLICLE STIMULATING HORMONE (FSH), CHEMISTRY, COMPATIBLE WITH VIDAS | TET | G10 | 2250 |
| 1109 | NPT0025-26 | 4111620026000 | TEST, FOLATE, CHEMISTRY, COMPATIBLE WITH COBAS E402, E801 | TET | G06 | 580200 |
| 1110 | NPT0025-26 | 4111580055200 | TEST, N-TERMINAL PRO B-TYPE NATRIURETIC PEPTIDE , CHEMISTRY, COMPATIBLE WITH DXI 9000 | TET | G03 | 2000 |
| 1111 | NPT0025-26 | 4111333300000 | TEST, CARBAMAZEPINE, CHEMISTRY, COMPATIBLE WITH COBAS C311, C501, C502 | TET | G06 | 1900 |
| 1112 | NPT0025-26 | 4110321000600 | BOTTLE, AUTION CHECK SED 2, 2.1 L, COMPATIBLE WITH ARKRAY | PC | ITEMIZED | 30 |
| 1113 | NPT0025-26 | 4111580059500 | TEST , URINE SEDIMENT TEST, COMPATIBLE WITH ARKRAY INSTRUMENT | TET | ITEMIZED | 4000 |
| 1114 | NPT0025-26 | 4111600705100 | TEST, ACETAMINOPHEN, CHEMISTRY, COMPATIBLE WITH VITROS | TET | G11 | 7200 |
| 1115 | NPT0025-26 | 4114170120200 | TEST, ALPHA-1 ANTITRYPSIN, COMPATIBLE WITH ALINITY | TET | G01 | 1260 |
| 1116 | NPT0025-26 | 4111600442400 | TEST, IRON, CHEMISTRY, COMPATIBLE WITH ROCHE COBAS C111 | TET | G06 | 49000 |
| 1117 | NPT0025-26 | 4111600446000 | TEST, TROPONIN T, CHEMISTRY, COMPATIBLE WITH ELECSYS, COBAS E411, E601, E602 | TET | G06 | 61800 |
| 1118 | NPT0025-26 | 4111580044000 | TEST , ELECTROLYTES CARTRIDGE (NA K CL CA MG), POCT , COMPATIBLE WITH TRULYTA ANALYZER | TET | ITEMIZED | 2000 |
| 1119 | NPT0025-26 | 4111580056400 | TEST, PROCAINAMIDE (PROC) , CHEMISTRY, COMPATIBLE WITH ATELLICA | TET | G05 | 2000 |
| 1120 | NPT0025-26 | 4111601011100 | TEST, CA 15-3, TUMOR MARKER, COMPATIBLE WITH VITROS ANALYZER | EA | G11 | 5600 |
| 1121 | NPT0025-26 | 4111600417900 | TEST, AMMONIA, CHEMISTRY, COMPATIBLE WITH COBAS C311, C501, C502 | TET | G06 | 101250 |
| 1122 | NPT0025-26 | 4120210217200 | TEST, LIPOPROTEIN A, CHEMISTRY, COMPATIBLE WITH OPTILITE | TET | G16 | 600 |

| SN | Tender No. | NUPCO Code | NUPCO DESCRIPTION | UOM | GROUP / ITEMIZED | Initial Quantity |
|------|------------|---------------|---|-----|------------------|------------------|
| 1123 | NPT0025-26 | 4120210218000 | TEST, ACTIVATED PARTIAL THROMBOPLASTIN TIME (APTT), POCT, COMPATIBLE WITH HEMOCHRON SIGNATURE WLITE | TET | ITEMIZED | 600 |
| 1124 | NPT0025-26 | 4111580053700 | TEST, INHIBIN A, CHEMISTRY, COMPATIBLE WITH ACCESS | TET | ITEMIZED | 1800 |
| 1125 | NPT0025-26 | 4111580056800 | TEST, PT/INR TEST, POCT , COMPATIBLE WITH TRUHEMO ANALYZER | TET | ITEMIZED | 2000 |
| 1126 | NPT0025-26 | 4111580047400 | TEST, APTT TEST, POCT , COMPATIBLE WITH TRUHEMO ANALYZER | TET | ITEMIZED | 2000 |
| 1127 | NPT0025-26 | 4111580051900 | TEST, FIB TEST, POCT , COMPATIBLE WITH TRUHEMO ANALYZER | TET | ITEMIZED | 2000 |
| 1128 | NPT0025-26 | 4111580058900 | TEST, TT TEST, POCT , COMPATIBLE WITH TRUHEMO ANALYZER | TET | ITEMIZED | 2000 |
| 1129 | NPT0025-26 | 4111580045700 | TEST, ACT TEST, POCT , COMPATIBLE WITH TRUHEMO ANALYZER | TET | ITEMIZED | 2000 |
| 1130 | NPT0025-26 | 4111615203500 | TEST, VITAMIN D, COMPATIBLE WITH MAGLUMI | TET | G02 | 6600 |
| 1131 | NPT0025-26 | 4111610008300 | TEST, OSTASE ALKALINE PHOSPHATASE (BAP), CHEMISTRY, COMPATIBLE WITH IDS | TET | G13 | 4100 |
| 1132 | NPT0025-26 | 4114204000000 | TEST, POTASSIUM (K), CHEMISTRY, COMPATIBLE WITH MINDRAY 200 | TET | G20 | 16000 |
| 1133 | NPT0025-26 | 4111610759500 | VIAL, BIORAD LIQUICHEK ASSAYD MULTIQUAL LEVEL 1, CHEMISTRY | VIA | G10 | 120 |
| 1134 | NPT0025-26 | 4111610759900 | VIAL, BIORAD LIQUICHEK ASSAYD MULTIQUAL LEVEL 3, CHEMISTRY | VIA | G10 | 120 |
| 1135 | NPT0025-26 | 4112171100100 | CUVETTE, URINALYSIS, COMPATIBLE WITH COBAS U ANALYZER | TET | ITEMIZED | 81600 |
| 1136 | NPT0025-26 | 4111612761200 | TEST, PARATHYROID HORMONE (IPTH), CHEMISTRY, COMPATIBLE WITH LIAISON XL | TET | G16 | 2000 |
| 1137 | NPT0025-26 | 4111580059600 | TEST, URINE SEDIMENT , COMPATIBLE WITH MINDRAY EU 8600 / EU 2090 SYSTEMS | TET | G20 | 7000 |
| 1138 | NPT0025-26 | 4120210222400 | TEST, TOTAL T3, CHEMISTRY, COMPATIBLE WITH COBAS E402, E801 | TET | G06 | 47400 |
| 1139 | NPT0025-26 | 4111600421300 | TEST, UREA, CHEMISTRY, COMPATIBLE WITH RANDOX DAYTONA PLUS | TET | G04 | 1920 |

| SN | Tender No. | NUPCO Code | NUPCO DESCRIPTION | UOM | GROUP / ITEMIZED | Initial Quantity |
|------|------------|---------------|---|-----|------------------|------------------|
| 1140 | NPT0025-26 | 4114201300000 | TEST, LACTATE DEHYDROGENASE (LDH), CHEMISTRY, COMPATIBLE WITH MINDRAY 200 | KIT | G20 | 200 |
| 1141 | NPT0025-26 | 4111580060400 | TEST, ZINC , CHEMISTRY, COMPATIBLE WITH BECKMAN AU SYSTEMS | TET | ITEMIZED | 2500 |
| 1142 | NPT0025-26 | 4111600446600 | TEST, UREA, CHEMISTRY, COMPATIBLE WITH COBAS C111 | TET | G06 | 144400 |
| 1143 | NPT0025-26 | 4111580045500 | TEST, A-1-GLYCOPROTEIN ACID, COMPATIBLE WITH SANTHIA SERIES CLINICAL CHEMISTRY ANALYZER | TET | ITEMIZED | 2000 |
| 1144 | NPT0025-26 | 4115171102100 | TEST, ISE (SODIUM, POTASSIUM, CHLORIDE), CHEMISTRY, COMPATIBLE WITH FUJI ANALYZERS | TET | G08 | 24816 |
| 1145 | NPT0025-26 | 4110530903500 | TEST, PROTEIN, ELECTROPHORESIS, 2 X 250ML, COMPATIBLE WITH SEBIA MINICAP SYSTEM | TET | G12 | 1350 |
| 1146 | NPT0025-26 | 4111601004300 | TEST, LIPOPROTEIN (A) ANTIBODY, NEPHELOMETRY, COMPATIBLE WITH BECKMAN COULTER IMMAGE | TET | G02 | 2742 |
| 1147 | NPT0025-26 | 4114000028500 | TEST, PREALBUMIN, CHEMISTRY, COMPATIBLE WITH VITROS | TET | G11 | 2100 |
| 1148 | NPT0025-26 | 4111600707800 | TEST, PHENYTOIN, CHEMISTRY, COMPATIBLE WITH DIMENSION | TET | G05 | 18704 |
| 1149 | NPT0025-26 | 4111580054800 | TEST, MALB, COMPATIBLE WITH SANTHIA SERIES CLINICAL CHEMISTRY ANALYZER | TET | ITEMIZED | 4000 |
| 1150 | NPT0025-26 | 4111580049500 | TEST, CK-MB , CHEMISTRY, COMPATIBLE WITH ACCESS | TET | ITEMIZED | 3000 |
| 1151 | NPT0025-26 | 4111620017600 | TEST, PROLACTIN, ANALYZER, CHEMISTRY, COMPATIBLE WITH COBAS ELECSYS E402, E801 | TET | G06 | 234900 |
| 1152 | NPT0025-26 | 4111600453600 | TEST, LUTEINIZING HORMONE (LH), IMMUNOCHEMISTRY, COMPATIBLE WITH VITROS | TET | G11 | 94300 |
| 1153 | NPT0025-26 | 4118160153100 | TEST, TESTOSTERONE, CHEMISTRY, COMPATIBLE WITH IDS ANALYZER | TET | G13 | 1000 |
| 1154 | NPT0025-26 | 4111600446800 | TEST, URIC ACID, CHEMISTRY, COMPATIBLE WITH COBAS C111 | TET | G06 | 94800 |
| 1155 | NPT0025-26 | 4111600001200 | TEST, CEA, CHEMISTRY, COMPATIBLE WITH VIDAS | TET | G10 | 780 |
| 1156 | NPT0025-26 | 4114170001100 | TEST, ALDOSTERONE, CHEMISTRY, COMPATIBLE WITH LIAISON XL | TET | G16 | 1095 |

| SN | Tender No. | NUPCO Code | NUPCO DESCRIPTIUON | UOM | GROUP / ITEMIZED | Initial Quantity |
|------|------------|---------------|--|-----|------------------|------------------|
| 1157 | NPT0025-26 | 4111600776600 | TEST, SALICYLATE, CHEMISTRY, COMPATIBLE WITH ALINITY | TET | G01 | 9000 |
| 1158 | NPT0025-26 | 4111580049600 | TEST, CREATINE KINASE MB, CHEMISTRY, COMPATIBLE WITH DXI 9000 | TET | G03 | 3000 |
| 1159 | NPT0025-26 | 4111610499400 | TEST, TOTAL TAU (CSF), COMPATIBLE WITH IDS ANALYZER | TET | G13 | 250 |
| 1160 | NPT0025-26 | 4111600420600 | TEST, TOTAL PROTEIN (TP), CHEMISTRY, COMPATIBLE WITH RANDOX DAYTONA PLUS | TET | G04 | 1920 |
| 1161 | NPT0025-26 | 4111600474000 | TEST, FOLLICLE STIMULATING HORMONE (FSH), CHEMISTRY, COMPATIBLE WITH VITROS | TET | G11 | 104100 |
| 1162 | NPT0025-26 | 4111600435100 | TEST, ALBUMIN, CHEMISTRY, COMPATIBLE WITH COBAS C111 | TET | G06 | 78000 |
| 1163 | NPT0025-26 | 4111610585300 | STRIP, URINALYSIS, 13 PARAMETER DETERMINE (GLUCOSE, UROBILINOGEN, KETONES, BILIRUBIN, PROTEIN) | KIT | ITEMIZED | 176400 |
| 1164 | NPT0025-26 | 4111580050500 | TEST, CREATININE ENZ, COMPATIBLE WITH SANTHIA SERIES CLINICAL CHEMISTRY ANALYZER | TET | ITEMIZED | 5000 |
| 1165 | NPT0025-26 | 4111302701300 | TEST, OSMOMETER, CHEMISTRY, COMPATIBLE WITH OSMOSTATION OM-6061 | TET | ITEMIZED | 28000 |
| 1166 | NPT0025-26 | 4111580701100 | TEST, HAPTOGLOBIN, CHEMISTRY, COMPATIBLE WITH COBAS E411, E601, E602 | TET | G06 | 1100 |
| 1167 | NPT0025-26 | 4111600451500 | TEST, FERRITIN, COMPATIBLE WITH DXC SERIES/ AU SERIES | TET | G03 | 233600 |
| 1168 | NPT0025-26 | 4111580045400 | TEST, A-1-ANTITRIPSIN, COMPATIBLE WITH SANTHIA SERIES CLINICAL CHEMISTRY ANALYZER | TET | ITEMIZED | 2000 |
| 1169 | NPT0025-26 | 4111600455300 | TEST, PROGESTERONE, CHEMISTRY, COMPATIBLE WITH VITROS | TET | G11 | 110200 |
| 1170 | NPT0025-26 | 4111600474600 | TEST, PROLACTIN, CHEMISTRY, COMPATIBLE WITH VITROS | TET | G11 | 120800 |
| 1171 | NPT0025-26 | 4120210219100 | TEST, METLAC 12 PANEL, ALBUMIN, CALCIUM, CHLORIDE, CREATININE, GLUCOSE, LACTATE, MAGNESIUM, PHOSPHORUS, POTASSIUM, SODIUM, TOTAL CARBON DIOXIDE, BLOOD UREA NITROGEN (BUN), POCT, COMPATIBLE WITH PICCOLO ANALYZER | TET | ITEMIZED | 19000 |
| 1172 | NPT0025-26 | 4111600459500 | TEST, COMPREHENSIVE METABOLIC PANEL, CHEMISTRY, COMPATIBLE WITH PICCOLO ABAXIS | TET | ITEMIZED | 107060 |
| 1173 | NPT0025-26 | 4111620017200 | TEST, TACROLIMUS, CHEMISTRY, COMPATIBLE WITH COBAS E402, E801 | TET | G06 | 18600 |

| SN | Tender No. | NUPCO Code | NUPCO DESCRIPTION | UOM | GROUP / ITEMIZED | Initial Quantity |
|------|------------|---------------|--|-----|------------------|------------------|
| 1174 | NPT0025-26 | 4111600455800 | TEST, TESTOSTERONE, IMMUNOCHEMISTRY, COMPATIBLE WITH VITROS | TET | G11 | 113700 |
| 1175 | NPT0025-26 | 4111583600700 | STRIP, SEMEN PH TESTING | TET | ITEMIZED | 35000 |
| 1176 | NPT0025-26 | 4111580054400 | TEST, LIPASE, COMPATIBLE WITH SANTHIA SERIES CLINICAL CHEMISTRY ANALYZER | TET | ITEMIZED | 5000 |
| 1177 | NPT0025-26 | 4111580051200 | TEST, DIGITOXIN, CHEMISTRY, COMPATIBLE WITH AU SYSTEMS | TET | ITEMIZED | 1800 |
| 1178 | NPT0025-26 | 4118160042300 | TEST, TOTAL PROSTATIC SPECIFIC ANTIGEN (TPSA), CHEMISTRY, COMPATIBLE WITH VIDAS | TET | G10 | 666 |
| 1179 | NPT0025-26 | 4111600422100 | TEST, SODIUM, CHEMISTRY, COMPATIBLE WITH RANDOX DAYTONA PLUS | TET | G04 | 1600 |
| 1180 | NPT0025-26 | 4111600435300 | TEST, ALKALINE PHOSPHATASE (ALP), CHEMISTRY, COMPATIBLE WITH COBAS C111 | TET | G06 | 61800 |
| 1181 | NPT0025-26 | 4111580059700 | TEST, URINE SEDIMENT TEST COMPATIBLE WITH MINDRAY EU 5300PRO/EU 5600PRO/UA-5600 SYSTEM | TET | G20 | 5000 |
| 1182 | NPT0025-26 | 4111580049300 | TEST, CHOLINESTERASE, COMPATIBLE WITH SANTHIA SERIES CLINICAL CHEMISTRY ANALYZER | TET | ITEMIZED | 5000 |
| 1183 | NPT0025-26 | 4111580054100 | TEST, LDL DIRECT, COMPATIBLE WITH SANTHIA SERIES CLINICAL CHEMISTRY ANALYZER | TET | ITEMIZED | 5000 |
| 1184 | NPT0025-26 | 4111600440700 | TEST, PHOSPHORUS, CHEMISTRY, COMPATIBLE WITH COBAS C111 | TET | G06 | 24800 |
| 1185 | NPT0025-26 | 4111600705400 | TEST, GENTAMICIN, CHEMISTRY, COMPATIBLE WITH VITROS | TET | G11 | 10500 |
| 1186 | NPT0025-26 | 4111600495500 | KIT, BIORAD INTEL IQ TUMOR MARKER CONTROL, LEVEL I/II/III, 3X2ML, CONTROL | KIT | G10 | 10 |
| 1187 | NPT0025-26 | 4111600445300 | TEST, TOTAL BILIRUBIN, CHEMISTRY, COMPATIBLE WITH COBAS C111 | TET | G06 | 78800 |
| 1188 | NPT0025-26 | 4110410101400 | TEST, CYSTATIN C, CHEMISTRY, COMPATIBLE WITH OPTILITE | TET | G16 | 500 |
| 1189 | NPT0025-26 | 4111600776400 | TEST, ACETAMINOPHEN, CHEMISTRY, COMPATIBLE WITH ALINITY | TET | G01 | 15200 |
| 1190 | NPT0025-26 | 4111600499100 | TEST, MICROALBUMIN/CREATININE, CHEMISTRY, COMPATIBLE WITH DCA VANTAGE ANALYZER | TET | ITEMIZED | 500 |

| SN | Tender No. | NUPCO Code | NUPCO DESCRIPTION | UOM | GROUP / ITEMIZED | Initial Quantity |
|------|------------|---------------|--|-----|------------------|------------------|
| 1191 | NPT0025-26 | 4111601402900 | KIT, FLUOROCELL SF, (29 ML X 2 PACKS), COMPATIBLE WITH UF SERIES | KIT | ITEMIZED | 19382 |
| 1192 | NPT0025-26 | 4111600440500 | TEST, S-100, CHEMISTRY, COMPATIBLE WITH COBAS, ELECSYS, COBAS E411, E601, E602 | TET | G06 | 62100 |
| 1193 | NPT0025-26 | 4110321000700 | KIT,SOLAUTION DILUENT BAC 2 ,CHEMISTRY,COMPATIBLE WITH ARKRAY | BT | ITEMIZED | 15 |
| 1194 | NPT0025-26 | 4111580054500 | TEST, LP-A, COMPATIBLE WITH SANTHIA SERIES CLINICAL CHEMISTRY ANALYZER | TET | ITEMIZED | 2000 |
| 1195 | NPT0025-26 | 4111620816400 | TEST, VITAMIN D, CHEMISTRY, COMPATIBLE WITH IDS ANALYZER | TET | G13 | 1000 |
| 1196 | NPT0025-26 | 4118160100600 | TEST, CYFRA 21-1, TUMOR MARKER, COMPATIBLE WITH COBAS E402, E801 ANALYZER | TET | G06 | 4200 |
| 1197 | NPT0025-26 | 4114194700000 | TEST, CREATINE KINASE-MB (CK-MB), CHEMISTRY, COMPATIBLE WITH MINDRAY 200 | TET | G20 | 600 |
| 1198 | NPT0025-26 | 4111580060100 | TEST, 25-OH-VITAMIN D POCT, (FIA) COMPATIBLE WITH TRUVUE ANALYZER | TET | ITEMIZED | 1200 |
| 1199 | NPT0025-26 | 4111601086500 | TEST, FREE THYROXINE (FT4), CHEMISTRY, COMPATIBLE WITH MAGLUMI | TET | G02 | 5000 |
| 1200 | NPT0025-26 | 4111601086600 | TEST, FREE TRIIODOTHYRONINE (FT3), CHEMISTRY, COMPATIBLE WITH MAGLUMI | TET | G02 | 5000 |
| 1201 | NPT0025-26 | 4111601086700 | TEST, THYROID STIMULATING HORMONE (TSH), CHEMISTRY, COMPATIBLE WITH MAGLUMI | TET | G02 | 5000 |
| 1202 | NPT0025-26 | 4111601086800 | TEST, HUMAN CHORIONIC GONADOTROPIN (B-HCG), CHEMISTRY, COMPATIBLE WITH MAGLUMI | TET | G02 | 5000 |
| 1203 | NPT0025-26 | 4111601086900 | TEST, FERRITIN, CHEMISTRY, COMPATIBLE WITH MAGLUMI | TET | G02 | 5000 |
| 1204 | NPT0025-26 | 4111601087000 | TEST, FOLLICLE-STIMULATING HORMONE (FSH), CHEMISTRY, COMPATIBLE WITH MAGLUMI | TET | G02 | 5000 |
| 1205 | NPT0025-26 | 4111601087100 | TEST, LUTEINIZING HORMONE (LH), CHEMISTRY, COMPATIBLE WITH MAGLUMI | TET | G02 | 5000 |
| 1206 | NPT0025-26 | 4111601087200 | TEST, PROGESTERONE, CHEMISTRY, COMPATIBLE WITH MAGLUMI | TET | G02 | 5000 |
| 1207 | NPT0025-26 | 4111601087300 | TEST, PROLACTIN, CHEMISTRY, COMPATIBLE WITH MAGLUMI | TET | G02 | 5000 |

| SN | Tender No. | NUPCO Code | NUPCO DESCRIPTION | UOM | GROUP / ITEMIZED | Initial Quantity |
|------|------------|---------------|---|-----|------------------|------------------|
| 1208 | NPT0025-26 | 4111601087400 | TEST, TESTOSTERONE HORMONE, CHEMISTRY, COMPATIBLE WITH MAGLUMI | TET | G02 | 5000 |
| 1209 | NPT0025-26 | 4111580060000 | TEST, URINE STRIPS, COMPATIBLE WITH COMBISCREEN 11 AUTO | TET | ITEMIZED | 5000 |
| 1210 | NPT0025-26 | 4111580046600 | TEST, AMYLASE, COMPATIBLE WITH SANTHIA SERIES CLINICAL CHEMISTRY ANALYZER | TET | ITEMIZED | 5000 |
| 1211 | NPT0025-26 | 4111580051600 | TEST, FERRITIN, COMPATIBLE WITH SANTHIA SERIES CLINICAL CHEMISTRY ANALYZER | TET | ITEMIZED | 5000 |
| 1212 | NPT0025-26 | 4114000012700 | CONTROL, CHEMISTRY, ASSAYED ABNORMAL SERUM | KIT | ITEMIZED | 1092 |
| 1213 | NPT0025-26 | 4111580050300 | TEST, COPPER , CHEMISTRY, COMPATIBLE WITH BECKMAN AU SYSTEMS | TET | ITEMIZED | 2500 |
| 1214 | NPT0025-26 | 4111580053600 | TEST, INTRINSIC FACTOR AB, CHEMISTRY, COMPATIBLE WITH IACCESS | TET | ITEMIZED | 1500 |
| 1215 | NPT0025-26 | 4110533203800 | TEST, PARATHYROID HORMONE (IPTH), CHEMISTRY, COMPATIBLE WITH IDS ANALYZER | TET | G13 | 1000 |
| 1216 | NPT0025-26 | 4120210222200 | TEST, PHENOBARBITAL, CHEMISTRY, COMPATIBLE WITH COBASC311, C501, C502 | TET | G06 | 11800 |
| 1217 | NPT0025-26 | 4111580047000 | TEST, APOLIPOPROTEIN A-I, COMPATIBLE WITH SANTHIA SERIES CLINICAL CHEMISTRY ANALYZER | TET | ITEMIZED | 2000 |
| 1218 | NPT0025-26 | 4111580047200 | TEST, APOLIPOPROTEIN B, COMPATIBLE WITH SANTHIA SERIES CLINICAL CHEMISTRY ANALYZER | TET | ITEMIZED | 2000 |
| 1219 | NPT0025-26 | 4120210216100 | TEST, NT-BRAIN NATRIURETIC PEPTIDE (NT-PRO BNP), CHEMISTRY, COMPATIBLE WITH ELECSYS, COBAS E402, E801 | TET | G06 | 69600 |
| 1220 | NPT0025-26 | 4111580051700 | TEST, FERRITIN POCT, (FIA) COMPATIBLE WITH TRUVUE ANALYZER | TET | ITEMIZED | 1200 |
| 1221 | NPT0025-26 | 4114000046200 | CARTRIDGE, EG7+, POCT, COMPATIBLE WITH ISTAT | TET | G01 | 77850 |
| 1222 | NPT0025-26 | 4111613601100 | KIT, IRIS SYSTEM CLEANSER, COMPLETE URINALYSIS WORKCELLS, COMPATIBLE WITH BECKMAN COULTER | KIT | ITEMIZED | 250 |
| 1223 | NPT0025-26 | 4111600443600 | TEST, NT-BRAIN NATRIURETIC PEPTIDE (NT-PRO BNP), CHEMISTRY, COMPATIBLE WITH ELECSYS, COBAS E411, E601, E602 | TET | G06 | 7100 |
| 1224 | NPT0025-26 | 4111600449300 | TEST, ALPHA-1 ANTITRYPSIN, CHEMISTRY, ANALYZER, REAGENT, COMPATIBLE WITH ARCHITECT | TET | G01 | 7260 |

| SN | Tender No. | NUPCO Code | NUPCO DESCRIPTION | UOM | GROUP / ITEMIZED | Initial Quantity |
|------|------------|---------------|---|-----|------------------|------------------|
| 1225 | NPT0025-26 | 4111580056600 | TEST, PROINSULIN, COMPATIBLE WITH MAGLUMI | TET | G02 | 1500 |
| 1226 | NPT0025-26 | 4110533203900 | TEST, INTACT PINP, CHEMILUMINESCENT, COMPATIBLE WITH IDS ANALYZER | TET | G13 | 500 |
| 1227 | NPT0025-26 | 4110321000300 | BOTTLE, AUTION SHEATH SOLUTION, COMPATIBLE WITH ARKRAY SYSTEM | BT | ITEMIZED | 10 |
| 1228 | NPT0025-26 | 4111580059900 | TEST, STRIPS(14 PARAMETER) FOR URINALYSIS COMPATIBLE WITH MINDRAY EU 5300PRO/EU 5600PRO/UA-5600 SYSTEM | TET | G20 | 4000 |
| 1229 | NPT0025-26 | 4111580059800 | TEST, STRIPS(11 PARAMETER) FOR URINALYSIS COMPATIBLE WITH MINDRAY EU 5300PRO/EU 5600PRO/UA-5600 SYSTEM | TET | G20 | 4000 |
| 1230 | NPT0025-26 | 4120210222700 | TEST, DIGITOXIN, COMPATIBLE WITH COBAS E402, E801 | TET | G06 | 8000 |
| 1231 | NPT0025-26 | 4111600440800 | TEST, POTASSIUM, ISE METHOD, CHEMISTRY, COMPATIBLE WITH COBAS C111 | TET | G06 | 108000 |
| 1232 | NPT0025-26 | 4111600444300 | TEST, SODIUM, CHEMISTRY, ISE METHOD, COMPATIBLE WITH COBAS C111 | TET | G06 | 84700 |
| 1233 | NPT0025-26 | 4111620019300 | TEST, PREALBUMIN, CHEMISTRY, COMPATIBLE WITH OPTILITE | TET | G16 | 300 |
| 1234 | NPT0025-26 | 4111620301000 | PIECE, DOWNLOADER, RECHARGER, COMPATIBLE WITH I STAT | PC | G01 | 4 |
| 1235 | NPT0025-26 | 4114000094700 | TEST, PIVKA, CHEMISTRY, COMPATIBLE WITH ALINITY | TET | G01 | 200 |
| 1236 | NPT0025-26 | 4111600445500 | TEST, TOTAL PROTEIN, CHEMISTRY, COMPATIBLE WITH COBAS C111 | TET | G06 | 79200 |
| 1237 | NPT0025-26 | 4111610499500 | TEST, CORTISOL URINE, CHEMISTRY, COMPATIBLE WITH IDS | TET | G13 | 500 |
| 1238 | NPT0025-26 | 4111580058200 | TEST, TOTAL T4 ,CHEMISTRY ,COMPATIBLE WITH ACCESS | TET | ITEMIZED | 2000 |
| 1239 | NPT0025-26 | 4111580058100 | TEST, TOTAL T3 ,CHEMISTRY ,COMPATIBLE WITH ACCESS | TET | ITEMIZED | 2000 |
| 1240 | NPT0025-26 | 4120210222100 | TEST, PIVKA-II PROTEIN INDUCED BY VITAMIN K, CHEMISTRY, COMPATIBLE WITH COBAS E402, E801 | TET | G06 | 6300 |
| 1241 | NPT0025-26 | 4111600001400 | TEST, FERRITIN, CHEMISTRY, COMPATIBLE WITH VIDAS | TET | G10 | 900 |

| SN | Tender No. | NUPCO Code | NUPCO DESCRIPTION | UOM | GROUP / ITEMIZED | Initial Quantity |
|------|------------|---------------|---|-----|------------------|------------------|
| 1242 | NPT0025-26 | 4111600902900 | TEST, DIRECT BILIRUBIN, CHEMISTRY, COMPATIBLE WITH UDILIPSE | TET | G19 | 40000 |
| 1243 | NPT0025-26 | 4111610010300 | TEST, CORTISOL, CHEMISTRY, COMPATIBLE WITH IDS | TET | G13 | 500 |
| 1244 | NPT0025-26 | 4111620023800 | TEST, HOMOCYSTEINE, CHEMISTRY, COMPATIBLE WITH COBAS C503, C303 | TET | G06 | 1500 |
| 1245 | NPT0025-26 | 4111610754400 | VIAL, BIORAD URINE CONTROL, LEVEL 1, 10 ML, CHEMISTRY | VIA | G10 | 48 |
| 1246 | NPT0025-26 | 4111610754500 | VIAL, BIORAD URINE CONTROL, LEVEL 2, 10 ML, CHEMISTRY | VIA | G10 | 48 |
| 1247 | NPT0025-26 | 4111584700800 | TEST, SWEAT CHLORIDE, CHEMISTRY, COMPATIBLE WITH CHLOROCHek ANALYZER | VIA | ITEMIZED | 120 |
| 1248 | NPT0025-26 | 4120210214500 | TEST, FRUCTOSAMINE, CHEMISTRY, COMPATIBLE WITH COBAS C701, C702 | TET | G06 | 11500 |
| 1249 | NPT0025-26 | 4111600468100 | TEST, DIRECT RENIN, CHEMISTRY, COMPATIBLE WITH LIAISON XL | TET | G16 | 888 |
| 1250 | NPT0025-26 | 4111580047100 | TEST, APOLIPOPROTEIN B (APO B) , CHEMISTRY, COMPATIBLE WITH ATELLICA | TET | G05 | 2300 |
| 1251 | NPT0025-26 | 4111580058400 | TEST, TRANSFERRIN , RAPID, POCT (COLLOIDAL GOLD) COMPATIBLE WITH AVE ANALYZER | TET | ITEMIZED | 3800 |
| 1252 | NPT0025-26 | 4111614616900 | TEST, GENTAMICIN, CHEMISTRY, COMPATIBLE WITH DXC SERIES/ AU SERIES | TET | G03 | 30720 |
| 1253 | NPT0025-26 | 4111600460200 | TEST, CREATININE KINASE MB (CK-MB), POCT, MASS TEST, COMPATIBLE WITH PATHFAST | TET | G22 | 63840 |
| 1254 | NPT0025-26 | 4111600443100 | TEST, MYOGLOBIN, CHEMISTRY, COMPATIBLE WITH CARDIAC READER | TET | G06 | 15340 |
| 1255 | NPT0025-26 | 4111600446200 | TEST, TROPONIN, CHEMISTRY, COMPATIBLE WITH CARDIAC READER | TET | G06 | 9110 |
| 1256 | NPT0025-26 | 4118160102400 | TEST, FREE THYROXINE (FT4), CHEMISTRY, COMPATIBLE WITH DRG HYBRID-XL ANALYZER IMMUNOASSAY | TET | G15 | 10160 |
| 1257 | NPT0025-26 | 4111600498100 | TEST, FREE THYROXINE (FT4), CHEMISTRY, COMPATIBLE WITH MINI VIDAS | TET | G10 | 800 |
| 1258 | NPT0025-26 | 4111620015400 | TEST, ALPHA 1-ANTITRYPSIN (AAT), CHEMISTRY, COMPATIBLE WITH COBASC311, C501, C502 | TET | G06 | 1700 |

| SN | Tender No. | NUPCO Code | NUPCO DESCRIPTION | UOM | GROUP / ITEMIZED | Initial Quantity |
|------|------------|---------------|--|-----|------------------|------------------|
| 1259 | NPT0025-26 | 4111580052000 | TEST, FOB R, APID, POCT (COLLOIDAL GOLD) COMPATIBLE WITH AVE ANALYZER | TET | ITEMIZED | 3800 |
| 1260 | NPT0025-26 | 4111580049000 | TEST, CERULOPLASMIN, COMPATIBLE WITH SANTHIA SERIES CLINICAL CHEMISTRY ANALYZER | TET | ITEMIZED | 1000 |
| 1261 | NPT0025-26 | 4111617306000 | TEST, CALCIUM, CHEMISTRY, COMPATIBLE WITH FUJI ANALYZERS | TET | G08 | 18768 |
| 1262 | NPT0025-26 | 4111580052100 | TEST, FRUCTOSAMINE (FRUC), CHEMISTRY, COMPATIBLE WITH ATELLICA | TET | G05 | 2000 |
| 1263 | NPT0025-26 | 4111600434800 | TEST, ALPHA FETOPROTEIN, CMIA, COMPATIBLE WITH ARCHITECT ANALYZER | TET | G01 | 800 |
| 1264 | NPT0025-26 | 4111600455600 | TEST, MYOGLOBIN STAT, CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 3800 |
| 1265 | NPT0025-26 | 4111612725000 | KIT, HYDRAGEL 2 IF WITHOUT ANTISERA (MS), CHEMISTRY, COMPATIBLE WITH SEBIA (HYDRASYS) | KIT | G12 | 1000 |
| 1266 | NPT0025-26 | 4111580053000 | TEST, HDL CHOLESTEROL, COMPATIBLE WITH SANTHIA SERIES CLINICAL CHEMISTRY ANALYZER | TET | ITEMIZED | 5000 |
| 1267 | NPT0025-26 | 4111600454600 | TEST, PEPSINOGEN I, CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 3500 |
| 1268 | NPT0025-26 | 4111600454700 | TEST, PEPSINOGEN II, CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 4300 |
| 1269 | NPT0025-26 | 4111600455400 | TEST, PROGASTRIN RELEASING PEPTIDE, CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 900 |
| 1270 | NPT0025-26 | 4120210218400 | TEST, INSULIN-LIKE GROWTH FACTOR BINDING PROTEINS (IGFBP-3), CHEMISTRY, COMPATIBLE WITH IMMULITE | TET | G09 | 14400 |
| 1271 | NPT0025-26 | 4120210218800 | TEST, ANDROSTENEDIONE, CHEMISTRY, COMPATIBLE WITH IMMULITE | TET | G09 | 3600 |
| 1272 | NPT0025-26 | 4111600454300 | TEST, MYOGLOBIN, POCT, COMPATIBLE WITH PATHFAST | TET | G22 | 29340 |
| 1273 | NPT0025-26 | 4111600456500 | TEST, THYROID UPTAKE (TUP), CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 2800 |
| 1274 | NPT0025-26 | 4111580045600 | TEST, ALPHA-1-ANTITRYPSIN (AAT), CHEMISTRY, COMPATIBLE WITH ATELLICA | TET | G05 | 2000 |
| 1275 | NPT0025-26 | 4111600447200 | TEST, ALPHA 1 ACID GLYCOPROTEIN, CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 26520 |

| SN | Tender No. | NUPCO Code | NUPCO DESCRIPTION | UOM | GROUP / ITEMIZED | Initial Quantity |
|------|------------|----------------|--|-----|------------------|------------------|
| 1276 | NPT0025-26 | 4111600463200 | TEST, ERYTHROPOIETIN (EPO), CHEMISTRY, COMPLETE WITH IMMULITE | TET | G09 | 4200 |
| 1277 | NPT0025-26 | 4111600001100 | TEST, TESTOSTERONE, CHEMISTRY, COMPATIBLE WITH VIDAS | TET | G10 | 330 |
| 1278 | NPT0025-26 | 4111600474700 | TEST, AMYLASE, CHEMISTRY, COMPATIBLE WITH DXC SERIES/ AU SERIES | TET | G03 | 46080 |
| 1279 | NPT0025-26 | 4111610009000 | TEST, TRACP 5B, CHEMISTRY, COMPATIBLE WITH IDS | TET | G13 | 3600 |
| 1280 | NPT0025-26 | 4118160052900 | TEST, ALPHA-1 ANTITRYPSIN, CHEMISTRY, COMPATIBLE WITH OPTILITE | TET | G16 | 200 |
| 1281 | NPT0025-26 | 4111580055800 | TEST, PHENYTOIN, CHEMISTRY, COMPATIBLE WITH AU SYSTEMS | TET | ITEMIZED | 800 |
| 1282 | NPT0025-26 | 4111620014300 | TEST, MYOGLOBIN, CHEMISTRY, COMPATIBLE WITH ALINITY | TET | G01 | 3200 |
| 1283 | NPT0025-26 | 4111582004900 | TEST, 17-OH PROGESTERONE, CHEMISTRY, COMPATIBLE WITH IDS | TET | G13 | 6000 |
| 1284 | NPT0025-26 | 4110530900500 | TEST, ELECTROPHORESIS, ACID HEMOGLOBIN APPLICATOR, 10 GEL X 20 TEST/KIT, CHEMISTRY, COMPATIBLE WITH HELENA | TET | G07 | 2650 |
| 1285 | NPT0025-26 | 4111580045200 | STRIPS, URINE TEST STRIPS- 14 ANALYTES POCT, COMPATIBLE WITH TRUURI ANALYZER | TET | ITEMIZED | 2000 |
| 1286 | NPT0025-26 | 4111580052700 | TEST, HAPTOGLOBIN, COMPATIBLE WITH SANTHIA SERIES CLINICAL CHEMISTRY ANALYZER | TET | ITEMIZED | 2000 |
| 1287 | NPT0025-26 | 4111580046400 | TEST, AMIKACIN (AMIK) , CHEMISTRY, COMPATIBLE WITH ATELLICA | TET | G05 | 2300 |
| 1288 | NPT0025-26 | 41115171800100 | TEST, DIGOXIN, CHEMISTRY, COMPATIBLE WITH COBAS C311, C501, C502 | TET | G06 | 14250 |
| 1289 | NPT0025-26 | 4111610741500 | KIT, BIORAD LIQUICHEK CARDIAC MARKERS PLUS CONTROL, TRILEVEL, 6 X 3 ML, CHEMISTRY | VIA | G10 | 4 |
| 1290 | NPT0025-26 | 4111601202900 | TEST, NT- PROBNP, COMPATIBLE WITH MATE | TET | ITEMIZED | 250 |
| 1291 | NPT0025-26 | 4120210217900 | TEST, ACTIVE B12, CHEMISTRY, COMPATIBLE WITH ALINITY | TET | G01 | 53400 |
| 1292 | NPT0025-26 | 41115170201800 | TEST, AMIKACIN, CHEMISTRY, COMPATIBLE WITH COBAS C311, C501, C502 | TET | G06 | 19275 |
| 1293 | NPT0025-26 | 4111610759600 | KIT, BIORAD IMMUNOLOGY CONTROL TRILEVEL MINI PACK, CHEMISTRY | PAC | ITEMIZED | 30 |
| 1294 | NPT0025-26 | 4111580048800 | EST, CARBAMAZEPINE, CHEMISTRY, COMPATIBLE WITH AU SYSTEMS | TET | ITEMIZED | 800 |
| 1295 | NPT0025-26 | 4111600441300 | TEST, SIX HEMOGLOBIN BINDING GLOBIN (SHBG), CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 6900 |
| 1296 | NPT0025-26 | 4111600300600 | CARTRIDGE, BLOOD GASES (PH, PO2, PCO2, HCO3) ELECTROLYTES (NA, K, ICA, CL) OXIMETRY (COOX THB, MHB, CHB, OHB, HCT), METABOLITES (LACTATE, GLUCOSE) + BILIRUBIN, POCT, COMPATIBLE WITH GEM PREMIER 4000 | TET | ITEMIZED | 112500 |
| 1297 | NPT0025-26 | 4111600495700 | TEST, PREALBUMIN, CHEMISTRY, COMPATIBLE WITH ALINITY C | TET | G01 | 3000 |

Tender Name : Lab Tender For Chemistry / POCT

| SN | Tender No. | NUPCO Code | NUPCO DESCRIPTION | UOM | GROUP / ITEMIZED | Initial Quantity |
|------|------------|---------------|--|-----|------------------|------------------|
| 1298 | NPT0025-26 | 4110530903100 | TEST, SERUM PROTEIN, ELECTROPHORESIS, COMPLETE REAGENTS, CONTROL, STANDARD, CALIBRATOR, 100 TEST, COMPATIBLE WITH SAS1 PLUS/SAS2 | TET | G07 | 86640 |
| 1299 | NPT0025-26 | 4111600460600 | TEST, CYSTATIN C, CHEMISTRY, COMPATIBLE WITH COBAS C311, C501, C502 | TET | G06 | 8775 |
| 1300 | NPT0025-26 | 4111600448900 | TEST, APOLIPOPROTEIN A1, COMPATIBLE WITH DXC SERIES/ AU SERIES | TET | G03 | 31000 |
| 1301 | NPT0025-26 | 4111610581100 | TEST, LOW DENSITY LIPOPROTEIN (LDL), CHEMISTRY, COMPATIBLE WITH KENZA 240 TX | TET | G21 | 2200 |
| 1302 | NPT0025-26 | 4111601201900 | TEST, PCT, COMPATIBLE WITH MATE | TET | ITEMIZED | 250 |
| 1303 | NPT0025-26 | 4115174401200 | TEST, THEOPHYLLINE, CHEMISTRY, COMPATIBLE WITH COBASC311, C501, C502 | TET | G06 | 5100 |
| 1304 | NPT0025-26 | 4120210215400 | TEST, HE4, CHEMISTRY, COMPATIBLE WITH COBAS ELECSYS E402, E801 | TET | G06 | 1500 |
| 1305 | NPT0025-26 | 4111610525900 | BOTTLE, CLEANING SOLUTION, CHEMISTRY, COMPATIBLE WITH PH RADIOMETER | BT | ITEMIZED | 100 |
| 1306 | NPT0025-26 | 4115172600100 | TEST, LITHIUM, CHEMISTRY, COMPATIBLE WITH COBAS C311, C501, C502 | TET | G06 | 8600 |
| 1307 | NPT0025-26 | 4111580051300 | TEST, ETHANOL, CHEMISTRY, COMPATIBLE WITH AU SYSTEMS | TET | ITEMIZED | 800 |
| 1308 | NPT0025-26 | 4111601017000 | TEST, CYFRA 21-1, TUMOR MARKER, COMPATIBLE WITH COBAS E411, E601, E602 ANALYZER | EA | G06 | 1900 |
| 1309 | NPT0025-26 | 4111600455200 | TEST, PREALBUMIN, CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 6480 |
| 1310 | NPT0025-26 | 4111600462100 | TEST, GLUCOSE 6 PHOSPHATE DEHYDROGENASE (G6PD), CHEMISTRY, COMPATIBLE WITH WALLAC-VECTOR | KIT | ITEMIZED | 4608 |
| 1311 | NPT0025-26 | 4111580054600 | TEST, MAGNESIUM , COMPATIBLE WITH MINDRAY ANALYZER BS SERIES INSTRUMENT. | TET | G20 | 4000 |
| 1312 | NPT0025-26 | 4111580054900 | TEST, MICROALBUMIN , COMPATIBLE WITH MINDRAY ANALYZER BS SERIES INSTRUMENT. | TET | G20 | 4000 |
| 1313 | NPT0025-26 | 4114000074800 | TEST, PT, POCT, COMPATIBLE WITH COAGUCHEK PRO II | TET | ITEMIZED | 49584 |
| 1314 | NPT0025-26 | 4111612929300 | TEST FREE PSA REAGENT COMPATIBLE WITH MINI VIDAS | TET | G10 | 250 |
| 1315 | NPT0025-26 | 4111620023600 | TEST, DIGOXIN, CHEMISTRY, COMPATIBLE WITH COBAS C503, C303 | TET | G06 | 1500 |
| 1316 | NPT0025-26 | 4111620023700 | TEST, DIGOXIN, CHEMISTRY, COMPATIBLE WITH COBAS C701, C702 | TET | G06 | 1600 |
| 1317 | NPT0025-26 | 4111610739800 | KIT, LYPHOCHECK DIABETES CONTROL BI LEVEL, CHEMISTRY | TET | ITEMIZED | 24 |
| 1318 | NPT0025-26 | 4120210219600 | VIAL, ANTI- IG E, CHEMISTRY, COMPATIBLE WITH SEBIA | TET | G12 | 10 |
| 1319 | NPT0025-26 | 4111610580800 | TEST, HIGH DENSITY LIPOPROTEIN (HDL), CHEMISTRY, COMPATIBLE WITH KENZA 240 TX | TET | G21 | 2200 |
| 1320 | NPT0025-26 | 4111615335900 | TEST, TRANSFERRIN (TRF), CHEMISTRY, COMPATIBLE WITH OPTILITE | TET | G16 | 500 |
| 1321 | NPT0025-26 | 4111601088600 | TEST, CERULOPLASMIN, CHEMISTRY, COMPATIBLE WITH OPTILITE | VIA | G16 | 200 |
| 1322 | NPT0025-26 | 4111620022300 | TEST, ACETAMINOPHEN, CHEMISTRY, COMPATIBLE WITH COBAS C503, C303 | TET | G06 | 1500 |
| 1323 | NPT0025-26 | 4111620025500 | TEST, TACROLIMUS, CHEMISTRY, COMPATIBLE WITH COBAS E411, E601, E602 | TET | G06 | 1500 |
| 1324 | NPT0025-26 | 4111620025800 | TEST, SIROLIMUS, CHEMISTRY, COMPATIBLE WITH COBAS E411, E601, E602 | TET | G06 | 1500 |
| 1325 | NPT0025-26 | 4111600001600 | TEST, PROCALCITONIN (PCT), CHEMISTRY, COMPATIBLE WITH VIDAS | TET | G10 | 180 |
| 1326 | NPT0025-26 | 4111580050100 | TEST, COPPER SERUM, CHEMISTRY, COMPATIBLE WITH COBAS ELECSYS C703 C503 C303 | TET | G06 | 1200 |
| 1327 | NPT0025-26 | 4111601001000 | TEST, FREE PROSTATIC SPECIFIC ANTIGEN (FPSA), COMPATIBLE WITH SIEMENS ATELLICA | TET | G05 | 700 |
| 1328 | NPT0025-26 | 4111620022500 | TEST, AMIKACIN, CHEMISTRY, COMPATIBLE WITH COBAS C503, C303 | TET | G06 | 1600 |
| 1329 | NPT0025-26 | 4114191900200 | TEST, ANGIOTENSIN CONVERTING ENZYME (ACE), COMPATIBLE WITH MINDRAY 200 | TET | G20 | 500 |
| 1330 | NPT0025-26 | 4111601202100 | TEST, SAA, COMPATIBLE WITH MATE ANALYZER | TET | ITEMIZED | 250 |
| 1331 | NPT0025-26 | 4114192200000 | TEST, ASPARTATE AMINOTRANSFERASE (AST), CHEMISTRY, COMPATIBLE WITH MINDRAY 200 | KIT | G20 | 500 |
| 1332 | NPT0025-26 | 4111580045100 | STRIPS, URINE TEST 11 ANALYTES , COMPATIBLE WITH TRUURI ANALYZER | TET | ITEMIZED | 2000 |
| 1333 | NPT0025-26 | 4111580059400 | TEST, BLOOD URIC ACID STRIPS , POCT , COMPATIBLE WITH TR100 ANALYZER | TET | ITEMIZED | 2000 |
| 1334 | NPT0025-26 | 4111580058700 | TEST, TRIGLYCERIDES, COMPATIBLE WITH SANTHIA SERIES CLINICAL CHEMISTRY ANALYZER | TET | ITEMIZED | 5000 |
| 1335 | NPT0025-26 | 4111620016800 | TEST, THYROGLOBULIN (TG), CHEMISTRY, COMPATIBLE WITH ELECYS, COBAS E402, E801 | TET | G06 | 122700 |
| 1336 | NPT0025-26 | 4120210215200 | TEST, CARBAMAZEPINE, CHEMISTRY, COMPATIBLE WITH COBAS C701, C702 | TET | G06 | 5500 |
| 1337 | NPT0025-26 | 4120210212300 | TEST, LACTIC ACID (LA), CHEMISTRY, COMPATIBLE WITH COBAS C701, C702 | TET | G06 | 600 |
| 1338 | NPT0025-26 | 4111601007200 | TEST, CARCINO EMBRYONIC ANTIGEN (CEA), COMPATIBLE WITH SIEMENS ATELLICA ANALYZER | TET | G05 | 1100 |
| 1339 | NPT0025-26 | 4111600406700 | TEST, MAGNESIUM, CHEMISTRY, COMPATIBLE WITH RANDOX DAYTONA PLUS | TET | G04 | 5000 |

| SN | Tender No. | NUPCO Code | NUPCO DESCRIPTION | UOM | GROUP / ITEMIZED | Initial Quantity |
|------|------------|---------------|---|-----|------------------|------------------|
| 1340 | NPT0025-26 | 4111600550200 | TEST, 25-OH-VD, COMPATIBLE WITH MATE | TET | ITEMIZED | 250 |
| 1341 | NPT0025-26 | 4112182300100 | TEST, VITAMIN B12, COMPATIBLE WITH MATE | TET | ITEMIZED | 250 |
| 1342 | NPT0025-26 | 4111620023000 | TEST, PHENOBARBITAL, CHEMISTRY, COMPATIBLE WITH COBAS C503, C303 | TET | G06 | 1600 |
| 1343 | NPT0025-26 | 4120210219500 | VIAL, ANTI - IG D, CHEMISTRY, COMPATIBLE WITH SEBIA | TET | G12 | 10 |
| 1344 | NPT0025-26 | 4111580054700 | TEST, MAGNESIUM, COMPATIBLE WITH SANTHIA SERIES CLINICAL CHEMISTRY ANALYZER | TET | ITEMIZED | 5000 |
| 1345 | NPT0025-26 | 4111600454200 | TEST, MYOGLOBIN, COMPATIBLE WITH DXC SERIES/ AU SERIES | TET | G03 | 71280 |
| 1346 | NPT0025-26 | 4111600461100 | TEST, THYROGLOBULIN (TG), CHEMISTRY, COMPATIBLE WITH IMMULITE | TET | G09 | 11000 |
| 1347 | NPT0025-26 | 4115172200200 | TEST, GENTAMICIN, CHEMISTRY, COMPATIBLE WITH COBAS COBAS C311, C501, C502 | TET | G06 | 24900 |
| 1348 | NPT0025-26 | 4111621100100 | TEST, ETHANOL, CHEMISTRY, COMPATIBLE WITH COBAS C303, C502, C503 | TET | G06 | 16800 |
| 1349 | NPT0025-26 | 4111601089800 | TEST, IL/6, COMPATIBLE WITH MATE ANALYZER | TET | ITEMIZED | 250 |
| 1350 | NPT0025-26 | 4111303901800 | PIECE, SAMPLER PLUNGER WIRE, CHEMISTRY, COMPATIBLE WITH OSMOMETER 3320 | KIT | ITEMIZED | 12 |
| 1351 | NPT0025-26 | 4111580053800 | TEST, IRON, COMPATIBLE WITH SANTHIA SERIES CLINICAL CHEMISTRY ANALYZER | TET | ITEMIZED | 5000 |
| 1352 | NPT0025-26 | 4111601202300 | TEST, CTNT, COMPATIBLE WITH MATE ANALYZER | TET | ITEMIZED | 250 |
| 1353 | NPT0025-26 | 4111601202200 | TEST, CTNI, COMPATIBLE WITH MATE ANALYZER | TET | ITEMIZED | 250 |
| 1354 | NPT0025-26 | 4111600461500 | TEST, TROPONIN I, CHEMISTRY, COMPATIBLE WITH ELECSYS, COBAS E411, E601, E602 | TET | G06 | 47600 |
| 1355 | NPT0025-26 | 4111580056700 | TEST, TOTAL PROTEIN IN URINE/CSF , COMPATIBLE WITH MINDRAY ANALYZER BS SERIES INSTRUMENT. | TET | G20 | 4000 |
| 1356 | NPT0025-26 | 4111580058500 | TEST, TRANSFERRIN , COMPATIBLE WITH MINDRAY ANALYZER BS SERIES INSTRUMENT. | TET | G20 | 4000 |
| 1357 | NPT0025-26 | 4111580059100 | TEST, UNSATURATED IRON BINDING CAPACITY , COMPATIBLE WITH MINDRAY ANALYZER BS SERIES INSTRUMENT. | TET | G20 | 4000 |
| 1358 | NPT0025-26 | 4111580046500 | TEST, ALPHA-AMYLASE , COMPATIBLE WITH MINDRAY ANALYZER BS SERIES INSTRUMENT. | TET | G20 | 4000 |
| 1359 | NPT0025-26 | 4111580052900 | TEST,ALPHA-HYDROXYBUTYRATE DEHYDROGENASE , COMPATIBLE WITH MINDRAY ANALYZER BS SERIES INSTRUMENT. | TET | G20 | 4000 |
| 1360 | NPT0025-26 | 4111620022600 | TEST, CERULOPLASMIN, CHEMISTRY, COMPATIBLE WITH COBAS C503, C303 | TET | G06 | 500 |
| 1361 | NPT0025-26 | 4111620022700 | TEST, CERULOPLASMIN, CHEMISTRY, COMPATIBLE WITH COBAS C701, C702 | TET | G06 | 1500 |
| 1362 | NPT0025-26 | 4120210220400 | KIT, LIQUICHECK DIABETES CONTROL TRI LEVEL MINI PACK, CHEMISTRY | TET | ITEMIZED | 5 |
| 1363 | NPT0025-26 | 4111620017300 | TEST, VALPROIC ACID, COMPATIBLE WITH COBAS C311, C501, C502 | TET | G06 | 15000 |
| 1364 | NPT0025-26 | 4111610713600 | KIT, LIQUICHECK WHOLE BLOOD IMMUNOSUPPRESSANT CONTROL 4 LEVELS MINI PACK, CHEMISTRY | TET | ITEMIZED | 96 |
| 1365 | NPT0025-26 | 4111580045000 | TEST, URINE STRIPS TEST 10 ANALYTES POCT , COMPATIBLE WITH TRUURI ANALYZER | TET | ITEMIZED | 2000 |
| 1366 | NPT0025-26 | 4111610744700 | SET CHEMISTRY CONTROL HEMOGLOBIN A1 C | EA | ITEMIZED | 10 |
| 1367 | NPT0025-26 | 4111620020900 | TEST, BICARBONATE (CO2), CHEMISTRY, COMPATIBLE WITH COBAS C311, C501, C502, INTEGRA 400 | TET | G06 | 4000 |
| 1368 | NPT0025-26 | 4111601005000 | TEST, TOTAL PROSTATIC SPECIFIC ANTIGEN (TPSA), COMPATIBLE WITH SIEMENS ATELLICA ANALYZER | TET | G05 | 900 |
| 1369 | NPT0025-26 | 4111600419100 | TEST, HBA1C, CHEMISTRY , COMPATIBLE WITH RANDOX DAYTONA PLUS | TET | G04 | 3600 |
| 1370 | NPT0025-26 | 4111601003800 | TEST, CA-125 ANTIGEN, COMPATIBLE WITH SIEMENS ATELLICA ANALYZER | TET | G05 | 900 |
| 1371 | NPT0025-26 | 4111617307000 | TEST, CALCITONIN, COMPATIBLE WITH MAGLUMI | TET | G02 | 4800 |
| 1372 | NPT0025-26 | 4111600459200 | TEST, HAPTOGLOBIN, CHEMISTRY, COMPATIBLE WITH VITROS | TET | G11 | 2100 |
| 1373 | NPT0025-26 | 4111580616500 | TEST, FOLATE, COMPATIBLE WITH MATE | TET | ITEMIZED | 250 |
| 1374 | NPT0025-26 | 4111601202800 | TEST, C/PEPTIDE, COMPATIBLE WITH MATE ANALYZER | TET | ITEMIZED | 250 |
| 1375 | NPT0025-26 | 4111610010000 | TEST, SIX HEMOGLOBIN BINDING GLOBIN (SHBG), CHEMISTRY, COMPATIBLE WITH IDS ANALYZER | TET | G13 | 200 |
| 1376 | NPT0025-26 | 4111620016500 | TEST, BETA-CROSSLAPS, CHEMISTRY, COMPATIBLE WITH ELECSYS COBAS E402, E801 | TET | G06 | 4400 |
| 1377 | NPT0025-26 | 4111620017400 | TEST, TRANSFERRIN, CHEMISTRY, COMPATIBLE WITH COBAS C311, C501, C502 | TET | G06 | 20000 |
| 1378 | NPT0025-26 | 4115174000100 | TEST, SALICYLATE, CHEMISTRY, COMPATIBLE WITH COBAS COBAS C311, C501, C502 | TET | G06 | 6300 |
| 1379 | NPT0025-26 | 4120210214100 | TEST, CREATINE KINASE MB (CK-MB), CHEMISTRY, COMPATIBLE WITH COBAS C701, C702 | TET | G06 | 67200 |
| 1380 | NPT0025-26 | 4111600461300 | TEST, SOLUBLE TRANSFERRIN RECEPTOR (STFR), CHEMISTRY, COMPATIBLE WITH ELECSYS, COBAS E411, E601, E602 | TET | G06 | 28600 |
| 1381 | NPT0025-26 | 4111600417800 | TEST, AMMONIA, CHEMISTRY, COMPATIBLE WITH DXC SERIES/ AU SERIES | TET | G03 | 500 |
| 1382 | NPT0025-26 | 4111580046900 | TEST, ANTI-ZNT8, COMPATIBLE WITH MAGLUMI | TET | G02 | 500 |

| SN | Tender No. | NUPCO Code | NUPCO DESCRIPTION | UOM | GROUP / ITEMIZED | Initial Quantity |
|------|------------|---------------|---|-----|------------------|------------------|
| 1383 | NPT0025-26 | 4111580051000 | TEST, BILIRUBIN DIRECT, COMPATIBLE WITH SANTHIA SERIES CLINICAL CHEMISTRY ANALYZER | TET | ITEMIZED | 5000 |
| 1384 | NPT0025-26 | 4111580049200 | TEST, CHOLESTEROL, COMPATIBLE WITH SANTHIA SERIES CLINICAL CHEMISTRY ANALYZER | TET | ITEMIZED | 5000 |
| 1385 | NPT0025-26 | 4111580059300 | TEST, URIC ACID, COMPATIBLE WITH SANTHIA SERIES CLINICAL CHEMISTRY ANALYZER | TET | ITEMIZED | 5000 |
| 1386 | NPT0025-26 | 4111600476300 | TEST, URIC ACID, CHEMISTRY, COMPATIBLE WITH RANDOX DAYTONA PLUS | TET | G04 | 3840 |
| 1387 | NPT0025-26 | 4120210215700 | TEST, APOLIPOPROTEIN A1, CHEMISTRY, COMPATIBLE WITH COBAS C701, C702 | TET | G06 | 600 |
| 1388 | NPT0025-26 | 4120210215800 | TEST, APOLIPOPROTEIN B, CHEMISTRY, COMPATIBLE WITH COBAS C701, C702 | TET | G06 | 600 |
| 1389 | NPT0025-26 | 4111600462200 | TEST, GROWTH HORMONE (GH), CHEMISTRY, COMPATIBLE WITH ELECSYS, COBAS E411, E601, E602 | TET | G06 | 27000 |
| 1390 | NPT0025-26 | 4114191900000 | TEST, ANGIOTENSIN CONVERTING ENZYME (ACE), ELISA, COMPATIBLE WITH AUTOMATED ELISA PROCESSOR | TET | ITEMIZED | 250 |
| 1391 | NPT0025-26 | 4111601202400 | TEST, CK-MB, COMPATIBLE WITH MATE | TET | ITEMIZED | 250 |
| 1392 | NPT0025-26 | 4120210222000 | TEST, PHOSPHO-TAU (181P) CSF ALZHEIMER'S DISEASE, CHEMISTRY, COMPATIBLE WITH COBAS E402, E801 | TET | G06 | 1600 |
| 1393 | NPT0025-26 | 4111601004000 | TEST, CA19-9 ANTIGEN, COMPATIBLE WITH SIEMENS ATELLICA ANALYZER | TET | G05 | 800 |
| 1394 | NPT0025-26 | 4111600301300 | CARTRIDGE, BLOOD GASES (PH, PO2, PCO2, HCO3) ELECTROLYTES (NA, K, ICA, CL) METABOLITES (LACTATE, GLUCOSE), COMPATIBLE WITH GEM PREMIER 3000 | TET | ITEMIZED | 9300 |
| 1395 | NPT0025-26 | 4111620301200 | KIT, SIMULATOR, COMPATIBLE WITH I STAT | KIT | G01 | 30 |
| 1396 | NPT0025-26 | 4111620020600 | TEST, PIVKA-II PROTEIN INDUCED BY VITAMIN K, CHEMISTRY, COMPATIBLE WITH COBAS E411, E601, E602 | TET | G06 | 1500 |
| 1397 | NPT0025-26 | 4111600443500 | TEST, N-MID OSTEOCALCIN, CHEMISTRY, COMPATIBLE WITH ELECSYS, COBAS E411, E601, E602 | TET | G06 | 4400 |
| 1398 | NPT0025-26 | 4111601900700 | TEST, PROGESTERONE, CHEMISTRY, COMPATIBLE WITH ATELLICA | TET | G05 | 500 |
| 1399 | NPT0025-26 | 4111600443000 | TEST, MYOGLOBIN, COMPATIBLE WITH ACCESS, DXI600, DXI800 | TET | G03 | 39700 |
| 1400 | NPT0025-26 | 4111620023100 | TEST, VALPROIC ACID, COMPATIBLE WITH COBAS C503, C303 | TET | G06 | 1600 |
| 1401 | NPT0025-26 | 4111620023200 | TEST, VALPROIC ACID, COMPATIBLE WITH COBAS C701, C702 | TET | G06 | 1600 |
| 1402 | NPT0025-26 | 4120210223000 | TEST, TOBRAMYCIN, CHEMISTRY, COMPATIBLE WITH COBAS C311, C501, C502 | TET | G06 | 3600 |
| 1403 | NPT0025-26 | 4111600457500 | TEST, FLUID PACK (NA, K, CA), CHEMISTRY, COMPATIBLE WITH AVL 9140 | TET | G06 | 100 |
| 1404 | NPT0025-26 | 4111610758000 | TEST, LDISOENZYME SAS1 LD VIS, SPECIAL CHEMISTRY, (SAS-1 PLUS), COMPATIBLE WITH HELENA | TET | G07 | 120 |
| 1405 | NPT0025-26 | 4120210216000 | TEST, MYOGLOBIN, CHEMISTRY, COMPATIBLE WITH ELECSYS, COBAS E402, E801 | TET | G06 | 19300 |
| 1406 | NPT0025-26 | 4111601201800 | TEST, MYO, COMPATIBLE WITH MATE ANALYZER | TET | ITEMIZED | 250 |
| 1407 | NPT0025-26 | 4111600440900 | TEST, PREALBUMIN, CHEMISTRY, COMPATIBLE WITH COBAS C311, C501, C502 | TET | G06 | 42500 |
| 1408 | NPT0025-26 | 4111612629800 | TEST, TOTAL PSA, IMMUNOCHEMISTRY, COMPATIBLE WITH VITROS ANALYZER | TET | G11 | 700 |
| 1409 | NPT0025-26 | 4111600449000 | TEST, APOLIPOPROTEIN B, COMPATIBLE WITH DXC SERIES/ AU SERIES | TET | G03 | 30000 |
| 1410 | NPT0025-26 | 4111616178000 | TEST, AFP, COMPATIBLE WITH MATE ANALYZER | TET | ITEMIZED | 250 |
| 1411 | NPT0025-26 | 4120210223500 | TEST, BICARBONATE (CO2), CHEMISTRY, COMPATIBLE WITH COBAS C701, C702 | TET | G06 | 57200 |
| 1412 | NPT0025-26 | 4114195300300 | TEST, DEHYDROEPIANDROSTERONE SULFATE (DHEA-S), CHEMISTRY, COMPATIBLE WITH COBAS ELECSYS E402, E801 | TET | G06 | 93100 |
| 1413 | NPT0025-26 | 4111610577900 | TEST, AMYLASE, CHEMISTRY, COMPATIBLE WITH KENZA 240 TX | TET | G21 | 2200 |
| 1414 | NPT0025-26 | 4111580052500 | TEST, GGT, COMPATIBLE WITH SANTHIA SERIES CLINICAL CHEMISTRY ANALYZER | TET | ITEMIZED | 5000 |
| 1415 | NPT0025-26 | 4111600405300 | TEST, LACTATE DEHYDROGENASE (LDH), CHEMISTRY, COMPATIBLE WITH RANDOX DAYTONA PLUS | TET | G04 | 5000 |
| 1416 | NPT0025-26 | 4111601202500 | TEST, HS-CTNI, COMPATIBLE WITH MATE | TET | ITEMIZED | 250 |
| 1417 | NPT0025-26 | 4111610578900 | TEST, TRIGLYCERIDE, CHEMISTRY, COMPATIBLE WITH KENZA 240 TX | TET | G21 | 3600 |
| 1418 | NPT0025-26 | 4111601917900 | TEST, PROG, COMPATIBLE WITH MATE | TET | ITEMIZED | 250 |
| 1419 | NPT0025-26 | 4111620016700 | TEST, MICROALBUMIN (MALB), CHEMISTRY, COMPATIBLE WITH COBAS C701, C702 | TET | G06 | 7500 |
| 1420 | NPT0025-26 | 4111600404600 | TEST, IRON, CHEMISTRY, COMPATIBLE WITH RANDOX DAYTONA PLUS | TET | G04 | 5000 |
| 1421 | NPT0025-26 | 4111601918000 | TEST, TESTESTERONE, COMPATIBLE WITH MATE | TET | ITEMIZED | 250 |
| 1422 | NPT0025-26 | 4111601917700 | TEST, E2, COMPATIBLE WITH MATE ANALYZER | TET | ITEMIZED | 250 |
| 1423 | NPT0025-26 | 4111610578700 | TEST, MAGNESIUM, CHEMISTRY, COMPATIBLE WITH KENZA 240 TX | TET | G21 | 2200 |
| 1424 | NPT0025-26 | 4111601202700 | TEST, FERRITIN, COMPATIBLE WITH MATE | TET | ITEMIZED | 250 |
| 1425 | NPT0025-26 | 4111620017000 | TEST, ALBUMIN CSF, CHEMISTRY, COMPATIBLE WITH OPTILITE | TET | G16 | 100 |
| 1426 | NPT0025-26 | 4111600455100 | TEST, PREALBUMIN COMPATIBLE WITH DXC SERIES/ AU SERIES | TET | G03 | 19200 |
| 1427 | NPT0025-26 | 4111600001300 | TEST, ESTRADIOL (E2), CHEMISTRY, COMPATIBLE WITH VIDAS | TET | G10 | 240 |

| SN | Tender No. | NUPCO Code | NUPCO DESCRIPTION | UOM | GROUP / ITEMIZED | Initial Quantity |
|------|------------|---------------|--|-----|------------------|------------------|
| 1428 | NPT0025-26 | 4111600474100 | TEST, ALPHA-FETOPROTEIN (AFP), CHEMISTRY, COMPATIBLE WITH VITROS | TET | G11 | 37700 |
| 1429 | NPT0025-26 | 4111601917600 | TEST, LH, COMPATIBLE WITH MATE | TET | ITEMIZED | 250 |
| 1430 | NPT0025-26 | 4111601917800 | TEST, FSH, COMPATIBLE WITH MATE | TET | ITEMIZED | 250 |
| 1431 | NPT0025-26 | 4111601918100 | TEST, TOTAL BHCG, COMPATIBLE WITH MATE | TET | ITEMIZED | 250 |
| 1432 | NPT0025-26 | 4111620025900 | TEST, INSULIN-LIKE GROWTH FACTOR BINDING PROTEINS (IGFBP-3), CHEMISTRY, COMPATIBLE WITH COBAS E411, E601, E602 | TET | G06 | 1500 |
| 1433 | NPT0025-26 | 4111614766400 | TEST CREATININE SCREEN IMMUNOASSAY URINE COMPLETE WITH ALL TEST FOR ATELICA ANALYZER | TET | G05 | 1000 |
| 1434 | NPT0025-26 | 4111600476200 | TEST, CALCIUM, CHEMISTRY, COMPATIBLE WITH RANDOX DAYTONA PLUS | TET | G04 | 5000 |
| 1435 | NPT0025-26 | 4114205700100 | TEST, TOTAL PROTEIN, CHEMISTRY, COMPATIBLE WITH COBAS C311, C501, C502 | TET | G06 | 500 |
| 1436 | NPT0025-26 | 4111601003900 | TEST, CA15-3 ANTIGEN, COMPATIBLE WITH SIEMENS ATELICA ANALYZER | TET | G05 | 600 |
| 1437 | NPT0025-26 | 4111613800100 | STRIP, URINALYSIS, 3-5 PARAMETER DETERMINE | STP | ITEMIZED | 50460 |
| 1438 | NPT0025-26 | 4111600443200 | TEST, MYOGLOBIN, CHEMISTRY, COMPATIBLE WITH ELECSYS, COBAS E411, E601, E602 | TET | G06 | 9500 |
| 1439 | NPT0025-26 | 4120210220300 | VIAL, LIQUICHECK HOMOCYSTEINE CONTROL TRI LEVEL MINI PACK, CHEMISTRY | TET | ITEMIZED | 42 |
| 1440 | NPT0025-26 | 4111600828900 | TEST, UREA, CHEMISTRY, COMPATIBLE WITH UDILIPSE | TET | G19 | 10000 |
| 1441 | NPT0025-26 | 4111600829000 | TEST, CREATINE KINASE -MB (CK-MB), CHEMISTRY, COMPATIBLE WITH UDILIPSE | TET | G19 | 10000 |
| 1442 | NPT0025-26 | 4111600901300 | TEST, MAGNESIUM, CHEMISTRY, COMPATIBLE WITH UDILIPSE | TET | G19 | 10000 |
| 1443 | NPT0025-26 | 4111600901700 | TEST, ALBUMIN, CHEMISTRY, COMPATIBLE WITH UDILIPSE | TET | G19 | 10000 |
| 1444 | NPT0025-26 | 4111600901800 | TEST, ALKALINE PHOSPHATASE (ALP), CHEMISTRY, COMPATIBLE WITH UDILIPSE | TET | G19 | 10000 |
| 1445 | NPT0025-26 | 4111600902000 | TEST, AMYLASE, CHEMISTRY, COMPATIBLE WITH UDILIPSE | TET | G19 | 10000 |
| 1446 | NPT0025-26 | 4111600902300 | TEST, ASPARTATE AMINOTRANSFERASE (AST), CHEMISTRY, COMPATIBLE WITH UDILIPSE | TET | G19 | 10000 |
| 1447 | NPT0025-26 | 4111600902400 | TEST, CALCIUM, CHEMISTRY, COMPATIBLE WITH UDILIPSE | TET | G19 | 10000 |
| 1448 | NPT0025-26 | 4111600902700 | TEST, CREATINE KINASE-NAC (CK), CHEMISTRY, COMPATIBLE WITH UDILIPSE | TET | G19 | 10000 |
| 1449 | NPT0025-26 | 4111600902800 | TEST, CREATININE, CHEMISTRY, COMPATIBLE WITH UDILIPSE | TET | G19 | 10000 |
| 1450 | NPT0025-26 | 4111600903100 | TEST, GAMMA GLUTAMYL TRANSFERASE (GGT), CHEMISTRY, COMPATIBLE WITH UDILIPSE | TET | G19 | 10000 |
| 1451 | NPT0025-26 | 4111600903200 | TEST, GLUCOSE, CHEMISTRY, COMPATIBLE WITH UDILIPSE | TET | G19 | 10000 |
| 1452 | NPT0025-26 | 4111600903300 | TEST, HIGH DENSITY LIPOPROTEIN (HDL), CHEMISTRY, COMPATIBLE WITH UDILIPSE | TET | G19 | 10000 |
| 1453 | NPT0025-26 | 4111600903600 | TEST, PHOSPHORUS, CHEMISTRY, COMPATIBLE WITH UDILIPSE | TET | G19 | 10000 |
| 1454 | NPT0025-26 | 4111600903800 | TEST, IRON FERROZINE, CHEMISTRY, COMPATIBLE WITH UDILIPSE | TET | G19 | 10000 |
| 1455 | NPT0025-26 | 4111600903900 | TEST, IRON-EXCESS UIBC/TIBC, CHEMISTRY, COMPATIBLE WITH UDILIPSE | TET | G19 | 10000 |
| 1456 | NPT0025-26 | 4111600904000 | TEST, LACTATE DEHYDROGENASE (LDH), CHEMISTRY, COMPATIBLE WITH UDILIPSE | TET | G19 | 10000 |
| 1457 | NPT0025-26 | 4111600904600 | TEST, TOTAL PROTEIN, CHEMISTRY, COMPATIBLE WITH UDILIPSE | TET | G19 | 10000 |
| 1458 | NPT0025-26 | 4111600904800 | TEST, TRIGLYCERIDE, CHEMISTRY, COMPATIBLE WITH UDILIPSE | TET | G19 | 10000 |
| 1459 | NPT0025-26 | 4111600904900 | TEST, URIC ACID, CHEMISTRY, COMPATIBLE WITH UDILIPSE | TET | G19 | 10000 |
| 1460 | NPT0025-26 | 4111600904500 | TEST, TOTAL BILIRUBIN, CHEMISTRY, COMPATIBLE WITH UDILIPSE | TET | G19 | 10000 |
| 1461 | NPT0025-26 | 4111580059200 | TEST, UREA, COMPATIBLE WITH SANTHIA SERIES CLINICAL CHEMISTRY ANALYZER | TET | ITEMIZED | 5000 |
| 1462 | NPT0025-26 | 4112181300600 | CUVETTE, ABSORPTION SEMI MICRO HELIMA, CHEMISTRY | PAC | ITEMIZED | 3 |
| 1463 | NPT0025-26 | 4111601011300 | TEST, CARCINOEMBRYONIC ANTIGEN CEA, IMMUNOCHEMISTRY, COMPATIBLE WITH VITROS ANALYZER | EA | G11 | 540 |
| 1464 | NPT0025-26 | 4111580054000 | TEST, LDH, COMPATIBLE WITH SANTHIA SERIES CLINICAL CHEMISTRY ANALYZER | TET | ITEMIZED | 5000 |
| 1465 | NPT0025-26 | 4111615842000 | TEST, VASCULAR ENDOTHELIAL GROWTH FACTOR (VEGF), ELISA, COMPATIBLE WITH ELISA PROCESSOR | TET | ITEMIZED | 250 |
| 1466 | NPT0025-26 | 4111613214200 | KIT, LIQUICHECK IMMUNOASSAY PLUS CONTROL TRILEVEL, CHEMISTRY | TET | ITEMIZED | 30 |
| 1467 | NPT0025-26 | 4111580050000 | TEST, CARBON DIOXIDE , COMPATIBLE WITH MINDRAY ANALYZER BS SERIES INSTRUMENT. | TET | G20 | 4000 |
| 1468 | NPT0025-26 | 4111580054300 | TEST, LIPASE , COMPATIBLE WITH MINDRAY ANALYZER BS SERIES INSTRUMENT. | TET | G20 | 4000 |
| 1469 | NPT0025-26 | 4111580055100 | TEST, MYOGLOBIN , COMPATIBLE WITH MINDRAY ANALYZER BS SERIES INSTRUMENT. | TET | G20 | 4000 |
| 1470 | NPT0025-26 | 4120210222600 | TEST, BILIRUBIN, CHEMISTRY, COMPATIBLE WITH RANDOX | TET | ITEMIZED | 432 |
| 1471 | NPT0025-26 | 4111601021500 | KIT, CAPILLARIES DIALYSIS BUFFER, COMPATIBLE WITH CAPILLARIES II | KIT | G12 | 2 |
| 1472 | NPT0025-26 | 4120210222300 | TEST, TOTAL T4, CHEMISTRY, COMPATIBLE WITH COBAS E402, E801 | TET | G06 | 48600 |
| 1473 | NPT0025-26 | 4111600447500 | TEST, NEURON SPECIFIC ENOLASE (NSE), CHEMISTRY, COMPATIBLE WITH ELECSYS, COBAS E411, E601, E602 | TET | G06 | 1800 |

| SN | Tender No. | NUPCO Code | NUPCO DESCRIPTION | UOM | GROUP / ITEMIZED | Initial Quantity |
|------|------------|---------------|---|-----|------------------|------------------|
| 1474 | NPT0025-26 | 4111600444200 | TEST, SHBG, CHEMISTRY, COMPATIBLE WITH ELECSYS, COBAS E411, E601, E602 | TET | G06 | 9100 |
| 1475 | NPT0025-26 | 4111601203400 | TEST, RETINOL BINDING PROTEIN RBP, COMPATIBLE WITH MINDRAY ANALYZER BS SERIES INSTRUMENT | TET | G20 | 250 |
| 1476 | NPT0025-26 | 4111582005100 | TEST, INSULIN-LIKE GROWTH FACTOR BINDING PROTEIN-3 (IGFBP-3), CHEMISTRY, COMPATIBLE WITH IDS | TET | G13 | 5700 |
| 1477 | NPT0025-26 | 4111600461600 | TEST, VITAMIN D, CHEMISTRY, ELISA | TET | ITEMIZED | 8640 |
| 1478 | NPT0025-26 | 4111610754900 | KIT, BIORAD LIQUICHEK SPECIALTY IMMUNOASSAY CONTROL, FOUR LEVELS, 2 ML, CHEMISTRY | VIA | G10 | 72 |
| 1479 | NPT0025-26 | 4111601011900 | TEST, SQUAMOUS CELL CARCINOMA SCC, CHEMISTRY, COMPATIBLE WITH ARCHITECT | TET | G01 | 1100 |
| 1480 | NPT0025-26 | 4111580048400 | TEST, CALCIUM, COMPATIBLE WITH SANTHIA SERIES CLINICAL CHEMISTRY ANALYZER | TET | ITEMIZED | 5000 |
| 1481 | NPT0025-26 | 4111600444900 | TEST, THYROID UPTAKE (TUP), CHEMISTRY, COMPATIBLE WITH ELECSYS, COBAS E411, E601, E602 | TET | G06 | 2200 |
| 1482 | NPT0025-26 | 4111620024800 | TEST, AMIKACIN, CHEMISTRY, COMPATIBLE WITH COBAS C701, C702 | TET | G06 | 1500 |
| 1483 | NPT0025-26 | 4111580056000 | TEST, PHOSPHORUS, COMPATIBLE WITH SANTHIA SERIES CLINICAL CHEMISTRY ANALYZER | TET | ITEMIZED | 5000 |
| 1484 | NPT0025-26 | 4111600701800 | TEST, ETHOSUXIMIDE, IMMUNOASSAY, SERUM/PLASMA, COMPLETE WITH VIVA | TET | G18 | 79 |
| 1485 | NPT0025-26 | 4111600486600 | VIAL, LIQUICHECK ETHANOL/AMMONIA CONTROL LEVEL 3, CHEMISTRY | TET | ITEMIZED | 30 |
| 1486 | NPT0025-26 | 4110530900800 | TEST, ALKALINE HAEMOGLOBIN, ELECTROPHORESIS, COMPATIBLE WITH SAS1 PLUS/SAS2 | TET | G07 | 2040 |
| 1487 | NPT0025-26 | 4114000024700 | TEST, LIPOPROTEIN A, CHEMISTRY, COMPATIBLE WITH ACCESS, DXI600, DXI800 | EA | G03 | 200 |
| 1488 | NPT0025-26 | 4114000025100 | TEST, CANCER ANTIGEN 50 (CA50), CLIA, COMPATIBLE WITH SNIBE ANALYZER | EA | G18 | 250 |
| 1489 | NPT0025-26 | 4111620024300 | TEST, THEOPHYLLINE, CHEMISTRY, COMPATIBLE WITH COBAS C503, C303 | TET | G06 | 1500 |
| 1490 | NPT0025-26 | 4111620025100 | TEST, THEOPHYLLINE, CHEMISTRY, COMPATIBLE WITH COBAS C701, C702 | TET | G06 | 1500 |
| 1491 | NPT0025-26 | 4111610578300 | TEST, CHOLESTEROL, CHEMISTRY, COMPATIBLE WITH KENZA 240 TX | TET | G21 | 3600 |
| 1492 | NPT0025-26 | 4111580057800 | TEST, BILIRUBIN TOTAL, COMPATIBLE WITH SANTHIA SERIES CLINICAL CHEMISTRY ANALYZER | TET | ITEMIZED | 5000 |
| 1493 | NPT0025-26 | 4111600455500 | TEST, RBC FOLATE, CHEMISTRY, COMPATIBLE WITH VITROS | TET | G11 | 24500 |
| 1494 | NPT0025-26 | 4120210221300 | TEST, DEHYDROEPIANDROSTERONE SULPHATE (DHEA-S), CHEMISTRY, COMPATIBLE WITH IMMUN 2001 | KIT | ITEMIZED | 200 |
| 1495 | NPT0025-26 | 4120210213300 | TEST, LIPASE, CHEMISTRY, COMPATIBLE WITH COBAS C701, C702 | TET | G06 | 40020 |
| 1496 | NPT0025-26 | 4120210213500 | TEST, AMMONIA, CHEMISTRY, COMPATIBLE WITH COBAS C701, C702 | TET | G06 | 1800 |
| 1497 | NPT0025-26 | 4111620025000 | TEST, PHENOBARBITAL, CHEMISTRY, COMPATIBLE WITH COBAS C701, C702 | TET | G06 | 1600 |
| 1498 | NPT0025-26 | 4111580046000 | TEST, ALBUMIN, COMPATIBLE WITH SANTHIA SERIES CLINICAL CHEMISTRY ANALYZER | TET | ITEMIZED | 5000 |
| 1499 | NPT0025-26 | 4111580052600 | TEST, GLUCOSE PAP, COMPATIBLE WITH SANTHIA SERIES CLINICAL CHEMISTRY ANALYZER | TET | ITEMIZED | 5000 |
| 1500 | NPT0025-26 | 4111600452300 | TEST, HAPTOGLOBIN, CHEMISTRY, COMPATIBLE WITH DXC SERIES/ AU SERIES | TET | G03 | 53460 |
| 1501 | NPT0025-26 | 4110532302600 | VIAL, BIORAD LIQUICHEK ASSAYD MULTIQUAL LEVEL 2, CHEMISTRY | VIA | G10 | 120 |
| 1502 | NPT0025-26 | 4111600447800 | TEST, ALPHA-1 ANTITRYPSIN, CHEMISTRY, COMPATIBLE WITH BN PROSPEC ANALYZER | EA | G17 | 200 |
| 1503 | NPT0025-26 | 4111302701900 | TEST, OSMO, CHEMISTRY, COMPATIBLE WITH OSMO PRO ANALYZER | VIA | ITEMIZED | 17604 |
| 1504 | NPT0025-26 | 4120210212400 | TEST, LOW DENSITY LIPOPROTEIN (LDL), COMPATIBLE WITH COBAS C701, C702 | TET | G06 | 2000 |
| 1505 | NPT0025-26 | 4111613600800 | KIT, IRIS DILUENTS IRIS, COMPLETE URINALYSIS WORKCELLS, COMPATIBLE WITH BECKMAN COULTER | KIT | ITEMIZED | 4 |
| 1506 | NPT0025-26 | 4110260029200 | KIT, GAMMA GLUTAMYL TRANSFERASE (GGT) ASSAY, CHEMISTRY | KIT | ITEMIZED | 10 |
| 1507 | NPT0025-26 | 4111582098400 | TEST, CANCER ANTIGEN 72-4 (CA72-4), CLIA, COMPATIBLE WITH SNIBE ANALYZER | TET | G18 | 250 |
| 1508 | NPT0025-26 | 4111580046200 | TEST, ALT, COMPATIBLE WITH SANTHIA SERIES CLINICAL CHEMISTRY ANALYZER | TET | ITEMIZED | 5000 |
| 1509 | NPT0025-26 | 4111601007500 | TEST, FREE PROSTATIC SPECIFIC ANTIGEN (FPSA), COMPATIBLE WITH COBAS E411, E601, E602 ANALYZER | TET | G06 | 400 |
| 1510 | NPT0025-26 | 4114000020800 | TEST, SEX HORMONE BINDING GLOBIN (SHBG), CLIA, COMPATIBLE WITH BECKMAN ACCESS, DXI600 AND DXI800 ANALYZER | EA | G03 | 200 |
| 1511 | NPT0025-26 | 4114000094400 | TEST, LUTEINIZING HORMONE (LH), ANALYZER, CHEMISTRY, COMPATIBLE WITH COBAS ELECSYS E402, E801 | TET | G06 | 186300 |
| 1512 | NPT0025-26 | 4111620024600 | TEST, TOBRAMYCIN, CHEMISTRY, COMPATIBLE WITH COBAS C503, C303 | TET | G06 | 1500 |

| SN | Tender No. | NUPCO Code | NUPCO DESCRIPTION | UOM | GROUP / ITEMIZED | Initial Quantity |
|------|------------|---------------|---|-----|------------------|------------------|
| 1513 | NPT0025-26 | 4111620025600 | TEST, TOBRAMYCIN, CHEMISTRY, COMPATIBLE WITH COBAS C701, C702 | TET | G06 | 1500 |
| 1514 | NPT0025-26 | 4111610578600 | TEST, IRON, CHEMISTRY, COMPATIBLE WITH KENZA 240 TX | TET | G21 | 2200 |
| 1515 | NPT0025-26 | 4111610579300 | TEST, ALANINE AMINOTRANSFERASE (ALT), CHEMISTRY, COMPATIBLE WITH KENZA 240 TX | TET | G21 | 2200 |
| 1516 | NPT0025-26 | 4111610579800 | TEST, ASPARTATE AMINOTRANSFERASE (AST), CHEMISTRY, COMPATIBLE WITH KENZA 240 TX | TET | G21 | 2200 |
| 1517 | NPT0025-26 | 4111601089000 | TEST, CEA, CHEMISTRY, COMPATIBLE WITH COBAS E402, E801 | TET | G06 | 3813 |
| 1518 | NPT0025-26 | 4114000094800 | TEST, CA 19-9, CHEMISTRY, COMPATIBLE WITH COBASE402, E801 | TET | G06 | 500 |
| 1519 | NPT0025-26 | 4111601088900 | TEST, TOTAL PROSTATIC SPECIFIC ANTIGEN (TPSA), CHEMISTRY, COMPATIBLE WITH COBASE402, E801 | TET | G06 | 500 |
| 1520 | NPT0025-26 | 4111601089100 | TEST, FREE PROSTATIC SPECIFIC ANTIGEN (FPSA), CHEMISTRY, COMPATIBLE WITH COBAS E402, E802 | TET | G06 | 1600 |
| 1521 | NPT0025-26 | 4114196400200 | TEST, FOLLICLE STIMULATING HORMONE (FSH), CHEMISTRY, COMPATIBLE WITH ATELLICA | TET | G05 | 500 |
| 1522 | NPT0025-26 | 4111580049100 | TEST, CHLORIDE, COMPATIBLE WITH SANTHIA SERIES CLINICAL CHEMISTRY ANALYZER | TET | ITEMIZED | 5000 |
| 1523 | NPT0025-26 | 4111620024200 | TEST, HAPTOGLOBIN, CHEMISTRY, COMPATIBLE WITH COBAS C701, C702 | TET | G06 | 1500 |
| 1524 | NPT0025-26 | 4110260033900 | KIT, LDH ASSAY / LACTATE DEHYDROGENASE ASSAY, CHEMISTRY | KIT | ITEMIZED | 10 |
| 1525 | NPT0025-26 | 4120210213600 | TEST, AMYLASE, CHEMISTRY, COMPATIBLE WITH COBAS C701, C702 | TET | G06 | 40500 |
| 1526 | NPT0025-26 | 4111620024500 | TEST, GENTAMICIN, CHEMISTRY, COMPATIBLE WITH COBAS C701, C702 | TET | G06 | 1500 |
| 1527 | NPT0025-26 | 4111620024700 | TEST, VANCOMYCIN, CHEMISTRY, COMPATIBLE WITH COBAS C503, C303 | TET | G06 | 2200 |
| 1528 | NPT0025-26 | 4111620025700 | TEST, VANCOMYCIN, CHEMISTRY, COMPATIBLE WITH COBAS C701, C702 | TET | G06 | 1500 |
| 1529 | NPT0025-26 | 4111601085600 | TEST, CANCER ANTIGEN 15-3 (CA15-3), CLIA, COMPATIBLE WITH SNIBE ANALYZER | TET | G18 | 250 |
| 1530 | NPT0025-26 | 4111617308200 | TEST, CANCER ANTIGEN 19-9 (CA19-9), CLIA, COMPATIBLE WITH SNIBE ANALYZER | TET | G18 | 250 |
| 1531 | NPT0025-26 | 4111617308500 | TEST, CANCER ANTIGEN 125 (CA125), CLIA, COMPATIBLE WITH SNIBE ANALYZER | TET | G18 | 250 |
| 1532 | NPT0025-26 | 4111580058000 | TEST, TOTAL PROTEIN, COMPATIBLE WITH SANTHIA SERIES CLINICAL CHEMISTRY ANALYZER | TET | ITEMIZED | 5000 |
| 1533 | NPT0025-26 | 4111610578500 | TEST, GLUCOSE, CHEMISTRY, COMPATIBLE WITH KENZA 240 TX | TET | G21 | 3600 |
| 1534 | NPT0025-26 | 4120210215000 | TEST, ACID PHOSPHATASE, CHEMISTRY, COMPATIBLE WITH COBAS C701, C702 | TET | G06 | 5600 |
| 1535 | NPT0025-26 | 4111610578400 | TEST, CREATININE, CHEMISTRY, COMPATIBLE WITH KENZA 240 TX | TET | G21 | 2200 |
| 1536 | NPT0025-26 | 4111610580500 | TEST, GAMMA GLUTAMYL TRANSFERASE (GGT), CHEMISTRY, COMPATIBLE WITH KENZA 240 TX | TET | G21 | 2200 |
| 1537 | NPT0025-26 | 4111580047700 | TEST, AST, COMPATIBLE WITH SANTHIA SERIES CLINICAL CHEMISTRY ANALYZER | TET | ITEMIZED | 5000 |
| 1538 | NPT0025-26 | 4114170006600 | TEST, PROSTATE SPECIFIC ANTIGEN PSA, CLIA, COMPATIBLE WITH LIAISON ANALYZER | TET | G16 | 250 |
| 1539 | NPT0025-26 | 4111600451100 | TEST, CHOLINESTERASE, CHEMISTRY, COMPATIBLE WITH DXC SERIES/ AU SERIES | TET | G03 | 38880 |
| 1540 | NPT0025-26 | 4114170006500 | TEST, FREE PROSTATE SPECIFIC ANTIGEN FPSA, CLIA, COMPATIBLE WITH LIAISON ANALYZER | TET | G16 | 250 |
| 1541 | NPT0025-26 | 4111580046100 | TEST, ALP, COMPATIBLE WITH SANTHIA SERIES CLINICAL CHEMISTRY ANALYZER | TET | ITEMIZED | 5000 |
| 1542 | NPT0025-26 | 4111610579000 | TEST, UREA, CHEMISTRY, COMPATIBLE WITH KENZA 240 TX | TET | G21 | 2200 |
| 1543 | NPT0025-26 | 4111620010700 | TEST, ALKALINE PHOSPHATASE (ALP), CHEMISTRY, COMPATIBLE WITH ROCHE COBAS C303, C504 | TET | G06 | 500 |
| 1544 | NPT0025-26 | 4120210216700 | KIT, RAPID TEST, MICROALBUMIN 2, COMPATIBLE WITH CLINITEK STATUS PLUS | TET | ITEMIZED | 100 |
| 1545 | NPT0025-26 | 4111600448300 | TEST, ACID PHOSPHATASE, CHEMISTRY, COMPATIBLE WITH DXC SERIES/ AU SERIES | TET | G03 | 156000 |
| 1546 | NPT0025-26 | 4111615834800 | TEST, DI HYDRO TESTOSTERONE (DHT), ELISA | TET | G15 | 384 |
| 1547 | NPT0025-26 | 4111610577800 | TEST, ALKALINE PHOSPHATASE (ALP), CHEMISTRY, COMPATIBLE WITH KENZA 240 TX | TET | G21 | 2200 |
| 1548 | NPT0025-26 | 4111610578000 | TEST, BILIRUBIN DIRECT, CHEMISTRY, COMPATIBLE WITH KENZA 240 TX | TET | G21 | 2200 |
| 1549 | NPT0025-26 | 4111610578100 | TEST, TOTAL BILIRUBIN, CHEMISTRY, COMPATIBLE WITH KENZA 240 TX | TET | G21 | 2200 |
| 1550 | NPT0025-26 | 4111610579100 | TEST, URIC ACID, CHEMISTRY, COMPATIBLE WITH KENZA 240 TX | TET | G21 | 2200 |
| 1551 | NPT0025-26 | 4111601009400 | TEST, TOTAL PROSTATE SPECIFIC ANTIGEN (TPSA), COMPATIBLE WITH COBAS E411, E601, E602 ANALYZER | TET | G06 | 400 |
| 1552 | NPT0025-26 | 4118160153000 | TEST, CA 72-4, COMPATIBLE WITH DRG HYBRID-XL ANALYZER IMMUNOASSAY | TET | G15 | 3000 |
| 1553 | NPT0025-26 | 4111620025200 | TEST, TOTAL T3, CHEMISTRY, COMPATIBLE WITH COBAS E411, E601, E602 | TET | G06 | 290000 |

| SN | Tender No. | NUPCO Code | NUPCO DESCRIPTION | UOM | GROUP / ITEMIZED | Initial Quantity |
|------|------------|---------------|---|-----|------------------|------------------|
| 1554 | NPT0025-26 | 4111620025300 | TEST, TOTAL T4, CHEMISTRY, COMPATIBLE WITH COBAS E411, E601, E602 | TET | G06 | 290000 |
| 1555 | NPT0025-26 | 4111302700300 | VIAL, OSMOMETER A2O CAL 290 MOSM, CHEMISTRY, COMPATIBLE WITH ADVANCED INSTRUMENT A2O | KIT | G01 | 520 |
| 1556 | NPT0025-26 | 4111302700500 | VIAL, OSMOMETER A2O CAL 50 MOSM, CHEMISTRY COMPATIBLE WITH ADVANCED INSTRUMENT A2O | KIT | G01 | 70 |
| 1557 | NPT0025-26 | 4111302701200 | VIAL, OSMOMETER A2O CAL 850 MOSM, CHEMISTRY, COMPATIBLE WITH ADVANCED INSTRUMENT A2O | KIT | G01 | 70 |
| 1558 | NPT0025-26 | 4110260013300 | KIT, CHOLESTEROL QUANTITATION, CHEMISTRY | KIT | ITEMIZED | 10 |
| 1559 | NPT0025-26 | 4118160099800 | TEST, FREE PROSTATIC SPECIFIC ANTIGEN (FPSA), COMPATIBLE WITH COBAS E402, E801 ANALYZER | TET | G06 | 250 |
| 1560 | NPT0025-26 | 4111610577700 | TEST, ALBUMIN, CHEMISTRY, COMPATIBLE WITH KENZA 240 TX | TET | G21 | 2200 |
| 1561 | NPT0025-26 | 4111610578200 | TEST, CALCIUM, CHEMISTRY, COMPATIBLE WITH KENZA 240 TX | TET | G21 | 2200 |
| 1562 | NPT0025-26 | 4111610578800 | TEST, TOTAL PROTEIN, CHEMISTRY, COMPATIBLE WITH KENZA 240 TX | TET | G21 | 2200 |
| 1563 | NPT0025-26 | 4111580700800 | VIAL, BIORAD LIQUICHEK TUMOR MARKER LEVEL1, CHEMISTRY | VIA | G10 | 2 |
| 1564 | NPT0025-26 | 4111580700900 | VIAL, BIORAD LIQUICHEK TUMOR MARKER LEVEL2, CHEMISTRY | VIA | G10 | 2 |
| 1565 | NPT0025-26 | 4111580701000 | VIAL, BIORAD LIQUICHEK TUMOR MARKER LEVEL3, CHEMISTRY | VIA | G10 | 2 |
| 1566 | NPT0025-26 | 4111620022400 | TEST, ACETAMINOPHEN, CHEMISTRY, COMPATIBLE WITH COBAS C701, C702 | TET | G06 | 1500 |
| 1567 | NPT0025-26 | 4111601004600 | TEST, PROPERDIN FACTOR B, NEPHELOMETRY, COMPATIBLE WITH BECKMAN COULTER IMAGE ANALYZER | TET | G02 | 250 |
| 1568 | NPT0025-26 | 4111303900400 | VIAL, OSMOMETER A2OCAL 100 MOSM, CHEMISTRY, COMPATIBLE WITH ADVANCED INSTRUMENT A2O | TET | G01 | 10 |
| 1569 | NPT0025-26 | 4111303900600 | VIAL, OSMOMETER A2OCAL 900 MOSM, CHEMISTRY, COMPATIBLE WITH ADVANCED INSTRUMENT A2O | TET | G01 | 10 |
| 1570 | NPT0025-26 | 4111620022800 | TEST, BICARBONATE (CO2), CHEMISTRY, COMPATIBLE WITH COBAS C503, C303 | TET | G06 | 40250 |
| 1571 | NPT0025-26 | 4111620024900 | TEST, LIPOPROTEIN A, CHEMISTRY, COMPATIBLE WITH COBAS C311, C501, C502, INTEGRA 400 | TET | G06 | 200 |
| 1572 | NPT0025-26 | 4120210212000 | TEST, HIGH DENSITY LIPOPROTEIN (HDL), CHEMISTRY, COMPATIBLE WITH COBAS C701, C702 | TET | G06 | 82500 |
| 1573 | NPT0025-26 | 4111610008200 | TEST, OSTEOCALCIN, CHEMISTRY, COMPATIBLE WITH IDS | TET | G13 | 3600 |
| 1574 | NPT0025-26 | 4111600483000 | TEST, CALCITONIN, CHEMISTRY, COMPATIBLE WITH ELECYC, COBAS E411, E601, E602 | TET | G06 | 12000 |
| 1575 | NPT0025-26 | 4111601203000 | TEST, PREALBUMIN, COMPATIBLE WITH MINDRAY ANALYZER BS SERIES INSTRUMENT | TET | G20 | 250 |
| 1576 | NPT0025-26 | 4111610754600 | VIAL, LIQUICHEK HOMOCYSTEINE LEVEL 1, 1 ML, CHEMISTRY | KIT | ITEMIZED | 2 |
| 1577 | NPT0025-26 | 4111610754800 | VIAL, LIQUICHEK HOMOCYSTEINE LEVEL 3, 1 ML, CHEMISTRY | KIT | ITEMIZED | 2 |
| 1578 | NPT0025-26 | 4111610754700 | VIAL, BIORAD LIQUICHEK HOMOCYSTEINE CONTROL, LEVEL 2, 1ML, CHEMISTRY | VIA | G10 | 48 |
| 1579 | NPT0025-26 | 4110292726300 | TEST, ADENOSINE DEAMINASE ADA, COMPATIBLE WITH MINDRAY ANALYZER BS SERIES INSTRUMENT | TET | G20 | 250 |
| 1580 | NPT0025-26 | 4120210213700 | TEST, CREATINE KINASE (CK), CHEMISTRY, COMPATIBLE WITH COBAS C701, C702 | TET | G06 | 55200 |
| 1581 | NPT0025-26 | 4228152802100 | STRIP, PH INDICATOR, RANGE 1.0-12.0 | PC | ITEMIZED | 2000 |
| 1582 | NPT0025-26 | 4114201900000 | TEST, HIGH DENSITY LIPOPROTEIN (HDL), CHEMISTRY, COMPATIBLE WITH MINDRAY 200 | TET | G20 | 600 |
| 1583 | NPT0025-26 | 4118160099500 | TEST, CA 12-5, CHEMISTRY, COMPATIBLE WITH COBASE402, E801 | TET | G06 | 300 |
| 1584 | NPT0025-26 | 4114205700000 | TEST, TOTAL PROTEIN, CHEMISTRY, COMPATIBLE WITH MINDRAY 200 | KIT | G20 | 2856 |
| 1585 | NPT0025-26 | 4114206500000 | TEST, URIC ACID, CHEMISTRY, COMPATIBLE WITH MINDRAY 200 | KIT | G20 | 3882 |
| 1586 | NPT0025-26 | 4118160100400 | TEST, TOTAL PROSTATE SPECIFIC ANTIGEN (TPSA), COMPATIBLE WITH COBAS E402, E801 ANALYZER | TET | G06 | 250 |
| 1587 | NPT0025-26 | 4111601203500 | TEST, TROPONIN I COMBO, RAPID LATERAL FLOW CHROMATOGRAPHIC IMMUNOASSAY, QUALITATIVE, HUMAN SERUM/PLASMA/WHOLE BLOOD | TET | ITEMIZED | 500 |
| 1588 | NPT0025-26 | 4111600902600 | TEST, CHOLESTEROL, CHEMISTRY, COMPATIBLE WITH UDILIPSE | TET | G19 | 10000 |
| 1589 | NPT0025-26 | 4111610755000 | VIAL, LIQUICHEK IMMUNOLOGY LEVEL 1, 3MLCHEMISTRY | KIT | ITEMIZED | 2 |
| 1590 | NPT0025-26 | 4111610755200 | VIAL, LIQUICHEK IMMUNOLOGY LEVEL 2, 3MLCHEMISTRY | KIT | ITEMIZED | 2 |
| 1591 | NPT0025-26 | 4111610755300 | VIAL, LIQUICHEK IMMUNOLOGY LEVEL3, 3MLCHEMISTRY | KIT | ITEMIZED | 20 |
| 1592 | NPT0025-26 | 4111580055900 | TEST, PHOSPHORUS , COMPATIBLE WITH MINDRAY ANALYZER BS SERIES INSTRUMENT. | TET | G20 | 4000 |
| 1593 | NPT0025-26 | 4120210215100 | TEST, MAGNESIUM, CHEMISTRY, COMPATIBLE WITH COBAS C701, C702 | TET | G06 | 60400 |
| 1594 | NPT0025-26 | 4111613800900 | TEST, STRIP URINALYSIS, CHEMISTRY, COMPATIBLE WITH COBAS U 601 ANALYZER | TET | G06 | 56000 |
| 1595 | NPT0025-26 | 4110260015500 | KIT, HIGH SENSITIVITY GLUCOSE ASSAY, CHEMISTRY | KIT | ITEMIZED | 10 |
| 1596 | NPT0025-26 | 4111600404100 | TEST, HIGH DENSITY LIPOPROTEIN (HDL), CHEMISTRY, COMPATIBLE WITH RANDOX DAYTONA PLUS | TET | G04 | 500 |
| 1597 | NPT0025-26 | 4114000018700 | TEST, LACTATE, POCT, COMPATIBLE WITH ACCUTREND PLUS | TET | ITEMIZED | 25 |

| SN | Tender No. | NUPCO Code | NUPCO DESCRIPTION | UOM | GROUP / ITEMIZED | Initial Quantity |
|------|------------|---------------|---|-----|------------------|------------------|
| 1598 | NPT0025-26 | 4114000021600 | TEST, DIGOXIN, CHEMISTRY, COMPATIBLE WITH DXC SERIES/ AU SERIES | TET | G03 | 8200 |
| 1599 | NPT0025-26 | 4111600506100 | TEST, D-DIMER, POCT, COMPATIBLE WITH PATHFAST | TET | G22 | 111540 |
| 1600 | NPT0025-26 | 4120210214700 | TEST, TRIGLYCERIDE, CHEMISTRY, COMPATIBLE WITH COBAS C701, C702 | TET | G06 | 88800 |
| 1601 | NPT0025-26 | 4114000015900 | TEST, BETA HCG (BHCG), COMPATIBLE WITH COBAS E411, E601, E602 ANALYZER | EA | G06 | 200 |
| 1602 | NPT0025-26 | 4114191600000 | TEST, AMYLASE, CHEMISTRY, COMPATIBLE WITH MINDRAY 200 | KIT | G20 | 600 |
| 1603 | NPT0025-26 | 4111620900400 | PIECE, BATTERY, RECHARGEABLE, COMPATIBLE WITH I STAT | PC | G01 | 40 |
| 1604 | NPT0025-26 | 4111600413900 | TEST, PROGESTERONE, CHEMISTRY, COMPATIBLE WITH ELECSYS E411, E601, E602 | TET | G06 | 200100 |
| 1605 | NPT0025-26 | 4111580051500 | TEST, FERRITIN , COMPATIBLE WITH MINDRAY ANALYZER BS SERIES INSTRUMENT. | TET | G20 | 4000 |
| 1606 | NPT0025-26 | 4111600701400 | TEST, DIGOXIN ,CHEMISTRY ,COMPITABLE WITH VIVA | TET | G18 | 840 |
| 1607 | NPT0025-26 | 4111610503500 | TEST, PREGNANCY BETA HCG, RAPID, SERUM/URINE, CASSETTE | TET | ITEMIZED | 1360 |
| 1608 | NPT0025-26 | 4120210212100 | TEST, IRON, CHEMISTRY, COMPATIBLE WITH COBAS C701, C702 | TET | G06 | 33750 |
| 1609 | NPT0025-26 | 4120210214400 | TEST, TOTAL IRON BINDING CAPACITY (TIBC), CHEMISTRY, COMPATIBLE WITH COBAS C701, C702 | TET | G06 | 33600 |
| 1610 | NPT0025-26 | 4120210211900 | TEST, CHOLESTEROL, CHEMISTRY, COMPATIBLE WITH COBAS C701, C702 | TET | G06 | 48300 |
| 1611 | NPT0025-26 | 4111612809900 | TEST, HE4, CHEMISTRY, COMPATIBLE WITH ELECSYS E411, E601, E602 | TET | G06 | 200 |
| 1612 | NPT0025-26 | 4111600447600 | TEST, ALKALINE PHOSPHATASE (ALP) GSCC, CHEMISTRY, COMPATIBLE WITH DXC SERIES/ AU SERIES | TET | G03 | 167280 |
| 1613 | NPT0025-26 | 4111600702100 | TEST, ACETAMINOPHEN, CHEMISTRY, COMPATIBLE WITH VIVA | TET | G18 | 16800 |
| 1614 | NPT0025-26 | 4120210216300 | TEST, DIRECT BILIRUBIN, CHEMISTRY, COMPATIBLE WITH COBAS C701, C702 | TET | G06 | 50000 |
| 1615 | NPT0025-26 | 4114194800000 | TEST, CREATININE, CHEMISTRY, COMPATIBLE WITH MINDRAY 200 | EA | G20 | 600 |
| 1616 | NPT0025-26 | 4111600420800 | TEST, TRIGLYCERIDE, CHEMISTRY, SIZE 520, 4X20ML, COMPATIBLE WITH RANDOX DAYTONA PLUS ANALYZER | TET | G04 | 500 |
| 1617 | NPT0025-26 | 4120210213100 | TEST, GAMMA GLUTAMYL TRANSFERASE (GGT), CHEMISTRY, COMPATIBLE WITH COBAS C701, C702 | TET | G06 | 26400 |
| 1618 | NPT0025-26 | 4114200800000 | TEST, IRON, CHEMISTRY, COMPATIBLE WITH MINDRAY 200 | KIT | G20 | 966 |
| 1619 | NPT0025-26 | 4114205100000 | TEST, SODIUM (NA), CHEMISTRY, COMPATIBLE WITH MINDRAY 200 | TET | G20 | 16000 |
| 1620 | NPT0025-26 | 4120210222800 | TEST, DIGITOXIN, COMPATIBLE WITH COBAS E411, E601, E602 | TET | G06 | 600 |
| 1621 | NPT0025-26 | 4111600402200 | TEST, CHOLESTEROL, CHEMISTRY, COMPATIBLE WITH RANDOX DAYTONA PLUS | TET | G04 | 500 |
| 1622 | NPT0025-26 | 4120210214800 | TEST, URIC ACID, CHEMISTRY, COMPATIBLE WITH COBAS C701, C702 | TET | G06 | 137000 |
| 1623 | NPT0025-26 | 4111600417000 | TEST, GAMMA GLUTAMYL TRANSFERASE (GGT), CHEMISTRY, COMPATIBLE WITH RANDOX DAYTONA PLUS | TET | G04 | 500 |
| 1624 | NPT0025-26 | 4120210216500 | TEST, UREA, CHEMISTRY, COMPATIBLE WITH COBAS C701, C702 | TET | G06 | 91200 |
| 1625 | NPT0025-26 | 4111610759700 | VIAL, BIORAD LIQUICHEK CARDIAC MARKERS LEVEL 2, CHEMISTRY | VIA | ITEMIZED | 120 |
| 1626 | NPT0025-26 | 4111610759800 | VIAL, BIORAD LIQUICHEK CARDIAC MARKERS LEVEL 3, CHEMISTRY | VIA | G10 | 120 |
| 1627 | NPT0025-26 | 4120210212200 | TEST, LACTATE DEHYDROGENASE (LDH), CHEMISTRY, COMPATIBLE WITH COBAS C701, C702 | TET | G06 | 36750 |
| 1628 | NPT0025-26 | 4118160134300 | TEST, PROGESTERONE, CHEMISTRY, COMPATIBLE WITH DRG HYBRID-XL ANALYZER IMMUNOASSAY. | TET | G15 | 26480 |
| 1629 | NPT0025-26 | 4111600476100 | TEST, BILIRUBIN DIRECT, CHEMISTRY, COMPATIBLE WITH RANDOX DAYTONA PLUS | TET | G04 | 500 |
| 1630 | NPT0025-26 | 4111610754200 | VIAL, IMMUNOSUPPRESSANT LEVEL 1, 2 ML, CHEMISTRY | KIT | ITEMIZED | 48 |
| 1631 | NPT0025-26 | 4111610754300 | VIAL, IMMUNOSUPPRESSANT LEVEL 2, 2 ML, CHEMISTRY | KIT | ITEMIZED | 48 |
| 1632 | NPT0025-26 | 4118160151900 | TEST, TESTOSTERONE, CHEMISTRY, COMPATIBLE WITH DRG HYBRID-XL ANALYZER IMMUNOASSAY. | TET | G15 | 26000 |
| 1633 | NPT0025-26 | 4120210214900 | TEST, TOTAL BILIRUBIN, CHEMISTRY, COMPATIBLE WITH COBAS C701, C702 | TET | G06 | 55200 |
| 1634 | NPT0025-26 | 4120210211700 | TEST, CALCIUM, CHEMISTRY, COMPATIBLE WITH COBAS C701, C702 | TET | G06 | 74250 |
| 1635 | NPT0025-26 | 4111600482900 | TEST, THYROID STIMULATING HORMONE RECEPTOR ANTIBODIES, CHEMISTRY, COMPATIBLE WITH ELECSYS, COBAS E411, E601, E602 | TET | G06 | 2000 |
| 1636 | NPT0025-26 | 4111600411800 | TEST, ALKALINE PHOSPHATASE (ALP), CHEMISTRY, COMPATIBLE WITH RANDOX DAYTONA PLUS | TET | G04 | 500 |
| 1637 | NPT0025-26 | 4118160146400 | TEST, TOTAL 4 (T4), CHEMISTRY, COMPATIBLE WITH DRG HYBRID-XL ANALYZER IMMUNOASSAY | TET | G15 | 60000 |
| 1638 | NPT0025-26 | 4120210212600 | TEST, ALANINE AMINOTRANSFERASE (ALT), CHEMISTRY, COMPATIBLE WITH COBAS C701, C702 | TET | G06 | 49500 |
| 1639 | NPT0025-26 | 4111600420300 | TEST, TOTAL BILIRUBIN, CHEMISTRY, COMPATIBLE WITH RANDOX DAYTONA PLUS | TET | G04 | 500 |
| 1640 | NPT0025-26 | 4114206000000 | TEST, TRIGLYCERIDE, CHEMISTRY, COMPATIBLE WITH MINDRAY 200 | KIT | G20 | 1456 |
| 1641 | NPT0025-26 | 4111600411000 | TEST, ALANINE AMINOTRANSFERASE (ALT), CHEMISTRY, COMPATIBLE WITH RANDOX DAYTONA PLUS | TET | G04 | 500 |
| 1642 | NPT0025-26 | 4120210213200 | TEST, GLUCOSE, CHEMISTRY, COMPATIBLE WITH COBAS C701, C702 | TET | G06 | 90200 |
| 1643 | NPT0025-26 | 4111613900000 | KIT, URINE CONTROL, URINALYSIS, POSITIVE/NEGATIVE, 2 X 15ML | KIT | ITEMIZED | 250 |

| SN | Tender No. | NUPCO Code | NUPCO DESCRIPTION | UOM | GROUP / ITEMIZED | Initial Quantity |
|------|------------|---------------|--|-----|------------------|------------------|
| 1644 | NPT0025-26 | 4120210213000 | TEST, ALKALINE PHOSPHATASE (ALP), CHEMISTRY, COMPATIBLE WITH ROCHE COBAS C701, C702 | TET | G06 | 47250 |
| 1645 | NPT0025-26 | 4111600412600 | TEST, ASPARTATE AMINOTRANSFERASE (AST), CHEMISTRY, COMPATIBLE WITH RANDOX DAYTONA PLUS | TET | G04 | 500 |
| 1646 | NPT0025-26 | 4120210212700 | TEST, ALBUMIN, CHEMISTRY, COMPATIBLE WITH COBAS C701, C702 | TET | G06 | 49500 |
| 1647 | NPT0025-26 | 4111600434700 | TEST, ADRENOCORTICOTROPIC (ACTH), CHEMISTRY COMPATIBLE WITH ELECSYS, COBAS E411, E601, E602 | TET | G06 | 46300 |
| 1648 | NPT0025-26 | 4120210212900 | TEST, ASPARTATE AMINOTRANSFERASE (AST), CHEMISTRY, COMPATIBLE WITH COBAS C701, C702 | TET | G06 | 48400 |
| 1649 | NPT0025-26 | 4114195300000 | TEST, DEHYDROEPIANDROSTERONE SULFATE (DHEA-S), CHEMISTRY, COMPATIBLE WITH ELECSYS COBAS E411, E601, E602 | TET | G06 | 12900 |
| 1650 | NPT0025-26 | 4120210214200 | TEST, TOTAL PROTEIN, CHEMISTRY, COMPATIBLE WITH COBAS C701, C702 | TET | G06 | 44100 |
| 1651 | NPT0025-26 | 4120210216400 | TEST, PHOSPHORUS, CHEMISTRY, COMPATIBLE WITH COBAS C701, C702 | TET | G06 | 49800 |
| 1652 | NPT0025-26 | 4111610580300 | TEST, CREATINE KINASE (CK), CHEMISTRY, COMPATIBLE WITH KENZA 240 TX | TET | G21 | 200 |
| 1653 | NPT0025-26 | 4114192400000 | TEST, TOTAL BILIRUBIN, CHEMISTRY, COMPATIBLE WITH MINDRAY 200 | KIT | G20 | 600 |
| 1654 | NPT0025-26 | 4114192500000 | TEST, DIRECT BILIRUBIN, CHEMISTRY, COMPATIBLE WITH MINDRAY 200 | KIT | G20 | 600 |
| 1655 | NPT0025-26 | 4120210213800 | TEST, CREATININE, CHEMISTRY, COMPATIBLE WITH COBAS C701, C702 | TET | G06 | 87000 |
| 1656 | NPT0025-26 | 4115171102200 | TEST, AMMONIA , CHEMISTRY, COMPATIBLE WITH FUJI ANALYZERS | TET | G08 | 3456 |
| 1657 | NPT0025-26 | 4111620200000 | TEST, CHOLESTEROL, CHEMISTRY, COMPATIBLE WITH MINDRAY 200 | KIT | G20 | 1457 |
| 1658 | NPT0025-26 | 4114191100000 | TEST, ALBUMIN, CHEMISTRY, COMPATIBLE WITH MINDRAY 200 | KIT | G20 | 600 |
| 1659 | NPT0025-26 | 4114191400000 | TEST, ALKALINE PHOSPHATASE (ALP), CHEMISTRY, COMPATIBLE WITH MINDRAY 200 | KIT | G20 | 1200 |
| 1660 | NPT0025-26 | 4114197000000 | TEST, GAMMA GLUTAMYL TRANSFERASE (GGT), CHEMISTRY, COMPATIBLE WITH MINDRAY 200 | KIT | G20 | 600 |
| 1661 | NPT0025-26 | 4114206400000 | TEST, UREA, CHEMISTRY, COMPATIBLE WITH MINDRAY 200 | KIT | G20 | 600 |
| 1662 | NPT0025-26 | 4114191000000 | TEST, ALANINE AMINOTRANSFERASE (ALT), CHEMISTRY, COMPATIBLE WITH MINDRAY 200 | KIT | G20 | 1320 |
| 1663 | NPT0025-26 | 4114193200000 | TEST, CALCIUM, CHEMISTRY, COMPATIBLE WITH MINDRAY 200 | KIT | G20 | 600 |
| 1664 | NPT0025-26 | 4114181200000 | TEST, GLUCOSE, CHEMISTRY, COMPATIBLE WITH MINDRAY 200 | KIT | G20 | 600 |
| 1665 | NPT0025-26 | 4111600497900 | TEST, FREE TRIIODOTHYRONINE (FT3), CHEMISTRY, COMPATIBLE WITH MINI VIDAS | TET | G10 | 4 |
| 1666 | NPT0025-26 | 4111610402100 | TEST, CHLORIDE, CHEMISTRY, COMPATIBLE WITH MINDRAY 200 | TET | G20 | 400 |
| 1667 | NPT0025-26 | 4111600522100 | TEST, THYROID STIMULATING HORMONE (TSH), CHEMISTRY, COMPATIBLE WITH MINI VIDAS | TET | G10 | 2 |